


5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
 Setting 70
 02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.459G | 67.45 | 74.00 | -6.55 | 57.13 | 3 | Vertical | 262.6 | 2.17 | - | 33.92 | 7.15 | 30.75 |
| AV | 5.4592G | 47.85 | 54.00 | -6.15 | 37.52 | 3 | Vertical | 262.6 | 2.17 | - | 33.92 | 7.16 | 30.75 |
| PK | 5.4692G | 67.02 | 68.20 | -1.18 | 56.64 | 3 | Vertical | 262.6 | 2.17 | - | 33.94 | 7.19 | 30.75 |
| PK | 5.5018G | 110.89 | Inf | -Inf | 100.32 | 3 | Vertical | 262.6 | 2.17 | - | 34.00 | 7.30 | 30.73 |
| AV | 5.4946G | 97.99 | Inf | -Inf | 87.46 | 3 | Vertical | 262.6 | 2.17 | - | 33.99 | 7.27 | 30.73 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
 Setting 70
 02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4374G | 59.64 | 74.00 | -14.36 | 49.43 | 3 | Horizontal | 34 | 2.06 | - | 33.90 | 7.08 | 30.77 |
| AV | 5.4382G | 47.41 | 54.00 | -6.59 | 37.18 | 3 | Horizontal | 34 | 2.06 | - | 33.90 | 7.09 | 30.76 |
| PK | 5.4678G | 63.95 | 68.20 | -4.25 | 53.58 | 3 | Horizontal | 34 | 2.06 | - | 33.94 | 7.18 | 30.75 |
| PK | 5.5226G | 102.73 | Inf | -Inf | 92.04 | 3 | Horizontal | 34 | 2.06 | - | 34.05 | 7.36 | 30.72 |
| AV | 5.5034G | 90.53 | Inf | -Inf | 79.95 | 3 | Horizontal | 34 | 2.06 | - | 34.01 | 7.30 | 30.73 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 70
02-D-S-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.02396G | 57.16 | 74.00 | -16.84 | 37.74 | 3 | Vertical | 275 | 1.68 | - | 38.45 | 11.46 | 30.49 |
| AV | 11.0328G | 43.80 | 54.00 | -10.20 | 24.36 | 3 | Vertical | 275 | 1.68 | - | 38.47 | 11.47 | 30.50 |
| PK | 16.52452G | 59.63 | 68.20 | -8.57 | 40.61 | 3 | Vertical | 154 | 2.19 | - | 38.95 | 12.12 | 32.05 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 70
02-D-S-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.02932G | 56.56 | 74.00 | -17.44 | 37.13 | 3 | Horizontal | 77 | 2.84 | - | 38.46 | 11.46 | 30.49 |
| AV | 11.03964G | 43.91 | 54.00 | -10.09 | 24.46 | 3 | Horizontal | 77 | 2.84 | - | 38.48 | 11.47 | 30.50 |
| PK | 16.532G | 59.48 | 68.20 | -8.72 | 40.42 | 3 | Horizontal | 74 | 2.78 | - | 38.99 | 12.12 | 32.05 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 97
02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4558G | 65.27 | 74.00 | -8.73 | 54.97 | 3 | Vertical | 126 | 1.80 | - | 33.91 | 7.14 | 30.75 |
| AV | 5.4594G | 49.69 | 54.00 | -4.31 | 39.36 | 3 | Vertical | 126 | 1.80 | - | 33.92 | 7.16 | 30.75 |
| PK | 5.4678G | 66.60 | 68.20 | -1.60 | 56.23 | 3 | Vertical | 126 | 1.80 | - | 33.94 | 7.18 | 30.75 |
| PK | 5.5461G | 115.04 | Inf | -Inf | 104.23 | 3 | Vertical | 126 | 1.80 | - | 34.09 | 7.44 | 30.72 |
| AV | 5.5377G | 102.77 | Inf | -Inf | 92.00 | 3 | Vertical | 126 | 1.80 | - | 34.08 | 7.41 | 30.72 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


20/05/2025

EUT_Y_2TX
Setting 97
02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.4114G | 61.02 | 74.00 | -12.98 | 50.90 | 3 | Horizontal | 33 | 2.18 | - | 33.90 | 7.00 | 30.78 |
| PK | 5.4663G | 60.63 | 68.20 | -7.57 | 50.27 | 3 | Horizontal | 33 | 2.18 | - | 33.93 | 7.18 | 30.75 |
| AV | 5.4573G | 47.93 | 54.00 | -6.07 | 37.62 | 3 | Horizontal | 33 | 2.18 | - | 33.91 | 7.15 | 30.75 |
| PK | 5.5371G | 107.08 | Inf | -Inf | 96.32 | 3 | Horizontal | 33 | 2.18 | - | 34.07 | 7.41 | 30.72 |
| AV | 5.5455G | 93.96 | Inf | -Inf | 83.15 | 3 | Horizontal | 33 | 2.18 | - | 34.09 | 7.44 | 30.72 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX



EUT_Z_2TX
Setting 97
02-D-S-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.08876G | 57.41 | 74.00 | -16.59 | 37.85 | 3 | Vertical | 73 | 2.97 | - | 38.58 | 11.50 | 30.52 |
| AV | 11.10588G | 44.15 | 54.00 | -9.85 | 24.58 | 3 | Vertical | 73 | 2.97 | - | 38.59 | 11.51 | 30.53 |
| PK | 16.64252G | 63.53 | 68.20 | -4.67 | 43.66 | 3 | Vertical | 323 | 1.05 | - | 39.76 | 12.18 | 32.07 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 97
02-D-S-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.0958G | 57.44 | 74.00 | -16.56 | 37.86 | 3 | Horizontal | 160 | 2.50 | - | 38.59 | 11.51 | 30.52 |
| AV | 11.08784G | 44.11 | 54.00 | -9.89 | 24.55 | 3 | Horizontal | 160 | 2.50 | - | 38.58 | 11.50 | 30.52 |
| PK | 16.66448G | 61.55 | 68.20 | -6.65 | 41.60 | 3 | Horizontal | 179 | 2.96 | - | 39.83 | 12.19 | 32.07 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
 Setting 80
 02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6586G | 113.97 | Inf | -Inf | 102.99 | 3 | Vertical | 80 | 2.62 | - | 34.00 | 7.67 | 30.69 |
| AV | 5.6523G | 101.19 | Inf | -Inf | 90.21 | 3 | Vertical | 80 | 2.62 | - | 34.00 | 7.67 | 30.69 |
| PK | 5.7435G | 66.99 | 68.20 | -1.21 | 55.91 | 3 | Vertical | 80 | 2.62 | - | 34.00 | 7.75 | 30.67 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
 Setting 80
 02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6577G | 104.64 | Inf | -Inf | 93.66 | 3 | Horizontal | 39 | 1.98 | - | 34.00 | 7.67 | 30.69 |
| AV | 5.6757G | 91.99 | Inf | -Inf | 80.99 | 3 | Horizontal | 39 | 1.98 | - | 34.00 | 7.69 | 30.69 |
| PK | 5.7438G | 63.00 | 68.20 | -5.20 | 51.92 | 3 | Horizontal | 39 | 1.98 | - | 34.00 | 7.75 | 30.67 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 80
02-D-S-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.34268G | 57.47 | 74.00 | -16.53 | 37.76 | 3 | Vertical | 98 | 1.07 | - | 38.69 | 11.66 | 30.64 |
| AV | 11.35464G | 44.49 | 54.00 | -9.51 | 24.76 | 3 | Vertical | 98 | 1.07 | - | 38.70 | 11.67 | 30.64 |
| PK | 17.00276G | 62.25 | 68.20 | -5.95 | 40.81 | 3 | Vertical | 61 | 1.93 | - | 41.21 | 12.35 | 32.12 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 80
02-D-S-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.35448G | 57.55 | 74.00 | -16.45 | 37.82 | 3 | Horizontal | 148 | 2.25 | - | 38.70 | 11.67 | 30.64 |
| AV | 11.35728G | 44.45 | 54.00 | -9.55 | 24.72 | 3 | Horizontal | 148 | 2.25 | - | 38.70 | 11.67 | 30.64 |
| PK | 17.01288G | 63.10 | 68.20 | -5.10 | 41.64 | 3 | Horizontal | 150 | 2.86 | - | 41.23 | 12.35 | 32.12 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 Setting 108
 02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.7112G | 116.72 | Inf | -Inf | 105.68 | 3 | Vertical | 91.1 | 2.94 | - | 34.00 | 7.72 | 30.68 |
| AV | 5.7076G | 105.12 | Inf | -Inf | 94.08 | 3 | Vertical | 91.1 | 2.94 | - | 34.00 | 7.72 | 30.68 |
| PK | 5.858G | 63.34 | 68.20 | -4.86 | 52.21 | 3 | Vertical | 91.1 | 2.94 | - | 33.93 | 7.84 | 30.64 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



EUT_Y_2TX
 Setting 108
 02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.7208G | 108.91 | Inf | -Inf | 97.86 | 3 | Horizontal | 355 | 2.36 | - | 34.00 | 7.73 | 30.68 |
| AV | 5.7076G | 96.24 | Inf | -Inf | 85.20 | 3 | Horizontal | 355 | 2.36 | - | 34.00 | 7.72 | 30.68 |
| PK | 5.9068G | 60.43 | 68.20 | -7.77 | 49.08 | 3 | Horizontal | 355 | 2.36 | - | 34.11 | 7.87 | 30.63 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 106
02-D-S-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.43208G | 57.82 | 74.00 | -16.18 | 38.02 | 3 | Vertical | 91 | 2.26 | - | 38.76 | 11.72 | 30.68 |
| AV | 11.4016G | 44.54 | 54.00 | -9.46 | 24.80 | 3 | Vertical | 91 | 2.26 | - | 38.70 | 11.70 | 30.66 |
| PK | 17.13204G | 65.87 | 68.20 | -2.33 | 44.10 | 3 | Vertical | 327 | 1.00 | - | 41.53 | 12.41 | 32.17 |

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 106
02-D-S-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.43264G | 57.72 | 74.00 | -16.28 | 37.91 | 3 | Horizontal | 146 | 2.14 | - | 38.77 | 11.72 | 30.68 |
| AV | 11.40784G | 44.50 | 54.00 | -9.50 | 24.75 | 3 | Horizontal | 146 | 2.14 | - | 38.72 | 11.70 | 30.67 |
| PK | 17.11996G | 62.24 | 68.20 | -5.96 | 40.52 | 3 | Horizontal | 67 | 1.57 | - | 41.48 | 12.40 | 32.16 |

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
 Setting 108
 02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6455G | 64.67 | 68.20 | -3.53 | 53.71 | 3 | Vertical | 68.9 | 1.78 | - | 34.00 | 7.66 | 30.70 |
| PK | 5.7475G | 119.02 | Inf | -Inf | 107.94 | 3 | Vertical | 68.9 | 1.78 | - | 34.00 | 7.75 | 30.67 |
| AV | 5.7505G | 105.73 | Inf | -Inf | 94.64 | 3 | Vertical | 68.9 | 1.78 | - | 34.00 | 7.76 | 30.67 |
| PK | 5.931G | 63.70 | 68.20 | -4.50 | 52.28 | 3 | Vertical | 68.9 | 1.78 | - | 34.16 | 7.89 | 30.63 |

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.554G | 61.61 | 68.20 | -6.59 | 50.77 | 3 | Horizontal | 28.8 | 1.89 | - | 34.09 | 7.47 | 30.72 |
| PK | 5.7385G | 106.29 | Inf | -Inf | 95.22 | 3 | Horizontal | 28.8 | 1.89 | - | 34.00 | 7.74 | 30.67 |
| AV | 5.738G | 94.95 | Inf | -Inf | 83.88 | 3 | Horizontal | 28.8 | 1.89 | - | 34.00 | 7.74 | 30.67 |
| PK | 5.9805G | 61.55 | 68.20 | -6.65 | 49.98 | 3 | Horizontal | 28.8 | 1.89 | - | 34.26 | 7.92 | 30.61 |

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX



EUT_Z_2TX
Setting 90
02-D-S-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.49364G | 58.04 | 74.00 | -15.96 | 38.02 | 3 | Vertical | 290 | 1.04 | - | 38.97 | 11.76 | 30.71 |
| AV | 11.52856G | 44.59 | 54.00 | -9.41 | 24.48 | 3 | Vertical | 290 | 1.04 | - | 39.06 | 11.78 | 30.73 |
| PK | 17.26208G | 65.94 | 68.20 | -2.26 | 43.48 | 3 | Vertical | 322 | 1.03 | - | 42.20 | 12.47 | 32.21 |

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 90
02-D-S-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.51912G | 57.24 | 74.00 | -16.76 | 37.16 | 3 | Horizontal | 181 | 2.60 | - | 39.04 | 11.77 | 30.73 |
| AV | 11.5168G | 44.50 | 54.00 | -9.50 | 24.42 | 3 | Horizontal | 181 | 2.60 | - | 39.03 | 11.77 | 30.72 |
| PK | 17.26092G | 63.24 | 68.20 | -4.96 | 40.79 | 3 | Horizontal | 4 | 2.61 | - | 42.19 | 12.47 | 32.21 |

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 106
02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.632G | 62.83 | 68.20 | -5.37 | 51.88 | 3 | Vertical | 88 | 2.53 | - | 34.00 | 7.65 | 30.70 |
| PK | 5.777G | 116.75 | Inf | -Inf | 105.63 | 3 | Vertical | 88 | 2.53 | - | 34.00 | 7.78 | 30.66 |
| AV | 5.777G | 105.05 | Inf | -Inf | 93.93 | 3 | Vertical | 88 | 2.53 | - | 34.00 | 7.78 | 30.66 |
| PK | 5.9375G | 66.54 | 68.20 | -1.66 | 55.09 | 3 | Vertical | 88 | 2.53 | - | 34.18 | 7.89 | 30.62 |

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 

20/05/2025

EUT_Y_2TX
 Setting 106
 02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.62G | 60.84 | 68.20 | -7.36 | 49.90 | 3 | Horizontal | 105 | 2.20 | - | 34.00 | 7.64 | 30.70 |
| PK | 5.807G | 107.01 | Inf | -Inf | 95.88 | 3 | Horizontal | 105 | 2.20 | - | 33.99 | 7.80 | 30.66 |
| AV | 5.8085G | 95.92 | Inf | -Inf | 84.79 | 3 | Horizontal | 105 | 2.20 | - | 33.98 | 7.81 | 30.66 |
| PK | 6.0005G | 61.36 | 68.20 | -6.84 | 49.74 | 3 | Horizontal | 105 | 2.20 | - | 34.30 | 7.93 | 30.61 |

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX



EUT_Z_2TX
Setting 88
02-D-S-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.57904G | 58.14 | 74.00 | -15.86 | 37.95 | 3 | Vertical | 258 | 1.11 | - | 39.16 | 11.81 | 30.78 |
| AV | 11.57876G | 44.68 | 54.00 | -9.32 | 24.49 | 3 | Vertical | 258 | 1.11 | - | 39.16 | 11.81 | 30.78 |
| PK | 17.36752G | 66.11 | 68.20 | -2.09 | 42.87 | 3 | Vertical | 320 | 1.07 | - | 42.97 | 12.52 | 32.25 |

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 88
02-D-S-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.59304G | 58.01 | 74.00 | -15.99 | 37.79 | 3 | Horizontal | 207 | 1.65 | - | 39.19 | 11.82 | 30.79 |
| AV | 11.59364G | 44.69 | 54.00 | -9.31 | 24.47 | 3 | Horizontal | 207 | 1.65 | - | 39.19 | 11.82 | 30.79 |
| PK | 17.40264G | 64.91 | 68.20 | -3.29 | 41.51 | 3 | Horizontal | 297 | 1.12 | - | 43.12 | 12.54 | 32.26 |

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 77
02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1348G | 72.07 | 74.00 | -1.93 | 62.46 | 3 | Vertical | 357.8 | 1.99 | - | 33.57 | 6.97 | 30.93 |
| AV | 5.1444G | 50.79 | 54.00 | -3.21 | 41.16 | 3 | Vertical | 357.8 | 1.99 | - | 33.59 | 6.97 | 30.93 |
| PK | 5.184G | 111.04 | Inf | -Inf | 101.28 | 3 | Vertical | 357.8 | 1.99 | - | 33.67 | 7.00 | 30.91 |
| AV | 5.1964G | 95.29 | Inf | -Inf | 85.49 | 3 | Vertical | 357.8 | 1.99 | - | 33.69 | 7.01 | 30.90 |
| PK | 5.3796G | 60.09 | 74.00 | -13.91 | 50.02 | 3 | Vertical | 357.8 | 1.99 | - | 33.90 | 6.97 | 30.80 |
| AV | 5.4036G | 47.51 | 54.00 | -6.49 | 37.42 | 3 | Vertical | 357.8 | 1.99 | - | 33.90 | 6.97 | 30.78 |

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 77
02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1212G | 63.46 | 74.00 | -10.54 | 53.90 | 3 | Horizontal | 18.9 | 2.14 | - | 33.54 | 6.96 | 30.94 |
| AV | 5.1444G | 47.93 | 54.00 | -6.07 | 38.30 | 3 | Horizontal | 18.9 | 2.14 | - | 33.59 | 6.97 | 30.93 |
| PK | 5.1808G | 102.87 | Inf | -Inf | 93.12 | 3 | Horizontal | 18.9 | 2.14 | - | 33.66 | 7.00 | 30.91 |
| AV | 5.1768G | 89.00 | Inf | -Inf | 79.27 | 3 | Horizontal | 18.9 | 2.14 | - | 33.65 | 6.99 | 30.91 |
| PK | 5.3828G | 59.81 | 74.00 | -14.19 | 49.75 | 3 | Horizontal | 18.9 | 2.14 | - | 33.90 | 6.96 | 30.80 |
| AV | 5.4056G | 47.23 | 54.00 | -6.77 | 37.13 | 3 | Horizontal | 18.9 | 2.14 | - | 33.90 | 6.98 | 30.78 |

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 77
02-D-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 10.42608G | 56.91 | 68.20 | -11.29 | 38.09 | 3 | Vertical | 306 | 1.80 | - | 38.25 | 11.08 | 30.51 |
| PK | 15.64016G | 59.69 | 74.00 | -14.31 | 42.12 | 3 | Vertical | 295 | 1.88 | - | 37.72 | 11.85 | 32.00 |
| AV | 15.64592G | 46.60 | 54.00 | -7.40 | 29.04 | 3 | Vertical | 295 | 1.88 | - | 37.71 | 11.85 | 32.00 |

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 77
02-D-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 10.43192G | 57.52 | 68.20 | -10.68 | 38.71 | 3 | Horizontal | 116 | 1.77 | - | 38.24 | 11.08 | 30.51 |
| PK | 15.61036G | 60.26 | 74.00 | -13.74 | 42.61 | 3 | Horizontal | 333 | 1.80 | - | 37.78 | 11.85 | 31.98 |
| AV | 15.64656G | 47.02 | 54.00 | -6.98 | 29.46 | 3 | Horizontal | 333 | 1.80 | - | 37.71 | 11.85 | 32.00 |

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 77
02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1036G | 59.54 | 74.00 | -14.46 | 50.03 | 3 | Vertical | 135 | 1.80 | - | 33.51 | 6.95 | 30.95 |
| AV | 5.106G | 46.97 | 54.00 | -7.03 | 37.46 | 3 | Vertical | 135 | 1.80 | - | 33.51 | 6.95 | 30.95 |
| PK | 5.298G | 107.98 | Inf | -Inf | 98.03 | 3 | Vertical | 135 | 1.80 | - | 33.80 | 6.99 | 30.84 |
| AV | 5.2644G | 96.83 | Inf | -Inf | 86.97 | 3 | Vertical | 135 | 1.80 | - | 33.73 | 6.99 | 30.86 |
| PK | 5.3508G | 68.80 | 74.00 | -5.20 | 58.74 | 3 | Vertical | 135 | 1.80 | - | 33.90 | 6.97 | 30.81 |
| AV | 5.3528G | 52.58 | 54.00 | -1.42 | 42.52 | 3 | Vertical | 135 | 1.80 | - | 33.90 | 6.97 | 30.81 |
| PK | 5.484G | 60.28 | 68.20 | -7.92 | 49.81 | 3 | Vertical | 135 | 1.80 | - | 33.97 | 7.24 | 30.74 |

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 77
02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1312G | 59.14 | 74.00 | -14.86 | 49.55 | 3 | Horizontal | 29 | 1.80 | - | 33.56 | 6.97 | 30.94 |
| AV | 5.1476G | 46.60 | 54.00 | -7.40 | 36.95 | 3 | Horizontal | 29 | 1.80 | - | 33.60 | 6.98 | 30.93 |
| PK | 5.2592G | 100.72 | Inf | -Inf | 90.86 | 3 | Horizontal | 29 | 1.80 | - | 33.72 | 7.00 | 30.86 |
| AV | 5.298G | 86.41 | Inf | -Inf | 76.46 | 3 | Horizontal | 29 | 1.80 | - | 33.80 | 6.99 | 30.84 |
| PK | 5.3588G | 66.90 | 74.00 | -7.10 | 56.84 | 3 | Horizontal | 29 | 1.80 | - | 33.90 | 6.97 | 30.81 |
| AV | 5.35G | 49.22 | 54.00 | -4.78 | 39.16 | 3 | Horizontal | 29 | 1.80 | - | 33.90 | 6.97 | 30.81 |
| PK | 5.4756G | 59.42 | 68.20 | -8.78 | 49.00 | 3 | Horizontal | 29 | 1.80 | - | 33.95 | 7.21 | 30.74 |

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 77
02-D-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 10.564G | 57.81 | 68.20 | -10.39 | 38.80 | 3 | Vertical | 112 | 1.75 | - | 38.33 | 11.17 | 30.49 |
| PK | 15.885G | 59.01 | 74.00 | -14.99 | 41.67 | 3 | Vertical | 190 | 1.80 | - | 37.64 | 11.86 | 32.16 |
| AV | 15.8666G | 45.95 | 54.00 | -8.05 | 28.66 | 3 | Vertical | 190 | 1.80 | - | 37.57 | 11.86 | 32.14 |

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 77
02-D-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 10.57896G | 57.43 | 68.20 | -10.77 | 38.38 | 3 | Horizontal | 11 | 2.76 | - | 38.36 | 11.18 | 30.49 |
| PK | 15.87856G | 59.56 | 74.00 | -14.44 | 42.24 | 3 | Horizontal | 163 | 1.80 | - | 37.61 | 11.86 | 32.15 |
| AV | 15.87276G | 46.05 | 54.00 | -7.95 | 28.75 | 3 | Horizontal | 163 | 1.80 | - | 37.59 | 11.86 | 32.15 |

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 72
02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3428G | 59.29 | 68.20 | -8.91 | 49.25 | 3 | Vertical | 87 | 1.99 | - | 33.89 | 6.97 | 30.82 |
| AV | 5.35G | 47.11 | 54.00 | -6.89 | 37.05 | 3 | Vertical | 87 | 1.99 | - | 33.90 | 6.97 | 30.81 |
| PK | 5.46G | 65.45 | 74.00 | -8.55 | 55.12 | 3 | Vertical | 87 | 1.99 | - | 33.92 | 7.16 | 30.75 |
| AV | 5.46G | 48.62 | 54.00 | -5.38 | 38.29 | 3 | Vertical | 87 | 1.99 | - | 33.92 | 7.16 | 30.75 |
| PK | 5.4688G | 66.72 | 68.20 | -1.48 | 56.34 | 3 | Vertical | 87 | 1.99 | - | 33.94 | 7.19 | 30.75 |
| PK | 5.5196G | 108.05 | Inf | -Inf | 97.39 | 3 | Vertical | 87 | 1.99 | - | 34.04 | 7.35 | 30.73 |
| AV | 5.5256G | 94.90 | Inf | -Inf | 84.20 | 3 | Vertical | 87 | 1.99 | - | 34.05 | 7.37 | 30.72 |
| PK | 5.7288G | 61.80 | 68.20 | -6.40 | 50.74 | 3 | Vertical | 87 | 1.99 | - | 34.00 | 7.74 | 30.68 |

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX



EUT_Y_2TX
Setting 72
02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.3464G | 58.65 | 68.20 | -9.55 | 48.61 | 3 | Horizontal | 35 | 2.01 | - | 33.89 | 6.97 | 30.82 |
| AV | 5.35G | 46.75 | 54.00 | -7.25 | 36.69 | 3 | Horizontal | 35 | 2.01 | - | 33.90 | 6.97 | 30.81 |
| PK | 5.3944G | 59.87 | 74.00 | -14.13 | 49.80 | 3 | Horizontal | 35 | 2.01 | - | 33.90 | 6.96 | 30.79 |
| PK | 5.4696G | 60.92 | 68.20 | -7.28 | 50.54 | 3 | Horizontal | 35 | 2.01 | - | 33.94 | 7.19 | 30.75 |
| AV | 5.4596G | 47.43 | 54.00 | -6.57 | 37.10 | 3 | Horizontal | 35 | 2.01 | - | 33.92 | 7.16 | 30.75 |
| PK | 5.4924G | 102.04 | Inf | -Inf | 91.53 | 3 | Horizontal | 35 | 2.01 | - | 33.98 | 7.26 | 30.73 |
| AV | 5.5004G | 86.19 | Inf | -Inf | 75.63 | 3 | Horizontal | 35 | 2.01 | - | 34.00 | 7.29 | 30.73 |
| PK | 5.7252G | 59.73 | 68.20 | -8.47 | 48.68 | 3 | Horizontal | 35 | 2.01 | - | 34.00 | 7.73 | 30.68 |

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX



EUT_Y_2TX
Setting 72
02-D-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.05172G | 58.13 | 74.00 | -15.87 | 38.65 | 3 | Vertical | 287 | 1.80 | - | 38.50 | 11.48 | 30.50 |
| AV | 11.07912G | 44.87 | 54.00 | -9.13 | 25.33 | 3 | Vertical | 287 | 1.80 | - | 38.56 | 11.50 | 30.52 |
| PK | 16.5766G | 61.15 | 68.20 | -7.05 | 41.76 | 3 | Vertical | 322 | 2.15 | - | 39.31 | 12.14 | 32.06 |

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 72
02-D-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.04916G | 58.32 | 74.00 | -15.68 | 38.84 | 3 | Horizontal | 328 | 1.71 | - | 38.50 | 11.48 | 30.50 |
| AV | 11.061G | 44.88 | 54.00 | -9.12 | 25.39 | 3 | Horizontal | 328 | 1.71 | - | 38.52 | 11.48 | 30.51 |
| PK | 16.57052G | 61.28 | 68.20 | -6.92 | 41.94 | 3 | Horizontal | 124 | 1.01 | - | 39.26 | 12.14 | 32.06 |

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 82
02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.46G | 65.82 | 74.00 | -8.18 | 55.49 | 3 | Vertical | 71 | 2.46 | - | 33.92 | 7.16 | 30.75 |
| AV | 5.4572G | 47.93 | 54.00 | -6.07 | 37.62 | 3 | Vertical | 71 | 2.46 | - | 33.91 | 7.15 | 30.75 |
| PK | 5.4672G | 61.47 | 68.20 | -6.73 | 51.11 | 3 | Vertical | 71 | 2.46 | - | 33.93 | 7.18 | 30.75 |
| PK | 5.5996G | 112.31 | Inf | -Inf | 101.40 | 3 | Vertical | 71 | 2.46 | - | 34.00 | 7.62 | 30.71 |
| AV | 5.58G | 98.60 | Inf | -Inf | 87.72 | 3 | Vertical | 71 | 2.46 | - | 34.04 | 7.55 | 30.71 |
| PK | 5.738G | 67.00 | 68.20 | -1.20 | 55.93 | 3 | Vertical | 71 | 2.46 | - | 34.00 | 7.74 | 30.67 |

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 82
02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.434G | 59.67 | 74.00 | -14.33 | 49.47 | 3 | Horizontal | 349 | 2.23 | - | 33.90 | 7.07 | 30.77 |
| AV | 5.412G | 47.34 | 54.00 | -6.66 | 37.22 | 3 | Horizontal | 349 | 2.23 | - | 33.90 | 7.00 | 30.78 |
| PK | 5.4692G | 59.39 | 68.20 | -8.81 | 49.01 | 3 | Horizontal | 349 | 2.23 | - | 33.94 | 7.19 | 30.75 |
| PK | 5.5944G | 102.85 | Inf | -Inf | 91.95 | 3 | Horizontal | 349 | 2.23 | - | 34.01 | 7.60 | 30.71 |
| AV | 5.5776G | 91.90 | Inf | -Inf | 81.02 | 3 | Horizontal | 349 | 2.23 | - | 34.04 | 7.55 | 30.71 |
| PK | 5.7728G | 61.50 | 68.20 | -6.70 | 50.38 | 3 | Horizontal | 349 | 2.23 | - | 34.00 | 7.78 | 30.66 |

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 82
02-D-E-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.22924G | 58.00 | 74.00 | -16.00 | 38.50 | 3 | Vertical | 221 | 2.76 | - | 38.50 | 11.59 | 30.59 |
| AV | 11.20604G | 44.59 | 54.00 | -9.41 | 25.08 | 3 | Vertical | 221 | 2.76 | - | 38.50 | 11.58 | 30.57 |
| PK | 16.8446G | 63.44 | 68.20 | -4.76 | 42.88 | 3 | Vertical | 325 | 1.09 | - | 40.39 | 12.27 | 32.10 |

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 82
02-D-E-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.2048G | 57.57 | 74.00 | -16.43 | 38.06 | 3 | Horizontal | 325 | 1.80 | - | 38.50 | 11.58 | 30.57 |
| AV | 11.21608G | 44.49 | 54.00 | -9.51 | 24.99 | 3 | Horizontal | 325 | 1.80 | - | 38.50 | 11.58 | 30.58 |
| PK | 16.81636G | 63.33 | 68.20 | -4.87 | 42.83 | 3 | Horizontal | 320 | 1.79 | - | 40.33 | 12.26 | 32.09 |

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 Setting 102
 02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6732G | 114.91 | Inf | -Inf | 103.91 | 3 | Vertical | 254 | 2.70 | - | 34.00 | 7.69 | 30.69 |
| AV | 5.6644G | 102.15 | Inf | -Inf | 91.16 | 3 | Vertical | 254 | 2.70 | - | 34.00 | 7.68 | 30.69 |
| PK | 5.8572G | 66.69 | 68.20 | -1.51 | 55.56 | 3 | Vertical | 254 | 2.70 | - | 33.93 | 7.84 | 30.64 |

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Y_2TX
 Setting 102
 02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6628G | 107.16 | Inf | -Inf | 96.17 | 3 | Horizontal | 29 | 1.81 | - | 34.00 | 7.68 | 30.69 |
| AV | 5.6668G | 94.48 | Inf | -Inf | 83.49 | 3 | Horizontal | 29 | 1.81 | - | 34.00 | 7.68 | 30.69 |
| PK | 5.8512G | 61.83 | 68.20 | -6.37 | 50.75 | 3 | Horizontal | 29 | 1.81 | - | 33.90 | 7.83 | 30.65 |

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 102
02-D-E-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.39992G | 59.37 | 74.00 | -14.63 | 39.63 | 3 | Vertical | 257 | 1.68 | - | 38.70 | 11.70 | 30.66 |
| AV | 11.37348G | 45.01 | 54.00 | -8.99 | 25.28 | 3 | Vertical | 257 | 1.68 | - | 38.70 | 11.68 | 30.65 |
| PK | 17.07908G | 64.93 | 68.20 | -3.27 | 43.34 | 3 | Vertical | 327 | 1.02 | - | 41.36 | 12.38 | 32.15 |

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 102
02-D-E-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK | 11.39264G | 58.28 | 74.00 | -15.72 | 38.55 | 3 | Horizontal | 24 | 1.80 | - | 38.70 | 11.69 | 30.66 |
| AV | 11.37344G | 45.07 | 54.00 | -8.93 | 25.34 | 3 | Horizontal | 24 | 1.80 | - | 38.70 | 11.68 | 30.65 |
| PK | 17.05596G | 63.27 | 68.20 | -4.93 | 41.73 | 3 | Horizontal | 297 | 1.82 | - | 41.31 | 12.37 | 32.14 |

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
 Setting 91
 02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.6435G | 67.05 | 68.20 | -1.15 | 56.09 | 3 | Vertical | 78 | 2.00 | - | 34.00 | 7.66 | 30.70 |
| PK | 5.7485G | 115.18 | Inf | -Inf | 104.10 | 3 | Vertical | 78 | 2.00 | - | 34.00 | 7.75 | 30.67 |
| AV | 5.7465G | 98.41 | Inf | -Inf | 87.33 | 3 | Vertical | 78 | 2.00 | - | 34.00 | 7.75 | 30.67 |
| PK | 5.9315G | 65.95 | 68.20 | -2.25 | 54.53 | 3 | Vertical | 78 | 2.00 | - | 34.16 | 7.89 | 30.63 |

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX



EUT_Y_2TX
 Setting 91
 02-D-E-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.636G | 61.58 | 68.20 | -6.62 | 50.63 | 3 | Horizontal | 350 | 2.46 | - | 34.00 | 7.65 | 30.70 |
| PK | 5.7425G | 107.11 | Inf | -Inf | 96.03 | 3 | Horizontal | 350 | 2.46 | - | 34.00 | 7.75 | 30.67 |
| AV | 5.764G | 91.06 | Inf | -Inf | 79.96 | 3 | Horizontal | 350 | 2.46 | - | 34.00 | 7.77 | 30.67 |
| PK | 6.016G | 61.29 | 68.20 | -6.91 | 49.64 | 3 | Horizontal | 350 | 2.46 | - | 34.33 | 7.95 | 30.63 |

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX



EUT_Y_2TX
Setting 91
02-D-E-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 11.56384G | 58.46 | 74.00 | -15.54 | 38.29 | 3 | Vertical | 123 | 1.82 | - | 39.13 | 11.80 | 30.76 |
| AV | 11.55704G | 45.44 | 54.00 | -8.56 | 25.29 | 3 | Vertical | 123 | 1.82 | - | 39.11 | 11.80 | 30.76 |
| PK | 17.31168G | 65.49 | 68.20 | -2.71 | 42.64 | 3 | Vertical | 305 | 1.80 | - | 42.59 | 12.49 | 32.23 |

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 91
02-D-E-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 11.55688G | 58.76 | 74.00 | -15.24 | 38.61 | 3 | Horizontal | 9 | 1.80 | - | 39.11 | 11.80 | 30.76 |
| AV | 11.56228G | 45.48 | 54.00 | -8.52 | 25.32 | 3 | Horizontal | 9 | 1.80 | - | 39.12 | 11.80 | 30.76 |
| PK | 17.33544G | 65.67 | 68.20 | -2.53 | 42.63 | 3 | Horizontal | 94 | 2.15 | - | 42.78 | 12.50 | 32.24 |

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
 Setting 78
 02-D-S-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1228G | 64.79 | 74.00 | -9.21 | 55.22 | 3 | Vertical | 5 | 2.06 | - | 33.55 | 6.96 | 30.94 |
| AV | 5.1308G | 52.92 | 54.00 | -1.08 | 43.33 | 3 | Vertical | 5 | 2.06 | - | 33.56 | 6.97 | 30.94 |
| PK | 5.1788G | 102.44 | Inf | -Inf | 92.69 | 3 | Vertical | 5 | 2.06 | - | 33.66 | 7.00 | 30.91 |
| AV | 5.1732G | 96.32 | Inf | -Inf | 86.59 | 3 | Vertical | 5 | 2.06 | - | 33.65 | 6.99 | 30.91 |
| PK | 5.35G | 65.08 | 74.00 | -8.92 | 55.02 | 3 | Vertical | 5 | 2.06 | - | 33.90 | 6.97 | 30.81 |
| AV | 5.35G | 51.20 | 54.00 | -2.80 | 41.14 | 3 | Vertical | 5 | 2.06 | - | 33.90 | 6.97 | 30.81 |
| PK | 5.6188G | 60.71 | 68.20 | -7.49 | 49.77 | 3 | Vertical | 5 | 2.06 | - | 34.00 | 7.64 | 30.70 |

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 78
02-D-S-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.1452G | 60.78 | 74.00 | -13.22 | 51.15 | 3 | Horizontal | 31 | 2.26 | - | 33.59 | 6.97 | 30.93 |
| AV | 5.1412G | 48.57 | 54.00 | -5.43 | 38.95 | 3 | Horizontal | 31 | 2.26 | - | 33.58 | 6.97 | 30.93 |
| PK | 5.2212G | 98.40 | Inf | -Inf | 88.59 | 3 | Horizontal | 31 | 2.26 | - | 33.70 | 7.00 | 30.89 |
| AV | 5.1836G | 90.27 | Inf | -Inf | 80.51 | 3 | Horizontal | 31 | 2.26 | - | 33.67 | 7.00 | 30.91 |
| PK | 5.35G | 66.06 | 74.00 | -7.94 | 56.00 | 3 | Horizontal | 31 | 2.26 | - | 33.90 | 6.97 | 30.81 |
| AV | 5.35G | 48.86 | 54.00 | -5.14 | 38.80 | 3 | Horizontal | 31 | 2.26 | - | 33.90 | 6.97 | 30.81 |
| PK | 5.5852G | 60.77 | 68.20 | -7.43 | 49.88 | 3 | Horizontal | 31 | 2.26 | - | 34.03 | 7.57 | 30.71 |

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 78
02-D-N-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK | 15.7312G | 60.59 | 74.00 | -13.41 | 43.25 | 3 | Vertical | 195 | 1.29 | - | 37.54 | 11.86 | 32.06 |
| AV | 15.7382G | 46.50 | 54.00 | -7.50 | 29.18 | 3 | Vertical | 195 | 1.29 | - | 37.52 | 11.86 | 32.06 |

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 78
02-D-E-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (*) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 15.75708G | 59.73 | 74.00 | -14.27 | 42.45 | 3 | Horizontal | 275 | 1.80 | - | 37.49 | 11.86 | 32.07 |
| AV | 15.73256G | 46.50 | 54.00 | -7.50 | 29.17 | 3 | Horizontal | 275 | 1.80 | - | 37.53 | 11.86 | 32.06 |

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 76
02-D-S-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK | 5.2988G | 60.02 | 68.20 | -8.18 | 50.07 | 3 | Vertical | 158 | 1.80 | - | 33.80 | 6.99 | 30.84 |
| AV | 5.35G | 47.29 | 54.00 | -6.71 | 37.23 | 3 | Vertical | 158 | 1.80 | - | 33.90 | 6.97 | 30.81 |
| PK | 5.4396G | 65.74 | 74.00 | -8.26 | 55.51 | 3 | Vertical | 158 | 1.80 | - | 33.90 | 7.09 | 30.76 |
| PK | 5.462G | 64.69 | 68.20 | -3.51 | 54.36 | 3 | Vertical | 158 | 1.80 | - | 33.92 | 7.16 | 30.75 |
| AV | 5.4588G | 50.73 | 54.00 | -3.27 | 40.41 | 3 | Vertical | 158 | 1.80 | - | 33.92 | 7.15 | 30.75 |
| PK | 5.4964G | 110.20 | Inf | -Inf | 99.66 | 3 | Vertical | 158 | 1.80 | - | 33.99 | 7.28 | 30.73 |
| AV | 5.4948G | 94.31 | Inf | -Inf | 83.78 | 3 | Vertical | 158 | 1.80 | - | 33.99 | 7.27 | 30.73 |
| PK | 5.726G | 66.75 | 68.20 | -1.45 | 55.70 | 3 | Vertical | 158 | 1.80 | - | 34.00 | 7.73 | 30.68 |

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 76
02-D-S-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK | 5.2268G | 61.89 | 68.20 | -6.31 | 52.07 | 3 | Horizontal | 32 | 2.06 | - | 33.70 | 7.00 | 30.88 |
| PK | 5.4572G | 60.82 | 74.00 | -13.18 | 50.51 | 3 | Horizontal | 32 | 2.06 | - | 33.91 | 7.15 | 30.75 |
| AV | 5.35G | 47.06 | 54.00 | -6.94 | 37.00 | 3 | Horizontal | 32 | 2.06 | - | 33.90 | 6.97 | 30.81 |
| AV | 5.4572G | 48.19 | 54.00 | -5.81 | 37.88 | 3 | Horizontal | 32 | 2.06 | - | 33.91 | 7.15 | 30.75 |
| PK | 5.4676G | 61.08 | 68.20 | -7.12 | 50.71 | 3 | Horizontal | 32 | 2.06 | - | 33.94 | 7.18 | 30.75 |
| PK | 5.5804G | 98.29 | Inf | -Inf | 87.40 | 3 | Horizontal | 32 | 2.06 | - | 34.04 | 7.56 | 30.71 |
| AV | 5.5444G | 85.98 | Inf | -Inf | 75.17 | 3 | Horizontal | 32 | 2.06 | - | 34.09 | 7.44 | 30.72 |
| PK | 5.726G | 61.41 | 68.20 | -6.79 | 50.36 | 3 | Horizontal | 32 | 2.06 | - | 34.00 | 7.73 | 30.68 |

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 76
02-D-E-3

| Type | Freq | Level | Limit | Margin | Raw | Dist | Condition | Azimuth | Height | Comment | AF | CL | PA |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
| | (Hz) | (dBuV/m) | (dBuV/m) | (dB) | (dBuV) | (m) | | (°) | (m) | | (dB) | (dB) | (dB) |
| PK | 11.13888G | 57.72 | 74.00 | -16.28 | 38.21 | 3 | Vertical | 347 | 1.80 | - | 38.52 | 11.53 | 30.54 |
| AV | 11.12772G | 44.46 | 54.00 | -9.54 | 24.93 | 3 | Vertical | 347 | 1.80 | - | 38.54 | 11.53 | 30.54 |

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Y_2TX
Setting 76
02-D-E-3

| Type | Freq | Level | Limit | Margin | Raw | Dist | Condition | Azimuth | Height | Comment | AF | CL | PA |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
| | (Hz) | (dBuV/m) | (dBuV/m) | (dB) | (dBuV) | (m) | | (°) | (m) | | (dB) | (dB) | (dB) |
| PK | 11.14796G | 57.49 | 74.00 | -16.51 | 38.00 | 3 | Horizontal | 292 | 1.00 | - | 38.50 | 11.54 | 30.55 |
| AV | 11.12616G | 44.51 | 54.00 | -9.49 | 24.97 | 3 | Horizontal | 292 | 1.00 | - | 38.55 | 11.53 | 30.54 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|------------|
| Mode 1 | Pass | AV | 1.702G | 23.51 | 54.00 | -30.49 | Horizontal |

Mode 1



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|------------|-----------|---------|---------|
| PK | 1.7203G | 33.49 | 74.00 | -40.51 | -6.83 | 3 | Vertical | 35 | 183 | - | 40.32 | 25.20 | 4.69 | 36.72 |
| AV | 1.7203G | 23.19 | 54.00 | -30.81 | -6.83 | 3 | Vertical | 35 | 183 | "Worst" | 30.02 | 25.20 | 4.69 | 36.72 |

