6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.04999G	48.98	88.20	-39.22	41.48	3	Vertical	179	1.86	-	39.60	12.93	45.03
RMS	13.04987G	35.82	68.20	-32.38	28.32	3	Vertical	179	1.86	-	39.60	12.93	45.03

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.04974G	51.50	88.20	-36.70	44.00	3	Horizontal	106	1.57	-	39.60	12.93	45.03
RMS	13.04966G	37.62	68.20	-30.58	30.12	3	Horizontal	106	1.57	-	39.60	12.93	45.03

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.57496G	54.67	83.54	-28.87	44.75	1	Vertical	283	1.97	-	37.70	21.02	48.80
AV	19.57461G	41.13	63.54	-22.41	31.21	1	Vertical	283	1.97	-	37.70	21.02	48.80

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.57498G	56.05	83.54	-27.49	46.13	1	Horizontal	310	1.56	-	37.70	21.02	48.80
AV	19.57478G	42.02	63.54	-21.52	32.10	1	Horizontal	310	1.56	-	37.70	21.02	48.80

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.12994G	48.83	88.20	-39.37	41.05	3	Vertical	185	1.45	-	39.76	12.98	44.96
RMS	13.13026G	36.05	68.20	-32.15	28.27	3	Vertical	185	1.45	-	39.76	12.98	44.96

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.12983G	51.36	88.20	-36.84	43.58	3	Horizontal	150	1.37	-	39.76	12.98	44.96
RMS	13.1302G	37.68	68.20	-30.52	29.90	3	Horizontal	150	1.37	-	39.76	12.98	44.96

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.69479G	54.55	83.54	-28.99	44.60	1	Vertical	134	1.38	-	37.70	21.05	48.80
AV	19.69519G	42.05	63.54	-21.49	32.10	1	Vertical	134	1.38	-	37.70	21.05	48.80

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.69478G	55.79	83.54	-27.75	45.84	1	Horizontal	255	1.63	-	37.70	21.05	48.80
AV	19.69534G	42.84	63.54	-20.70	32.89	1	Horizontal	255	1.63	-	37.70	21.05	48.80

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.36869G	51.53	74.00	-22.47	42.99	3	Vertical	221	1.80	-	40.20	13.11	44.77
AV	13.37G	38.74	54.00	-15.26	30.20	3	Vertical	221	1.80	-	40.20	13.11	44.77

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.36991G	50.45	74.00	-23.55	41.91	3	Horizontal	67	1.80	-	40.20	13.11	44.77
AV	13.36993G	37.54	54.00	-16.46	29.00	3	Horizontal	67	1.80	-	40.20	13.11	44.77

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.05494G	55.11	83.54	-28.43	44.94	1	Vertical	329	1.81	-	37.80	21.16	48.79
AV	20.05469G	41.55	63.54	-21.99	31.38	1	Vertical	329	1.81	-	37.80	21.16	48.79

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.05548G	55.19	83.54	-28.35	45.02	1	Horizontal	136	1.93	-	37.80	21.16	48.79
AV	20.05523G	41.44	63.54	-22.10	31.27	1	Horizontal	136	1.93	-	37.80	21.16	48.79

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.77033G	48.96	88.20	-39.24	39.53	3	Vertical	30	1.37	-	40.58	13.32	44.47
RMS	13.76968G	35.55	68.20	-32.65	26.12	3	Vertical	30	1.37	-	40.58	13.32	44.47

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.76958G	50.83	88.20	-37.37	41.40	3	Horizontal	295	1.50	-	40.58	13.32	44.47
RMS	13.76973G	37.43	68.20	-30.77	28.00	3	Horizontal	295	1.50	-	40.58	13.32	44.47

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.65467G	55.43	83.54	-28.11	44.53	1	Vertical	244	1.94	-	37.90	21.70	48.70
AV	20.65512G	41.89	63.54	-21.65	30.99	1	Vertical	244	1.94	-	37.90	21.70	48.70

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.65527G	56.74	83.54	-26.80	45.84	1	Horizontal	15	1.57	-	37.90	21.70	48.70
AV	20.6547G	42.94	63.54	-20.60	32.04	1	Horizontal	15	1.57	-	37.90	21.70	48.70

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.85022G	49.83	88.20	-38.37	40.07	3	Vertical	287	1.48	-	40.80	13.37	44.41
RMS	13.84976G	36.01	68.20	-32.19	26.26	3	Vertical	287	1.48	-	40.80	13.37	44.42

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.85019G	51.97	88.20	-36.23	42.21	3	Horizontal	314	1.79	-	40.80	13.37	44.41
RMS	13.85017G	37.86	68.20	-30.34	28.10	3	Horizontal	314	1.79	-	40.80	13.37	44.41

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.77475G	55.50	83.54	-28.04	44.45	1	Vertical	329	1.52	-	37.90	21.85	48.70
AV	20.77511G	41.04	63.54	-22.50	29.99	1	Vertical	329	1.52	-	37.90	21.85	48.70

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.77509G	56.83	83.54	-26.71	45.78	1	Horizontal	346	1.44	-	37.90	21.85	48.70
AV	20.77509G	43.02	63.54	-20.52	31.97	1	Horizontal	346	1.44	-	37.90	21.85	48.70

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14.01028G	49.17	88.20	-39.03	39.12	3	Vertical	109	1.47	-	40.92	13.45	44.32
RMS	14.00995G	35.40	68.20	-32.80	25.35	3	Vertical	109	1.47	-	40.92	13.45	44.32

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14.00961G	52.73	88.20	-35.47	42.68	3	Horizontal	27	1.40	-	40.92	13.45	44.32
RMS	14.01045G	37.68	68.20	-30.52	27.63	3	Horizontal	27	1.40	-	40.92	13.45	44.32

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.01463G	55.12	83.54	-28.42	43.68	1	Vertical	234	1.70	-	38.00	22.14	48.70
AV	21.01508G	42.59	63.54	-20.95	31.15	1	Vertical	234	1.70	-	38.00	22.14	48.70

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.01508G	56.36	83.54	-27.18	44.92	1	Horizontal	315	1.48	-	38.00	22.14	48.70
AV	21.01475G	42.86	63.54	-20.68	31.42	1	Horizontal	315	1.48	-	38.00	22.14	48.70

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7045MHz_TX



EUT Y_2TX
Setting 20
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	7.0477G	110.21	Inf	-Inf	98.28	3	Vertical	61	1.80	-	36.70	7.96	32.73
AV	7.0567G	96.85	Inf	-Inf	84.92	3	Vertical	61	1.80	-	36.71	7.95	32.73
PK	7.1899G	66.22	88.20	-21.98	53.82	3	Vertical	61	1.80	-	37.14	7.94	32.68
AV	7.1902G	51.90	68.20	-16.30	39.50	3	Vertical	61	1.80	-	37.14	7.94	32.68

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7045MHz_TX



EUT Y_2TX
Setting 20
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	7.0495G	99.45	Inf	-Inf	87.52	3	Horizontal	298	2.20	-	36.70	7.96	32.73
AV	7.0393G	86.13	Inf	-Inf	74.19	3	Horizontal	298	2.20	-	36.72	7.96	32.74
PK	7.1743G	65.26	88.20	-22.94	52.95	3	Horizontal	298	2.20	-	37.05	7.94	32.68
AV	7.195G	51.88	68.20	-16.32	39.45	3	Horizontal	298	2.20	-	37.17	7.94	32.68

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7045MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14.09008G	49.67	88.20	-38.53	39.64	3	Vertical	274	1.64	-	41.00	13.46	44.43
RMS	14.09013G	36.63	68.20	-31.57	26.60	3	Vertical	274	1.64	-	41.00	13.46	44.43

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7045MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14.08968G	51.81	88.20	-36.39	41.78	3	Horizontal	180	1.97	-	41.00	13.46	44.43
RMS	14.09034G	37.64	68.20	-30.56	27.61	3	Horizontal	180	1.97	-	41.00	13.46	44.43

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7045MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.13522G	53.79	83.54	-29.75	42.30	1	Vertical	126	1.55	-	38.00	22.16	48.67
AV	21.13466G	41.69	63.54	-21.85	30.20	1	Vertical	126	1.55	-	38.00	22.16	48.67

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7045MHz_TX



EUT Y_2TX
Setting 20
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.13496G	56.76	83.54	-26.78	45.27	1	Horizontal	14	1.91	-	38.00	22.16	48.67
AV	21.13505G	42.73	63.54	-20.81	31.24	1	Horizontal	14	1.91	-	38.00	22.16	48.67

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



EUT Y_2TX
Setting 24
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.9155G	74.68	88.20	-13.52	64.79	3	Vertical	9	1.80	-	34.89	7.44	32.44
RMS	5.9235G	51.34	68.20	-16.86	41.40	3	Vertical	9	1.80	-	34.94	7.44	32.44
PK	6.0205G	110.50	Inf	-Inf	100.09	3	Vertical	9	1.80	-	35.34	7.51	32.44
RMS	6.02G	97.00	Inf	-Inf	86.59	3	Vertical	9	1.80	-	35.34	7.51	32.44

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



EUT Y_2TX
Setting 24
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.923G	69.00	88.20	-19.20	59.06	3	Horizontal	322	1.97	-	34.94	7.44	32.44
RMS	5.9205G	49.77	68.20	-18.43	39.85	3	Horizontal	322	1.97	-	34.92	7.44	32.44
PK	5.981G	98.82	Inf	-Inf	88.55	3	Horizontal	322	1.97	-	35.22	7.49	32.44
RMS	5.954G	85.86	Inf	-Inf	75.71	3	Horizontal	322	1.97	-	35.12	7.47	32.44

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.97328G	47.97	74.00	-26.03	42.29	3	Vertical	181	1.80	-	38.70	12.33	45.35
AV	11.97009G	34.63	54.00	-19.37	28.95	3	Vertical	181	1.80	-	38.70	12.33	45.35
PK	17.95481G	48.63	74.00	-25.37	37.29	3	Vertical	247	1.73	-	41.41	14.22	44.29
AV	17.95534G	35.64	54.00	-18.36	24.30	3	Vertical	247	1.73	-	41.41	14.22	44.29

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.96989G	47.85	74.00	-26.15	42.17	3	Horizontal	244	1.80	-	38.70	12.33	45.35
AV	11.96995G	35.61	54.00	-18.39	29.93	3	Horizontal	244	1.80	-	38.70	12.33	45.35
PK	17.95508G	49.29	74.00	-24.71	37.95	3	Horizontal	235	1.75	-	41.41	14.22	44.29
AV	17.95453G	35.79	54.00	-18.21	24.45	3	Horizontal	235	1.75	-	41.41	14.22	44.29

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	23.94035G	57.93	83.54	-25.61	44.03	1	Vertical	340	1.88	-	39.00	22.52	47.62
AV	23.93993G	43.80	63.54	-19.74	29.90	1	Vertical	340	1.88	-	39.00	22.52	47.62

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	23.93965G	57.17	83.54	-26.37	43.27	1	Horizontal	0	1.94	-	39.00	22.52	47.62
AV	23.93986G	43.96	63.54	-19.58	30.06	1	Horizontal	0	1.94	-	39.00	22.52	47.62

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.45376G	47.26	74.00	-26.74	41.55	3	Vertical	185	1.80	-	38.71	12.61	45.61
AV	12.4498G	34.23	54.00	-19.77	28.52	3	Vertical	185	1.80	-	38.70	12.61	45.60

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.44844G	47.95	74.00	-26.05	42.25	3	Horizontal	244	1.80	-	38.70	12.60	45.60
AV	12.44996G	37.09	54.00	-16.91	31.38	3	Horizontal	244	1.80	-	38.70	12.61	45.60

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.67452G	53.14	83.54	-30.40	43.15	1	Vertical	77	1.66	-	37.90	20.56	48.47
AV	18.67548G	39.23	63.54	-24.31	29.25	1	Vertical	77	1.66	-	37.90	20.56	48.48

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.67504G	53.74	83.54	-29.80	43.76	1	Horizontal	259	1.50	-	37.90	20.56	48.48
AV	18.67498G	40.18	63.54	-23.36	30.19	1	Horizontal	259	1.50	-	37.90	20.56	48.47

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.76973G	48.46	88.20	-39.74	41.87	3	Vertical	83	1.67	-	39.14	12.78	45.33
RMS	12.7705G	34.76	68.20	-33.44	28.17	3	Vertical	83	1.67	-	39.14	12.78	45.33

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.76991G	51.74	88.20	-36.46	45.15	3	Horizontal	143	1.59	-	39.14	12.78	45.33
RMS	12.77021G	36.74	68.20	-31.46	30.15	3	Horizontal	143	1.59	-	39.14	12.78	45.33

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.15477G	54.22	83.54	-29.32	44.07	1	Vertical	311	1.76	-	37.98	20.97	48.80
AV	19.15505G	40.33	63.54	-23.21	30.18	1	Vertical	311	1.76	-	37.98	20.97	48.80

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.15477G	55.62	83.54	-27.92	45.47	1	Horizontal	230	1.49	-	37.98	20.97	48.80
AV	19.15482G	41.10	63.54	-22.44	30.95	1	Horizontal	230	1.49	-	37.98	20.97	48.80

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.93023G	49.82	88.20	-38.38	42.64	3	Vertical	98	1.60	-	39.46	12.87	45.15
RMS	12.9299G	35.65	68.20	-32.55	28.47	3	Vertical	98	1.60	-	39.46	12.87	45.15

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.92962G	50.77	88.20	-37.43	43.59	3	Horizontal	122	1.98	-	39.46	12.87	45.15
RMS	12.93034G	37.05	68.20	-31.15	29.87	3	Horizontal	122	1.98	-	39.46	12.87	45.15

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.39455G	52.27	83.54	-31.27	42.19	1	Vertical	353	1.73	-	37.89	20.99	48.80
AV	19.3955G	38.25	63.54	-25.29	28.17	1	Vertical	353	1.73	-	37.89	20.99	48.80

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.39542G	56.40	83.54	-27.14	46.32	1	Horizontal	316	1.80	-	37.89	20.99	48.80
AV	19.39549G	42.43	63.54	-21.11	32.35	1	Horizontal	316	1.80	-	37.89	20.99	48.80

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.08972G	49.87	88.20	-38.33	42.24	3	Vertical	61	1.81	-	39.68	12.95	45.00
RMS	13.09042G	36.73	68.20	-31.47	29.10	3	Vertical	61	1.81	-	39.68	12.95	45.00

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.08959G	51.92	88.20	-36.28	44.29	3	Horizontal	25	1.95	-	39.68	12.95	45.00
RMS	13.09004G	38.35	68.20	-29.85	30.72	3	Horizontal	25	1.95	-	39.68	12.95	45.00

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.63473G	52.69	83.54	-30.85	42.76	1	Vertical	177	1.94	-	37.70	21.03	48.80
AV	19.6351G	38.55	63.54	-24.99	28.62	1	Vertical	177	1.94	-	37.70	21.03	48.80

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.63468G	56.23	83.54	-27.31	46.30	1	Horizontal	344	1.56	-	37.70	21.03	48.80
AV	19.63476G	42.60	63.54	-20.94	32.67	1	Horizontal	344	1.56	-	37.70	21.03	48.80

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.25031G	47.75	74.00	-26.25	39.57	3	Vertical	307	1.48	-	40.00	13.04	44.86
AV	13.25002G	34.53	54.00	-19.47	26.35	3	Vertical	307	1.48	-	40.00	13.04	44.86

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.25059G	49.37	74.00	-24.63	41.19	3	Horizontal	196	1.84	-	40.00	13.04	44.86
AV	13.25052G	35.88	54.00	-18.12	27.70	3	Horizontal	196	1.84	-	40.00	13.04	44.86

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87486G	52.70	83.54	-30.84	42.71	1	Vertical	334	1.59	-	37.70	21.09	48.80
AV	19.87463G	38.18	63.54	-25.36	28.19	1	Vertical	334	1.59	-	37.70	21.09	48.80

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87462G	54.92	83.54	-28.62	44.93	1	Horizontal	252	1.37	-	37.70	21.09	48.80
AV	19.87464G	42.14	63.54	-21.40	32.15	1	Horizontal	252	1.37	-	37.70	21.09	48.80

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.41033G	50.31	88.20	-37.89	41.71	3	Vertical	160	1.84	-	40.20	13.13	44.73
RMS	13.40993G	37.45	68.20	-30.75	28.85	3	Vertical	160	1.84	-	40.20	13.13	44.73

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.41028G	52.69	88.20	-35.51	44.09	3	Horizontal	262	1.47	-	40.20	13.13	44.73
RMS	13.4102G	39.88	68.20	-28.32	31.28	3	Horizontal	262	1.47	-	40.20	13.13	44.73

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.11461G	56.03	83.54	-27.51	45.80	1	Vertical	186	1.47	-	37.80	21.21	48.78
AV	20.11465G	43.42	63.54	-20.12	33.19	1	Vertical	186	1.47	-	37.80	21.21	48.78

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.11479G	56.32	83.54	-27.22	46.09	1	Horizontal	313	1.76	-	37.80	21.21	48.78
AV	20.11507G	42.04	63.54	-21.50	31.81	1	Horizontal	313	1.76	-	37.80	21.21	48.78

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.57002G	51.46	88.20	-36.74	42.49	3	Vertical	234	1.50	-	40.36	13.22	44.61
RMS	13.57034G	38.09	68.20	-30.11	29.12	3	Vertical	234	1.50	-	40.36	13.22	44.61

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.57004G	53.62	88.20	-34.58	44.65	3	Horizontal	70	1.57	-	40.36	13.22	44.61
RMS	13.57037G	40.14	68.20	-28.06	31.17	3	Horizontal	70	1.57	-	40.36	13.22	44.61

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.35532G	53.57	83.54	-29.97	43.02	1	Vertical	71	1.44	-	37.89	21.39	48.73
AV	20.35492G	39.65	63.54	-23.89	29.10	1	Vertical	71	1.44	-	37.89	21.39	48.73

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.35502G	56.83	83.54	-26.71	46.28	1	Horizontal	132	1.63	-	37.89	21.39	48.73
AV	20.35533G	42.63	63.54	-20.91	32.08	1	Horizontal	132	1.63	-	37.89	21.39	48.73

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.72987G	51.31	88.20	-36.89	42.05	3	Vertical	42	1.91	-	40.46	13.30	44.50
RMS	13.73005G	38.01	68.20	-30.19	28.75	3	Vertical	42	1.91	-	40.46	13.30	44.50

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.72962G	53.08	88.20	-35.12	43.82	3	Horizontal	29	1.98	-	40.46	13.30	44.50
RMS	13.73024G	39.76	68.20	-28.44	30.50	3	Horizontal	29	1.98	-	40.46	13.30	44.50

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.59533G	54.57	83.54	-28.97	43.75	1	Vertical	124	1.91	-	37.90	21.62	48.70
AV	20.59547G	42.31	63.54	-21.23	31.49	1	Vertical	124	1.91	-	37.90	21.62	48.70

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.59481G	55.85	83.54	-27.69	45.03	1	Horizontal	171	1.66	-	37.90	21.62	48.70
AV	20.5952G	42.68	63.54	-20.86	31.86	1	Horizontal	171	1.66	-	37.90	21.62	48.70

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.88988G	51.55	88.20	-36.65	41.67	3	Vertical	239	1.99	-	40.88	13.39	44.39
RMS	13.8904G	38.11	68.20	-30.09	28.23	3	Vertical	239	1.99	-	40.88	13.39	44.39

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.88968G	53.05	88.20	-35.15	43.17	3	Horizontal	160	1.50	-	40.88	13.39	44.39
RMS	13.89029G	40.03	68.20	-28.17	30.15	3	Horizontal	160	1.50	-	40.88	13.39	44.39

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.8348G	55.74	83.54	-27.80	44.61	1	Vertical	356	1.67	-	37.90	21.93	48.70
AV	20.83466G	41.35	63.54	-22.19	30.22	1	Vertical	356	1.67	-	37.90	21.93	48.70

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.83498G	56.67	83.54	-26.87	45.54	1	Horizontal	67	1.90	-	37.90	21.93	48.70
AV	20.83496G	42.30	63.54	-21.24	31.17	1	Horizontal	67	1.90	-	37.90	21.93	48.70

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



EUT Y_2TX
Setting 24
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.993G	109.58	Inf	-Inf	97.59	3	Vertical	68	1.80	-	36.77	7.96	32.74
RMS	7.005G	95.87	Inf	-Inf	83.87	3	Vertical	68	1.80	-	36.79	7.96	32.75
PK	7.1365G	69.05	88.20	-19.15	56.93	3	Vertical	68	1.80	-	36.87	7.95	32.70
RMS	7.235G	52.31	88.20	-35.89	39.75	3	Vertical	68	1.80	-	37.27	7.95	32.66
PK	7.2525G	66.33	74.00	-7.67	53.71	3	Vertical	68	1.80	-	37.31	7.96	32.65
AV	7.2565G	52.56	54.00	-1.44	39.92	3	Vertical	68	1.80	-	37.33	7.96	32.65

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



EUT Y_2TX
Setting 24
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	7.018G	100.83	Inf	-Inf	88.85	3	Horizontal	293	1.61	-	36.76	7.96	32.74
RMS	6.9865G	86.83	Inf	-Inf	74.86	3	Horizontal	293	1.61	-	36.75	7.96	32.74
PK	7.179G	65.54	88.20	-22.66	53.21	3	Horizontal	293	1.61	-	37.07	7.94	32.68
RMS	7.235G	52.22	68.20	-15.98	39.66	3	Horizontal	293	1.61	-	37.27	7.95	32.66
PK	7.262G	66.02	74.00	-7.98	53.36	3	Horizontal	293	1.61	-	37.35	7.96	32.65
AV	7.2615G	52.39	54.00	-1.61	39.73	3	Horizontal	293	1.61	-	37.35	7.96	32.65

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14.05001G	52.13	88.20	-36.07	42.05	3	Vertical	124	1.80	-	41.00	13.46	44.38
RMS	14.05022G	39.05	68.20	-29.15	28.97	3	Vertical	124	1.80	-	41.00	13.46	44.38

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	14.04968G	52.45	88.20	-35.75	42.38	3	Horizontal	130	2.00	-	41.00	13.45	44.38
RMS	14.05023G	39.85	68.20	-28.35	29.77	3	Horizontal	130	2.00	-	41.00	13.46	44.38

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07519G	54.35	83.54	-29.19	42.88	1	Vertical	205	1.85	-	38.00	22.15	48.68
AV	21.07468G	40.27	63.54	-23.27	28.81	1	Vertical	205	1.85	-	38.00	22.15	48.69

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07494G	55.25	83.54	-28.29	43.79	1	Horizontal	343	1.49	-	38.00	22.15	48.69
AV	21.07517G	41.27	63.54	-22.27	29.80	1	Horizontal	343	1.49	-	38.00	22.15	48.68

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



EUT Y_2TX
Setting 26
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.8994G	86.38	88.20	-1.82	76.60	3	Vertical	95	1.80	-	34.80	7.42	32.44
RMS	5.9074G	58.66	68.20	-9.54	48.83	3	Vertical	95	1.80	-	34.84	7.43	32.44
PK	6.093G	110.41	Inf	-Inf	99.90	3	Vertical	95	1.80	-	35.40	7.54	32.43
RMS	6.0946G	99.50	Inf	-Inf	88.99	3	Vertical	95	1.80	-	35.40	7.54	32.43

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



EUT Y_2TX
Setting 26
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.893G	70.07	88.20	-18.13	60.33	3	Horizontal	303	1.80	-	34.76	7.42	32.44
RMS	5.901G	54.34	68.20	-13.86	44.54	3	Horizontal	303	1.80	-	34.81	7.43	32.44
PK	6.0986G	98.83	Inf	-Inf	88.32	3	Horizontal	303	1.80	-	35.40	7.54	32.43
RMS	6.0994G	86.43	Inf	-Inf	75.92	3	Horizontal	303	1.80	-	35.40	7.54	32.43

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



EUT Y_2TX
Setting 26
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.05033G	47.23	74.00	-26.77	41.63	3	Vertical	181	1.80	-	38.60	12.39	45.39
AV	12.04994G	35.18	54.00	-18.82	29.58	3	Vertical	181	1.80	-	38.60	12.39	45.39

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



EUT Y_2TX
Setting 26
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.04953G	48.53	74.00	-25.47	42.93	3	Horizontal	214	1.80	-	38.60	12.39	45.39
AV	12.05005G	35.74	54.00	-18.26	30.14	3	Horizontal	214	1.80	-	38.60	12.39	45.39

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



EUT Y_2TX
Setting 26
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.07506G	51.80	83.54	-31.74	42.25	1	Vertical	18	1.48	-	37.55	20.22	48.22
AV	18.07491G	37.05	63.54	-26.49	27.49	1	Vertical	18	1.48	-	37.55	20.22	48.21

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



EUT Y_2TX
Setting 26
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.07495G	54.49	83.54	-29.05	44.93	1	Horizontal	336	1.69	-	37.55	20.22	48.21
AV	18.07501G	40.08	63.54	-23.46	30.53	1	Horizontal	336	1.69	-	37.55	20.22	48.22

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.36976G	47.22	74.00	-26.78	41.68	3	Vertical	185	1.80	-	38.54	12.56	45.56
AV	12.3699G	33.91	54.00	-20.09	28.37	3	Vertical	185	1.80	-	38.54	12.56	45.56

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.3699G	48.88	74.00	-25.12	43.34	3	Horizontal	245	2.20	-	38.54	12.56	45.56
AV	12.36993G	37.10	54.00	-16.90	31.56	3	Horizontal	245	2.20	-	38.54	12.56	45.56

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.55533G	51.71	83.54	-31.83	41.85	1	Vertical	77	1.77	-	37.80	20.42	48.36
AV	18.55478G	37.65	63.54	-25.89	27.78	1	Vertical	77	1.77	-	37.80	20.42	48.35

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.5545G	54.71	83.54	-28.83	44.84	1	Horizontal	245	1.53	-	37.80	20.42	48.35
AV	18.55451G	40.64	63.54	-22.90	30.77	1	Horizontal	245	1.53	-	37.80	20.42	48.35

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.69034G	48.71	74.00	-25.29	42.31	3	Vertical	255	1.42	-	39.08	12.74	45.42
AV	12.68962G	35.56	54.00	-18.44	29.16	3	Vertical	255	1.42	-	39.08	12.74	45.42

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.69037G	51.32	74.00	-22.68	44.92	3	Horizontal	188	1.48	-	39.08	12.74	45.42
AV	12.68977G	37.76	54.00	-16.24	31.36	3	Horizontal	188	1.48	-	39.08	12.74	45.42

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03483G	52.34	83.54	-31.20	42.26	1	Vertical	139	1.59	-	37.93	20.95	48.80
AV	19.0353G	38.26	63.54	-25.28	28.18	1	Vertical	139	1.59	-	37.93	20.95	48.80

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03526G	55.68	83.54	-27.86	45.60	1	Horizontal	26	1.88	-	37.93	20.95	48.80
AV	19.0349G	41.31	63.54	-22.23	31.23	1	Horizontal	26	1.88	-	37.93	20.95	48.80

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.00965G	51.39	88.20	-36.81	43.94	3	Vertical	219	1.87	-	39.60	12.91	45.06
RMS	13.01021G	38.07	68.20	-30.13	30.62	3	Vertical	219	1.87	-	39.60	12.91	45.06

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.00973G	52.15	88.20	-36.05	44.70	3	Horizontal	120	1.36	-	39.60	12.91	45.06
RMS	13.01005G	39.09	68.20	-29.11	31.64	3	Horizontal	120	1.36	-	39.60	12.91	45.06

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.51501G	55.08	83.54	-28.46	45.11	1	Vertical	0	1.95	-	37.77	21.00	48.80
AV	19.51498G	41.79	63.54	-21.75	31.82	1	Vertical	0	1.95	-	37.77	21.00	48.80

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.51469G	56.43	83.54	-27.11	46.46	1	Horizontal	131	1.44	-	37.77	21.00	48.80
AV	19.51506G	42.41	63.54	-21.13	32.44	1	Horizontal	131	1.44	-	37.77	21.00	48.80

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.32999G	49.20	74.00	-24.80	40.76	3	Vertical	28	1.80	-	40.16	13.08	44.80
AV	13.32964G	35.76	54.00	-18.24	27.32	3	Vertical	28	1.80	-	40.16	13.08	44.80

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.32954G	51.12	74.00	-22.88	42.68	3	Horizontal	27	1.84	-	40.16	13.08	44.80
AV	13.33038G	38.04	54.00	-15.96	29.59	3	Horizontal	27	1.84	-	40.16	13.09	44.80

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99455G	52.72	83.54	-30.82	42.69	1	Vertical	274	1.82	-	37.71	21.12	48.80
AV	19.99508G	38.73	63.54	-24.81	28.70	1	Vertical	274	1.82	-	37.71	21.12	48.80

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99477G	56.16	83.54	-27.38	46.13	1	Horizontal	322	1.59	-	37.71	21.12	48.80
AV	19.99512G	41.70	63.54	-21.84	31.67	1	Horizontal	322	1.59	-	37.71	21.12	48.80

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.65049G	51.82	88.20	-36.38	42.81	3	Vertical	206	1.89	-	40.30	13.26	44.55
RMS	13.65005G	39.07	68.20	-29.13	30.06	3	Vertical	206	1.89	-	40.30	13.26	44.55

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.65046G	51.85	88.20	-36.35	42.84	3	Horizontal	151	1.47	-	40.30	13.26	44.55
RMS	13.6502G	39.03	68.20	-29.17	30.02	3	Horizontal	151	1.47	-	40.30	13.26	44.55

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.47482G	53.64	83.54	-29.90	42.97	1	Vertical	325	1.73	-	37.90	21.48	48.71
AV	20.47516G	39.53	63.54	-24.01	28.85	1	Vertical	325	1.73	-	37.90	21.48	48.70

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.4749G	56.95	83.54	-26.59	46.28	1	Horizontal	298	1.78	-	37.90	21.48	48.71
AV	20.47455G	42.50	63.54	-21.04	31.83	1	Horizontal	298	1.78	-	37.90	21.48	48.71

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



EUT Y_2TX
Setting 24
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	7.0154G	112.39	Inf	-Inf	112.66	3	Vertical	64	1.80	-	36.77	7.96	45.00
RMS	6.9706G	98.93	Inf	-Inf	99.26	3	Vertical	64	1.80	-	36.68	7.96	44.97
PK	7.1314G	85.49	88.20	-2.71	85.58	3	Vertical	64	1.80	-	36.86	7.95	44.90
RMS	7.1258G	63.04	68.20	-5.16	63.15	3	Vertical	64	1.80	-	36.85	7.95	44.91
PK	7.25G	60.55	74.00	-13.45	60.10	3	Vertical	64	1.80	-	37.30	7.96	44.81
RMS	7.2506G	48.70	54.00	-5.30	48.25	3	Vertical	64	1.80	-	37.30	7.96	44.81

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



EUT Y_2TX
Setting 24
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.969G	103.53	Inf	-Inf	103.85	3	Horizontal	295	1.43	-	36.68	7.96	44.96
RMS	6.9674G	90.41	Inf	-Inf	90.74	3	Horizontal	295	1.43	-	36.67	7.96	44.96
PK	7.137G	82.18	88.20	-6.02	82.26	3	Horizontal	295	1.43	-	36.87	7.95	44.90
RMS	7.1346G	52.67	68.20	-15.53	52.75	3	Horizontal	295	1.43	-	36.87	7.95	44.90
PK	7.2642G	58.11	74.00	-15.89	57.59	3	Horizontal	295	1.43	-	37.36	7.96	44.80
AV	7.2562G	44.73	54.00	-9.27	44.26	3	Horizontal	295	1.43	-	37.32	7.96	44.81

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.96976G	50.10	88.20	-38.10	40.10	3	Vertical	190	1.89	-	40.90	13.43	44.33
RMS	13.97017G	36.99	68.20	-31.21	26.99	3	Vertical	190	1.89	-	40.90	13.43	44.33

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.97041G	50.21	88.20	-37.99	40.21	3	Horizontal	106	1.65	-	40.90	13.43	44.33
RMS	13.97009G	37.57	68.20	-30.63	27.57	3	Horizontal	106	1.65	-	40.90	13.43	44.33

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95451G	54.22	83.54	-29.32	42.93	1	Vertical	174	1.78	-	37.91	22.08	48.70
AV	20.95516G	40.57	63.54	-22.97	29.28	1	Vertical	174	1.78	-	37.91	22.08	48.70

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95469G	54.37	83.54	-29.17	43.08	1	Horizontal	184	1.86	-	37.91	22.08	48.70
AV	20.95477G	40.98	63.54	-22.56	29.69	1	Horizontal	184	1.86	-	37.91	22.08	48.70

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



EUT Y_2TX
Setting 26
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.9178G	82.93	88.20	-5.27	84.40	3	Vertical	96	1.80	-	34.91	7.44	43.82
RMS	5.9142G	67.04	68.20	-1.16	68.52	3	Vertical	96	1.80	-	34.89	7.44	43.81
PK	6.0162G	112.01	Inf	-Inf	113.07	3	Vertical	96	1.80	-	35.33	7.51	43.90
RMS	6.1362G	98.95	Inf	-Inf	100.05	3	Vertical	96	1.80	-	35.33	7.56	43.99

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



EUT Y_2TX
Setting 26
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.9094G	69.82	88.20	-18.38	71.34	3	Horizontal	283	1.80	-	34.86	7.43	43.81
RMS	5.9226G	56.42	68.20	-11.78	57.86	3	Horizontal	283	1.80	-	34.94	7.44	43.82
PK	6.2418G	104.23	Inf	-Inf	105.36	3	Horizontal	283	1.80	-	35.30	7.64	44.07
RMS	6.243G	91.09	Inf	-Inf	92.22	3	Horizontal	283	1.80	-	35.30	7.64	44.07

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



EUT Y_2TX
Setting 26
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.21029G	49.57	74.00	-24.43	44.09	3	Vertical	358	1.96	-	38.48	12.47	45.47
AV	12.21039G	35.98	54.00	-18.02	30.50	3	Vertical	358	1.96	-	38.48	12.47	45.47

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



EUT Y_2TX
Setting 26
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.21025G	49.90	74.00	-24.10	44.42	3	Horizontal	275	1.92	-	38.48	12.47	45.47
AV	12.20984G	36.56	54.00	-17.44	31.08	3	Horizontal	275	1.92	-	38.48	12.47	45.47

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



EUT Y_2TX
Setting 26
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.31464G	51.19	83.54	-32.35	41.53	1	Vertical	212	1.85	-	37.63	20.29	48.26
AV	18.31486G	43.22	63.54	-20.32	33.56	1	Vertical	212	1.85	-	37.63	20.29	48.26

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



EUT Y_2TX
Setting 26
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.3152G	51.21	83.54	-32.33	41.55	1	Horizontal	286	1.41	-	37.63	20.29	48.26
AV	18.3154G	38.05	63.54	-25.49	28.39	1	Horizontal	286	1.41	-	37.63	20.29	48.26

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.5299G	46.46	74.00	-27.54	40.67	3	Vertical	24	1.93	-	38.74	12.65	45.60
AV	12.53004G	33.74	54.00	-20.26	27.95	3	Vertical	24	1.93	-	38.74	12.65	45.60

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.53012G	47.74	74.00	-26.26	41.95	3	Horizontal	310	1.42	-	38.74	12.65	45.60
AV	12.52999G	34.10	54.00	-19.90	28.31	3	Horizontal	310	1.42	-	38.74	12.65	45.60

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.79489G	52.31	83.54	-31.23	42.30	1	Vertical	86	1.48	-	37.90	20.70	48.59
AV	18.79497G	39.51	63.54	-24.03	29.50	1	Vertical	86	1.48	-	37.90	20.70	48.59

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.79506G	51.41	83.54	-32.13	41.41	1	Horizontal	323	2.00	-	37.90	20.70	48.60
AV	18.79506G	38.51	63.54	-25.03	28.51	1	Horizontal	323	2.00	-	37.90	20.70	48.60

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.84997G	50.65	88.20	-37.55	43.67	3	Vertical	296	1.85	-	39.40	12.82	45.24
RMS	12.85009G	37.34	68.20	-30.86	30.36	3	Vertical	296	1.85	-	39.40	12.82	45.24

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.85022G	51.82	88.20	-36.38	44.84	3	Horizontal	260	1.96	-	39.40	12.82	45.24
RMS	12.85022G	38.37	68.20	-29.83	31.39	3	Horizontal	260	1.96	-	39.40	12.82	45.24

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.27538G	55.82	83.54	-27.72	45.74	1	Vertical	92	1.49	-	37.90	20.98	48.80
AV	19.27465G	41.27	63.54	-22.27	31.19	1	Vertical	92	1.49	-	37.90	20.98	48.80

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.27524G	51.76	83.54	-31.78	41.68	1	Horizontal	164	1.75	-	37.90	20.98	48.80
AV	19.27528G	38.83	63.54	-24.71	28.75	1	Horizontal	164	1.75	-	37.90	20.98	48.80

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.16993G	50.10	88.20	-38.10	42.19	3	Vertical	254	1.43	-	39.84	13.00	44.93
RMS	13.17007G	36.65	68.20	-31.55	28.74	3	Vertical	254	1.43	-	39.84	13.00	44.93

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.16971G	53.36	88.20	-34.84	45.45	3	Horizontal	116	1.93	-	39.84	13.00	44.93
RMS	13.16961G	39.40	68.20	-28.80	31.49	3	Horizontal	116	1.93	-	39.84	13.00	44.93

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.75498G	53.79	83.54	-29.75	43.83	1	Vertical	134	1.65	-	37.70	21.06	48.80
AV	19.75528G	39.48	63.54	-24.06	29.52	1	Vertical	134	1.65	-	37.70	21.06	48.80

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.75536G	53.97	83.54	-29.57	44.01	1	Horizontal	228	1.89	-	37.70	21.06	48.80
AV	19.75515G	42.36	63.54	-21.18	32.40	1	Horizontal	228	1.89	-	37.70	21.06	48.80

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.49045G	51.39	88.20	-36.81	42.69	3	Vertical	49	1.98	-	40.20	13.17	44.67
RMS	13.48986G	37.87	68.20	-30.33	29.17	3	Vertical	49	1.98	-	40.20	13.17	44.67

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.49049G	52.77	88.20	-35.43	44.07	3	Horizontal	129	1.83	-	40.20	13.17	44.67
RMS	13.49028G	39.46	68.20	-28.74	30.76	3	Horizontal	129	1.83	-	40.20	13.17	44.67

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.2355G	53.57	83.54	-29.97	43.22	1	Vertical	6	1.56	-	37.80	21.30	48.75
AV	20.23549G	41.90	63.54	-21.64	31.55	1	Vertical	6	1.56	-	37.80	21.30	48.75

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX



EUT Y_2TX
Setting 27
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.23459G	52.98	83.54	-30.56	42.63	1	Horizontal	44	1.37	-	37.80	21.30	48.75
AV	20.23456G	39.93	63.54	-23.61	29.58	1	Horizontal	44	1.37	-	37.80	21.30	48.75

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



EUT Y_2TX
Setting 24
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.9662G	107.84	Inf	-Inf	108.18	3	Vertical	128	1.80	-	36.66	7.96	44.96
RMS	6.9122G	95.41	Inf	-Inf	95.80	3	Vertical	128	1.80	-	36.52	7.97	44.88
PK	7.1426G	84.36	88.20	-3.84	84.42	3	Vertical	128	1.80	-	36.89	7.95	44.90
RMS	7.1366G	57.81	68.20	-10.39	57.89	3	Vertical	128	1.80	-	36.87	7.95	44.90
PK	7.253G	68.74	74.00	-5.26	68.28	3	Vertical	128	1.80	-	37.31	7.96	44.81
RMS	7.2566G	52.41	54.00	-1.59	51.92	3	Vertical	128	1.80	-	37.33	7.96	44.80

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



EUT Y_2TX
Setting 24
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.9218G	100.68	Inf	-Inf	101.06	3	Horizontal	321	1.53	-	36.54	7.97	44.89
RMS	6.923G	89.01	Inf	-Inf	89.38	3	Horizontal	321	1.53	-	36.55	7.97	44.89
PK	7.1942G	75.80	88.20	-12.40	75.54	3	Horizontal	321	1.53	-	37.17	7.94	44.85
RMS	7.193G	49.74	68.20	-18.46	49.50	3	Horizontal	321	1.53	-	37.16	7.94	44.86
PK	7.2518G	58.89	74.00	-15.11	58.43	3	Horizontal	321	1.53	-	37.31	7.96	44.81
AV	7.2506G	45.56	54.00	-8.44	45.11	3	Horizontal	321	1.53	-	37.30	7.96	44.81

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.80965G	50.43	88.20	-37.77	40.80	3	Vertical	104	1.85	-	40.72	13.35	44.44
RMS	13.81029G	36.77	68.20	-31.43	27.14	3	Vertical	104	1.85	-	40.72	13.35	44.44

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.8096G	50.59	88.20	-37.61	40.96	3	Horizontal	214	1.67	-	40.72	13.35	44.44
RMS	13.81026G	37.42	68.20	-30.78	27.79	3	Horizontal	214	1.67	-	40.72	13.35	44.44

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.71462G	54.26	83.54	-29.28	43.29	1	Vertical	9	1.75	-	37.90	21.77	48.70
AV	20.71464G	41.79	63.54	-21.75	30.82	1	Vertical	9	1.75	-	37.90	21.77	48.70

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



EUT Y_2TX
Setting 24
01-U-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.71519G	54.07	83.54	-29.47	43.09	1	Horizontal	116	1.82	-	37.90	21.78	48.70
AV	20.71516G	40.58	63.54	-22.96	29.60	1	Horizontal	116	1.82	-	37.90	21.78	48.70

Test Mode: Mode 1

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX **MASK**

5955MHz_TX

21/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962523G	-7.94	5.9122G	-55.83	-47.94	-7.89	1
5.951226G	-8.38	5.99495G	-55.64	-48.38	-7.26	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX **MASK**

6195MHz_TX

21/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.199374G	-7.68	6.24185G	-55.40	-47.68	-7.72	1
6.202473G	-7.86	6.15165G	-55.42	-47.86	-7.56	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX **MASK**

6415MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408352G	-8.03	6.454875G	-54.95	-48.03	-6.92	1
6.417499G	-8.23	6.4496G	-54.99	-48.23	-6.76	2

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX **MASK**

6435MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.442473G	-8.00	6.469575G	-54.69	-48.00	-6.69	1
6.441248G	-8.05	6.4732G	-54.76	-48.05	-6.71	2

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX **MASK**

6475MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.481273G	-7.93	6.433675G	-54.58	-47.93	-6.65	1
6.482098G	-8.32	6.427325G	-54.71	-48.32	-6.39	2

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX **MASK**

6515MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.519974G	-7.94	6.479725G	-54.97	-47.94	-7.03	1
6.522748G	-8.29	6.479975G	-54.74	-48.29	-6.45	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX **MASK**

6535MHz_TX

21/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.539349G	-7.82	6.49685G	-54.36	-47.82	-6.54	1
6.53685G	-8.42	6.4912G	-54.64	-48.42	-6.22	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX **MASK**

6695MHz_TX

21/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688127G	-7.89	6.648675G	-55.71	-47.89	-7.82	1
6.687427G	-8.56	6.738375G	-55.54	-48.56	-6.98	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX **MASK**

6875MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.880299G	-8.30	6.9201G	-53.70	-48.30	-5.40	1
6.881823G	-8.72	6.910575G	-53.68	-48.72	-4.96	2

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX **MASK**

6895MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.898724G	-8.25	6.943125G	-53.35	-48.25	-5.10	1
6.896875G	-8.64	6.93935G	-53.55	-48.64	-4.91	2

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX **MASK**

6975MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.973075G	-7.97	7.008775G	-53.60	-47.97	-5.63	1
6.976925G	-8.96	6.940475G	-53.72	-48.96	-4.76	2

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX **MASK**

7055MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.058724G	-8.10	7.10235G	-54.68	-48.10	-6.58	1
7.057474G	-8.68	7.102025G	-54.78	-48.68	-6.10	2

Test Mode: Mode 2
Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	5.962673G	-11.82	5.988475G	-60.14	-51.82	-8.32	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	5.961101G	-4.53	6.0558G	-54.73	-44.53	-10.20	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.35861G	-1.76	6.5845G	-50.95	-41.76	-9.19	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.00101G	0.85	5.7172G	-44.43	-39.15	-5.28	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.17218G	2.53	6.553G	-34.13	-33.71	-0.42	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.522498G	-8.85	6.4812G	-57.24	-48.85	-8.39	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.440201G	-4.86	6.50735G	-53.71	-44.57	-9.14	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.51151G	-1.51	6.7201G	-49.39	-41.51	-7.88	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.57638G	2.01	6.7662G	-40.20	-37.99	-2.21	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.68857G	4.59	6.9018G	-22.36	-15.42	-6.94	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.871176G	-8.75	6.907G	-56.46	-48.75	-7.71	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.878802G	-4.76	6.8638G	-32.23	-23.96	-8.27	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.74931G	-2.55	6.9821G	-49.70	-42.55	-7.15	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.87859G	1.77	7.097G	-40.07	-38.23	-1.84	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.89216G	5.21	7.0382G	-18.48	-16.44	-2.04	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.967927G	-8.49	7.00845G	-56.19	-48.49	-7.70	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	7.053398G	-5.30	6.97165G	-53.19	-45.30	-7.89	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.9506G	-1.77	7.1426G	-49.85	-41.77	-8.08	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.91962G	2.40	7.1382G	-27.03	-17.63	-9.40	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.83382G	0.04	6.375G	-42.27	-39.96	-2.31	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.962673G	-11.82	5.988475G	-60.14	-51.82	-8.32	1
5955MHz	Pass	5.962523G	-8.23	5.99385G	-59.43	-48.23	-11.20	2
6195MHz	Pass	6.188102G	-7.81	6.16105G	-58.37	-47.81	-10.56	1
6195MHz	Pass	6.189126G	-8.56	6.22725G	-57.62	-48.56	-9.06	2
6415MHz	Pass	6.422673G	-7.69	6.381575G	-58.07	-47.69	-10.38	1
6415MHz	Pass	6.410851G	-8.39	6.45965G	-59.17	-48.39	-10.78	2
6435MHz	Pass	6.436575G	-7.03	6.39785G	-58.53	-47.03	-11.50	1
6435MHz	Pass	6.428702G	-7.93	6.471475G	-57.20	-47.93	-9.27	2
6475MHz	Pass	6.481423G	-7.37	6.5073G	-56.68	-47.37	-9.31	1
6475MHz	Pass	6.483148G	-8.19	6.507175G	-57.54	-48.19	-9.35	2
6515MHz	Pass	6.511301G	-7.73	6.48215G	-57.66	-47.73	-9.93	1
6515MHz	Pass	6.522498G	-8.85	6.4812G	-57.24	-48.85	-8.39	2
6535MHz	Pass	6.531226G	-7.83	6.503275G	-57.93	-47.78	-10.15	1
6535MHz	Pass	6.5368G	-8.76	6.49905G	-57.73	-48.76	-8.97	2
6695MHz	Pass	6.688077G	-7.86	6.72755G	-56.44	-47.86	-8.58	1
6695MHz	Pass	6.688102G	-8.47	6.73065G	-57.34	-48.47	-8.87	2
6875MHz	Pass	6.872451G	-8.22	6.9227G	-58.61	-48.22	-10.39	1
6875MHz	Pass	6.871176G	-8.75	6.907G	-56.46	-48.75	-7.71	2
6895MHz	Pass	6.885702G	-7.67	6.9281G	-56.90	-47.67	-9.23	1
6895MHz	Pass	6.902348G	-8.53	6.931625G	-56.74	-48.53	-8.21	2
6975MHz	Pass	6.967927G	-8.49	7.00845G	-56.19	-48.49	-7.70	1
6975MHz	Pass	6.980574G	-8.87	7.00635G	-57.96	-48.78	-9.18	2
7055MHz	Pass	7.048002G	-7.68	7.023525G	-56.65	-47.35	-9.30	1
7055MHz	Pass	7.046552G	-8.45	7.02195G	-57.18	-48.45	-8.73	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.961101G	-4.53	6.0558G	-54.73	-44.53	-10.20	1
5965MHz	Pass	5.981496G	-4.26	6.044G	-55.06	-44.26	-10.80	2
6205MHz	Pass	6.187204G	-3.23	6.28245G	-54.33	-43.23	-11.10	1
6205MHz	Pass	6.218247G	-4.27	6.29045G	-54.75	-44.27	-10.48	2
6405MHz	Pass	6.392803G	-3.64	6.32565G	-54.28	-43.64	-10.64	1
6405MHz	Pass	6.397302G	-3.85	6.4852G	-54.22	-43.85	-10.37	2
6445MHz	Pass	6.427254G	-3.84	6.35635G	-54.55	-43.84	-10.71	1
6445MHz	Pass	6.440201G	-4.86	6.50735G	-53.71	-44.57	-9.14	2
6485MHz	Pass	6.479301G	-4.18	6.3895G	-54.61	-44.18	-10.43	1
6485MHz	Pass	6.491698G	-4.80	6.41995G	-54.75	-44.80	-9.95	2
6525MHz	Pass	6.541696G	-3.31	6.4478G	-54.36	-43.31	-11.05	1
6525MHz	Pass	6.520701G	-4.31	6.44575G	-54.66	-44.31	-10.35	2
6565MHz	Pass	6.553453G	-4.78	6.48715G	-55.16	-44.78	-10.38	1
6565MHz	Pass	6.580096G	-5.26	6.4992G	-54.06	-45.26	-8.80	2
6685MHz	Pass	6.692398G	-4.81	6.77245G	-55.32	-44.81	-10.51	1
6685MHz	Pass	6.698797G	-4.73	6.61235G	-55.12	-44.73	-10.39	2
6885MHz	Pass	6.878802G	-4.76	6.8638G	-32.23	-23.96	-8.27	1
6885MHz	Pass	6.900046G	-5.12	6.97835G	-53.79	-45.12	-8.67	2
6925MHz	Pass	6.912253G	-4.99	7.00475G	-53.36	-44.99	-8.37	1
6925MHz	Pass	6.913803G	-5.30	6.9951G	-53.73	-45.30	-8.43	2
7005MHz	Pass	7.017447G	-4.99	6.9256G	-54.17	-44.99	-9.18	1
7005MHz	Pass	6.992053G	-5.61	6.93985G	-54.03	-45.61	-8.42	2
7045MHz	Pass	7.033853G	-4.72	6.9786G	-53.34	-44.72	-8.62	1
7045MHz	Pass	7.053398G	-5.30	6.97165G	-53.19	-45.30	-7.89	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00899G	-1.44	6.1462G	-51.01	-41.44	-9.57	1
5985MHz	Pass	6.01689G	-1.10	6.1566G	-51.52	-41.10	-10.42	2
6225MHz	Pass	6.2393G	-0.68	6.3942G	-50.29	-40.68	-9.61	1
6225MHz	Pass	6.25639G	-1.83	6.3739G	-51.42	-41.83	-9.59	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.35861G	-1.76	6.5845G	-50.95	-41.76	-9.19	1
6385MHz	Pass	6.4003G	-2.05	6.2587G	-52.48	-41.93	-10.55	2
6465MHz	Pass	6.42841G	-1.28	6.6302G	-50.89	-41.28	-9.61	1
6465MHz	Pass	6.4503G	-2.47	6.3191G	-52.22	-42.47	-9.75	2
6545MHz	Pass	6.51151G	-1.51	6.7201G	-49.39	-41.51	-7.88	1
6545MHz	Pass	6.51721G	-2.09	6.3891G	-51.92	-42.09	-9.83	2
6625MHz	Pass	6.6317G	-1.37	6.8188G	-49.66	-41.37	-8.29	1
6625MHz	Pass	6.6279G	-2.23	6.4647G	-51.80	-42.23	-9.57	2
6705MHz	Pass	6.67621G	-0.65	6.8988G	-49.32	-40.65	-8.67	1
6705MHz	Pass	6.67931G	-1.45	6.89G	-51.52	-41.45	-10.07	2
6785MHz	Pass	6.74931G	-2.55	6.9821G	-49.70	-42.55	-7.15	1
6785MHz	Pass	6.7899G	-3.00	6.9827G	-51.03	-43.00	-8.03	2
6865MHz	Pass	6.83841G	-1.47	7.0338G	-49.99	-41.47	-8.52	1
6865MHz	Pass	6.89339G	-1.91	6.9999G	-50.90	-41.91	-8.99	2
6945MHz	Pass	6.9506G	-1.77	7.1426G	-49.85	-41.77	-8.08	1
6945MHz	Pass	6.97259G	-2.39	6.8141G	-51.67	-42.39	-9.28	2
7025MHz	Pass	7.00161G	-1.24	7.2245G	-50.48	-41.24	-9.24	1
7025MHz	Pass	7.0113G	-2.39	6.895G	-51.09	-42.39	-8.70	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00101G	0.85	5.7172G	-44.43	-39.15	-5.28	1
6025MHz	Pass	6.09058G	2.07	6.3416G	-44.35	-37.93	-6.42	2
6185MHz	Pass	6.198G	1.71	6.4308G	-42.89	-37.39	-5.50	1
6185MHz	Pass	6.26198G	1.48	6.4934G	-44.67	-38.52	-6.15	2
6345MHz	Pass	6.3396G	1.81	6.0496G	-43.59	-38.19	-5.40	1
6345MHz	Pass	6.37799G	0.99	6.025G	-45.64	-39.01	-6.63	2
6505MHz	Pass	6.57638G	2.01	6.7662G	-40.20	-37.99	-2.21	1
6505MHz	Pass	6.43002G	1.12	6.1748G	-44.35	-38.88	-5.47	2
6665MHz	Pass	6.71859G	1.02	6.9288G	-42.75	-38.98	-3.77	1
6665MHz	Pass	6.59162G	1.29	6.3234G	-45.71	-38.71	-7.00	2
6825MHz	Pass	6.87859G	1.77	7.097G	-40.07	-38.23	-1.84	1
6825MHz	Pass	6.74762G	1.18	6.467G	-44.73	-38.82	-5.91	2
6985MHz	Pass	6.91962G	2.40	7.1382G	-27.03	-17.63	-9.40	1
6985MHz	Pass	7.01439G	1.66	7.1428G	-27.94	-18.38	-9.56	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.04901G	2.73	6.6582G	-39.25	-37.27	-1.98	1
6105MHz	Pass	6.17218G	2.53	6.553G	-34.13	-33.71	-0.42	2
6265MHz	Pass	6.2778G	4.71	6.5706G	-23.50	-18.27	-5.23	1
6265MHz	Pass	6.37937G	3.51	6.9142G	-41.31	-36.49	-4.82	2
6425MHz	Pass	6.27264G	5.57	6.1694G	-16.14	-15.09	-1.05	1
6425MHz	Pass	6.49298G	4.78	6.733G	-23.68	-15.51	-8.17	2
6585MHz	Pass	6.68857G	4.59	6.9018G	-22.36	-15.42	-6.94	1
6585MHz	Pass	6.50982G	4.15	6.2126G	-26.48	-17.27	-9.21	2
6745MHz	Pass	6.89216G	5.21	7.0382G	-18.48	-16.44	-2.04	1
6745MHz	Pass	6.59904G	4.44	7.0498G	-24.10	-16.14	-7.96	2
6905MHz	Pass	6.99778G	0.70	6.1642G	-46.92	-39.30	-7.62	1
6905MHz	Pass	6.83382G	0.04	6.375G	-42.27	-39.96	-2.31	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

5955MHz_TX

02/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962673G	-11.82	5.988475G	-60.14	-51.82	-8.32	1
5.962523G	-8.23	5.99385G	-59.43	-48.23	-11.20	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

6195MHz_TX

02/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.188102G	-7.81	6.16105G	-58.37	-47.81	-10.56	1
6.189126G	-8.56	6.22725G	-57.62	-48.56	-9.06	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

6415MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.422673G	-7.69	6.381575G	-58.07	-47.69	-10.38	1
6.410851G	-8.39	6.45965G	-59.17	-48.39	-10.78	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

6435MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.436575G	-7.03	6.39785G	-58.53	-47.03	-11.50	1
6.428702G	-7.93	6.471475G	-57.20	-47.93	-9.27	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

6475MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.481423G	-7.37	6.5073G	-56.68	-47.37	-9.31	1
6.483148G	-8.19	6.507175G	-57.54	-48.19	-9.35	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

6515MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.511301G	-7.73	6.48215G	-57.66	-47.73	-9.93	1
6.522498G	-8.85	6.4812G	-57.24	-48.85	-8.39	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

6535MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.531226G	-7.83	6.503275G	-57.93	-47.78	-10.15	1
6.5368G	-8.76	6.49905G	-57.73	-48.76	-8.97	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

6695MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688077G	-7.86	6.72755G	-56.44	-47.86	-8.58	1
6.688102G	-8.47	6.73065G	-57.34	-48.47	-8.87	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

6875MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.872451G	-8.22	6.9227G	-58.61	-48.22	-10.39	1
6.871176G	-8.75	6.907G	-56.46	-48.75	-7.71	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

6895MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.885702G	-7.67	6.9281G	-56.90	-47.67	-9.23	1
6.902348G	-8.53	6.931625G	-56.74	-48.53	-8.21	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

6975MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.967927G	-8.49	7.00845G	-56.19	-48.49	-7.70	1
6.980574G	-8.87	7.00635G	-57.96	-48.78	-9.18	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

7055MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.048002G	-7.68	7.023525G	-56.65	-47.35	-9.30	1
7.046552G	-8.45	7.02195G	-57.18	-48.45	-8.73	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

5965MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961101G	-4.53	6.0558G	-54.73	-44.53	-10.20	1
5.981496G	-4.26	6.044G	-55.06	-44.26	-10.80	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

6205MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.187204G	-3.23	6.28245G	-54.33	-43.23	-11.10	1
6.218247G	-4.27	6.29045G	-54.75	-44.27	-10.48	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

6405MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.392803G	-3.64	6.32565G	-54.28	-43.64	-10.64	1
6.397302G	-3.85	6.4852G	-54.22	-43.85	-10.37	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

6445MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.427254G	-3.84	6.35635G	-54.55	-43.84	-10.71	1
6.440201G	-4.86	6.50735G	-53.71	-44.57	-9.14	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

6485MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.479301G	-4.18	6.3895G	-54.61	-44.18	-10.43	1
6.491698G	-4.80	6.41995G	-54.75	-44.80	-9.95	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

6525MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.541696G	-3.31	6.4478G	-54.36	-43.31	-11.05	1
6.520701G	-4.31	6.44575G	-54.66	-44.31	-10.35	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

6565MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.553453G	-4.78	6.48715G	-55.16	-44.78	-10.38	1
6.580096G	-5.26	6.4992G	-54.06	-45.26	-8.80	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

6685MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.692398G	-4.81	6.77245G	-55.32	-44.81	-10.51	1
6.698797G	-4.73	6.61235G	-55.12	-44.73	-10.39	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

6885MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.878802G	-4.76	6.8638G	-32.23	-23.96	-8.27	1
6.900046G	-5.12	6.97835G	-53.79	-45.12	-8.67	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

6925MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.912253G	-4.99	7.00475G	-53.36	-44.99	-8.37	1
6.913803G	-5.30	6.9951G	-53.73	-45.30	-8.43	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

7005MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.017447G	-4.99	6.9256G	-54.17	-44.99	-9.18	1
6.992053G	-5.61	6.93985G	-54.03	-45.61	-8.42	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

7045MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.033853G	-4.72	6.9786G	-53.34	-44.72	-8.62	1
7.053398G	-5.30	6.97165G	-53.19	-45.30	-7.89	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

5985MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00899G	-1.44	6.1462G	-51.01	-41.44	-9.57	1
6.01689G	-1.10	6.1566G	-51.52	-41.10	-10.42	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

6225MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2393G	-0.68	6.3942G	-50.29	-40.68	-9.61	1
6.25639G	-1.83	6.3739G	-51.42	-41.83	-9.59	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

6385MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35861G	-1.76	6.5845G	-50.95	-41.76	-9.19	1
6.4003G	-2.05	6.2587G	-52.48	-41.93	-10.55	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

6465MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42841G	-1.28	6.6302G	-50.89	-41.28	-9.61	1
6.4503G	-2.47	6.3191G	-52.22	-42.47	-9.75	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

6545MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.51151G	-1.51	6.7201G	-49.39	-41.51	-7.88	1
6.51721G	-2.09	6.3891G	-51.92	-42.09	-9.83	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

6625MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6317G	-1.37	6.8188G	-49.66	-41.37	-8.29	1
6.6279G	-2.23	6.4647G	-51.80	-42.23	-9.57	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

6705MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67621G	-0.65	6.8988G	-49.32	-40.65	-8.67	1
6.67931G	-1.45	6.89G	-51.52	-41.45	-10.07	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

6785MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74931G	-2.55	6.9821G	-49.70	-42.55	-7.15	1
6.7899G	-3.00	6.9827G	-51.03	-43.00	-8.03	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

6865MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83841G	-1.47	7.0338G	-49.99	-41.47	-8.52	1
6.89339G	-1.91	6.9999G	-50.90	-41.91	-8.99	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

6945MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9506G	-1.77	7.1426G	-49.85	-41.77	-8.08	1
6.97259G	-2.39	6.8141G	-51.67	-42.39	-9.28	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

7025MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00161G	-1.24	7.2245G	-50.48	-41.24	-9.24	1
7.0113G	-2.39	6.895G	-51.09	-42.39	-8.70	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX **MASK**

6025MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00101G	0.85	5.7172G	-44.43	-39.15	-5.28	1
6.09058G	2.07	6.3416G	-44.35	-37.93	-6.42	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX **MASK**

6185MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.198G	1.71	6.4308G	-42.89	-37.39	-5.50	1
6.26198G	1.48	6.4934G	-44.67	-38.52	-6.15	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX **MASK**

6345MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3396G	1.81	6.0496G	-43.59	-38.19	-5.40	1
6.37799G	0.99	6.025G	-45.64	-39.01	-6.63	2

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX **MASK**

6505MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57638G	2.01	6.7662G	-40.20	-37.99	-2.21	1
6.43002G	1.12	6.1748G	-44.35	-38.88	-5.47	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX **MASK**

6665MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71859G	1.02	6.9288G	-42.75	-38.98	-3.77	1
6.59162G	1.29	6.3234G	-45.71	-38.71	-7.00	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX **MASK**

6825MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87859G	1.77	7.097G	-40.07	-38.23	-1.84	1
6.74762G	1.18	6.467G	-44.73	-38.82	-5.91	2

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX **MASK**

6985MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91962G	2.40	7.1382G	-27.03	-17.63	-9.40	1
7.01439G	1.66	7.1428G	-27.94	-18.38	-9.56	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX **MASK**

6105MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04901G	2.73	6.6582G	-39.25	-37.27	-1.98	1
6.17218G	2.53	6.553G	-34.13	-33.71	-0.42	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX **MASK**

6265MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2778G	4.71	6.5706G	-23.50	-18.27	-5.23	1
6.37937G	3.51	6.9142G	-41.31	-36.49	-4.82	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX **MASK**

6425MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27264G	5.57	6.1694G	-16.14	-15.09	-1.05	1
6.49298G	4.78	6.733G	-23.68	-15.51	-8.17	2

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX **MASK**

6585MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68857G	4.59	6.9018G	-22.36	-15.42	-6.94	1
6.50982G	4.15	6.2126G	-26.48	-17.27	-9.21	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX **MASK**

6745MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89216G	5.21	7.0382G	-18.48	-16.44	-2.04	1
6.59904G	4.44	7.0498G	-24.10	-16.14	-7.96	2

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX **MASK**

6905MHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99778G	0.70	6.1642G	-46.92	-39.30	-7.62	1
6.83382G	0.04	6.375G	-42.27	-39.96	-2.31	2

Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	**Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Interference frequency (MHz)**		**EUT Status**	**Injected AWGN Power (dBm)**	**Ant Gain (dBi)**	**Detection Power(dBm)**	**Detection Limit (dBm)**
5	**53**	**20**	**6215**	Center	6215	OFF	-63.03	1.97	-65.00	≤ -62
						Minimal	-64.03	1.97	-66.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62
6	**101**	**20**	**6455**	Center	6455	OFF	-61.03	1.97	-63.00	≤ -62
						Minimal	-62.03	1.97	-64.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62
7	**149**	**20**	**6695**	Center	6695	OFF	-62.03	1.97	-64.00	≤ -62
						Minimal	-63.03	1.97	-65.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62
8	**213**	**20**	**7015**	Center	7015	OFF	-61.03	1.97	-63.00	≤ -62
						Minimal	-62.03	1.97	-64.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	**Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Interference frequency (MHz)**		**EUT Status**	**Injected AWGN Power (dBm)**	**Ant Gain (dBi)**	**Detection Power(dBm)**	**Detection Limit (dBm)**
5	**31**	**320**	**6105**	Low edge	5950	OFF	-70.03	1.97	-72.00	≤ -62
						Minimal	-71.03	1.97	-73.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62
				Center	6105	OFF	-67.03	1.97	-69.00	≤ -62
						Minimal	-68.03	1.97	-70.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62
				High edge	6260	OFF	-70.03	1.97	-72.00	≤ -62
						Minimal	-71.03	1.97	-73.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62
5/6/7	**95**	**320**	**6425**	Low edge	6270	OFF	-68.03	1.97	-70.00	≤ -62
						Minimal	-69.03	1.97	-71.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62
				Center	6425	OFF	-63.03	1.97	-65.00	≤ -62
						Minimal	-64.03	1.97	-66.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62
				High edge	6580	OFF	-66.03	1.97	-68.00	≤ -62
						Minimal	-67.03	1.97	-69.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62
7/8	**159**	**320**	**6745**	Low edge	6590	OFF	-70.03	1.97	-72.00	≤ -62
						Minimal	-71.03	1.97	-73.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62
				Center	6745	OFF	-61.03	1.97	-63.00	≤ -62
						Minimal	-62.03	1.97	-64.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62
				High edge	6900	OFF	-67.03	1.97	-69.00	≤ -62
						Minimal	-68.03	1.97	-70.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62
7/8	**191**	**320**	**6905**	Low edge	6750	OFF	-70.03	1.97	-72.00	≤ -62
						Minimal	-71.03	1.97	-73.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62
				Center	6905	OFF	-62.03	1.97	-64.00	≤ -62
						Minimal	-63.03	1.97	-65.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62
				High edge	7060	OFF	-65.03	1.97	-67.00	≤ -62
						Minimal	-66.03	1.97	-68.00	≤ -62
						ON	-80.03	1.97	-82.00	≤ -62

Contention Based protocol 802.11be EHT20											
UNII Band	**Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Interference frequency (MHz)**		**AWGN Threshold Level (dBm)**	**EUT Status**	**Number of Detected (out of 10 times)**	**Detection Probability (%)**	**Limit (%)**	**Test Result**
5	**53**	**20**	**6215**	Center	6215	-65.00	OFF	9	90	90	PASS
6	**101**	**20**	**6455**	Center	6455	-63.00	OFF	9	90	90	PASS
7	**149**	**20**	**6695**	Center	6695	-64.00	OFF	9	90	90	PASS
8	**213**	**20**	**7015**	Center	7015	-63.00	OFF	9	90	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	**Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Interference frequency (MHz)**		**AWGN Threshold Level (dBm)**	**EUT Status**	**Number of Detected (out of 10 times)**	**Detection Probability (%)**	**Limit (%)**	**Test Result**
5	**31**	**320**	**6105**	Low edge	5950	-72.00	OFF	9	90	90	PASS
				Center	6105	-69.00	OFF	9	90	90	PASS
				High edge	6260	-72.00	OFF	9	90	90	PASS
5/6/7	**95**	**320**	**6425**	Low edge	6270	-70.00	OFF	9	90	90	PASS
				Center	6425	-65.00	OFF	9	90	90	PASS
				High edge	6580	-68.00	OFF	9	90	90	PASS
7/8	**159**	**320**	**6745**	Low edge	6590	-72.00	OFF	9	90	90	PASS
				Center	6745	-63.00	OFF	9	90	90	PASS
				High edge	6900	-69.00	OFF	9	90	90	PASS
7/8	**191**	**320**	**6905**	Low edge	6750	-72.00	OFF	9	90	90	PASS
				Center	6905	-64.00	OFF	9	90	90	PASS
				High edge	7060	-67.00	OFF	9	90	90	PASS

Bandwidth: 20MHz

Traffic Loading Plot



Traffic Loading Calculation



Bandwidth: 320MHz

Traffic Loading Plot



Traffic Loading Calculation



Incumbent signal (AWGN) Plot
Bandwidth: 20MHz
Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz



Frequency (MHz): 6695 MHz



Frequency (MHz): 7015 MHz



Bandwidth: 320MHz

Frequency (MHz): 5950 MHz



Frequency (MHz): 6105 MHz



Frequency (MHz): 6260 MHz



Frequency (MHz): 6270 MHz



Frequency (MHz): 6425 MHz



Frequency (MHz): 6580 MHz



Frequency (MHz): 6590 MHz



Frequency (MHz): 6745 MHz



Frequency (MHz): 6900 MHz



Frequency (MHz): 6750 MHz



Frequency (MHz): 6905 MHz



Frequency (MHz): 7060 MHz



Contention-Based Protocol Plot
Bandwidth: 20MHz
Test CH 53 ; Incumbent signal 6215 MHz



Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz



Note : M1 : Inject AWGN signal

Test CH 149 ; Incumbent signal 6695 MHz



Date: 25.JUN.2025 19:24:25

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz



Date: 25.JUN.2025 19:36:25

Note : M1 : Inject AWGN signal

Bandwidth: 320MHz

Test CH 31 ; Incumbent signal 5950 MHz



Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6105 MHz



Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6260 MHz



Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6270 MHz



Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6425 MHz



Date: 25.JUN.2025 15:34:51

Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6580 MHz



Date: 25.JUN.2025 16:01:35

Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6590 MHz



Date: 25.JUN.2025 17:33:47

Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6745 MHz



Date: 25.JUN.2025 17:21:22

Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6900 MHz



Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6750 MHz



Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6905 MHz



Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Note : M1 : Inject AWGN signal