


5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 28
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.84	74.00	-4.16	60.19	3	Vertical	69	1.59	-	33.60	6.98	30.93
AV	5.1496G	51.55	54.00	-2.45	41.90	3	Vertical	69	1.59	-	33.60	6.98	30.93
PK	5.2189G	118.11	Inf	-Inf	108.29	3	Vertical	69	1.59	-	33.70	7.01	30.89
AV	5.2213G	105.77	Inf	-Inf	95.96	3	Vertical	69	1.59	-	33.70	7.00	30.89
PK	5.3608G	60.85	74.00	-13.15	50.79	3	Vertical	69	1.59	-	33.90	6.97	30.81
AV	5.3503G	48.33	54.00	-5.67	38.27	3	Vertical	69	1.59	-	33.90	6.97	30.81

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 28
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0866G	60.50	74.00	-13.50	51.05	3	Horizontal	65	2.92	-	33.47	6.94	30.96
AV	5.1379G	47.37	54.00	-6.63	37.75	3	Horizontal	65	2.92	-	33.58	6.97	30.93
PK	5.2192G	109.34	Inf	-Inf	99.52	3	Horizontal	65	2.92	-	33.70	7.01	30.89
AV	5.2198G	96.53	Inf	-Inf	86.71	3	Horizontal	65	2.92	-	33.70	7.01	30.89
PK	5.3575G	60.40	74.00	-13.60	50.34	3	Horizontal	65	2.92	-	33.90	6.97	30.81
AV	5.3698G	47.65	54.00	-6.35	37.58	3	Horizontal	65	2.92	-	33.90	6.97	30.80

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 28
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4627G	57.51	68.20	-10.69	38.68	3	Vertical	326	2.56	-	38.23	11.10	30.50
PK	15.69068G	59.49	74.00	-14.51	42.04	3	Vertical	31	1.30	-	37.62	11.86	32.03
AV	15.68665G	45.53	54.00	-8.47	28.07	3	Vertical	31	1.30	-	37.63	11.86	32.03

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 28
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46022G	57.03	68.20	-11.17	38.21	3	Horizontal	209	1.21	-	38.22	11.10	30.50
PK	15.69254G	59.82	74.00	-14.18	42.38	3	Horizontal	239	1.52	-	37.61	11.86	32.03
AV	15.69245G	45.48	54.00	-8.52	28.03	3	Horizontal	239	1.52	-	37.62	11.86	32.03

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	60.46	74.00	-13.54	50.84	3	Vertical	130	1.79	-	33.58	6.97	30.93
AV	5.1407G	47.46	54.00	-6.54	37.84	3	Vertical	130	1.79	-	33.58	6.97	30.93
PK	5.2787G	112.97	Inf	-Inf	103.07	3	Vertical	130	1.79	-	33.76	6.99	30.85
AV	5.2829G	100.03	Inf	-Inf	90.12	3	Vertical	130	1.79	-	33.77	6.99	30.85
PK	5.4032G	61.03	74.00	-12.97	50.94	3	Vertical	130	1.79	-	33.90	6.97	30.78
AV	5.3903G	47.99	54.00	-6.01	37.92	3	Vertical	130	1.79	-	33.90	6.96	30.79

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	60.10	74.00	-13.90	50.47	3	Horizontal	64	2.90	-	33.59	6.97	30.93
AV	5.1368G	47.31	54.00	-6.69	37.70	3	Horizontal	64	2.90	-	33.57	6.97	30.93
PK	5.273G	104.40	Inf	-Inf	94.52	3	Horizontal	64	2.90	-	33.75	6.99	30.86
AV	5.2718G	91.15	Inf	-Inf	81.28	3	Horizontal	64	2.90	-	33.74	6.99	30.86
PK	5.3504G	60.92	74.00	-13.08	50.86	3	Horizontal	64	2.90	-	33.90	6.97	30.81
AV	5.3906G	47.71	54.00	-6.29	37.64	3	Horizontal	64	2.90	-	33.90	6.96	30.79

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53585G	57.91	68.20	-10.29	38.95	3	Vertical	32	1.92	-	38.30	11.15	30.49
PK	15.8073G	59.25	74.00	-14.75	42.09	3	Vertical	270	2.95	-	37.41	11.86	32.11
AV	15.81004G	45.26	54.00	-8.74	28.09	3	Vertical	270	2.95	-	37.42	11.86	32.11

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54255G	57.80	68.20	-10.40	38.84	3	Horizontal	209	2.60	-	38.30	11.15	30.49
PK	15.81327G	59.72	74.00	-14.28	42.54	3	Horizontal	240	1.44	-	37.43	11.86	32.11
AV	15.80691G	45.30	54.00	-8.70	28.14	3	Horizontal	240	1.44	-	37.41	11.86	32.11

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	114.34	Inf	-Inf	104.40	3	Vertical	97	1.83	-	33.80	6.98	30.84
AV	5.3032G	101.54	Inf	-Inf	91.59	3	Vertical	97	1.83	-	33.81	6.98	30.84
PK	5.362G	66.53	74.00	-7.47	56.47	3	Vertical	97	1.83	-	33.90	6.97	30.81
AV	5.351G	48.20	54.00	-5.80	38.14	3	Vertical	97	1.83	-	33.90	6.97	30.81

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2926G	104.50	Inf	-Inf	94.57	3	Horizontal	64	3.00	-	33.79	6.99	30.85
AV	5.2926G	92.28	Inf	-Inf	82.35	3	Horizontal	64	3.00	-	33.79	6.99	30.85
PK	5.3942G	61.58	74.00	-12.42	51.51	3	Horizontal	64	3.00	-	33.90	6.96	30.79
AV	5.3934G	47.69	54.00	-6.31	37.62	3	Horizontal	64	3.00	-	33.90	6.96	30.79

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62176G	57.59	74.00	-16.41	38.48	3	Vertical	139	1.43	-	38.40	11.20	30.49
AV	10.61907G	43.51	54.00	-10.49	24.40	3	Vertical	139	1.43	-	38.40	11.20	30.49
PK	15.93101G	58.11	74.00	-15.89	40.85	3	Vertical	339	2.02	-	37.58	11.87	32.19
AV	15.92649G	44.61	54.00	-9.39	27.33	3	Vertical	339	2.02	-	37.59	11.87	32.18

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62405G	58.38	74.00	-15.62	39.26	3	Horizontal	0	1.10	-	38.40	11.21	30.49
AV	10.61967G	43.60	54.00	-10.40	24.49	3	Horizontal	0	1.10	-	38.40	11.20	30.49
PK	15.93011G	58.42	74.00	-15.58	41.16	3	Horizontal	77	1.39	-	37.58	11.87	32.19
AV	15.92674G	44.62	54.00	-9.38	27.34	3	Horizontal	77	1.39	-	37.59	11.87	32.18

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	71.73	74.00	-2.27	61.44	3	Vertical	269	1.70	-	33.91	7.14	30.76
PK	5.4614G	66.93	68.20	-1.27	56.60	3	Vertical	269	1.70	-	33.92	7.16	30.75
AV	5.4598G	48.43	54.00	-5.57	38.10	3	Vertical	269	1.70	-	33.92	7.16	30.75
PK	5.4962G	114.57	Inf	-Inf	104.03	3	Vertical	269	1.70	-	33.99	7.28	30.73
AV	5.4946G	101.40	Inf	-Inf	90.87	3	Vertical	269	1.70	-	33.99	7.27	30.73

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX



EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	61.86	74.00	-12.14	51.54	3	Horizontal	147	2.73	-	33.92	7.15	30.75
AV	5.4558G	47.91	54.00	-6.09	37.61	3	Horizontal	147	2.73	-	33.91	7.14	30.75
PK	5.4698G	61.82	68.20	-6.38	51.44	3	Horizontal	147	2.73	-	33.94	7.19	30.75
PK	5.5284G	109.88	Inf	-Inf	99.16	3	Horizontal	147	2.73	-	34.06	7.38	30.72
AV	5.528G	98.73	Inf	-Inf	88.01	3	Horizontal	147	2.73	-	34.06	7.38	30.72

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX



EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02403G	58.93	74.00	-15.07	39.51	3	Vertical	180	2.35	-	38.45	11.46	30.49
AV	11.02301G	44.26	54.00	-9.74	24.84	3	Vertical	180	2.35	-	38.45	11.46	30.49
PK	16.53222G	60.28	68.20	-7.92	41.22	3	Vertical	15	1.13	-	38.99	12.12	32.05

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01973G	58.19	74.00	-15.81	38.78	3	Horizontal	315	1.64	-	38.44	11.46	30.49
AV	11.01743G	44.19	54.00	-9.81	24.79	3	Horizontal	315	1.64	-	38.43	11.46	30.49
PK	16.53169G	60.28	68.20	-7.92	41.22	3	Horizontal	338	2.11	-	38.99	12.12	32.05

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4465G	60.84	74.00	-13.16	50.59	3	Vertical	125	1.45	-	33.90	7.11	30.76
AV	5.4438G	47.79	54.00	-6.21	37.55	3	Vertical	125	1.45	-	33.90	7.10	30.76
PK	5.4606G	60.15	68.20	-8.05	49.82	3	Vertical	125	1.45	-	33.92	7.16	30.75
PK	5.5524G	114.15	Inf	-Inf	103.31	3	Vertical	125	1.45	-	34.10	7.46	30.72
AV	5.5512G	101.75	Inf	-Inf	90.91	3	Vertical	125	1.45	-	34.10	7.46	30.72

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


05/05/2025

EUT_Z_2TX
 Setting 23
 02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	60.82	74.00	-13.18	50.50	3	Horizontal	54	2.30	-	33.92	7.15	30.75
AV	5.4024G	47.76	54.00	-6.24	37.67	3	Horizontal	54	2.30	-	33.90	6.97	30.78
PK	5.4675G	60.00	68.20	-8.20	49.64	3	Horizontal	54	2.30	-	33.93	7.18	30.75
PK	5.5398G	104.47	Inf	-Inf	93.69	3	Horizontal	54	2.30	-	34.08	7.42	30.72
AV	5.5383G	91.36	Inf	-Inf	80.58	3	Horizontal	54	2.30	-	34.08	7.42	30.72

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09998G	58.40	74.00	-15.60	38.82	3	Vertical	339	1.04	-	38.60	11.51	30.53
AV	11.09977G	44.38	54.00	-9.62	24.80	3	Vertical	339	1.04	-	38.60	11.51	30.53
PK	16.6546G	61.49	68.20	-6.71	41.57	3	Vertical	342	1.33	-	39.81	12.18	32.07

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09541G	57.94	74.00	-16.06	38.36	3	Horizontal	266	1.09	-	38.59	11.51	30.52
AV	11.09731G	44.37	54.00	-9.63	24.79	3	Horizontal	266	1.09	-	38.59	11.51	30.52
PK	16.64698G	61.44	68.20	-6.76	41.55	3	Horizontal	290	1.67	-	39.78	12.18	32.07

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6872G	115.46	Inf	-Inf	104.45	3	Vertical	208	2.00	-	34.00	7.70	30.69
AV	5.6868G	102.85	Inf	-Inf	91.84	3	Vertical	208	2.00	-	34.00	7.70	30.69
PK	5.7258G	65.30	68.20	-2.90	54.25	3	Vertical	208	2.00	-	34.00	7.73	30.68

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6878G	102.25	Inf	-Inf	91.23	3	Horizontal	243	1.89	-	34.00	7.70	30.68
AV	5.6686G	89.99	Inf	-Inf	79.00	3	Horizontal	243	1.89	-	34.00	7.68	30.69
PK	5.7692G	62.35	68.20	-5.85	51.25	3	Horizontal	243	1.89	-	34.00	7.77	30.67

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX



EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.33575G	59.12	74.00	-14.88	39.42	3	Vertical	40	2.23	-	38.67	11.66	30.63			
AV	11.33914G	44.78	54.00	-9.22	25.08	3	Vertical	40	2.23	-	38.68	11.66	30.64			
PK	17.00936G	62.61	68.20	-5.59	41.16	3	Vertical	343	1.81	-	41.22	12.35	32.12			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33876G	58.90	74.00	-15.10	39.20	3	Horizontal	218	2.80	-	38.68	11.66	30.64
AV	11.33561G	44.83	54.00	-9.17	25.13	3	Horizontal	218	2.80	-	38.67	11.66	30.63
PK	17.01163G	62.74	68.20	-5.46	41.29	3	Horizontal	202	2.87	-	41.22	12.35	32.12

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7088G	114.79	Inf	-Inf	103.75	3	Vertical	331	1.79	-	34.00	7.72	30.68
AV	5.7112G	102.14	Inf	-Inf	91.10	3	Vertical	331	1.79	-	34.00	7.72	30.68
PK	5.8976G	61.68	68.20	-6.52	50.36	3	Vertical	331	1.79	-	34.09	7.86	30.63

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 23
 02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7264G	106.39	Inf	-Inf	95.34	3	Horizontal	64	2.06	-	34.00	7.73	30.68
AV	5.7252G	93.20	Inf	-Inf	82.15	3	Horizontal	64	2.06	-	34.00	7.73	30.68
PK	5.9096G	61.96	68.20	-6.24	50.60	3	Horizontal	64	2.06	-	34.12	7.87	30.63

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4181G	58.86	74.00	-15.14	39.08	3	Vertical	231	1.01	-	38.74	11.71	30.67
AV	11.41911G	44.73	54.00	-9.27	24.95	3	Vertical	231	1.01	-	38.74	11.71	30.67
PK	17.12542G	61.85	68.20	-6.35	40.12	3	Vertical	7	2.08	-	41.50	12.40	32.17

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41627G	58.79	74.00	-15.21	39.02	3	Horizontal	16	2.28	-	38.73	11.71	30.67
AV	11.4163G	44.74	54.00	-9.26	24.97	3	Horizontal	16	2.28	-	38.73	11.71	30.67
PK	17.12707G	61.72	68.20	-6.48	39.97	3	Horizontal	269	1.14	-	41.51	12.41	32.17

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 28
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6485G	66.49	68.20	-1.71	55.52	3	Vertical	206	1.95	-	34.00	7.66	30.69
PK	5.739G	120.19	Inf	-Inf	109.11	3	Vertical	206	1.95	-	34.00	7.75	30.67
AV	5.738G	107.72	Inf	-Inf	96.65	3	Vertical	206	1.95	-	34.00	7.74	30.67
PK	5.9835G	61.75	68.20	-6.45	50.17	3	Vertical	206	1.95	-	34.27	7.92	30.61

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 28
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5665G	62.10	68.20	-6.10	51.23	3	Horizontal	65	1.91	-	34.07	7.51	30.71
PK	5.7515G	113.28	Inf	-Inf	102.19	3	Horizontal	65	1.91	-	34.00	7.76	30.67
AV	5.752G	100.21	Inf	-Inf	89.12	3	Horizontal	65	1.91	-	34.00	7.76	30.67
PK	5.956G	61.52	68.20	-6.68	50.03	3	Horizontal	65	1.91	-	34.21	7.90	30.62

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 28
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51224G	58.88	74.00	-15.12	38.81	3	Vertical	16	1.87	-	39.02	11.77	30.72
AV	11.50569G	44.84	54.00	-9.16	24.77	3	Vertical	16	1.87	-	39.01	11.77	30.71
PK	17.2623G	63.33	68.20	-4.87	40.87	3	Vertical	195	2.59	-	42.20	12.47	32.21

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 28
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50995G	58.56	74.00	-15.44	38.49	3	Horizontal	322	2.68	-	39.02	11.77	30.72
AV	11.51089G	44.79	54.00	-9.21	24.72	3	Horizontal	322	2.68	-	39.02	11.77	30.72
PK	17.26576G	63.85	68.20	-4.35	41.37	3	Horizontal	324	2.08	-	42.23	12.47	32.22

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 30
 02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6445G	63.89	68.20	-4.31	52.93	3	Vertical	342	2.31	-	34.00	7.66	30.70
PK	5.7855G	120.74	Inf	-Inf	109.61	3	Vertical	342	2.31	-	34.00	7.79	30.66
AV	5.793G	108.08	Inf	-Inf	96.95	3	Vertical	342	2.31	-	34.00	7.79	30.66
PK	6.0145G	62.04	68.20	-6.16	50.39	3	Vertical	342	2.31	-	34.33	7.95	30.63

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 30
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5715G	61.47	68.20	-6.73	50.59	3	Horizontal	66	2.25	-	34.06	7.53	30.71
PK	5.781G	111.07	Inf	-Inf	99.95	3	Horizontal	66	2.25	-	34.00	7.78	30.66
AV	5.7805G	98.45	Inf	-Inf	87.33	3	Horizontal	66	2.25	-	34.00	7.78	30.66
PK	5.9275G	62.53	68.20	-5.67	51.12	3	Horizontal	66	2.25	-	34.16	7.88	30.63

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 30
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58549G	58.32	74.00	-15.68	38.11	3	Vertical	131	1.85	-	39.17	11.82	30.78
AV	11.59244G	44.88	54.00	-9.12	24.67	3	Vertical	131	1.85	-	39.18	11.82	30.79
PK	17.38087G	65.01	68.20	-3.19	41.72	3	Vertical	278	1.37	-	43.02	12.53	32.26

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 30
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58784G	58.54	74.00	-15.46	38.32	3	Horizontal	177	2.54	-	39.18	11.82	30.78
AV	11.59488G	44.88	54.00	-9.12	24.66	3	Horizontal	177	2.54	-	39.19	11.82	30.79
PK	17.38697G	64.75	68.20	-3.45	41.43	3	Horizontal	150	1.93	-	43.05	12.53	32.26

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 25
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1045G	68.89	74.00	-5.11	59.38	3	Vertical	138	2.01	-	33.51	6.95	30.95
AV	5.146G	52.23	54.00	-1.77	42.60	3	Vertical	138	2.01	-	33.59	6.97	30.93
PK	5.1745G	113.24	Inf	-Inf	103.51	3	Vertical	138	2.01	-	33.65	6.99	30.91
AV	5.1935G	99.23	Inf	-Inf	89.43	3	Vertical	138	2.01	-	33.69	7.01	30.90
PK	5.381G	60.55	74.00	-13.45	50.49	3	Vertical	138	2.01	-	33.90	6.96	30.80
AV	5.385G	47.96	54.00	-6.04	37.89	3	Vertical	138	2.01	-	33.90	6.96	30.79

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 25
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1295G	62.94	74.00	-11.06	53.36	3	Horizontal	64	2.58	-	33.56	6.96	30.94
AV	5.1435G	47.73	54.00	-6.27	38.10	3	Horizontal	64	2.58	-	33.59	6.97	30.93
PK	5.2125G	102.71	Inf	-Inf	92.89	3	Horizontal	64	2.58	-	33.70	7.01	30.89
AV	5.1795G	91.09	Inf	-Inf	81.34	3	Horizontal	64	2.58	-	33.66	7.00	30.91
PK	5.3595G	60.42	74.00	-13.58	50.36	3	Horizontal	64	2.58	-	33.90	6.97	30.81
AV	5.355G	47.73	54.00	-6.27	37.67	3	Horizontal	64	2.58	-	33.90	6.97	30.81

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 25
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41814G	57.80	68.20	-10.40	38.97	3	Vertical	115	2.26	-	38.26	11.08	30.51
PK	15.6304G	58.92	74.00	-15.08	41.32	3	Vertical	100	2.64	-	37.74	11.85	31.99
AV	15.63153G	45.52	54.00	-8.48	27.92	3	Vertical	100	2.64	-	37.74	11.85	31.99

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 25
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42349G	57.25	68.20	-10.95	38.43	3	Horizontal	223	2.04	-	38.25	11.08	30.51
PK	15.63382G	59.31	74.00	-14.69	41.73	3	Horizontal	326	2.29	-	37.73	11.85	32.00
AV	15.62866G	45.44	54.00	-8.56	27.84	3	Horizontal	326	2.29	-	37.74	11.85	31.99

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1175G	60.95	74.00	-13.05	51.40	3	Vertical	139	1.61	-	33.53	6.96	30.94
AV	5.1295G	47.59	54.00	-6.41	38.01	3	Vertical	139	1.61	-	33.56	6.96	30.94
PK	5.2545G	111.05	Inf	-Inf	101.21	3	Vertical	139	1.61	-	33.71	7.00	30.87
AV	5.2645G	98.33	Inf	-Inf	88.47	3	Vertical	139	1.61	-	33.73	6.99	30.86
PK	5.361G	65.56	74.00	-8.44	55.50	3	Vertical	139	1.61	-	33.90	6.97	30.81
AV	5.351G	48.38	54.00	-5.62	38.32	3	Vertical	139	1.61	-	33.90	6.97	30.81
PK	5.467G	60.82	68.20	-7.38	50.46	3	Vertical	139	1.61	-	33.93	7.18	30.75

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0725G	60.06	74.00	-13.94	50.65	3	Horizontal	59	2.65	-	33.45	6.93	30.97
AV	5.148G	47.13	54.00	-6.87	37.48	3	Horizontal	59	2.65	-	33.60	6.98	30.93
PK	5.264G	104.70	Inf	-Inf	94.84	3	Horizontal	59	2.65	-	33.73	6.99	30.86
AV	5.254G	90.08	Inf	-Inf	80.24	3	Horizontal	59	2.65	-	33.71	7.00	30.87
PK	5.453G	60.88	74.00	-13.12	50.60	3	Horizontal	59	2.65	-	33.91	7.13	30.76
AV	5.457G	47.74	54.00	-6.26	37.43	3	Horizontal	59	2.65	-	33.91	7.15	30.75
PK	5.487G	60.96	68.20	-7.24	50.48	3	Horizontal	59	2.65	-	33.97	7.25	30.74

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57709G	58.01	68.20	-10.19	38.97	3	Vertical	208	1.31	-	38.35	11.18	30.49
PK	15.87192G	59.36	74.00	-14.64	42.06	3	Vertical	180	1.03	-	37.59	11.86	32.15
AV	15.87386G	45.13	54.00	-8.87	27.82	3	Vertical	180	1.03	-	37.60	11.86	32.15

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58168G	58.09	68.20	-10.11	39.04	3	Horizontal	75	1.77	-	38.36	11.18	30.49
PK	15.87138G	59.43	74.00	-14.57	42.13	3	Horizontal	38	2.50	-	37.59	11.86	32.15
AV	15.86603G	45.19	54.00	-8.81	27.91	3	Horizontal	38	2.50	-	37.56	11.86	32.14

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3475G	61.29	68.20	-6.91	51.25	3	Vertical	336	1.80	-	33.89	6.97	30.82
PK	5.39G	61.18	74.00	-12.82	51.11	3	Vertical	336	1.80	-	33.90	6.96	30.79
PK	5.469G	61.69	68.20	-6.51	51.31	3	Vertical	336	1.80	-	33.94	7.19	30.75
AV	5.4575G	47.94	54.00	-6.06	37.63	3	Vertical	336	1.80	-	33.91	7.15	30.75
PK	5.496G	110.86	Inf	-Inf	100.32	3	Vertical	336	1.80	-	33.99	7.28	30.73
AV	5.565G	96.82	Inf	-Inf	85.96	3	Vertical	336	1.80	-	34.07	7.50	30.71
PK	5.777G	62.34	68.20	-5.86	51.22	3	Vertical	336	1.80	-	34.00	7.78	30.66

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.301G	60.50	68.20	-7.70	50.56	3	Horizontal	154	2.69	-	33.80	6.98	30.84
PK	5.402G	60.76	74.00	-13.24	50.67	3	Horizontal	154	2.69	-	33.90	6.97	30.78
PK	5.4685G	60.48	68.20	-7.72	50.10	3	Horizontal	154	2.69	-	33.94	7.19	30.75
AV	5.4505G	47.75	54.00	-6.25	37.48	3	Horizontal	154	2.69	-	33.90	7.13	30.76
PK	5.523G	101.77	Inf	-Inf	91.07	3	Horizontal	154	2.69	-	34.05	7.37	30.72
AV	5.497G	88.35	Inf	-Inf	77.81	3	Horizontal	154	2.69	-	33.99	7.28	30.73
PK	5.7345G	61.52	68.20	-6.68	50.45	3	Horizontal	154	2.69	-	34.00	7.74	30.67

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX



EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06109G	58.58	74.00	-15.42	39.09	3	Vertical	118	1.23	-	38.52	11.48	30.51
AV	11.06361G	44.36	54.00	-9.64	24.85	3	Vertical	118	1.23	-	38.53	11.49	30.51
PK	16.5871G	60.81	68.20	-7.39	41.32	3	Vertical	33	1.30	-	39.40	12.15	32.06

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06476G	58.69	74.00	-15.31	39.18	3	Horizontal	59	1.35	-	38.53	11.49	30.51
AV	11.0586G	44.43	54.00	-9.57	24.94	3	Horizontal	59	1.35	-	38.52	11.48	30.51
PK	16.59045G	60.73	68.20	-7.47	41.22	3	Horizontal	205	2.16	-	39.42	12.15	32.06

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4365G	60.55	74.00	-13.45	50.34	3	Vertical	269	1.80	-	33.90	7.08	30.77
AV	5.4035G	48.05	54.00	-5.95	37.96	3	Vertical	269	1.80	-	33.90	6.97	30.78
PK	5.463G	60.50	68.20	-7.70	50.15	3	Vertical	269	1.80	-	33.93	7.17	30.75
PK	5.5795G	111.56	Inf	-Inf	100.68	3	Vertical	269	1.80	-	34.04	7.55	30.71
AV	5.576G	97.54	Inf	-Inf	86.66	3	Vertical	269	1.80	-	34.05	7.54	30.71
PK	5.8055G	61.81	68.20	-6.39	50.68	3	Vertical	269	1.80	-	33.99	7.80	30.66

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.418G	60.62	74.00	-13.38	50.48	3	Horizontal	55	2.38	-	33.90	7.02	30.78
AV	5.4025G	47.75	54.00	-6.25	37.66	3	Horizontal	55	2.38	-	33.90	6.97	30.78
PK	5.4695G	59.52	68.20	-8.68	49.14	3	Horizontal	55	2.38	-	33.94	7.19	30.75
PK	5.5935G	103.63	Inf	-Inf	92.73	3	Horizontal	55	2.38	-	34.01	7.60	30.71
AV	5.572G	89.60	Inf	-Inf	78.72	3	Horizontal	55	2.38	-	34.06	7.53	30.71
PK	5.769G	62.08	68.20	-6.12	50.98	3	Horizontal	55	2.38	-	34.00	7.77	30.67

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22319G	58.17	74.00	-15.83	38.66	3	Vertical	203	1.43	-	38.50	11.59	30.58
AV	11.2171G	44.25	54.00	-9.75	24.75	3	Vertical	203	1.43	-	38.50	11.58	30.58
PK	16.83077G	62.51	68.20	-5.69	41.99	3	Vertical	332	2.49	-	40.36	12.26	32.10

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22034G	58.53	74.00	-15.47	39.03	3	Horizontal	151	2.59	-	38.50	11.58	30.58
AV	11.215G	44.24	54.00	-9.76	24.74	3	Horizontal	151	2.59	-	38.50	11.58	30.58
PK	16.82536G	62.33	68.20	-5.87	41.82	3	Horizontal	343	1.50	-	40.35	12.26	32.10

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4425G	60.61	74.00	-13.39	50.37	3	Vertical	208	1.00	-	33.90	7.10	30.76
PK	5.465G	60.01	68.20	-8.19	49.66	3	Vertical	208	1.00	-	33.93	7.17	30.75
AV	5.454G	47.82	54.00	-6.18	37.53	3	Vertical	208	1.00	-	33.91	7.14	30.76
PK	5.6885G	110.06	Inf	-Inf	99.04	3	Vertical	208	1.00	-	34.00	7.70	30.68
AV	5.7285G	98.17	Inf	-Inf	87.11	3	Vertical	208	1.00	-	34.00	7.74	30.68
PK	5.931G	61.69	68.20	-6.51	50.27	3	Vertical	208	1.00	-	34.16	7.89	30.63

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
02-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4435G	59.79	74.00	-14.21	49.55	3	Horizontal	248	2.36	-	33.90	7.10	30.76
PK	5.4695G	60.10	68.20	-8.10	49.72	3	Horizontal	248	2.36	-	33.94	7.19	30.75
AV	5.4575G	47.60	54.00	-6.40	37.29	3	Horizontal	248	2.36	-	33.91	7.15	30.75
PK	5.702G	101.67	Inf	-Inf	90.64	3	Horizontal	248	2.36	-	34.00	7.71	30.68
AV	5.702G	89.26	Inf	-Inf	78.23	3	Horizontal	248	2.36	-	34.00	7.71	30.68
PK	5.915G	62.38	68.20	-5.82	51.01	3	Horizontal	248	2.36	-	34.13	7.87	30.63

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3792G	58.42	74.00	-15.58	38.68	3	Vertical	133	2.89	-	38.70	11.69	30.65
AV	11.3834G	44.87	54.00	-9.13	25.14	3	Vertical	133	2.89	-	38.70	11.69	30.66
PK	17.06924G	62.37	68.20	-5.83	40.79	3	Vertical	270	2.81	-	41.34	12.38	32.14

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37647G	58.35	74.00	-15.65	38.62	3	Horizontal	199	2.38	-	38.70	11.68	30.65
AV	11.3803G	44.84	54.00	-9.16	25.10	3	Horizontal	199	2.38	-	38.70	11.69	30.65
PK	17.0656G	62.39	68.20	-5.81	40.82	3	Horizontal	273	2.18	-	41.33	12.38	32.14

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 25.5
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6445G	63.96	68.20	-4.24	53.00	3	Vertical	334	1.96	-	34.00	7.66	30.70
PK	5.746G	117.56	Inf	-Inf	106.48	3	Vertical	334	1.96	-	34.00	7.75	30.67
AV	5.7515G	103.41	Inf	-Inf	92.32	3	Vertical	334	1.96	-	34.00	7.76	30.67
PK	6.022G	61.35	68.20	-6.85	49.68	3	Vertical	334	1.96	-	34.34	7.96	30.63

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


06/05/2025

EUT_Z_2TX
Setting 25.5
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6535G	64.12	70.79	-6.67	53.14	3	Horizontal	262	2.19	-	34.00	7.67	30.69
PK	5.7385G	106.13	Inf	-Inf	95.06	3	Horizontal	262	2.19	-	34.00	7.74	30.67
AV	5.738G	92.65	Inf	-Inf	81.58	3	Horizontal	262	2.19	-	34.00	7.74	30.67
PK	5.9255G	61.88	68.20	-6.32	50.48	3	Horizontal	262	2.19	-	34.15	7.88	30.63

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 25.5
 02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54847G	58.99	74.00	-15.01	38.85	3	Vertical	244	1.83	-	39.10	11.79	30.75
AV	11.55007G	45.23	54.00	-8.77	25.09	3	Vertical	244	1.83	-	39.10	11.79	30.75
PK	17.32881G	64.98	68.20	-3.22	41.99	3	Vertical	91	2.01	-	42.73	12.50	32.24

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 25.5
 02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54861G	58.94	74.00	-15.06	38.80	3	Horizontal	299	2.27	-	39.10	11.79	30.75
AV	11.5473G	45.25	54.00	-8.75	25.12	3	Horizontal	299	2.27	-	39.09	11.79	30.75
PK	17.32666G	64.58	68.20	-3.62	41.61	3	Horizontal	161	1.17	-	42.71	12.50	32.24

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1174G	68.64	74.00	-5.36	59.09	3	Vertical	129.8	1.80	-	33.53	6.96	30.94
AV	5.0934G	52.01	54.00	-1.99	42.54	3	Vertical	129.8	1.80	-	33.49	6.94	30.96
PK	5.2704G	107.81	Inf	-Inf	97.94	3	Vertical	129.8	1.80	-	33.74	6.99	30.86
AV	5.2554G	96.59	Inf	-Inf	86.75	3	Vertical	129.8	1.80	-	33.71	7.00	30.87
PK	5.3946G	65.67	74.00	-8.33	55.60	3	Vertical	129.8	1.80	-	33.90	6.96	30.79
AV	5.4198G	50.39	54.00	-3.61	40.23	3	Vertical	129.8	1.80	-	33.90	7.03	30.77
PK	5.514G	64.46	68.20	-3.74	53.82	3	Vertical	129.8	1.80	-	34.03	7.34	30.73

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0898G	60.26	74.00	-13.74	50.80	3	Horizontal	65	2.76	-	33.48	6.94	30.96
AV	5.106G	47.37	54.00	-6.63	37.86	3	Horizontal	65	2.76	-	33.51	6.95	30.95
PK	5.2644G	102.75	Inf	-Inf	92.89	3	Horizontal	65	2.76	-	33.73	6.99	30.86
AV	5.2548G	87.22	Inf	-Inf	77.38	3	Horizontal	65	2.76	-	33.71	7.00	30.87
PK	5.3868G	61.07	74.00	-12.93	51.00	3	Horizontal	65	2.76	-	33.90	6.96	30.79
AV	5.409G	48.20	54.00	-5.80	38.09	3	Horizontal	65	2.76	-	33.90	6.99	30.78
PK	5.538G	60.77	68.20	-7.43	49.99	3	Horizontal	65	2.76	-	34.08	7.42	30.72

5.25-5.35GHz 802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50115G	58.19	68.20	-10.01	39.25	3	Vertical	175	3.00	-	38.30	11.13	30.49
PK	15.75067G	58.91	74.00	-15.09	41.62	3	Vertical	167	2.14	-	37.50	11.86	32.07
AV	15.7455G	45.33	54.00	-8.67	28.03	3	Vertical	167	2.14	-	37.51	11.86	32.07

5.25-5.35GHz 802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49935G	57.57	68.20	-10.63	38.63	3	Horizontal	311	2.00	-	38.30	11.13	30.49
PK	15.75317G	58.62	74.00	-15.38	41.34	3	Horizontal	287	2.39	-	37.49	11.86	32.07
AV	15.74573G	45.26	54.00	-8.74	27.96	3	Horizontal	287	2.39	-	37.51	11.86	32.07

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.327G	62.44	68.20	-5.76	52.44	3	Vertical	40.9	1.80	-	33.85	6.98	30.83
PK	5.4308G	66.97	74.00	-7.03	56.78	3	Vertical	40.9	1.80	-	33.90	7.06	30.77
PK	5.4692G	63.66	68.20	-4.54	53.28	3	Vertical	40.9	1.80	-	33.94	7.19	30.75
AV	5.4596G	49.86	54.00	-4.14	39.53	3	Vertical	40.9	1.80	-	33.92	7.16	30.75
PK	5.4956G	111.15	Inf	-Inf	100.61	3	Vertical	40.9	1.80	-	33.99	7.28	30.73
AV	5.546G	94.02	Inf	-Inf	83.21	3	Vertical	40.9	1.80	-	34.09	7.44	30.72
PK	5.78G	64.40	68.20	-3.80	53.28	3	Vertical	40.9	1.80	-	34.00	7.78	30.66

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3066G	60.71	68.20	-7.49	50.76	3	Horizontal	65	2.26	-	33.81	6.98	30.84
PK	5.4092G	60.54	74.00	-13.46	50.43	3	Horizontal	65	2.26	-	33.90	6.99	30.78
PK	5.4632G	60.07	68.20	-8.13	49.72	3	Horizontal	65	2.26	-	33.93	7.17	30.75
AV	5.4506G	47.88	54.00	-6.12	37.61	3	Horizontal	65	2.26	-	33.90	7.13	30.76
PK	5.5088G	97.73	Inf	-Inf	87.12	3	Horizontal	65	2.26	-	34.02	7.32	30.73
AV	5.4974G	89.14	Inf	-Inf	78.60	3	Horizontal	65	2.26	-	33.99	7.28	30.73
PK	5.8436G	62.66	68.20	-5.54	51.57	3	Horizontal	65	2.26	-	33.91	7.83	30.65

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13675G	57.96	74.00	-16.04	38.44	3	Vertical	55	2.23	-	38.53	11.53	30.54
AV	11.1376G	43.98	54.00	-10.02	24.47	3	Vertical	55	2.23	-	38.52	11.53	30.54
PK	16.71081G	61.93	68.20	-6.27	41.88	3	Vertical	303	1.75	-	39.92	12.21	32.08

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 23
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14096G	58.12	74.00	-15.88	38.61	3	Horizontal	5	1.07	-	38.52	11.53	30.54
AV	11.136G	44.10	54.00	-9.90	24.58	3	Horizontal	5	1.07	-	38.53	11.53	30.54
PK	16.70703G	60.90	68.20	-7.30	40.86	3	Horizontal	169	1.25	-	39.91	12.21	32.08

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 18
 05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3412G	64.16	68.20	-4.04	58.44	3	Vertical	29.1	1.74	-	33.00	8.18	35.46
PK	5.4372G	65.99	74.00	-8.01	60.19	3	Vertical	29.1	1.74	-	33.00	8.24	35.44
AV	5.4316G	52.71	54.00	-1.29	46.91	3	Vertical	29.1	1.74	-	33.00	8.24	35.44
PK	5.462G	65.64	68.20	-2.56	59.80	3	Vertical	29.1	1.74	-	33.00	8.27	35.43
PK	5.4964G	111.24	Inf	-Inf	105.36	3	Vertical	29.1	1.74	-	33.00	8.30	35.42
AV	5.5068G	101.43	Inf	-Inf	95.54	3	Vertical	29.1	1.74	-	33.00	8.31	35.42
PK	5.8644G	66.13	68.20	-2.07	59.05	3	Vertical	29.1	1.74	-	34.16	8.48	35.56

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 18
 05-L-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2676G	59.99	68.20	-8.21	54.28	3	Horizontal	147.4	2.13	-	33.06	8.14	35.49
PK	5.4172G	60.68	74.00	-13.32	54.89	3	Horizontal	147.4	2.13	-	33.00	8.23	35.44
PK	5.466G	60.17	68.20	-8.03	54.33	3	Horizontal	147.4	2.13	-	33.00	8.27	35.43
AV	5.458G	48.89	54.00	-5.11	43.06	3	Horizontal	147.4	2.13	-	33.00	8.26	35.43
AV	5.5012G	91.40	Inf	-Inf	85.52	3	Horizontal	147.4	2.13	-	33.00	8.30	35.42
PK	5.546G	96.94	Inf	-Inf	91.04	3	Horizontal	147.4	2.13	-	33.00	8.34	35.44
PK	5.9644G	61.45	68.20	-6.75	54.26	3	Horizontal	147.4	2.13	-	34.27	8.52	35.60

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 18
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2418G	57.58	74.00	-16.42	40.11	3	Vertical	21	1.32	-	38.98	11.73	33.24
AV	11.1848G	44.86	54.00	-9.14	27.55	3	Vertical	21	1.32	-	38.90	11.70	33.29
PK	16.844G	60.73	68.20	-7.47	40.81	3	Vertical	208	1.80	-	38.10	14.69	32.87

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 18
05-L-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.229G	57.22	74.00	-16.78	39.79	3	Horizontal	276.1	1.80	-	38.96	11.72	33.25
AV	11.2255G	44.96	54.00	-9.04	27.55	3	Horizontal	276.1	1.80	-	38.95	11.72	33.26
PK	16.831G	60.29	68.20	-7.91	40.38	3	Horizontal	205	1.81	-	38.10	14.69	32.88