


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 100
 02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	72.69	74.00	-1.31	63.04	3	Vertical	120	1.94	-	33.60	6.98	30.93
AV	5.15G	52.42	54.00	-1.58	42.77	3	Vertical	120	1.94	-	33.60	6.98	30.93
PK	5.198G	121.43	Inf	-Inf	111.62	3	Vertical	120	1.94	-	33.70	7.01	30.90
AV	5.1952G	108.92	Inf	-Inf	99.12	3	Vertical	120	1.94	-	33.69	7.01	30.90

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 100
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	64.11	74.00	-9.89	67.60	3	Horizontal	303	2.89	-	32.00	8.39	43.88
AV	5.1494G	48.89	54.00	-5.11	52.38	3	Horizontal	303	2.89	-	32.00	8.39	43.88
PK	5.204G	116.73	Inf	-Inf	120.48	3	Horizontal	303	2.89	-	31.68	8.42	43.85
AV	5.199G	105.18	Inf	-Inf	108.90	3	Horizontal	303	2.89	-	31.71	8.42	43.85

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 100
 06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39226G	58.18	68.20	-10.02	42.03	3	Vertical	141	1.94	-	39.60	11.03	34.48
PK	15.59745G	59.43	74.00	-14.57	42.42	3	Vertical	247	2.32	-	38.01	13.14	34.14
AV	15.5865G	46.67	54.00	-7.33	29.62	3	Vertical	247	2.32	-	38.05	13.13	34.13

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
 Setting 100
 06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39838G	58.88	68.20	-9.32	42.72	3	Horizontal	306	1.24	-	39.60	11.04	34.48
PK	15.60747G	58.62	74.00	-15.38	41.68	3	Horizontal	138	1.51	-	37.93	13.15	34.14
AV	15.58623G	46.60	54.00	-7.40	29.54	3	Horizontal	138	1.51	-	38.06	13.13	34.13

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 106
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1254G	69.31	74.00	-4.69	59.74	3	Vertical	125	1.81	-	33.55	6.96	30.94
AV	5.1479G	47.83	54.00	-6.17	38.18	3	Vertical	125	1.81	-	33.60	6.98	30.93
PK	5.2427G	122.50	Inf	-Inf	112.67	3	Vertical	125	1.81	-	33.70	7.00	30.87
AV	5.2454G	109.36	Inf	-Inf	99.53	3	Vertical	125	1.81	-	33.70	7.00	30.87
PK	5.3603G	61.90	74.00	-12.10	51.84	3	Vertical	125	1.81	-	33.90	6.97	30.81
AV	5.354G	47.73	54.00	-6.27	37.67	3	Vertical	125	1.81	-	33.90	6.97	30.81

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 106
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1083G	64.45	74.00	-9.55	68.23	3	Horizontal	303	3.00	-	31.75	8.37	43.90
AV	5.1494G	45.30	54.00	-8.70	48.79	3	Horizontal	303	3.00	-	32.00	8.39	43.88
PK	5.2334G	118.90	Inf	-Inf	122.80	3	Horizontal	303	3.00	-	31.50	8.43	43.83
AV	5.2361G	107.37	Inf	-Inf	111.29	3	Horizontal	303	3.00	-	31.48	8.43	43.83
PK	5.3849G	62.46	74.00	-11.54	66.34	3	Horizontal	303	3.00	-	31.40	8.48	43.76
AV	5.3534G	44.96	54.00	-9.04	48.86	3	Horizontal	303	3.00	-	31.40	8.47	43.77

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 106
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47142G	58.77	68.20	-9.43	42.47	3	Vertical	288	2.89	-	39.70	11.09	34.49
PK	15.72885G	58.89	74.00	-15.11	42.07	3	Vertical	198	2.72	-	37.76	13.23	34.17
AV	15.73485G	46.88	54.00	-7.12	30.06	3	Vertical	198	2.72	-	37.77	13.23	34.18

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 106
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49323G	58.93	68.20	-9.27	42.63	3	Horizontal	233	1.39	-	39.70	11.10	34.50
PK	15.71541G	58.98	74.00	-15.02	42.20	3	Horizontal	186	2.74	-	37.73	13.22	34.17
AV	15.73482G	46.88	54.00	-7.12	30.06	3	Horizontal	186	2.74	-	37.77	13.23	34.18

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 108
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6445G	61.37	68.20	-6.83	50.41	3	Vertical	334	1.67	-	34.00	7.66	30.70
PK	5.7495G	125.07	Inf	-Inf	113.99	3	Vertical	334	1.67	-	34.00	7.75	30.67
AV	5.739G	112.28	Inf	-Inf	101.20	3	Vertical	334	1.67	-	34.00	7.75	30.67
PK	5.9345G	61.02	68.20	-7.18	49.59	3	Vertical	334	1.67	-	34.17	7.89	30.63

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 108
04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6135G	57.37	68.20	-10.83	60.60	3	Horizontal	267	2.40	-	31.65	8.71	43.59
PK	5.752G	118.29	Inf	-Inf	120.78	3	Horizontal	267	2.40	-	32.10	8.86	43.45
AV	5.7495G	107.84	Inf	-Inf	110.33	3	Horizontal	267	2.40	-	32.10	8.86	43.45
PK	5.9655G	58.11	68.20	-10.09	59.91	3	Horizontal	267	2.40	-	32.33	9.10	43.23

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 108
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4927G	58.33	74.00	-15.67	41.67	3	Vertical	21	1.54	-	39.89	11.75	34.98
AV	11.50371G	45.80	54.00	-8.20	29.13	3	Vertical	21	1.54	-	39.90	11.76	34.99
PK	17.22714G	61.99	68.20	-6.21	41.45	3	Vertical	41	1.17	-	40.91	13.84	34.21

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 108
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48892G	58.25	74.00	-15.75	41.59	3	Horizontal	300	1.81	-	39.88	11.75	34.97
AV	11.50233G	45.82	54.00	-8.18	29.15	3	Horizontal	300	1.81	-	39.90	11.76	34.99
PK	17.23083G	61.39	68.20	-6.81	40.84	3	Horizontal	209	2.12	-	40.92	13.84	34.21

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 103
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	67.10	68.20	-1.10	56.13	3	Vertical	63	1.80	-	34.00	7.66	30.69
PK	5.782G	122.50	Inf	-Inf	111.38	3	Vertical	63	1.80	-	34.00	7.78	30.66
AV	5.7895G	110.49	Inf	-Inf	99.36	3	Vertical	63	1.80	-	34.00	7.79	30.66
PK	5.959G	62.81	68.20	-5.39	51.31	3	Vertical	63	1.80	-	34.22	7.90	30.62

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 103
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6335G	63.89	68.20	-4.31	66.99	3	Horizontal	295	2.34	-	31.73	8.74	43.57
PK	5.782G	119.43	Inf	-Inf	121.86	3	Horizontal	295	2.34	-	32.10	8.89	43.42
AV	5.7795G	108.28	Inf	-Inf	110.71	3	Horizontal	295	2.34	-	32.10	8.89	43.42
PK	5.921G	65.39	71.16	-5.77	67.32	3	Horizontal	295	2.34	-	32.30	9.05	43.28

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 103
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57493G	58.62	74.00	-15.38	41.94	3	Vertical	116	2.38	-	39.80	11.80	34.92
AV	11.56762G	45.81	54.00	-8.19	29.11	3	Vertical	116	2.38	-	39.83	11.80	34.93
PK	17.35152G	63.02	68.20	-5.18	41.70	3	Vertical	69	2.63	-	41.62	13.88	34.18

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


17/04/2025

EUT_Z_2TX
Setting 103
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57068G	58.38	74.00	-15.62	41.69	3	Horizontal	49	1.03	-	39.82	11.80	34.93
AV	11.56757G	45.81	54.00	-8.19	29.11	3	Horizontal	49	1.03	-	39.83	11.80	34.93
PK	17.35838G	62.51	68.20	-5.69	41.13	3	Horizontal	191	1.53	-	41.68	13.88	34.18

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
 Setting 100
 02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	60.68	68.20	-7.52	49.72	3	Vertical	68	1.80	-	34.00	7.66	30.70
PK	5.8295G	121.85	Inf	-Inf	110.74	3	Vertical	68	1.80	-	33.94	7.82	30.65
AV	5.8295G	109.86	Inf	-Inf	98.75	3	Vertical	68	1.80	-	33.94	7.82	30.65
PK	5.953G	61.67	68.20	-6.53	50.18	3	Vertical	68	1.80	-	34.21	7.90	30.62

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX



EUT_Z_2TX
 Setting 100
 04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6325G	57.45	68.20	-10.75	60.56	3	Horizontal	297	2.29	-	31.73	8.73	43.57
PK	5.817G	117.93	Inf	-Inf	120.28	3	Horizontal	297	2.29	-	32.10	8.93	43.38
AV	5.8295G	107.52	Inf	-Inf	109.85	3	Horizontal	297	2.29	-	32.10	8.94	43.37
PK	5.924G	66.57	68.94	-2.37	68.50	3	Horizontal	297	2.29	-	32.30	9.05	43.28

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
 Setting 100
 06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64725G	58.62	74.00	-15.38	42.21	3	Vertical	186	2.44	-	39.42	11.85	34.86
AV	11.65289G	45.35	54.00	-8.65	28.97	3	Vertical	186	2.44	-	39.39	11.85	34.86
PK	17.47244G	63.99	68.20	-4.21	41.75	3	Vertical	1	1.52	-	42.48	13.92	34.16

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 100
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65302G	58.80	74.00	-15.20	42.42	3	Horizontal	75	1.81	-	39.39	11.85	34.86
AV	11.64643G	45.41	54.00	-8.59	29.00	3	Horizontal	75	1.81	-	39.42	11.85	34.86
PK	17.4741G	64.14	68.20	-4.06	41.89	3	Horizontal	169	1.67	-	42.49	13.92	34.16

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
 Setting 87
 02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	65.53	74.00	-8.47	55.88	3	Vertical	125	1.92	-	33.60	6.98	30.93
AV	5.1482G	52.90	54.00	-1.10	43.25	3	Vertical	125	1.92	-	33.60	6.98	30.93
PK	5.198G	115.36	Inf	-Inf	105.55	3	Vertical	125	1.92	-	33.70	7.01	30.90
AV	5.1982G	103.26	Inf	-Inf	93.45	3	Vertical	125	1.92	-	33.70	7.01	30.90

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 87
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	60.04	74.00	-13.96	63.55	3	Horizontal	303	2.88	-	31.98	8.39	43.88
AV	5.1492G	50.61	54.00	-3.39	54.10	3	Horizontal	303	2.88	-	32.00	8.39	43.88
PK	5.199G	110.29	Inf	-Inf	114.01	3	Horizontal	303	2.88	-	31.71	8.42	43.85
AV	5.1964G	99.40	Inf	-Inf	103.11	3	Horizontal	303	2.88	-	31.72	8.42	43.85

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 87
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37751G	59.34	68.20	-8.86	43.19	3	Vertical	248	1.61	-	39.60	11.03	34.48
PK	15.56821G	59.39	74.00	-14.61	42.27	3	Vertical	157	2.34	-	38.13	13.12	34.13
AV	15.57081G	48.38	54.00	-5.62	31.27	3	Vertical	157	2.34	-	38.12	13.12	34.13

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 87
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38212G	58.63	68.20	-9.57	42.48	3	Horizontal	208	1.86	-	39.60	11.03	34.48
PK	15.56675G	59.50	74.00	-14.50	42.38	3	Horizontal	219	2.44	-	38.13	13.12	34.13
AV	15.56601G	48.50	54.00	-5.50	31.37	3	Horizontal	219	2.44	-	38.14	13.12	34.13

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
 Setting 97
 02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	68.32	74.00	-5.68	58.67	3	Vertical	126	1.72	-	33.60	6.98	30.93
AV	5.1484G	52.89	54.00	-1.11	43.24	3	Vertical	126	1.72	-	33.60	6.98	30.93
PK	5.2308G	118.29	Inf	-Inf	108.47	3	Vertical	126	1.72	-	33.70	7.00	30.88
AV	5.2454G	106.20	Inf	-Inf	96.37	3	Vertical	126	1.72	-	33.70	7.00	30.87

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 97
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	63.32	74.00	-10.68	66.81	3	Horizontal	300	3.00	-	32.00	8.39	43.88
AV	5.1486G	50.49	54.00	-3.51	53.99	3	Horizontal	300	3.00	-	31.99	8.39	43.88
PK	5.2466G	113.82	Inf	-Inf	117.79	3	Horizontal	300	3.00	-	31.42	8.44	43.83
AV	5.2364G	102.91	Inf	-Inf	106.83	3	Horizontal	300	3.00	-	31.48	8.43	43.83

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 97
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46256G	59.12	68.20	-9.08	42.83	3	Vertical	112	1.62	-	39.70	11.08	34.49
PK	15.6856G	59.11	74.00	-14.89	42.43	3	Vertical	55	2.39	-	37.64	13.20	34.16
AV	15.6936G	47.86	54.00	-6.14	31.14	3	Vertical	55	2.39	-	37.67	13.21	34.16

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 97
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46335G	58.51	68.20	-9.69	42.22	3	Horizontal	184	2.19	-	39.70	11.08	34.49
PK	15.68532G	59.95	74.00	-14.05	43.27	3	Horizontal	158	2.54	-	37.64	13.20	34.16
AV	15.69044G	47.97	54.00	-6.03	31.27	3	Horizontal	158	2.54	-	37.66	13.20	34.16

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


30/04/2025

EUT_Z_2TX
 Setting 108
 02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6415G	65.53	68.20	-2.67	54.57	3	Vertical	338	1.89	-	34.00	7.66	30.70
PK	5.764G	121.39	Inf	-Inf	110.29	3	Vertical	338	1.89	-	34.00	7.77	30.67
AV	5.7495G	110.65	Inf	-Inf	99.57	3	Vertical	338	1.89	-	34.00	7.75	30.67
PK	5.925G	62.50	68.20	-5.70	51.10	3	Vertical	338	1.89	-	34.15	7.88	30.63

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 108
 04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	59.30	68.20	-8.90	62.30	3	Horizontal	271	2.42	-	31.80	8.75	43.55
PK	5.757G	115.31	Inf	-Inf	117.79	3	Horizontal	271	2.42	-	32.10	8.86	43.44
AV	5.7595G	104.97	Inf	-Inf	107.44	3	Horizontal	271	2.42	-	32.10	8.87	43.44
PK	5.9635G	58.39	68.20	-9.81	60.20	3	Horizontal	271	2.42	-	32.33	9.10	43.24

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 108
 06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51042G	58.80	74.00	-15.20	42.12	3	Vertical	226	2.70	-	39.90	11.76	34.98
AV	11.51391G	47.61	54.00	-6.39	30.93	3	Vertical	226	2.70	-	39.90	11.76	34.98
PK	17.26628G	61.06	68.20	-7.14	40.34	3	Vertical	257	1.81	-	41.07	13.85	34.20

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


17/04/2025

EUT_Z_2TX
Setting 108
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51001G	58.89	74.00	-15.11	42.21	3	Horizontal	250	2.89	-	39.90	11.76	34.98
AV	11.50964G	47.53	54.00	-6.47	30.85	3	Horizontal	250	2.89	-	39.90	11.76	34.98
PK	17.26073G	61.98	68.20	-6.22	41.29	3	Horizontal	359	2.63	-	41.04	13.85	34.20

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 103
 02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.575G	60.84	68.20	-7.36	49.96	3	Vertical	65	1.80	-	34.05	7.54	30.71
PK	5.797G	120.98	Inf	-Inf	109.84	3	Vertical	65	1.80	-	34.00	7.80	30.66
AV	5.792G	108.91	Inf	-Inf	97.78	3	Vertical	65	1.80	-	34.00	7.79	30.66
PK	5.9225G	65.97	70.05	-4.08	54.57	3	Vertical	65	1.80	-	34.15	7.88	30.63

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 103
 04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	59.49	68.20	-8.71	62.50	3	Horizontal	296	2.31	-	31.79	8.75	43.55
PK	5.797G	116.01	Inf	-Inf	118.40	3	Horizontal	296	2.31	-	32.10	8.91	43.40
AV	5.8045G	105.09	Inf	-Inf	107.47	3	Horizontal	296	2.31	-	32.10	8.92	43.40
PK	5.974G	60.97	68.20	-7.23	62.74	3	Horizontal	296	2.31	-	32.35	9.11	43.23

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 103
 06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59184G	58.55	74.00	-15.45	41.92	3	Vertical	321	1.78	-	39.73	11.81	34.91
AV	11.58907G	47.06	54.00	-6.94	30.42	3	Vertical	321	1.78	-	39.74	11.81	34.91
PK	17.38783G	63.98	68.20	-4.22	42.28	3	Vertical	59	2.57	-	41.98	13.89	34.17

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 103
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58822G	58.59	74.00	-15.41	41.94	3	Horizontal	9	1.62	-	39.75	11.81	34.91
AV	11.59337G	47.07	54.00	-6.93	30.43	3	Horizontal	9	1.62	-	39.73	11.82	34.91
PK	17.38045G	63.42	68.20	-4.78	41.81	3	Horizontal	217	2.37	-	41.90	13.89	34.18

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


28/04/2025

EUT_Z_2TX
Setting 86
04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.23	74.00	-10.77	66.71	3	Vertical	196	1.80	-	32.00	8.39	43.87
AV	5.149G	52.33	54.00	-1.67	55.83	3	Vertical	196	1.80	-	31.99	8.39	43.88
PK	5.2165G	113.95	Inf	-Inf	117.76	3	Vertical	196	1.80	-	31.60	8.43	43.84
AV	5.219G	103.26	Inf	-Inf	107.08	3	Vertical	196	1.80	-	31.59	8.43	43.84
PK	5.4525G	58.06	74.00	-15.94	61.62	3	Vertical	196	1.80	-	31.61	8.55	43.72
AV	5.3515G	46.02	54.00	-7.98	49.92	3	Vertical	196	1.80	-	31.40	8.47	43.77

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 86
04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1385G	57.62	74.00	-16.38	61.18	3	Horizontal	304	3.00	-	31.93	8.39	43.88
AV	5.1465G	46.84	54.00	-7.16	50.35	3	Horizontal	304	3.00	-	31.98	8.39	43.88
PK	5.2385G	106.82	Inf	-Inf	110.75	3	Horizontal	304	3.00	-	31.47	8.43	43.83
AV	5.2235G	95.61	Inf	-Inf	99.46	3	Horizontal	304	3.00	-	31.56	8.43	43.84
PK	5.3505G	56.41	74.00	-17.59	60.31	3	Horizontal	304	3.00	-	31.40	8.47	43.77
AV	5.351G	44.64	54.00	-9.36	48.54	3	Horizontal	304	3.00	-	31.40	8.47	43.77

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 86
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42147G	58.71	68.20	-9.49	42.51	3	Vertical	296	2.85	-	39.64	11.05	34.49
PK	15.62774G	58.91	74.00	-15.09	42.18	3	Vertical	246	2.70	-	37.72	13.16	34.15
AV	15.62711G	46.15	54.00	-7.85	29.41	3	Vertical	246	2.70	-	37.73	13.16	34.15

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 86
 06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41675G	58.82	68.20	-9.38	42.63	3	Horizontal	309	2.89	-	39.63	11.05	34.49
PK	15.62807G	59.25	74.00	-14.75	42.52	3	Horizontal	249	1.17	-	37.72	13.16	34.15
AV	15.63454G	46.07	54.00	-7.93	29.41	3	Horizontal	249	1.17	-	37.65	13.16	34.15

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 99
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.25	68.20	-0.95	62.68	3	Vertical	336	1.50	-	31.90	6.98	34.31
PK	5.791G	119.89	Inf	-Inf	115.08	3	Vertical	336	1.50	-	32.10	7.17	34.46
AV	5.786G	108.40	Inf	-Inf	103.59	3	Vertical	336	1.50	-	32.10	7.16	34.45
PK	5.931G	65.01	68.20	-3.19	59.95	3	Vertical	336	1.50	-	32.40	7.27	34.61

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 99
 04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	61.12	68.20	-7.08	64.12	3	Horizontal	294	2.35	-	31.80	8.75	43.55
PK	5.7645G	111.60	Inf	-Inf	114.07	3	Horizontal	294	2.35	-	32.10	8.87	43.44
AV	5.787G	100.95	Inf	-Inf	103.36	3	Horizontal	294	2.35	-	32.10	8.90	43.41
PK	5.925G	61.47	68.20	-6.73	63.39	3	Horizontal	294	2.35	-	32.30	9.05	43.27

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 99
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55304G	58.63	74.00	-15.37	41.89	3	Vertical	39	2.07	-	39.89	11.79	34.94
AV	11.54628G	45.85	54.00	-8.15	29.11	3	Vertical	39	2.07	-	39.90	11.79	34.95
PK	17.3225G	62.12	68.20	-6.08	41.06	3	Vertical	4	1.14	-	41.38	13.87	34.19

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 99
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55342G	58.80	74.00	-15.20	42.06	3	Horizontal	111	2.21	-	39.89	11.79	34.94
AV	11.54629G	45.85	54.00	-8.15	29.11	3	Horizontal	111	2.21	-	39.90	11.79	34.95
PK	17.32368G	61.86	68.20	-6.34	40.79	3	Horizontal	240	2.77	-	41.39	13.87	34.19

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 Setting 78
 06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	64.81	74.00	-9.19	60.10	3	Vertical	31	1.72	-	31.98	6.77	34.04
AV	5.146G	52.89	54.00	-1.11	48.18	3	Vertical	31	1.72	-	31.98	6.77	34.04
PK	5.3252G	109.89	Inf	-Inf	105.76	3	Vertical	31	1.72	-	31.35	6.87	34.09
AV	5.2724G	98.36	Inf	-Inf	94.22	3	Vertical	31	1.72	-	31.36	6.86	34.08
PK	5.3732G	69.09	74.00	-4.91	64.87	3	Vertical	31	1.72	-	31.45	6.88	34.11
AV	5.354G	51.43	54.00	-2.57	47.25	3	Vertical	31	1.72	-	31.41	6.87	34.10
PK	5.466G	59.35	68.20	-8.85	54.87	3	Vertical	31	1.72	-	31.73	6.89	34.14

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 78
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	56.71	74.00	-17.29	60.21	3	Horizontal	301	2.81	-	31.99	8.39	43.88
AV	5.1468G	45.16	54.00	-8.84	48.67	3	Horizontal	301	2.81	-	31.98	8.39	43.88
PK	5.2292G	101.44	Inf	-Inf	105.33	3	Horizontal	301	2.81	-	31.52	8.43	43.84
AV	5.274G	89.74	Inf	-Inf	93.80	3	Horizontal	301	2.81	-	31.30	8.45	43.81
PK	5.434G	56.86	74.00	-17.14	60.52	3	Horizontal	301	2.81	-	31.54	8.53	43.73
AV	5.3516G	44.85	54.00	-9.15	48.75	3	Horizontal	301	2.81	-	31.40	8.47	43.77
PK	5.5828G	56.81	68.20	-11.39	60.12	3	Horizontal	301	2.81	-	31.63	8.68	43.62

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 Setting 78
 06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49844G	59.31	68.20	-8.89	43.01	3	Vertical	190	2.29	-	39.70	11.10	34.50
PK	15.75421G	60.50	74.00	-13.50	43.65	3	Vertical	250	1.30	-	37.78	13.25	34.18
AV	15.75001G	47.40	54.00	-6.60	30.53	3	Vertical	250	1.30	-	37.80	13.25	34.18

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 Setting 78
 06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49713G	59.06	68.20	-9.14	42.76	3	Horizontal	152	1.47	-	39.70	11.10	34.50
PK	15.74614G	59.93	74.00	-14.07	43.08	3	Horizontal	134	2.57	-	37.79	13.24	34.18
AV	15.75003G	47.40	54.00	-6.60	30.53	3	Horizontal	134	2.57	-	37.80	13.25	34.18

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 86
04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.23	74.00	-10.77	66.71	3	Vertical	196	1.80	-	32.00	8.39	43.87
AV	5.149G	52.33	54.00	-1.67	55.83	3	Vertical	196	1.80	-	31.99	8.39	43.88
PK	5.2165G	113.95	Inf	-Inf	117.76	3	Vertical	196	1.80	-	31.60	8.43	43.84
AV	5.219G	103.26	Inf	-Inf	107.08	3	Vertical	196	1.80	-	31.59	8.43	43.84
PK	5.4525G	58.06	74.00	-15.94	61.62	3	Vertical	196	1.80	-	31.61	8.55	43.72
AV	5.3515G	46.02	54.00	-7.98	49.92	3	Vertical	196	1.80	-	31.40	8.47	43.77

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 86
 04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	59.34	74.00	-14.66	62.85	3	Horizontal	301	3.00	-	31.98	8.39	43.88
AV	5.15G	47.67	54.00	-6.33	51.15	3	Horizontal	301	3.00	-	32.00	8.39	43.87
PK	5.2395G	105.72	Inf	-Inf	109.66	3	Horizontal	301	3.00	-	31.46	8.43	43.83
AV	5.2415G	93.82	Inf	-Inf	97.77	3	Horizontal	301	3.00	-	31.45	8.43	43.83
PK	5.3525G	56.56	74.00	-17.44	60.46	3	Horizontal	301	3.00	-	31.40	8.47	43.77
AV	5.3545G	44.77	54.00	-9.23	48.67	3	Horizontal	301	3.00	-	31.40	8.47	43.77

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 86
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42311G	58.49	68.20	-9.71	42.27	3	Vertical	207	1.54	-	39.65	11.06	34.49
PK	15.63467G	58.34	74.00	-15.66	41.68	3	Vertical	73	1.70	-	37.65	13.16	34.15
AV	15.62719G	46.15	54.00	-7.85	29.41	3	Vertical	73	1.70	-	37.73	13.16	34.15

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 86
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42083G	58.52	68.20	-9.68	42.32	3	Horizontal	154	1.46	-	39.64	11.05	34.49
PK	15.62904G	58.50	74.00	-15.50	41.78	3	Horizontal	336	2.64	-	37.71	13.16	34.15
AV	15.62743G	46.16	54.00	-7.84	29.42	3	Horizontal	336	2.64	-	37.73	13.16	34.15

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 96
 02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	60.65	74.00	-13.35	51.04	3	Vertical	126	1.76	-	33.57	6.97	30.93
AV	5.1368G	48.13	54.00	-5.87	38.52	3	Vertical	126	1.76	-	33.57	6.97	30.93
PK	5.3056G	112.43	Inf	-Inf	102.48	3	Vertical	126	1.76	-	33.81	6.98	30.84
AV	5.3008G	95.95	Inf	-Inf	86.01	3	Vertical	126	1.76	-	33.80	6.98	30.84
PK	5.3556G	65.61	74.00	-8.39	55.55	3	Vertical	126	1.76	-	33.90	6.97	30.81
AV	5.35G	52.37	54.00	-1.63	42.31	3	Vertical	126	1.76	-	33.90	6.97	30.81
PK	5.4804G	60.21	68.20	-7.99	49.76	3	Vertical	126	1.76	-	33.96	7.23	30.74

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 96
 02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	58.45	74.00	-15.55	48.84	3	Horizontal	212	2.12	-	33.57	6.97	30.93
AV	5.1456G	46.52	54.00	-7.48	36.89	3	Horizontal	212	2.12	-	33.59	6.97	30.93
PK	5.3044G	101.82	Inf	-Inf	91.87	3	Horizontal	212	2.12	-	33.81	6.98	30.84
AV	5.3052G	85.52	Inf	-Inf	75.57	3	Horizontal	212	2.12	-	33.81	6.98	30.84
PK	5.3816G	60.37	74.00	-13.63	50.31	3	Horizontal	212	2.12	-	33.90	6.96	30.80
AV	5.3548G	47.77	54.00	-6.23	37.71	3	Horizontal	212	2.12	-	33.90	6.97	30.81
PK	5.4856G	59.08	68.20	-9.12	48.61	3	Horizontal	212	2.12	-	33.97	7.24	30.74

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 96
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57523G	58.27	68.20	-9.93	41.83	3	Vertical	317	2.22	-	39.75	11.15	34.46
PK	15.86684G	60.06	74.00	-13.94	43.31	3	Vertical	16	1.93	-	37.63	13.33	34.21
AV	15.8731G	47.11	54.00	-6.89	30.34	3	Vertical	16	1.93	-	37.65	13.33	34.21

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 96
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57722G	59.04	68.20	-9.16	42.59	3	Horizontal	128	1.02	-	39.75	11.16	34.46
PK	15.87317G	59.75	74.00	-14.25	42.98	3	Horizontal	87	1.78	-	37.65	13.33	34.21
AV	15.8698G	47.05	54.00	-6.95	30.29	3	Horizontal	87	1.78	-	37.64	13.33	34.21

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 89
 02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3456G	59.37	68.20	-8.83	49.33	3	Vertical	78	1.68	-	33.89	6.97	30.82
PK	5.4592G	65.90	74.00	-8.10	55.57	3	Vertical	78	1.68	-	33.92	7.16	30.75
AV	5.4584G	52.82	54.00	-1.18	42.50	3	Vertical	78	1.68	-	33.92	7.15	30.75
PK	5.4656G	66.34	68.20	-1.86	55.98	3	Vertical	78	1.68	-	33.93	7.18	30.75
PK	5.538G	111.86	Inf	-Inf	101.08	3	Vertical	78	1.68	-	34.08	7.42	30.72
AV	5.5188G	94.47	Inf	-Inf	83.81	3	Vertical	78	1.68	-	34.04	7.35	30.73
PK	5.7272G	61.19	68.20	-7.01	50.14	3	Vertical	78	1.68	-	34.00	7.73	30.68

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 89
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3372G	59.20	68.20	-9.00	49.17	3	Horizontal	46	2.57	-	33.87	6.98	30.82
PK	5.4196G	60.04	74.00	-13.96	49.90	3	Horizontal	46	2.57	-	33.90	7.02	30.78
PK	5.4688G	59.62	68.20	-8.58	49.24	3	Horizontal	46	2.57	-	33.94	7.19	30.75
AV	5.4584G	47.86	54.00	-6.14	37.54	3	Horizontal	46	2.57	-	33.92	7.15	30.75
PK	5.566G	101.52	Inf	-Inf	90.65	3	Horizontal	46	2.57	-	34.07	7.51	30.71
AV	5.5676G	85.90	Inf	-Inf	75.04	3	Horizontal	46	2.57	-	34.06	7.51	30.71
PK	5.7276G	60.29	68.20	-7.91	49.24	3	Horizontal	46	2.57	-	34.00	7.73	30.68

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 89
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05506G	59.41	74.00	-14.59	42.26	3	Vertical	211	1.55	-	39.98	11.47	34.30
AV	11.05966G	46.92	54.00	-7.08	29.79	3	Vertical	211	1.55	-	39.96	11.47	34.30
PK	16.58786G	60.82	68.20	-7.38	41.93	3	Vertical	164	1.38	-	39.55	13.62	34.28

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 89
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05748G	59.89	74.00	-14.11	42.75	3	Horizontal	105	2.29	-	39.97	11.47	34.30
AV	11.05987G	46.84	54.00	-7.16	29.71	3	Horizontal	105	2.29	-	39.96	11.47	34.30
PK	16.59246G	60.72	68.20	-7.48	41.85	3	Horizontal	13	1.44	-	39.53	13.62	34.28

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 90
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	61.11	74.00	-12.89	50.81	3	Vertical	139	1.80	-	33.91	7.14	30.75
AV	5.4568G	48.66	54.00	-5.34	38.35	3	Vertical	139	1.80	-	33.91	7.15	30.75
PK	5.4656G	61.76	68.20	-6.44	51.40	3	Vertical	139	1.80	-	33.93	7.18	30.75
PK	5.6308G	112.36	Inf	-Inf	101.41	3	Vertical	139	1.80	-	34.00	7.65	30.70
AV	5.6016G	95.65	Inf	-Inf	84.74	3	Vertical	139	1.80	-	34.00	7.62	30.71
PK	5.738G	66.23	68.20	-1.97	55.16	3	Vertical	139	1.80	-	34.00	7.74	30.67

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 90
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4368G	60.28	74.00	-13.72	50.07	3	Horizontal	52	2.36	-	33.90	7.08	30.77
PK	5.468G	59.57	68.20	-8.63	49.20	3	Horizontal	52	2.36	-	33.94	7.18	30.75
AV	5.4584G	47.39	54.00	-6.61	37.07	3	Horizontal	52	2.36	-	33.92	7.15	30.75
PK	5.6044G	102.73	Inf	-Inf	91.81	3	Horizontal	52	2.36	-	34.00	7.62	30.70
AV	5.6024G	87.41	Inf	-Inf	76.50	3	Horizontal	52	2.36	-	34.00	7.62	30.71
PK	5.7328G	60.97	68.20	-7.23	49.90	3	Horizontal	52	2.36	-	34.00	7.74	30.67

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 90
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22188G	58.68	74.00	-15.32	42.23	3	Vertical	185	1.26	-	39.44	11.57	34.56
AV	11.21802G	45.70	54.00	-8.30	29.24	3	Vertical	185	1.26	-	39.44	11.57	34.55
PK	16.8335G	63.56	68.20	-4.64	43.36	3	Vertical	124	1.99	-	40.77	13.70	34.27

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 90
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2233G	58.73	74.00	-15.27	42.26	3	Horizontal	294	1.65	-	39.45	11.58	34.56
AV	11.21782G	45.70	54.00	-8.30	29.24	3	Horizontal	294	1.65	-	39.44	11.57	34.55
PK	16.82971G	62.97	68.20	-5.23	42.80	3	Horizontal	174	1.50	-	40.74	13.70	34.27

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 100
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.39G	61.29	74.00	-12.71	51.22	3	Vertical	339	1.74	-	33.90	6.96	30.79
PK	5.4686G	60.43	68.20	-7.77	50.05	3	Vertical	339	1.74	-	33.94	7.19	30.75
AV	5.4578G	48.46	54.00	-5.54	38.14	3	Vertical	339	1.74	-	33.92	7.15	30.75
PK	5.7134G	115.77	Inf	-Inf	104.73	3	Vertical	339	1.74	-	34.00	7.72	30.68
AV	5.7188G	98.94	Inf	-Inf	87.89	3	Vertical	339	1.74	-	34.00	7.73	30.68
PK	5.8682G	66.76	68.20	-1.44	55.59	3	Vertical	339	1.74	-	33.97	7.84	30.64

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


30/04/2025

EUT_Z_2TX
Setting 100
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.417G	60.01	74.00	-13.99	49.87	3	Horizontal	51	2.60	-	33.90	7.02	30.78
AV	5.3972G	47.25	54.00	-6.75	37.18	3	Horizontal	51	2.60	-	33.90	6.96	30.79
PK	5.4662G	59.50	68.20	-8.70	49.14	3	Horizontal	51	2.60	-	33.93	7.18	30.75
PK	5.666G	107.71	Inf	-Inf	96.72	3	Horizontal	51	2.60	-	34.00	7.68	30.69
AV	5.6636G	90.40	Inf	-Inf	79.41	3	Horizontal	51	2.60	-	34.00	7.68	30.69
PK	5.8538G	63.21	68.20	-4.99	52.11	3	Horizontal	51	2.60	-	33.92	7.83	30.65

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 100
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37841G	59.72	74.00	-14.28	43.08	3	Vertical	234	2.92	-	39.76	11.68	34.80
AV	11.37997G	46.86	54.00	-7.14	30.22	3	Vertical	234	2.92	-	39.76	11.68	34.80
PK	17.06855G	62.56	68.20	-5.64	42.56	3	Vertical	84	2.31	-	40.46	13.78	34.24

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 100
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38031G	59.93	74.00	-14.07	43.29	3	Horizontal	321	1.24	-	39.76	11.68	34.80
AV	11.37966G	46.86	54.00	-7.14	30.22	3	Horizontal	321	1.24	-	39.76	11.68	34.80
PK	17.06507G	62.58	68.20	-5.62	42.58	3	Horizontal	339	1.16	-	40.47	13.78	34.25

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


17/04/2025

EUT_Z_2TX
 Setting 102
 06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6438G	67.28	68.20	-0.92	62.73	3	Vertical	340	1.62	-	31.88	6.97	34.30
PK	5.7646G	118.00	Inf	-Inf	113.20	3	Vertical	340	1.62	-	32.10	7.13	34.43
AV	5.763G	106.16	Inf	-Inf	101.36	3	Vertical	340	1.62	-	32.10	7.13	34.43
PK	5.9374G	64.54	68.20	-3.66	59.47	3	Vertical	340	1.62	-	32.40	7.28	34.61

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


17/04/2025

EUT_Z_2TX
 Setting 102
 04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6502G	61.34	68.35	-7.01	64.34	3	Horizontal	298	2.30	-	31.80	8.75	43.55
PK	5.7818G	111.70	Inf	-Inf	114.13	3	Horizontal	298	2.30	-	32.10	8.89	43.42
AV	5.7818G	99.43	Inf	-Inf	101.86	3	Horizontal	298	2.30	-	32.10	8.89	43.42
PK	5.9254G	62.70	68.20	-5.50	64.62	3	Horizontal	298	2.30	-	32.30	9.05	43.27

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 102
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55406G	59.07	74.00	-14.93	42.34	3	Vertical	43	1.49	-	39.88	11.79	34.94
AV	11.54632G	45.85	54.00	-8.15	29.11	3	Vertical	43	1.49	-	39.90	11.79	34.95
PK	17.32754G	61.87	68.20	-6.33	40.77	3	Vertical	347	2.09	-	41.42	13.87	34.19

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



EUT_Z_2TX
 Setting 102
 06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54611G	58.48	74.00	-15.52	41.75	3	Horizontal	359	2.99	-	39.90	11.78	34.95
AV	11.54656G	45.85	54.00	-8.15	29.11	3	Horizontal	359	2.99	-	39.90	11.79	34.95
PK	17.32833G	61.98	68.20	-6.22	40.87	3	Horizontal	13	2.65	-	41.43	13.87	34.19

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 Setting 80
 06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1216G	65.53	74.00	-8.47	60.93	3	Vertical	338	1.78	-	31.89	6.74	34.03
AV	5.1264G	53.15	54.00	-0.85	48.53	3	Vertical	338	1.78	-	31.91	6.74	34.03
PK	5.2788G	109.02	Inf	-Inf	104.90	3	Vertical	338	1.78	-	31.34	6.86	34.08
AV	5.2308G	96.88	Inf	-Inf	92.57	3	Vertical	338	1.78	-	31.52	6.85	34.06
PK	5.364G	69.45	74.00	-4.55	65.26	3	Vertical	338	1.78	-	31.43	6.87	34.11
AV	5.3532G	50.64	54.00	-3.36	46.46	3	Vertical	338	1.78	-	31.41	6.87	34.10
PK	5.4684G	61.07	68.20	-7.13	56.58	3	Vertical	338	1.78	-	31.74	6.89	34.14

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 80
04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	59.98	74.00	-14.02	63.52	3	Horizontal	301	3.00	-	31.95	8.39	43.88
AV	5.1474G	47.98	54.00	-6.02	51.49	3	Horizontal	301	3.00	-	31.98	8.39	43.88
PK	5.2338G	101.44	Inf	-Inf	105.34	3	Horizontal	301	3.00	-	31.50	8.43	43.83
AV	5.2362G	90.42	Inf	-Inf	94.34	3	Horizontal	301	3.00	-	31.48	8.43	43.83
PK	5.355G	63.76	74.00	-10.24	67.66	3	Horizontal	301	3.00	-	31.40	8.47	43.77
AV	5.3508G	46.94	54.00	-7.06	50.84	3	Horizontal	301	3.00	-	31.40	8.47	43.77
PK	5.4636G	56.89	68.20	-11.31	60.40	3	Horizontal	301	3.00	-	31.65	8.56	43.72

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_Z_2TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50145G	59.14	68.20	-9.06	42.83	3	Vertical	91	2.65	-	39.70	11.11	34.50
PK	15.75434G	60.40	74.00	-13.60	43.55	3	Vertical	318	1.09	-	37.78	13.25	34.18
AV	15.75292G	47.47	54.00	-6.53	30.61	3	Vertical	318	1.09	-	37.79	13.25	34.18

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 Setting 80
 06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49952G	58.83	68.20	-9.37	42.53	3	Horizontal	202	2.75	-	39.70	11.10	34.50
PK	15.75017G	60.17	74.00	-13.83	43.30	3	Horizontal	305	1.60	-	37.80	13.25	34.18
AV	15.75001G	47.40	54.00	-6.60	30.53	3	Horizontal	305	1.60	-	37.80	13.25	34.18

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 80
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	60.07	68.20	-8.13	55.94	3	Vertical	340	1.66	-	31.35	6.87	34.09
PK	5.4596G	66.47	74.00	-7.53	62.00	3	Vertical	340	1.66	-	31.72	6.89	34.14
AV	5.4584G	52.30	54.00	-1.70	47.83	3	Vertical	340	1.66	-	31.72	6.89	34.14
PK	5.4608G	67.17	68.20	-1.03	62.70	3	Vertical	340	1.66	-	31.72	6.89	34.14
PK	5.54G	108.28	Inf	-Inf	103.77	3	Vertical	340	1.66	-	31.80	6.90	34.19
AV	5.5928G	96.94	Inf	-Inf	92.57	3	Vertical	340	1.66	-	31.71	6.91	34.25
PK	5.7284G	64.63	68.20	-3.57	59.84	3	Vertical	340	1.66	-	32.10	7.08	34.39

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 80
04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2982G	55.71	68.20	-12.49	59.85	3	Horizontal	194	1.02	-	31.21	8.45	43.80
PK	5.4326G	56.67	74.00	-17.33	60.35	3	Horizontal	194	1.02	-	31.53	8.52	43.73
PK	5.4668G	58.62	68.20	-9.58	62.11	3	Horizontal	194	1.02	-	31.67	8.56	43.72
AV	5.459G	45.45	54.00	-8.55	48.98	3	Horizontal	194	1.02	-	31.64	8.55	43.72
PK	5.6204G	101.46	Inf	-Inf	104.64	3	Horizontal	194	1.02	-	31.68	8.72	43.58
AV	5.6306G	89.94	Inf	-Inf	93.06	3	Horizontal	194	1.02	-	31.72	8.73	43.57
PK	5.7584G	58.65	68.20	-9.55	61.12	3	Horizontal	194	1.02	-	32.10	8.87	43.44

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13912G	58.39	74.00	-15.61	41.73	3	Vertical	24	1.56	-	39.57	11.52	34.43
AV	11.14365G	45.79	54.00	-8.21	29.16	3	Vertical	24	1.56	-	39.54	11.52	34.43
PK	16.71275G	61.41	68.20	-6.79	42.24	3	Vertical	204	2.13	-	39.78	13.66	34.27

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 80
06-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13804G	58.32	74.00	-15.68	41.66	3	Horizontal	204	2.14	-	39.57	11.52	34.43
AV	11.13627G	45.73	54.00	-8.27	29.05	3	Horizontal	204	2.14	-	39.58	11.52	34.42
PK	16.70899G	61.80	68.20	-6.40	42.66	3	Horizontal	310	1.24	-	39.75	13.66	34.27

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


28/04/2025

EUT_Z_2TX
 Setting 90
 04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1386G	65.92	74.00	-8.08	69.48	3	Vertical	229.5	1.80	-	31.93	8.39	43.88
AV	5.15G	52.54	54.00	-1.46	56.02	3	Vertical	229.5	1.80	-	32.00	8.39	43.87
PK	5.1758G	121.08	Inf	-Inf	124.68	3	Vertical	229.5	1.80	-	31.85	8.41	43.86
AV	5.181G	109.56	Inf	-Inf	113.20	3	Vertical	229.5	1.80	-	31.81	8.41	43.86

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 90
04-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1489G	59.36	74.00	-14.64	62.86	3	Horizontal	290	2.92	-	31.99	8.39	43.88
AV	5.15G	47.21	54.00	-6.79	50.69	3	Horizontal	290	2.92	-	32.00	8.39	43.87
PK	5.1714G	111.19	Inf	-Inf	114.78	3	Horizontal	290	2.92	-	31.87	8.40	43.86
AV	5.1785G	101.51	Inf	-Inf	105.13	3	Horizontal	290	2.92	-	31.83	8.41	43.86

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 90
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35891G	57.38	68.20	-10.82	48.92	3	Vertical	46	1.80	-	39.12	12.42	43.08
PK	15.54099G	60.33	74.00	-13.67	48.47	3	Vertical	321	1.72	-	37.94	16.17	42.25
AV	15.54229G	48.20	54.00	-5.80	36.35	3	Vertical	321	1.72	-	37.93	16.17	42.25

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 90
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35859G	56.93	68.20	-11.27	48.47	3	Horizontal	210	2.12	-	39.12	12.42	43.08
PK	15.53869G	59.95	74.00	-14.05	48.08	3	Horizontal	265	1.44	-	37.95	16.17	42.25
AV	15.53934G	48.16	54.00	-5.84	36.30	3	Horizontal	265	1.44	-	37.94	16.17	42.25

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


28/04/2025

EUT_Z_2TX
Setting 98
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	71.05	74.00	-2.95	74.55	3	Vertical	91	1.80	-	31.99	8.39	43.88
AV	5.1496G	52.96	54.00	-1.04	56.45	3	Vertical	91	1.80	-	32.00	8.39	43.88
PK	5.199G	124.25	Inf	-Inf	127.97	3	Vertical	91	1.80	-	31.71	8.42	43.85
AV	5.198G	112.61	Inf	-Inf	116.33	3	Vertical	91	1.80	-	31.71	8.42	43.85

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


28/04/2025

EUT_Z_2TX
 Setting 98
 04-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	63.69	74.00	-10.31	67.21	3	Horizontal	350	1.73	-	31.97	8.39	43.88
AV	5.1494G	47.04	54.00	-6.96	50.53	3	Horizontal	350	1.73	-	32.00	8.39	43.88
PK	5.1954G	112.27	Inf	-Inf	115.97	3	Horizontal	350	1.73	-	31.73	8.42	43.85
AV	5.1946G	100.89	Inf	-Inf	104.59	3	Horizontal	350	1.73	-	31.73	8.42	43.85

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 98
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39928G	57.44	68.20	-10.76	48.91	3	Vertical	307	1.80	-	39.20	12.45	43.12
PK	15.59891G	59.34	74.00	-14.66	47.85	3	Vertical	31	1.58	-	37.61	16.18	42.30
AV	15.60103G	47.42	54.00	-6.58	35.95	3	Vertical	31	1.58	-	37.59	16.18	42.30

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 98
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39994G	57.44	68.20	-10.76	48.91	3	Horizontal	79	2.51	-	39.20	12.45	43.12
PK	15.60004G	59.66	74.00	-14.34	48.18	3	Horizontal	22	1.51	-	37.60	16.18	42.30
AV	15.59765G	47.45	54.00	-6.55	35.96	3	Horizontal	22	1.51	-	37.61	16.18	42.30

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 104
04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	70.80	74.00	-3.20	74.33	3	Vertical	52	1.80	-	31.96	8.39	43.88
AV	5.15G	48.64	54.00	-5.36	52.12	3	Vertical	52	1.80	-	32.00	8.39	43.87
PK	5.2382G	124.54	Inf	-Inf	128.47	3	Vertical	52	1.80	-	31.47	8.43	43.83
AV	5.2319G	113.56	Inf	-Inf	117.45	3	Vertical	52	1.80	-	31.51	8.43	43.83
PK	5.366G	65.55	74.00	-8.45	69.44	3	Vertical	52	1.80	-	31.40	8.48	43.77
AV	5.35G	46.99	54.00	-7.01	50.89	3	Vertical	52	1.80	-	31.40	8.47	43.77

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 104
04-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1374G	64.49	74.00	-9.51	68.06	3	Horizontal	307	3.00	-	31.92	8.39	43.88
AV	5.1482G	45.47	54.00	-8.53	48.97	3	Horizontal	307	3.00	-	31.99	8.39	43.88
PK	5.2367G	117.27	Inf	-Inf	121.19	3	Horizontal	307	3.00	-	31.48	8.43	43.83
AV	5.2373G	106.84	Inf	-Inf	110.76	3	Horizontal	307	3.00	-	31.48	8.43	43.83
PK	5.3603G	57.38	74.00	-16.62	61.27	3	Horizontal	307	3.00	-	31.40	8.48	43.77
AV	5.3783G	45.23	54.00	-8.77	49.11	3	Horizontal	307	3.00	-	31.40	8.48	43.76

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 98
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4811G	57.43	68.20	-10.77	48.77	3	Vertical	133	1.80	-	39.36	12.50	43.20
PK	15.71957G	59.23	74.00	-14.77	47.80	3	Vertical	308	1.23	-	37.64	16.18	42.39
AV	15.72249G	47.16	54.00	-6.84	35.73	3	Vertical	308	1.23	-	37.64	16.18	42.39

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 98
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48173G	57.22	68.20	-10.98	48.56	3	Horizontal	200	1.88	-	39.36	12.50	43.20
PK	15.71975G	59.69	74.00	-14.31	48.26	3	Horizontal	108	1.80	-	37.64	16.18	42.39
AV	15.72206G	46.99	54.00	-7.01	35.56	3	Horizontal	108	1.80	-	37.64	16.18	42.39

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 104
 04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1391G	68.96	74.00	-5.04	72.52	3	Vertical	190	1.81	-	31.93	8.39	43.88
AV	5.1484G	47.46	54.00	-6.54	50.96	3	Vertical	190	1.81	-	31.99	8.39	43.88
PK	5.2663G	124.49	Inf	-Inf	128.54	3	Vertical	190	1.81	-	31.33	8.44	43.82
AV	5.2678G	113.41	Inf	-Inf	117.46	3	Vertical	190	1.81	-	31.33	8.44	43.82
PK	5.365G	64.93	74.00	-9.07	68.82	3	Vertical	190	1.81	-	31.40	8.48	43.77
AV	5.3506G	47.71	54.00	-6.29	51.61	3	Vertical	190	1.81	-	31.40	8.47	43.77

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 104
04-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1418G	62.33	74.00	-11.67	65.87	3	Horizontal	305	2.97	-	31.95	8.39	43.88
AV	5.1487G	45.19	54.00	-8.81	48.69	3	Horizontal	305	2.97	-	31.99	8.39	43.88
PK	5.2579G	118.17	Inf	-Inf	122.18	3	Horizontal	305	2.97	-	31.37	8.44	43.82
AV	5.2534G	107.02	Inf	-Inf	111.01	3	Horizontal	305	2.97	-	31.39	8.44	43.82
PK	5.3668G	64.84	74.00	-9.16	68.73	3	Horizontal	305	2.97	-	31.40	8.48	43.77
AV	5.371G	45.28	54.00	-8.72	49.16	3	Horizontal	305	2.97	-	31.40	8.48	43.76

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 104
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52091G	56.25	68.20	-11.95	47.53	3	Vertical	8	2.00	-	39.40	12.53	43.21
PK	15.78101G	58.54	74.00	-15.46	47.21	3	Vertical	53	1.10	-	37.58	16.19	42.44
AV	15.78004G	46.31	54.00	-7.69	34.98	3	Vertical	53	1.10	-	37.58	16.19	42.44

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 104
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51947G	56.59	68.20	-11.61	47.87	3	Horizontal	275	1.22	-	39.40	12.53	43.21
PK	15.77985G	59.66	74.00	-14.34	48.33	3	Horizontal	1	1.87	-	37.58	16.19	42.44
AV	15.78012G	46.31	54.00	-7.69	34.98	3	Horizontal	1	1.87	-	37.58	16.19	42.44

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 97
 04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2926G	123.77	Inf	-Inf	127.89	3	Vertical	213	1.80	-	31.23	8.45	43.80
AV	5.2918G	112.47	Inf	-Inf	116.59	3	Vertical	213	1.80	-	31.23	8.45	43.80
PK	5.3502G	71.66	74.00	-2.34	75.56	3	Vertical	213	1.80	-	31.40	8.47	43.77
AV	5.3508G	52.90	54.00	-1.10	56.80	3	Vertical	213	1.80	-	31.40	8.47	43.77

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX



EUT_Z_2TX
Setting 97
04-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3082G	115.51	Inf	-Inf	119.62	3	Horizontal	304	2.95	-	31.23	8.46	43.80
AV	5.2942G	104.12	Inf	-Inf	108.25	3	Horizontal	304	2.95	-	31.22	8.45	43.80
PK	5.3538G	64.08	74.00	-9.92	67.98	3	Horizontal	304	2.95	-	31.40	8.47	43.77
AV	5.3502G	47.24	54.00	-6.76	51.14	3	Horizontal	304	2.95	-	31.40	8.47	43.77

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX



EUT_Z_2TX
Setting 97
04-I-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59757G	57.98	68.20	-10.22	49.15	3	Vertical	213	1.08	-	39.40	12.59	43.16
AV	10.60183G	45.24	54.00	-8.76	36.41	3	Vertical	213	1.08	-	39.40	12.59	43.16
PK	15.89864G	58.22	74.00	-15.78	47.26	3	Vertical	279	1.20	-	37.30	16.19	42.53
AV	15.89924G	46.62	54.00	-7.38	35.66	3	Vertical	279	1.20	-	37.30	16.19	42.53

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 

07/05/2025

EUT_Z_2TX
 Setting 97
 04-I-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59847G	57.29	68.20	-10.91	48.46	3	Horizontal	275	1.77	-	39.40	12.59	43.16
AV	10.60178G	45.21	54.00	-8.79	36.38	3	Horizontal	275	1.77	-	39.40	12.59	43.16
PK	15.90033G	58.49	74.00	-15.51	47.53	3	Horizontal	20	2.96	-	37.30	16.19	42.53
AV	15.90123G	46.52	54.00	-7.48	35.56	3	Horizontal	20	2.96	-	37.30	16.19	42.53

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 97
 04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	122.66	Inf	-Inf	126.73	3	Vertical	179	1.79	-	31.26	8.46	43.79
AV	5.3143G	111.24	Inf	-Inf	115.31	3	Vertical	179	1.79	-	31.26	8.46	43.79
PK	5.3599G	65.75	74.00	-8.25	69.64	3	Vertical	179	1.79	-	31.40	8.48	43.77
AV	5.3501G	52.36	54.00	-1.64	56.26	3	Vertical	179	1.79	-	31.40	8.47	43.77

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 97
 04-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3129G	115.19	Inf	-Inf	119.27	3	Horizontal	303	2.79	-	31.25	8.46	43.79
AV	5.3175G	104.02	Inf	-Inf	108.08	3	Horizontal	303	2.79	-	31.27	8.46	43.79
PK	5.36G	62.68	74.00	-11.32	66.57	3	Horizontal	303	2.79	-	31.40	8.48	43.77
AV	5.3504G	49.76	54.00	-4.24	53.66	3	Horizontal	303	2.79	-	31.40	8.47	43.77

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX



EUT_Z_2TX
Setting 97
04-I-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64165G	57.49	74.00	-16.51	48.52	3	Vertical	346	2.46	-	39.48	12.62	43.13
AV	10.63862G	45.01	54.00	-8.99	36.04	3	Vertical	346	2.46	-	39.48	12.62	43.13
PK	15.95806G	58.19	74.00	-15.81	47.50	3	Vertical	234	1.24	-	37.07	16.20	42.58
AV	15.95899G	46.18	54.00	-7.82	35.50	3	Vertical	234	1.24	-	37.06	16.20	42.58

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 97
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64003G	56.79	74.00	-17.21	47.82	3	Horizontal	351	1.95	-	39.48	12.62	43.13
AV	10.63829G	45.11	54.00	-8.89	36.14	3	Horizontal	351	1.95	-	39.48	12.62	43.13
PK	15.96199G	58.30	74.00	-15.70	47.63	3	Horizontal	203	2.42	-	37.05	16.20	42.58
AV	15.95782G	46.24	54.00	-7.76	35.55	3	Horizontal	203	2.42	-	37.07	16.20	42.58

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 97
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	66.81	74.00	-7.19	70.34	3	Vertical	277	1.80	-	31.64	8.55	43.72
PK	5.4601G	66.59	68.20	-1.61	70.12	3	Vertical	277	1.80	-	31.64	8.55	43.72
AV	5.4598G	52.67	54.00	-1.33	56.20	3	Vertical	277	1.80	-	31.64	8.55	43.72
PK	5.4908G	125.03	Inf	-Inf	128.38	3	Vertical	277	1.80	-	31.76	8.59	43.70
AV	5.4909G	115.53	Inf	-Inf	118.88	3	Vertical	277	1.80	-	31.76	8.59	43.70

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 97
04-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	61.68	74.00	-12.32	65.21	3	Horizontal	5	1.56	-	31.64	8.55	43.72
PK	5.4601G	62.65	68.20	-5.55	66.18	3	Horizontal	5	1.56	-	31.64	8.55	43.72
AV	5.4598G	48.68	54.00	-5.32	52.21	3	Horizontal	5	1.56	-	31.64	8.55	43.72
PK	5.4937G	112.68	Inf	-Inf	116.02	3	Horizontal	5	1.56	-	31.77	8.59	43.70
AV	5.4974G	101.32	Inf	-Inf	104.64	3	Horizontal	5	1.56	-	31.79	8.59	43.70

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 97
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0003G	58.57	74.00	-15.43	48.60	3	Vertical	208	1.75	-	40.00	12.88	42.91
AV	11.00118G	46.42	54.00	-7.58	36.45	3	Vertical	208	1.75	-	40.00	12.88	42.91
PK	16.49813G	61.09	68.20	-7.11	47.88	3	Vertical	356	2.19	-	39.09	16.25	42.13

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 97
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99888G	58.42	74.00	-15.58	48.46	3	Horizontal	265	2.98	-	40.00	12.87	42.91
AV	10.99843G	46.63	54.00	-7.37	36.67	3	Horizontal	265	2.98	-	40.00	12.87	42.91
PK	16.49958G	61.24	68.20	-6.96	48.02	3	Horizontal	58	1.04	-	39.10	16.25	42.13

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 104
04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.414G	64.70	74.00	-9.30	68.48	3	Vertical	288.6	1.80	-	31.46	8.50	43.74
AV	5.4128G	48.32	54.00	-5.68	52.11	3	Vertical	288.6	1.80	-	31.45	8.50	43.74
PK	5.468G	59.37	68.20	-8.83	62.86	3	Vertical	288.6	1.80	-	31.67	8.56	43.72
PK	5.574G	125.21	Inf	-Inf	128.52	3	Vertical	288.6	1.80	-	31.65	8.67	43.63
AV	5.5724G	114.70	Inf	-Inf	118.00	3	Vertical	288.6	1.80	-	31.66	8.67	43.63
PK	5.758G	59.74	68.20	-8.46	62.21	3	Vertical	288.6	1.80	-	32.10	8.87	43.44

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 104
04-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	60.19	74.00	-13.81	63.77	3	Horizontal	195	1.00	-	31.60	8.54	43.72
AV	5.4568G	44.32	54.00	-9.68	47.86	3	Horizontal	195	1.00	-	31.63	8.55	43.72
PK	5.4684G	56.68	68.20	-11.52	60.17	3	Horizontal	195	1.00	-	31.67	8.56	43.72
PK	5.5772G	118.07	Inf	-Inf	121.36	3	Horizontal	195	1.00	-	31.65	8.68	43.62
AV	5.5788G	106.77	Inf	-Inf	110.07	3	Horizontal	195	1.00	-	31.64	8.68	43.62
PK	5.77G	57.62	68.20	-10.58	60.07	3	Horizontal	195	1.00	-	32.10	8.88	43.43

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 104
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15816G	57.76	74.00	-16.24	48.15	3	Vertical	254	1.95	-	39.48	12.99	42.86
AV	11.16241G	46.10	54.00	-7.90	36.48	3	Vertical	254	1.95	-	39.48	12.99	42.85
PK	16.74035G	59.97	68.20	-8.23	46.50	3	Vertical	232	1.64	-	39.44	16.28	42.25

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 104
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16236G	58.25	74.00	-15.75	48.63	3	Horizontal	323	2.42	-	39.48	12.99	42.85
AV	11.1625G	46.10	54.00	-7.90	36.48	3	Horizontal	323	2.42	-	39.48	12.99	42.85
PK	16.7392G	60.31	68.20	-7.89	46.84	3	Horizontal	153	1.82	-	39.44	16.28	42.25

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 76
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6922G	118.54	Inf	-Inf	121.28	3	Vertical	347.9	1.80	-	31.97	8.80	43.51
AV	5.6976G	107.56	Inf	-Inf	110.27	3	Vertical	347.9	1.80	-	31.99	8.80	43.50
PK	5.7327G	66.79	68.20	-1.41	69.35	3	Vertical	347.9	1.80	-	32.07	8.84	43.47

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 76
04-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7023G	110.94	Inf	-Inf	113.63	3	Horizontal	271	2.47	-	32.00	8.81	43.50
AV	5.7011G	99.38	Inf	-Inf	102.07	3	Horizontal	271	2.47	-	32.00	8.81	43.50
PK	5.7266G	65.41	68.20	-2.79	68.00	3	Horizontal	271	2.47	-	32.05	8.83	43.47

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 76
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40111G	58.13	74.00	-15.87	47.84	3	Vertical	21	1.60	-	39.90	13.16	42.77
AV	11.39936G	45.96	54.00	-8.04	35.67	3	Vertical	21	1.60	-	39.90	13.16	42.77
PK	17.10115G	60.84	68.20	-7.36	47.06	3	Vertical	293	1.28	-	40.01	16.32	42.55

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 76
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40068G	58.10	74.00	-15.90	47.81	3	Horizontal	12	2.86	-	39.90	13.16	42.77
AV	11.39757G	46.03	54.00	-7.97	35.74	3	Horizontal	12	2.86	-	39.90	13.16	42.77
PK	17.10199G	61.21	68.20	-6.99	47.42	3	Horizontal	352	2.03	-	40.02	16.32	42.55

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 100
04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	125.13	Inf	-Inf	127.77	3	Vertical	33	2.44	-	32.03	8.82	43.49
AV	5.7108G	115.54	Inf	-Inf	118.19	3	Vertical	33	2.44	-	32.02	8.82	43.49
PK	5.8752G	59.48	68.20	-8.72	61.60	3	Vertical	33	2.44	-	32.20	9.00	43.32

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 100
04-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	110.44	Inf	-Inf	113.07	3	Horizontal	48	1.70	-	32.03	8.82	43.48
AV	5.7224G	99.25	Inf	-Inf	101.86	3	Horizontal	48	1.70	-	32.04	8.83	43.48
PK	5.8992G	57.45	68.20	-10.75	59.43	3	Horizontal	48	1.70	-	32.30	9.02	43.30

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 100
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43843G	58.40	74.00	-15.60	48.07	3	Vertical	114	2.68	-	39.90	13.19	42.76
AV	11.43875G	45.57	54.00	-8.43	35.24	3	Vertical	114	2.68	-	39.90	13.19	42.76
PK	17.15945G	61.85	68.20	-6.35	47.72	3	Vertical	285	2.39	-	40.44	16.33	42.64

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 100
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44192G	57.53	74.00	-16.47	47.20	3	Horizontal	248	2.81	-	39.90	13.19	42.76
AV	11.44129G	45.59	54.00	-8.41	35.26	3	Horizontal	248	2.81	-	39.90	13.19	42.76
PK	17.1578G	63.27	68.20	-4.93	49.15	3	Horizontal	136	1.17	-	40.43	16.33	42.64

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 108
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6425G	58.58	68.20	-9.62	61.63	3	Vertical	276.3	1.80	-	31.77	8.74	43.56
PK	5.7425G	125.48	Inf	-Inf	128.00	3	Vertical	276.3	1.80	-	32.09	8.85	43.46
AV	5.7375G	114.34	Inf	-Inf	116.88	3	Vertical	276.3	1.80	-	32.08	8.84	43.46
PK	5.9925G	59.83	68.20	-8.37	61.53	3	Vertical	276.3	1.80	-	32.38	9.13	43.21

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 108
04-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.505G	56.44	68.20	-11.76	59.75	3	Horizontal	43	2.00	-	31.79	8.60	43.70
PK	5.7465G	115.05	Inf	-Inf	117.56	3	Horizontal	43	2.00	-	32.09	8.85	43.45
AV	5.7475G	103.73	Inf	-Inf	106.24	3	Horizontal	43	2.00	-	32.09	8.85	43.45
PK	5.9795G	57.99	68.20	-10.21	59.73	3	Horizontal	43	2.00	-	32.36	9.12	43.22

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX



EUT_Z_2TX
Setting 108
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48902G	58.21	74.00	-15.79	47.75	3	Vertical	144	2.13	-	39.98	13.22	42.74
AV	11.48973G	46.12	54.00	-7.88	35.65	3	Vertical	144	2.13	-	39.98	13.23	42.74
PK	17.23632G	61.80	68.20	-6.40	47.62	3	Vertical	136	1.96	-	40.60	16.34	42.76

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 108
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48995G	58.56	74.00	-15.44	48.09	3	Horizontal	197	1.00	-	39.98	13.23	42.74
AV	11.49006G	46.08	54.00	-7.92	35.61	3	Horizontal	197	1.00	-	39.98	13.23	42.74
PK	17.23565G	61.94	68.20	-6.26	47.76	3	Horizontal	284	1.22	-	40.60	16.34	42.76

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 98
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6335G	60.04	68.20	-8.16	63.14	3	Vertical	33	2.15	-	31.73	8.74	43.57
PK	5.7925G	124.60	Inf	-Inf	127.01	3	Vertical	33	2.15	-	32.10	8.90	43.41
AV	5.792G	114.77	Inf	-Inf	117.18	3	Vertical	33	2.15	-	32.10	8.90	43.41
PK	5.9405G	59.54	68.20	-8.66	61.43	3	Vertical	33	2.15	-	32.30	9.07	43.26

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 98
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5707G	58.49	74.00	-15.51	48.23	3	Vertical	103	1.66	-	39.82	13.28	42.84
AV	11.5715G	46.24	54.00	-7.76	35.99	3	Vertical	103	1.66	-	39.81	13.28	42.84
PK	17.3529G	61.84	68.20	-6.36	47.12	3	Vertical	57	2.64	-	41.32	16.35	42.95

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 98
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56819G	58.52	74.00	-15.48	48.25	3	Horizontal	355	2.85	-	39.83	13.28	42.84
AV	11.56783G	46.41	54.00	-7.59	36.14	3	Horizontal	355	2.85	-	39.83	13.28	42.84
PK	17.35535G	61.66	68.20	-6.54	46.92	3	Horizontal	159	1.28	-	41.34	16.35	42.95

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


30/04/2025

EUT_Z_2TX
Setting 102
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6165G	61.26	68.20	-6.94	50.33	3	Vertical	357	1.70	-	34.00	7.63	30.70
PK	5.8175G	123.79	Inf	-Inf	112.67	3	Vertical	357	1.70	-	33.96	7.81	30.65
AV	5.8175G	112.95	Inf	-Inf	101.83	3	Vertical	357	1.70	-	33.96	7.81	30.65
PK	5.929G	65.26	68.20	-2.94	53.85	3	Vertical	357	1.70	-	34.16	7.88	30.63

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 102
04-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	61.47	68.20	-6.73	64.54	3	Horizontal	270	2.51	-	31.75	8.74	43.56
PK	5.823G	118.58	Inf	-Inf	120.92	3	Horizontal	270	2.51	-	32.10	8.94	43.38
AV	5.8185G	106.93	Inf	-Inf	109.28	3	Horizontal	270	2.51	-	32.10	8.93	43.38
PK	5.957G	63.83	68.20	-4.37	65.67	3	Horizontal	270	2.51	-	32.31	9.09	43.24

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 102
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65176G	58.10	74.00	-15.90	48.22	3	Vertical	194	2.19	-	39.50	13.34	42.96
AV	11.65131G	46.07	54.00	-7.93	36.18	3	Vertical	194	2.19	-	39.50	13.34	42.95
PK	17.47279G	62.17	68.20	-6.03	46.77	3	Vertical	247	2.83	-	42.18	16.36	43.14

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 102
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65116G	57.85	74.00	-16.15	47.96	3	Horizontal	64	1.68	-	39.50	13.34	42.95
AV	11.64819G	46.03	54.00	-7.97	36.13	3	Horizontal	64	1.68	-	39.51	13.34	42.95
PK	17.47655G	62.28	68.20	-5.92	46.85	3	Horizontal	359	1.91	-	42.21	16.36	43.14

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
 Setting 91
 02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	67.08	74.00	-6.92	57.44	3	Vertical	110	1.89	-	33.59	6.98	30.93
AV	5.1498G	51.82	54.00	-2.18	42.17	3	Vertical	110	1.89	-	33.60	6.98	30.93
PK	5.206G	117.63	Inf	-Inf	107.81	3	Vertical	110	1.89	-	33.70	7.01	30.89
AV	5.2044G	105.99	Inf	-Inf	96.18	3	Vertical	110	1.89	-	33.70	7.01	30.90

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
 Setting 91
 02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.43	74.00	-13.57	50.78	3	Horizontal	296	2.93	-	33.60	6.98	30.93
AV	5.15G	48.14	54.00	-5.86	38.49	3	Horizontal	296	2.93	-	33.60	6.98	30.93
PK	5.1934G	104.17	Inf	-Inf	94.37	3	Horizontal	296	2.93	-	33.69	7.01	30.90
AV	5.1932G	92.63	Inf	-Inf	82.83	3	Horizontal	296	2.93	-	33.69	7.01	30.90

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 91
04-I-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37822G	57.58	68.20	-10.62	49.09	3	Vertical	302	1.79	-	39.16	12.43	43.10
PK	15.57161G	59.58	74.00	-14.42	47.92	3	Vertical	8	2.87	-	37.77	16.17	42.28
AV	15.56922G	47.19	54.00	-6.81	35.51	3	Vertical	8	2.87	-	37.78	16.17	42.27

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 91
04-I-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37923G	56.25	68.20	-11.95	47.76	3	Horizontal	11	1.88	-	39.16	12.43	43.10
PK	15.5714G	59.32	74.00	-14.68	47.66	3	Horizontal	111	2.79	-	37.77	16.17	42.28
AV	15.56793G	47.17	54.00	-6.83	35.48	3	Horizontal	111	2.79	-	37.79	16.17	42.27

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
 Setting 98
 02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	67.88	74.00	-6.12	58.24	3	Vertical	150	1.40	-	33.59	6.98	30.93
AV	5.1499G	52.32	54.00	-1.68	42.67	3	Vertical	150	1.40	-	33.60	6.98	30.93
PK	5.2399G	119.07	Inf	-Inf	109.25	3	Vertical	150	1.40	-	33.70	7.00	30.88
AV	5.227G	106.27	Inf	-Inf	96.45	3	Vertical	150	1.40	-	33.70	7.00	30.88
PK	5.3629G	61.22	74.00	-12.78	51.16	3	Vertical	150	1.40	-	33.90	6.97	30.81
AV	5.3584G	48.39	54.00	-5.61	38.33	3	Vertical	150	1.40	-	33.90	6.97	30.81

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 98
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	60.37	74.00	-13.63	50.72	3	Horizontal	294	2.86	-	33.60	6.98	30.93
AV	5.1499G	47.82	54.00	-6.18	38.17	3	Horizontal	294	2.86	-	33.60	6.98	30.93
PK	5.2156G	109.38	Inf	-Inf	99.56	3	Horizontal	294	2.86	-	33.70	7.01	30.89
AV	5.2135G	97.71	Inf	-Inf	87.89	3	Horizontal	294	2.86	-	33.70	7.01	30.89
PK	5.38G	60.38	74.00	-13.62	50.32	3	Horizontal	294	2.86	-	33.90	6.96	30.80
AV	5.3794G	47.28	54.00	-6.72	37.21	3	Horizontal	294	2.86	-	33.90	6.97	30.80

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 98
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45845G	57.01	68.20	-11.19	48.38	3	Vertical	91	2.48	-	39.32	12.49	43.18
PK	15.68823G	58.85	74.00	-15.15	47.51	3	Vertical	87	2.61	-	37.53	16.18	42.37
AV	15.68991G	46.54	54.00	-7.46	35.19	3	Vertical	87	2.61	-	37.54	16.18	42.37

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 98
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45785G	56.39	68.20	-11.81	47.76	3	Horizontal	249	2.82	-	39.32	12.49	43.18
PK	15.68906G	58.74	74.00	-15.26	47.40	3	Horizontal	324	2.18	-	37.53	16.18	42.37
AV	15.68964G	46.54	54.00	-7.46	35.19	3	Horizontal	324	2.18	-	37.54	16.18	42.37

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 96
 02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1419G	60.59	74.00	-13.41	50.97	3	Vertical	125	1.80	-	33.58	6.97	30.93
AV	5.15G	47.93	54.00	-6.07	38.28	3	Vertical	125	1.80	-	33.60	6.98	30.93
PK	5.2526G	119.57	Inf	-Inf	109.73	3	Vertical	125	1.80	-	33.71	7.00	30.87
AV	5.252G	106.14	Inf	-Inf	96.31	3	Vertical	125	1.80	-	33.70	7.00	30.87
PK	5.3534G	70.12	74.00	-3.88	60.06	3	Vertical	125	1.80	-	33.90	6.97	30.81
AV	5.35G	52.42	54.00	-1.58	42.36	3	Vertical	125	1.80	-	33.90	6.97	30.81

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


30/04/2025

EUT_Z_2TX
Setting 96
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	59.12	74.00	-14.88	49.49	3	Horizontal	211	2.03	-	33.59	6.97	30.93
AV	5.1317G	46.71	54.00	-7.29	37.12	3	Horizontal	211	2.03	-	33.56	6.97	30.94
PK	5.2877G	106.18	Inf	-Inf	96.26	3	Horizontal	211	2.03	-	33.78	6.99	30.85
AV	5.2877G	95.25	Inf	-Inf	85.33	3	Horizontal	211	2.03	-	33.78	6.99	30.85
PK	5.3663G	62.37	74.00	-11.63	52.30	3	Horizontal	211	2.03	-	33.90	6.97	30.80
AV	5.3504G	48.53	54.00	-5.47	38.47	3	Horizontal	211	2.03	-	33.90	6.97	30.81

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


07/05/2025

EUT_Z_2TX
Setting 96
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53808G	56.49	68.20	-11.71	47.75	3	Vertical	157	2.69	-	39.40	12.54	43.20
PK	15.80941G	58.89	74.00	-15.11	47.72	3	Vertical	289	1.27	-	37.44	16.19	42.46
AV	15.80903G	46.46	54.00	-7.54	35.28	3	Vertical	289	1.27	-	37.45	16.19	42.46

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 96
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53854G	57.38	68.20	-10.82	48.63	3	Horizontal	35	2.45	-	39.40	12.55	43.20
PK	15.81128G	58.21	74.00	-15.79	47.05	3	Horizontal	204	2.55	-	37.43	16.19	42.46
AV	15.8075G	46.47	54.00	-7.53	35.28	3	Horizontal	204	2.55	-	37.46	16.19	42.46

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 82
 02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3067G	115.63	Inf	-Inf	105.68	3	Vertical	202	1.46	-	33.81	6.98	30.84
AV	5.3196G	101.98	Inf	-Inf	91.99	3	Vertical	202	1.46	-	33.84	6.98	30.83
PK	5.3526G	65.69	74.00	-8.31	55.63	3	Vertical	202	1.46	-	33.90	6.97	30.81
AV	5.35G	52.83	54.00	-1.17	42.77	3	Vertical	202	1.46	-	33.90	6.97	30.81

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 82
 02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2926G	103.26	Inf	-Inf	93.33	3	Horizontal	136	2.38	-	33.79	6.99	30.85
AV	5.301G	89.83	Inf	-Inf	79.89	3	Horizontal	136	2.38	-	33.80	6.98	30.84
PK	5.4273G	60.24	74.00	-13.76	50.06	3	Horizontal	136	2.38	-	33.90	7.05	30.77
AV	5.3505G	47.95	54.00	-6.05	37.89	3	Horizontal	136	2.38	-	33.90	6.97	30.81

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX



EUT_Z_2TX
Setting 82
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61853G	56.82	74.00	-17.18	47.93	3	Vertical	340	1.81	-	39.44	12.60	43.15
AV	10.62246G	44.84	54.00	-9.16	35.93	3	Vertical	340	1.81	-	39.44	12.61	43.14
PK	15.92838G	58.68	74.00	-15.32	47.84	3	Vertical	195	2.54	-	37.19	16.20	42.55
AV	15.92763G	46.20	54.00	-7.80	35.36	3	Vertical	195	2.54	-	37.19	16.20	42.55

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 82
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61766G	56.96	74.00	-17.04	48.07	3	Horizontal	230	1.00	-	39.44	12.60	43.15
AV	10.61886G	44.81	54.00	-9.19	35.92	3	Horizontal	230	1.00	-	39.44	12.60	43.15
PK	15.93027G	58.36	74.00	-15.64	47.54	3	Horizontal	56	1.61	-	37.18	16.20	42.56
AV	15.93094G	46.16	54.00	-7.84	35.34	3	Horizontal	56	1.61	-	37.18	16.20	42.56

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 87
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4563G	62.93	74.00	-11.07	52.62	3	Vertical	104.3	1.70	-	33.91	7.15	30.75
AV	5.4599G	50.27	54.00	-3.73	39.94	3	Vertical	104.3	1.70	-	33.92	7.16	30.75
PK	5.4698G	66.88	68.20	-1.32	56.50	3	Vertical	104.3	1.70	-	33.94	7.19	30.75
PK	5.5139G	116.31	Inf	-Inf	105.67	3	Vertical	104.3	1.70	-	34.03	7.34	30.73
AV	5.5139G	103.85	Inf	-Inf	93.21	3	Vertical	104.3	1.70	-	34.03	7.34	30.73

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


30/04/2025

EUT_Z_2TX
Setting 87
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3987G	60.39	74.00	-13.61	50.32	3	Horizontal	44	2.49	-	33.90	6.96	30.79
PK	5.4695G	60.08	68.20	-8.12	49.70	3	Horizontal	44	2.49	-	33.94	7.19	30.75
AV	5.4599G	47.73	54.00	-6.27	37.40	3	Horizontal	44	2.49	-	33.92	7.16	30.75
PK	5.4932G	106.34	Inf	-Inf	95.81	3	Horizontal	44	2.49	-	33.99	7.27	30.73
AV	5.5028G	94.15	Inf	-Inf	83.57	3	Horizontal	44	2.49	-	34.01	7.30	30.73

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 87
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.018G	58.03	74.00	-15.97	48.08	3	Vertical	240	1.65	-	39.96	12.89	42.90
AV	11.01985G	46.14	54.00	-7.86	36.19	3	Vertical	240	1.65	-	39.96	12.89	42.90
PK	16.53231G	60.64	68.20	-7.56	47.49	3	Vertical	223	2.74	-	39.04	16.26	42.15

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 87
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02074G	58.29	74.00	-15.71	48.34	3	Horizontal	245	2.56	-	39.96	12.89	42.90
AV	11.01961G	46.21	54.00	-7.79	36.26	3	Horizontal	245	2.56	-	39.96	12.89	42.90
PK	16.52919G	60.78	68.20	-7.42	47.63	3	Horizontal	39	1.32	-	39.04	16.26	42.15

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 94
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.50	74.00	-10.50	53.17	3	Vertical	338	2.16	-	33.92	7.16	30.75
AV	5.46G	49.65	54.00	-4.35	39.32	3	Vertical	338	2.16	-	33.92	7.16	30.75
PK	5.4651G	64.86	68.20	-3.34	54.51	3	Vertical	338	2.16	-	33.93	7.17	30.75
PK	5.5386G	119.03	Inf	-Inf	108.25	3	Vertical	338	2.16	-	34.08	7.42	30.72
AV	5.5347G	105.89	Inf	-Inf	95.14	3	Vertical	338	2.16	-	34.07	7.40	30.72

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 94
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4591G	60.18	74.00	-13.82	49.85	3	Horizontal	287	2.49	-	33.92	7.16	30.75
AV	5.4591G	47.31	54.00	-6.69	36.98	3	Horizontal	287	2.49	-	33.92	7.16	30.75
PK	5.4684G	59.51	68.20	-8.69	49.13	3	Horizontal	287	2.49	-	33.94	7.19	30.75
PK	5.5452G	109.73	Inf	-Inf	98.92	3	Horizontal	287	2.49	-	34.09	7.44	30.72
AV	5.5473G	98.00	Inf	-Inf	87.18	3	Horizontal	287	2.49	-	34.09	7.45	30.72

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 94
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10142G	58.61	74.00	-15.39	48.85	3	Vertical	77	2.78	-	39.69	12.95	42.88
AV	11.09859G	45.74	54.00	-8.26	35.96	3	Vertical	77	2.78	-	39.71	12.95	42.88
PK	16.65009G	59.88	68.20	-8.32	46.72	3	Vertical	15	1.18	-	39.10	16.27	42.21

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 94
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0977G	58.67	74.00	-15.33	48.90	3	Horizontal	184	1.78	-	39.71	12.94	42.88
AV	11.09855G	45.82	54.00	-8.18	36.04	3	Horizontal	184	1.78	-	39.71	12.95	42.88
PK	16.64761G	60.08	68.20	-8.12	46.93	3	Horizontal	341	2.89	-	39.09	16.27	42.21

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 81
02-D-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.6712G	116.41	Inf	-Inf	105.42	3	Vertical	139	1.88	-	34.00	7.68	30.69
AV	5.6654G	103.83	Inf	-Inf	92.84	3	Vertical	139	1.88	-	34.00	7.68	30.69
PK	5.7256G	65.91	68.20	-2.29	54.86	3	Vertical	139	1.88	-	34.00	7.73	30.68

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 81
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.663G	106.40	Inf	-Inf	95.41	3	Horizontal	45	2.32	-	34.00	7.68	30.69
AV	5.657G	93.73	Inf	-Inf	82.75	3	Horizontal	45	2.32	-	34.00	7.67	30.69
PK	5.7364G	61.06	68.20	-7.14	49.99	3	Horizontal	45	2.32	-	34.00	7.74	30.67

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 81
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09785G	58.18	74.00	-15.82	48.41	3	Vertical	112	1.49	-	39.71	12.94	42.88
AV	11.09966G	45.74	54.00	-8.26	35.97	3	Vertical	112	1.49	-	39.70	12.95	42.88
PK	17.0123G	61.13	68.20	-7.07	47.28	3	Vertical	49	2.85	-	39.95	16.31	42.41

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 81
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34104G	57.93	74.00	-16.07	47.84	3	Horizontal	219	2.20	-	39.76	13.12	42.79
AV	11.34088G	45.79	54.00	-8.21	35.70	3	Horizontal	219	2.20	-	39.76	13.12	42.79
PK	17.01231G	60.90	68.20	-7.30	47.05	3	Horizontal	334	2.09	-	39.95	16.31	42.41

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 108
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4166G	60.83	74.00	-13.17	50.70	3	Vertical	334	1.65	-	33.90	7.01	30.78
PK	5.4682G	58.72	68.20	-9.48	48.34	3	Vertical	334	1.65	-	33.94	7.19	30.75
AV	5.4598G	47.72	54.00	-6.28	37.39	3	Vertical	334	1.65	-	33.92	7.16	30.75
PK	5.6974G	122.87	Inf	-Inf	111.84	3	Vertical	334	1.65	-	34.00	7.71	30.68
AV	5.722G	109.88	Inf	-Inf	98.83	3	Vertical	334	1.65	-	34.00	7.73	30.68
PK	5.8804G	64.92	68.20	-3.28	53.69	3	Vertical	334	1.65	-	34.02	7.85	30.64

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 108
 02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	59.31	74.00	-14.69	49.06	3	Horizontal	47	2.56	-	33.90	7.11	30.76
AV	5.4112G	47.28	54.00	-6.72	37.16	3	Horizontal	47	2.56	-	33.90	7.00	30.78
PK	5.4646G	59.25	68.20	-8.95	48.90	3	Horizontal	47	2.56	-	33.93	7.17	30.75
PK	5.6956G	109.79	Inf	-Inf	98.76	3	Horizontal	47	2.56	-	34.00	7.71	30.68
AV	5.7148G	98.68	Inf	-Inf	87.64	3	Horizontal	47	2.56	-	34.00	7.72	30.68
PK	5.8516G	63.20	68.20	-5.00	52.11	3	Horizontal	47	2.56	-	33.91	7.83	30.65

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 108
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.422G	58.32	74.00	-15.68	48.01	3	Vertical	265	2.63	-	39.90	13.18	42.77
AV	11.41783G	46.05	54.00	-7.95	35.75	3	Vertical	265	2.63	-	39.90	13.17	42.77
PK	17.12917G	61.20	68.20	-7.00	47.24	3	Vertical	28	1.99	-	40.23	16.32	42.59

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 108
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42186G	57.73	74.00	-16.27	47.42	3	Horizontal	152	2.99	-	39.90	13.18	42.77
AV	11.42102G	46.04	54.00	-7.96	35.73	3	Horizontal	152	2.99	-	39.90	13.18	42.77
PK	17.13G	60.87	68.20	-7.33	46.91	3	Horizontal	41	1.81	-	40.24	16.32	42.60

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 108
 02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6395G	63.64	68.20	-4.56	52.68	3	Vertical	330	1.80	-	34.00	7.66	30.70
PK	5.7655G	122.53	Inf	-Inf	111.43	3	Vertical	330	1.80	-	34.00	7.77	30.67
AV	5.7415G	110.09	Inf	-Inf	99.01	3	Vertical	330	1.80	-	34.00	7.75	30.67
PK	5.9385G	61.63	68.20	-6.57	50.18	3	Vertical	330	1.80	-	34.18	7.89	30.62

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 108
 02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	62.08	68.57	-6.49	51.10	3	Horizontal	48	2.24	-	34.00	7.67	30.69
PK	5.771G	111.64	Inf	-Inf	100.53	3	Horizontal	48	2.24	-	34.00	7.77	30.66
AV	5.7435G	100.09	Inf	-Inf	89.01	3	Horizontal	48	2.24	-	34.00	7.75	30.67
PK	5.949G	60.56	68.20	-7.64	49.08	3	Horizontal	48	2.24	-	34.20	7.90	30.62

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 108
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51037G	58.68	74.00	-15.32	48.21	3	Vertical	74	2.56	-	39.98	13.24	42.75
AV	11.50953G	46.64	54.00	-7.36	36.17	3	Vertical	74	2.56	-	39.98	13.24	42.75
PK	17.26616G	62.11	68.20	-6.09	47.95	3	Vertical	174	1.33	-	40.63	16.34	42.81

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 108
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50986G	59.81	74.00	-14.19	49.34	3	Horizontal	4	2.31	-	39.98	13.24	42.75
AV	11.50826G	46.59	54.00	-7.41	36.12	3	Horizontal	4	2.31	-	39.98	13.24	42.75
PK	17.26514G	62.69	68.20	-5.51	48.53	3	Horizontal	6	2.89	-	40.63	16.34	42.81

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 103
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6315G	63.71	68.20	-4.49	52.76	3	Vertical	331	1.66	-	34.00	7.65	30.70
PK	5.7895G	119.94	Inf	-Inf	108.81	3	Vertical	331	1.66	-	34.00	7.79	30.66
AV	5.7785G	108.05	Inf	-Inf	96.93	3	Vertical	331	1.66	-	34.00	7.78	30.66
PK	5.9185G	69.50	73.01	-3.51	58.11	3	Vertical	331	1.66	-	34.14	7.88	30.63

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


30/04/2025

EUT_Z_2TX
 Setting 103
 02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6345G	60.41	68.20	-7.79	49.46	3	Horizontal	45	1.86	-	34.00	7.65	30.70
PK	5.8005G	110.14	Inf	-Inf	99.00	3	Horizontal	45	1.86	-	34.00	7.80	30.66
AV	5.8035G	98.44	Inf	-Inf	87.31	3	Horizontal	45	1.86	-	33.99	7.80	30.66
PK	5.94G	61.70	68.20	-6.50	50.25	3	Horizontal	45	1.86	-	34.18	7.89	30.62

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 103
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59067G	58.50	74.00	-15.50	48.33	3	Vertical	205	1.11	-	39.74	13.30	42.87
AV	11.58949G	46.21	54.00	-7.79	36.04	3	Vertical	205	1.11	-	39.74	13.30	42.87
PK	17.3827G	61.61	68.20	-6.59	46.69	3	Vertical	190	1.07	-	41.56	16.35	42.99

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 103
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59186G	58.51	74.00	-15.49	48.35	3	Horizontal	179	1.88	-	39.73	13.30	42.87
AV	11.58769G	46.35	54.00	-7.65	36.16	3	Horizontal	179	1.88	-	39.75	13.30	42.86
PK	17.38677G	61.84	68.20	-6.36	46.90	3	Horizontal	106	1.81	-	41.59	16.35	43.00

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX



EUT_Z_2TX
Setting 84
04-I-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	62.89	74.00	-11.11	66.40	3	Vertical	123	1.80	-	31.98	8.39	43.88
AV	5.15G	52.45	54.00	-1.55	55.93	3	Vertical	123	1.80	-	32.00	8.39	43.87
PK	5.175G	116.02	Inf	-Inf	119.62	3	Vertical	123	1.80	-	31.85	8.41	43.86
AV	5.18G	105.10	Inf	-Inf	108.73	3	Vertical	123	1.80	-	31.82	8.41	43.86
PK	5.352G	58.00	74.00	-16.00	61.90	3	Vertical	123	1.80	-	31.40	8.47	43.77
AV	5.35G	46.54	54.00	-7.46	50.44	3	Vertical	123	1.80	-	31.40	8.47	43.77

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 84
04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	58.62	74.00	-15.38	62.27	3	Horizontal	299	2.97	-	31.86	8.38	43.89
AV	5.15G	47.49	54.00	-6.51	50.97	3	Horizontal	299	2.97	-	32.00	8.39	43.87
PK	5.172G	105.54	Inf	-Inf	109.13	3	Horizontal	299	2.97	-	31.87	8.40	43.86
AV	5.187G	98.77	Inf	-Inf	102.44	3	Horizontal	299	2.97	-	31.78	8.41	43.86
PK	5.393G	56.72	74.00	-17.28	60.58	3	Horizontal	299	2.97	-	31.40	8.49	43.75
AV	5.445G	44.68	54.00	-9.32	48.29	3	Horizontal	299	2.97	-	31.58	8.54	43.73

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


07/05/2025

EUT_Z_2TX
Setting 84
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42041G	57.03	68.20	-11.17	48.47	3	Vertical	0	2.19	-	39.24	12.46	43.14
PK	15.62985G	58.53	74.00	-15.47	47.25	3	Vertical	238	1.05	-	37.42	16.18	42.32
AV	15.62928G	46.70	54.00	-7.30	35.42	3	Vertical	238	1.05	-	37.42	16.18	42.32

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 84
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41887G	57.22	68.20	-10.98	48.66	3	Horizontal	18	1.24	-	39.24	12.46	43.14
PK	15.63001G	58.49	74.00	-15.51	47.21	3	Horizontal	69	1.89	-	37.42	16.18	42.32
AV	15.63024G	46.65	54.00	-7.35	35.37	3	Horizontal	69	1.89	-	37.42	16.18	42.32

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX



EUT_Z_2TX
 Setting 94
 02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	60.87	74.00	-13.13	51.24	3	Vertical	336	2.32	-	33.59	6.97	30.93
AV	5.1435G	48.63	54.00	-5.37	39.00	3	Vertical	336	2.32	-	33.59	6.97	30.93
PK	5.2525G	114.69	Inf	-Inf	104.85	3	Vertical	336	2.32	-	33.71	7.00	30.87
AV	5.27G	102.84	Inf	-Inf	92.97	3	Vertical	336	2.32	-	33.74	6.99	30.86
PK	5.35G	63.55	74.00	-10.45	53.49	3	Vertical	336	2.32	-	33.90	6.97	30.81
AV	5.35G	52.61	54.00	-1.39	42.55	3	Vertical	336	2.32	-	33.90	6.97	30.81
PK	5.461G	61.11	68.20	-7.09	50.78	3	Vertical	336	2.32	-	33.92	7.16	30.75

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 94
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1105G	59.40	74.00	-14.60	49.88	3	Horizontal	48	2.96	-	33.52	6.95	30.95
AV	5.146G	46.58	54.00	-7.42	36.95	3	Horizontal	48	2.96	-	33.59	6.97	30.93
PK	5.2605G	100.14	Inf	-Inf	90.29	3	Horizontal	48	2.96	-	33.72	6.99	30.86
AV	5.259G	94.29	Inf	-Inf	84.43	3	Horizontal	48	2.96	-	33.72	7.00	30.86
PK	5.36G	59.79	74.00	-14.21	49.73	3	Horizontal	48	2.96	-	33.90	6.97	30.81
AV	5.3655G	47.47	54.00	-6.53	37.41	3	Horizontal	48	2.96	-	33.90	6.97	30.81
PK	5.4685G	60.43	68.20	-7.77	50.05	3	Horizontal	48	2.96	-	33.94	7.19	30.75

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 94
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58185G	57.19	68.20	-11.01	48.38	3	Vertical	174	1.70	-	39.40	12.58	43.17
PK	15.86881G	58.62	74.00	-15.38	47.70	3	Vertical	215	1.53	-	37.24	16.19	42.51
AV	15.8675G	45.68	54.00	-8.32	34.76	3	Vertical	215	1.53	-	37.24	16.19	42.51

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 94
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58081G	56.52	68.20	-11.68	47.71	3	Horizontal	16	1.96	-	39.40	12.58	43.17
PK	15.86997G	57.67	74.00	-16.33	46.75	3	Horizontal	285	1.57	-	37.24	16.19	42.51
AV	15.87021G	45.78	54.00	-8.22	34.86	3	Horizontal	285	1.57	-	37.24	16.19	42.51

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 83
04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29G	57.60	68.20	-10.60	61.71	3	Vertical	254	1.80	-	31.24	8.45	43.80
PK	5.4595G	64.84	74.00	-9.16	68.37	3	Vertical	254	1.80	-	31.64	8.55	43.72
AV	5.46G	52.92	54.00	-1.08	56.45	3	Vertical	254	1.80	-	31.64	8.55	43.72
PK	5.47G	65.87	68.20	-2.33	69.35	3	Vertical	254	1.80	-	31.68	8.56	43.72
AV	5.5135G	103.27	Inf	-Inf	106.58	3	Vertical	254	1.80	-	31.77	8.61	43.69
PK	5.515G	114.74	Inf	-Inf	118.05	3	Vertical	254	1.80	-	31.77	8.61	43.69
PK	5.772G	58.73	68.20	-9.47	61.18	3	Vertical	254	1.80	-	32.10	8.88	43.43

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 83
04-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	55.09	68.20	-13.11	59.01	3	Horizontal	9	1.54	-	31.39	8.47	43.78
PK	5.458G	57.10	74.00	-16.90	60.64	3	Horizontal	9	1.54	-	31.63	8.55	43.72
AV	5.46G	45.54	54.00	-8.46	49.07	3	Horizontal	9	1.54	-	31.64	8.55	43.72
PK	5.4695G	58.03	68.20	-10.17	61.51	3	Horizontal	9	1.54	-	31.68	8.56	43.72
PK	5.5055G	104.89	Inf	-Inf	108.19	3	Horizontal	9	1.54	-	31.79	8.60	43.69
AV	5.4965G	93.64	Inf	-Inf	96.96	3	Horizontal	9	1.54	-	31.79	8.59	43.70
PK	5.7775G	57.09	68.20	-11.11	59.52	3	Horizontal	9	1.54	-	32.10	8.89	43.42

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 83
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05864G	58.03	74.00	-15.97	48.13	3	Vertical	207	2.76	-	39.87	12.92	42.89
AV	11.06178G	46.36	54.00	-7.64	36.48	3	Vertical	207	2.76	-	39.85	12.92	42.89
PK	16.58885G	61.09	68.20	-7.11	48.09	3	Vertical	302	1.34	-	38.92	16.26	42.18

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 83
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06134G	58.78	74.00	-15.22	48.90	3	Horizontal	47	1.68	-	39.85	12.92	42.89
AV	11.06127G	46.40	54.00	-7.60	36.52	3	Horizontal	47	1.68	-	39.85	12.92	42.89
PK	16.58925G	60.64	68.20	-7.56	47.64	3	Horizontal	37	1.85	-	38.92	16.26	42.18

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 90
04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	64.08	74.00	-9.92	67.61	3	Vertical	75	1.80	-	31.64	8.55	43.72
AV	5.46G	51.93	54.00	-2.07	55.46	3	Vertical	75	1.80	-	31.64	8.55	43.72
PK	5.4685G	66.41	68.20	-1.79	69.90	3	Vertical	75	1.80	-	31.67	8.56	43.72
PK	5.5735G	118.29	Inf	-Inf	121.60	3	Vertical	75	1.80	-	31.65	8.67	43.63
AV	5.573G	109.72	Inf	-Inf	113.03	3	Vertical	75	1.80	-	31.65	8.67	43.63
PK	5.7285G	67.14	68.20	-1.06	69.72	3	Vertical	75	1.80	-	32.06	8.83	43.47

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 90
04-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	56.10	74.00	-17.90	59.65	3	Horizontal	198	1.02	-	31.62	8.55	43.72
AV	5.4595G	44.54	54.00	-9.46	48.07	3	Horizontal	198	1.02	-	31.64	8.55	43.72
PK	5.465G	57.31	68.20	-10.89	60.81	3	Horizontal	198	1.02	-	31.66	8.56	43.72
PK	5.618G	109.35	Inf	-Inf	112.54	3	Horizontal	198	1.02	-	31.67	8.72	43.58
AV	5.5845G	100.63	Inf	-Inf	103.94	3	Horizontal	198	1.02	-	31.63	8.68	43.62
PK	5.7455G	59.57	68.20	-8.63	62.08	3	Horizontal	198	1.02	-	32.09	8.85	43.45

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 90
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21802G	58.68	74.00	-15.32	49.05	3	Vertical	104	1.70	-	39.44	13.03	42.84
AV	11.22135G	46.02	54.00	-7.98	36.38	3	Vertical	104	1.70	-	39.44	13.03	42.83
PK	16.83065G	61.09	68.20	-7.11	46.95	3	Vertical	172	1.06	-	40.15	16.29	42.30

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 90
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21772G	59.39	74.00	-14.61	49.76	3	Horizontal	210	2.57	-	39.44	13.03	42.84
AV	11.22177G	46.05	54.00	-7.95	36.41	3	Horizontal	210	2.57	-	39.44	13.03	42.83
PK	16.83033G	62.17	68.20	-6.03	48.04	3	Horizontal	188	2.59	-	40.14	16.29	42.30

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 100
04-1-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.22	74.00	-11.78	65.75	3	Vertical	74	1.03	-	31.64	8.55	43.72
AV	5.46G	49.57	54.00	-4.43	53.10	3	Vertical	74	1.03	-	31.64	8.55	43.72
PK	5.4614G	65.51	68.20	-2.69	69.03	3	Vertical	74	1.80	-	31.65	8.55	43.72
PK	5.6762G	118.03	Inf	-Inf	120.87	3	Vertical	74	1.80	-	31.90	8.78	43.52
AV	5.6978G	106.99	Inf	-Inf	109.70	3	Vertical	74	1.80	-	31.99	8.80	43.50
PK	5.8544G	66.92	68.20	-1.28	69.18	3	Vertical	74	1.80	-	32.12	8.97	43.35

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 100
04-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	56.09	74.00	-17.91	59.65	3	Horizontal	190	1.03	-	31.61	8.55	43.72
AV	5.4566G	43.88	54.00	-10.12	47.42	3	Horizontal	190	1.03	-	31.63	8.55	43.72
PK	5.4608G	55.24	68.20	-12.96	58.77	3	Horizontal	190	1.03	-	31.64	8.55	43.72
PK	5.6774G	109.70	Inf	-Inf	112.53	3	Horizontal	190	1.03	-	31.91	8.78	43.52
AV	5.6576G	99.59	Inf	-Inf	102.54	3	Horizontal	190	1.03	-	31.83	8.76	43.54
PK	5.8514G	60.47	68.20	-7.73	62.74	3	Horizontal	190	1.03	-	32.11	8.97	43.35

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 100
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3819G	59.07	74.00	-14.93	48.84	3	Vertical	82	2.02	-	39.86	13.15	42.78
AV	11.37799G	46.18	54.00	-7.82	35.95	3	Vertical	82	2.02	-	39.86	13.15	42.78
PK	17.06752G	61.20	68.20	-7.00	47.32	3	Vertical	327	1.49	-	40.06	16.32	42.50

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 100
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38159G	58.55	74.00	-15.45	48.32	3	Horizontal	256	2.74	-	39.86	13.15	42.78
AV	11.38052G	46.22	54.00	-7.78	35.99	3	Horizontal	256	2.74	-	39.86	13.15	42.78
PK	17.06925G	60.88	68.20	-7.32	47.00	3	Horizontal	208	2.13	-	40.06	16.32	42.50

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 99
 06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.99	68.20	-1.21	62.42	3	Vertical	338	1.50	-	31.90	6.98	34.31
PK	5.78G	118.13	Inf	-Inf	113.33	3	Vertical	338	1.50	-	32.10	7.15	34.45
AV	5.747G	112.67	Inf	-Inf	107.87	3	Vertical	338	1.50	-	32.10	7.11	34.41
PK	5.925G	63.34	68.20	-4.86	58.27	3	Vertical	338	1.50	-	32.40	7.27	34.60

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


17/04/2025

EUT_Z_2TX
 Setting 99
 04-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6335G	61.11	68.20	-7.09	64.21	3	Horizontal	272	2.56	-	31.73	8.74	43.57
PK	5.7585G	110.70	Inf	-Inf	113.17	3	Horizontal	272	2.56	-	32.10	8.87	43.44
AV	5.744G	104.40	Inf	-Inf	106.92	3	Horizontal	272	2.56	-	32.09	8.85	43.46
PK	5.9265G	60.91	68.20	-7.29	62.82	3	Horizontal	272	2.56	-	32.30	9.06	43.27

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 99
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54799G	57.82	74.00	-16.18	47.46	3	Vertical	218	1.49	-	39.90	13.27	42.81
AV	11.54887G	46.31	54.00	-7.69	35.95	3	Vertical	218	1.49	-	39.90	13.27	42.81
PK	17.32746G	61.37	68.20	-6.83	46.90	3	Vertical	359	2.80	-	41.03	16.35	42.91

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX



EUT_Z_2TX
Setting 99
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54899G	58.36	74.00	-15.64	48.00	3	Horizontal	241	1.76	-	39.90	13.27	42.81
AV	11.54774G	46.41	54.00	-7.59	36.05	3	Horizontal	241	1.76	-	39.90	13.27	42.81
PK	17.32489G	61.70	68.20	-6.50	47.25	3	Horizontal	347	2.85	-	41.00	16.35	42.90

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 Setting 81
 06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	68.77	74.00	-5.23	64.05	3	Vertical	28	1.85	-	31.99	6.77	34.04
AV	5.15G	52.82	54.00	-1.18	48.08	3	Vertical	28	1.85	-	32.00	6.78	34.04
PK	5.1768G	115.58	Inf	-Inf	110.97	3	Vertical	28	1.85	-	31.84	6.82	34.05
AV	5.1768G	105.48	Inf	-Inf	100.87	3	Vertical	28	1.85	-	31.84	6.82	34.05
PK	5.3664G	67.65	74.00	-6.35	63.46	3	Vertical	28	1.85	-	31.43	6.87	34.11
AV	5.3712G	49.28	54.00	-4.72	45.07	3	Vertical	28	1.85	-	31.44	6.88	34.11
PK	5.4624G	61.46	68.20	-6.74	56.99	3	Vertical	28	1.85	-	31.72	6.89	34.14

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 81
04-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1228G	59.14	74.00	-14.86	62.81	3	Horizontal	2	1.60	-	31.84	8.38	43.89
AV	5.1366G	45.38	54.00	-8.62	48.95	3	Horizontal	2	1.60	-	31.92	8.39	43.88
PK	5.3262G	99.56	Inf	-Inf	103.59	3	Horizontal	2	1.60	-	31.30	8.46	43.79
AV	5.3268G	87.37	Inf	-Inf	91.39	3	Horizontal	2	1.60	-	31.31	8.46	43.79
PK	5.35G	63.11	74.00	-10.89	67.01	3	Horizontal	2	1.60	-	31.40	8.47	43.77
AV	5.3514G	45.04	54.00	-8.96	48.94	3	Horizontal	2	1.60	-	31.40	8.47	43.77
PK	5.5248G	57.38	68.20	-10.82	60.69	3	Horizontal	2	1.60	-	31.75	8.62	43.68

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 81
04-1-5-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49859G	56.40	68.20	-11.80	47.70	3	Vertical	45	1.49	-	39.40	12.52	43.22
PK	15.75237G	58.78	74.00	-15.22	47.32	3	Vertical	102	2.85	-	37.69	16.19	42.42
AV	15.75196G	46.42	54.00	-7.58	34.96	3	Vertical	102	2.85	-	37.69	16.19	42.42

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 81
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50031G	56.43	68.20	-11.77	47.73	3	Horizontal	359	2.19	-	39.40	12.52	43.22
PK	15.75058G	58.46	74.00	-15.54	46.99	3	Horizontal	195	2.97	-	37.70	16.19	42.42
AV	15.7489G	46.50	54.00	-7.50	35.03	3	Horizontal	195	2.97	-	37.70	16.18	42.41

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
 Setting 81
 06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3288G	59.31	68.20	-8.89	55.18	3	Vertical	325	1.54	-	31.36	6.87	34.10
PK	5.4392G	65.39	74.00	-8.61	60.97	3	Vertical	325	1.54	-	31.66	6.89	34.13
PK	5.47G	67.39	68.20	-0.81	62.90	3	Vertical	325	1.54	-	31.74	6.89	34.14
AV	5.4584G	49.34	54.00	-4.66	44.87	3	Vertical	325	1.54	-	31.72	6.89	34.14
PK	5.5532G	115.51	Inf	-Inf	111.03	3	Vertical	325	1.54	-	31.79	6.90	34.21
AV	5.5592G	105.78	Inf	-Inf	101.31	3	Vertical	325	1.54	-	31.78	6.90	34.21
PK	5.7584G	63.95	68.20	-4.25	59.15	3	Vertical	325	1.54	-	32.10	7.12	34.42

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 81
04-1-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3276G	55.24	68.20	-12.96	59.26	3	Horizontal	195	1.00	-	31.31	8.46	43.79
PK	5.45G	58.75	74.00	-15.25	62.34	3	Horizontal	195	1.00	-	31.60	8.54	43.73
PK	5.4698G	60.25	68.20	-7.95	63.73	3	Horizontal	195	1.00	-	31.68	8.56	43.72
AV	5.46G	44.65	54.00	-9.35	48.18	3	Horizontal	195	1.00	-	31.64	8.55	43.72
AV	5.4944G	93.54	Inf	-Inf	96.87	3	Horizontal	195	1.00	-	31.78	8.59	43.70
PK	5.6084G	103.36	Inf	-Inf	106.61	3	Horizontal	195	1.00	-	31.63	8.71	43.59
PK	5.7296G	59.78	68.20	-8.42	62.35	3	Horizontal	195	1.00	-	32.06	8.84	43.47

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 81
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14209G	57.94	74.00	-16.06	48.29	3	Vertical	84	1.56	-	39.53	12.98	42.86
AV	11.14024G	45.87	54.00	-8.13	36.21	3	Vertical	84	1.56	-	39.54	12.98	42.86
PK	16.71207G	59.98	68.20	-8.22	46.67	3	Vertical	146	1.74	-	39.27	16.28	42.24

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Z_2TX
Setting 81
04-1-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13785G	58.23	74.00	-15.77	48.57	3	Horizontal	9	2.00	-	39.55	12.97	42.86
AV	11.13838G	45.76	54.00	-8.24	36.10	3	Horizontal	9	2.00	-	39.55	12.97	42.86
PK	16.70991G	59.73	68.20	-8.47	46.43	3	Horizontal	141	2.44	-	39.26	16.28	42.24