


Product : 802.11A/B/G/N/AC 1T1R WLAN USB Dongle
 Test Item : Power Density Data
 Test Site : No.3OATS
 Test Mode : Mode 6: Transmit - 802.11n-20BW_7.2Mbps(5G Band) (5785MHz)

Channel No.	Frequency (MHz)	Measurement Level (dBm)	Required Limit (dBm)	Result
157	5785.000	-0.200	< 8dBm	Pass


Figure Channel 157:



Product : 802.11A/B/G/N/AC 1T1R WLAN USB Dongle
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 6: Transmit - 802.11n-20BW_7.2Mbps(5G Band) (5825MHz)

Channel No.	Frequency (MHz)	Measurement Level (dBm)	Required Limit (dBm)	Result
165	5825.00	-0.060	< 8dBm	Pass


Figure Channel 165:



Product : 802.11A/B/G/N/AC 1T1R WLAN USB Dongle
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 7: Transmit - 802.11n-40BW_15Mbps(5G Band) (5755MHz)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
151	5755.00	-4.380	< 8dBm	Pass


Figure Channel 151:



Product : 802.11A/B/G/N/AC 1T1R WLAN USB Dongle
 Test Item : Power Density Data
 Test Site : No.3OATS
 Test Mode : Mode 7: Transmit - 802.11n-40BW_15Mbps(5G Band) (5795MHz)

Channel No.	Frequency (MHz)	Measurement Level (dBm)	Required Limit (dBm)	Result
159	5795.000	-4.020	< 8dBm	Pass


Figure Channel 159:



Product : 802.11A/B/G/N/AC 1T1R WLAN USB Dongle
 Test Item : Power Density Data
 Test Site : No.3OATS
 Test Mode : Mode 8: Transmit - 802.11ac-80BW_32.5Mbps(5G Band) (5775MHz)

Channel No.	Frequency (MHz)	Measurement Level (dBm)	Required Limit (dBm)	Result
155	5795.000	-9.950	< 8dBm	Pass

Figure Channel 155:



9. EMI Reduction Method During Compliance Testing

No modification was made during testing.