



		19																																																																																								
Mode	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																									
ANT	5																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<p>Date: 2023-02-06</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 27 Setting : 2M Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>65.77</td> <td>74.00</td> <td>-8.23</td> <td>66.37</td> <td>27.84</td> <td>5.46</td> <td>33.90</td> <td>188</td> <td>324</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2483.52	65.77	74.00	-8.23	66.37	27.84	5.46	33.90	188	324	PEAK	<p>Date: 2023-02-06</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 27 Setting : 2M Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>105.57</td> <td>-----</td> <td>-----</td> <td>106.18</td> <td>27.83</td> <td>5.46</td> <td>33.90</td> <td>188</td> <td>324</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2480.00	105.57	-----	-----	106.18	27.83	5.46	33.90	188	324	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2483.52	65.77	74.00	-8.23	66.37	27.84	5.46	33.90	188	324	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2480.00	105.57	-----	-----	106.18	27.83	5.46	33.90	188	324	PEAK																																																																															
Avg	<p>Date: 2023-02-06</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:10kHz Mode : 27 Setting : 2M Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>51.59</td> <td>54.00</td> <td>-2.41</td> <td>52.19</td> <td>27.84</td> <td>5.46</td> <td>33.90</td> <td>188</td> <td>324</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2483.52	51.59	54.00	-2.41	52.19	27.84	5.46	33.90	188	324	AVERAGE	<p>Date: 2023-02-06</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:10kHz Mode : 27 Setting : 2M Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>104.01</td> <td>-----</td> <td>-----</td> <td>104.62</td> <td>27.83</td> <td>5.46</td> <td>33.90</td> <td>188</td> <td>324</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2480.00	104.01	-----	-----	104.62	27.83	5.46	33.90	188	324	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2483.52	51.59	54.00	-2.41	52.19	27.84	5.46	33.90	188	324	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2480.00	104.01	-----	-----	104.62	27.83	5.46	33.90	188	324	AVERAGE																																																																															



		19																																																																																		
Mode	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																			
ANT	5																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<p>Date: 2023-02-06</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 27 Setting : 2M Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="2"></th> <th colspan="2"></th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>63.41</td> <td>74.00</td> <td>-10.59</td> <td>64.01</td> <td>27.84</td> <td>5.46 33.90</td> <td>100 240 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2483.56	63.41	74.00	-10.59	64.01	27.84	5.46 33.90	100 240 PEAK	<p>Date: 2023-02-06</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 27 Setting : 2M Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="2"></th> <th colspan="2"></th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>102.38</td> <td>-----</td> <td>-----</td> <td>102.99</td> <td>27.83</td> <td>5.46 33.90</td> <td>100 240 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2480.00	102.38	-----	-----	102.99	27.83	5.46 33.90	100 240 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
cm	deg																																																																																			
1	2483.56	63.41	74.00	-10.59	64.01	27.84	5.46 33.90	100 240 PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
cm	deg																																																																																			
1	2480.00	102.38	-----	-----	102.99	27.83	5.46 33.90	100 240 PEAK																																																																												
Avg	<p>Date: 2023-02-06</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:10kHz Mode : 27 Setting : 2M Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="2"></th> <th colspan="2"></th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>48.68</td> <td>54.00</td> <td>-5.32</td> <td>49.28</td> <td>27.84</td> <td>5.46 33.90</td> <td>100 240 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2483.54	48.68	54.00	-5.32	49.28	27.84	5.46 33.90	100 240 AVERAGE	<p>Date: 2023-02-06</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:10kHz Mode : 27 Setting : 2M Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="2"></th> <th colspan="2"></th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.76</td> <td>-----</td> <td>-----</td> <td>101.37</td> <td>27.83</td> <td>5.46 33.90</td> <td>100 240 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2480.00	100.76	-----	-----	101.37	27.83	5.46 33.90	100 240 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
cm	deg																																																																																			
1	2483.54	48.68	54.00	-5.32	49.28	27.84	5.46 33.90	100 240 AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
cm	deg																																																																																			
1	2480.00	100.76	-----	-----	101.37	27.83	5.46 33.90	100 240 AVERAGE																																																																												



Mode	19																																																																													
	Harmonic																																																																													
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																													
ANT	5																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 27 Setting : 2M Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>42.17</td> <td>74.00</td> <td>-31.83</td> <td>51.67</td> <td>31.83</td> <td>8.46</td> <td>49.79</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>45.95</td> <td>74.00</td> <td>-28.05</td> <td>49.70</td> <td>36.34</td> <td>10.17</td> <td>50.26</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1	4960.00	42.17	74.00	-31.83	51.67	31.83	8.46	49.79	--- Peak	2	7440.00	45.95	74.00	-28.05	49.70	36.34	10.17	50.26	--- Peak	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 27 Setting : 2M Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.72</td> <td>74.00</td> <td>-32.28</td> <td>51.22</td> <td>31.83</td> <td>8.46</td> <td>49.79</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>45.80</td> <td>74.00</td> <td>-28.20</td> <td>49.55</td> <td>36.34</td> <td>10.17</td> <td>50.26</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1	4960.00	41.72	74.00	-32.28	51.22	31.83	8.46	49.79	--- Peak	2	7440.00	45.80	74.00	-28.20	49.55	36.34	10.17	50.26	--- Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																																							
1	4960.00	42.17	74.00	-31.83	51.67	31.83	8.46	49.79	--- Peak																																																																					
2	7440.00	45.95	74.00	-28.05	49.70	36.34	10.17	50.26	--- Peak																																																																					
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																																							
1	4960.00	41.72	74.00	-32.28	51.22	31.83	8.46	49.79	--- Peak																																																																					
2	7440.00	45.80	74.00	-28.20	49.55	36.34	10.17	50.26	--- Peak																																																																					



Mode	20																																																																																			
	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																			
ANT	5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
	Peak	<p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 28 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2377.44</td> <td>52.34</td> <td>74.00</td> <td>-21.66</td> <td>53.39</td> <td>27.48</td> <td>5.35 33.88</td> <td>300 46 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2377.44	52.34	74.00	-21.66	53.39	27.48	5.35 33.88	300 46 PEAK																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
cm	deg																																																																																			
1	2377.44	52.34	74.00	-21.66	53.39	27.48	5.35 33.88	300 46 PEAK																																																																												
Avg	<p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 28 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2382.04</td> <td>40.11</td> <td>54.00</td> <td>-13.89</td> <td>41.14</td> <td>27.50</td> <td>5.35 33.88</td> <td>300 46 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2382.04	40.11	54.00	-13.89	41.14	27.50	5.35 33.88	300 46 AVERAGE	<p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 28 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>99.57</td> <td>-----</td> <td>-----</td> <td>100.51</td> <td>27.57</td> <td>5.37 33.88</td> <td>300 46 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2402.00	99.57	-----	-----	100.51	27.57	5.37 33.88	300 46 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
cm	deg																																																																																			
1	2382.04	40.11	54.00	-13.89	41.14	27.50	5.35 33.88	300 46 AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
cm	deg																																																																																			
1	2402.00	99.57	-----	-----	100.51	27.57	5.37 33.88	300 46 PEAK																																																																												
	<p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 28 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>98.42</td> <td>-----</td> <td>-----</td> <td>99.36</td> <td>27.57</td> <td>5.37 33.88</td> <td>300 46 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2402.00	98.42	-----	-----	99.36	27.57	5.37 33.88	300 46 AVERAGE																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
cm	deg																																																																																			
1	2402.00	98.42	-----	-----	99.36	27.57	5.37 33.88	300 46 AVERAGE																																																																												



		20																																																																																								
Mode	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																									
ANT	5																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 28 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2364.46</td> <td>52.64</td> <td>74.00</td> <td>-21.36</td> <td>53.73</td> <td>27.44</td> <td>5.34</td> <td>33.87</td> <td>300</td> <td>96</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2364.46	52.64	74.00	-21.36	53.73	27.44	5.34	33.87	300	96	PEAK	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 28 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>89.06</td> <td>-----</td> <td>-----</td> <td>98.00</td> <td>27.57</td> <td>5.37</td> <td>33.88</td> <td>300</td> <td>96</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2402.00	89.06	-----	-----	98.00	27.57	5.37	33.88	300	96	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2364.46	52.64	74.00	-21.36	53.73	27.44	5.34	33.87	300	96	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2402.00	89.06	-----	-----	98.00	27.57	5.37	33.88	300	96	PEAK																																																																															
Avg	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 28 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2350.85</td> <td>40.17</td> <td>54.00</td> <td>-13.83</td> <td>41.32</td> <td>27.39</td> <td>5.33</td> <td>33.87</td> <td>300</td> <td>96</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2350.85	40.17	54.00	-13.83	41.32	27.39	5.33	33.87	300	96	AVERAGE	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 28 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>87.92</td> <td>-----</td> <td>-----</td> <td>88.86</td> <td>27.57</td> <td>5.37</td> <td>33.88</td> <td>300</td> <td>96</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2402.00	87.92	-----	-----	88.86	27.57	5.37	33.88	300	96	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2350.85	40.17	54.00	-13.83	41.32	27.39	5.33	33.87	300	96	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2402.00	87.92	-----	-----	88.86	27.57	5.37	33.88	300	96	AVERAGE																																																																															



Mode	20																																																							
	Harmonic																																																							
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																							
ANT	5																																																							
Pol.	Horizontal	Vertical																																																						
Peak Avg	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91280-1474-2022 HORIZONTAL Mode : 20 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4804.00</td> <td>43.53</td> <td>74.00</td> <td>-30.47</td> <td>52.80</td> <td>31.55</td> <td>8.94</td> <td>49.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1 4804.00	43.53	74.00	-30.47	52.80	31.55	8.94	49.76	--- --- Peak	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91280-1474-2022 VERTICAL Mode : 20 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4804.00</td> <td>42.61</td> <td>74.00</td> <td>-31.39</td> <td>51.88</td> <td>31.55</td> <td>8.94</td> <td>49.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1 4804.00	42.61	74.00	-31.39	51.88	31.55	8.94	49.76	--- --- Peak
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																	
1 4804.00	43.53	74.00	-30.47	52.80	31.55	8.94	49.76	--- --- Peak																																																
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																	
1 4804.00	42.61	74.00	-31.39	51.88	31.55	8.94	49.76	--- --- Peak																																																



Mode	21																																																																																					
	Harmonic																																																																																					
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																					
ANT	5																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 29 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>42.99</td> <td>74.00</td> <td>-31.01</td> <td>52.38</td> <td>31.68</td> <td>8.71</td> <td>49.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.40</td> <td>74.00</td> <td>-28.60</td> <td>48.97</td> <td>36.22</td> <td>10.18</td> <td>49.97</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg	1	4880.00	42.99	74.00	-31.01	52.38	31.68	8.71	49.78	---	Peak	2	7320.00	45.40	74.00	-28.60	48.97	36.22	10.18	49.97	---	Peak	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 29 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>43.02</td> <td>74.00</td> <td>-30.98</td> <td>52.41</td> <td>31.68</td> <td>8.71</td> <td>49.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.03</td> <td>74.00</td> <td>-28.97</td> <td>48.60</td> <td>36.22</td> <td>10.18</td> <td>49.97</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg	1	4880.00	43.02	74.00	-30.98	52.41	31.68	8.71	49.78	---	Peak	2	7320.00	45.03	74.00	-28.97	48.60	36.22	10.18	49.97	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg																																																																													
1	4880.00	42.99	74.00	-31.01	52.38	31.68	8.71	49.78	---	Peak																																																																												
2	7320.00	45.40	74.00	-28.60	48.97	36.22	10.18	49.97	---	Peak																																																																												
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg																																																																													
1	4880.00	43.02	74.00	-30.98	52.41	31.68	8.71	49.78	---	Peak																																																																												
2	7320.00	45.03	74.00	-28.97	48.60	36.22	10.18	49.97	---	Peak																																																																												



Mode	22																																																																	
	Band Edge																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																	
ANT	5																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 30 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>54.74</td> <td>74.00</td> <td>-19.26</td> <td>55.34</td> <td>27.84</td> <td>5.46 33.90 160 321 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.56	54.74	74.00	-19.26	55.34	27.84	5.46 33.90 160 321 PEAK	<p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 30 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>105.54</td> <td>-----</td> <td>-----</td> <td>106.15</td> <td>27.83</td> <td>5.46 33.90 160 321 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	105.54	-----	-----	106.15	27.83	5.46 33.90 160 321 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	2483.56	54.74	74.00	-19.26	55.34	27.84	5.46 33.90 160 321 PEAK																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	2480.00	105.54	-----	-----	106.15	27.83	5.46 33.90 160 321 PEAK																																																											
Avg	<p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 30 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>41.08</td> <td>54.00</td> <td>-12.92</td> <td>41.68</td> <td>27.84</td> <td>5.46 33.90 160 321 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.52	41.08	54.00	-12.92	41.68	27.84	5.46 33.90 160 321 AVERAGE	<p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 30 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>104.38</td> <td>-----</td> <td>-----</td> <td>104.99</td> <td>27.83</td> <td>5.46 33.90 160 321 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	104.38	-----	-----	104.99	27.83	5.46 33.90 160 321 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	2483.52	41.08	54.00	-12.92	41.68	27.84	5.46 33.90 160 321 AVERAGE																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	2480.00	104.38	-----	-----	104.99	27.83	5.46 33.90 160 321 AVERAGE																																																											



Mode	22																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																	
ANT	5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 30 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.22</td> <td>52.82</td> <td>74.00</td> <td>-21.18</td> <td>53.41</td> <td>27.85</td> <td>5.46 33.90 137 240 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	2486.22	52.82	74.00	-21.18	53.41	27.85	5.46 33.90 137 240 PEAK	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 30 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>102.98</td> <td>-----</td> <td>-----</td> <td>103.59</td> <td>27.83</td> <td>5.46 33.90 137 240 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	2480.00	102.98	-----	-----	103.59	27.83	5.46 33.90 137 240 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
						cm	deg																																																																											
1	2486.22	52.82	74.00	-21.18	53.41	27.85	5.46 33.90 137 240 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
						cm	deg																																																																											
1	2480.00	102.98	-----	-----	103.59	27.83	5.46 33.90 137 240 PEAK																																																																											
Avg	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 30 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.60</td> <td>40.65</td> <td>54.00</td> <td>-13.35</td> <td>41.25</td> <td>27.84</td> <td>5.46 33.90 137 240 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	2483.60	40.65	54.00	-13.35	41.25	27.84	5.46 33.90 137 240 AVERAGE	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 30 Setting : 125kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.80</td> <td>-----</td> <td>-----</td> <td>102.41</td> <td>27.83</td> <td>5.46 33.90 137 240 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	2480.00	101.80	-----	-----	102.41	27.83	5.46 33.90 137 240 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
						cm	deg																																																																											
1	2483.60	40.65	54.00	-13.35	41.25	27.84	5.46 33.90 137 240 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
						cm	deg																																																																											
1	2480.00	101.80	-----	-----	102.41	27.83	5.46 33.90 137 240 AVERAGE																																																																											



Mode	22																																																																									
	Harmonic																																																																									
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																									
ANT	5																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<p>Date: 2023-02-11</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 30 Setting : 125kbps Plane : Z with accessories Plane : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4960.00</td> <td>41.72</td> <td>74.00</td> <td>-32.28</td> <td>51.22</td> <td>31.83</td> <td>8.46</td> <td>49.79</td> <td>--- Peak</td> </tr> <tr> <td>2 7440.00</td> <td>45.25</td> <td>74.00</td> <td>-28.75</td> <td>49.00</td> <td>36.34</td> <td>10.17</td> <td>50.26</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1 4960.00	41.72	74.00	-32.28	51.22	31.83	8.46	49.79	--- Peak	2 7440.00	45.25	74.00	-28.75	49.00	36.34	10.17	50.26	--- Peak	<p>Date: 2023-02-11</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 30 Setting : 125kbps Plane : Z with accessories Plane : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4960.00</td> <td>41.83</td> <td>74.00</td> <td>-32.17</td> <td>51.33</td> <td>31.83</td> <td>8.46</td> <td>49.79</td> <td>--- Peak</td> </tr> <tr> <td>2 7440.00</td> <td>45.71</td> <td>74.00</td> <td>-28.29</td> <td>49.46</td> <td>36.34</td> <td>10.17</td> <td>50.26</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1 4960.00	41.83	74.00	-32.17	51.33	31.83	8.46	49.79	--- Peak	2 7440.00	45.71	74.00	-28.29	49.46	36.34	10.17	50.26	--- Peak
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																																			
1 4960.00	41.72	74.00	-32.28	51.22	31.83	8.46	49.79	--- Peak																																																																		
2 7440.00	45.25	74.00	-28.75	49.00	36.34	10.17	50.26	--- Peak																																																																		
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																																			
1 4960.00	41.83	74.00	-32.17	51.33	31.83	8.46	49.79	--- Peak																																																																		
2 7440.00	45.71	74.00	-28.29	49.46	36.34	10.17	50.26	--- Peak																																																																		



Mode	23																																																																																			
	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																			
ANT	5																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
	<div data-bbox="274 593 798 1030" data-label="Figure"> </div> <div data-bbox="258 1048 542 1160" data-label="Text"> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 31 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> </div> <div data-bbox="268 1169 734 1254" data-label="Table"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2369.62</td> <td>52.37</td> <td>74.00</td> <td>-21.63</td> <td>53.44</td> <td>27.46</td> <td>5.34 33.87</td> <td>300 175 PEAK</td> </tr> </tbody> </table> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2369.62	52.37	74.00	-21.63	53.44	27.46	5.34 33.87	300 175 PEAK	<div data-bbox="917 593 1444 1030" data-label="Figure"> </div> <div data-bbox="901 1048 1181 1160" data-label="Text"> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 31 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> </div> <div data-bbox="917 1169 1380 1254" data-label="Table"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>89.95</td> <td>-----</td> <td>-----</td> <td>98.89</td> <td>27.57</td> <td>5.37 33.88</td> <td>300 175 PEAK</td> </tr> </tbody> </table> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2402.00	89.95	-----	-----	98.89	27.57	5.37 33.88	300 175 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
				cm	deg																																																																															
1	2369.62	52.37	74.00	-21.63	53.44	27.46	5.34 33.87	300 175 PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
				cm	deg																																																																															
1	2402.00	89.95	-----	-----	98.89	27.57	5.37 33.88	300 175 PEAK																																																																												
Avg	<div data-bbox="274 1288 798 1724" data-label="Figure"> </div> <div data-bbox="258 1729 542 1841" data-label="Text"> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 31 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> </div> <div data-bbox="268 1850 734 1935" data-label="Table"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2341.19</td> <td>40.23</td> <td>54.00</td> <td>-13.77</td> <td>41.42</td> <td>27.36</td> <td>5.32 33.87</td> <td>300 175 AVERAGE</td> </tr> </tbody> </table> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2341.19	40.23	54.00	-13.77	41.42	27.36	5.32 33.87	300 175 AVERAGE	<div data-bbox="917 1288 1444 1724" data-label="Figure"> </div> <div data-bbox="901 1729 1181 1841" data-label="Text"> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 31 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> </div> <div data-bbox="917 1850 1380 1935" data-label="Table"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>88.98</td> <td>-----</td> <td>-----</td> <td>89.92</td> <td>27.57</td> <td>5.37 33.88</td> <td>300 175 AVERAGE</td> </tr> </tbody> </table> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2402.00	88.98	-----	-----	89.92	27.57	5.37 33.88	300 175 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
				cm	deg																																																																															
1	2341.19	40.23	54.00	-13.77	41.42	27.36	5.32 33.87	300 175 AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
				cm	deg																																																																															
1	2402.00	88.98	-----	-----	89.92	27.57	5.37 33.88	300 175 AVERAGE																																																																												



		23																																																																																
Mode	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																	
ANT	5																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 31 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2323.06</td> <td>52.39</td> <td>74.00</td> <td>-21.61</td> <td>53.65</td> <td>27.30</td> <td>5.30 33.86 100 173 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2323.06	52.39	74.00	-21.61	53.65	27.30	5.30 33.86 100 173 PEAK	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 31 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>95.99</td> <td>-----</td> <td>-----</td> <td>96.93</td> <td>27.57</td> <td>5.37 33.88 100 173 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2402.00	95.99	-----	-----	96.93	27.57	5.37 33.88 100 173 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
				cm	deg																																																																													
1	2323.06	52.39	74.00	-21.61	53.65	27.30	5.30 33.86 100 173 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
				cm	deg																																																																													
1	2402.00	95.99	-----	-----	96.93	27.57	5.37 33.88 100 173 PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 31 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2345.88</td> <td>40.15</td> <td>54.00</td> <td>-13.85</td> <td>41.32</td> <td>27.38</td> <td>5.32 33.87 100 173 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2345.88	40.15	54.00	-13.85	41.32	27.38	5.32 33.87 100 173 AVERAGE	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 31 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>94.89</td> <td>-----</td> <td>-----</td> <td>95.83</td> <td>27.57</td> <td>5.37 33.88 100 173 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2402.00	94.89	-----	-----	95.83	27.57	5.37 33.88 100 173 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
				cm	deg																																																																													
1	2345.88	40.15	54.00	-13.85	41.32	27.38	5.32 33.87 100 173 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
				cm	deg																																																																													
1	2402.00	94.89	-----	-----	95.83	27.57	5.37 33.88 100 173 AVERAGE																																																																											



Mode	23																																																																									
	Harmonic																																																																									
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																									
ANT	5																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak	<p>Date: 2023-02-11</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91280-1474-2022 HORIZONTAL Mode : 31 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4804.00</td> <td>42.95</td> <td>74.00</td> <td>-31.05</td> <td>52.22</td> <td>31.55</td> <td>8.94</td> <td>49.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 4804.00	42.95	74.00	-31.05	52.22	31.55	8.94	49.76	--- --- Peak	<p>Date: 2023-02-11</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91280-1474-2022 VERTICAL Mode : 31 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4804.00</td> <td>42.78</td> <td>74.00</td> <td>-31.22</td> <td>52.05</td> <td>31.55</td> <td>8.94</td> <td>49.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 4804.00	42.78	74.00	-31.22	52.05	31.55	8.94	49.76	--- --- Peak
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level	Line	Limit	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 4804.00	42.95	74.00	-31.05	52.22	31.55	8.94	49.76	--- --- Peak																																																																		
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level	Line	Limit	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 4804.00	42.78	74.00	-31.22	52.05	31.55	8.94	49.76	--- --- Peak																																																																		
Avg	<p>Date: 2023-02-11</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91280-1474-2022 HORIZONTAL Mode : 31 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4804.00</td> <td>42.95</td> <td>74.00</td> <td>-31.05</td> <td>52.22</td> <td>31.55</td> <td>8.94</td> <td>49.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 4804.00	42.95	74.00	-31.05	52.22	31.55	8.94	49.76	--- --- Peak	<p>Date: 2023-02-11</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91280-1474-2022 VERTICAL Mode : 31 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4804.00</td> <td>42.78</td> <td>74.00</td> <td>-31.22</td> <td>52.05</td> <td>31.55</td> <td>8.94</td> <td>49.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 4804.00	42.78	74.00	-31.22	52.05	31.55	8.94	49.76	--- --- Peak
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level	Line	Limit	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 4804.00	42.95	74.00	-31.05	52.22	31.55	8.94	49.76	--- --- Peak																																																																		
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level	Line	Limit	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 4804.00	42.78	74.00	-31.22	52.05	31.55	8.94	49.76	--- --- Peak																																																																		



Mode	24																																																																													
	Harmonic																																																																													
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																													
ANT	5																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<p>Date: 2023-02-11</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 32 Setting : 500kbps Plane : Z with accessories Plane : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>43.01</td> <td>74.00</td> <td>-30.99</td> <td>52.40</td> <td>31.68</td> <td>8.71</td> <td>49.78</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>44.69</td> <td>74.00</td> <td>-29.31</td> <td>48.26</td> <td>36.22</td> <td>10.18</td> <td>49.97</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1	4880.00	43.01	74.00	-30.99	52.40	31.68	8.71	49.78	--- Peak	2	7320.00	44.69	74.00	-29.31	48.26	36.22	10.18	49.97	--- Peak	<p>Date: 2023-02-11</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 32 Setting : 500kbps Plane : Z with accessories Plane : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>42.57</td> <td>74.00</td> <td>-31.43</td> <td>51.96</td> <td>31.68</td> <td>8.71</td> <td>49.78</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.05</td> <td>74.00</td> <td>-28.95</td> <td>48.62</td> <td>36.22</td> <td>10.18</td> <td>49.97</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1	4880.00	42.57	74.00	-31.43	51.96	31.68	8.71	49.78	--- Peak	2	7320.00	45.05	74.00	-28.95	48.62	36.22	10.18	49.97	--- Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																																							
1	4880.00	43.01	74.00	-30.99	52.40	31.68	8.71	49.78	--- Peak																																																																					
2	7320.00	44.69	74.00	-29.31	48.26	36.22	10.18	49.97	--- Peak																																																																					
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																																							
1	4880.00	42.57	74.00	-31.43	51.96	31.68	8.71	49.78	--- Peak																																																																					
2	7320.00	45.05	74.00	-28.95	48.62	36.22	10.18	49.97	--- Peak																																																																					



Mode	25																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																	
ANT	5																																																																																	
Pol.	Horizontal	Fundamental																																																																																
	Peak	<p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 33 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>53.52</td> <td>74.00</td> <td>-20.48</td> <td>54.12</td> <td>27.84</td> <td>5.46 33.90 101 324 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2483.58	53.52	74.00	-20.48	54.12	27.84	5.46 33.90 101 324 PEAK																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
cm	deg																																																																																	
1	2483.58	53.52	74.00	-20.48	54.12	27.84	5.46 33.90 101 324 PEAK																																																																											
Avg	<p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 33 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>40.88</td> <td>54.00</td> <td>-13.12</td> <td>41.48</td> <td>27.84</td> <td>5.46 33.90 101 324 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2483.68	40.88	54.00	-13.12	41.48	27.84	5.46 33.90 101 324 AVERAGE	<p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 33 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>105.62</td> <td>-----</td> <td>-----</td> <td>106.23</td> <td>27.83</td> <td>5.46 33.90 101 324 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2480.00	105.62	-----	-----	106.23	27.83	5.46 33.90 101 324 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
cm	deg																																																																																	
1	2483.68	40.88	54.00	-13.12	41.48	27.84	5.46 33.90 101 324 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
cm	deg																																																																																	
1	2480.00	105.62	-----	-----	106.23	27.83	5.46 33.90 101 324 PEAK																																																																											
	<p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 33 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>103.68</td> <td>-----</td> <td>-----</td> <td>104.29</td> <td>27.83</td> <td>5.46 33.90 101 324 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2480.00	103.68	-----	-----	104.29	27.83	5.46 33.90 101 324 AVERAGE																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
cm	deg																																																																																	
1	2480.00	103.68	-----	-----	104.29	27.83	5.46 33.90 101 324 AVERAGE																																																																											



Mode	25																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																			
ANT	5																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 33 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2492.88</td> <td>52.98</td> <td>74.00</td> <td>-21.02</td> <td>53.53</td> <td>27.88</td> <td>5.47 33.90</td> <td>145 260 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2492.88	52.98	74.00	-21.02	53.53	27.88	5.47 33.90	145 260 PEAK	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 33 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>102.92</td> <td>-----</td> <td>-----</td> <td>103.53</td> <td>27.83</td> <td>5.46 33.90</td> <td>145 260 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	102.92	-----	-----	103.53	27.83	5.46 33.90	145 260 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1	2492.88	52.98	74.00	-21.02	53.53	27.88	5.47 33.90	145 260 PEAK																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1	2480.00	102.92	-----	-----	103.53	27.83	5.46 33.90	145 260 PEAK																																																												
Avg	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 33 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>40.67</td> <td>54.00</td> <td>-13.33</td> <td>41.27</td> <td>27.84</td> <td>5.46 33.90</td> <td>145 260 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.68	40.67	54.00	-13.33	41.27	27.84	5.46 33.90	145 260 AVERAGE	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 33 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.86</td> <td>-----</td> <td>-----</td> <td>102.47</td> <td>27.83</td> <td>5.46 33.90</td> <td>145 260 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	101.86	-----	-----	102.47	27.83	5.46 33.90	145 260 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1	2483.68	40.67	54.00	-13.33	41.27	27.84	5.46 33.90	145 260 AVERAGE																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1	2480.00	101.86	-----	-----	102.47	27.83	5.46 33.90	145 260 AVERAGE																																																												



Mode	25																																																																													
	Harmonic																																																																													
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																													
ANT	5																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<p>Date: 2023-02-11</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 33 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.00</td> <td>74.00</td> <td>-33.00</td> <td>50.50</td> <td>31.83</td> <td>8.46</td> <td>49.79</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>46.11</td> <td>74.00</td> <td>-27.89</td> <td>49.86</td> <td>36.34</td> <td>10.17</td> <td>50.26</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1	4960.00	41.00	74.00	-33.00	50.50	31.83	8.46	49.79	--- Peak	2	7440.00	46.11	74.00	-27.89	49.86	36.34	10.17	50.26	--- Peak	<p>Date: 2023-02-11</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 33 Setting : 500kbps Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.16</td> <td>74.00</td> <td>-32.84</td> <td>50.66</td> <td>31.83</td> <td>8.46</td> <td>49.79</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>46.23</td> <td>74.00</td> <td>-27.77</td> <td>49.98</td> <td>36.34</td> <td>10.17</td> <td>50.26</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1	4960.00	41.16	74.00	-32.84	50.66	31.83	8.46	49.79	--- Peak	2	7440.00	46.23	74.00	-27.77	49.98	36.34	10.17	50.26	--- Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																																							
1	4960.00	41.00	74.00	-33.00	50.50	31.83	8.46	49.79	--- Peak																																																																					
2	7440.00	46.11	74.00	-27.89	49.86	36.34	10.17	50.26	--- Peak																																																																					
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																																							
1	4960.00	41.16	74.00	-32.84	50.66	31.83	8.46	49.79	--- Peak																																																																					
2	7440.00	46.23	74.00	-27.77	49.98	36.34	10.17	50.26	--- Peak																																																																					



Mode	26																																																																																																																																																																																																	
	LF																																																																																																																																																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																																																																																	
ANT	5																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																
QP/ Peak	<p>Site : 03CH04-SZ Condition: FCC CLASS-B 3m LF_ANT_41909_22 HORIZONTAL Mode : 34 Setting : 2M Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>23.70</td> <td>40.00</td> <td>-16.30</td> <td>29.21</td> <td>25.86</td> <td>0.53</td> <td>31.90</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>212.36</td> <td>20.65</td> <td>43.50</td> <td>-22.85</td> <td>34.46</td> <td>15.98</td> <td>1.49</td> <td>31.28</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>514.03</td> <td>24.88</td> <td>46.00</td> <td>-21.12</td> <td>28.65</td> <td>24.69</td> <td>2.37</td> <td>30.83</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>670.20</td> <td>27.09</td> <td>46.00</td> <td>-18.91</td> <td>28.78</td> <td>26.55</td> <td>2.69</td> <td>30.93</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>802.12</td> <td>29.75</td> <td>46.00</td> <td>-16.25</td> <td>28.82</td> <td>28.89</td> <td>2.94</td> <td>30.90</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>956.35</td> <td>32.61</td> <td>46.00</td> <td>-13.39</td> <td>29.10</td> <td>31.03</td> <td>3.24</td> <td>30.76</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.00	23.70	40.00	-16.30	29.21	25.86	0.53	31.90	---	---	Peak	2	212.36	20.65	43.50	-22.85	34.46	15.98	1.49	31.28	---	---	Peak	3	514.03	24.88	46.00	-21.12	28.65	24.69	2.37	30.83	---	---	Peak	4	670.20	27.09	46.00	-18.91	28.78	26.55	2.69	30.93	---	---	Peak	5	802.12	29.75	46.00	-16.25	28.82	28.89	2.94	30.90	---	---	Peak	6	956.35	32.61	46.00	-13.39	29.10	31.03	3.24	30.76	---	---	Peak	<p>Site : 03CH04-SZ Condition: FCC CLASS-B 3m LF_ANT_41909_22 VERTICAL Mode : 34 Setting : 2M Plane : Z with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>53.28</td> <td>27.60</td> <td>40.00</td> <td>-12.40</td> <td>45.03</td> <td>13.70</td> <td>0.73</td> <td>31.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>330.70</td> <td>20.56</td> <td>46.00</td> <td>-25.44</td> <td>29.37</td> <td>20.35</td> <td>1.91</td> <td>31.07</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>509.18</td> <td>24.97</td> <td>46.00</td> <td>-21.03</td> <td>28.93</td> <td>24.51</td> <td>2.35</td> <td>30.82</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>646.92</td> <td>27.42</td> <td>46.00</td> <td>-18.58</td> <td>29.24</td> <td>26.49</td> <td>2.64</td> <td>30.95</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>836.07</td> <td>29.42</td> <td>46.00</td> <td>-16.58</td> <td>28.54</td> <td>28.83</td> <td>3.02</td> <td>30.97</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>947.62</td> <td>32.29</td> <td>46.00</td> <td>-13.71</td> <td>28.00</td> <td>31.07</td> <td>3.23</td> <td>30.81</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	53.28	27.60	40.00	-12.40	45.03	13.70	0.73	31.86	---	---	Peak	2	330.70	20.56	46.00	-25.44	29.37	20.35	1.91	31.07	---	---	Peak	3	509.18	24.97	46.00	-21.03	28.93	24.51	2.35	30.82	---	---	Peak	4	646.92	27.42	46.00	-18.58	29.24	26.49	2.64	30.95	---	---	Peak	5	836.07	29.42	46.00	-16.58	28.54	28.83	3.02	30.97	---	---	Peak	6	947.62	32.29	46.00	-13.71	28.00	31.07	3.23	30.81	---	---	Peak
Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	30.00	23.70	40.00	-16.30	29.21	25.86	0.53	31.90	---	---	Peak																																																																																																																																																																																							
2	212.36	20.65	43.50	-22.85	34.46	15.98	1.49	31.28	---	---	Peak																																																																																																																																																																																							
3	514.03	24.88	46.00	-21.12	28.65	24.69	2.37	30.83	---	---	Peak																																																																																																																																																																																							
4	670.20	27.09	46.00	-18.91	28.78	26.55	2.69	30.93	---	---	Peak																																																																																																																																																																																							
5	802.12	29.75	46.00	-16.25	28.82	28.89	2.94	30.90	---	---	Peak																																																																																																																																																																																							
6	956.35	32.61	46.00	-13.39	29.10	31.03	3.24	30.76	---	---	Peak																																																																																																																																																																																							
Peak	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	53.28	27.60	40.00	-12.40	45.03	13.70	0.73	31.86	---	---	Peak																																																																																																																																																																																							
2	330.70	20.56	46.00	-25.44	29.37	20.35	1.91	31.07	---	---	Peak																																																																																																																																																																																							
3	509.18	24.97	46.00	-21.03	28.93	24.51	2.35	30.82	---	---	Peak																																																																																																																																																																																							
4	646.92	27.42	46.00	-18.58	29.24	26.49	2.64	30.95	---	---	Peak																																																																																																																																																																																							
5	836.07	29.42	46.00	-16.58	28.54	28.83	3.02	30.97	---	---	Peak																																																																																																																																																																																							
6	947.62	32.29	46.00	-13.71	28.00	31.07	3.23	30.81	---	---	Peak																																																																																																																																																																																							



Mode	27																																																																	
	Band Edge																																																																	
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																	
ANT	6																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 39 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2385.99 52.67 74.00 -21.33</td> <td>53.68 27.51</td> <td>5.36 33.88</td> <td>200</td> <td>336</td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	cm	deg		1 2385.99 52.67 74.00 -21.33	53.68 27.51	5.36 33.88	200	336			PEAK	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 39 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2402.00 100.47</td> <td>101.41 27.57</td> <td>5.37 33.88</td> <td>200</td> <td>336</td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	cm	deg		1 2402.00 100.47	101.41 27.57	5.37 33.88	200	336			PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg																																																												
MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	cm	deg																																																												
1 2385.99 52.67 74.00 -21.33	53.68 27.51	5.36 33.88	200	336			PEAK																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg																																																												
MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	cm	deg																																																												
1 2402.00 100.47	101.41 27.57	5.37 33.88	200	336			PEAK																																																											
Avg	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3kHz Mode : 39 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2379.46 41.12 54.00 -12.88</td> <td>42.16 27.49</td> <td>5.35 33.88</td> <td>200</td> <td>336</td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	cm	deg		1 2379.46 41.12 54.00 -12.88	42.16 27.49	5.35 33.88	200	336			AVERAGE	<p style="text-align: right;">Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3kHz Mode : 39 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2402.00 99.54</td> <td>100.48 27.57</td> <td>5.37 33.88</td> <td>200</td> <td>336</td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	cm	deg		1 2402.00 99.54	100.48 27.57	5.37 33.88	200	336			AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg																																																												
MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	cm	deg																																																												
1 2379.46 41.12 54.00 -12.88	42.16 27.49	5.35 33.88	200	336			AVERAGE																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg																																																												
MHz dBuV/m dBuV/m dB	dBuV dB/m	dB	dB	dB	cm	deg																																																												
1 2402.00 99.54	100.48 27.57	5.37 33.88	200	336			AVERAGE																																																											



Mode	27																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																	
ANT	6																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 39 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2380.66</td> <td>52.42</td> <td>74.00</td> <td>-21.58</td> <td>53.46</td> <td>27.49</td> <td>5.35 33.88 200 18 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2380.66	52.42	74.00	-21.58	53.46	27.49	5.35 33.88 200 18 PEAK	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 39 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>82.83</td> <td>-----</td> <td>83.77</td> <td>27.57</td> <td>5.37 33.88</td> <td>200 18 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2402.00	82.83	-----	83.77	27.57	5.37 33.88	200 18 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
				cm	deg																																																																													
1	2380.66	52.42	74.00	-21.58	53.46	27.49	5.35 33.88 200 18 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
				cm	deg																																																																													
1	2402.00	82.83	-----	83.77	27.57	5.37 33.88	200 18 PEAK																																																																											
Avg	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3kHz Mode : 39 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2345.79</td> <td>40.83</td> <td>54.00</td> <td>-13.17</td> <td>42.00</td> <td>27.38</td> <td>5.32 33.87 200 18 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2345.79	40.83	54.00	-13.17	42.00	27.38	5.32 33.87 200 18 AVERAGE	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3kHz Mode : 39 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>82.02</td> <td>-----</td> <td>82.96</td> <td>27.57</td> <td>5.37 33.88</td> <td>200 18 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2402.00	82.02	-----	82.96	27.57	5.37 33.88	200 18 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
				cm	deg																																																																													
1	2345.79	40.83	54.00	-13.17	42.00	27.38	5.32 33.87 200 18 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
				cm	deg																																																																													
1	2402.00	82.02	-----	82.96	27.57	5.37 33.88	200 18 AVERAGE																																																																											



Mode	27																																																																									
	Harmonic																																																																									
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																									
ANT	6																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 39 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4824.00</td> <td>44.12</td> <td>74.00</td> <td>-29.88</td> <td>53.42</td> <td>31.58</td> <td>8.88</td> <td>49.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 4824.00	44.12	74.00	-29.88	53.42	31.58	8.88	49.76	--- --- Peak	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 39 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4824.00</td> <td>43.64</td> <td>74.00</td> <td>-30.36</td> <td>52.94</td> <td>31.58</td> <td>8.88</td> <td>49.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 4824.00	43.64	74.00	-30.36	52.94	31.58	8.88	49.76	--- --- Peak
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level	Line	Limit	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 4824.00	44.12	74.00	-29.88	53.42	31.58	8.88	49.76	--- --- Peak																																																																		
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level	Line	Limit	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 4824.00	43.64	74.00	-30.36	52.94	31.58	8.88	49.76	--- --- Peak																																																																		



Mode	28																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<p>Date: 2023-02-16</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 40 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>42.59</td> <td>74.00</td> <td>-31.41</td> <td>51.98</td> <td>31.68</td> <td>8.71</td> <td>49.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.27</td> <td>74.00</td> <td>-28.73</td> <td>48.84</td> <td>36.22</td> <td>10.18</td> <td>49.97</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.59	74.00	-31.41	51.98	31.68	8.71	49.78	---	Peak	2	7320.00	45.27	74.00	-28.73	48.84	36.22	10.18	49.97	---	Peak	<p>Date: 2023-02-16</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 40 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>42.93</td> <td>74.00</td> <td>-31.07</td> <td>52.32</td> <td>31.68</td> <td>8.71</td> <td>49.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.69</td> <td>74.00</td> <td>-28.31</td> <td>49.26</td> <td>36.22</td> <td>10.18</td> <td>49.97</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.93	74.00	-31.07	52.32	31.68	8.71	49.78	---	Peak	2	7320.00	45.69	74.00	-28.31	49.26	36.22	10.18	49.97	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	4880.00	42.59	74.00	-31.41	51.98	31.68	8.71	49.78	---	Peak																																																																																												
2	7320.00	45.27	74.00	-28.73	48.84	36.22	10.18	49.97	---	Peak																																																																																												
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	4880.00	42.93	74.00	-31.07	52.32	31.68	8.71	49.78	---	Peak																																																																																												
2	7320.00	45.69	74.00	-28.31	49.26	36.22	10.18	49.97	---	Peak																																																																																												



Mode	29																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																	
ANT	6																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 41 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>55.22</td> <td>74.00</td> <td>-18.78</td> <td>55.82</td> <td>27.84</td> <td>5.46 33.90 162 340 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2483.56	55.22	74.00	-18.78	55.82	27.84	5.46 33.90 162 340 PEAK	<p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 41 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.74</td> <td>-----</td> <td>-----</td> <td>102.35</td> <td>27.83</td> <td>5.46 33.90 162 340 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2480.00	101.74	-----	-----	102.35	27.83	5.46 33.90 162 340 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
cm	deg																																																																																	
1	2483.56	55.22	74.00	-18.78	55.82	27.84	5.46 33.90 162 340 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
cm	deg																																																																																	
1	2480.00	101.74	-----	-----	102.35	27.83	5.46 33.90 162 340 PEAK																																																																											
Avg	<p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3kHz Mode : 41 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2493.24</td> <td>41.51</td> <td>54.00</td> <td>-12.49</td> <td>42.06</td> <td>27.88</td> <td>5.47 33.90 162 340 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2493.24	41.51	54.00	-12.49	42.06	27.88	5.47 33.90 162 340 AVERAGE	<p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3kHz Mode : 41 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.86</td> <td>-----</td> <td>-----</td> <td>101.47</td> <td>27.83</td> <td>5.46 33.90 162 340 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2480.00	100.86	-----	-----	101.47	27.83	5.46 33.90 162 340 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
cm	deg																																																																																	
1	2493.24	41.51	54.00	-12.49	42.06	27.88	5.47 33.90 162 340 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
cm	deg																																																																																	
1	2480.00	100.86	-----	-----	101.47	27.83	5.46 33.90 162 340 AVERAGE																																																																											



Mode	29																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																			
ANT	6																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	<p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 41 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2493.60</td> <td>53.27</td> <td>74.00</td> <td>-20.73</td> <td>53.82</td> <td>27.88</td> <td>5.47 33.90</td> <td>300 213 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2493.60	53.27	74.00	-20.73	53.82	27.88	5.47 33.90	300 213 PEAK	<p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 41 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>96.11</td> <td>-----</td> <td>-----</td> <td>96.72</td> <td>27.83</td> <td>5.46 33.90</td> <td>300 213 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	96.11	-----	-----	96.72	27.83	5.46 33.90	300 213 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1	2493.60	53.27	74.00	-20.73	53.82	27.88	5.47 33.90	300 213 PEAK																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1	2480.00	96.11	-----	-----	96.72	27.83	5.46 33.90	300 213 PEAK																																																												
Avg	<p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3kHz Mode : 41 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.60</td> <td>41.35</td> <td>54.00</td> <td>-12.65</td> <td>41.95</td> <td>27.84</td> <td>5.46 33.90</td> <td>300 213 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.60	41.35	54.00	-12.65	41.95	27.84	5.46 33.90	300 213 AVERAGE	<p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3kHz Mode : 41 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>95.25</td> <td>-----</td> <td>-----</td> <td>95.86</td> <td>27.83</td> <td>5.46 33.90</td> <td>300 213 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	95.25	-----	-----	95.86	27.83	5.46 33.90	300 213 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1	2483.60	41.35	54.00	-12.65	41.95	27.84	5.46 33.90	300 213 AVERAGE																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1	2480.00	95.25	-----	-----	95.86	27.83	5.46 33.90	300 213 AVERAGE																																																												







Mode	29																																																																													
	Harmonic																																																																													
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																													
ANT	6																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 41 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>40.48</td> <td>74.00</td> <td>-33.52</td> <td>49.98</td> <td>31.83</td> <td>8.46</td> <td>49.79</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>46.87</td> <td>74.00</td> <td>-27.13</td> <td>50.62</td> <td>36.34</td> <td>10.17</td> <td>50.26</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1	4960.00	40.48	74.00	-33.52	49.98	31.83	8.46	49.79	--- Peak	2	7440.00	46.87	74.00	-27.13	50.62	36.34	10.17	50.26	--- Peak	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 41 Setting : 1M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.63</td> <td>74.00</td> <td>-32.37</td> <td>51.13</td> <td>31.83</td> <td>8.46</td> <td>49.79</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>44.68</td> <td>74.00</td> <td>-29.32</td> <td>48.43</td> <td>36.34</td> <td>10.17</td> <td>50.26</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1	4960.00	41.63	74.00	-32.37	51.13	31.83	8.46	49.79	--- Peak	2	7440.00	44.68	74.00	-29.32	48.43	36.34	10.17	50.26	--- Peak
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																																							
1	4960.00	40.48	74.00	-33.52	49.98	31.83	8.46	49.79	--- Peak																																																																					
2	7440.00	46.87	74.00	-27.13	50.62	36.34	10.17	50.26	--- Peak																																																																					
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																																							
1	4960.00	41.63	74.00	-32.37	51.13	31.83	8.46	49.79	--- Peak																																																																					
2	7440.00	44.68	74.00	-29.32	48.43	36.34	10.17	50.26	--- Peak																																																																					



		30																																																																												
Mode	Band Edge																																																																													
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																													
ANT	6																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 42 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2330.61</td> <td>52.29</td> <td>74.00</td> <td>-21.71</td> <td>53.53</td> <td>27.32</td> <td>5.31</td> <td>33.87</td> <td>347</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2330.61	52.29	74.00	-21.71	53.53	27.32	5.31	33.87	347	0 PEAK	<p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 42 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>97.44</td> <td>-----</td> <td>-----</td> <td>98.38</td> <td>27.57</td> <td>5.37</td> <td>33.88</td> <td>347</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2402.00	97.44	-----	-----	98.38	27.57	5.37	33.88	347	0 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	2330.61	52.29	74.00	-21.71	53.53	27.32	5.31	33.87	347	0 PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	2402.00	97.44	-----	-----	98.38	27.57	5.37	33.88	347	0 PEAK																																																																				
Avg	<p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 42 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2358.30</td> <td>42.91</td> <td>54.00</td> <td>-11.09</td> <td>44.03</td> <td>27.42</td> <td>5.33</td> <td>33.87</td> <td>347</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2358.30	42.91	54.00	-11.09	44.03	27.42	5.33	33.87	347	0 AVERAGE	<p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 42 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>95.92</td> <td>-----</td> <td>-----</td> <td>96.86</td> <td>27.57</td> <td>5.37</td> <td>33.88</td> <td>347</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2402.00	95.92	-----	-----	96.86	27.57	5.37	33.88	347	0 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	2358.30	42.91	54.00	-11.09	44.03	27.42	5.33	33.87	347	0 AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																						
1	2402.00	95.92	-----	-----	96.86	27.57	5.37	33.88	347	0 AVERAGE																																																																				



		30																																																																														
Mode	Band Edge																																																																															
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																															
ANT	6																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 42 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2316.35</td> <td>53.08</td> <td>74.00</td> <td>-20.92</td> <td>54.36</td> <td>27.28</td> <td>5.30</td> <td>33.86</td> <td>100</td> <td>355</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2316.35	53.08	74.00	-20.92	54.36	27.28	5.30	33.86	100	355	PEAK	 <p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 42 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>93.87</td> <td>-----</td> <td>-----</td> <td>94.81</td> <td>27.57</td> <td>5.37</td> <td>33.88</td> <td>100</td> <td>355</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	93.87	-----	-----	94.81	27.57	5.37	33.88	100	355	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2316.35	53.08	74.00	-20.92	54.36	27.28	5.30	33.86	100	355	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2402.00	93.87	-----	-----	94.81	27.57	5.37	33.88	100	355	PEAK																																																																					
Avg	 <p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 42 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2340.36</td> <td>42.73</td> <td>54.00</td> <td>-11.27</td> <td>43.92</td> <td>27.36</td> <td>5.32</td> <td>33.87</td> <td>100</td> <td>355</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2340.36	42.73	54.00	-11.27	43.92	27.36	5.32	33.87	100	355	AVERAGE	 <p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 42 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>92.40</td> <td>-----</td> <td>-----</td> <td>93.34</td> <td>27.57</td> <td>5.37</td> <td>33.88</td> <td>100</td> <td>355</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	92.40	-----	-----	93.34	27.57	5.37	33.88	100	355	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2340.36	42.73	54.00	-11.27	43.92	27.36	5.32	33.87	100	355	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2402.00	92.40	-----	-----	93.34	27.57	5.37	33.88	100	355	AVERAGE																																																																					



Mode	30																																																																									
	Harmonic																																																																									
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																									
ANT	6																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 42 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4804.00</td> <td>42.61</td> <td>74.00</td> <td>-31.39</td> <td>51.88</td> <td>31.55</td> <td>8.94</td> <td>49.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 4804.00	42.61	74.00	-31.39	51.88	31.55	8.94	49.76	--- --- Peak	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 42 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4804.00</td> <td>44.05</td> <td>74.00</td> <td>-29.95</td> <td>53.32</td> <td>31.55</td> <td>8.94</td> <td>49.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 4804.00	44.05	74.00	-29.95	53.32	31.55	8.94	49.76	--- --- Peak
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level	Line	Limit	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 4804.00	42.61	74.00	-31.39	51.88	31.55	8.94	49.76	--- --- Peak																																																																		
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq Level	Line	Limit	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 4804.00	44.05	74.00	-29.95	53.32	31.55	8.94	49.76	--- --- Peak																																																																		



Mode	31																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 43 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>42.21</td> <td>74.00</td> <td>-31.79</td> <td>51.60</td> <td>31.68</td> <td>8.71</td> <td>49.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.34</td> <td>74.00</td> <td>-28.66</td> <td>48.91</td> <td>36.22</td> <td>10.18</td> <td>49.97</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.21	74.00	-31.79	51.60	31.68	8.71	49.78	---	Peak	2	7320.00	45.34	74.00	-28.66	48.91	36.22	10.18	49.97	---	Peak	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 43 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>42.44</td> <td>74.00</td> <td>-31.56</td> <td>51.83</td> <td>31.68</td> <td>8.71</td> <td>49.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.43</td> <td>74.00</td> <td>-28.57</td> <td>49.00</td> <td>36.22</td> <td>10.18</td> <td>49.97</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.44	74.00	-31.56	51.83	31.68	8.71	49.78	---	Peak	2	7320.00	45.43	74.00	-28.57	49.00	36.22	10.18	49.97	---	Peak
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	4880.00	42.21	74.00	-31.79	51.60	31.68	8.71	49.78	---	Peak																																																																																												
2	7320.00	45.34	74.00	-28.66	48.91	36.22	10.18	49.97	---	Peak																																																																																												
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	4880.00	42.44	74.00	-31.56	51.83	31.68	8.71	49.78	---	Peak																																																																																												
2	7320.00	45.43	74.00	-28.57	49.00	36.22	10.18	49.97	---	Peak																																																																																												



		32																																																																																
Mode	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																	
ANT	6																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 44 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>65.45</td> <td>74.00</td> <td>-8.55</td> <td>66.05</td> <td>27.84</td> <td>5.46</td> <td>33.90</td> <td>159</td> <td>340</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.56	65.45	74.00	-8.55	66.05	27.84	5.46	33.90	159	340	PEAK	<p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 44 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>105.55</td> <td>-----</td> <td>-----</td> <td>106.16</td> <td>27.83</td> <td>5.46</td> <td>33.90</td> <td>159</td> <td>340</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	105.55	-----	-----	106.16	27.83	5.46	33.90	159	340	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.56	65.45	74.00	-8.55	66.05	27.84	5.46	33.90	159	340	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2480.00	105.55	-----	-----	106.16	27.83	5.46	33.90	159	340	PEAK																																																																							
Avg	<p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 44 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>51.40</td> <td>54.00</td> <td>-2.60</td> <td>52.00</td> <td>27.84</td> <td>5.46</td> <td>33.90</td> <td>159</td> <td>340</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.52	51.40	54.00	-2.60	52.00	27.84	5.46	33.90	159	340	AVERAGE	<p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz Mode : 44 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>104.07</td> <td>-----</td> <td>-----</td> <td>104.68</td> <td>27.83</td> <td>5.46</td> <td>33.90</td> <td>159</td> <td>340</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.07	-----	-----	104.68	27.83	5.46	33.90	159	340	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.52	51.40	54.00	-2.60	52.00	27.84	5.46	33.90	159	340	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2480.00	104.07	-----	-----	104.68	27.83	5.46	33.90	159	340	AVERAGE																																																																							



		32																																																																																
Mode	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																	
ANT	6																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2023-02-07</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 44 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>62.95</td> <td>74.00</td> <td>-11.05</td> <td>63.55</td> <td>27.84</td> <td>5.46</td> <td>33.90</td> <td>303</td> <td>94 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2483.52	62.95	74.00	-11.05	63.55	27.84	5.46	33.90	303	94 PEAK	<p style="text-align: right;">Date: 2023-02-07</p> <p style="text-align: right;">PEAK_74</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 44 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>102.16</td> <td>-----</td> <td>-----</td> <td>102.77</td> <td>27.83</td> <td>5.46</td> <td>33.90</td> <td>303</td> <td>94 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	102.16	-----	-----	102.77	27.83	5.46	33.90	303	94 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor	dB	dB	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2483.52	62.95	74.00	-11.05	63.55	27.84	5.46	33.90	303	94 PEAK																																																																								
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss Factor	dB	dB	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2480.00	102.16	-----	-----	102.77	27.83	5.46	33.90	303	94 PEAK																																																																								
Avg	<p style="text-align: right;">Date: 2023-02-07</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 44 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.60</td> <td>48.45</td> <td>54.00</td> <td>-5.55</td> <td>49.05</td> <td>27.84</td> <td>5.46</td> <td>33.90</td> <td>303</td> <td>94 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2483.60	48.45	54.00	-5.55	49.05	27.84	5.46	33.90	303	94 AVERAGE	<p style="text-align: right;">Date: 2023-02-07</p> <p style="text-align: right;">AVG_54</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 VERTICAL : RBW:1000.000kHz VBW:10.000kHz Mode : 44 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.75</td> <td>-----</td> <td>-----</td> <td>101.36</td> <td>27.83</td> <td>5.46</td> <td>33.90</td> <td>303</td> <td>94 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	dB	dB	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	100.75	-----	-----	101.36	27.83	5.46	33.90	303	94 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss Factor	dB	dB	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2483.60	48.45	54.00	-5.55	49.05	27.84	5.46	33.90	303	94 AVERAGE																																																																								
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss Factor	dB	dB	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2480.00	100.75	-----	-----	101.36	27.83	5.46	33.90	303	94 AVERAGE																																																																								



Mode	32																																																																													
	Harmonic																																																																													
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																													
ANT	6																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 44 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.22</td> <td>74.00</td> <td>-32.78</td> <td>50.72</td> <td>31.83</td> <td>8.46</td> <td>49.79</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>46.63</td> <td>74.00</td> <td>-27.37</td> <td>50.38</td> <td>36.34</td> <td>10.17</td> <td>50.26</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1	4960.00	41.22	74.00	-32.78	50.72	31.83	8.46	49.79	--- Peak	2	7440.00	46.63	74.00	-27.37	50.38	36.34	10.17	50.26	--- Peak	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 44 Setting : 2M Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.04</td> <td>74.00</td> <td>-32.96</td> <td>50.54</td> <td>31.83</td> <td>8.46</td> <td>49.79</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>45.43</td> <td>74.00</td> <td>-28.57</td> <td>49.18</td> <td>36.34</td> <td>10.17</td> <td>50.26</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1	4960.00	41.04	74.00	-32.96	50.54	31.83	8.46	49.79	--- Peak	2	7440.00	45.43	74.00	-28.57	49.18	36.34	10.17	50.26	--- Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																																							
1	4960.00	41.22	74.00	-32.78	50.72	31.83	8.46	49.79	--- Peak																																																																					
2	7440.00	46.63	74.00	-27.37	50.38	36.34	10.17	50.26	--- Peak																																																																					
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																																							
1	4960.00	41.04	74.00	-32.96	50.54	31.83	8.46	49.79	--- Peak																																																																					
2	7440.00	45.43	74.00	-28.57	49.18	36.34	10.17	50.26	--- Peak																																																																					



Mode	33																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																									
ANT	6																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
	Peak	Fundamental																																																																																								
Peak	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 4S Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2353.06</td> <td>52.72</td> <td>74.00</td> <td>-21.28</td> <td>53.86</td> <td>27.40</td> <td>5.33</td> <td>33.87</td> <td>400</td> <td>125</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2353.06	52.72	74.00	-21.28	53.86	27.40	5.33	33.87	400	125	PEAK	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 4S Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>99.41</td> <td>-----</td> <td>-----</td> <td>100.35</td> <td>27.57</td> <td>5.37</td> <td>33.88</td> <td>400</td> <td>125</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2402.00	99.41	-----	-----	100.35	27.57	5.37	33.88	400	125	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2353.06	52.72	74.00	-21.28	53.86	27.40	5.33	33.87	400	125	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2402.00	99.41	-----	-----	100.35	27.57	5.37	33.88	400	125	PEAK																																																																															
Avg	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 4S Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2358.30</td> <td>40.07</td> <td>54.00</td> <td>-13.93</td> <td>41.19</td> <td>27.42</td> <td>5.33</td> <td>33.87</td> <td>400</td> <td>125</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2358.30	40.07	54.00	-13.93	41.19	27.42	5.33	33.87	400	125	AVERAGE	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 4S Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>98.25</td> <td>-----</td> <td>-----</td> <td>99.19</td> <td>27.57</td> <td>5.37</td> <td>33.88</td> <td>400</td> <td>125</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2402.00	98.25	-----	-----	99.19	27.57	5.37	33.88	400	125	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2358.30	40.07	54.00	-13.93	41.19	27.42	5.33	33.87	400	125	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2402.00	98.25	-----	-----	99.19	27.57	5.37	33.88	400	125	AVERAGE																																																																															



Mode	33																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																	
ANT	6																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 45 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2382.86</td> <td>52.68</td> <td>74.00</td> <td>-21.32</td> <td>53.71</td> <td>27.50</td> <td>5.35 33.88 158 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2382.86	52.68	74.00	-21.32	53.71	27.50	5.35 33.88 158 360 PEAK	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 45 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>93.92</td> <td>-----</td> <td>94.86</td> <td>27.57</td> <td>5.37 33.88</td> <td>158 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2402.00	93.92	-----	94.86	27.57	5.37 33.88	158 360 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
				cm	deg																																																																													
1	2382.86	52.68	74.00	-21.32	53.71	27.50	5.35 33.88 158 360 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
				cm	deg																																																																													
1	2402.00	93.92	-----	94.86	27.57	5.37 33.88	158 360 PEAK																																																																											
Avg	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 45 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2341.19</td> <td>40.05</td> <td>54.00</td> <td>-13.95</td> <td>41.24</td> <td>27.36</td> <td>5.32 33.87 158 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2341.19	40.05	54.00	-13.95	41.24	27.36	5.32 33.87 158 360 AVERAGE	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 45 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>92.71</td> <td>-----</td> <td>93.65</td> <td>27.57</td> <td>5.37 33.88</td> <td>158 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2402.00	92.71	-----	93.65	27.57	5.37 33.88	158 360 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
				cm	deg																																																																													
1	2341.19	40.05	54.00	-13.95	41.24	27.36	5.32 33.87 158 360 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
				cm	deg																																																																													
1	2402.00	92.71	-----	93.65	27.57	5.37 33.88	158 360 AVERAGE																																																																											



Mode	33																																																									
	Harmonic																																																									
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																									
ANT	6																																																									
Pol.	Horizontal	Vertical																																																								
Peak Avg	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 45 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>43.07</td> <td>74.00</td> <td>-30.93</td> <td>52.34</td> <td>31.55</td> <td>8.94</td> <td>49.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1	4804.00	43.07	74.00	-30.93	52.34	31.55	8.94	49.76	--- --- Peak	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 45 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>42.75</td> <td>74.00</td> <td>-31.25</td> <td>52.02</td> <td>31.55</td> <td>8.94</td> <td>49.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1	4804.00	42.75	74.00	-31.25	52.02	31.55	8.94	49.76	--- --- Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																	
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																			
1	4804.00	43.07	74.00	-30.93	52.34	31.55	8.94	49.76	--- --- Peak																																																	
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																		
Freq Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																			
1	4804.00	42.75	74.00	-31.25	52.02	31.55	8.94	49.76	--- --- Peak																																																	



Mode	34																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<p>Date: 2023-02-16</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 46 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>43.25</td> <td>74.00</td> <td>-30.75</td> <td>52.64</td> <td>31.68</td> <td>8.71</td> <td>49.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.38</td> <td>74.00</td> <td>-28.62</td> <td>48.95</td> <td>36.22</td> <td>10.18</td> <td>49.97</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	43.25	74.00	-30.75	52.64	31.68	8.71	49.78	---	Peak	2	7320.00	45.38	74.00	-28.62	48.95	36.22	10.18	49.97	---	Peak	<p>Date: 2023-02-16</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 46 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>42.53</td> <td>74.00</td> <td>-31.47</td> <td>51.92</td> <td>31.68</td> <td>8.71</td> <td>49.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>44.76</td> <td>74.00</td> <td>-29.24</td> <td>48.33</td> <td>36.22</td> <td>10.18</td> <td>49.97</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.53	74.00	-31.47	51.92	31.68	8.71	49.78	---	Peak	2	7320.00	44.76	74.00	-29.24	48.33	36.22	10.18	49.97	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	4880.00	43.25	74.00	-30.75	52.64	31.68	8.71	49.78	---	Peak																																																																																												
2	7320.00	45.38	74.00	-28.62	48.95	36.22	10.18	49.97	---	Peak																																																																																												
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	4880.00	42.53	74.00	-31.47	51.92	31.68	8.71	49.78	---	Peak																																																																																												
2	7320.00	44.76	74.00	-29.24	48.33	36.22	10.18	49.97	---	Peak																																																																																												



Mode	35																																																																	
	Band Edge																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																	
ANT	6																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<p style="text-align: right;">Date: 2023-02-07</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 47 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>53.03</td> <td>74.00</td> <td>-20.97</td> <td>53.63</td> <td>27.84</td> <td>5.46 33.90 100 344 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.58	53.03	74.00	-20.97	53.63	27.84	5.46 33.90 100 344 PEAK	<p style="text-align: right;">Date: 2023-02-07</p> <p style="text-align: right;">PEAK_74</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 47 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>105.52</td> <td>-----</td> <td>-----</td> <td>106.13</td> <td>27.83</td> <td>5.46 33.90 100 344 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	105.52	-----	-----	106.13	27.83	5.46 33.90 100 344 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	2483.58	53.03	74.00	-20.97	53.63	27.84	5.46 33.90 100 344 PEAK																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	2480.00	105.52	-----	-----	106.13	27.83	5.46 33.90 100 344 PEAK																																																											
Avg	<p style="text-align: right;">Date: 2023-02-07</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 47 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>40.90</td> <td>54.00</td> <td>-13.10</td> <td>41.50</td> <td>27.84</td> <td>5.46 33.90 100 344 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.56	40.90	54.00	-13.10	41.50	27.84	5.46 33.90 100 344 AVERAGE	<p style="text-align: right;">Date: 2023-02-07</p> <p style="text-align: right;">AVG_54</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 47 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>104.30</td> <td>-----</td> <td>-----</td> <td>104.91</td> <td>27.83</td> <td>5.46 33.90 100 344 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	104.30	-----	-----	104.91	27.83	5.46 33.90 100 344 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	2483.56	40.90	54.00	-13.10	41.50	27.84	5.46 33.90 100 344 AVERAGE																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	2480.00	104.30	-----	-----	104.91	27.83	5.46 33.90 100 344 AVERAGE																																																											



Mode	35																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																									
ANT	6																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<p>Level (dBuV/m) vs Frequency (MHz) - Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 47 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.22</td> <td>52.88</td> <td>74.00</td> <td>-21.12</td> <td>53.47</td> <td>27.85</td> <td>5.46</td> <td>33.90</td> <td>303</td> <td>96</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2484.22	52.88	74.00	-21.12	53.47	27.85	5.46	33.90	303	96	PEAK	<p>Level (dBuV/m) vs Frequency (MHz) - Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 47 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>102.30</td> <td>-----</td> <td>-----</td> <td>102.91</td> <td>27.83</td> <td>5.46</td> <td>33.90</td> <td>303</td> <td>96</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2480.00	102.30	-----	-----	102.91	27.83	5.46	33.90	303	96	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2484.22	52.88	74.00	-21.12	53.47	27.85	5.46	33.90	303	96	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2480.00	102.30	-----	-----	102.91	27.83	5.46	33.90	303	96	PEAK																																																																															
Avg	<p>Level (dBuV/m) vs Frequency (MHz) - Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 47 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.94</td> <td>40.57</td> <td>54.00</td> <td>-13.43</td> <td>41.13</td> <td>27.87</td> <td>5.47</td> <td>33.90</td> <td>303</td> <td>96</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2489.94	40.57	54.00	-13.43	41.13	27.87	5.47	33.90	303	96	AVERAGE	<p>Level (dBuV/m) vs Frequency (MHz) - Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 47 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.08</td> <td>-----</td> <td>-----</td> <td>101.69</td> <td>27.83</td> <td>5.46</td> <td>33.90</td> <td>303</td> <td>96</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2480.00	101.08	-----	-----	101.69	27.83	5.46	33.90	303	96	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2489.94	40.57	54.00	-13.43	41.13	27.87	5.47	33.90	303	96	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2480.00	101.08	-----	-----	101.69	27.83	5.46	33.90	303	96	AVERAGE																																																																															



Mode	35																																																																																					
	Harmonic																																																																																					
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																					
ANT	6																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<p>Date: 2023-02-16</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 47 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.96</td> <td>74.00</td> <td>-32.04</td> <td>51.46</td> <td>31.83</td> <td>8.46</td> <td>49.79</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>45.39</td> <td>74.00</td> <td>-28.61</td> <td>49.14</td> <td>36.34</td> <td>10.17</td> <td>50.26</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg	1	4960.00	41.96	74.00	-32.04	51.46	31.83	8.46	49.79	---	Peak	2	7440.00	45.39	74.00	-28.61	49.14	36.34	10.17	50.26	---	Peak	<p>Date: 2023-02-16</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 47 Setting : 125kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>42.11</td> <td>74.00</td> <td>-31.89</td> <td>51.61</td> <td>31.83</td> <td>8.46</td> <td>49.79</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>45.49</td> <td>74.00</td> <td>-28.51</td> <td>49.24</td> <td>36.34</td> <td>10.17</td> <td>50.26</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg	1	4960.00	42.11	74.00	-31.89	51.61	31.83	8.46	49.79	---	Peak	2	7440.00	45.49	74.00	-28.51	49.24	36.34	10.17	50.26	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg																																																																													
1	4960.00	41.96	74.00	-32.04	51.46	31.83	8.46	49.79	---	Peak																																																																												
2	7440.00	45.39	74.00	-28.61	49.14	36.34	10.17	50.26	---	Peak																																																																												
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg																																																																													
1	4960.00	42.11	74.00	-31.89	51.61	31.83	8.46	49.79	---	Peak																																																																												
2	7440.00	45.49	74.00	-28.51	49.24	36.34	10.17	50.26	---	Peak																																																																												



Mode	36																																																																																			
	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																			
ANT	6																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
	Peak	<p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 48 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2379.37</td> <td>52.08</td> <td>74.00</td> <td>-21.92</td> <td>53.12</td> <td>27.49</td> <td>5.35 33.88</td> <td>100 173 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2379.37	52.08	74.00	-21.92	53.12	27.49	5.35 33.88	100 173 PEAK																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
cm	deg																																																																																			
1	2379.37	52.08	74.00	-21.92	53.12	27.49	5.35 33.88	100 173 PEAK																																																																												
Avg	<p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 48 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2357.47</td> <td>40.11</td> <td>54.00</td> <td>-13.89</td> <td>41.23</td> <td>27.42</td> <td>5.33 33.87</td> <td>100 173 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2357.47	40.11	54.00	-13.89	41.23	27.42	5.33 33.87	100 173 AVERAGE	<p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 48 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>99.18</td> <td>-----</td> <td>-----</td> <td>100.12</td> <td>27.57</td> <td>5.37 33.88</td> <td>100 173 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2402.00	99.18	-----	-----	100.12	27.57	5.37 33.88	100 173 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
cm	deg																																																																																			
1	2357.47	40.11	54.00	-13.89	41.23	27.42	5.33 33.87	100 173 AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
cm	deg																																																																																			
1	2402.00	99.18	-----	-----	100.12	27.57	5.37 33.88	100 173 PEAK																																																																												
	<p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 48 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>97.35</td> <td>-----</td> <td>-----</td> <td>98.29</td> <td>27.57</td> <td>5.37 33.88</td> <td>100 173 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2402.00	97.35	-----	-----	98.29	27.57	5.37 33.88	100 173 AVERAGE																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
cm	deg																																																																																			
1	2402.00	97.35	-----	-----	98.29	27.57	5.37 33.88	100 173 AVERAGE																																																																												



Mode	36																																																																	
	Band Edge																																																																	
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																	
ANT	6																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 48 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2354.16</td> <td>52.37</td> <td>74.00</td> <td>-21.63</td> <td>53.51</td> <td>27.40</td> <td>5.33 33.87 198 170 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2354.16	52.37	74.00	-21.63	53.51	27.40	5.33 33.87 198 170 PEAK	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 48 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>92.54</td> <td>-----</td> <td>93.48</td> <td>27.57</td> <td>5.37 33.88</td> <td>198 170 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	92.54	-----	93.48	27.57	5.37 33.88	198 170 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	2354.16	52.37	74.00	-21.63	53.51	27.40	5.33 33.87 198 170 PEAK																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	2402.00	92.54	-----	93.48	27.57	5.37 33.88	198 170 PEAK																																																											
Avg	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 48 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2356.37</td> <td>40.22</td> <td>54.00</td> <td>-13.78</td> <td>41.35</td> <td>27.41</td> <td>5.33 33.87 198 170 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2356.37	40.22	54.00	-13.78	41.35	27.41	5.33 33.87 198 170 AVERAGE	<p>Date: 2023-02-07</p> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 48 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>91.54</td> <td>-----</td> <td>92.48</td> <td>27.57</td> <td>5.37 33.88</td> <td>198 170 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	91.54	-----	92.48	27.57	5.37 33.88	198 170 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	2356.37	40.22	54.00	-13.78	41.35	27.41	5.33 33.87 198 170 AVERAGE																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	2402.00	91.54	-----	92.48	27.57	5.37 33.88	198 170 AVERAGE																																																											



Mode	36																																																																											
	Harmonic																																																																											
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																											
ANT	6																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 40 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>42.75</td> <td>74.00</td> <td>-31.25</td> <td>52.02</td> <td>31.55</td> <td>8.94</td> <td>49.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4804.00	42.75	74.00	-31.25	52.02	31.55	8.94	49.76	--- --- Peak	<p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 40 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4804.00</td> <td>42.23</td> <td>74.00</td> <td>-31.77</td> <td>51.50</td> <td>31.55</td> <td>8.94</td> <td>49.76</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4804.00	42.23	74.00	-31.77	51.50	31.55	8.94	49.76	--- --- Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq Level	Line	Limit	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	4804.00	42.75	74.00	-31.25	52.02	31.55	8.94	49.76	--- --- Peak																																																																			
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq Level	Line	Limit	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	4804.00	42.23	74.00	-31.77	51.50	31.55	8.94	49.76	--- --- Peak																																																																			



Mode	37																																																																																					
	Harmonic																																																																																					
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																					
ANT	6																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<p>Date: 2023-02-16</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 49 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>42.74</td> <td>74.00</td> <td>-31.26</td> <td>52.13</td> <td>31.68</td> <td>8.71</td> <td>49.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>45.79</td> <td>74.00</td> <td>-28.21</td> <td>49.36</td> <td>36.22</td> <td>10.18</td> <td>49.97</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg	1	4880.00	42.74	74.00	-31.26	52.13	31.68	8.71	49.78	---	Peak	2	7320.00	45.79	74.00	-28.21	49.36	36.22	10.18	49.97	---	Peak	<p>Date: 2023-02-16</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 49 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4880.00</td> <td>42.40</td> <td>74.00</td> <td>-31.60</td> <td>51.79</td> <td>31.68</td> <td>8.71</td> <td>49.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.00</td> <td>44.58</td> <td>74.00</td> <td>-29.42</td> <td>48.15</td> <td>36.22</td> <td>10.18</td> <td>49.97</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg	1	4880.00	42.40	74.00	-31.60	51.79	31.68	8.71	49.78	---	Peak	2	7320.00	44.58	74.00	-29.42	48.15	36.22	10.18	49.97	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg																																																																													
1	4880.00	42.74	74.00	-31.26	52.13	31.68	8.71	49.78	---	Peak																																																																												
2	7320.00	45.79	74.00	-28.21	49.36	36.22	10.18	49.97	---	Peak																																																																												
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg																																																																													
1	4880.00	42.40	74.00	-31.60	51.79	31.68	8.71	49.78	---	Peak																																																																												
2	7320.00	44.58	74.00	-29.42	48.15	36.22	10.18	49.97	---	Peak																																																																												



38																																																																					
Band Edge																																																																					
2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																					
ANT 6																																																																					
Mode																																																																					
Pol.	Horizontal																																																																				
Peak	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-02-07</p> <p style="text-align: right;">PEAK_BE_74</p> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-02-07</p> <p style="text-align: right;">PEAK_74</p> </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 48%;"> <p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 50 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th rowspan="2">Limit</th> <th rowspan="2">Line</th> <th rowspan="2">Margin</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.74</td> <td>53.11</td> <td>74.00</td> <td>-20.89</td> <td>53.63</td> <td>27.90</td> <td>5.48</td> <td>33.90</td> <td>100</td> <td>341</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:3000kHz Mode : 50 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th rowspan="2">Limit</th> <th rowspan="2">Line</th> <th rowspan="2">Margin</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>105.47</td> <td>-----</td> <td>-----</td> <td>106.08</td> <td>27.83</td> <td>5.46</td> <td>33.90</td> <td>100</td> <td>341</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.74	53.11	74.00	-20.89	53.63	27.90	5.48	33.90	100	341	PEAK	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	105.47	-----	-----	106.08	27.83	5.46	33.90	100	341	PEAK
Freq	Level													Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2498.74	53.11	74.00	-20.89	53.63	27.90	5.48	33.90	100	341	PEAK																																																										
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	2480.00	105.47	-----	-----	106.08	27.83	5.46	33.90	100	341	PEAK																																																										
Avg	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-02-07</p> <p style="text-align: right;">AVG_BE_54</p> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-02-07</p> <p style="text-align: right;">AVG_54</p> </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 48%;"> <p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 50 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th rowspan="2">Limit</th> <th rowspan="2">Line</th> <th rowspan="2">Margin</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>40.72</td> <td>54.00</td> <td>-13.28</td> <td>41.32</td> <td>27.84</td> <td>5.46</td> <td>33.90</td> <td>100</td> <td>341</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 HORIZONTAL : RBW:1000kHz VBW:1kHz Mode : 50 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8px;"> <thead> <tr> <th rowspan="2">Freq</th> <th rowspan="2">Level</th> <th rowspan="2">Limit</th> <th rowspan="2">Line</th> <th rowspan="2">Margin</th> <th rowspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>104.39</td> <td>-----</td> <td>-----</td> <td>105.00</td> <td>27.83</td> <td>5.46</td> <td>33.90</td> <td>100</td> <td>341</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	40.72	54.00	-13.28	41.32	27.84	5.46	33.90	100	341	AVERAGE	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.39	-----	-----	105.00	27.83	5.46	33.90	100	341	AVERAGE
Freq	Level													Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2483.58	40.72	54.00	-13.28	41.32	27.84	5.46	33.90	100	341	AVERAGE																																																										
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	2480.00	104.39	-----	-----	105.00	27.83	5.46	33.90	100	341	AVERAGE																																																										



		38																																																																															
Mode	Band Edge																																																																																
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																
ANT	6																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<p style="text-align: right;">Date: 2023-02-07</p>	<p style="text-align: right;">Date: 2023-02-07</p>																																																																															
	<p>Site : 03CH04-SZ Condition: PEAK_BE_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 50 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>53.73</td> <td>74.00</td> <td>-20.27</td> <td>54.33</td> <td>27.84</td> <td>5.46 33.90 300 93 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2483.54	53.73	74.00	-20.27	54.33	27.84	5.46 33.90 300 93 PEAK	<p>Site : 03CH04-SZ Condition: PEAK_74 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:3000kHz Mode : 50 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.81</td> <td>102.42</td> <td>27.83</td> <td>5.46</td> <td>33.90</td> <td>300 93 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2480.00	101.81	102.42	27.83	5.46	33.90
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
				cm	deg																																																																												
1	2483.54	53.73	74.00	-20.27	54.33	27.84	5.46 33.90 300 93 PEAK																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
				cm	deg																																																																												
1	2480.00	101.81	102.42	27.83	5.46	33.90	300 93 PEAK																																																																										
Avg	<p style="text-align: right;">Date: 2023-02-07</p>	<p style="text-align: right;">Date: 2023-02-07</p>																																																																															
	<p>Site : 03CH04-SZ Condition: AVG_BE_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 50 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2494.64</td> <td>40.50</td> <td>54.00</td> <td>-13.50</td> <td>41.05</td> <td>27.88</td> <td>5.47 33.90 300 93 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2494.64	40.50	54.00	-13.50	41.05	27.88	5.47 33.90 300 93 AVERAGE	<p>Site : 03CH04-SZ Condition: AVG_54 3m 91200-1474-2022 VERTICAL : RBW:1000kHz VBW:1kHz Mode : 50 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.90</td> <td>100.51</td> <td>27.83</td> <td>5.46</td> <td>33.90</td> <td>300 93 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB					cm	deg			1	2480.00	99.90	100.51	27.83	5.46	33.90
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
				cm	deg																																																																												
1	2494.64	40.50	54.00	-13.50	41.05	27.88	5.47 33.90 300 93 AVERAGE																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
				cm	deg																																																																												
1	2480.00	99.90	100.51	27.83	5.46	33.90	300 93 AVERAGE																																																																										



Mode	38																																																																																					
	Harmonic																																																																																					
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																					
ANT	6																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	<p>Date: 2023-02-16</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 HORIZONTAL Mode : 50 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.33</td> <td>74.00</td> <td>-32.67</td> <td>50.83</td> <td>31.83</td> <td>8.46</td> <td>49.79</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>45.76</td> <td>74.00</td> <td>-28.24</td> <td>49.51</td> <td>36.34</td> <td>10.17</td> <td>50.26</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg	1	4960.00	41.33	74.00	-32.67	50.83	31.83	8.46	49.79	---	Peak	2	7440.00	45.76	74.00	-28.24	49.51	36.34	10.17	50.26	---	Peak	<p>Date: 2023-02-16</p> <p>Site : 03CH04-SZ Margin Condition: PEAK_74 3m 91200-1474-2022 VERTICAL Mode : 50 Setting : 500kbps Plane : X with accessories : 355156850101099/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>41.47</td> <td>74.00</td> <td>-32.53</td> <td>50.97</td> <td>31.83</td> <td>8.46</td> <td>49.79</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>45.78</td> <td>74.00</td> <td>-28.22</td> <td>49.53</td> <td>36.34</td> <td>10.17</td> <td>50.26</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg	1	4960.00	41.47	74.00	-32.53	50.97	31.83	8.46	49.79	---	Peak	2	7440.00	45.78	74.00	-28.22	49.53	36.34	10.17	50.26	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg																																																																													
1	4960.00	41.33	74.00	-32.67	50.83	31.83	8.46	49.79	---	Peak																																																																												
2	7440.00	45.76	74.00	-28.24	49.51	36.34	10.17	50.26	---	Peak																																																																												
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	cm	deg																																																																													
1	4960.00	41.47	74.00	-32.53	50.97	31.83	8.46	49.79	---	Peak																																																																												
2	7440.00	45.78	74.00	-28.22	49.53	36.34	10.17	50.26	---	Peak																																																																												



Mode	39																																																																																																	
	LF																																																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak																																																																																																		
Avg																																																																																																		
	<p>Site : 03CH04-SZ Condition: FCC CLASS-B 3m LP_ANT_41909_22 HORIZONTAL Mode : S1 Setting : 20 Plane : X with accessories : 355156850101899/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>23.53</td> <td>46.00</td> <td>-16.47</td> <td>29.04</td> <td>25.86</td> <td>0.53</td> <td>31.90</td> <td>0.00</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>203.63</td> <td>20.57</td> <td>43.50</td> <td>-22.93</td> <td>35.05</td> <td>15.36</td> <td>1.45</td> <td>31.29</td> <td>0.00</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>496.57</td> <td>24.39</td> <td>46.00</td> <td>-21.61</td> <td>28.76</td> <td>24.12</td> <td>2.32</td> <td>30.81</td> <td>0.00</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>589.69</td> <td>27.23</td> <td>46.00</td> <td>-18.77</td> <td>29.38</td> <td>26.29</td> <td>2.54</td> <td>30.58</td> <td>0.00</td> <td>--- Peak</td> </tr> <tr> <td>5</td> <td>785.63</td> <td>29.68</td> <td>46.00</td> <td>-16.32</td> <td>28.88</td> <td>28.79</td> <td>2.91</td> <td>30.90</td> <td>0.00</td> <td>--- Peak</td> </tr> <tr> <td>6</td> <td>944.71</td> <td>32.61</td> <td>46.00</td> <td>-13.39</td> <td>29.25</td> <td>30.97</td> <td>3.22</td> <td>30.83</td> <td>0.00</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dBuV	dB	dB	dB	cm	deg		1	30.00	23.53	46.00	-16.47	29.04	25.86	0.53	31.90	0.00	--- Peak	2	203.63	20.57	43.50	-22.93	35.05	15.36	1.45	31.29	0.00	--- Peak	3	496.57	24.39	46.00	-21.61	28.76	24.12	2.32	30.81	0.00	--- Peak	4	589.69	27.23	46.00	-18.77	29.38	26.29	2.54	30.58	0.00	--- Peak	5	785.63	29.68	46.00	-16.32	28.88	28.79	2.91	30.90	0.00	--- Peak	6	944.71	32.61	46.00	-13.39	29.25	30.97	3.22	30.83	0.00	--- Peak
Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Level	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																																										
1	30.00	23.53	46.00	-16.47	29.04	25.86	0.53	31.90	0.00	--- Peak																																																																																								
2	203.63	20.57	43.50	-22.93	35.05	15.36	1.45	31.29	0.00	--- Peak																																																																																								
3	496.57	24.39	46.00	-21.61	28.76	24.12	2.32	30.81	0.00	--- Peak																																																																																								
4	589.69	27.23	46.00	-18.77	29.38	26.29	2.54	30.58	0.00	--- Peak																																																																																								
5	785.63	29.68	46.00	-16.32	28.88	28.79	2.91	30.90	0.00	--- Peak																																																																																								
6	944.71	32.61	46.00	-13.39	29.25	30.97	3.22	30.83	0.00	--- Peak																																																																																								
	<p>Site : 03CH04-SZ Condition: FCC CLASS-B 3m LP_ANT_41909_22 VERTICAL Mode : S1 Setting : 20 Plane : X with accessories : 355156850101899/355156850101107</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>53.28</td> <td>28.89</td> <td>46.00</td> <td>-11.11</td> <td>46.32</td> <td>13.70</td> <td>0.73</td> <td>31.86</td> <td>0.00</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>351.07</td> <td>20.51</td> <td>46.00</td> <td>-25.49</td> <td>28.95</td> <td>20.63</td> <td>1.98</td> <td>31.05</td> <td>0.00</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>482.02</td> <td>24.81</td> <td>46.00</td> <td>-21.19</td> <td>29.56</td> <td>23.81</td> <td>2.28</td> <td>30.84</td> <td>0.00</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>644.01</td> <td>26.85</td> <td>46.00</td> <td>-19.15</td> <td>28.68</td> <td>26.49</td> <td>2.64</td> <td>30.96</td> <td>0.00</td> <td>--- Peak</td> </tr> <tr> <td>5</td> <td>836.07</td> <td>29.66</td> <td>46.00</td> <td>-16.34</td> <td>28.78</td> <td>28.83</td> <td>3.02</td> <td>30.97</td> <td>0.00</td> <td>--- Peak</td> </tr> <tr> <td>6</td> <td>956.35</td> <td>32.45</td> <td>46.00</td> <td>-13.55</td> <td>28.94</td> <td>31.03</td> <td>3.24</td> <td>30.76</td> <td>0.00</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dBuV	dB	dB	dB	cm	deg		1	53.28	28.89	46.00	-11.11	46.32	13.70	0.73	31.86	0.00	--- Peak	2	351.07	20.51	46.00	-25.49	28.95	20.63	1.98	31.05	0.00	--- Peak	3	482.02	24.81	46.00	-21.19	29.56	23.81	2.28	30.84	0.00	--- Peak	4	644.01	26.85	46.00	-19.15	28.68	26.49	2.64	30.96	0.00	--- Peak	5	836.07	29.66	46.00	-16.34	28.78	28.83	3.02	30.97	0.00	--- Peak	6	956.35	32.45	46.00	-13.55	28.94	31.03	3.24	30.76	0.00	--- Peak
Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Level	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																																										
1	53.28	28.89	46.00	-11.11	46.32	13.70	0.73	31.86	0.00	--- Peak																																																																																								
2	351.07	20.51	46.00	-25.49	28.95	20.63	1.98	31.05	0.00	--- Peak																																																																																								
3	482.02	24.81	46.00	-21.19	29.56	23.81	2.28	30.84	0.00	--- Peak																																																																																								
4	644.01	26.85	46.00	-19.15	28.68	26.49	2.64	30.96	0.00	--- Peak																																																																																								
5	836.07	29.66	46.00	-16.34	28.78	28.83	3.02	30.97	0.00	--- Peak																																																																																								
6	956.35	32.45	46.00	-13.55	28.94	31.03	3.24	30.76	0.00	--- Peak																																																																																								



Appendix D. Duty Cycle Plots

Ant 4:

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	62.96	0.394	2.537	3KHz
Bluetooth LE 2Mbps	33.33	0.209	4.792	10KHZ
Bluetooth LE-125Kbps	82.52	3.093	0.323	1KHz
Bluetooth LE-500Kbps	57.02	1.071	0.934	1KHz

Ant 5:

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	62.96	0.394	2.537	3KHz
Bluetooth LE 2Mbps	33.33	0.209	4.792	10KHZ
Bluetooth LE-125Kbps	82.52	3.093	0.323	1KHz
Bluetooth LE-500Kbps	57.02	1.071	0.934	1KHz


Ant 6:

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	62.499	0.391	2.556	3KHz
Bluetooth LE 2Mbps	33.795	0.212	4.726	10KHZ
Bluetooth LE-125Kbps	82.779	3.107	0.322	1KHz
Bluetooth LE-500Kbps	56.757	1.065	0.939	1KHz




<Ant 4>:

Bluetooth LE 1Mbps




Bluetooth LE 2Mbps






Bluetooth LE-125Kbps




Bluetooth LE-500Kbps






<Ant 5>:

Bluetooth LE 1Mbps




Bluetooth LE 2Mbps






Bluetooth LE-125Kbps




Bluetooth LE-500Kbps






<Ant 6>:

Bluetooth LE 1Mbps




Bluetooth LE 2Mbps





Bluetooth LE-125Kbps



Bluetooth LE-500Kbps

