





11BE160MIMO_Ant5_5250_Puncturing 20M_8




11BE160MIMO_Ant6_5250_Large RU 996+484_3






11BE160MIMO_Ant6_5250_Large RU 996+484_4




11BE160MIMO_Ant6_5250_Puncturing 40M_1






11BE160MIMO_Ant6_5250_Puncturing 40M_2




11BE160MIMO_Ant6_5250_Puncturing 40M_3






11BE160MIMO_Ant6_5250_Puncturing 40M_4




11BE160MIMO_Ant6_5250_Puncturing 20M_1







11BE160MIMO_Ant6_5250_Puncturing 20M_2




11BE160MIMO_Ant6_5250_Puncturing 20M_4








11BE160MIMO_total_5250_Large RU 996+484_3




11BE160MIMO_total_5250_Large RU 996+484_4






11BE160MIMO_total_5250_Puncturing 40M_1




11BE160MIMO_total_5250_Puncturing 40M_2






11BE160MIMO_total_5250_Puncturing 40M_3




11BE160MIMO_total_5250_Puncturing 40M_4






11BE160MIMO_total_5250_Puncturing 20M_1




11BE160MIMO_total_5250_Puncturing 20M_2







11BE160MIMO_total_5250_Puncturing 20M_4



11BE160MIMO_total_5250_Puncturing 20M_6








Appendix B. AC Conducted Emission Test Results

Test Engineer :	Lily Qiu	Temperature :	21~24°C
		Relative Humidity :	39~43%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-SZ
 Condition: FCC 15E_QP LISN_20220811_ L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.15	44.97	-10.77	55.74	24.00	10.20	10.77	Average
2 *	0.15	57.77	-7.97	65.74	36.80	10.20	10.77	QP
3	0.21	37.91	-15.45	53.36	17.50	10.20	10.21	Average
4	0.21	48.31	-15.05	63.36	27.90	10.20	10.21	QP
5	0.25	33.88	-17.72	51.60	13.10	10.18	10.60	Average
6	0.25	43.88	-17.72	61.60	23.10	10.18	10.60	QP
7	0.31	34.01	-16.01	50.02	12.89	10.15	10.97	Average
8	0.31	41.41	-18.61	60.02	20.29	10.15	10.97	QP
9	0.41	31.58	-16.15	47.73	10.00	10.10	11.48	Average
10	0.41	37.48	-20.25	57.73	15.90	10.10	11.48	QP
11	1.05	23.76	-22.24	46.00	3.40	10.13	10.23	Average
12	1.05	35.46	-20.54	56.00	15.10	10.13	10.23	QP



Test Engineer :	Lily Qiu	Temperature :	21~24°C
		Relative Humidity :	39~43%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
 Condition: FCC 15E_QP LISN_20220811_ N NEUTRAL

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.15	44.78	-10.96	55.74	23.70	10.31	10.77	Average
2 *	0.15	56.38	-9.36	65.74	35.30	10.31	10.77	QP
3	0.20	37.86	-15.63	53.49	17.40	10.28	10.18	Average
4	0.20	47.56	-15.93	63.49	27.10	10.28	10.18	QP
5	0.26	31.89	-19.53	51.42	11.00	10.24	10.65	Average
6	0.26	40.69	-20.73	61.42	19.80	10.24	10.65	QP
7	0.31	30.00	-19.88	49.88	8.80	10.20	11.00	Average
8	0.31	39.60	-20.28	59.88	18.40	10.20	11.00	QP
9	0.41	32.27	-15.41	47.68	10.60	10.19	11.48	Average
10	0.41	38.17	-19.51	57.68	16.50	10.19	11.48	QP
11	1.08	26.96	-19.04	46.00	6.50	10.23	10.23	Average
12	1.08	35.56	-20.44	56.00	15.10	10.23	10.23	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

MIMO <Ant5+4>

U-NII-1 - 5150~5250MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 36 5180MHz		5149.99	56.25	-17.75	74	46.65	34.54	7.91	32.85	100	247	P	H
		5149.99	48.44	-5.56	54	38.84	34.54	7.91	32.85	100	247	A	H
	*	5180	108.84	-	-	99.27	34.53	7.93	32.89	100	247	P	H
	*	5180	103.03	-	-	93.46	34.53	7.93	32.89	100	247	A	H
		5147.42	56.5	-17.5	74	46.9	34.54	7.91	32.85	100	275	P	V
		5148.2	48.08	-5.92	54	38.48	34.54	7.91	32.85	100	275	A	V
	*	5180	111.16	-	-	101.59	34.53	7.93	32.89	100	275	P	V
	*	5180	105.03	-	-	95.46	34.53	7.93	32.89	100	275	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-1 5150~5250MHz
WIFI 802.11a (Harmonic @ 3m)

Table with 14 columns: WIFI Ant. 4+5, Note, Frequency (MHz), Level (dBµV/m), Margin (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include data for channels 36, 44, and 48.



U-NII-1 5150~5250MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT20 Full CH 36 5180MHz		5143	59.82	-14.18	74	50.22	34.54	7.91	32.85	100	248	P	H
		5145.08	51.3	-2.7	54	41.7	34.54	7.91	32.85	100	248	A	H
	*	5180	108.61	-	-	99.04	34.53	7.93	32.89	100	248	P	H
	*	5180	103.03	-	-	93.46	34.53	7.93	32.89	100	248	A	H
		5147.42	59.92	-14.08	74	50.32	34.54	7.91	32.85	100	77	P	V
		5149.76	51.94	-2.06	54	42.34	34.54	7.91	32.85	100	77	A	V
	*	5180	108.88	-	-	99.31	34.53	7.93	32.89	100	77	P	V
*	5180	102.72	-	-	93.15	34.53	7.93	32.89	100	77	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-1 5150~5250MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT40 Full CH 38 5190MHz		5128.18	60.37	-13.63	74	50.72	34.55	7.91	32.81	100	248	P	H
		5131.04	50.77	-3.23	54	41.12	34.55	7.91	32.81	100	248	A	H
	*	5190	104.48	-	-	94.92	34.52	7.93	32.89	100	248	P	H
	*	5190	98.03	-	-	88.47	34.52	7.93	32.89	100	248	A	H
		5364.52	48.13	-25.87	74	38.49	34.45	8.38	33.19	100	248	P	H
		5350	38.91	-15.09	54	29.26	34.46	8.38	33.19	100	248	A	H
		5124.02	59.04	-14.96	74	49.39	34.55	7.91	32.81	100	78	P	V
		5138.84	50.93	-3.07	54	41.29	34.54	7.91	32.81	100	78	A	V
	*	5190	106.3	-	-	96.74	34.52	7.93	32.89	100	78	P	V
	*	5190	99.83	-	-	90.27	34.52	7.93	32.89	100	78	A	V
		5354.16	47.87	-26.13	74	38.22	34.46	8.38	33.19	100	78	P	V
		5351.36	39.17	-14.83	54	29.52	34.46	8.38	33.19	100	78	A	V
802. 11be EHT40 Full CH 46 5230MHz		5149.99	59.34	-14.66	74	49.74	34.54	7.91	32.85	100	248	P	H
		5149.99	50.44	-3.56	54	40.84	34.54	7.91	32.85	100	248	A	H
	*	5230	107.28	-	-	97.79	34.51	7.96	32.98	100	248	P	H
	*	5230	100.95	-	-	91.46	34.51	7.96	32.98	100	248	A	H
		5358	48.73	-25.27	74	39.08	34.46	8.38	33.19	100	248	P	H
		5350.08	40.57	-13.43	54	30.92	34.46	8.38	33.19	100	248	A	H
		5144.04	59.05	-14.95	74	49.45	34.54	7.91	32.85	100	77	P	V
		5141.7	47.81	-6.19	54	38.21	34.54	7.91	32.85	100	77	A	V
	*	5230	106.49	-	-	97	34.51	7.96	32.98	100	77	P	V
	*	5230	100.95	-	-	91.46	34.51	7.96	32.98	100	77	A	V
	5371.92	50.64	-23.36	74	41	34.45	8.38	33.19	100	77	P	V	
	5356.32	41.3	-12.7	54	31.65	34.46	8.38	33.19	100	77	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-1 5150~5250MHz

WIFI 802. 11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be		10380	48.06	-20.24	68.3	50.78	39.73	10.76	53.21	-	-	P	H
EHT40 Full		15570	48.89	-25.11	74	48.84	41.77	12.72	54.44	-	-	P	H
CH 38		10380	49.1	-19.2	68.3	51.82	39.73	10.76	53.21	-	-	P	V
5190MHz		15570	49.89	-24.11	74	49.84	41.77	12.72	54.44	-	-	P	V
802.11be		10460	47.94	-20.36	68.3	50.63	39.78	10.82	53.29	-	-	P	H
EHT40 Full		15690	49.12	-24.88	74	49.11	41.89	12.72	54.6	-	-	P	H
CH 46		10460	48.49	-19.81	68.3	51.18	39.78	10.82	53.29	-	-	P	V
5230MHz		15690	49.06	-24.94	74	49.05	41.89	12.72	54.6	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-1 5150~5250MHz
WIFI 802. 11be EHT80 Full (Band Edge @ 3m)**

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT 80 Full CH 42 5210MHz		5146.9	56.27	-17.73	74	46.67	34.54	7.91	32.85	100	249	P	H
		5149.99	50.49	-3.51	54	40.89	34.54	7.91	32.85	100	249	A	H
	*	5210	102.01	-	-	92.47	34.52	7.96	32.94	100	249	P	H
	*	5210	96	-	-	86.46	34.52	7.96	32.94	100	249	A	H
		5358.48	50.53	-23.47	74	40.88	34.46	8.38	33.19	100	249	P	H
		5350.08	41.88	-12.12	54	32.23	34.46	8.38	33.19	100	249	A	H
		5139.36	56.99	-17.01	74	47.35	34.54	7.91	32.81	100	266	P	V
		5140.14	48.91	-5.09	54	39.27	34.54	7.91	32.81	100	266	A	V
	*	5210	103.62	-	-	94.08	34.52	7.96	32.94	100	266	P	V
	*	5210	98	-	-	88.46	34.52	7.96	32.94	100	266	A	V
	5376.48	49.86	-24.14	74	40.26	34.45	8.38	33.23	100	266	P	V	
	5358.48	42.1	-11.9	54	32.45	34.46	8.38	33.19	100	266	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-1 5150~5250MHz
WIFI 802. 11be EHT160 Full (Band Edge @ 3m)**

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT 160 Full CH 50 5250MHz		5106.08	58.33	-15.67	74	48.66	34.56	7.88	32.77	100	244	P	H
		5109.98	43.66	-10.34	54	33.99	34.56	7.88	32.77	100	244	A	H
	*	5250	100.38	-	-	90.84	34.5	8.06	33.02	100	244	P	H
	*	5250	92.8	-	-	83.26	34.5	8.06	33.02	100	244	A	H
		5350.8	60.55	-13.45	74	50.9	34.46	8.38	33.19	100	244	P	H
		5386.56	49.05	-4.95	54	39.45	34.45	8.38	33.23	100	244	A	H
		5143	59.7	-14.3	74	50.1	34.54	7.91	32.85	100	271	P	V
		5139.88	44.14	-9.86	54	34.5	34.54	7.91	32.81	100	271	A	V
	*	5250	101.76	-	-	92.22	34.5	8.06	33.02	100	271	P	V
	*	5250	94.95	-	-	85.41	34.5	8.06	33.02	100	271	A	V
	5381.52	62.04	-11.96	74	52.44	34.45	8.38	33.23	100	271	P	V	
	5397.36	51.69	-2.31	54	42	34.44	8.48	33.23	100	271	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-1 5150~5250MHz

WIFI 802. 11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT 160 Full CH 50 5250MHz		10500	48.14	-20.16	68.3	50.86	39.8	10.84	53.36	-	-	P	H
		15750	49.86	-24.14	74	49.89	41.95	12.71	54.69	-	-	P	H
		10500	48.49	-19.81	68.3	51.21	39.8	10.84	53.36	-	-	P	V
		15750	49.42	-24.58	74	49.45	41.95	12.71	54.69	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2A - 5250~5350MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 64 5320MHz	*	5320	109.32	-	-	99.69	34.47	8.27	33.11	100	307	P	H
	*	5320	103.05	-	-	93.42	34.47	8.27	33.11	100	307	A	H
		5352.48	52.8	-21.2	74	43.15	34.46	8.38	33.19	100	307	P	H
		5352.16	46.07	-7.93	54	36.42	34.46	8.38	33.19	100	307	A	H
	*	5320	109.27	-	-	99.64	34.47	8.27	33.11	100	89	P	V
	*	5320	103.18	-	-	93.55	34.47	8.27	33.11	100	89	A	V
		5358.24	55.19	-18.81	74	45.54	34.46	8.38	33.19	100	89	P	V
		5352.16	48.03	-5.97	54	38.38	34.46	8.38	33.19	100	89	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2A 5250~5350MHz
WIFI 802.11a (Harmonic @ 3m)

Table with 14 columns: WIFI Ant. 4+5, Note, Frequency (MHz), Level (dBµV/m), Margin (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include data for channels 52, 60, and 64.



U-NII-2A 5250~5350MHz

WIFI 802. 11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT20 Full CH 64 5320MHz	*	5320	109.56	-	-	99.93	34.47	8.27	33.11	100	244	P	H
	*	5320	103.09	-	-	93.46	34.47	8.27	33.11	100	244	A	H
		5353.76	55.91	-18.09	74	46.26	34.46	8.38	33.19	100	244	P	H
		5354.08	47.37	-6.63	54	37.72	34.46	8.38	33.19	100	244	A	H
	*	5320	107.51	-	-	97.88	34.47	8.27	33.11	100	89	P	V
	*	5320	101.09	-	-	91.46	34.47	8.27	33.11	100	89	A	V
		5350.72	57.76	-16.24	74	48.11	34.46	8.38	33.19	100	89	P	V
	5350.08	49.14	-4.86	54	39.49	34.46	8.38	33.19	100	89	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2A 5250~5350MHz

WIFI 802. 11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT40 Full CH 54 5270MHz		5147.35	52.88	-21.12	74	43.28	34.54	7.91	32.85	100	246	P	H
		5149.99	42.44	-11.56	54	32.84	34.54	7.91	32.85	100	246	A	H
	*	5270	108.72	-	-	99.19	34.49	8.06	33.02	100	246	P	H
	*	5270	102.98	-	-	93.45	34.49	8.06	33.02	100	246	A	H
		5373.12	58.88	-15.12	74	49.24	34.45	8.38	33.19	100	246	P	H
		5350.08	45.87	-8.13	54	36.22	34.46	8.38	33.19	100	246	A	H
		5135.8	52.33	-21.67	74	42.68	34.55	7.91	32.81	100	79	P	V
		5141.05	41.92	-12.08	54	32.32	34.54	7.91	32.85	100	79	A	V
	*	5270	106.87	-	-	97.34	34.49	8.06	33.02	100	79	P	V
	*	5270	100.8	-	-	91.27	34.49	8.06	33.02	100	79	A	V
		5373.12	58.59	-15.41	74	48.95	34.45	8.38	33.19	100	79	P	V
		5357.52	46.52	-7.48	54	36.87	34.46	8.38	33.19	100	79	A	V
802. 11be EHT40 Full CH 62 5310MHz		5017.5	48.52	-25.48	74	38.74	34.59	7.83	32.64	100	241	P	H
		5149.99	39.97	-14.03	54	30.37	34.54	7.91	32.85	100	241	A	H
	*	5310	103.81	-	-	94.17	34.48	8.27	33.11	100	241	P	H
	*	5310	98.06	-	-	88.42	34.48	8.27	33.11	100	241	A	H
		5350.56	53.08	-20.92	74	43.43	34.46	8.38	33.19	100	241	P	H
		5350.08	44.62	-9.38	54	34.97	34.46	8.38	33.19	100	241	A	H
		5035.35	49.99	-24.01	74	40.21	34.59	7.83	32.64	100	78	P	V
		5143.5	40.37	-13.63	54	30.77	34.54	7.91	32.85	100	78	A	V
	*	5310	106.39	-	-	96.75	34.48	8.27	33.11	100	78	P	V
	*	5310	100.07	-	-	90.43	34.48	8.27	33.11	100	78	A	V
		5356.32	59.74	-14.26	74	50.09	34.46	8.38	33.19	100	78	P	V
		5357.28	49.29	-4.71	54	39.64	34.46	8.38	33.19	100	78	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2A 5250~5350MHz

WIFI 802. 11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be		10540	48.6	-19.7	68.3	51.36	39.78	10.87	53.41	-	-	P	H
EHT40 Full		15810	47.57	-26.43	74	47.6	42.01	12.71	54.75	-	-	P	H
CH 54		10540	48.71	-19.59	68.3	51.47	39.78	10.87	53.41	-	-	P	V
5270MHz		15810	48.21	-25.79	74	48.24	42.01	12.71	54.75	-	-	P	V
802. 11be		10620	48.36	-25.64	74	51.22	39.73	10.93	53.52	-	-	P	H
EHT40 Full		15930	48.87	-25.13	74	48.95	42.13	12.7	54.91	-	-	P	H
CH 62		10620	48.68	-25.32	74	51.54	39.73	10.93	53.52	-	-	P	V
5310MHz		15930	47.34	-26.66	74	47.42	42.13	12.7	54.91	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2A 5250~5350MHz

WIFI 802. 11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT80 Full CH 58 5290MHz		5119	49.8	-24.2	74	40.15	34.55	7.91	32.81	100	244	P	H
		5147	41.83	-12.17	54	32.23	34.54	7.91	32.85	100	244	A	H
	*	5290	100.64	-	-	91.05	34.48	8.17	33.06	100	244	P	H
	*	5290	95.39	-	-	85.8	34.48	8.17	33.06	100	244	A	H
		5370.48	58.09	-15.91	74	48.45	34.45	8.38	33.19	100	244	P	H
		5368.32	48.95	-5.05	54	39.31	34.45	8.38	33.19	100	244	A	H
		5141.05	50.54	-23.46	74	40.94	34.54	7.91	32.85	102	272	P	V
		5136.5	41.71	-12.29	54	32.06	34.55	7.91	32.81	102	272	A	V
	*	5290	102.33	-	-	92.74	34.48	8.17	33.06	102	272	P	V
	*	5290	95.23	-	-	85.64	34.48	8.17	33.06	102	272	A	V
	5378.4	60.64	-13.36	74	51.04	34.45	8.38	33.23	102	272	P	V	
	5380.8	51.44	-2.56	54	41.84	34.45	8.38	33.23	102	272	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2A 5250~5350MHz

WIFI 802. 11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be		10580	48.34	-19.96	68.3	51.16	39.75	10.9	53.47	-	-	P	H
EHT80 Full		15870	49.98	-24.02	74	50.04	42.07	12.71	54.84	-	-	P	H
CH 58		10580	49.56	-18.74	68.3	52.38	39.75	10.9	53.47	-	-	P	V
5290MHz		15870	49.21	-24.79	74	49.27	42.07	12.71	54.84	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C - 5470~5725MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 100 5500MHz		5459.28	57.82	-16.18	74	48.33	34.42	8.43	33.36	100	243	P	H
		5468.24	63.71	-4.59	68.3	54.28	34.41	8.38	33.36	100	243	A	H
		5459.44	46.96	-7.04	54	37.47	34.42	8.43	33.36	100	243	P	H
	*	5500	111.15	-	-	101.77	34.4	8.38	33.4	100	243	A	H
	*	5500	104.81	-	-	95.43	34.4	8.38	33.4	100	243	P	H
		5458.32	57.52	-16.48	74	48.03	34.42	8.43	33.36	100	88	P	V
		5467.12	64.23	-4.07	68.3	54.8	34.41	8.38	33.36	100	88	A	V
		5458.16	46.17	-7.83	54	36.68	34.42	8.43	33.36	100	88	P	V
	*	5500	109.97	-	-	100.59	34.4	8.38	33.4	100	88	A	V
	*	5500	103.84	-	-	94.46	34.4	8.38	33.4	100	88	P	V
802.11a CH 140 5700MHz	*	5700	110.57	-	-	100.44	34.84	8.65	33.36	100	113	P	H
	*	5700	104.61	-	-	94.48	34.84	8.65	33.36	100	113	A	H
		5725	60.15	-8.15	68.3	49.95	34.9	8.65	33.35	100	113	P	H
	*	5700	110.13	-	-	100	34.84	8.65	33.36	100	86	P	V
	*	5700	104.9	-	-	94.77	34.84	8.65	33.36	100	86	A	V
		5725	58.48	-9.82	68.3	48.28	34.9	8.65	33.35	100	86	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C - 5470~5725MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 100 5500MHz		11000	47.25	-26.75	74	50.55	39.5	11.2	54	-	-	P	H
		16500	49.38	-18.92	68.3	47.56	42.5	12.9	53.58	-	-	P	H
		11000	46.56	-27.44	74	49.86	39.5	11.2	54	-	-	P	V
		16500	49.3	-19	68.3	47.48	42.5	12.9	53.58	-	-	P	V
802.11a CH 116 5580MHz		11160	46.69	-27.31	74	49.82	39.47	11.3	53.9	-	-	P	H
		16740	49.32	-18.98	68.3	46.76	42.45	13.02	52.91	-	-	P	H
		11160	46.41	-27.59	74	49.54	39.47	11.3	53.9	-	-	P	V
		16740	49.7	-18.6	68.3	47.14	42.45	13.02	52.91	-	-	P	V
802.11a CH 140 5700MHz		11400	46.22	-27.78	74	49.15	39.42	11.41	53.76	-	-	P	H
		17100	49.44	-18.86	68.3	46.18	42.38	13.15	52.27	-	-	P	H
		11400	47.26	-26.74	74	50.19	39.42	11.41	53.76	-	-	P	V
		17100	49.68	-18.62	68.3	46.42	42.38	13.15	52.27	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C - 5470~5725MHz

WIFI 802. 11beEHT20 Full (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11beEHT 20 Full CH 100 5500MHz		5457.68	60.67	-13.33	74	51.18	34.42	8.43	33.36	100	241	P	H
		5462.16	57.25	-11.05	68.3	47.76	34.42	8.43	33.36	100	241	A	H
		5460	46.18	-7.82	54	36.69	34.42	8.43	33.36	100	241	P	H
	*	5500	111.35	-	-	101.97	34.4	8.38	33.4	100	241	P	H
	*	5500	104.84	-	-	95.46	34.4	8.38	33.4	100	241	A	H
		5459.92	55.31	-18.69	74	45.82	34.42	8.43	33.36	112	27	P	V
		5461.68	55.4	-12.9	68.3	45.91	34.42	8.43	33.36	112	27	A	V
		5460	44.17	-9.83	54	34.68	34.42	8.43	33.36	112	27	P	V
	*	5500	107.66	-	-	98.28	34.4	8.38	33.4	112	27	P	V
	*	5500	101.83	-	-	92.45	34.4	8.38	33.4	112	27	A	V
802.11beEHT 20 Full CH 140 5700MHz	*	5700	113.4	-	-	103.27	34.84	8.65	33.36	100	239	P	H
	*	5700	107.67	-	-	97.54	34.84	8.65	33.36	100	239	A	H
		5725.16	61.16	-7.14	68.3	50.96	34.9	8.65	33.35	100	239	P	H
	*	5700	109.73	-	-	99.6	34.84	8.65	33.36	100	269	P	V
	*	5700	103.6	-	-	93.47	34.84	8.65	33.36	100	269	A	V
		5725.32	60.43	-7.87	68.3	50.23	34.9	8.65	33.35	100	269	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C - 5470~5725MHz

WIFI 802. 11beEHT40 Full (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11beEHT 40 Full CH 102 5510MHz		5459.92	62.3	-11.7	74	52.81	34.42	8.43	33.36	100	144	P	H
		5462.32	62.6	-5.7	68.3	53.11	34.42	8.43	33.36	100	144	A	H
		5459.92	50.17	-3.83	54	40.68	34.42	8.43	33.36	100	144	P	H
	*	5510	107.5	-	-	98.16	34.42	8.32	33.4	100	144	P	H
	*	5510	101.82	-	-	92.48	34.42	8.32	33.4	100	144	A	H
		5738.855	48.47	-19.83	68.3	38.09	34.93	8.8	33.35	100	144	P	H
		5453.2	60.52	-13.48	74	51.03	34.42	8.43	33.36	100	82	P	V
		5461.6	60.61	-7.69	68.3	51.12	34.42	8.43	33.36	100	82	A	V
		5459.92	47.62	-6.38	54	38.13	34.42	8.43	33.36	100	82	P	V
	*	5510	104.56	-	-	95.22	34.42	8.32	33.4	100	82	P	V
	*	5510	97.23	-	-	87.89	34.42	8.32	33.4	100	82	A	V
		5764.055	48.94	-19.36	68.3	38.51	34.98	8.8	33.35	100	82	P	V
802.11beEHT 40 Full CH 134 5670MHz		5436.45	48.49	-25.51	74	38.95	34.43	8.43	33.32	100	242	P	H
		5463.4	48.43	-19.87	68.3	38.95	34.41	8.43	33.36	100	242	A	H
		5459.9	38.29	-15.71	54	28.8	34.42	8.43	33.36	100	242	P	H
	*	5670	111.06	-	-	101.15	34.77	8.51	33.37	100	242	P	H
	*	5670	105.48	-	-	95.57	34.77	8.51	33.37	100	242	A	H
		5729.825	65.63	-2.67	68.3	55.42	34.91	8.65	33.35	100	242	P	H
		5441.35	48.12	-25.88	74	38.59	34.42	8.43	33.32	100	84	P	V
		5469.35	46.65	-21.65	68.3	37.22	34.41	8.38	33.36	100	84	A	V
		5423.85	38.04	-15.96	54	28.4	34.43	8.48	33.27	100	84	P	V
	*	5670	107.27	-	-	97.36	34.77	8.51	33.37	100	84	P	V
	*	5670	101.38	-	-	91.47	34.77	8.51	33.37	100	84	A	V
		5730.875	61.44	-6.86	68.3	51.23	34.91	8.65	33.35	100	84	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**U-NII-2C 5470~5725MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)**

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11beEHT 40 Full CH 102 5510MHz		11020	47.83	-26.17	74	51.1	39.5	11.22	53.99	-	-	P	H
		16530	49.7	-18.6	68.3	47.77	42.49	12.92	53.48	-	-	P	H
		11020	47.01	-26.99	74	50.28	39.5	11.22	53.99	-	-	P	V
		16530	49.47	-18.83	68.3	47.54	42.49	12.92	53.48	-	-	P	V
802.11beEHT 40 Full CH 110 5550MHz		11100	47.82	-26.18	74	51.02	39.48	11.26	53.94	-	-	P	H
		16650	49.27	-19.03	68.3	46.98	42.47	12.97	53.15	-	-	P	H
		11100	47.71	-26.29	74	50.91	39.48	11.26	53.94	-	-	P	V
		16650	49.46	-18.84	68.3	47.17	42.47	12.97	53.15	-	-	P	V
802.11beEHT 40 Full CH 134 5670MHz		11340	47.04	-26.96	74	50.04	39.43	11.37	53.8	-	-	P	H
		17010	49.01	-19.29	68.3	45.69	42.4	13.13	52.21	-	-	P	H
		11340	46.25	-27.75	74	49.25	39.43	11.37	53.8	-	-	P	V
		17010	49.36	-18.94	68.3	46.04	42.4	13.13	52.21	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C 5470~5725MHz

WIFI 802. 11beEHT80 Full (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11beEHT 80 Full CH 106 5530MHz		5453.68	61.55	-12.45	74	52.06	34.42	8.43	33.36	100	113	P	H
		5460.4	57.05	-11.25	68.3	47.56	34.42	8.43	33.36	100	113	A	H
		5453.68	51.2	-2.8	54	41.71	34.42	8.43	33.36	100	113	P	H
	*	5530	103.58	-	-	94.19	34.47	8.32	33.4	100	113	P	H
	*	5530	97.86	-	-	88.47	34.47	8.32	33.4	100	113	A	H
		5726.255	51.83	-16.47	68.3	41.63	34.9	8.65	33.35	100	113	P	H
		5435.68	60.29	-13.71	74	50.75	34.43	8.43	33.32	100	82	P	V
		5462.08	55.98	-12.32	68.3	46.49	34.42	8.43	33.36	100	82	A	V
		5436.4	50.44	-3.56	54	40.9	34.43	8.43	33.32	100	82	P	V
	*	5530	101.34	-	-	91.95	34.47	8.32	33.4	100	82	P	V
	*	5530	94.84	-	-	85.45	34.47	8.32	33.4	100	82	A	V
		5735.075	50.76	-17.54	68.3	40.54	34.92	8.65	33.35	100	82	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C 5470~5725MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11beEHT		11060	47.2	-26.8	74	50.43	39.49	11.24	53.96	-	-	P	H
80 Full		16590	49.49	-18.81	68.3	47.4	42.48	12.95	53.34	-	-	P	H
CH 106		11060	46.7	-27.3	74	49.93	39.49	11.24	53.96	-	-	P	V
5530MHz		16590	49.84	-18.46	68.3	47.75	42.48	12.95	53.34	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz

5GHz WIFI 802.11be EHT160 (LF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
5GHz 802.11be EHT160 LF		94.99	31.33	-12.17	43.5	49.78	14.3	2.05	34.8	-	-	P	H
		185.2	20.73	-22.77	43.5	36	16.87	2.56	34.7	-	-	P	H
		252.13	23.22	-22.78	46	37.27	17.63	3.02	34.7	-	-	P	H
		296.75	24.75	-21.25	46	37.13	19.03	3.2	34.61	-	-	P	H
		475.23	24.26	-21.74	46	32.27	23.06	3.43	34.5	-	-	P	H
		742.95	28.09	-17.91	46	31.24	27.52	3.73	34.4	-	-	P	H
		94.02	32.33	-11.17	43.5	50.91	14.18	2.04	34.8	-	-	P	V
		186.17	24.85	-18.65	43.5	40.16	16.81	2.58	34.7	-	-	P	V
		251.16	24.51	-21.49	46	38.6	17.6	3.01	34.7	-	-	P	V
		450.98	23.95	-22.05	46	32.22	22.76	3.47	34.5	-	-	P	V
		622.67	26.79	-19.21	46	31.55	26.16	3.63	34.55	-	-	P	V
	800.18	29.84	-16.16	46	31.91	27.84	4.39	34.3	-	-	P	V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.												



U-NII-3 - 5725~5850MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 149 5745MHz		5634	49.87	-18.43	68.3	40.2	34.69	8.36	33.38	100	241	P	H
		5699.2	51.54	-53.07	104.61	41.55	34.84	8.51	33.36	100	241	P	H
		5718	58.82	-51.42	110.24	48.64	34.88	8.65	33.35	100	241	P	H
		5723.6	66.19	-52.82	119.01	56	34.89	8.65	33.35	100	241	P	H
	*	5745	111.69	-	-	101.3	34.94	8.8	33.35	100	241	P	H
	*	5745	104.29	-	-	93.9	34.94	8.8	33.35	100	241	A	H
		5643	49.23	-19.07	68.3	39.53	34.71	8.36	33.37	293	294	P	V
		5694.2	51.81	-49.13	100.94	41.83	34.83	8.51	33.36	293	294	P	V
		5719.4	59.8	-50.83	110.63	49.62	34.88	8.65	33.35	293	294	P	V
		5725	66.01	-56.19	122.2	55.81	34.9	8.65	33.35	293	294	P	V
	*	5745	110.52	-	-	100.13	34.94	8.8	33.35	293	294	P	V
	*	5745	103.26	-	-	92.87	34.94	8.8	33.35	293	294	A	V



WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 165 5825MHz	*	5825	112.04	-	-	101.36	35.12	8.89	33.33	100	241	P	H
	*	5825	104.64	-	-	93.96	35.12	8.89	33.33	100	241	A	H
		5850.6	61.35	-59.48	120.83	50.62	35.17	8.89	33.33	100	241	P	H
		5856.6	58.98	-51.37	110.35	48.28	35.18	8.85	33.33	100	241	P	H
		5894.2	52.03	-38.92	90.95	41.24	35.27	8.85	33.33	100	241	P	H
		5926	50.61	-17.69	68.3	39.78	35.34	8.8	33.31	100	241	P	H
	*	5825	111.98	-	-	101.3	35.12	8.89	33.33	302	285	P	V
	*	5825	104.57	-	-	93.89	35.12	8.89	33.33	302	285	A	V
		5851	58.98	-60.94	119.92	48.25	35.17	8.89	33.33	302	285	P	V
		5855.4	58.31	-52.38	110.69	47.57	35.18	8.89	33.33	302	285	P	V
		5880.2	52.03	-49.31	101.34	41.27	35.24	8.85	33.33	302	285	P	V
		5925	50.58	-17.62	68.2	39.76	35.33	8.8	33.31	302	285	P	V

Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line.
---------------	---



U-NII-3 5725~5850MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 149 5745MHz		11490	47.85	-26.15	74	50.71	39.4	11.45	53.71	-	-	P	H
		17235	49.32	-18.98	68.3	46.17	42.35	13.17	52.37	-	-	P	H
		11490	47.92	-26.08	74	50.78	39.4	11.45	53.71	-	-	P	V
		17235	49.99	-18.31	68.3	46.84	42.35	13.17	52.37	-	-	P	V
802.11a CH 157 5785MHz		11570	47.39	-26.61	74	50.05	39.5	11.49	53.65	-	-	P	H
		17355	49.67	-18.63	68.3	46.59	42.33	13.2	52.45	-	-	P	H
		11570	47.55	-26.45	74	50.21	39.5	11.49	53.65	-	-	P	V
		17355	49.26	-19.04	68.3	46.18	42.33	13.2	52.45	-	-	P	V
802.11a CH 165 5825MHz		11650	49.02	-24.98	74	51.49	39.61	11.53	53.61	-	-	P	H
		17475	49.7	-18.6	68.3	46.7	42.31	13.22	52.53	-	-	P	H
		11650	47.61	-26.39	74	50.08	39.61	11.53	53.61	-	-	P	V
		17475	49.05	-19.25	68.3	46.05	42.31	13.22	52.53	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-3 5725~5850MHz
WIFI 802. 11beEHT20_Full (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 149 5745MHz		5635.2	49.41	-18.89	68.3	39.72	34.7	8.36	33.37	100	241	P	H
		5697.4	54.09	-49.2	103.29	44.11	34.83	8.51	33.36	100	241	P	H
		5702.6	61.85	-44.08	105.93	51.71	34.85	8.65	33.36	100	241	P	H
		5724.6	67.62	-53.67	121.29	57.43	34.89	8.65	33.35	100	241	P	H
	*	5745	112.19	-	-	101.8	34.94	8.8	33.35	100	241	P	H
	*	5745	105.08	-	-	94.69	34.94	8.8	33.35	100	241	A	H
		5618.6	48.76	-19.54	68.3	39.26	34.66	8.22	33.38	304	283	P	V
		5698.8	55.04	-49.28	104.32	45.05	34.84	8.51	33.36	304	283	P	V
		5705.4	59.29	-47.42	106.71	49.15	34.85	8.65	33.36	304	283	P	V
		5723.6	63.75	-55.26	119.01	53.56	34.89	8.65	33.35	304	283	P	V
	*	5745	112.88	-	-	102.49	34.94	8.8	33.35	304	283	P	V
	*	5745	105.49	-	-	95.1	34.94	8.8	33.35	304	283	A	V



WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be	*	5825	111.62	-	-	100.94	35.12	8.89	33.33	100	241	P	H
	*	5825	104.41	-	-	93.73	35.12	8.89	33.33	100	241	A	H
		5851.4	61.77	-57.24	119.01	51.04	35.17	8.89	33.33	100	241	P	H
		5872.8	54.67	-51.15	105.82	43.93	35.22	8.85	33.33	100	241	P	H
		5889.4	53.11	-41.4	94.51	42.33	35.26	8.85	33.33	100	241	P	H
	EHT20 Full		5926.4	51.02	-17.28	68.3	40.19	35.34	8.8	33.31	100	241	P
CH 165 5825MHz	*	5825	111.59	-	-	100.91	35.12	8.89	33.33	302	285	P	V
	*	5825	104.37	-	-	93.69	35.12	8.89	33.33	302	285	A	V
		5850.6	60.7	-60.13	120.83	49.97	35.17	8.89	33.33	302	285	P	V
		5857.4	55.25	-54.88	110.13	44.54	35.19	8.85	33.33	302	285	P	V
		5876.4	53.06	-51.1	104.16	42.31	35.23	8.85	33.33	302	285	P	V
		5941.4	50.98	-17.32	68.3	40.16	35.37	8.76	33.31	302	285	P	V

Remark

- No other spurious found.
- All results are PASS against Peak and Average limit line.



U-NII-3 5725~5850MHz

WIFI 802. 11beEHT20_Full (Harmonic @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		11490	46.91	-27.09	74	49.77	39.4	11.45	53.71	-	-	P	H
EHT20 Full		17235	49.97	-18.33	68.3	46.82	42.35	13.17	52.37	-	-	P	H
CH 149		11490	46.75	-27.25	74	49.61	39.4	11.45	53.71	-	-	P	V
5745MHz		17235	49.46	-18.84	68.3	46.31	42.35	13.17	52.37	-	-	P	V
802.11be		11570	47.68	-26.32	74	50.34	39.5	11.49	53.65	-	-	P	H
EHT20 Full		17355	49.44	-18.86	68.3	46.36	42.33	13.2	52.45	-	-	P	H
CH 157		11570	47.79	-26.21	74	50.45	39.5	11.49	53.65	-	-	P	V
5785MHz		17355	49.61	-18.69	68.3	46.53	42.33	13.2	52.45	-	-	P	V
802.11be		11650	47.95	-26.05	74	50.42	39.61	11.53	53.61	-	-	P	H
EHT20 Full		17475	49.27	-19.03	68.3	46.27	42.31	13.22	52.53	-	-	P	H
CH 165		11650	48.24	-25.76	74	50.71	39.61	11.53	53.61	-	-	P	V
5825MHz		17475	49.96	-18.34	68.3	46.96	42.31	13.22	52.53	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-3 5725~5850MHz
WIFI 802. 11beEHT40_Full (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 151 5755MHz		5647	57	-11.3	68.3	47.29	34.72	8.36	33.37	100	240	P	H
		5699.4	67.76	-37	104.76	57.77	34.84	8.51	33.36	100	240	P	H
		5717.8	73.86	-36.32	110.18	63.68	34.88	8.65	33.35	100	240	P	H
		5722	77.11	-38.25	115.36	66.92	34.89	8.65	33.35	100	240	P	H
	*	5755	110.58	-	-	100.17	34.96	8.8	33.35	100	240	P	H
	*	5755	103.31	-	-	92.9	34.96	8.8	33.35	100	240	A	H
		5851.6	60.03	-58.52	118.55	49.3	35.17	8.89	33.33	100	240	P	H
		5855.2	56.02	-54.72	110.74	45.28	35.18	8.89	33.33	100	240	P	H
		5897.6	54.89	-33.55	88.44	44.14	35.27	8.8	33.32	100	240	P	H
		5926.8	50.59	-17.71	68.3	39.76	35.34	8.8	33.31	100	240	P	H
		5646.2	55.21	-13.09	68.3	45.5	34.72	8.36	33.37	321	284	P	V
		5699.8	68.26	-36.79	105.05	58.13	34.84	8.65	33.36	321	284	P	V
		5706.4	76.44	-30.55	106.99	66.3	34.85	8.65	33.36	321	284	P	V
		5724	69.5	-50.42	119.92	59.31	34.89	8.65	33.35	321	284	P	V
	*	5755	108.79	-	-	98.38	34.96	8.8	33.35	321	284	P	V
	*	5755	101.42	-	-	91.01	34.96	8.8	33.35	321	284	A	V
		5853.6	55.41	-58.58	113.99	44.67	35.18	8.89	33.33	321	284	P	V
		5855	54.59	-56.21	110.8	43.85	35.18	8.89	33.33	321	284	P	V
		5884.2	52.67	-45.7	98.37	41.9	35.25	8.85	33.33	321	284	P	V
	5936	51.83	-16.47	68.3	41.02	35.36	8.76	33.31	321	284	P	V	



WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 159 5795MHz		5639.4	50.48	-17.82	68.3	40.78	34.71	8.36	33.37	100	240	P	H
		5695.8	55.94	-46.17	102.11	45.96	34.83	8.51	33.36	100	240	P	H
		5719.8	61.83	-48.91	110.74	51.65	34.88	8.65	33.35	100	240	P	H
		5721.6	62.46	-51.99	114.45	52.27	34.89	8.65	33.35	100	240	P	H
	*	5795	111.75	-	-	101.1	35.05	8.94	33.34	100	240	P	H
	*	5795	104.54	-	-	93.89	35.05	8.94	33.34	100	240	A	H
		5851.4	62.23	-56.78	119.01	51.5	35.17	8.89	33.33	100	240	P	H
		5865.6	63.45	-44.38	107.83	52.73	35.2	8.85	33.33	100	240	P	H
		5887.8	59.24	-36.46	95.7	48.47	35.25	8.85	33.33	100	240	P	H
		5932.6	54.03	-14.27	68.3	43.19	35.35	8.8	33.31	100	240	P	H
		5649.8	50.03	-18.27	68.3	40.31	34.73	8.36	33.37	325	295	P	V
		5694.6	56.98	-44.25	101.23	47	34.83	8.51	33.36	325	295	P	V
		5718.6	65.22	-45.19	110.41	55.04	34.88	8.65	33.35	325	295	P	V
		5723	64.29	-53.35	117.64	54.1	34.89	8.65	33.35	325	295	P	V
	*	5795	109.12	-	-	98.47	35.05	8.94	33.34	325	295	P	V
	*	5795	101.77	-	-	91.12	35.05	8.94	33.34	325	295	A	V
		5854.2	61.69	-50.93	112.62	50.95	35.18	8.89	33.33	325	295	P	V
		5860.6	61.44	-47.79	109.23	50.73	35.19	8.85	33.33	325	295	P	V
	5875.4	54.83	-50.07	104.9	44.08	35.23	8.85	33.33	325	295	P	V	
	5933.4	51.61	-16.69	68.3	40.77	35.35	8.8	33.31	325	295	P	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-3 5725~5850MHz

WIFI 802. 11beEHT40_Full (Harmonic @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		11510	48.32	-25.68	74	51.15	39.41	11.45	53.69	-	-	P	H
EHT40 Full		17265	49.98	-18.32	68.3	46.84	42.35	13.18	52.39	-	-	P	H
CH 151		11510	48.16	-25.84	74	50.99	39.41	11.45	53.69	-	-	P	V
5755MHz		17265	49.58	-18.72	68.3	46.44	42.35	13.18	52.39	-	-	P	V
802.11be		11590	46.64	-27.36	74	49.24	39.53	11.51	53.64	-	-	P	H
EHT40 Full		17385	49.17	-19.13	68.3	46.12	42.32	13.2	52.47	-	-	P	H
CH 159		11590	47.07	-26.93	74	49.67	39.53	11.51	53.64	-	-	P	V
5795MHz		17385	49.12	-19.18	68.3	46.07	42.32	13.2	52.47	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-3 5725~5850MHz

WIFI 802. 11beEHT80_Full (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 155 5775MHz		5647	60.77	-7.53	68.3	51.06	34.72	8.36	33.37	100	240	P	H
		5686.6	70.51	-24.83	95.34	60.56	34.81	8.51	33.37	100	240	P	H
		5702.4	71.2	-34.67	105.87	61.06	34.85	8.65	33.36	100	240	P	H
		5724.2	70.19	-50.19	120.38	60	34.89	8.65	33.35	100	240	P	H
	*	5775	108.88	-	-	98.42	35.01	8.8	33.35	100	240	P	H
	*	5775	101.59	-	-	91.13	35.01	8.8	33.35	100	240	A	H
		5854	70.32	-42.76	113.08	59.58	35.18	8.89	33.33	100	240	P	H
		5856.4	71.9	-38.51	110.41	61.2	35.18	8.85	33.33	100	240	P	H
		5875.6	70.26	-34.49	104.75	59.51	35.23	8.85	33.33	100	240	P	H
		5933.6	55.72	-12.58	68.3	44.92	35.35	8.76	33.31	100	240	P	H
		5649.6	62.09	-6.21	68.3	52.37	34.73	8.36	33.37	309	294	P	V
		5686	71.65	-23.25	94.9	61.7	34.81	8.51	33.37	309	294	P	V
		5709	69.02	-38.7	107.72	58.87	34.86	8.65	33.36	309	294	P	V
		5725	68.88	-53.32	122.2	58.68	34.9	8.65	33.35	309	294	P	V
	*	5775	105.29	-	-	94.83	35.01	8.8	33.35	309	294	P	V
	*	5775	97.91	-	-	87.45	35.01	8.8	33.35	309	294	A	V
		5853.8	67.75	-45.79	113.54	57.01	35.18	8.89	33.33	309	294	P	V
		5859.4	68.45	-41.12	109.57	57.74	35.19	8.85	33.33	309	294	P	V
		5875.4	67.42	-37.48	104.9	56.67	35.23	8.85	33.33	309	294	P	V
	5938.2	53.86	-14.44	68.3	43.05	35.36	8.76	33.31	309	294	P	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-3 5725~5850MHz

WIFI 802. 11beEHT80_Full (Harmonic @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		11550	47.92	-26.08	74	50.62	39.47	11.49	53.66	-	-	P	H
EHT80 Full		17325	49.85	-18.45	68.3	46.75	42.33	13.2	52.43	-	-	P	H
CH 155		11550	47.98	-26.02	74	50.68	39.47	11.49	53.66	-	-	P	V
5775MHz		17325	49.1	-19.2	68.3	46	42.33	13.2	52.43	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-3 5725~5850MHz

Emission below 1GHz

WIFI 802.11be EHT80 Large RU 484+242 RU 2 (LF)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
WIFI 802.11be EHT80 Large RU 484+242 RU 2 LF		94.99	30.47	-13.03	43.5	48.92	14.3	2.05	34.8	-	-	P	H
		252.13	24.47	-21.53	46	38.52	17.63	3.02	34.7	-	-	P	H
		293.84	23.71	-22.29	46	36.19	18.94	3.19	34.61	-	-	P	H
		461.65	23.47	-22.53	46	31.63	22.89	3.45	34.5	-	-	P	H
		614.91	27.15	-18.85	46	31.97	26.14	3.61	34.57	-	-	P	H
		717.73	28.95	-17.05	46	32.34	27.27	3.74	34.4	-	-	P	H
		94.02	31.7	-11.8	43.5	50.28	14.18	2.04	34.8	-	-	P	V
		185.2	25.53	-17.97	43.5	40.8	16.87	2.56	34.7	-	-	P	V
		252.13	24.75	-21.25	46	38.8	17.63	3.02	34.7	-	-	P	V
		439.34	23.64	-22.36	46	32.23	22.47	3.44	34.5	-	-	P	V
	688.63	27.84	-18.16	46	31.64	26.9	3.72	34.42	-	-	P	V	
	780.78	29.95	-16.05	46	32.41	27.74	4.14	34.34	-	-	P	V	
Remark	3. No other spurious found. 4. All results are PASS against limit line.												



Small RU

U-NII-1 - 5150~5250MHz

WIFI 802.11be EHT20 Small RU (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT20 Partial 52/26_1 CH 36 5180MHz		5103.74	51.64	-22.36	74	41.97	34.56	7.88	32.77	100	238	P	H
		5137.8	41.31	-12.69	54	31.67	34.54	7.91	32.81	100	238	A	H
	*	5180	110.99	-	-	101.42	34.53	7.93	32.89	100	238	P	H
	*	5180	105.02	-	-	95.45	34.53	7.93	32.89	100	238	A	H
		5111.02	52.04	-21.96	74	42.37	34.56	7.88	32.77	100	259	P	V
		5149.99	41.36	-12.64	54	31.76	34.54	7.91	32.85	100	259	A	V
	*	5180	110.56	-	-	100.99	34.53	7.93	32.89	100	259	P	V
	*	5180	104.2	-	-	94.63	34.53	7.93	32.89	100	259	A	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



U-NII-2A - 5250~5350MHz

WIFI 802. 11be EHT20 Small RU (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT20 Partial 52/26_3 CH 64 5320MHz	*	5320	112.86	-	-	103.23	34.47	8.27	33.11	100	238	P	H
	*	5320	107.1	-	-	97.47	34.47	8.27	33.11	100	238	A	H
		5381.76	51.06	-22.94	74	41.46	34.45	8.38	33.23	100	238	P	H
		5350.08	41.66	-12.34	54	32.01	34.46	8.38	33.19	100	238	A	H
	*	5320	110.64	-	-	101.01	34.47	8.27	33.11	100	266	P	V
	*	5320	103.79	-	-	94.16	34.47	8.27	33.11	100	266	A	V
		5350.24	55.77	-18.23	74	46.12	34.46	8.38	33.19	100	266	P	V
		5350.08	42.35	-11.65	54	32.7	34.46	8.38	33.19	100	266	A	V
Remark	<p>3. No other spurious found.</p> <p>4. All results are PASS against Peak and Average limit line.</p>												



U-NII-2C - 5470~5725MHz

WIFI 802. 11be EHT20 Small RU (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT20 Partial 106/26_1 CH 100 5260MHz		5458.16	51.3	-22.7	74	41.81	34.42	8.43	33.36	110	240	P	H
		5469.52	54.25	-14.05	68.3	44.82	34.41	8.38	33.36	110	240	P	H
		5460	40.8	-13.2	54	31.31	34.42	8.43	33.36	110	240	A	H
	*	5500	109.43	-	-	100.05	34.4	8.38	33.4	110	240	P	H
	*	5500	103.59	-	-	94.21	34.4	8.38	33.4	110	240	A	H
		5457.52	53.09	-20.91	74	43.6	34.42	8.43	33.36	100	262	P	V
		5468.4	62.61	-5.69	68.3	53.18	34.41	8.38	33.36	100	262	P	V
		5459.76	41.29	-12.71	54	31.8	34.42	8.43	33.36	100	262	A	V
	*	5500	109.09	-	-	99.71	34.4	8.38	33.4	100	262	P	V
*	5500	102.83	-	-	93.45	34.4	8.38	33.4	100	262	A	V	
Remark	<p>5. No other spurious found.</p> <p>6. All results are PASS against Peak and Average limit line.</p>												



**U-NII-2C 5470~5725MHz
WIFI 802.11be EHT20 Small RU (Band Edge @ 3m)**

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20Partial 106/26_2 CH 140 5700MHz	*	5700	108.77	-	-	98.64	34.84	8.65	33.36	100	143	P	H
	*	5700	101.58	-	-	91.45	34.84	8.65	33.36	100	143	A	H
		5726.68	64.17	-4.13	68.3	53.97	34.9	8.65	33.35	100	143	P	H
	*	5700	107.78	-	-	97.65	34.84	8.65	33.36	100	99	P	V
	*	5700	100.25	-	-	90.12	34.84	8.65	33.36	100	99	A	V
		5725.32	62.99	-5.31	68.3	52.79	34.9	8.65	33.35	100	99	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-3 - 5725~5850MHz

WIFI 802.11ax HE20_Small RU (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 106/26_1 CH 149 5745MHz		5647.6	49.76	-18.54	68.3	40.05	34.72	8.36	33.37	100	238	P	H
		5700	53.51	-51.69	105.2	43.38	34.84	8.65	33.36	100	238	P	H
		5719.6	61.05	-49.64	110.69	50.87	34.88	8.65	33.35	100	238	P	H
		5724.2	67.09	-53.29	120.38	56.9	34.89	8.65	33.35	100	238	P	H
	*	5745	114.74	-	-	104.35	34.94	8.8	33.35	100	238	P	H
	*	5745	107.43	-	-	97.04	34.94	8.8	33.35	100	238	A	H
		5633.2	49.74	-18.56	68.3	40.07	34.69	8.36	33.38	341	294	P	V
		5699.8	54.17	-50.88	105.05	44.04	34.84	8.65	33.36	341	294	P	V
		5718.8	61.39	-49.07	110.46	51.21	34.88	8.65	33.35	341	294	P	V
		5724.4	65.02	-55.81	120.83	54.83	34.89	8.65	33.35	341	294	P	V
	*	5745	110.02	-	-	99.63	34.94	8.8	33.35	341	294	P	V
	*	5745	102.86	-	-	92.47	34.94	8.8	33.35	341	294	A	V



U-NII-3 - 5725~5850MHz

WIFI 802.11ax HE20_Small RU (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 52/26_3 CH 165 5825MHz	*	5825	108.44	-	-	97.76	35.12	8.89	33.33	100	242	P	H
	*	5825	101.22	-	-	90.54	35.12	8.89	33.33	100	242	A	H
		5850	53.3	-68.9	122.2	42.57	35.17	8.89	33.33	100	242	P	H
		5868.8	52.87	-54.06	106.93	42.14	35.21	8.85	33.33	100	242	P	H
		5877.2	54.06	-49.51	103.57	43.31	35.23	8.85	33.33	100	242	P	H
		5931	51.91	-16.39	68.3	41.07	35.35	8.8	33.31	100	242	P	H
	*	5825	108.99	-	-	98.31	35.12	8.89	33.33	370	278	P	V
	*	5825	101.77	-	-	91.09	35.12	8.89	33.33	370	278	A	V
		5850.8	54.17	-66.21	120.38	43.44	35.17	8.89	33.33	370	278	P	V
		5856.2	52.44	-58.02	110.46	41.74	35.18	8.85	33.33	370	278	P	V
	5880.4	52	-49.19	101.19	41.24	35.24	8.85	33.33	370	278	P	V	
	5939.8	51.09	-17.21	68.3	40.27	35.37	8.76	33.31	370	278	P	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Single RU

U-NII-1 - 5150~5250MHz

WIFI 802.11be EHT20 Single RU (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802. 11be EHT20 Partial 106/53 CH 36 5180MHz		5146.9	55.12	-18.88	74	45.52	34.54	7.91	32.85	100	233	P	H
		5150	41.21	-12.79	54	31.61	34.54	7.91	32.85	100	233	A	H
	*	5180	108.42	-	-	98.85	34.53	7.93	32.89	100	233	P	H
	*	5180	101.31	-	-	91.74	34.53	7.93	32.89	100	233	A	H
		5149.76	54.42	-19.58	74	44.82	34.54	7.91	32.85	100	246	P	V
		5150	41.56	-12.44	54	31.96	34.54	7.91	32.85	100	246	A	V
	*	5180	109.21	-	-	99.64	34.53	7.93	32.89	100	246	P	V
*	5180	101.98	-	-	92.41	34.53	7.93	32.89	100	246	A	V	
Remark	5. No other spurious found. 6. All results are PASS against Peak and Average limit line.												



U-NII-2A - 5250~5350MHz

WIFI 802. 11be EHT20 Single RU (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT20 Partial 106/54 CH 64 5320MHz	*	5320	109.64	-	-	100.01	34.47	8.27	33.11	100	232	P	H
	*	5320	102.41	-	-	92.78	34.47	8.27	33.11	100	232	A	H
		5352.16	54.29	-19.71	74	44.64	34.46	8.38	33.19	100	232	P	H
		5350.08	40.85	-13.15	54	31.2	34.46	8.38	33.19	100	232	A	H
	*	5320	109.37	-	-	99.74	34.47	8.27	33.11	100	246	P	V
	*	5320	103.1	-	-	93.47	34.47	8.27	33.11	100	246	A	V
		5352.16	63.99	-10.01	74	54.34	34.46	8.38	33.19	100	246	P	V
		5350.08	44.54	-9.46	54	34.89	34.46	8.38	33.19	100	246	A	V
Remark	<p>7. No other spurious found.</p> <p>8. All results are PASS against Peak and Average limit line.</p>												



U-NII-2C - 5470~5725MHz

WIFI 802. 11be EHT20 Single RU (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT20 Partial 26/0 CH 100 5260MHz		5457.36	53.57	-20.43	74	44.08	34.42	8.43	33.36	106	243	P	H
		5468.08	52.98	-15.32	68.3	43.55	34.41	8.38	33.36	106	243	P	H
		5456.88	41.08	-12.92	54	31.59	34.42	8.43	33.36	106	243	A	H
	*	5500	113.65	-	-	104.27	34.4	8.38	33.4	106	243	P	H
	*	5500	106.15	-	-	96.77	34.4	8.38	33.4	106	243	A	H
		5457.2	50.44	-23.56	74	40.95	34.42	8.43	33.36	100	256	P	V
		5467.44	50.64	-17.66	68.3	41.21	34.41	8.38	33.36	100	256	P	V
		5455.92	40.45	-13.55	54	30.96	34.42	8.43	33.36	100	256	A	V
	*	5500	115.05	-	-	105.67	34.4	8.38	33.4	100	256	P	V
*	5500	107.79	-	-	98.41	34.4	8.38	33.4	100	256	A	V	
Remark	9. No other spurious found. 10. All results are PASS against Peak and Average limit line.												



U-NII-2C 5470~5725MHz

WIFI 802.11be EHT20 Single RU (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 106/54 CH 140 5700MHz	*	5700	112	-	-	101.87	34.84	8.65	33.36	100	240	P	H
	*	5700	105.6	-	-	95.47	34.84	8.65	33.36	100	240	A	H
		5726.84	55.72	-12.58	68.3	45.52	34.9	8.65	33.35	100	240	P	H
	*	5700	114.51	-	-	104.38	34.84	8.65	33.36	100	279	P	V
	*	5700	108.59	-	-	98.46	34.84	8.65	33.36	100	279	A	V
		5727.64	54.51	-13.79	68.3	44.31	34.9	8.65	33.35	100	279	P	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



U-NII-3 - 5725~5850MHz

WIFI 802.11ax HE20_Single RU (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 26/0 CH 149 5745MHz		5619.8	47.15	-21.15	68.3	40.06	32.25	8.22	33.38	100	242	P	H
		5694.6	49.03	-52.2	101.23	41.6	32.28	8.51	33.36	100	242	P	H
		5704.4	48.71	-57.72	106.43	41.14	32.28	8.65	33.36	100	242	P	H
		5725	48.54	-73.66	122.2	40.95	32.29	8.65	33.35	100	242	P	H
	*	5745	112.73	-	-	104.98	32.3	8.8	33.35	100	242	P	H
	*	5745	105.51	-	-	97.76	32.3	8.8	33.35	100	242	A	H
		5616.6	46.29	-22.01	68.3	39.2	32.25	8.22	33.38	100	126	P	V
		5694.6	46.95	-54.28	101.23	39.52	32.28	8.51	33.36	100	126	P	V
		5712	47.1	-61.46	108.56	39.53	32.28	8.65	33.36	100	126	P	V
		5724.6	47.19	-74.1	121.29	39.6	32.29	8.65	33.35	100	126	P	V
	*	5745	106.29	-	-	98.54	32.3	8.8	33.35	100	126	P	V
	*	5745	98.88	-	-	91.13	32.3	8.8	33.35	100	126	A	V



WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/8 CH 165 5825MHz	*	5825	110.63	-	-	102.74	32.33	8.89	33.33	102	241	P	H
	*	5825	103.55	-	-	95.66	32.33	8.89	33.33	102	241	A	H
		5851	49.14	-70.78	119.92	41.24	32.34	8.89	33.33	102	241	P	H
		5861.8	48.56	-60.33	108.89	40.7	32.34	8.85	33.33	102	241	P	H
		5921.8	49.3	-21.26	70.56	41.44	32.37	8.8	33.31	102	241	P	H
		5927.6	47.84	-20.46	68.3	39.98	32.37	8.8	33.31	102	241	P	H
	*	5825	110.04	-	-	102.15	32.33	8.89	33.33	337	275	P	V
	*	5825	102.7	-	-	94.81	32.33	8.89	33.33	337	275	A	V
		5850.8	48.58	-71.8	120.38	40.68	32.34	8.89	33.33	337	275	P	V
		5863.8	48.14	-60.19	108.33	40.28	32.34	8.85	33.33	337	275	P	V
		5894.6	48.09	-42.57	90.66	40.26	32.36	8.8	33.33	337	275	P	V
		5928.8	46.99	-21.31	68.3	39.13	32.37	8.8	33.31	337	275	P	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



Large RU

U-NII-1 - 5150~5250MHz

WIFI 802.11be EHT80 Large RU 484+242 RU 2 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT80 Large RU 484+242_2 CH 42 5210MHz		5111.02	65.34	-8.66	74	55.67	34.56	7.88	32.77	100	125	P	H
		5109.72	49.5	-4.5	54	39.83	34.56	7.88	32.77	100	125	A	H
	*	5210	101.37	-	-	91.83	34.52	7.96	32.94	100	125	P	H
	*	5210	95	-	-	85.46	34.52	7.96	32.94	100	125	A	H
		5376.48	54.05	-19.95	74	44.45	34.45	8.38	33.23	100	125	P	H
		5351.28	41.71	-12.29	54	32.06	34.46	8.38	33.19	100	125	A	H
		5116.22	66.59	-7.41	74	56.94	34.55	7.91	32.81	100	276	P	V
		5120.12	51.19	-2.81	54	41.54	34.55	7.91	32.81	100	276	A	V
	*	5210	104.21	-	-	94.67	34.52	7.96	32.94	100	276	P	V
	*	5210	98.32	-	-	88.78	34.52	7.96	32.94	100	276	A	V
	5360.4	56.13	-17.87	74	46.48	34.46	8.38	33.19	100	276	P	V	
	5363.04	44.78	-9.22	54	35.14	34.45	8.38	33.19	100	276	A	V	
Remark	<p>7. No other spurious found.</p> <p>8. All results are PASS against Peak and Average limit line.</p>												



WIFI 802.11be EHT160 Large RU 996+484 RU 3 (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT160 Large RU 996+484_3 CH 50 5250MHz		5075.66	62.53	-11.47	74	52.81	34.57	7.88	32.73	100	194	P	H
		5125.84	50.25	-3.75	54	40.6	34.55	7.91	32.81	100	194	A	H
	*	5250	99.39	-	-	89.85	34.5	8.06	33.02	100	194	P	H
	*	5250	92.28	-	-	82.74	34.5	8.06	33.02	100	194	A	H
		5399.76	61.83	-12.17	74	52.14	34.44	8.48	33.23	100	194	P	H
		5398.56	51.3	-2.7	54	41.61	34.44	8.48	33.23	100	194	A	H
		5138.32	64.03	-9.97	74	54.39	34.54	7.91	32.81	100	288	P	V
		5138.32	51.5	-2.5	54	41.86	34.54	7.91	32.81	100	288	A	V
	*	5250	101.78	-	-	92.24	34.5	8.06	33.02	100	288	P	V
	*	5250	94.32	-	-	84.78	34.5	8.06	33.02	100	288	A	V
		5417.76	63.32	-10.68	74	53.68	34.43	8.48	33.27	100	288	P	V
		5397.6	51.8	-2.2	54	42.11	34.44	8.48	33.23	100	288	A	V
Remark	9. No other spurious found. 10. All results are PASS against Peak and Average limit line.												



U-NII-2A - 5250~5350MHz

WIFI 802.11be EHT80 Large RU 484+242 RU 2 (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Large RU 484+242_2 CH 58 5290MHz		5135.8	51.71	-22.29	74	42.06	34.55	7.91	32.81	115	142	P	H
		5149.99	40.72	-13.28	54	31.12	34.54	7.91	32.85	115	142	A	H
	*	5290	101.85	-	-	92.26	34.48	8.17	33.06	115	142	P	H
	*	5290	95.74	-	-	86.15	34.48	8.17	33.06	115	142	A	H
		5384.64	61.63	-12.37	74	52.03	34.45	8.38	33.23	115	142	P	H
		5382.24	50.49	-3.51	54	40.89	34.45	8.38	33.23	115	142	A	H
		5140.7	51.34	-22.66	74	41.7	34.54	7.91	32.81	100	270	P	V
		5135.8	41.4	-12.6	54	31.75	34.55	7.91	32.81	100	270	A	V
	*	5290	103.31	-	-	93.72	34.48	8.17	33.06	100	270	P	V
	*	5290	97.05	-	-	87.46	34.48	8.17	33.06	100	270	A	V
		5380.08	63.59	-10.41	74	53.99	34.45	8.38	33.23	100	270	P	V
		5380.32	51.47	-2.53	54	41.87	34.45	8.38	33.23	100	270	A	V
Remark	11. No other spurious found. 12. All results are PASS against Peak and Average limit line.												



U-NII-2C - 5470~5725MHz

WIFI 802.11be EHT80 Large RU 484+242 RU 2 (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Large RU 484+242_2 CH 106 5530MHz		5454.16	69.42	-4.58	74	59.93	34.42	8.43	33.36	100	119	P	H
		5470	58.75	-9.55	68.3	49.32	34.41	8.38	33.36	100	119	P	H
		5453.92	49.07	-4.93	54	39.58	34.42	8.43	33.36	100	119	A	H
	*	5530	102.75	-	-	93.36	34.47	8.32	33.4	100	119	P	H
	*	5530	95.39	-	-	86	34.47	8.32	33.4	100	119	A	H
		5725.94	51	-17.3	68.3	40.8	34.9	8.65	33.35	100	119	P	H
		5436.4	66.54	-7.46	74	57	34.43	8.43	33.32	100	285	P	V
		5461.36	63.27	-5.03	68.3	53.78	34.42	8.43	33.36	100	285	P	V
		5436.16	49.64	-4.36	54	40.1	34.43	8.43	33.32	100	285	A	V
		5530	102.75	-	-	93.36	34.47	8.32	33.4	100	285	P	V
	5530	95.53	-	-	86.14	34.47	8.32	33.4	100	285	A	V	
		5726.255	50.36	-17.94	68.3	40.16	34.9	8.65	33.35	100	285	P	V
Remark	13. No other spurious found. 14. All results are PASS against Peak and Average limit line.												



U-NII-3 - 5725~5850MHz

WIFI 802.11be EHT80 Large RU 484+242_2 (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT 80 Large RU 484+242_2 CH 155 5775MHz		5646.4	64.23	-4.07	68.3	54.52	34.72	8.36	33.37	100	270	P	H
		5683.4	74.15	-18.84	92.99	64.21	34.8	8.51	33.37	100	270	P	H
		5705.8	73.51	-33.32	106.83	63.37	34.85	8.65	33.36	100	270	P	H
		5724.4	72.97	-47.86	120.83	62.78	34.89	8.65	33.35	100	270	P	H
	*	5775	105.21	-	-	94.75	35.01	8.8	33.35	100	270	P	H
	*	5775	98.92	-	-	88.46	35.01	8.8	33.35	100	270	A	H
		5851.2	67.35	-52.11	119.46	56.62	35.17	8.89	33.33	100	270	P	H
		5867.2	72.9	-34.48	107.38	62.17	35.21	8.85	33.33	100	270	P	H
		5882.2	68.87	-30.98	99.85	58.11	35.24	8.85	33.33	100	270	P	H
		5932.8	59.06	-9.24	68.3	48.22	35.35	8.8	33.31	100	270	P	H
		5646.8	66.26	-2.04	68.3	56.55	34.72	8.36	33.37	100	142	P	V
		5683	75.94	-16.75	92.69	66	34.8	8.51	33.37	100	142	P	V
		5705.2	75	-31.66	106.66	64.86	34.85	8.65	33.36	100	142	P	V
		5724.4	74.31	-46.52	120.83	64.12	34.89	8.65	33.35	100	142	P	V
	*	5775	106.46	-	-	96	35.01	8.8	33.35	100	142	P	V
	*	5775	100.09	-	-	89.63	35.01	8.8	33.35	100	142	A	V
		5853.8	72.72	-40.82	113.54	61.98	35.18	8.89	33.33	100	142	P	V
	5869.4	74.09	-32.68	106.77	63.36	35.21	8.85	33.33	100	142	P	V	
	5875.4	72.23	-32.67	104.9	61.48	35.23	8.85	33.33	100	142	P	V	
	5931.2	62.5	-5.8	68.3	51.66	35.35	8.8	33.31	100	142	P	V	



Puncturing RU

U-NII-1 - 5150~5250MHz

WIFI 802.11be EHT80 Puncturing 20M_2 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT80 Puncturing 20M CH 42_2 5210MHz		5121.16	67.24	-6.76	74	57.59	34.55	7.91	32.81	100	306	P	H
		5112.58	48.83	-5.17	54	39.17	34.55	7.88	32.77	100	306	A	H
	*	5210	101.84	-	-	92.3	34.52	7.96	32.94	100	306	P	H
	*	5210	96.09	-	-	86.55	34.52	7.96	32.94	100	306	A	H
		5357.28	55.18	-18.82	74	45.53	34.46	8.38	33.19	100	306	P	H
		5356.32	42.61	-11.39	54	32.96	34.46	8.38	33.19	100	306	A	H
		5140.14	66.04	-7.96	74	56.4	34.54	7.91	32.81	100	284	P	V
		5112.58	50.95	-3.05	54	41.29	34.55	7.88	32.77	100	284	A	V
	*	5210	102.89	-	-	93.35	34.52	7.96	32.94	100	284	P	V
	*	5210	97	-	-	87.46	34.52	7.96	32.94	100	284	A	V
	5352.96	55.62	-18.38	74	45.97	34.46	8.38	33.19	100	284	P	V	
	5353.44	43.03	-10.97	54	33.38	34.46	8.38	33.19	100	284	A	V	
Remark	15. No other spurious found. 16. All results are PASS against Peak and Average limit line.												



WIFI 802.11be EHT160 Puncturing 20M_2 (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 20M_2 CH 50 5250MHz		5099.32	70.85	-3.15	74	61.18	34.56	7.88	32.77	100	127	P	H
		5099.58	51.1	-2.9	54	41.43	34.56	7.88	32.77	100	127	A	H
	*	5250	100.5	-	-	90.96	34.5	8.06	33.02	100	127	P	H
	*	5250	93.33	-	-	83.79	34.5	8.06	33.02	100	127	A	H
		5399.76	67.59	-6.41	74	57.9	34.44	8.48	33.23	100	127	P	H
		5380.8	48.5	-5.5	54	38.9	34.45	8.38	33.23	100	127	A	H
		5098.02	70.9	-3.1	74	61.23	34.56	7.88	32.77	100	270	P	V
		5097.76	50.26	-3.74	54	40.59	34.56	7.88	32.77	100	270	A	V
	*	5250	100.11	-	-	90.57	34.5	8.06	33.02	100	270	P	V
	*	5250	92.71	-	-	83.17	34.5	8.06	33.02	100	270	A	V
		5382	67.66	-6.34	74	58.06	34.45	8.38	33.23	100	270	P	V
		5382.48	49.39	-4.61	54	39.79	34.45	8.38	33.23	100	270	A	V
Remark	17. No other spurious found. 18. All results are PASS against Peak and Average limit line.												



WIFI 802.11be EHT160 Puncturing 40M_2 (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 40M_2 CH 50 5250MHz		5140.92	70.87	-3.13	74	61.23	34.54	7.91	32.81	100	129	P	H
		5139.1	48.3	-5.7	54	38.66	34.54	7.91	32.81	100	129	A	H
	*	5250	100.04	-	-	90.5	34.5	8.06	33.02	100	129	P	H
	*	5250	92.86	-	-	83.32	34.5	8.06	33.02	100	129	A	H
		5364.72	65.86	-8.14	74	56.22	34.45	8.38	33.19	100	129	P	H
		5424.48	45.27	-8.73	54	35.63	34.43	8.48	33.27	100	129	A	H
		5137.54	70.02	-3.98	74	60.38	34.54	7.91	32.81	100	268	P	V
		5142.74	47.8	-6.2	54	38.2	34.54	7.91	32.85	100	268	A	V
	*	5250	100.12	-	-	90.58	34.5	8.06	33.02	100	268	P	V
	*	5250	92.65	-	-	83.11	34.5	8.06	33.02	100	268	A	V
		5361.84	67.93	-6.07	74	58.28	34.46	8.38	33.19	100	268	P	V
		5362.08	46.5	-7.5	54	36.85	34.46	8.38	33.19	100	268	A	V
Remark	19. No other spurious found. 20. All results are PASS against Peak and Average limit line.												



U-NII-2A - 5250~5350MHz

WIFI 802.11be EHT80 Puncturing 20M_2 (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Puncturing 20M_2 CH 58 5290MHz		5138.25	54.72	-19.28	74	45.08	34.54	7.91	32.81	301	237	P	H
		5148.75	42.23	-11.77	54	32.63	34.54	7.91	32.85	301	237	A	H
	*	5290	103.76	-	-	94.17	34.48	8.17	33.06	301	237	P	H
	*	5290	96.48	-	-	86.89	34.48	8.17	33.06	301	237	A	H
		5354.16	62.72	-11.28	74	53.07	34.46	8.38	33.19	301	237	P	H
		5378.64	50.16	-3.84	54	40.56	34.45	8.38	33.23	301	237	A	H
		5143.5	53.84	-20.16	74	44.24	34.54	7.91	32.85	100	271	P	V
		5147	41.95	-12.05	54	32.35	34.54	7.91	32.85	100	271	A	V
	*	5290	103.32	-	-	93.73	34.48	8.17	33.06	100	271	P	V
	*	5290	96.13	-	-	86.54	34.48	8.17	33.06	100	271	A	V
		5388.48	65.02	-8.98	74	55.33	34.44	8.48	33.23	100	271	P	V
		5372.4	50.54	-3.46	54	40.9	34.45	8.38	33.19	100	271	A	V
Remark	21. No other spurious found. 22. All results are PASS against Peak and Average limit line.												



U-NII-2C - 5470~5725MHz

WIFI 802.11be EHT80 Puncturing 20M_2 (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Puncturing 20M_2 CH 106 5530MHz		5459.44	65.78	-8.22	74	56.29	34.42	8.43	33.36	100	120	P	H
		5466.16	65.99	-2.31	68.3	56.56	34.41	8.38	33.36	100	120	P	H
		5441.2	51.07	-2.93	54	41.54	34.42	8.43	33.32	100	120	A	H
	*	5530	104.45	-	-	95.06	34.47	8.32	33.4	100	120	P	H
	*	5530	97.18	-	-	87.79	34.47	8.32	33.4	100	120	A	H
		5755.235	52.05	-16.25	68.3	41.64	34.96	8.8	33.35	100	120	A	H
		5432.56	66.49	-7.51	74	56.95	34.43	8.43	33.32	100	266	P	V
		5462.32	62.14	-6.16	68.3	52.65	34.42	8.43	33.36	100	266	P	V
		5432.56	50.18	-3.82	54	40.64	34.43	8.43	33.32	100	266	A	V
	*	5530	101.46	-	-	92.07	34.47	8.32	33.4	100	266	P	V
	*	5530	94.31	-	-	84.92	34.47	8.32	33.4	100	266	A	V
	5762.795	52.42	-15.88	68.3	41.99	34.98	8.8	33.35	100	266	A	V	
Remark	23. No other spurious found. 24. All results are PASS against Peak and Average limit line.												



U-NII-3 - 5725~5850MHz

WIFI 802.11be EHT80 Puncturing 20M_2 (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
4+5		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT 80 Puncturing 20M_2 CH 155 5775MHz		5643.6	58.98	-9.32	68.3	49.27	34.72	8.36	33.37	100	113	P	H
		5677.6	69.77	-18.94	88.71	59.84	34.79	8.51	33.37	100	113	P	H
		5710.8	67.63	-40.6	108.23	57.48	34.86	8.65	33.36	100	113	P	H
		5724.6	67.82	-53.47	121.29	57.63	34.89	8.65	33.35	100	113	P	H
	*	5775	103.9	-	-	93.44	35.01	8.8	33.35	100	113	P	H
	*	5775	95.59	-	-	85.13	35.01	8.8	33.35	100	113	A	H
		5852	66.09	-51.55	117.64	55.36	35.17	8.89	33.33	100	113	P	H
		5873.4	72.83	-32.82	105.65	62.09	35.22	8.85	33.33	100	113	P	H
		5878.2	67.45	-35.37	102.82	56.7	35.23	8.85	33.33	100	113	P	V
		5933.2	57.87	-10.43	68.3	47.03	35.35	8.8	33.31	100	113	P	V
		5646.4	61.36	-6.94	68.3	51.65	34.72	8.36	33.37	303	80	P	V
		5699.4	71.5	-33.26	104.76	61.51	34.84	8.51	33.36	303	80	P	V
		5710.4	72.32	-35.79	108.11	62.17	34.86	8.65	33.36	303	80	A	V
		5720	70.89	-39.91	110.8	60.71	34.88	8.65	33.35	303	80	P	V
	*	5775	103.53	-	-	93.07	35.01	8.8	33.35	303	80	P	V
	*	5775	96.37	-	-	85.91	35.01	8.8	33.35	303	80	A	V
		5852.8	70.17	-45.65	115.82	59.43	35.18	8.89	33.33	303	80	P	V
	5857.4	71.09	-39.04	110.13	60.38	35.19	8.85	33.33	303	80	P	V	
	5876	70.24	-34.22	104.46	59.49	35.23	8.85	33.33	303	80	P	V	
	5930.8	62.34	-5.96	68.3	51.5	35.35	8.8	33.31	303	80	P	V	



MIMO <Ant5+6>

U-NII-1 - 5150~5250MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 36 5180MHz		5147.16	57.96	-16.04	74	48.36	34.54	7.91	32.85	100	69	P	H
		5147.68	48.55	-5.45	54	38.95	34.54	7.91	32.85	100	69	A	H
	*	5180	106.53	-	-	96.96	34.53	7.93	32.89	100	69	P	H
	*	5180	98.83	-	-	89.26	34.53	7.93	32.89	100	69	A	H
		5147.94	57.03	-16.97	74	47.43	34.54	7.91	32.85	100	92	P	V
		5148.2	49	-5	54	39.4	34.54	7.91	32.85	100	92	A	V
	*	5180	105.39	-	-	95.82	34.53	7.93	32.89	100	92	P	V
	*	5180	97.69	-	-	88.12	34.53	7.93	32.89	100	92	A	V
Remark	25. No other spurious found. 26. All results are PASS against Peak and Average limit line.												



**U-NII-1 5150~5250MHz
WIFI 802.11a (Harmonic @ 3m)**

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 36 5180MHz		10360	47.97	-20.33	68.3	50.7	39.72	10.73	53.18	-	-	P	H
		15540	48.6	-25.4	74	48.53	41.74	12.72	54.39	-	-	P	H
		10360	48.62	-19.68	68.3	51.35	39.72	10.73	53.18	-	-	P	V
		15540	48.84	-25.16	74	48.77	41.74	12.72	54.39	-	-	P	V
802.11a CH 44 5220MHz		10440	48.96	-19.34	68.3	51.68	39.76	10.79	53.27	-	-	P	H
		15660	49.94	-24.06	74	49.91	41.86	12.72	54.55	-	-	P	H
		10440	48.15	-20.15	68.3	50.87	39.76	10.79	53.27	-	-	P	V
		15660	49.1	-24.9	74	49.07	41.86	12.72	54.55	-	-	P	V
802.11a CH 48 5240MHz		10480	49.56	-18.74	68.3	52.29	39.79	10.82	53.34	-	-	P	H
		15720	49.16	-24.84	74	49.16	41.92	12.72	54.64	-	-	P	H
		10480	47.93	-20.37	68.3	50.66	39.79	10.82	53.34	-	-	P	V
		15720	49.02	-24.98	74	49.02	41.92	12.72	54.64	-	-	P	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



U-NII-1 5150~5250MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT20 Full CH 36 5180MHz		5146.38	59.03	-14.97	74	49.43	34.54	7.91	32.85	100	68	P	H
		5150	51.47	-2.53	54	41.87	34.54	7.91	32.85	100	68	A	H
	*	5180	106.39	-	-	96.82	34.53	7.93	32.89	100	68	P	H
	*	5180	98.69	-	-	89.12	34.53	7.93	32.89	100	68	A	H
		5149.76	60.12	-13.88	74	50.52	34.54	7.91	32.85	100	91	P	V
		5150	50.25	-3.75	54	40.65	34.54	7.91	32.85	100	91	A	V
	*	5180	105.94	-	-	96.37	34.53	7.93	32.89	100	91	P	V
*	5180	98.78	-	-	89.21	34.53	7.93	32.89	100	91	A	V	
Remark	27. No other spurious found. 28. All results are PASS against Peak and Average limit line.												



U-NII-1 5150~5250MHz

WIFI 802. 11be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be		10360	47.93	-20.37	68.3	50.66	39.72	10.73	53.18	-	-	P	H
		15540	48.35	-25.65	74	48.28	41.74	12.72	54.39	-	-	P	H
EHT20 Full													H
CH 36													H
5180MHz		10360	48.43	-19.87	68.3	51.16	39.72	10.73	53.18	-	-	P	V
		15540	48.88	-25.12	74	48.81	41.74	12.72	54.39	-	-	P	V
802. 11be		10440	48.87	-19.43	68.3	51.59	39.76	10.79	53.27	-	-	P	H
		15660	49.24	-24.76	74	49.21	41.86	12.72	54.55	-	-	P	H
CH 44		10440	48.7	-19.6	68.3	51.42	39.76	10.79	53.27	-	-	P	V
5220MHz		15660	49.61	-24.39	74	49.58	41.86	12.72	54.55	-	-	P	V
802. 11be		10480	49	-19.3	68.3	51.73	39.79	10.82	53.34	-	-	P	H
		15720	48.91	-25.09	74	48.91	41.92	12.72	54.64	-	-	P	H
CH 48		10480	47.87	-20.43	68.3	50.6	39.79	10.82	53.34	-	-	P	V
5240MHz		15720	48.11	-25.89	74	48.11	41.92	12.72	54.64	-	-	P	V
Remark	5. No other spurious found. 6. All results are PASS against Peak and Average limit line.												



U-NII-1 5150~5250MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802. 11be EHT40 Full CH 38 5190MHz		5136.24	61.32	-12.68	74	51.67	34.55	7.91	32.81	100	65	P	H	
		5135.46	51.65	-2.35	54	42	34.55	7.91	32.81	100	65	A	H	
	*	5190	103.44	-	-	93.88	34.52	7.93	32.89	100	65	P	H	
	*	5190	95.79	-	-	86.23	34.52	7.93	32.89	100	65	A	H	
		5456.08	48.69	-25.31	74	39.2	34.42	8.43	33.36	100	65	P	H	
		5351.08	38.88	-15.12	54	29.23	34.46	8.38	33.19	100	65	A	H	
		5137.8	61.37	-12.63	74	51.73	34.54	7.91	32.81	100	116	P	V	
		5140.14	51.14	-2.86	54	41.5	34.54	7.91	32.81	100	116	A	V	
	*	5190	100.18	-	-	90.62	34.52	7.93	32.89	100	116	P	V	
	*	5190	92.82	-	-	83.26	34.52	7.93	32.89	100	116	A	V	
		5374.04	47.19	-26.81	74	37.55	34.45	8.38	33.19	100	116	P	V	
		5356.4	38.43	-15.57	54	28.78	34.46	8.38	33.19	100	116	A	V	
	802. 11be EHT40 Full CH 46 5230MHz		5139.1	61.44	-12.56	74	51.8	34.54	7.91	32.81	100	69	P	H
			5138.32	51.96	-2.04	54	42.32	34.54	7.91	32.81	100	69	A	H
*		5230	105.86	-	-	96.37	34.51	7.96	32.98	100	69	P	H	
*		5230	98.7	-	-	89.21	34.51	7.96	32.98	100	69	A	H	
		5363.04	55.98	-18.02	74	46.34	34.45	8.38	33.19	100	69	P	H	
		5355.6	44.86	-9.14	54	35.21	34.46	8.38	33.19	100	69	A	H	
		5120.64	59.42	-14.58	74	49.77	34.55	7.91	32.81	100	115	P	V	
		5141.18	50.03	-3.97	54	40.43	34.54	7.91	32.85	100	115	A	V	
*		5230	101.65	-	-	92.16	34.51	7.96	32.98	100	115	P	V	
*		5230	94.75	-	-	85.26	34.51	7.96	32.98	100	115	A	V	
		5362.56	52.57	-21.43	74	42.93	34.45	8.38	33.19	100	115	P	V	
	5350.56	44.23	-9.77	54	34.58	34.46	8.38	33.19	100	115	A	V		
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.													



U-NII-1 5150~5250MHz

WIFI 802. 11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be		10380	48.99	-19.31	68.3	51.71	39.73	10.76	53.21	-	-	P	H
EHT40 Full		15570	48.73	-25.27	74	48.68	41.77	12.72	54.44	-	-	P	H
CH 38		10380	48.77	-19.53	68.3	51.49	39.73	10.76	53.21	-	-	P	V
5190MHz		15570	49.3	-24.7	74	49.25	41.77	12.72	54.44	-	-	P	V
802.11be		10460	49.33	-18.97	68.3	52.02	39.78	10.82	53.29	-	-	P	H
EHT40 Full		15690	48.34	-25.66	74	48.33	41.89	12.72	54.6	-	-	P	H
CH 46		10460	48.56	-19.74	68.3	51.25	39.78	10.82	53.29	-	-	P	V
5230MHz		15690	49.22	-24.78	74	49.21	41.89	12.72	54.6	-	-	P	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



U-NII-1 5150~5250MHz
WIFI 802. 11be EHT80 Full (Band Edge @ 3m)

Table with 14 columns: WIFI Ant. 5+6, Note, Frequency (MHz), Level (dBµV/m), Margin (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include test results for 802.11be EHT 80 Full CH 42 5210MHz and a Remark section.



U-NII-1 5150~5250MHz

WIFI 802. 11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be		10420	48.87	-19.43	68.3	51.58	39.75	10.79	53.25	-	-	P	H
EHT 80 Full		15630	49.22	-24.78	74	49.2	41.83	12.72	54.53	-	-	P	H
CH 42		10420	48.38	-19.92	68.3	51.09	39.75	10.79	53.25	-	-	P	V
5210MHz		15630	49.27	-24.73	74	49.25	41.83	12.72	54.53	-	-	P	V
Remark	<p>3. No other spurious found.</p> <p>4. All results are PASS against Peak and Average limit line.</p>												



U-NII-1 5150~5250MHz
WIFI 802. 11be EHT160 Full (Band Edge @ 3m)

Table with 14 columns: WIFI Ant. 5+6, Note, Frequency (MHz), Level (dBµV/m), Margin (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include test results for frequencies like 5113.1, 5116.74, 5250, 5400.96, 5402.4, 5144.3, 5138.58, 5250, 5250, 5406.72, 5402.4.



U-NII-1 5150~5250MHz

WIFI 802. 11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT 160 Full CH 50 5250MHz		10500	47.94	-20.36	68.3	50.66	39.8	10.84	53.36	-	-	P	H
		15750	48.58	-25.42	74	48.61	41.95	12.71	54.69	-	-	P	H
		10500	47.16	-21.14	68.3	49.88	39.8	10.84	53.36	-	-	P	V
		15750	48.58	-25.42	74	48.61	41.95	12.71	54.69	-	-	P	V
Remark	<p>5. No other spurious found.</p> <p>6. All results are PASS against Peak and Average limit line.</p>												



U-NII-2A - 5250~5350MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 64 5320MHz	*	5320	107.74	-	-	98.11	34.47	8.27	33.11	100	70	P	H
	*	5320	100.9	-	-	91.27	34.47	8.27	33.11	100	70	A	H
		5353.44	62.71	-11.29	74	53.06	34.46	8.38	33.19	100	70	P	H
		5353.28	50.44	-3.56	54	40.79	34.46	8.38	33.19	100	70	A	H
	*	5320	102.08	-	-	92.45	34.47	8.27	33.11	100	80	P	V
	*	5320	94.85	-	-	85.22	34.47	8.27	33.11	100	80	A	V
		5350.56	60.51	-13.49	74	50.86	34.46	8.38	33.19	100	80	P	V
		5350.24	49.98	-4.02	54	40.33	34.46	8.38	33.19	100	80	A	V
Remark	<p>3. No other spurious found.</p> <p>4. All results are PASS against Peak and Average limit line.</p>												



**U-NII-2A 5250~5350MHz
WIFI 802.11a (Harmonic @ 3m)**

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 52 5260MHz		10560	48.05	-20.25	68.3	50.85	39.76	10.87	53.43	-	-	P	H
		15840	48.68	-25.32	74	48.73	42.04	12.71	54.8	-	-	P	H
		10560	48.44	-19.86	68.3	51.24	39.76	10.87	53.43	-	-	P	V
		15840	48.4	-25.6	74	48.45	42.04	12.71	54.8	-	-	P	V
802.11a CH 60 5300MHz		10600	47.62	-26.38	74	50.47	39.74	10.9	53.49	-	-	P	H
		15900	48.38	-25.62	74	48.44	42.1	12.71	54.87	-	-	P	H
		10600	48.47	-25.53	74	51.32	39.74	10.9	53.49	-	-	P	V
		15900	48.76	-25.24	74	48.82	42.1	12.71	54.87	-	-	P	V
802.11a CH 64 5320MHz		10640	48.7	-25.3	74	51.59	39.72	10.93	53.54	-	-	P	H
		15960	48.08	-25.92	74	48.18	42.16	12.7	54.96	-	-	P	H
		10640	47.76	-26.24	74	50.65	39.72	10.93	53.54	-	-	P	V
		15960	48.46	-25.54	74	48.56	42.16	12.7	54.96	-	-	P	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



U-NII-2A 5250~5350MHz

WIFI 802. 11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT20 Full CH 64 5320MHz	*	5320	106.3	-	-	96.67	34.47	8.27	33.11	100	68	P	H
	*	5320	98.88	-	-	89.25	34.47	8.27	33.11	100	68	A	H
		5351.52	59.91	-14.09	74	50.26	34.46	8.38	33.19	100	68	P	H
		5350.72	51.85	-2.15	54	42.2	34.46	8.38	33.19	100	68	A	H
	*	5320	105.71	-	-	96.08	34.47	8.27	33.11	100	71	P	V
	*	5320	97.9	-	-	88.27	34.47	8.27	33.11	100	71	A	V
		5359.84	58.68	-15.32	74	49.03	34.46	8.38	33.19	100	71	P	V
	5350.24	49.46	-4.54	54	39.81	34.46	8.38	33.19	100	71	A	V	
Remark	11. No other spurious found. 12. All results are PASS against Peak and Average limit line.												



U-NII-2A 5250~5350MHz

WIFI 802. 11be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be		10520	48.54	-19.76	68.3	51.29	39.79	10.84	53.38	-	-	P	H
EHT20 Full		15780	49.48	-24.52	74	49.5	41.98	12.71	54.71	-	-	P	H
CH 52		10520	48.4	-19.9	68.3	51.15	39.79	10.84	53.38	-	-	P	V
5260MHz		15780	49.23	-24.77	74	49.25	41.98	12.71	54.71	-	-	P	V
802. 11be		10600	48.09	-25.91	74	50.94	39.74	10.9	53.49	-	-	P	H
EHT20 Full		15900	47.79	-26.21	74	47.85	42.1	12.71	54.87	-	-	P	H
CH 60		10600	48.22	-25.78	74	51.07	39.74	10.9	53.49	-	-	P	V
5300MHz		15900	48.14	-25.86	74	48.2	42.1	12.71	54.87	-	-	P	V
802. 11be		10640	48.7	-25.3	74	51.59	39.72	10.93	53.54	-	-	P	H
EHT20 Full		15960	48.08	-25.92	74	48.18	42.16	12.7	54.96	-	-	P	H
CH 64		10640	47.76	-26.24	74	50.65	39.72	10.93	53.54	-	-	P	V
5320MHz		15960	48.46	-25.54	74	48.56	42.16	12.7	54.96	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2A 5250~5350MHz

WIFI 802. 11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT40 Full CH 54 5270MHz		5141.05	51.65	-22.35	74	42.05	34.54	7.91	32.85	100	65	P	H
		5150	42.52	-11.48	54	32.92	34.54	7.91	32.85	100	65	A	H
	*	5270	105.17	-	-	95.64	34.49	8.06	33.02	100	65	P	H
	*	5270	97.43	-	-	87.9	34.49	8.06	33.02	100	65	A	H
		5354.16	58.58	-15.42	74	48.93	34.46	8.38	33.19	100	65	P	H
		5352.24	48.88	-5.12	54	39.23	34.46	8.38	33.19	100	65	A	H
		5146.3	50.12	-23.88	74	40.52	34.54	7.91	32.85	100	114	P	V
		5149.8	41.66	-12.34	54	32.06	34.54	7.91	32.85	100	114	A	V
	*	5270	101.8	-	-	92.27	34.49	8.06	33.02	100	114	P	V
	*	5270	94.77	-	-	85.24	34.49	8.06	33.02	100	114	A	V
		5383.92	55.98	-18.02	74	46.38	34.45	8.38	33.23	100	114	P	V
		5350.08	46.88	-7.12	54	37.23	34.46	8.38	33.19	100	114	A	V
802. 11be EHT40 Full CH 62 5310MHz		5044.8	48.93	-25.07	74	39.17	34.58	7.86	32.68	100	67	P	H
		5050.4	39.67	-14.33	54	29.91	34.58	7.86	32.68	100	67	A	H
	*	5310	105.3	-	-	95.66	34.48	8.27	33.11	100	67	P	H
	*	5310	97.9	-	-	88.26	34.48	8.27	33.11	100	67	A	H
		5356.08	58.04	-15.96	74	48.39	34.46	8.38	33.19	100	67	P	H
		5357.76	49.95	-4.05	54	40.3	34.46	8.38	33.19	100	67	A	H
		5063	48.99	-25.01	74	39.29	34.57	7.86	32.73	100	113	P	V
		5050.05	39.57	-14.43	54	29.81	34.58	7.86	32.68	100	113	A	V
	*	5310	103.41	-	-	93.77	34.48	8.27	33.11	100	113	P	V
	*	5310	96.18	-	-	86.54	34.48	8.27	33.11	100	113	A	V
	5359.68	56.88	-17.12	74	47.23	34.46	8.38	33.19	100	113	P	V	
	5360.4	47.03	-6.97	54	37.38	34.46	8.38	33.19	100	113	A	V	
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



U-NII-2A 5250~5350MHz

WIFI 802. 11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be		10540	48.16	-20.14	68.3	50.92	39.78	10.87	53.41	-	-	P	H
EHT40 Full		15810	48.01	-25.99	74	48.04	42.01	12.71	54.75	-	-	P	H
CH 54		10540	48.21	-20.09	68.3	50.97	39.78	10.87	53.41	-	-	P	V
5270MHz		15810	49.19	-24.81	74	49.22	42.01	12.71	54.75	-	-	P	V
802. 11be		10620	48.08	-25.92	74	50.94	39.73	10.93	53.52	-	-	P	H
EHT40 Full		15930	48.1	-25.9	74	48.18	42.13	12.7	54.91	-	-	P	H
CH 62		10620	48.71	-25.29	74	51.57	39.73	10.93	53.52	-	-	P	V
5310MHz		15930	47.44	-26.56	74	47.52	42.13	12.7	54.91	-	-	P	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



U-NII-2A 5250~5350MHz

WIFI 802. 11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT80 Full CH 58 5290MHz		5001.56	49.97	-24.03	74	40.14	34.6	7.83	32.6	100	65	P	H
		5149.76	41.03	-12.97	54	31.43	34.54	7.91	32.85	100	65	A	H
	*	5290	100.7	-	-	91.11	34.48	8.17	33.06	100	65	P	H
	*	5290	93.79	-	-	84.2	34.48	8.17	33.06	100	65	A	H
		5382.72	61.87	-12.13	74	52.27	34.45	8.38	33.23	100	65	P	H
		5379.12	50.9	-3.1	54	41.3	34.45	8.38	33.23	100	65	A	H
		5112.35	50.11	-23.89	74	40.44	34.56	7.88	32.77	100	139	P	V
		5050.05	39.71	-14.29	54	29.95	34.58	7.86	32.68	100	139	A	V
	*	5290	96.48	-	-	86.89	34.48	8.17	33.06	100	139	P	V
	*	5290	89.09	-	-	79.5	34.48	8.17	33.06	100	139	A	V
		5351.52	55.66	-18.34	74	46.01	34.46	8.38	33.19	100	139	P	V
		5369.28	45.53	-8.47	54	35.89	34.45	8.38	33.19	100	139	A	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



U-NII-2A 5250~5350MHz

WIFI 802. 11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be		10580	48.96	-19.34	68.3	51.78	39.75	10.9	53.47	-	-	P	H
EHT80 Full		15870	48.96	-25.04	74	49.02	42.07	12.71	54.84	-	-	P	H
CH 58		10580	48.61	-19.69	68.3	51.43	39.75	10.9	53.47	-	-	P	V
5290MHz		15870	49.78	-24.22	74	49.84	42.07	12.71	54.84	-	-	P	V
Remark	<p>3. No other spurious found.</p> <p>4. All results are PASS against Peak and Average limit line.</p>												



U-NII-2C - 5470~5725MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 100 5500MHz		5459.28	57.15	-16.85	74	47.66	34.42	8.43	33.36	100	251	P	H
		5470	60.49	-7.81	68.3	51.06	34.41	8.38	33.36	100	251	A	H
		5460	45.83	-8.17	54	36.34	34.42	8.43	33.36	100	251	P	H
	*	5500	110.97	-	-	101.59	34.4	8.38	33.4	100	251	A	H
	*	5500	105.16	-	-	95.78	34.4	8.38	33.4	100	251	P	H
		5456.56	52.59	-21.41	74	43.1	34.42	8.43	33.36	100	122	P	V
		5469.84	59.62	-8.68	68.3	50.19	34.41	8.38	33.36	100	122	A	V
		5460	43.27	-10.73	54	33.78	34.42	8.43	33.36	100	122	P	V
	*	5500	103.91	-	-	94.53	34.4	8.38	33.4	100	122	A	V
	*	5500	97.62	-	-	88.24	34.4	8.38	33.4	100	122	P	V
802.11a CH 140 5700MHz	*	5700	111.61	-	-	101.48	34.84	8.65	33.36	100	241	P	H
	*	5700	105.5	-	-	95.37	34.84	8.65	33.36	100	241	A	H
		5733	58.09	-10.21	68.3	47.88	34.91	8.65	33.35	100	241	P	H
	*	5700	106.12	-	-	95.99	34.84	8.65	33.36	100	117	P	V
	*	5700	99.9	-	-	89.77	34.84	8.65	33.36	100	117	A	V
		5725.48	57.31	-10.99	68.3	47.11	34.9	8.65	33.35	100	117	P	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



U-NII-2C - 5470~5725MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 100 5500MHz		11000	47.92	-26.08	74	51.22	39.5	11.2	54	-	-	P	H
		16500	49.57	-18.73	68.3	47.75	42.5	12.9	53.58	-	-	P	H
		11000	47.57	-26.43	74	50.87	39.5	11.2	54	-	-	P	V
		16500	49.84	-18.46	68.3	48.02	42.5	12.9	53.58	-	-	P	V
802.11a CH 116 5580MHz		11160	46.97	-27.03	74	50.1	39.47	11.3	53.9	-	-	P	H
		16740	49.83	-18.47	68.3	47.27	42.45	13.02	52.91	-	-	P	H
		11160	46.57	-27.43	74	49.7	39.47	11.3	53.9	-	-	P	V
		16740	49.95	-18.35	68.3	47.39	42.45	13.02	52.91	-	-	P	V
802.11a CH 140 5700MHz		11400	46.63	-27.37	74	49.56	39.42	11.41	53.76	-	-	P	H
		17100	49.12	-19.18	68.3	45.86	42.38	13.15	52.27	-	-	P	H
		11400	48.74	-25.26	74	51.67	39.42	11.41	53.76	-	-	P	V
		17100	49.68	-18.62	68.3	46.42	42.38	13.15	52.27	-	-	P	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



U-NII-2C - 5470~5725MHz

WIFI 802. 11beEHT20 Full (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11beEHT 20 Full CH 100 5500MHz		5458.8	59.51	-14.49	74	50.02	34.42	8.43	33.36	100	253	P	H
		5460.72	60.57	-7.73	68.3	51.08	34.42	8.43	33.36	100	253	A	H
		5460	47.91	-6.09	54	38.42	34.42	8.43	33.36	100	253	P	H
	*	5500	110.03	-	-	100.65	34.4	8.38	33.4	100	253	P	H
	*	5500	104.1	-	-	94.72	34.4	8.38	33.4	100	253	A	H
		5458.64	60.07	-13.93	74	50.58	34.42	8.43	33.36	100	115	P	V
		5467.44	60.78	-7.52	68.3	51.35	34.41	8.38	33.36	100	115	A	V
		5460	47.12	-6.88	54	37.63	34.42	8.43	33.36	100	115	P	V
	*	5500	104.5	-	-	95.12	34.4	8.38	33.4	100	115	P	V
	*	5500	99.83	-	-	90.45	34.4	8.38	33.4	100	115	A	V
802.11beEHT 20 Full CH 140 5700MHz	*	5700	112.52	-	-	102.39	34.84	8.65	33.36	100	247	P	H
	*	5700	106.62	-	-	96.49	34.84	8.65	33.36	100	247	A	H
		5725.08	57.56	-10.74	68.3	47.36	34.9	8.65	33.35	100	247	P	H
	*	5700	106.5	-	-	96.37	34.84	8.65	33.36	100	91	P	V
	*	5700	100.41	-	-	90.28	34.84	8.65	33.36	100	91	A	V
		5726.04	58.11	-10.19	68.3	47.91	34.9	8.65	33.35	100	91	P	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



**U-NII-2C 5470~5725MHz
WIFI 802.11ax HE20 (Harmonic @ 3m)**

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11beEHT 20 Full CH 100 5500MHz		11000	46.85	-27.15	74	50.15	39.5	11.2	54	-	-	P	H
		16500	49.32	-18.98	68.3	47.5	42.5	12.9	53.58	-	-	P	H
		11000	47.49	-26.51	74	50.79	39.5	11.2	54	-	-	P	V
		16500	49.24	-19.06	68.3	47.42	42.5	12.9	53.58	-	-	P	V
802.11beEHT 20 Full CH 116 5580MHz		11160	47.55	-26.45	74	50.68	39.47	11.3	53.9	-	-	P	H
		16740	49.21	-19.09	68.3	46.65	42.45	13.02	52.91	-	-	P	H
		11160	47.13	-26.87	74	50.26	39.47	11.3	53.9	-	-	P	V
		16740	49.52	-18.78	68.3	46.96	42.45	13.02	52.91	-	-	P	V
802.11ax HE20 Full CH 140 5700MHz		11400	47.09	-26.91	74	50.02	39.42	11.41	53.76	-	-	P	H
		17100	49.14	-19.16	68.3	45.88	42.38	13.15	52.27	-	-	P	H
		11400	46.78	-27.22	74	49.71	39.42	11.41	53.76	-	-	P	V
		17100	49.05	-19.25	68.3	45.79	42.38	13.15	52.27	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C 5470~5725MHz

WIFI 802. 11beEHT40 Full (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11beEHT 40 Full CH 102 5510MHz		5458.48	59.22	-14.78	74	49.73	34.42	8.43	33.36	100	72	P	H
		5462.56	60.53	-7.77	68.3	51.05	34.41	8.43	33.36	100	72	A	H
		5459.92	49.66	-4.34	54	40.17	34.42	8.43	33.36	100	72	P	H
	*	5510	104.14	-	-	94.8	34.42	8.32	33.4	100	72	P	H
	*	5510	97.33	-	-	87.99	34.42	8.32	33.4	100	72	A	H
		5734.445	49.11	-19.19	68.3	38.89	34.92	8.65	33.35	100	72	P	H
		5458.72	53.44	-20.56	74	43.95	34.42	8.43	33.36	100	118	P	V
		5469.04	62.24	-6.06	68.3	52.81	34.41	8.38	33.36	100	118	A	V
		5459.92	47.03	-6.97	54	37.54	34.42	8.43	33.36	100	118	P	V
	*	5510	101.2	-	-	91.86	34.42	8.32	33.4	100	118	P	V
	*	5510	93.81	-	-	84.47	34.42	8.32	33.4	100	118	A	V
		5738.54	49.8	-18.5	68.3	39.43	34.92	8.8	33.35	100	118	P	V
802.11beEHT 40 Full CH 134 5670MHz		5359.8	48.87	-25.13	74	39.22	34.46	8.38	33.19	100	251	P	H
		5466.2	48.97	-19.33	68.3	39.54	34.41	8.38	33.36	100	251	A	H
		5459.9	38.65	-15.35	54	29.16	34.42	8.43	33.36	100	251	P	H
	*	5670	108.6	-	-	98.69	34.77	8.51	33.37	100	251	P	H
	*	5670	101.37	-	-	91.46	34.77	8.51	33.37	100	251	A	H
		5730.175	64.91	-3.39	68.3	54.7	34.91	8.65	33.35	100	251	P	H
		5430.85	47.99	-26.01	74	38.45	34.43	8.43	33.32	100	118	P	V
		5465.5	48.04	-20.26	68.3	38.56	34.41	8.43	33.36	100	118	A	V
		5387.1	38.18	-15.82	54	28.58	34.45	8.38	33.23	100	118	P	V
	*	5670	104.78	-	-	94.87	34.77	8.51	33.37	100	118	P	V
	*	5670	97.63	-	-	87.72	34.77	8.51	33.37	100	118	A	V
		5727.725	65.88	-2.42	68.3	55.68	34.9	8.65	33.35	100	118	P	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



**U-NII-2C 5470~5725MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)**

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11beEHT 40 Full CH 102 5510MHz		11020	47.36	-26.64	74	50.63	39.5	11.22	53.99	-	-	P	H
		16530	49.87	-18.43	68.3	47.94	42.49	12.92	53.48	-	-	P	H
		11020	47.25	-26.75	74	50.52	39.5	11.22	53.99	-	-	P	V
		16530	49.56	-18.74	68.3	47.63	42.49	12.92	53.48	-	-	P	V
802.11beEHT 40 Full CH 110 5550MHz		11100	46.98	-27.02	74	50.18	39.48	11.26	53.94	-	-	P	H
		16650	49.59	-18.71	68.3	47.3	42.47	12.97	53.15	-	-	P	H
		11100	47.06	-26.94	74	50.26	39.48	11.26	53.94	-	-	P	V
		16650	49.35	-18.95	68.3	47.06	42.47	12.97	53.15	-	-	P	V
802.11beEHT 40 Full CH 134 5670MHz		11340	46.2	-27.8	74	49.2	39.43	11.37	53.8	-	-	P	H
		17010	49.5	-18.8	68.3	46.18	42.4	13.13	52.21	-	-	P	H
		11340	46.13	-27.87	74	49.13	39.43	11.37	53.8	-	-	P	V
		17010	49.47	-18.83	68.3	46.15	42.4	13.13	52.21	-	-	P	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



U-NII-2C 5470~5725MHz

WIFI 802. 11beEHT80 Full (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11beEHT 80 Full CH 106 5530MHz		5434.72	61.32	-12.68	74	51.78	34.43	8.43	33.32	100	72	P	H
		5462.32	59.2	-9.1	68.3	49.71	34.42	8.43	33.36	100	72	A	H
		5438.08	51.01	-2.99	54	41.48	34.42	8.43	33.32	100	72	P	H
	*	5530	103.44	-	-	94.05	34.47	8.32	33.4	100	72	P	H
	*	5530	96.12	-	-	86.73	34.47	8.32	33.4	100	72	A	H
		5730.35	50.81	-17.49	68.3	40.6	34.91	8.65	33.35	100	72	P	H
		5445.52	58.43	-15.57	74	48.9	34.42	8.43	33.32	100	117	P	V
		5463.04	58	-10.3	68.3	48.52	34.41	8.43	33.36	100	117	A	V
		5444.32	48.46	-5.54	54	38.93	34.42	8.43	33.32	100	117	P	V
	*	5530	98.45	-	-	89.06	34.47	8.32	33.4	100	117	P	V
	*	5530	91.36	-	-	81.97	34.47	8.32	33.4	100	117	A	V
		5742.95	49.63	-18.67	68.3	39.25	34.93	8.8	33.35	100	117	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C 5470~5725MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11beEHT		11060	47.94	-26.06	74	51.17	39.49	11.24	53.96	-	-	P	H
80 Full		16590	49.8	-18.5	68.3	47.71	42.48	12.95	53.34	-	-	P	H
CH 106		11060	48.46	-25.54	74	51.69	39.49	11.24	53.96	-	-	P	V
5530MHz		16590	49.2	-19.1	68.3	47.11	42.48	12.95	53.34	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C 5470~5725MHz

Emission below 1GHz

WIFI 802.11be EHT40 (LF @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT40 Full CH 46		97.9	30.6	-12.9	43.5	48.72	14.66	2.02	34.8	-	-	P	H
		189.08	21.35	-22.15	43.5	36.81	16.63	2.61	34.7	-	-	P	H
		252.13	22.71	-23.29	46	36.76	17.63	3.02	34.7	-	-	P	H
		299.66	24.73	-21.27	46	37	19.12	3.21	34.6	-	-	P	H
		500.45	24.39	-21.61	46	32.15	23.36	3.38	34.5	-	-	P	H
		773.99	29.47	-16.53	46	32.06	27.71	4.05	34.35	-	-	P	H
		94.02	31.94	-11.56	43.5	50.52	14.18	2.04	34.8	-	-	P	V
		189.08	24.83	-18.67	43.5	40.29	16.63	2.61	34.7	-	-	P	V
		252.13	25.21	-20.79	46	39.26	17.63	3.02	34.7	-	-	P	V
		452.92	23.67	-22.33	46	31.92	22.79	3.46	34.5	-	-	P	V
	656.62	27.58	-18.42	46	32.03	26.36	3.68	34.49	-	-	P	V	
	841.89	29.99	-16.01	46	31.26	28.65	4.38	34.3	-	-	P	V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.												



U-NII-3 - 5725~5850MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 149 5745MHz		5633.4	49.63	-18.67	68.3	39.96	34.69	8.36	33.38	100	241	P	H
		5697.4	52.93	-50.36	103.29	42.95	34.83	8.51	33.36	100	241	P	H
		5716.6	62.65	-47.2	109.85	52.47	34.88	8.65	33.35	100	241	P	H
		5724.8	72.66	-49.08	121.74	62.47	34.89	8.65	33.35	100	241	P	H
	*	5745	112.44	-	-	102.05	34.94	8.8	33.35	100	241	P	H
	*	5745	105.08	-	-	94.69	34.94	8.8	33.35	100	241	A	H
		5616.6	49.73	-18.57	68.3	40.23	34.66	8.22	33.38	100	275	P	V
		5699.4	55.02	-49.74	104.76	45.03	34.84	8.51	33.36	100	275	P	V
		5719.2	61.9	-48.68	110.58	51.72	34.88	8.65	33.35	100	275	P	V
		5724.2	70.37	-50.01	120.38	60.18	34.89	8.65	33.35	100	275	P	V
	*	5745	111.24	-	-	100.85	34.94	8.8	33.35	100	275	P	V
	*	5745	103.86	-	-	93.47	34.94	8.8	33.35	100	275	A	V



WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 165 5825MHz	*	5825	111.86	-	-	101.18	35.12	8.89	33.33	100	242	P	H
	*	5825	104.57	-	-	93.89	35.12	8.89	33.33	100	242	A	H
		5852.4	57.14	-59.59	116.73	46.4	35.18	8.89	33.33	100	242	P	H
		5859.6	55.7	-53.81	109.51	44.99	35.19	8.85	33.33	100	242	P	H
		5882.8	53.31	-46.1	99.41	42.55	35.24	8.85	33.33	100	242	P	H
		5926	51.32	-16.98	68.3	40.49	35.34	8.8	33.31	100	242	P	H
	*	5825	111.38	-	-	100.7	35.12	8.89	33.33	100	277	P	V
	*	5825	104.08	-	-	93.4	35.12	8.89	33.33	100	277	A	V
		5851	54.44	-65.48	119.92	43.71	35.17	8.89	33.33	100	277	P	V
		5869.8	53.52	-53.13	106.65	42.79	35.21	8.85	33.33	100	277	P	V
		5889.2	52.52	-42.14	94.66	41.74	35.26	8.85	33.33	100	277	P	V
		5939	50.83	-17.47	68.3	40.01	35.37	8.76	33.31	100	277	P	V

Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line.
---------------	---



U-NII-3 5725~5850MHz
WIFI 802.11a (Harmonic @ 3m)

Table with 14 columns: WIFI Ant. 5+6, Note, Frequency (MHz), Level (dBµV/m), Margin (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include channels 149, 157, and 165 at various frequencies.



U-NII-3 5725~5850MHz
WIFI 802. 11beEHT20_Full (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 149 5745MHz		5617.2	49.34	-18.96	68.3	39.84	34.66	8.22	33.38	100	241	P	H
		5699.4	52.81	-51.95	104.76	42.82	34.84	8.51	33.36	100	241	P	H
		5704.2	60.16	-46.22	106.38	50.02	34.85	8.65	33.36	100	241	P	H
		5724	63.68	-56.24	119.92	53.49	34.89	8.65	33.35	100	241	P	H
	*	5745	112.96	-	-	102.57	34.94	8.8	33.35	100	241	P	H
	*	5745	105.53	-	-	95.14	34.94	8.8	33.35	100	241	A	H
		5611	49.16	-19.14	68.3	39.68	34.64	8.22	33.38	100	276	P	V
		5695.4	51.65	-50.17	101.82	41.67	34.83	8.51	33.36	100	276	P	V
		5717.2	58.37	-51.65	110.02	48.19	34.88	8.65	33.35	100	276	P	V
		5724	60.18	-59.74	119.92	49.99	34.89	8.65	33.35	100	276	P	V
	*	5745	110.6	-	-	100.21	34.94	8.8	33.35	100	276	P	V
	*	5745	103.28	-	-	92.89	34.94	8.8	33.35	100	276	A	V



WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 165 5825MHz	*	5825	113.98	-	-	103.3	35.12	8.89	33.33	100	250	P	H
	*	5825	106.64	-	-	95.96	35.12	8.89	33.33	100	250	A	H
		5850.2	62.46	-59.28	121.74	51.73	35.17	8.89	33.33	100	250	P	H
		5868.6	57.78	-49.21	106.99	47.05	35.21	8.85	33.33	100	250	P	H
		5881.2	52.55	-48.04	100.59	41.79	35.24	8.85	33.33	100	250	P	H
		5926.4	50.77	-17.53	68.3	39.94	35.34	8.8	33.31	100	250	P	H
	*	5825	112.42	-	-	101.74	35.12	8.89	33.33	100	276	P	V
	*	5825	105.22	-	-	94.54	35.12	8.89	33.33	100	276	A	V
		5853.2	56.42	-58.48	114.9	45.68	35.18	8.89	33.33	100	276	P	V
		5855	55.7	-55.1	110.8	44.96	35.18	8.89	33.33	100	276	P	V
	5894.4	53.04	-37.77	90.81	42.25	35.27	8.85	33.33	100	276	P	V	
	5941.2	50.1	-18.2	68.3	39.28	35.37	8.76	33.31	100	276	P	V	

Remark

- No other spurious found.
- All results are PASS against Peak and Average limit line.



U-NII-3 5725~5850MHz

WIFI 802. 11beEHT20_Full (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		11490	47.16	-26.84	74	50.02	39.4	11.45	53.71	-	-	P	H
EHT20 Full		17235	49.41	-18.89	68.3	46.26	42.35	13.17	52.37	-	-	P	H
CH 149		11490	47.31	-26.69	74	50.17	39.4	11.45	53.71	-	-	P	V
5745MHz		17235	48.87	-19.43	68.3	45.72	42.35	13.17	52.37	-	-	P	V
802.11be		11570	47.06	-26.94	74	49.72	39.5	11.49	53.65	-	-	P	H
EHT20 Full		17355	48.45	-19.85	68.3	45.37	42.33	13.2	52.45	-	-	P	H
CH 157		11570	47.28	-26.72	74	49.94	39.5	11.49	53.65	-	-	P	V
5785MHz		17355	48.09	-20.21	68.3	45.01	42.33	13.2	52.45	-	-	P	V
802.11be		11650	48.57	-25.43	74	51.04	39.61	11.53	53.61	-	-	P	H
EHT20 Full		17475	48.18	-20.12	68.3	45.18	42.31	13.22	52.53	-	-	P	H
CH 165		11650	48.39	-25.61	74	50.86	39.61	11.53	53.61	-	-	P	V
5825MHz		17475	48.8	-19.5	68.3	45.8	42.31	13.22	52.53	-	-	P	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



U-NII-3 5725~5850MHz
WIFI 802.11beEHT40_Full (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 151 5755MHz		5650	55.88	-12.42	68.3	46.16	34.73	8.36	33.37	100	245	P	H
		5700	70.81	-34.39	105.2	60.68	34.84	8.65	33.36	100	245	P	H
		5717.4	77.01	-33.06	110.07	66.83	34.88	8.65	33.35	100	245	P	H
		5720	70.09	-40.71	110.8	59.91	34.88	8.65	33.35	100	245	P	H
	*	5755	110.52	-	-	100.11	34.96	8.8	33.35	100	245	P	H
	*	5755	103.36	-	-	92.95	34.96	8.8	33.35	100	245	A	H
		5854	56.14	-56.94	113.08	45.4	35.18	8.89	33.33	100	245	P	H
		5856.4	58.81	-51.6	110.41	48.11	35.18	8.85	33.33	100	245	P	H
		5882.8	54.74	-44.67	99.41	43.98	35.24	8.85	33.33	100	245	P	H
		5930.6	51.19	-17.11	68.3	40.35	35.35	8.8	33.31	100	245	P	H
		5646.2	53.02	-15.28	68.3	43.31	34.72	8.36	33.37	100	276	P	V
		5687.2	62.6	-33.18	95.78	52.64	34.81	8.51	33.36	100	276	P	V
		5710.6	73.12	-35.05	108.17	62.97	34.86	8.65	33.36	100	276	P	V
		5725	71.66	-50.54	122.2	61.46	34.9	8.65	33.35	100	276	P	V
	*	5755	108.55	-	-	98.14	34.96	8.8	33.35	100	276	P	V
	*	5755	101.32	-	-	90.91	34.96	8.8	33.35	100	276	A	V
		5853.6	55.72	-58.27	113.99	44.98	35.18	8.89	33.33	100	276	P	V
		5873.2	56.31	-49.39	105.7	45.57	35.22	8.85	33.33	100	276	P	V
		5889.4	52.75	-41.76	94.51	41.97	35.26	8.85	33.33	100	276	P	V
	5934.4	51.4	-16.9	68.3	40.59	35.36	8.76	33.31	100	276	P	V	



WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 159 5795MHz		5643	50.8	-17.5	68.3	41.1	34.71	8.36	33.37	100	248	P	H
		5698.4	63.38	-40.64	104.02	53.39	34.84	8.51	33.36	100	248	P	H
		5718.2	65.58	-44.72	110.3	55.4	34.88	8.65	33.35	100	248	P	H
		5723.4	66.84	-51.71	118.55	56.65	34.89	8.65	33.35	100	248	P	H
	*	5795	112.84	-	-	102.19	35.05	8.94	33.34	100	248	P	H
	*	5795	105.45	-	-	94.8	35.05	8.94	33.34	100	248	A	H
		5850.4	63.11	-58.18	121.29	52.38	35.17	8.89	33.33	100	248	P	H
		5864.4	61.45	-46.72	108.17	50.73	35.2	8.85	33.33	100	248	P	H
		5878.2	57.54	-45.28	102.82	46.79	35.23	8.85	33.33	100	248	P	H
		5927.2	51.97	-16.33	68.3	41.14	35.34	8.8	33.31	100	248	P	H
		5640.6	49.83	-18.47	68.3	40.13	34.71	8.36	33.37	100	276	P	V
		5678.4	54.57	-34.73	89.3	44.64	34.79	8.51	33.37	100	276	P	V
		5706.2	61.33	-45.61	106.94	51.19	34.85	8.65	33.36	100	276	P	V
		5724.8	62.39	-59.35	121.74	52.2	34.89	8.65	33.35	100	276	P	V
	*	5795	108.77	-	-	98.12	35.05	8.94	33.34	100	276	P	V
	*	5795	101.51	-	-	90.86	35.05	8.94	33.34	100	276	A	V
		5855	61.83	-48.97	110.8	51.09	35.18	8.89	33.33	100	276	P	V
		5860.8	63.91	-45.26	109.17	53.2	35.19	8.85	33.33	100	276	P	V
	5877.2	54.46	-49.11	103.57	43.71	35.23	8.85	33.33	100	276	P	V	
	5928.4	51.16	-17.14	68.3	40.33	35.34	8.8	33.31	100	276	P	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-3 5725~5850MHz

WIFI 802. 11beEHT40_Full (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		11510	47.5	-26.5	74	50.33	39.41	11.45	53.69	-	-	P	H
EHT40 Full		17265	48.48	-19.82	68.3	45.34	42.35	13.18	52.39	-	-	P	H
CH 151		11510	47.53	-26.47	74	50.36	39.41	11.45	53.69	-	-	P	V
5755MHz		17265	48.15	-20.15	68.3	45.01	42.35	13.18	52.39	-	-	P	V
802.11be		11590	47.92	-26.08	74	50.52	39.53	11.51	53.64	-	-	P	H
EHT40 Full		17385	48.94	-19.36	68.3	45.89	42.32	13.2	52.47	-	-	P	H
CH 159		11590	47.29	-26.71	74	49.89	39.53	11.51	53.64	-	-	P	V
5795MHz		17385	48.06	-20.24	68.3	45.01	42.32	13.2	52.47	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-3 5725~5850MHz

WIFI 802. 11beEHT80_Full (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 155 5775MHz		5650	60.69	-7.61	68.3	50.97	34.73	8.36	33.37	100	246	P	H
		5687.8	70.52	-25.71	96.23	60.56	34.81	8.51	33.36	100	246	P	H
		5708.2	68.55	-38.95	107.5	58.4	34.86	8.65	33.36	100	246	P	H
		5723	68.85	-48.79	117.64	58.66	34.89	8.65	33.35	100	246	P	H
	*	5775	108.48	-	-	98.02	35.01	8.8	33.35	100	246	P	H
	*	5775	101.18	-	-	90.72	35.01	8.8	33.35	100	246	A	H
		5855	67.92	-42.88	110.8	57.18	35.18	8.89	33.33	100	246	P	H
		5860.4	70.68	-38.61	109.29	59.97	35.19	8.85	33.33	100	246	P	H
		5875.2	69.39	-35.66	105.05	58.64	35.23	8.85	33.33	100	246	P	H
		5925.4	55.55	-12.75	68.3	44.72	35.34	8.8	33.31	100	246	P	H
		5644.4	58.33	-9.97	68.3	48.62	34.72	8.36	33.37	100	277	P	V
		5684.8	67.16	-26.86	94.02	57.21	34.81	8.51	33.37	100	277	P	V
		5703	65.35	-40.69	106.04	55.21	34.85	8.65	33.36	100	277	P	V
		5723.6	65.25	-53.76	119.01	55.06	34.89	8.65	33.35	100	277	P	V
	*	5775	105.63	-	-	95.17	35.01	8.8	33.35	100	277	P	V
	*	5775	98.17	-	-	87.71	35.01	8.8	33.35	100	277	A	V
		5853.2	68.11	-46.79	114.9	57.37	35.18	8.89	33.33	100	277	P	V
		5870	67	-39.6	106.6	56.27	35.21	8.85	33.33	100	277	P	V
		5877.6	65.64	-37.63	103.27	54.89	35.23	8.85	33.33	100	277	P	V
		5926.4	53.58	-14.72	68.3	42.75	35.34	8.8	33.31	100	277	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-3 5725~5850MHz

WIFI 802. 11beEHT80_Full (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		11550	47.43	-26.57	74	50.13	39.47	11.49	53.66	-	-	P	H
EHT80 Full		17325	48.08	-20.22	68.3	44.98	42.33	13.2	52.43	-	-	P	H
CH 155		11550	48.69	-25.31	74	51.39	39.47	11.49	53.66	-	-	P	V
5775MHz		17325	48.38	-19.92	68.3	45.28	42.33	13.2	52.43	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-3 5725~5850MHz

Emission below 1GHz

WIFI 802.11be EHT80 Puncturing 20M RU2 (LF)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
WIFI 802.11be EHT80 Puncturing 20M RU2 LF		96.93	30.44	-13.06	43.5	48.67	14.54	2.03	34.8	-	-	P	H
		187.14	21.16	-22.34	43.5	36.52	16.75	2.59	34.7	-	-	P	H
		252.13	23.25	-22.75	46	37.3	17.63	3.02	34.7	-	-	P	H
		297.72	24.62	-21.38	46	36.96	19.06	3.2	34.6	-	-	P	H
		472.32	24.21	-21.79	46	32.26	23.02	3.43	34.5	-	-	P	H
		638.19	27.16	-18.84	46	31.82	26.21	3.65	34.52	-	-	P	H
		94.99	32.2	-11.3	43.5	50.65	14.3	2.05	34.8	-	-	P	V
		182.29	25.23	-18.27	43.5	40.35	17.05	2.53	34.7	-	-	P	V
		252.13	24.4	-21.6	46	38.45	17.63	3.02	34.7	-	-	P	V
		337.49	20.95	-25.05	46	32.23	19.94	3.38	34.6	-	-	P	V
	520.82	23.97	-22.03	46	31.34	23.7	3.43	34.5	-	-	P	V	
	754.59	28.61	-17.39	46	31.6	27.61	3.79	34.39	-	-	P	V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.												



Small RU

U-NII-1 - 5150~5250MHz

WIFI 802.11be EHT20 Small RU (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802. 11be EHT20 Partial 52/26_1 CH 36 5180MHz		5146.9	52.46	-21.54	74	42.86	34.54	7.91	32.85	100	140	P	H
		5149.76	41.2	-12.8	54	31.6	34.54	7.91	32.85	100	140	A	H
	*	5180	108.6	-	-	99.03	34.53	7.93	32.89	100	140	P	H
	*	5180	101.43	-	-	91.86	34.53	7.93	32.89	100	140	A	H
		5147.94	55.09	-18.91	74	45.49	34.54	7.91	32.85	336	118	P	V
		5150	40.28	-13.72	54	30.68	34.54	7.91	32.85	336	118	A	V
	*	5180	110.04	-	-	100.47	34.53	7.93	32.89	336	118	P	V
	*	5180	102.68	-	-	93.11	34.53	7.93	32.89	336	118	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2A - 5250~5350MHz

WIFI 802. 11be EHT20 Small RU (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT20 Partial 52/26_3 CH 64 5320MHz	*	5320	112.06	-	-	102.43	34.47	8.27	33.11	100	247	P	H
	*	5320	104.86	-	-	95.23	34.47	8.27	33.11	100	247	A	H
		5358.08	51.24	-22.76	74	41.59	34.46	8.38	33.19	100	247	P	H
		5356	41.29	-12.71	54	31.64	34.46	8.38	33.19	100	247	A	H
	*	5320	107.47	-	-	97.84	34.47	8.27	33.11	321	92	P	V
	*	5320	100.31	-	-	90.68	34.47	8.27	33.11	321	92	A	V
		5406.72	48.3	-25.7	74	38.65	34.44	8.48	33.27	321	92	P	V
		5351.2	39.1	-14.9	54	29.45	34.46	8.38	33.19	321	92	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C - 5470~5725MHz

WIFI 802. 11be EHT20 Small RU (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT20 Partial 52/26_1 CH 100 5260MHz		5451.76	51.62	-22.38	74	42.09	34.42	8.43	33.32	100	244	P	H
		5467.76	51.52	-16.78	68.3	42.09	34.41	8.38	33.36	100	244	P	H
		5454	40.72	-13.28	54	31.23	34.42	8.43	33.36	100	244	A	H
	*	5500	109.21	-	-	99.83	34.4	8.38	33.4	100	244	P	H
	*	5500	102.12	-	-	92.74	34.4	8.38	33.4	100	244	A	H
		5447.76	49.4	-24.6	74	39.87	34.42	8.43	33.32	318	95	P	V
		5467.44	49.23	-19.07	68.3	39.8	34.41	8.38	33.36	318	95	P	V
		5457.84	39.16	-14.84	54	29.67	34.42	8.43	33.36	318	95	A	V
	*	5500	108.17	-	-	98.79	34.4	8.38	33.4	318	95	P	V
*	5500	101.08	-	-	91.7	34.4	8.38	33.4	318	95	A	V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 												



U-NII-2C 5470~5725MHz
WIFI 802.11be EHT20 Small RU (Band Edge @ 3m)

Table with 14 columns: WIFI Ant. 5+6, Note, Frequency (MHz), Level (dBµV/m), Margin (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include test results for 802.11be EHT20 Partial 52/26_3 CH 140 5700MHz and a Remark section.



U-NII-3 - 5725~5850MHz

WIFI 802.11ax HE20_Small RU (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 52/26_1 CH 149 5745MHz		5642	50.56	-17.74	68.3	40.86	34.71	8.36	33.37	100	249	P	H
		5681.6	51.61	-40.05	91.66	41.67	34.8	8.51	33.37	100	249	P	H
		5711.8	51.57	-56.94	108.51	41.41	34.87	8.65	33.36	100	249	P	H
		5724.6	53.12	-68.17	121.29	42.93	34.89	8.65	33.35	100	249	P	H
	*	5745	111.51	-	-	101.12	34.94	8.8	33.35	100	249	P	H
	*	5745	104.38	-	-	93.99	34.94	8.8	33.35	100	249	A	H
		5644.8	50.58	-17.72	68.3	40.87	34.72	8.36	33.37	100	260	P	V
		5689.6	51.05	-46.5	97.55	41.08	34.82	8.51	33.36	100	260	P	V
		5719	52.96	-57.56	110.52	42.78	34.88	8.65	33.35	100	260	P	V
		5723	52.83	-64.81	117.64	42.64	34.89	8.65	33.35	100	260	P	V
	*	5745	111.85	-	-	101.46	34.94	8.8	33.35	100	260	P	V
	*	5745	104.56	-	-	94.17	34.94	8.8	33.35	100	260	A	V



WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 52/26_3 CH 165 5825MHz	*	5825	112.04	-	-	101.36	35.12	8.89	33.33	104	239	P	H
	*	5825	104.78	-	-	94.1	35.12	8.89	33.33	104	239	A	H
		5855	52.17	-58.63	110.8	41.43	35.18	8.89	33.33	104	239	P	H
		5855	52.17	-58.63	110.8	41.43	35.18	8.89	33.33	104	239	P	H
		5880.8	52.42	-48.47	100.89	41.66	35.24	8.85	33.33	104	239	P	H
		5936.8	50.85	-17.45	68.3	40.04	35.36	8.76	33.31	104	239	P	H
	*	5825	107.83	-	-	97.15	35.12	8.89	33.33	100	282	P	V
	*	5825	100.54	-	-	89.86	35.12	8.89	33.33	100	282	A	V
		5852	51.89	-65.75	117.64	41.16	35.17	8.89	33.33	100	282	P	V
		5866	51.95	-55.77	107.72	41.22	35.21	8.85	33.33	100	282	P	V
		5881	52.3	-48.44	100.74	41.54	35.24	8.85	33.33	100	282	P	V
		5938.6	50.82	-17.48	68.3	40.01	35.36	8.76	33.31	100	282	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Single RU

U-NII-1 - 5150~5250MHz

WIFI 802.11be EHT20 Single RU (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT20 Partial 26/0 CH 36 5180MHz		5058.76	47.26	-26.74	74	40.66	31.42	7.86	32.68	100	237	P	H
		5146.9	37.28	-16.72	54	30.65	31.57	7.91	32.85	100	237	A	H
	*	5180	109.1	-	-	102.43	31.63	7.93	32.89	100	237	P	H
	*	5180	101.79	-	-	95.12	31.63	7.93	32.89	100	237	A	H
		5120.38	47.19	-26.81	74	40.58	31.51	7.91	32.81	383	107	P	V
		5145.34	36.66	-17.34	54	30.03	31.57	7.91	32.85	383	107	A	V
	*	5180	106.76	-	-	100.09	31.63	7.93	32.89	383	107	P	V
	*	5180	99.56	-	-	92.89	31.63	7.93	32.89	383	107	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2A - 5250~5350MHz

WIFI 802. 11be EHT20 Single RU (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT20 Partial 106/54 CH 64 5320MHz	*	5320	110.11	-	-	103.08	31.87	8.27	33.11	100	242	P	H
	*	5320	102.82	-	-	95.79	31.87	8.27	33.11	100	242	A	H
		5354.88	50.16	-23.84	74	43.04	31.93	8.38	33.19	100	242	P	H
		5350.08	40.11	-13.89	54	32.99	31.93	8.38	33.19	100	242	A	H
	*	5320	104.91	-	-	97.88	31.87	8.27	33.11	100	107	P	V
	*	5320	97.49	-	-	90.46	31.87	8.27	33.11	100	107	A	V
		5368.16	47.67	-26.33	74	40.52	31.96	8.38	33.19	100	107	P	V
		5350.08	37.04	-16.96	54	29.92	31.93	8.38	33.19	100	107	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C - 5470~5725MHz

WIFI 802. 11be EHT20 Single RU (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT20 Partial 26/0 CH 100 5260MHz		5404.24	46.99	-27.01	74	39.76	32.02	8.48	33.27	100	266	P	H
		5466.64	46.03	-22.27	68.3	38.87	32.14	8.38	33.36	100	266	P	H
		5456.88	36.52	-17.48	54	29.34	32.11	8.43	33.36	100	266	A	H
	*	5500	110.07	-	-	102.89	32.2	8.38	33.4	100	266	P	H
	*	5500	102.95	-	-	95.77	32.2	8.38	33.4	100	266	A	H
		5384.56	47.3	-26.7	74	40.16	31.99	8.38	33.23	296	278	P	V
		5461.84	45.53	-22.77	68.3	38.35	32.11	8.43	33.36	296	278	P	V
		5459.6	36.19	-17.81	54	29.01	32.11	8.43	33.36	296	278	A	V
	*	5500	108.04	-	-	100.86	32.2	8.38	33.4	296	278	P	V
	*	5500	100.62	-	-	93.44	32.2	8.38	33.4	296	278	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C 5470~5725MHz

WIFI 802.11be EHT20 Single RU (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 106/54 CH 140 5700MHz	*	5700	110.81	-	-	103.24	32.28	8.65	33.36	100	256	P	H
	*	5700	102.56	-	-	94.99	32.28	8.65	33.36	100	256	A	H
		5726.36	54.14	-14.16	68.3	46.55	32.29	8.65	33.35	100	256	P	H
	*	5700	107.63	-	-	100.06	32.28	8.65	33.36	332	277	P	V
	*	5700	100.45	-	-	92.88	32.28	8.65	33.36	332	277	A	V
		5726.12	50.5	-17.8	68.3	42.91	32.29	8.65	33.35	332	277	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-3 - 5725~5850MHz

WIFI 802.11ax HE20_Small RU (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 52/37 CH 149 5745MHz		5631.2	47.07	-21.23	68.3	39.84	32.25	8.36	33.38	221	62	P	H
		5698.6	47.85	-56.32	104.17	40.42	32.28	8.51	33.36	221	62	P	H
		5719.8	49.36	-61.38	110.74	41.77	32.29	8.65	33.35	221	62	P	H
		5724.4	48.4	-72.43	120.83	40.81	32.29	8.65	33.35	221	62	P	H
	*	5745	110.65	-	-	102.9	32.3	8.8	33.35	221	62	P	H
	*	5745	103.62	-	-	95.87	32.3	8.8	33.35	221	62	A	H
		5635.8	47.44	-20.86	68.3	40.19	32.26	8.36	33.37	100	262	P	V
		5682.2	48.82	-43.28	92.1	41.41	32.27	8.51	33.37	100	262	P	V
		5701.8	49.86	-55.84	105.7	42.29	32.28	8.65	33.36	100	262	P	V
		5725	48.92	-73.28	122.2	41.33	32.29	8.65	33.35	100	262	P	V
	*	5745	110.52	-	-	102.77	32.3	8.8	33.35	100	262	P	V
	*	5745	103.25	-	-	95.5	32.3	8.8	33.35	100	262	A	V



U-NII-3 - 5725~5850MHz

WIFI 802.11ax HE20_Small RU (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 26/8 CH 165 5825MHz	*	5825	106.73	-	-	98.84	32.33	8.89	33.33	100	238	P	H
	*	5825	99.57	-	-	91.68	32.33	8.89	33.33	100	238	A	H
		5853.2	48.45	-66.45	114.9	40.55	32.34	8.89	33.33	100	238	P	H
		5872.6	49.54	-56.33	105.87	41.67	32.35	8.85	33.33	100	238	P	H
		5877	48.24	-55.47	103.71	40.37	32.35	8.85	33.33	100	238	P	H
		5926.6	47.72	-20.58	68.3	39.86	32.37	8.8	33.31	100	238	P	H
	*	5825	108.98	-	-	101.09	32.33	8.89	33.33	142	267	P	V
	*	5825	101.77	-	-	93.88	32.33	8.89	33.33	142	267	A	V
		5855	48.39	-62.41	110.8	40.49	32.34	8.89	33.33	142	267	P	V
		5862.6	49.66	-59.01	108.67	41.8	32.34	8.85	33.33	142	267	P	V
		5912.8	47.93	-29.27	77.2	40.08	32.37	8.8	33.32	142	267	P	V
		5943.4	47.59	-20.71	68.3	39.76	32.38	8.76	33.31	142	267	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Large RU

U-NII-1 - 5150~5250MHz

WIFI 802.11be EHT80 Large RU 484+242_2 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT80 Large RU 484+242_2 CH 42 5210MHz		5136.76	66.68	-7.32	74	57.03	34.55	7.91	32.81	100	133	P	H
		5111.28	50.52	-3.48	54	40.85	34.56	7.88	32.77	100	133	A	H
	*	5210	102.43	-	-	92.89	34.52	7.96	32.94	100	133	P	H
	*	5210	95.31	-	-	85.77	34.52	7.96	32.94	100	133	A	H
		5359.44	55.52	-18.48	74	45.87	34.46	8.38	33.19	100	133	P	H
		5359.44	42.38	-11.62	54	32.73	34.46	8.38	33.19	100	133	A	H
		5121.42	63.94	-10.06	74	54.29	34.55	7.91	32.81	393	282	P	V
		5119.34	49.34	-4.66	54	39.69	34.55	7.91	32.81	393	282	A	V
	*	5210	103.15	-	-	93.61	34.52	7.96	32.94	393	282	P	V
	*	5210	97.18	-	-	87.64	34.52	7.96	32.94	393	282	A	V
	5350.08	57.62	-16.38	74	47.97	34.46	8.38	33.19	393	282	P	V	
	5350.08	42.55	-11.45	54	32.9	34.46	8.38	33.19	393	282	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI 802.11be EHT160 Large RU 996+484_3 (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT160 Large RU 996+484_3 CH 50 5250MHz		5136.76	63.74	-10.26	74	54.09	34.55	7.91	32.81	100	118	P	H
		5138.58	51.27	-2.73	54	41.63	34.54	7.91	32.81	100	118	A	H
	*	5250	102.32	-	-	92.78	34.5	8.06	33.02	100	118	P	H
	*	5250	95.01	-	-	85.47	34.5	8.06	33.02	100	118	A	H
		5400.96	62.31	-11.69	74	52.62	34.44	8.48	33.23	100	118	P	H
		5398.56	51.28	-2.72	54	41.59	34.44	8.48	33.23	100	118	A	H
		5138.32	61.14	-12.86	74	51.5	34.54	7.91	32.81	390	274	P	V
		5128.18	49.34	-4.66	54	39.69	34.55	7.91	32.81	390	274	A	V
	*	5250	99.46	-	-	89.92	34.5	8.06	33.02	390	274	P	V
	*	5250	91.99	-	-	82.45	34.5	8.06	33.02	390	274	A	V
		5398.56	63.17	-10.83	74	53.48	34.44	8.48	33.23	390	274	P	V
		5398.56	51.49	-2.51	54	41.8	34.44	8.48	33.23	390	274	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2A - 5250~5350MHz

WIFI 802.11be EHT80 Large RU 484+242_2 (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Large RU 484+242_2 CH 58 5290MHz		5150.15	52.05	-16.25	68.3	42.45	34.54	7.91	32.85	104	66	P	H
		5149.99	41.48	-12.52	54	31.88	34.54	7.91	32.85	104	66	A	H
	*	5290	102.78	-	-	93.19	34.48	8.17	33.06	104	66	P	H
	*	5290	96.75	-	-	87.16	34.48	8.17	33.06	104	66	A	H
		5361.84	63.47	-10.53	74	53.82	34.46	8.38	33.19	104	66	P	H
		5381.04	51.92	-2.08	54	42.32	34.45	8.38	33.23	104	66	A	H
		5001.05	49.93	-24.07	74	40.1	34.6	7.83	32.6	100	107	P	V
		5138.25	39.88	-14.12	54	30.24	34.54	7.91	32.81	100	107	A	V
	*	5290	98.64	-	-	89.05	34.48	8.17	33.06	100	107	P	V
	*	5290	92.7	-	-	83.11	34.48	8.17	33.06	100	107	A	V
		5388.24	60.43	-13.57	74	50.74	34.44	8.48	33.23	100	107	P	V
		5382.24	50.15	-3.85	54	40.55	34.45	8.38	33.23	100	107	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C - 5470~5725MHz

WIFI 802.11be EHT80 Large RU 484+242_2 (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Large RU 484+242_2 CH 106 5530MHz		5438.8	66.16	-7.84	74	56.63	34.42	8.43	33.32	100	66	P	H
		5460.64	63.22	-5.08	68.3	53.73	34.42	8.43	33.36	100	66	P	H
		5436.16	50.09	-3.91	54	40.55	34.43	8.43	33.32	100	66	A	H
		5530	103.92	-	-	94.53	34.47	8.32	33.4	100	66	P	H
		5530	97.86	-	-	88.47	34.47	8.32	33.4	100	66	A	H
		5736.02	51.79	-16.51	68.3	41.57	34.92	8.65	33.35	100	66	P	H
		5446	63.84	-10.16	74	54.31	34.42	8.43	33.32	340	102	P	V
		5464	61.58	-6.72	68.3	52.1	34.41	8.43	33.36	340	102	P	V
		5445.52	47.75	-6.25	54	38.22	34.42	8.43	33.32	340	102	A	V
		5530	99.45	-	-	90.06	34.47	8.32	33.4	340	102	P	V
	5530	93.85	-	-	84.46	34.47	8.32	33.4	340	102	A	V	
	5737.28	52.76	-15.54	68.3	42.54	34.92	8.65	33.35	340	102	P	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-3 - 5725~5850MHz

WIFI 802.11be EHT80 Large RU 484+242_2 (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT 80 Large RU 484+242_2 CH 155 5775MHz		5643.2	63.01	-5.29	68.3	53.3	34.72	8.36	33.37	222	62	P	H
		5679.8	73.32	-17.01	90.33	63.38	34.8	8.51	33.37	222	62	P	H
		5701.4	73.48	-32.11	105.59	63.35	34.84	8.65	33.36	222	62	P	H
		5722.2	73.21	-42.61	115.82	63.02	34.89	8.65	33.35	222	62	P	H
	*	5775	107.61	-	-	97.15	35.01	8.8	33.35	222	62	P	H
	*	5775	100.35	-	-	89.89	35.01	8.8	33.35	222	62	A	H
		5854.6	73.51	-38.2	111.71	62.77	35.18	8.89	33.33	222	62	P	H
		5868	76.19	-30.97	107.16	65.46	35.21	8.85	33.33	222	62	P	H
		5875.6	70.56	-34.19	104.75	59.81	35.23	8.85	33.33	222	62	P	H
		5937.8	61.76	-6.54	68.3	50.95	35.36	8.76	33.31	222	62	P	H
		5645.4	59.42	-8.88	68.3	49.71	34.72	8.36	33.37	100	283	P	V
		5687.4	70.69	-25.24	95.93	60.73	34.81	8.51	33.36	100	283	P	V
		5704.6	68.77	-37.72	106.49	58.63	34.85	8.65	33.36	100	283	P	V
		5723.2	68.08	-50.02	118.1	57.89	34.89	8.65	33.35	100	283	P	V
	*	5775	105.85	-	-	95.39	35.01	8.8	33.35	100	283	P	V
	*	5775	98.59	-	-	88.13	35.01	8.8	33.35	100	283	A	V
		5851.8	69.89	-48.21	118.1	59.16	35.17	8.89	33.33	100	283	P	V
		5867.8	71.86	-35.35	107.21	61.13	35.21	8.85	33.33	100	283	P	V
	5875	70.1	-35.1	105.2	59.36	35.22	8.85	33.33	100	283	P	V	
	5938	56.86	-11.44	68.3	46.05	35.36	8.76	33.31	100	283	P	V	



Puncturing RU

U-NII-1 - 5150~5250MHz

WIFI 802.11be EHT80 Puncturing 20M _2 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT80 Puncturing 20M CH 42-2 5210MHz		5126.1	60.86	-13.14	74	51.21	34.55	7.91	32.81	100	65	P	H
		5112.32	50.19	-3.81	54	40.52	34.56	7.88	32.77	100	65	A	H
	*	5210	102.7	-	-	93.16	34.52	7.96	32.94	100	65	P	H
	*	5210	96.7	-	-	87.16	34.52	7.96	32.94	100	65	A	H
		5350.08	54.53	-19.47	74	44.88	34.46	8.38	33.19	100	65	P	H
		5362.56	43.01	-10.99	54	33.37	34.45	8.38	33.19	100	65	A	H
		5111.28	57.87	-16.13	74	48.2	34.56	7.88	32.77	364	245	P	V
		5113.36	46.4	-7.6	54	36.74	34.55	7.88	32.77	364	245	A	V
	*	5210	98.58	-	-	89.04	34.52	7.96	32.94	364	245	P	V
	*	5210	92.99	-	-	83.45	34.52	7.96	32.94	364	245	A	V
	5352.24	50	-24	74	40.35	34.46	8.38	33.19	364	245	P	V	
	5377.68	40.95	-13.05	54	31.35	34.45	8.38	33.23	364	245	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI 802.11be EHT160 Puncturing 20M_2 (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160_2 Puncturing 20M CH 50 5250MHz		5146.12	63.67	-10.33	74	54.07	34.54	7.91	32.85	100	127	P	H
		5144.82	50.81	-3.19	54	41.21	34.54	7.91	32.85	100	127	A	H
	*	5250	96.85	-	-	87.31	34.5	8.06	33.02	100	127	P	H
	*	5250	89.58	-	-	80.04	34.5	8.06	33.02	100	127	A	H
		5355.6	66.85	-7.15	74	57.2	34.46	8.38	33.19	100	127	P	H
		5355.84	51.2	-2.8	54	41.55	34.46	8.38	33.19	100	127	A	H
		5147.68	64.06	-9.94	74	54.46	34.54	7.91	32.85	333	285	P	V
		5143.26	50.81	-3.19	54	41.21	34.54	7.91	32.85	333	285	A	V
	*	5250	96.81	-	-	87.27	34.5	8.06	33.02	333	285	P	V
	*	5250	89.65	-	-	80.11	34.5	8.06	33.02	333	285	A	V
		5385.12	64.59	-9.41	74	54.99	34.45	8.38	33.23	333	285	P	V
		5394	50.53	-3.47	54	40.84	34.44	8.48	33.23	333	285	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI 802.11be EHT160 Puncturing 40M_2 (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 40M_2 CH 50 5250MHz		5126.36	63.2	-10.8	74	53.55	34.55	7.91	32.81	101	127	P	H
		5125.58	51.46	-2.54	54	41.81	34.55	7.91	32.81	101	127	A	H
	*	5250	98.13	-	-	88.59	34.5	8.06	33.02	101	127	P	H
	*	5250	90.87	-	-	81.33	34.5	8.06	33.02	101	127	A	H
		5405.28	64.91	-9.09	74	55.26	34.44	8.48	33.27	101	127	P	H
		5405.76	51.72	-2.28	54	42.07	34.44	8.48	33.27	101	127	A	H
		5123.76	62.88	-11.12	74	53.23	34.55	7.91	32.81	330	283	P	V
		5117.52	50.61	-3.39	54	40.96	34.55	7.91	32.81	330	283	A	V
	*	5260	98.84	-	-	89.3	34.5	8.06	33.02	330	283	P	V
	*	5260	91.64	-	-	82.1	34.5	8.06	33.02	330	283	A	V
		5397.36	64.04	-9.96	74	54.35	34.44	8.48	33.23	330	283	P	V
		5402.88	51.63	-2.37	54	41.98	34.44	8.48	33.27	330	283	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2A - 5250~5350MHz

WIFI 802.11be EHT80 Puncturing 20M_2 (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Puncturing 20M_2 CH 58 5290MHz		5142.8	52.65	-21.35	74	43.05	34.54	7.91	32.85	100	66	P	H
		5145.95	42.9	-11.1	54	33.3	34.54	7.91	32.85	100	66	A	H
	*	5290	103.19	-	-	93.6	34.48	8.17	33.06	100	66	P	H
	*	5290	97.43	-	-	87.84	34.48	8.17	33.06	100	66	A	H
		5356.08	68.12	-5.88	74	58.47	34.46	8.38	33.19	100	66	P	H
		5386.08	50.33	-3.67	54	40.73	34.45	8.38	33.23	100	66	A	H
		5018.9	49.86	-24.14	74	40.08	34.59	7.83	32.64	365	249	P	V
		5043.4	41.64	-12.36	54	31.88	34.58	7.86	32.68	365	249	A	V
	*	5290	98.88	-	-	89.29	34.48	8.17	33.06	365	249	P	V
	*	5290	93.04	-	-	83.45	34.48	8.17	33.06	365	249	A	V
		5385.36	55.26	-18.74	74	45.66	34.45	8.38	33.23	365	249	P	V
		5388	46.18	-7.82	54	36.49	34.44	8.48	33.23	365	249	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-2C - 5470~5725MHz

WIFI 802.11be EHT80 Puncturing 20M_2 (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Puncturing 20M_2 CH 106 5530MHz		5454.64	63.34	-10.66	74	53.85	34.42	8.43	33.36	100	64	P	H
		5468.8	59.97	-8.33	68.3	50.54	34.41	8.38	33.36	100	64	P	H
		5433.52	51.84	-2.16	54	42.3	34.43	8.43	33.32	100	64	A	H
	*	5530	103.87	-	-	94.48	34.47	8.32	33.4	100	64	P	H
	*	5530	97.54	-	-	88.15	34.47	8.32	33.4	100	64	A	H
		5730.98	51.6	-16.7	68.3	41.39	34.91	8.65	33.35	100	64	P	H
		5452.96	65.55	-8.45	74	56.02	34.42	8.43	33.32	100	288	P	V
		5466.4	61.97	-6.33	68.3	52.54	34.41	8.38	33.36	100	288	P	V
		5459.68	51.78	-2.22	54	42.29	34.42	8.43	33.36	100	288	A	V
	*	5530	97.64	-	-	88.25	34.47	8.32	33.4	100	288	P	V
	*	5530	89.86	-	-	80.47	34.47	8.32	33.4	100	288	A	V
		5753.345	51.52	-16.78	68.3	41.11	34.96	8.8	33.35	100	288	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-3 - 5725~5850MHz

WIFI 802.11be EHT80 Puncturing 20M_2 (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
5+6		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11be EHT 80 Puncturing 20M_2 CH 155 5775MHz		5643.6	64.46	-3.84	68.3	54.75	34.72	8.36	33.37	100	66	P	H	
		5699.2	75.87	-28.74	104.61	65.88	34.84	8.51	33.36	100	66	P	H	
		5703.8	75.49	-30.78	106.27	65.35	34.85	8.65	33.36	100	66	P	H	
		5724.6	76.32	-44.97	121.29	66.13	34.89	8.65	33.35	100	66	P	H	
	*	5775	105.78	-	-	95.32	35.01	8.8	33.35	100	66	P	H	
	*	5775	98.57	-	-	88.11	35.01	8.8	33.35	100	66	A	H	
		5850.6	75.01	-45.82	120.83	64.28	35.17	8.89	33.33	100	66	P	H	
		5871.2	77.57	-28.69	106.26	66.83	35.22	8.85	33.33	100	66	P	H	
		5880.6	71.84	-29.2	101.04	61.08	35.24	8.85	33.33	100	66	P	V	
		5930.6	62.55	-5.75	68.3	51.71	35.35	8.8	33.31	100	66	P	V	
					-								P	A
			5640.6	62	-6.3	68.3	52.3	34.71	8.36	33.37	100	264	P	V
			5698.2	74.72	-29.16	103.88	64.73	34.84	8.51	33.36	100	264	P	V
			5719	73.13	-37.39	110.52	62.95	34.88	8.65	33.35	100	264	A	V
			5720.6	72.02	-40.15	112.17	61.83	34.89	8.65	33.35	100	264	P	V
	*		5775	103.35	-	-	92.89	35.01	8.8	33.35	100	264	P	V
	*		5775	95.92	-	-	85.46	35.01	8.8	33.35	100	264	A	V
			5851	68.94	-50.98	119.92	58.21	35.17	8.89	33.33	100	264	P	V
			5873.4	72.17	-33.48	105.65	61.43	35.22	8.85	33.33	100	264	P	V
		5879	67.94	-34.29	102.23	57.19	35.23	8.85	33.33	100	264	P	V	
		5933.8	60.89	-7.41	68.3	50.09	35.35	8.76	33.31	100	264	P	V	
												P	A	



<Co-location> for Sampe1- Ant5+4

U-NII-1 - 5150~5250MHz

WIFI 802. 11be EHT40_Tx_Ch03+11be EHT160_Tx_Ch50+Part96 Band48 (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT40_Tx_Ch03 & 11be EHT160_Tx_Ch50 & Part96 Band48 Co-location		5114.4	65.09	-8.91	74	55.43	34.55	7.88	32.77	258	242	P	H
		5149.76	51.69	-2.31	54	42.09	34.54	7.91	32.85	258	242	A	H
	*	5250	103.11	-	-	93.57	34.5	8.06	33.02	258	242	P	H
	*	5250	95.67	-	-	86.13	34.5	8.06	33.02	258	242	A	H
		5365.68	66.92	-7.08	74	57.28	34.45	8.38	33.19	258	242	P	H
		5350.08	51.58	-2.42	54	41.93	34.46	8.38	33.19	258	242	A	H
		5112.58	66.63	-7.37	74	56.97	34.55	7.88	32.77	128	263	P	V
		5139.1	51.88	-2.12	54	42.24	34.54	7.91	32.81	128	263	A	V
	*	5250	100.35	-	-	90.81	34.5	8.06	33.02	128	263	P	V
	*	5250	93.03	-	-	83.49	34.5	8.06	33.02	128	263	A	V
		5392.56	66.29	-7.71	74	56.6	34.44	8.48	33.23	128	263	P	V
		5382.48	51.47	-2.53	54	41.87	34.45	8.38	33.23	128	263	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4G 2400-2483.5MHz

WIFI 802. 11be EHT40_Tx_Ch03+11be EHT160_Tx_Ch50+Part96 Band48 (Band Edge @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT40_Tx_Ch03 & 11be EHT160_Tx_Ch50 & Part96 Band48 Co-location		2388.96	65.36	-8.64	74	62	32.21	4.81	33.66	114	39	P	H
		2390	51.74	-2.26	54	48.38	32.21	4.81	33.66	114	39	A	H
	*	2422	107.97	-	-	104.51	32.3	4.81	33.65	114	39	P	H
	*	2422	98.2	-	-	94.74	32.3	4.81	33.65	114	39	A	H
		2483.83	64.29	-9.71	74	60.53	32.46	4.92	33.62	114	39	P	H
		2483.5	51.72	-2.28	54	47.96	32.46	4.92	33.62	114	39	A	H
		2388.96	65.36	-8.64	74	62	32.21	4.81	33.66	114	39	P	V
		2390	51.74	-2.26	54	48.38	32.21	4.81	33.66	114	39	A	V
	*	2422	107.97	-	-	104.51	32.3	4.81	33.65	114	39	P	V
	*	2422	98.2	-	-	94.74	32.3	4.81	33.65	114	39	A	V
		2483.83	64.29	-9.71	74	60.53	32.46	4.92	33.62	114	39	P	V
		2483.5	51.72	-2.28	54	47.96	32.46	4.92	33.62	114	39	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-1 - 5150~5250MHz

WIFI 802. 11be EHT40_Tx_Ch03+11be EHT160_Tx_Ch50+Part96 Band48 (Harmonic @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT40_Tx Ch03 & 11be EHT160_Tx _Ch50 & Part96 Band48 Co-location		4844	50.1	-23.9	74	40.31	34.66	7.76	32.63	-	-	P	H
		7266	45.39	-28.61	74	33.9	36.37	8.83	33.71	-	-	P	H
		10500	47.55	-20.75	68.3	50.27	39.8	10.84	53.36	-	-	P	H
		15750	50.44	-23.56	74	50.47	41.95	12.71	54.69	-	-	P	H
		4844	49.96	-24.04	74	40.17	34.66	7.76	32.63	-	-	P	V
		7266	44.67	-29.33	74	33.18	36.37	8.83	33.71	-	-	P	V
		10500	47.98	-20.32	68.3	50.7	39.8	10.84	53.36	-	-	P	V
		15750	50.64	-23.36	74	50.67	41.95	12.71	54.69	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-1 - 5150~5250MHz

WIFI 802. BLE_Tx_Ch39+11be EHT40_Tx_Ch03+11be EHT160_Tx_Ch50+Part96 Band48

(Band Edge @ 3m)

WIFI Ant. 5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE_Tx_Ch39		5115.44	61.2	-12.8	74	51.55	34.55	7.91	32.81	100	145	P	H
&		5149.76	44.46	-9.54	54	34.86	34.54	7.91	32.85	100	145	A	H
802. 11be	*	5250	99.35	-	-	89.81	34.5	8.06	33.02	100	145	P	H
EHT40_Tx_Ch	*	5250	92.31	-	-	82.77	34.5	8.06	33.02	100	145	A	H
03		5405.76	60.16	-13.84	74	50.51	34.44	8.48	33.27	100	145	P	H
&		5392.08	47.58	-6.42	54	37.89	34.44	8.48	33.23	100	146	A	H
11be	*	5113.88	66.19	-7.81	74	56.53	34.55	7.88	32.77	100	285	P	V
EHT160_Tx_C	*	5112.84	46.06	-7.94	54	36.4	34.55	7.88	32.77	100	285	A	V
h50		5250	101.27	-	-	91.73	34.5	8.06	33.02	100	285	P	V
&		5250	94.18	-	-	84.64	34.5	8.06	33.02	100	285	A	V
Part96		5407.92	66.06	-7.94	74	56.41	34.44	8.48	33.27	100	285	P	V
Band48		5407.44	48.27	-5.73	54	38.62	34.44	8.48	33.27	100	285	A	V
Co-location													
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4G 2400-2483.5MHz

WIFI 802. BLE_Tx_Ch39+11be EHT40_Tx_Ch03+11be EHT160_Tx_Ch50+Part96 Band48

(Band Edge @ 3m)

WIFI Ant. 4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE_Tx_Ch39 & 802. 11be EHT40_Tx_Ch03 & 11be EHT160_Tx_Ch50 & Part96 Band48 Co-location	*	2389.94	62.45	-11.55	74	59.09	32.21	4.81	33.66	100	172	P	H
	*	2389.94	48.42	-5.58	54	45.06	32.21	4.81	33.66	100	172	A	H
		2422	101.64	-	-	98.18	32.3	4.81	33.65	100	172	P	H
		2422	91.25	-	-	87.79	32.3	4.81	33.65	100	172	A	H
		2483.62	59.15	-14.85	74	55.39	32.46	4.92	33.62	100	172	P	H
		2483.5	43.05	-10.95	54	39.29	32.46	4.92	33.62	100	172	A	H
		2389.8	69.34	-4.66	74	65.98	32.21	4.81	33.66	125	78	P	V
		2389.94	51.56	-2.44	54	48.2	32.21	4.81	33.66	125	78	A	V
		2422	105.69	-	-	102.23	32.3	4.81	33.65	125	78	P	V
		2422	95.3	-	-	91.84	32.3	4.81	33.65	125	78	A	V
	2483.62	60.14	-13.86	74	56.38	32.46	4.92	33.62	125	78	P	V	
	2483.5	44.59	-9.41	54	40.83	32.46	4.92	33.62	125	78	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4G 2400-2483.5MHz

WIFI 802. BLE_Tx_Ch39+11be EHT40_Tx_Ch03+11be EHT160_Tx_Ch50+Part96 Band48

(Band Edge @ 3m)

BLE Ant. 5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE_Tx_Ch39 & 802. 11be	*	2480	105.96	31.96	74	102.21	32.45	4.92	33.62	147	26	P	H
	*	2480	103.37	49.37	54	99.62	32.45	4.92	33.62	147	26	A	H
EHT40_Tx_Ch03 & 11be		2483.52	63.69	-10.31	74	59.93	32.46	4.92	33.62	147	26	P	H
		2483.52	43.87	-10.13	54	40.11	32.46	4.92	33.62	147	26	A	H
EHT160_Tx_Ch50 & Part96 Band48 Co-location		2480	104.62	30.62	74	100.87	32.45	4.92	33.62	133	279	P	V
	*	2480	101.93	47.93	54	98.18	32.45	4.92	33.62	133	279	A	V
	*	2483.56	62.97	-11.03	74	59.21	32.46	4.92	33.62	133	279	P	V
		2483.52	43.43	-10.57	54	39.67	32.46	4.92	33.62	133	279	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-1 - 5150~5250MHz

WIFI 802. BLE_Tx_Ch39+11be EHT40_Tx_Ch03+11be EHT160_Tx_Ch50+Part96 Band48

(Harmonic @ 3m)

WIFI Ant. 4+5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE_Tx_Ch39 & 802. 11be		4844	50.43	-23.57	74	40.64	34.66	7.76	32.63	-	-	P	H
		7266	45.47	-28.53	74	33.98	36.37	8.83	33.71	-	-	P	H
EHT40_Tx_Ch03 & 11be		10500	47.35	-20.95	68.3	50.07	39.8	10.84	53.36	-	-	P	H
		15750	50.71	-23.29	74	50.74	41.95	12.71	54.69	-	-	P	H
EHT160_Tx_Ch50 & Part96 Band48 Co-location		4844	50.62	-23.38	74	40.83	34.66	7.76	32.63	-	-	P	V
		7266	44.46	-29.54	74	32.97	36.37	8.83	33.71	-	-	P	V
		10500	47.8	-20.5	68.3	50.52	39.8	10.84	53.36	-	-	P	V
		15750	50.15	-23.85	74	50.18	41.95	12.71	54.69	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Co-location for Sampe1- Ant5+6

U-NII-1 - 5150~5250MHz

WIFI 802. 11be EHT40_Tx_Ch03+11be EHT40_Tx_Ch46+Part96 Band48 (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT40_Tx_Ch03 & 11be EHT40_Tx_Ch46 & Part96 Band48 Co-location		5148.98	63.28	-10.72	74	53.68	34.54	7.91	32.85	100	88	P	H
		5149.76	51.9	-2.1	54	42.3	34.54	7.91	32.85	100	88	A	H
	*	5230	105.77	-	-	96.28	34.51	7.96	32.98	100	88	P	H
	*	5230	98.4	-	-	88.91	34.51	7.96	32.98	100	88	A	H
		5353.44	56.6	-17.4	74	46.95	34.46	8.38	33.19	100	88	P	H
		5350.32	47.25	-6.75	54	37.6	34.46	8.38	33.19	100	88	A	H
		5144.3	65.42	-8.58	74	55.82	34.54	7.91	32.85	100	132	P	V
		5150	51.71	-2.29	54	42.11	34.54	7.91	32.85	100	132	A	V
	*	5230	100.86	-	-	91.37	34.51	7.96	32.98	100	132	P	V
	*	5230	93.46	-	-	83.97	34.51	7.96	32.98	100	132	A	V
		5356.56	62.74	-11.26	74	53.09	34.46	8.38	33.19	100	132	P	V
		5350.08	49.14	-4.86	54	39.49	34.46	8.38	33.19	100	132	A	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 												



2.4G 2400-2483.5MHz

WIFI 802. 11be EHT40_Tx_Ch03+11be EHT40_Tx_Ch46+Part96 Band48 (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT40_Tx_Ch03 & 11be EHT40_Tx_Ch46 & Part96 Band48 Co-location		2389.94	62.36	-11.64	74	59	32.21	4.81	33.66	241	360	P	H
		2389.94	51.56	-2.44	54	48.2	32.21	4.81	33.66	241	360	A	H
	*	2422	103.57	-	-	100.11	32.3	4.81	33.65	241	360	P	H
	*	2422	94.89	-	-	91.43	32.3	4.81	33.65	241	360	A	H
		2486.21	56.45	-17.55	74	52.69	32.46	4.92	33.62	241	360	P	H
		2484.95	44.83	-9.17	54	41.07	32.46	4.92	33.62	241	360	A	H
		2389.24	64.45	-9.55	74	61.09	32.21	4.81	33.66	399	54	P	V
		2389.94	50.3	-3.7	54	46.94	32.21	4.81	33.66	399	54	A	V
	*	2422	102.9	-	-	99.44	32.3	4.81	33.65	399	54	P	V
	*	2422	94.68	-	-	91.22	32.3	4.81	33.65	399	54	A	V
		2484.39	55.56	-18.44	74	51.8	32.46	4.92	33.62	399	54	P	V
		2486.7	42.59	-11.41	54	38.82	32.47	4.92	33.62	399	54	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-1 - 5150~5250MHz

WIFI 802. 11be EHT40_Tx_Ch03+11be EHT40_Tx_Ch46+Part96 Band48 (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT40_Tx Ch03 & 11be EHT40_Tx Ch46 & Part96 Band48 Co-location		4844	50.23	-23.77	74	40.44	34.66	7.76	32.63	-	-	P	H
		7266	45.51	-28.49	74	34.02	36.37	8.83	33.71	-	-	P	H
		10460	49.37	-18.93	68.3	52.06	39.78	10.82	53.29	-	-	P	H
		15690	49.38	-24.62	74	49.37	41.89	12.72	54.6	-	-	P	H
		4844	50.32	-23.68	74	40.53	34.66	7.76	32.63	-	-	P	V
		7266	46.45	-27.55	74	34.96	36.37	8.83	33.71	-	-	P	V
		10460	48.87	-19.43	68.3	51.56	39.78	10.82	53.29	-	-	P	V
		15690	49.26	-24.74	74	49.25	41.89	12.72	54.6	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-1 - 5150~5250MHz

WIFI 802. BLE_Tx_Ch39+11be EHT40_Tx_Ch03+11be EHT40_Tx_Ch46+Part96 Band48 (Band Edge @ 3m)

WIFI Ant. 5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE_Tx_Ch39		5147.42	64.8	-9.2	74	55.2	34.54	7.91	32.85	100	314	P	H
&		5146.9	51.86	-2.14	54	42.26	34.54	7.91	32.85	100	314	A	H
802. 11be	*	5230	106.22	-	-	96.73	34.51	7.96	32.98	100	314	P	H
EHT40_Tx_Ch	*	5230	98.95	-	-	89.46	34.51	7.96	32.98	100	314	A	H
03		5355.12	56.29	-17.71	74	46.64	34.46	8.38	33.19	100	314	P	H
&		5350.08	45.84	-8.16	54	36.19	34.46	8.38	33.19	100	314	A	H
11be		5148.98	65.6	-8.4	74	56	34.54	7.91	32.85	334	260	P	V
EHT40_Tx_Ch		5149.76	51.62	-2.38	54	42.02	34.54	7.91	32.85	334	260	A	V
46	*	5230	102.55	-	-	93.06	34.51	7.96	32.98	334	260	P	V
&	*	5230	95.37	-	-	85.88	34.51	7.96	32.98	334	260	A	V
Part96		5354.4	54.09	-19.91	74	44.44	34.46	8.38	33.19	334	260	P	V
Band48		5350.08	43.11	-10.89	54	33.46	34.46	8.38	33.19	334	260	A	V
Co-location													
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4G 2400-2483.5MHz

WIFI 802. BLE_Tx_Ch39+11be EHT40_Tx_Ch03+11be EHT40_Tx_Ch46+Part96 Band48 (Band Edge @ 3m)

WIFI Ant. 6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE_Tx_Ch39 & 802. 11be		2389.52	67.54	-6.46	74	64.18	32.21	4.81	33.66	100	124	P	H
		2389.94	51.61	-2.39	54	48.25	32.21	4.81	33.66	100	124	A	H
EHT40_Tx_Ch03 & 11be	*	2422	102.26	-	-	98.8	32.3	4.81	33.65	100	124	P	H
	*	2422	93.77	-	-	90.31	32.3	4.81	33.65	100	124	A	H
		2484.11	59.91	-14.09	74	56.15	32.46	4.92	33.62	100	124	P	H
EHT40_Tx_Ch46 & Part96 Band48 Co-location		2483.5	47.89	-6.11	54	44.13	32.46	4.92	33.62	100	124	A	H
		2389.66	64.79	-9.21	74	61.43	32.21	4.81	33.66	100	57	P	V
		2389.94	50.91	-3.09	54	47.55	32.21	4.81	33.66	100	57	A	V
	*	2422	101.56	-	-	98.1	32.3	4.81	33.65	100	57	P	V
	*	2422	91.71	-	-	88.25	32.3	4.81	33.65	100	57	A	V
		2483.5	59.6	-14.4	74	55.84	32.46	4.92	33.62	100	57	P	V
		2483.5	46.07	-7.93	54	42.31	32.46	4.92	33.62	100	57	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4G 2400-2483.5MHz

WIFI 802. BLE_Tx_Ch39+11be EHT40_Tx_Ch03+11be EHT40_Tx_Ch46+Part96 Band48 (Band Edge @ 3m)

BLE Ant. 5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE_Tx_Ch39 & 802. 11be	*	2480	105.03	-	-	101.28	32.45	4.92	33.62	201	36	P	H
	*	2480	102.34	-	-	98.59	32.45	4.92	33.62	201	36	A	H
EHT40_Tx_Ch03 & 11be		2483.6	62.98	-11.02	74	59.22	32.46	4.92	33.62	201	36	P	H
		2483.52	43.44	-10.56	54	39.68	32.46	4.92	33.62	201	36	A	H
EHT40_Tx_Ch46 & Part96 Band48 Co-location	*	2480	103.31	-	-	99.56	32.45	4.92	33.62	100	92	P	V
	*	2480	100.78	-	-	97.03	32.45	4.92	33.62	100	92	A	V
		2483.6	60.78	-13.22	74	57.02	32.46	4.92	33.62	100	92	P	V
		2483.52	42.71	-11.29	54	38.95	32.46	4.92	33.62	100	92	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-1 - 5150~5250MHz

WIFI 802. BLE_Tx_Ch39+11be EHT40_Tx_Ch03+11be EHT40_Tx_Ch46+Part96 Band48
(Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE_Tx_Ch39 & 802. 11be		4844	48.78	-25.22	74	38.99	34.66	7.76	32.63	-	-	P	H
		7266	45.65	-28.35	74	34.16	36.37	8.83	33.71	-	-	P	H
EHT40_Tx_Ch 03 & 11be		10460	49.53	-18.77	68.3	52.22	39.78	10.82	53.29	-	-	P	H
		15690	50.59	-23.41	74	50.58	41.89	12.72	54.6	-	-	P	H
EHT40_Tx_Ch 46 & Part96 Band48 Co-location		4844	50.16	-23.84	74	40.37	34.66	7.76	32.63	-	-	P	V
		7266	45.54	-28.46	74	34.05	36.37	8.83	33.71	-	-	P	V
		10460	48.79	-19.51	68.3	51.48	39.78	10.82	53.29	-	-	P	V
		15690	50.82	-23.18	74	50.81	41.89	12.72	54.6	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Co-location for Sampe2- Ant5+6

U-NII-1 - 5150~5250MHz

WIFI 802. 11be EHT40_Tx_Ch03+11be EHT40_Tx_Ch46+Part96 Band48 (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT40_Tx_Ch03 & 11be EHT40_Tx_Ch46 & Part96 Band48 Co-location		5145.6	65.48	-8.52	74	55.88	34.54	7.91	32.85	145	137	P	H
		5150	51.66	-2.34	54	42.06	34.54	7.91	32.85	145	137	A	H
	*	5230	107.61	-	-	98.12	34.51	7.96	32.98	145	137	P	H
	*	5230	100.41	-	-	90.92	34.51	7.96	32.98	145	137	A	H
		5354.16	54.9	-19.1	74	45.25	34.46	8.38	33.19	145	137	P	H
		5350.08	43.44	-10.56	54	33.79	34.46	8.38	33.19	145	137	A	H
		5146.38	64.85	-9.15	74	55.25	34.54	7.91	32.85	100	110	P	V
		5144.56	51.49	-2.51	54	41.89	34.54	7.91	32.85	100	110	A	V
	*	5230	103.37	-	-	93.88	34.51	7.96	32.98	100	110	P	V
	*	5230	95.95	-	-	86.46	34.51	7.96	32.98	100	110	A	V
		5355.36	56.88	-17.12	74	47.23	34.46	8.38	33.19	100	110	P	V
		5350.32	46.8	-7.2	54	37.15	34.46	8.38	33.19	100	110	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4G 2400-2483.5MHz

WIFI 802. 11be EHT40_Tx_Ch03+11be EHT40_Tx_Ch46+Part96 Band48 (Band Edge @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT40_Tx_Ch03 & 11be EHT40_Tx_Ch46 & Part96 Band48 Co-location		2389.94	64.12	-9.88	74	60.76	32.21	4.81	33.66	273	326	P	H
		2389.94	51.44	-2.56	54	48.08	32.21	4.81	33.66	273	326	A	H
	*	2422	108.09	-	-	104.63	32.3	4.81	33.65	273	326	P	H
	*	2422	98.65	-	-	95.19	32.3	4.81	33.65	273	326	A	H
		2484.88	59.23	-14.77	74	55.47	32.46	4.92	33.62	273	326	P	H
		2483.5	46.17	-7.83	54	42.41	32.46	4.92	33.62	273	326	A	H
		2389.94	64.12	-9.88	74	60.76	32.21	4.81	33.66	273	326	P	V
		2389.94	51.44	-2.56	54	48.08	32.21	4.81	33.66	273	326	A	V
	*	2422	108.09	-	-	104.63	32.3	4.81	33.65	273	326	P	V
	*	2422	98.65	-	-	95.19	32.3	4.81	33.65	273	326	A	V
Co-location		2484.88	59.23	-14.77	74	55.47	32.46	4.92	33.62	273	326	P	V
		2483.5	46.17	-7.83	54	42.41	32.46	4.92	33.62	273	326	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-1 - 5150~5250MHz

WIFI 802. 11be EHT40_Tx_Ch03+11be EHT40_Tx_Ch46+Part96 Band48 (Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11be EHT40_Tx Ch03 & 11be EHT40_Tx Ch46 & Part96 Band48 Co-location		4844	49.86	-24.14	74	40.07	34.66	7.76	32.63	-	-	P	H
		7266	46.62	-27.38	74	35.13	36.37	8.83	33.71	-	-	P	H
		10460	48.99	-19.31	68.3	51.68	39.78	10.82	53.29	-	-	P	H
		15690	50.58	-23.42	74	50.57	41.89	12.72	54.6	-	-	P	H
		4844	48.52	-25.48	74	38.73	34.66	7.76	32.63	-	-	P	V
		7266	46.49	-27.51	74	35	36.37	8.83	33.71	-	-	P	V
		10460	48.69	-19.61	68.3	51.38	39.78	10.82	53.29	-	-	P	V
		15690	50.28	-23.72	74	50.27	41.89	12.72	54.6	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-1 - 5150~5250MHz

WIFI 802. BLE_Tx_Ch39+11be EHT40_Tx_Ch03+11be EHT40_Tx_Ch46+Part96 Band48 (Band Edge @ 3m)

WIFI Ant. 5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE_Tx_Ch39 & 802. 11be		5143.52	62.71	-11.29	74	53.11	34.54	7.91	32.85	100	139	P	H
		5148.98	51.48	-2.52	54	41.88	34.54	7.91	32.85	100	139	A	H
EHT40_Tx_Ch03 & 11be	*	5230	107	-	-	97.51	34.51	7.96	32.98	100	139	P	H
	*	5230	99.62	-	-	90.13	34.51	7.96	32.98	100	139	A	H
		5351.28	51.7	-22.3	74	42.05	34.46	8.38	33.19	100	139	P	H
EHT40_Tx_Ch46 & Part96 Band48		5350.56	41.29	-12.71	54	31.64	34.46	8.38	33.19	100	139	A	H
		5139.62	57	-17	74	47.36	34.54	7.91	32.81	321	286	P	V
		5149.76	47.48	-6.52	54	37.88	34.54	7.91	32.85	321	286	A	V
Co-location	*	5230	104.16	-	-	94.67	34.51	7.96	32.98	321	286	P	V
	*	5230	96.93	-	-	87.44	34.51	7.96	32.98	321	286	A	V
		5364.48	48.7	-25.3	74	39.06	34.45	8.38	33.19	321	286	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4G 2400-2483.5MHz

WIFI 802. BLE_Tx_Ch39+11be EHT40_Tx_Ch03+11be EHT40_Tx_Ch46+Part96 Band48 (Band Edge @ 3m)

WIFI Ant. 6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE_Tx_Ch39 & 802. 11be		2389.52	64.14	-9.86	74	60.78	32.21	4.81	33.66	124	144	P	H
		2388.54	50.91	-3.09	54	47.55	32.21	4.81	33.66	124	144	A	H
EHT40_Tx_Ch03 & 11be	*	2422	100.02	-	-	96.56	32.3	4.81	33.65	124	144	P	H
	*	2422	91.05	-	-	87.59	32.3	4.81	33.65	124	144	A	H
		2483.55	60.99	-13.01	74	57.23	32.46	4.92	33.62	124	144	P	H
EHT40_Tx_Ch46 & Part96 Band48 Co-location		2483.5	44.72	-9.28	54	40.96	32.46	4.92	33.62	124	144	A	H
		2389.94	61.83	-12.17	74	58.47	32.21	4.81	33.66	100	44	P	V
		2389.94	50.43	-3.57	54	47.07	32.21	4.81	33.66	100	44	A	V
	*	2422	98.27	-	-	94.81	32.3	4.81	33.65	100	44	P	V
	*	2422	88.65	-	-	85.19	32.3	4.81	33.65	100	44	A	V
		2483.55	58.42	-15.58	74	54.66	32.46	4.92	33.62	100	44	P	V
		2483.5	43.23	-10.77	54	39.47	32.46	4.92	33.62	100	44	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4G 2400-2483.5MHz

WIFI 802. BLE_Tx_Ch39+11be EHT40_Tx_Ch03+11be EHT40_Tx_Ch46+Part96 Band48 (Band Edge @ 3m)

BLE Ant. 5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE_Tx_Ch39 & 802.11be	*	2480	104.65	-	-	100.9	32.45	4.92	33.62	139	36	P	H
	*	2480	102.04	-	-	98.29	32.45	4.92	33.62	139	36	A	H
EHT40_Tx_Ch03 & 11be		2483.56	63.51	-10.49	74	59.75	32.46	4.92	33.62	139	36	P	H
		2483.52	43.3	-10.7	54	39.54	32.46	4.92	33.62	139	36	A	H
EHT40_Tx_Ch46 & Part96 Band48 Co-location		2480	104.97	-	-	101.22	32.45	4.92	33.62	111	272	P	V
	*	2480	102.38	-	-	98.63	32.45	4.92	33.62	111	272	A	V
	*	2483.56	62.9	-11.1	74	59.14	32.46	4.92	33.62	111	272	P	V
		2483.52	42.57	-11.43	54	38.81	32.46	4.92	33.62	111	272	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



U-NII-1 - 5150~5250MHz

WIFI 802. BLE_Tx_Ch39+11be EHT40_Tx_Ch03+11be EHT40_Tx_Ch46+Part96 Band48

(Harmonic @ 3m)

WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE_Tx_Ch39 & 802.11be EHT40_Tx_Ch03 & 11be EHT40_Tx_Ch46 & Part96 Band48 Co-location		4844	49.38	-24.62	74	39.59	34.66	7.76	32.63	-	-	P	H
		7266	44.63	-29.37	74	53.57	36.37	8.83	54.14	-	-	P	H
		10460	48.29	-20.01	68.3	50.98	39.78	10.82	53.29	-	-	P	H
		15690	50.41	-23.59	74	50.4	41.89	12.72	54.6	-	-	P	H
		4844	49.1	-24.9	74	39.31	34.66	7.76	32.63	-	-	P	V
		7266	44.38	-29.62	74	53.32	36.37	8.83	54.14	-	-	P	V
		10460	47.97	-20.33	68.3	50.66	39.78	10.82	53.29	-	-	P	V
		15690	50.21	-23.79	74	50.2	41.89	12.72	54.6	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
4+5													
802.11b		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
2412MHz		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Margin (dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D Radiated Spurious Emission Plots

MIMO <Ant5+4>

U-NII-1 - 5150~5250MHz WIFI 802.11a (Band Edge @ 3m)

WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802.11a CH36 5180MHz	
4+5	Horizontal	Fundamental
Peak	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL FSW: 1500.000kHz VSW: 3000.000kHz Project : 203005 Mode : Mode 1 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories GM PowerRating 19</p>	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL FSW: 1500.000kHz VSW: 3000.000kHz Project : 203005 Mode : Mode 1 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories GM PowerRating 19</p>
Avg.	<p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL FSW: 1500.000kHz VSW: 0.010kHz Project : 203005 Mode : Mode 1 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories GM PowerRating 19</p>	Left blank



WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802.11a CH36 5180MHz	
4+5	Vertical	Fundamental
<p>Peak</p>	<p>Date: 4 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PAR1 15.407 3m ANT3117_0057 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 203005 Mode : Mode 1 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories GM Powersetting 19</p>	<p>Date: 6 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PAR1 15.407 3m ANT3117_0057 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 203005 Mode : Mode 1 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories GM Powersetting 19</p>
<p>Avg.</p>	<p>Date: 5 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PAR1 15.407 AVG 3m ANT3117_0057 VERTICAL RBW: 1000.000kHz VBW: 0.01000kHz Project : 203005 Mode : Mode 1 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories GM Powersetting 19</p>	<p>Left blank</p>



U-NII-1 5150~5250MHz
WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH36 5180MHz	
4+5	Horizontal	Fundamental
Peak	<p>Site : 03CH3-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 10 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 PowerSetting 19.5</p>	<p>Site : 03CH3-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 10 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 PowerSetting 19.5</p>
Avg.	<p>Site : 03CH3-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 10 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 PowerSetting 19.5</p>	Left blank





WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT20 Full CH36 5180MHz	
4+5	Vertical	Fundamental
Peak		
Avg.		Left blank



U-NII-1 5150~5250MHz
WIFI 802. 11be EHT40 Full (Band Edge @ 3m)

WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH38 5190MHz - L	
4+5	Horizontal	Fundamental
Peak	<p>Date: 16 Date: 2023.02.07</p> <p>Site Condition : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 19 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 18</p>	<p>Date: 16 Date: 2023.02.07</p> <p>Site Condition : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 19 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 18</p>
Avg.	<p>Date: 17 Date: 2023.02.07</p> <p>Site Condition : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 19 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 18</p>	Left blank





WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH38 5190MHz - R	
4+5	Horizontal	Fundamental
<p>Peak</p>	 <p>Date: 19 Date: 2023.02.07</p> <p>Site : 03CH03-SZ Condition : PAR1 15.407 3m ANT3117_0057 HORIZONTAL : RBW 1000.000kHz VBW 3000.000kHz Project : 203005 Mode : Mode 19 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 18</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Date: 20 Date: 2023.02.07</p> <p>Site : 03CH03-SZ Condition : PAR1 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW 1000.000kHz VBW 0.0100kHz Project : 203005 Mode : Mode 19 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 18</p>	<p>Left blank</p>



WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH38 5190MHz - L	
4+5	Vertical	Fundamental
Peak	<p>Date: 21 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 19 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 18</p>	<p>Date: 23 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 19 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 18</p>
Avg.	<p>Date: 22 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 A/C 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 19 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 18</p>	Left blank





WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH38 5190MHz - R	
4+5	Vertical	Fundamental
Peak	 <p>Date: 24 Date: 2023.02.07</p> <p>Site Condition : 03CH03-SZ : PARI 15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Project : 203005 Mode : Mode 19 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 18</p>	Left blank
Avg.	 <p>Date: 25 Date: 2023.02.07</p> <p>Site Condition : 03CH03-SZ : PARI 15.407 AVG 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.0100kHz Project : 203005 Mode : Mode 19 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 18</p>	Left blank



WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH46 5230MHz - L	
4+5	Horizontal	Fundamental
<p>Peak</p>	<p>Date: 16 Level (dBm/100Hz) Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : RBW:1000.000kHz VEW:3000.000kHz Mode : 20 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 PowerSetting 19</p>	<p>Date: 16 Level (dBm/100Hz) Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : RBW:1000.000kHz VEW:3000.000kHz Mode : 20 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 PowerSetting 19</p>
<p>Avg.</p>	<p>Date: 17 Level (dBm/100Hz) Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 AUC 3m ANT3117_0057 HORIZONTAL Project : RBW:1000.000kHz VEW:0.0150kHz Mode : 20 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 PowerSetting 19</p>	<p>Left blank</p>



WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH46 5230MHz - R	
4+5	Horizontal	Fundamental
<p>Peak</p>	 <p>Date: 19 Date: 2023-02-07</p> <p>Site : 63CH03-SZ Condition : PAR1 15.407 3m ANT3117_0657 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Project : 203005 Mode : Mode 20 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 19</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Date: 20 Date: 2023-02-07</p> <p>Site : 63CH03-SZ Condition : PAR1 15.407 AVG 3m ANT3117_0657 HORIZONTAL : RBW:1000.000kHz VBW:0.0100kHz Project : 203005 Mode : Mode 20 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 19</p>	<p>Left blank</p>



WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH46 5230MHz - L	
4+5	Vertical	Fundamental
Peak	<p>Date: 21 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 20 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 19</p>	<p>Date: 23 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 20 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 19</p>
Avg.	<p>Date: 22 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 A/C 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 20 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 19</p>	Left blank





WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH46 5230MHz - R	
4+5	Vertical	Fundamental
<p>Peak</p>	<p>Date: 24 Date: 2023.02.07</p> <p>Site : 03CH03-SZ Condition : PAR1 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 20 IMEI : 35156850101198355156850101206 Plane : Z with Accessories MCS9 Powersetting 19</p>	<p>Left blank</p>
<p>Avg.</p>	<p>Date: 25 Date: 2023.02.07</p> <p>Site : 03CH03-SZ Condition : PAR1 15.407 AVG 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 20 IMEI : 35156850101198355156850101206 Plane : Z with Accessories MCS9 Powersetting 19</p>	<p>Left blank</p>






U-NII-1 5150~5250MHz
WIFI 802. 11be EHT80 Full (Band Edge @ 3m)

WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT80 Full CH42 5210MHz - L	
4+5	Horizontal	Fundamental
Peak	<p>Date: 16 Level (dBuV/m) Date: 2023.02.08</p> <p>Site Condition : 03CH03-SZ : PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW: 1000.000kHz VEW: 3000.000kHz Project : 203005 Mode : Mode 26 IME1 : 355156850101198/355156850101206 Plane : Z with Accessories : MCS0 Powersetting 17</p>	<p>Date: 16 Level (dBuV/m) Date: 2023.02.08</p> <p>Site Condition : 03CH03-SZ : PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW: 1000.000kHz VEW: 3000.000kHz Project : 203005 Mode : Mode 26 IME1 : 355156850101198/355156850101206 Plane : Z with Accessories : MCS0 Powersetting 17</p>
Avg.	<p>Date: 17 Level (dBuV/m) Date: 2023.02.08</p> <p>Site Condition : 03CH03-SZ : PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW: 1000.000kHz VEW: 0.010kHz Project : 203005 Mode : Mode 26 IME1 : 355156850101198/355156850101206 Plane : Z with Accessories : MCS0 Powersetting 17</p>	Left blank





WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT80 Full CH42 5210MHz - R	
4+5	Horizontal	Fundamental
<p>Peak</p>	 <p>Date: 19 Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PAR1 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 25 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 17</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Date: 20 Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PAR1 15.407 AVG 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 25 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 17</p>	<p>Left blank</p>



WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT80 Full CH42 5210MHz - L	
4+5	Vertical	Fundamental
Peak	 <p>Date: 21 Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 26 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 17</p>	 <p>Date: 23 Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 26 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 17</p>
Avg.	 <p>Date: 22 Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 26 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 17</p>	Left blank





WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT80 Full CH42 5210MHz - R	
4+5	Vertical	Fundamental
<p>Peak</p>	 <p>Date: 24 Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PARI 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 25 IMEI : 35156865010198035156865010206 Plane : Z with Accessories MCS9 Powersetting 17</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Date: 25 Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PARI 15.407 AVG 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 25 IMEI : 35156865010198035156865010206 Plane : Z with Accessories MCS9 Powersetting 17</p>	<p>Left blank</p>






U-NII-1 5150~5250MHz
WIFI 802. 11be EHT160 Full (Band Edge @ 3m)

WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT160 Full CH50 5250MHz - L	
4+5	Horizontal	Fundamental
Peak	<p>Date: 31 Level (dBuV/m) Date: 2023.02.08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 29 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 PowerSetting 17</p>	<p>Date: 33 Level (dBuV/m) Date: 2023.02.08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 29 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 PowerSetting 17</p>
Avg.	<p>Date: 32 Level (dBuV/m) Date: 2023.02.08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 29 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 PowerSetting 17</p>	Left blank



WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT160 Full CH50 5250MHz - L	
4+5	Horizontal	Fundamental
<p>Peak</p>	 <p>Date: 34 Date: 2023.02.08</p> <p>Site : 63CH03-SZ Condition : PAR1 15.407 3m ANT3117_0657 HORIZONTAL Project : 203005 Mode : Mode 29 IMEI : 351568650101198/351568650101206 Plane : Z with Accessories MCS9 Powersetting 17</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Date: 35 Date: 2023.02.08</p> <p>Site : 63CH03-SZ Condition : PAR1 15.407 AVG 3m ANT3117_0657 HORIZONTAL Project : 203005 Mode : Mode 29 IMEI : 351568650101198/351568650101206 Plane : Z with Accessories MCS9 Powersetting 17</p>	<p>Left blank</p>



WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT160 Full CH50 5250MHz - L	
4+5	Vertical	Fundamental
<p>Peak</p>	 <p>Date: 36 Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : RBW:1000.000kHz VEW:3000.000kHz Mode : 203000 Mode : Mode 29 IMEI : 35156850101198/35156850101206 Plane : Z with Accessories MCS9 Powersetting 17</p>	 <p>Date: 38 Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : RBW:1000.000kHz VEW:3000.000kHz Mode : 203000 Mode : Mode 29 IMEI : 35156850101198/35156850101206 Plane : Z with Accessories MCS9 Powersetting 17</p>
<p>Avg.</p>	 <p>Date: 37 Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 AUC 3m ANT3117_0057 VERTICAL Project : RBW:1000.000kHz VEW:0.0100kHz Mode : 203000 Mode : Mode 29 IMEI : 35156850101198/35156850101206 Plane : Z with Accessories MCS9 Powersetting 17</p>	<p>Left blank</p>



WIFI	U-NII-1 5150~5250MHz Band Edge @ 3m	
ANT	802. 11be EHT160 Full CH50 5250MHz - L	
4+5	Vertical	Fundamental
<p>Peak</p>	<p>Date: 39 Date: 2023.02.08</p> <p>Site : 63CH03-SZ Condition : PAR1 15.407 3m ANT3117_0657 VERTICAL Project : 203005 Mode : Mode 29 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS0 Powersetting 17</p>	<p>Left blank</p>
<p>Avg.</p>	<p>Date: 40 Date: 2023.02.08</p> <p>Site : 63CH03-SZ Condition : PAR1 15.407 AVG 3m ANT3117_0657 VERTICAL Project : 203005 Mode : Mode 29 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS0 Powersetting 17</p>	<p>Left blank</p>





U-NII-1 - 5150~5250MHz
WIFI 802.11a (Harmonic @ 3m)



Table with 2 columns: Horizontal and Vertical. Rows include: WIFI (U-NII-1 5150~5250MHz Harmonic @ 3m), ANT (802.11a CH36 5180MHz), 4+5, and Peak Avg. Each cell contains a spectral plot and test parameters.

Note: The highest signal which over limit is WLAN TX fundamental signal.



WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11a CH44 5220MHz	
4+5	Horizontal	Vertical
Peak Avg.	 <p>Date: 7 Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 2 IMEI : 355156850101198/355156850101206 Plane : 2 with Accessories : GM Powersetting 19</p>	 <p>Date: 8 Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 2 IMEI : 355156850101198/355156850101206 Plane : 2 with Accessories : GM Powersetting 19</p>



WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11a CH48 5240MHz	
4+5	Horizontal	Vertical
Peak Avg.	 <p>Date: 7 Date: 2023-02-12</p> <p>Site : 03CH3-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 3 IMEI : 355156850101198355156850101206 Plane : 2 with Accessories : GM Powersetting 19</p>	 <p>Date: 8 Date: 2023-02-12</p> <p>Site : 03CH3-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 3 IMEI : 355156850101198355156850101206 Plane : 2 with Accessories : GM Powersetting 19</p>





**U-NII-1 5150~5250MHz
WIFI 802.11be EHT20 Full (Harmonic @ 3m)**



WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH36 5180MHz	
4+5	Horizontal	Vertical
Peak Avg.	<p> Date: 21 Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 10 IMEI : 351156850101198/351156850101206 Plane : Z with Accessories : MCS0 Powersetting 19.5 </p>	<p> Date: 22 Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 10 IMEI : 351156850101198/351156850101206 Plane : Z with Accessories : MCS0 Powersetting 19.5 </p>

Note: The highest signal which over limit is WLAN TX fundamental signal.



WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802. 11be EHT 20 Full CH44 5220MHz	
4+5	Horizontal	Vertical
Peak Avg.	<div style="display: flex; justify-content: space-around;"> <div style="width: 45%;"> <p data-bbox="450 488 794 728"> Date: 7 Level (dBuV/m) Date: 2023-02-12  </p> <p data-bbox="432 734 646 801"> Site : 03CH3-S2 Condition : PART 15.407 3m ANT3117_0557 HORIZONTAL Project : 203005 Mode : Mode 11 IMEI : 355156850101198355156850101206 Plane : 2 with Accessories : MCS9 Powersetting 20 </p> </div> <div style="width: 45%;"> <p data-bbox="922 488 1267 728"> Date: 8 Level (dBuV/m) Date: 2023-02-08  </p> <p data-bbox="904 734 1109 801"> Site : 03CH3-S2 Condition : PART 15.407 3m ANT3117_0557 VERTICAL Project : 203005 Mode : Mode 11 IMEI : 355156850101198355156850101206 Plane : 2 with Accessories : MCS9 Powersetting 20 </p> </div> </div>	



WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802. 11be EHT 20 Full CH48 5240MHz	
4+5	Horizontal	Vertical
Peak Avg.	<div style="display: flex; justify-content: space-around;"> <div style="width: 45%;"> <p data-bbox="451 488 794 504">Date: 7 Date: 2023-02-08</p>  <p data-bbox="432 734 646 801">Site : 03CH3-S2 Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 12 IMEI : 355156850101198355156850101206 Plane : 2 with Accessories MCS9 Powersetting 20</p> </div> <div style="width: 45%;"> <p data-bbox="927 488 1270 504">Date: 8 Date: 2023-02-08</p>  <p data-bbox="908 734 1121 801">Site : 03CH3-S2 Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 12 IMEI : 355156850101198355156850101206 Plane : 2 with Accessories MCS9 Powersetting 20</p> </div> </div>	



**U-NII-1 5150~5250MHz
WIFI 802.11be EHT40 Full (Harmonic @ 3m)**

WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802.11be EHT 40 Full CH38 5190MHz - L	
4+5	Horizontal	Vertical
Peak Avg.	<p> Date: 34 Level (dBu/m) Date: 2023.02.07 PART 15.407 PART 15.407 AVG Frequency (MHz) </p> <p> Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 19 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 18 </p>	<p> Date: 35 Level (dBu/m) Date: 2023.02.07 PART 15.407 PART 15.407 AVG Frequency (MHz) </p> <p> Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 19 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 18 </p>

Note: The highest signal which over limit is WLAN TX fundamental signal.



WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802. 11be EHT 40 Full CH46 5230MHz	
4+5	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH3-S2 Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 20 IMEI : 355156850101198/355156850101206 Plane : 2 with Accessories MCS9 Powersetting 19</p>	<p>Site : 03CH3-S2 Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 20 IMEI : 355156850101198/355156850101206 Plane : 2 with Accessories MCS9 Powersetting 19</p>

Note: The highest signal which over limit is WLAN TX fundamental signal.



U-NII-1 5150~5250MHz
WIFI 802. 11be EHT E80 Full (Harmonic @ 3m)

Table with 3 columns: WIFI, ANT, 4+5. It contains two spectral plots: Horizontal and Vertical. Each plot shows Level (dBu/m) vs Frequency (MHz) with technical details like Date, Site, Condition, Project, Mode, IMEI, Plane, and MCS0 Powersetting.

Note: The highest signal which over limit is WLAN TX fundamental signal.



U-NII-1 5150~5250MHz
WIFI 802. 11be EHT160 Full (Harmonic @ 3m)

WIFI	U-NII-1 5150~5250MHz Harmonic @ 3m	
ANT	802. 11be EHT160 Full CH50 5250MHz	
4+5	Horizontal	Vertical
Peak Avg.	<p>Date: 49 Date: 2023.02.08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 29 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS0 Powersetting 17</p>	<p>Date: 50 Date: 2023.02.08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 29 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS0 Powersetting 17</p>

Note: The highest signal which over limit is WLAN TX fundamental signal.



**U-NII-2A - 5250~5350MHz
WIFI 802.11a (Band Edge @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11a CH64 5320MHz	
4+5	Horizontal	Fundamental
Peak	<p>Date: 2 Level (dBuV/m) Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL REBW: 1000.000kHz VBW: 3000.000kHz Project : 203005 Mode : Mode 6 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories GM Powersetting 19.5</p>	<p>Date: 1 Level (dBuV/m) Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL REBW: 1000.000kHz VBW: 3000.000kHz Project : 203005 Mode : Mode 6 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories GM Powersetting 19.5</p>
Avg.	<p>Date: 3 Level (dBuV/m) Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL REBW: 1000.000kHz VBW: 0.0100kHz Project : 203005 Mode : Mode 6 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories GM Powersetting 19.5</p>	Left blank



WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11a CH64 5320MHz	
4+5	Vertical	Fundamental
<p>Peak</p>	<p>Date: 5 Level (dBuV/m) Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : RBW:1000.000kHz VEW:3000.000kHz Mode : 203000 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories GM Powersetting 19.5</p>	<p>Date: 4 Level (dBuV/m) Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : RBW:1000.000kHz VEW:3000.000kHz Mode : 203000 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories GM Powersetting 19.5</p>
<p>Avg.</p>	<p>Date: 6 Level (dBuV/m) Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 VERTICAL Project : RBW:1000.000kHz VEW:0.0100kHz Mode : 203000 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories GM Powersetting 19.5</p>	<p>Left blank</p>



**U-NII-2A 5250~5350MHz
WIFI 802. 11be EHT20 Full (Band Edge @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802. 11be EHT20 Full CH64 5320MHz	
4+5	Horizontal	Fundamental
Peak	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 15 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 15 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>
Avg.	<p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 15 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>	Left blank





WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802. 11be EHT20 Full CH64 5320MHz	
4+5	Vertical	Fundamental
Peak	<p>Date: 5 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : RBW:1000.000kHz VEW:3000.000kHz Mode : 203005 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>	<p>Date: 4 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : RBW:1000.000kHz VEW:3000.000kHz Mode : 203005 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>
Avg.	<p>Date: 6 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 VERTICAL Project : RBW:1000.000kHz VEW:0.0100kHz Mode : 203005 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>	Left blank






U-NII-2A - 5250~5350MHz
WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH54 5270 - L	
4+5	Horizontal	Fundamental
Peak	<p>Date: 1 Level (dBuV/m) Date: 2023.02.07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW: 1000.000kHz VBW 3000.000kHz : 203005 Project : Mode 21 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 PowerSetting 20</p>	<p>Date: 3 Level (dBuV/m) Date: 2023.02.07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL : RBW: 1000.000kHz VBW 3000.000kHz Project : 203005 Mode : Mode 21 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 PowerSetting 20</p>
Avg.	<p>Date: 2 Level (dBuV/m) Date: 2023.02.07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL : RBW: 1000.000kHz VBW 0.010kHz : 203005 Project : Mode 21 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 PowerSetting 20</p>	Left blank





WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH54 5270 - R	
4+5	Horizontal	Fundamental
<p>Peak</p>	 <p>Date: 4 Date: 2023.02.07</p> <p>Site : 63CH03-SZ Condition : PAR1 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 21 IMEI : 35156865010198035156865010206 Plane : Z with Accessories MCS9 Powersetting 20</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Date: 5 Date: 2023.02.07</p> <p>Site : 63CH03-SZ Condition : PAR1 15.407 AVG 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 21 IMEI : 35156865010198035156865010206 Plane : Z with Accessories MCS9 Powersetting 20</p>	<p>Left blank</p>



WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH54 5270 - L	
4+5	Vertical	Fundamental
Peak	 <p>Date: 6 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 21 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>	 <p>Date: 8 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 21 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>
Avg.	 <p>Date: 7 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 21 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>	Left blank





WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH54 5270 - R	
4+5	Vertical	Fundamental
Peak	 <p>Date: 9 Date: 2023.02.07</p> <p>Site : 63CH03-SZ Condition : PARI 15.407 3m ANT3117_0657 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz Project : 203005 Mode : Mode 21 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>	Left blank
Avg.	 <p>Date: 10 Date: 2023.02.07</p> <p>Site : 63CH03-SZ Condition : PARI 15.407 AVG 3m ANT3117_0657 VERTICAL RBW: 1000.000kHz VBW: 0.0100kHz Project : 203005 Mode : Mode 21 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>	Left blank



WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH62 5310 - L	
4+5	Horizontal	Fundamental
Peak	<p>Date: 16 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : RBW:1000.000kHz VEW:3000.000kHz Mode : 203000 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 17.5</p>	<p>Date: 16 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : RBW:1000.000kHz VEW:3000.000kHz Mode : 203000 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 17.5</p>
Avg.	<p>Date: 17 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : RBW:1000.000kHz VEW:0.01500kHz Mode : 203000 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 17.5</p>	Left blank



WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH62 5310 - R	
4+5	Horizontal	Fundamental
<p>Peak</p>	 <p>Date: 19 Date: 2023.02.07</p> <p>Site : 03CH03-SZ Condition : PAR1 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 22 IMEI : 351568650101983515686501206 Plane : Z with Accessories : MCS9 Powersetting 17.5</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Date: 20 Date: 2023.02.07</p> <p>Site : 03CH03-SZ Condition : PAR1 15.407 AVG 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 22 IMEI : 351568650101983515686501206 Plane : Z with Accessories : MCS9 Powersetting 17.5</p>	<p>Left blank</p>



WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH62 5310 - L	
4+5	Vertical	Fundamental
<p>Peak</p>	<p>Date: 21 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 22 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 17.5</p>	<p>Date: 23 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 22 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 17.5</p>
<p>Avg.</p>	<p>Date: 22 Date: 2023-02-07</p> <p>Site : 03CH03-SZ Condition : PART 15.407 AUC 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 22 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 17.5</p>	<p>Left blank</p>





WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802. 11be EHT40 Full CH62 5310 - R	
4+5	Vertical	Fundamental
<p>Peak</p>	<p>Date: 24 Date: 2023.02.07</p> <p>Site : 03CH03-SZ Condition : PARI 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 22 IMEI : 351568650101198/35156865010206 Plane : Z with Accessories MCS9 Powersetting 17.5</p>	<p>Left blank</p>
<p>Avg.</p>	<p>Date: 25 Date: 2023.02.07</p> <p>Site : 03CH03-SZ Condition : PARI 15.407 AVG 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 22 IMEI : 351568650101198/35156865010206 Plane : Z with Accessories MCS9 Powersetting 17.5</p>	<p>Left blank</p>






**U-NII-2A 5250~5350MHz
WIFI 802.11be EHT80 Full (Band Edge @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH58 5290MHz - L	
4+5	Horizontal	Fundamental
Peak	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 27 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 16.5</p>	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 27 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 16.5</p>
Avg.	<p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 27 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 16.5</p>	Left blank





WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802. 11be EHT80 Full CH58 5290MHz - R	
4+5	Horizontal	Fundamental
<p>Peak</p>	 <p>Date: 29 Date: 2023.02.08</p> <p>Site : 63CH03-SZ Condition : PARI 15.407 3m ANT3117_0657 HORIZONTAL Project : 203005 Mode : Mode 27 IMEI : 3515686501019835515686501206 Plane : Z with Accessories MCS9 Powersetting 16.5</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Date: 30 Date: 2023.02.08</p> <p>Site : 63CH03-SZ Condition : PARI 15.407 AVG 3m ANT3117_0657 HORIZONTAL Project : 203005 Mode : Mode 27 IMEI : 3515686501019835515686501206 Plane : Z with Accessories MCS9 Powersetting 16.5</p>	<p>Left blank</p>



WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802. 11be EHT80 Full CH58 5290MHz - L	
4+5	Vertical	Fundamental
Peak	 <p>Date: 31 Level (dBmV/m) Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 27 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 16.5</p>	 <p>Date: 33 Level (dBmV/m) Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 27 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 16.5</p>
Avg.	 <p>Date: 32 Level (dBmV/m) Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 27 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 16.5</p>	Left blank



WIFI	U-NII-2A 5250~5350MHz Band Edge @ 3m	
ANT	802. 11be EHT80 Full CH58 5290MHz - R	
4+5	Vertical	Fundamental
<p>Peak</p>	 <p>Date: 34 Date: 2023.02.08</p> <p>Site : 63CH03-SZ Condition : PAR1 15.407 3m ANT3117_0657 VERTICAL Project : 203005 Mode : Mode 27 IMEI : 35156865010198035156865010206 Plane : Z with Accessories MCS0 Powersetting 16.5</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Date: 35 Date: 2023.02.08</p> <p>Site : 63CH03-SZ Condition : PAR1 15.407 AVG 3m ANT3117_0657 VERTICAL Project : 203005 Mode : Mode 27 IMEI : 35156865010198035156865010206 Plane : Z with Accessories MCS0 Powersetting 16.5</p>	<p>Left blank</p>





U-NII-2A - 5250~5350MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11a CH52 5260MHz	
4+5	Horizontal	Vertical
Peak Avg.	<p>Site : 01CH03-02 Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 4 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories GM Powersetting 19</p>	<p>Site : 01CH03-02 Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 4 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories GM Powersetting 19</p>



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11a CH60 5300MHz	
4+5	Horizontal	Vertical
Peak Avg.	 <p>Date: 7 Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode S IMEI : 355156850101198355156850101206 Plane : Z with Accessories GM Powersetting 19</p>	 <p>Date: 8 Date: 2023-02-08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode S IMEI : 355156850101198355156850101206 Plane : Z with Accessories GM Powersetting 19</p>



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11a CH64 5320MHz	
4+5	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH3-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode S IMEI : 355156850101198355156850101206 Plane : Z with Accessories GM Powersetting 19.5</p>	<p>Site : 03CH3-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode S IMEI : 355156850101198355156850101206 Plane : Z with Accessories GM Powersetting 19.5</p>

Note: The highest signal which over limit is WLAN TX fundamental signal.





**U-NII-2A 5250~5350MHz
WIFI 802.11be EHT20 Full (Harmonic @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH52 5260MHz	
4+5	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 13 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 20</p>	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 13 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 20</p>



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802. 11be EHT20 Full CH60 5300MHz	
4+5	Horizontal	Vertical
Peak Avg.	<p data-bbox="446 481 790 728"> </p> <p data-bbox="430 728 646 795"> Date: 7 Date: 2023-02-12 Site : 03CH03-S2 Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 14 IMEI : 355156850101198355156850101206 Plane : 2 with Accessories Plane : MCS9 Powersetting 20 </p>	<p data-bbox="917 481 1260 728"> </p> <p data-bbox="901 728 1117 795"> Date: 8 Date: 2023-02-08 Site : 03CH03-S2 Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 14 IMEI : 355156850101198355156850101206 Plane : 2 with Accessories Plane : MCS9 Powersetting 20 </p>



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802. 11be EHT20 Full CH64 5320MHz	
4+5	Horizontal	Vertical
Peak Avg.	 <p>Date: 15 Level (dBuV/m) Date: 2023-02-12</p> <p>Site : 03CH3-S2 Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 15 IMEI : 355156850101198/355156850101206 Plane : 2 with Accessories MCS9 Powersetting 20</p>	 <p>Date: 16 Level (dBuV/m) Date: 2023-02-12</p> <p>Site : 03CH3-S2 Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 15 IMEI : 355156850101198/355156850101206 Plane : 2 with Accessories MCS9 Powersetting 20</p>

Note: The highest signal which over limit is WLAN TX fundamental signal.





U-NII-2A - 5250~5350MHz
WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH54 5270	
4+5	Horizontal	Vertical
Peak Avg.	<p> Date: 19 Level (dBm) Date: 2023-02-12 PART 15.407 PART 15.407 AVG Frequency (MHz) </p> <p> Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 21 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 20 </p>	<p> Date: 20 Level (dBm) Date: 2023-02-12 PART 15.407 PART 15.407 AVG Frequency (MHz) </p> <p> Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 21 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 20 </p>

Note: The highest signal which over limit is WLAN TX fundamental signal.



WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802. 11be EHT40 Full CH62 5310	
4+5	Horizontal	Vertical
Peak Avg.	 <p data-bbox="430 728 790 795"> Date: 34 Level (dBuV/m) Date: 2023-02-07 PART 15.407 PART 15.407 AVG Site : 03CH3-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 22 IMEI : 355156850101198/355156850101206 Plane : 2 with Accessories MCS9 Powersetting 17.5 </p>	 <p data-bbox="901 728 1260 795"> Date: 35 Level (dBuV/m) Date: 2023-02-12 PART 15.407 PART 15.407 AVG Site : 03CH3-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 22 IMEI : 355156850101198/355156850101206 Plane : 2 with Accessories MCS9 Powersetting 17.5 </p>

Note: The highest signal which over limit is WLAN TX fundamental signal.



**U-NII-2A 5250~5350MHz
WIFI 802.11be EHT80 Full (Harmonic @ 3m)**

WIFI	U-NII-2A 5250~5350MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH58 5290MHz	
4+5	Horizontal	Vertical
Peak Avg.	<p>Date: 44 Date: 2023.02.08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 27 IMEI : 351156850101198/351156850101206 Plane : Z with Accessories MCS0 PowerSetting 16.5</p>	<p>Date: 45 Date: 2023.02.08</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 27 IMEI : 351156850101198/351156850101206 Plane : Z with Accessories MCS0 PowerSetting 16.5</p>

Note: The highest signal which over limit is WLAN TX fundamental signal.



U-NII-2C - 5470~5725MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH100 5500MHz	
4+5	Horizontal	Fundamental
Peak	<p>Date: 1 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 7 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : GM Powersetting 19.5</p>	<p>Date: 3 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 7 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : GM Powersetting 19.5</p>
Avg.	<p>Date: 2 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 7 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : GM Powersetting 19.5</p>	Left blank



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH100 5500MHz	
4+5	Vertical	Fundamental
Peak	<p>Date: 4 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0507 VERTICAL Project : RBW: 1000.000kHz VEW: 3000.000kHz Mode : 203005 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : GM Powersetting 19.5</p>	<p>Date: 6 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0507 VERTICAL Project : RBW: 1000.000kHz VEW: 3000.000kHz Mode : 203005 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : GM Powersetting 19.5</p>
Avg.	<p>Date: 5 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 A/C 3m ANT3117_0507 VERTICAL Project : RBW: 1000.000kHz VEW: 0.0100kHz Mode : 203005 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : GM Powersetting 19.5</p>	Left blank



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH140 5700MHz	
4+5	Horizontal	Fundamental
Peak	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 9 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : GM Powersetting 20</p>	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 9 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : GM Powersetting 20</p>
WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH140 5700MHz	
4+5	Vertical	Fundamental
Peak	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 9 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : GM Powersetting 20</p>	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 9 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : GM Powersetting 20</p>



**U-NII-2C 5470~5725MHz
WIFI 802. 11beEHT20 Full (Band Edge @ 3m)**

WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802. 11beEHT20 Full CH100 5500MHz	
4+5	Horizontal	Fundamental
Peak	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 16 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 16 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>
Avg.	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 16 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>	Left blank



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802. 11beEHT20 Full CH100 5500MHz	
4+5	Vertical	Fundamental
Peak	<p>Date: 4 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : RBW:1000.000kHz VEW:3000.000kHz Mode : 203000 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 20</p>	<p>Date: 6 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : RBW:1000.000kHz VEW:3000.000kHz Mode : 203000 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 20</p>
Avg.	<p>Date: 5 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 AUC 3m ANT3117_0057 VERTICAL Project : RBW:1000.000kHz VEW:0.0100kHz Mode : 203000 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories : MCS9 Powersetting 20</p>	Left blank



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802. 11beEHT20 Full CH140 5700MHz	
4+5	Horizontal	Fundamental
Peak	<p>Site : 03CH3-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 18 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS0 Powersetting 20</p>	<p>Site : 03CH3-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 18 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS0 Powersetting 20</p>
WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802. 11beEHT20 Full CH140 5700MHz	
4+5	Vertical	Fundamental
Peak	<p>Site : 03CH3-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 18 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS0 Powersetting 20</p>	<p>Site : 03CH3-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 18 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS0 Powersetting 20</p>



U-NII-2C - 5470~5725MHz




WIFI 802. 11beEHT40 Full (Band Edge @ 3m)

WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802. 11beEHT40 Full CH102 5510MHz - L	
4+5	Horizontal	Fundamental
Peak	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 23 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 18.5</p>	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 23 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 18.5</p>
Avg.	<p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL Project : 203005 Mode : Mode 23 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 18.5</p>	Left blank




WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802. 11beEHT40 Full CH102 5510MHz - R	
4+5	Horizontal	Fundamental
Peak	<p>Date: 16 Date: 2023-02-12</p> <p>Site : 02CM03-S2 Condition : PA11 15.407 3m ANT13117_0057 HORIZONTAL Project : SEW1000.000kHz VBW 3000.000kHz Mode : 20/3000 Mode : Mode 23 Plane : 2 with Accessories Plane : MCS0 PowerSetting 18.5</p>	Left blank






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802. 11beEHT40 Full CH102 5510MHz - L	
4+5	Vertical	Fundamental
<p>Peak</p>	 <p>Date: 17 Level (dBuV/m) Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 23 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 18.5</p>	 <p>Date: 19 Level (dBuV/m) Date: 2023-02-13</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 23 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 18.5</p>
<p>Avg.</p>	 <p>Date: 18 Level (dBuV/m) Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 AUC 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 23 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 18.5</p>	<p>Left blank</p>



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802. 11beEHT40 Full CH102 5510MHz - R	
4+5	Vertical	Fundamental
Peak	 <p>Date: 20 Date: 2023-02-12</p> <p>Site Condition : 02CH03-S2 : PA15.407 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Project : 203005 Mode : Mode 23 MEI : 35154885101198/35154885101206 Plane : 2 with Accessories : MCS9 Powersetting 18.5</p>	Left blank






WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802. 11beEHT40 Full CH134 5670MHz - L	
4+5	Horizontal	Fundamental
<p>Peak</p>	 <p>Date: 1 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0567 HORIZONTAL Project : RBW:1000.000kHz VEW:3000.000kHz Mode : 203005 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>	 <p>Date: 3 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0567 HORIZONTAL Project : RBW:1000.000kHz VEW:3000.000kHz Mode : 203005 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>
<p>Avg.</p>	 <p>Date: 2 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 A/C 3m ANT3117_0567 HORIZONTAL Project : RBW:1000.000kHz VEW:0.0150kHz Mode : 203005 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>	<p>Left blank</p>



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802. 11beEHT40 Full CH134 5670MHz - R	
4+5	Horizontal	Fundamental
Peak	<p>Date: 4 Date: 2023-02-12 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 17.5 5590 5625 5660 5695 5730 5765 Frequency (MHz) EHT 15.402 Site : 02CM03-S2 Condition : PARI 15.407 3m ANT13117_0057 HORIZONTAL Project : 202305 Mode : 25 IMEI : 35156805101198355156805101206 Plane : 2 with Accessories MCS0 PowerSetting 20</p>	Left blank



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802. 11beEHT40 Full CH134 5670MHz - L	
4+5	Vertical	Fundamental
Peak	 <p>Date: 5 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 25 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>	 <p>Date: 7 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 25 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>
Avg.	 <p>Date: 6 Date: 2023-02-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 AUC 3m ANT3117_0057 VERTICAL Project : 203005 Mode : Mode 25 IMEI : 355156850101198/355156850101206 Plane : Z with Accessories MCS9 Powersetting 20</p>	Left blank



WIFI	U-NII-2C 5470~5725MHz Band Edge @ 3m	
ANT	802. 11beEHT40 Full CH134 5670MHz - R	
4+5	Vertical	Fundamental
Peak	<p>Site : 03C403-SZ Condition : PARI 15.407 3m ANT13117_0057 VERTICAL Project : 203005 Mode : 25 IMN : 35156865101198355156865101206 Plane : 2 with Accessories MCS0 PowerSetting 20</p>	Left blank