



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5907.55	42.78	68.20	-25.42	H	AVERAGE	Pass	Band Edge
	802.11a	1	17865.00	49.94	74.00	-24.06	V	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
	802.11a	45	12350.00	48.69	74.00	-25.31	V	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
	802.11a	93	12830.00	48.31	88.20	-39.89	V	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	49.10	88.20	-39.10	H	Peak	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	49.00	88.20	-39.20	H	Peak	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	49.30	88.20	-38.90	H	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	49.84	88.20	-38.36	V	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	48.35	74.00	-25.65	V	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13712.40	49.90	88.20	-38.30	H	Peak	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	49.70	88.20	-38.50	V	Peak	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	49.84	88.20	-38.36	H	Peak	Pass	Harmonic
12	802.11a	229	7251.21	45.07	54.00	-8.93	V	AVERAGE	Pass	Band Edge
12	802.11a	229	14190.00	49.99	88.20	-38.21	H	Peak	Pass	Harmonic
13	802.11be EHT20	1	5922.24	42.69	68.20	-25.51	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	1	17865.00	49.31	74.00	-24.69	V	Peak	Pass	Harmonic
14	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	45	12350.00	48.35	74.00	-25.65	H	Peak	Pass	Harmonic
15	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	93	12830.00	48.42	88.20	-39.78	V	Peak	Pass	Harmonic
16	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
16	802.11be EHT20	97	12690	49.40	74	-24.60	V	Peak	Pass	Harmonic
17	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT20	105	12950.00	49.75	88.20	-38.45	V	Peak	Pass	Harmonic
18	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
18	802.11be EHT20	113	13030.00	49.11	88.20	-39.09	H	Peak	Pass	Harmonic
19	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT20	117	13070.00	49.14	88.20	-39.06	V	Peak	Pass	Harmonic
20	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
20	802.11be EHT20	149	13390.00	49.62	74.00	-24.38	H	Peak	Pass	Harmonic
21	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT20	181	13710.00	49.77	88.20	-38.43	H	Peak	Pass	Harmonic
22	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
22	802.11be EHT20	189	13790.00	49.02	88.20	-39.18	V	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
23	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
23	802.11be EHT20	209	13990.00	49.97	88.20	-38.23	H	Peak	Pass	Harmonic
24	802.11be EHT20	229	7252.55	44.99	54.00	-9.01	V	AVERAGE	Pass	Band Edge
24	802.11be EHT20	229	14190.00	49.64	88.20	-38.56	H	Peak	Pass	Harmonic
25	802.11be EHT40	3	5908.84	42.87	68.20	-25.33	H	AVERAGE	Pass	Band Edge
	802.11be EHT40	3	11930.00	49.28	74.00	-24.72	V	Peak	Pass	Harmonic
26	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	43	12330.00	49.37	74.00	-24.63	V	Peak	Pass	Harmonic
27	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	91	12810.00	48.47	88.20	-39.73	V	Peak	Pass	Harmonic
28	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
28	802.11be EHT40	99	12890.00	49.24	88.20	-38.96	H	Peak	Pass	Harmonic
29	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
29	802.11be EHT40	107	12970.00	49.33	88.20	-38.87	V	Peak	Pass	Harmonic
30	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT40	123	13130.00	49.24	88.20	-38.96	H	Peak	Pass	Harmonic
31	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
31	802.11be EHT40	147	13370.00	49.95	74.00	-24.05	V	Peak	Pass	Harmonic
32	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
32	802.11be EHT40	179	13690.00	49.10	88.20	-39.10	H	Peak	Pass	Harmonic
33	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
33	802.11be EHT40	195	13850.00	49.48	88.20	-38.72	V	Peak	Pass	Harmonic
34	802.11be EHT40	203	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT40	203	13930.00	49.94	88.20	-38.26	H	Peak	Pass	Harmonic
35	802.11be EHT40	227	7312.10	45.03	54.00	-8.97	V	AVERAGE	Pass	Band Edge
35	802.11be EHT40	227	14170.00	49.54	88.20	-38.66	V	Peak	Pass	Harmonic
36	802.11be EHT80	7	5914.12	44.94	68.20	-23.26	V	AVERAGE	Pass	Band Edge
	802.11be EHT80	7	17955.00	49.69	74.00	-24.31	H	Peak	Pass	Harmonic
37	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	39	12290.00	49.02	74.00	-24.98	H	Peak	Pass	Harmonic
38	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	87	12770.00	49.19	88.20	-39.01	H	Peak	Pass	Harmonic
39	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT80	103	12930.00	49.58	88.20	-38.62	V	Peak	Pass	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT80	135	13250.00	49.51	74.00	-24.49	V	Peak	Pass	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
41	802.11be EHT80	151	13410.00	49.69	88.20	-38.51	H	Peak	Pass	Harmonic
42	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	167	13570.00	49.72	88.20	-38.48	H	Peak	Pass	Harmonic
43	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT80	199	13890.00	48.80	88.20	-39.40	V	Peak	Pass	Harmonic
44	802.11be EHT80	215	7252.91	45.23	54.00	-8.77	V	AVERAGE	Pass	Band Edge
44	802.11be EHT80	215	14050.00	49.97	88.20	-38.23	H	Peak	Pass	Harmonic
45	802.11be EHT160	15	5887.44	57.38	68.20	-10.82	V	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
46	802.11be EHT160	15	12050.00	49.66	74.00	-24.34	V	Peak	Pass	Harmonic
	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	47	12370.00	48.56	74.00	-25.44	V	Peak	Pass	Harmonic
47	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	79	12690.00	49.15	74.00	-24.85	V	Peak	Pass	Harmonic
48	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT160	143	13330.00	49.65	74.00	-24.35	V	Peak	Pass	Harmonic
49	802.11be EHT160	207	7251.88	46.86	54.00	-7.14	V	AVERAGE	Pass	Band Edge
49	802.11be EHT160	207	13970.00	49.97	88.20	-38.23	V	Peak	Pass	Harmonic
50	802.11be EHT320	31	5791.47	49.97	68.20	-18.23	V	AVERAGE	Pass	Band Edge
	802.11be EHT320	31	12210.00	49.11	74.00	-24.89	V	Peak	Pass	Harmonic
51	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
	802.11be EHT320	63	12530.00	48.31	74.00	-25.69	V	Peak	Pass	Harmonic
52	802.11a	185	-	-	-	-	-	-	-	Band Edge
52	802.11a	185	13750.00	49.88	88.20	-38.32	V	Peak	Pass	Harmonic
53	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
53	802.11be EHT20	185	13750.00	49.75	88.20	-38.45	V	Peak	Pass	Harmonic
54	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
54	802.11be EHT40	187	13770.00	49.58	88.20	-38.62	H	Peak	Pass	Harmonic
55	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
55	802.11be EHT80	183	13730.00	49.78	88.20	-38.42	V	Peak	Pass	Harmonic
56	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
56	802.11be EHT160	175	13650.00	49.22	88.20	-38.98	H	Peak	Pass	Harmonic
57	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
57	802.11be EHT320	159	13490.00	49.29	88.20	-38.91	H	Peak	Pass	Harmonic
58	802.11be EHT320	191	7260.46	45.87	54.00	-8.13	V	AVERAGE	Pass	Band Edge
58	802.11be EHT320	191	13810.00	49.79	88.20	-38.41	V	Peak	Pass	Harmonic
59	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
59	802.11be EHT40	115	13050.00	49.89	88.20	-38.31	V	Peak	Pass	Harmonic
60	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT80	119	13090.00	49.73	88.20	-38.47	H	Peak	Pass	Harmonic
61	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
61	802.11be EHT160	111	13010.00	49.37	88.20	-38.83	V	Peak	Pass	Harmonic
62	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
62	802.11be EHT320	95	12850.00	48.80	88.20	-39.40	V	Peak	Pass	Harmonic
63	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT320	127	13170.00	49.54	88.20	-38.66	V	Peak	Pass	Harmonic
64	802.11be EHT20	1	5922.89	42.73	68.20	-25.47	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT20	229	7279.25	45.86	54.00	-8.14	V	AVERAGE	Pass	Band Edge
65	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT20	1	5844.50	42.51	68.20	-25.69	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT20	1	5882.85	42.47	68.20	-25.73	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
68	802.11be EHT20	229	7282.81	45.82	54.00	-8.18	V	AVERAGE	Pass	Band Edge
68	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT20	229	7286.37	45.94	54.00	-8.06	H	AVERAGE	Pass	Band Edge
69	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT80	7	5924.52	43.80	68.20	-24.40	H	AVERAGE	Pass	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT80	215	7256.56	46.01	54.00	-7.99	V	AVERAGE	Pass	Band Edge
71	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT160	15	5924.96	56.36	68.20	-11.84	V	AVERAGE	Pass	Band Edge
	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT160	207	7261.25	47.62	54.00	-6.38	V	AVERAGE	Pass	Band Edge
73	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT320	31	5624.70	50.00	68.20	-18.20	H	AVERAGE	Pass	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT320	191	7284.66	46.88	54.00	-7.12	H	AVERAGE	Pass	Band Edge
75	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT320	31	5624.70	48.68	68.20	-19.52	V	AVERAGE	Pass	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT320	191	7265.30	47.06	54.00	-6.94	H	AVERAGE	Pass	Band Edge
77	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT320	31	5789.17	52.99	68.20	-15.21	V	AVERAGE	Pass	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT320	191	7282.85	47.63	54.00	-6.37	V	AVERAGE	Pass	Band Edge
79	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT80	7	5923.40	52.56	68.20	-15.64	V	AVERAGE	Pass	Band Edge
80	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT80	215	7250.36	47.19	54.00	-6.81	V	AVERAGE	Pass	Band Edge
81	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT160	15	5881.00	58.35	68.20	-9.85	V	AVERAGE	Pass	Band Edge
	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT160	207	7250.63	46.73	54.00	-7.27	V	AVERAGE	Pass	Band Edge
83	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT160	15	5881.00	61.17	68.20	-7.03	V	AVERAGE	Pass	Band Edge
	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT160	207	7253.13	47.56	54.00	-6.44	V	AVERAGE	Pass	Band Edge
85	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT320	31	5624.70	49.78	68.20	-18.42	V	AVERAGE	Pass	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
87	802.11be EHT320	191	7285.87	46.81	54.00	-7.19	V	AVERAGE	Pass	Band Edge
87	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT320	31	5624.70	53.51	68.20	-14.69	V	AVERAGE	Pass	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
89	802.11be EHT320	191	7293.74	46.96	54.00	-7.04	H	AVERAGE	Pass	Band Edge
89	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT320	31	5789.94	57.02	68.20	-11.18	V	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
91	802.11be EHT320	191	7267.72	47.25	54.00	-6.75	H	AVERAGE	Pass	Band Edge
91	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
92	WIFI Worse LF 802.11a	233	96.93	31.22	40.00	-12.28	V	Peak	Pass	LF
93	802.11a	CH2	5924.97	65.80	68.20	-2.40	V	AVERAGE	Pass	Band Edge
	802.11a	CH2	17805.00	49.37	74.00	-24.63	V	Peak	Pass	Harmonic
94	802.11ax HE20	CH2	5924.97	65.75	68.20	-2.45	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	CH2	17805.00	49.90	74.00	-24.10	H	Peak	Pass	Harmonic
95	802.11ax HE20	CH2	5924.97	65.99	68.20	-2.21	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	CH2	-	-	-	-	-	-	-	Harmonic
96	802.11ax HE20	CH2	5924.97	57.26	68.20	-10.94	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	CH2	-	-	-	-	-	-	-	Harmonic
97	802.11ax HE20	CH2	5924.97	66.18	68.20	-2.02	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	CH2	-	-	-	-	-	-	-	Harmonic
98	802.11a	233	7125.28	66.19	68.20	-2.01	H	AVERAGE	Pass	Band Edge
98	802.11a	233	14230.00	49.23	88.20	-38.97	V	Peak	Pass	Harmonic
99	802.11be EHT20	233	7125.28	65.76	68.20	-2.44	V	AVERAGE	Pass	Band Edge
99	802.11be EHT20	233	14230.00	49.92	88.20	-38.28	V	Peak	Pass	Harmonic
100	802.11be EHT20	233	7125.28	61.25	68.20	-6.95	V	AVERAGE	Pass	Band Edge
100	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
101	802.11be EHT20	233	7322.86	44.92	54.00	-9.08	V	AVERAGE	Pass	Band Edge
101	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
102	802.11be EHT20	233	7125.28	61.68	68.20	-6.52	V	AVERAGE	Pass	Band Edge
102	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
103	802.11a	233	7125.00	65.78	68.20	-2.42	V	Average	Pass	Band Edge
	802.11g	11	2483.52	51.89	54.00	-2.11	H	Average	Pass	Band Edge
	802.11a+802.11g	233+11	4924.00	50.56	74.00	-23.44	H	Peak	Pass	Harmonic
104	802.11a	233	7125.00	64.57	68.20	-3.63	V	Average	Pass	Band Edge
	Bluetooth BR	78	2483.92	48.68	74.00	-25.32	H	Peak	Pass	Band Edge
104	802.11a+ Bluetooth BR	233+78	4960.00	50.90	74.00	-23.10	H	Peak	Pass	Harmonic
105	802.11a	233	7125.00	64.86	68.20	-3.34	V	Average	Pass	Band Edge
	802.11g	11	2483.52	46.55	54.00	-7.45	V	Average	Pass	Band Edge
	Bluetooth-LE	38	2483.96	41.37	54.00	-12.63	H	Average	Pass	Band Edge
105	802.11a+ Bluetooth-LE	233+38	4956.00	50.65	74.00	-23.35	V	Peak	Pass	Harmonic
106	802.11a	1	5846.45	42.68	68.20	-25.52	H	AVERAGE	Pass	Band Edge
	802.11a	1	17865.00	51.55	74.00	-22.45	H	Peak	Pass	Harmonic
107	802.11a	45	-	-	-	-	-	-	-	Band Edge
	802.11a	45	12350.00	48.86	74.00	-25.14	V	Peak	Pass	Harmonic
108	802.11a	93	-	-	-	-	-	-	-	Band Edge
	802.11a	93	12830.00	49.15	88.20	-39.05	H	Peak	Pass	Harmonic
109	802.11a	97	-	-	-	-	-	-	Band Edge	
109	802.11a	97	12870.00	50.80	88.20	-37.40	V	Peak	Pass	Harmonic
110	802.11a	105	-	-	-	-	-	-	-	Band Edge
110	802.11a	105	12950.00	48.91	88.20	-39.29	H	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
111	802.11a	113	-	-	-	-	-	-	-	Band Edge
111	802.11a	113	13030.00	49.36	88.20	-38.84	V	Peak	Pass	Harmonic
112	802.11a	117	-	-	-	-	-	-	-	Band Edge
112	802.11a	117	13070.00	49.40	88.20	-38.80	V	Peak	Pass	Harmonic
113	802.11a	149	-	-	-	-	-	-	-	Band Edge
113	802.11a	149	13390.00	49.57	74.00	-24.43	V	Peak	Pass	Harmonic
114	802.11a	181	-	-	-	-	-	-	-	Band Edge
114	802.11a	181	13710.00	50.95	88.20	-37.25	V	Peak	Pass	Harmonic
115	802.11a	189	-	-	-	-	-	-	-	Band Edge
115	802.11a	189	13790.00	49.44	88.20	-38.76	V	Peak	Pass	Harmonic
116	802.11a	209	-	-	-	-	-	-	-	Band Edge
116	802.11a	209	13990.00	50.03	88.20	-38.17	H	Peak	Pass	Harmonic
117	802.11a	229	7309.51	46.04	54.00	-7.96	V	AVERAGE	Pass	Band Edge
117	802.11a	229	14190.00	50.55	88.20	-37.65	H	Peak	Pass	Harmonic
118	802.11be EHT20	1	5923.41	42.43	68.20	-25.77	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	1	17865.00	52.40	74.00	-21.60	H	Peak	Pass	Harmonic
119	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	45	12350.00	47.86	74.00	-26.14	H	Peak	Pass	Harmonic
120	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	93	12830.00	48.86	88.20	-39.34	H	Peak	Pass	Harmonic
121	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
121	802.11be EHT20	97	12870.00	49.36	88.20	-38.84	H	Peak	Pass	Harmonic
122	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
122	802.11be EHT20	105	12950.00	49.32	88.20	-38.88	H	Peak	Pass	Harmonic
123	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
123	802.11be EHT20	113	13030.00	49.98	88.20	-38.22	H	Peak	Pass	Harmonic
124	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
124	802.11be EHT20	117	13070.00	48.63	88.20	-39.57	V	Peak	Pass	Harmonic
125	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
125	802.11be EHT20	149	13390.00	50.23	74.00	-23.77	V	Peak	Pass	Harmonic
126	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
126	802.11be EHT20	181	13710.00	50.69	88.20	-37.51	V	Peak	Pass	Harmonic
127	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
127	802.11be EHT20	189	13790.00	49.82	88.20	-38.38	V	Peak	Pass	Harmonic
128	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
128	802.11be EHT20	209	13990.00	50.31	88.20	-37.89	V	Peak	Pass	Harmonic
129	802.11be EHT20	229	7287.26	45.87	54.00	-8.13	H	AVERAGE	Pass	Band Edge
129	802.11be EHT20	229	14190.00	50.58	88.20	-37.62	H	Peak	Pass	Harmonic
130	802.11be EHT40	3	5919.56	42.93	68.20	-25.27	H	AVERAGE	Pass	Band Edge
	802.11be EHT40	3	17895.00	52.54	74.00	-21.46	V	Peak	Pass	Harmonic
131	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	43	12330.00	48.37	74.00	-25.63	V	Peak	Pass	Harmonic
132	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
	802.11be EHT40	91	12810.00	48.63	88.20	-39.57	V	Peak	Pass	Harmonic
133	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
133	802.11be EHT40	99	12890.00	49.71	88.20	-38.49	V	Peak	Pass	Harmonic
134	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
134	802.11be EHT40	107	12970.00	49.28	88.20	-38.92	V	Peak	Pass	Harmonic
135	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
135	802.11be EHT40	123	13130.00	49.18	88.20	-39.02	H	Peak	Pass	Harmonic
136	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
136	802.11be EHT40	147	13370.00	49.39	74.00	-24.61	V	Peak	Pass	Harmonic
137	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
137	802.11be EHT40	179	13690.00	50.21	88.20	-37.99	V	Peak	Pass	Harmonic
138	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
138	802.11be EHT40	195	13850.00	49.15	88.20	-39.05	H	Peak	Pass	Harmonic
139	802.11be EHT40	203	-	-	-	-	-	-	-	Band Edge
139	802.11be EHT40	203	13930.00	50.27	88.20	-37.93	H	Peak	Pass	Harmonic
140	802.11be EHT40	227	7292.72	45.92	54.00	-8.08	V	AVERAGE	Pass	Band Edge
140	802.11be EHT40	227	14170.00	50.44	88.20	-37.76	H	Peak	Pass	Harmonic
141	802.11be EHT80	7	5922.28	43.66	68.20	-24.54	H	AVERAGE	Pass	Band Edge
	802.11be EHT80	7	17955.00	51.71	74.00	-22.29	H	Peak	Pass	Harmonic
142	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	39	12290.00	48.85	74.00	-25.15	H	Peak	Pass	Harmonic
143	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
	802.11be EHT80	87	12770.00	49.14	88.20	-39.06	H	Peak	Pass	Harmonic
144	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
144	802.11be EHT80	103	12930.00	49.67	88.20	-38.53	V	Peak	Pass	Harmonic
145	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
145	802.11be EHT80	135	13250.00	49.24	74.00	-24.76	H	Peak	Pass	Harmonic
146	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
146	802.11be EHT80	151	13410.00	50.11	88.20	-38.09	H	Peak	Pass	Harmonic
147	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
147	802.11be EHT80	167	13570.00	50.44	88.20	-37.76	H	Peak	Pass	Harmonic
148	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
148	802.11be EHT80	199	13890.00	49.76	88.20	-38.44	H	Peak	Pass	Harmonic
149	802.11be EHT80	215	7276.27	45.21	54.00	-8.79	V	AVERAGE	Pass	Band Edge
149	802.11be EHT80	215	14050.00	50.32	88.20	-37.88	H	Peak	Pass	Harmonic
150	802.11be EHT160	15	5902.28	49.79	68.20	-18.41	H	AVERAGE	Pass	Band Edge
	802.11be EHT160	15	12050.00	49.11	74.00	-24.89	H	Peak	Pass	Harmonic
151	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	47	12370.00	47.62	74.00	-26.38	V	Peak	Pass	Harmonic
152	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
	802.11be EHT160	79	12690.00	48.37	74.00	-25.63	V	Peak	Pass	Harmonic
153	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
153	802.11be EHT160	143	13330.00	49.31	74.00	-24.69	V	Peak	Pass	Harmonic
154	802.11be EHT160	207	7257.50	45.63	54.00	-8.37	V	AVERAGE	Pass	Band Edge
154	802.11be EHT160	207	13970.00	50.23	88.20	-37.97	V	Peak	Pass	Harmonic
155	802.11be EHT320	31	5796.06	49.28	68.20	-18.92	V	AVERAGE	Pass	Band Edge
	802.11be EHT320	31	12210.00	48.17	74.00	-25.83	H	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
156	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
	802.11be EHT320	63	12530.00	47.63	74.00	-26.37	H	Peak	Pass	Harmonic
157	802.11a	185	-	-	-	-	-	-	-	Band Edge
157	802.11a	185	13750.00	49.65	88.20	-38.55	H	Peak	Pass	Harmonic
158	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
158	802.11be EHT20	185	13750.00	49.20	88.20	-39.00	H	Peak	Pass	Harmonic
159	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
159	802.11be EHT40	187	13770.00	49.83	88.20	-38.37	H	Peak	Pass	Harmonic
160	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
160	802.11be EHT80	183	13730.00	50.20	88.20	-38.00	H	Peak	Pass	Harmonic
161	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
161	802.11be EHT160	175	13650.00	49.40	88.20	-38.80	H	Peak	Pass	Harmonic
162	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
162	802.11be EHT320	159	13490.00	49.04	88.20	-39.16	V	Peak	Pass	Harmonic
163	802.11be EHT320	191	7307.05	46.01	54.00	-7.99	V	AVERAGE	Pass	Band Edge
163	802.11be EHT320	191	13810.00	49.42	88.20	-38.78	H	Peak	Pass	Harmonic
164	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
164	802.11be EHT40	115	13050.00	48.99	88.20	-39.21	H	Peak	Pass	Harmonic
165	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
165	802.11be EHT80	119	13090.00	48.80	88.20	-39.40	H	Peak	Pass	Harmonic
166	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
166	802.11be EHT160	111	13010.00	48.69	88.20	-39.51	H	Peak	Pass	Harmonic
167	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
167	802.11be EHT320	95	12850.00	48.54	88.20	-39.66	V	Peak	Pass	Harmonic
168	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
168	802.11be EHT320	127	13170.00	49.76	88.20	-38.44	H	Peak	Pass	Harmonic
169	802.11be EHT20	1	5916.70	42.39	68.20	-25.81	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
170	802.11be EHT20	229	7335.76	46.00	54.00	-8.00	V	AVERAGE	Pass	Band Edge
170	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
171	802.11be EHT20	1	5924.82	42.67	68.20	-25.53	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
172	802.11be EHT20	1	5844.32	42.52	68.20	-25.68	H	AVERAGE	Pass	Band Edge
172	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
173	802.11be EHT20	229	7274.35	46.13	54.00	-7.87	H	AVERAGE	Pass	Band Edge
173	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
174	802.11be EHT20	229	7307.28	46.23	54.00	-7.77	H	AVERAGE	Pass	Band Edge
174	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
175	802.11be EHT80	7	5920.20	43.68	68.20	-24.52	H	AVERAGE	Pass	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
176	802.11be EHT80	215	7252.91	45.88	54.00	-8.12	H	AVERAGE	Pass	Band Edge
176	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
177	802.11be EHT160	15	5924.96	51.64	68.20	-16.56	H	AVERAGE	Pass	Band Edge
	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
178	802.11be EHT160	207	7298.75	46.35	54.00	-7.65	V	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
178	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
179	802.11be EHT320	31	5624.70	52.06	68.20	-16.14	H	AVERAGE	Pass	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
180	802.11be EHT320	191	7253.81	47.00	54.00	-7.00	V	AVERAGE	Pass	Band Edge
180	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
181	802.11be EHT320	31	5781.52	51.53	68.20	-16.67	H	AVERAGE	Pass	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
182	802.11be EHT320	191	7254.41	47.05	54.00	-6.95	H	AVERAGE	Pass	Band Edge
182	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
183	802.11be EHT320	31	5624.70	51.51	68.20	-16.69	V	AVERAGE	Pass	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
184	802.11be EHT320	191	7294.34	46.99	54.00	-7.01	H	AVERAGE	Pass	Band Edge
184	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
185	802.11be EHT80	7	5908.84	43.45	68.20	-24.75	H	AVERAGE	Pass	Band Edge
	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
186	802.11be EHT80	215	7283.57	46.08	54.00	-7.92	H	AVERAGE	Pass	Band Edge
186	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
187	802.11be EHT160	15	5921.88	53.90	68.20	-14.30	H	AVERAGE	Pass	Band Edge
	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
188	802.11be EHT160	207	7277.50	46.25	54.00	-7.75	V	AVERAGE	Pass	Band Edge
188	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
189	802.11be EHT160	15	5921.04	55.16	68.20	-13.04	V	AVERAGE	Pass	Band Edge
	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
190	802.11be EHT160	207	7251.88	46.72	54.00	-7.28	V	AVERAGE	Pass	Band Edge
190	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
191	802.11be EHT320	31	5624.70	49.81	68.20	-18.39	H	AVERAGE	Pass	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
192	802.11be EHT320	191	7273.17	47.04	54.00	-6.96	H	AVERAGE	Pass	Band Edge
192	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
193	802.11be EHT320	31	5902.39	48.91	68.20	-19.29	V	AVERAGE	Pass	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
194	802.11be EHT320	191	7301.00	47.19	54.00	-6.81	H	AVERAGE	Pass	Band Edge
194	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
195	802.11be EHT320	31	5624.70	53.39	68.20	-14.81	V	AVERAGE	Pass	Band Edge
	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
196	802.11be EHT320	191	7285.27	46.98	54.00	-7.02	H	AVERAGE	Pass	Band Edge
196	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
197	WIFI Worse LF 802.11a	233	163.86	31.45	43.50	-12.05	H	Peak	Pass	LF
198	802.11a	CH2	5924.97	65.63	68.20	-2.57	H	AVERAGE	Pass	Band Edge
	802.11a	CH2	17805.00	49.75	74.00	-24.25	H	Peak	Pass	Harmonic
199	802.11ax HE20	CH2	5924.97	65.69	68.20	-2.51	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	CH2	11870.00	49.58	74.00	-24.42	H	Peak	Pass	Harmonic
200	802.11ax HE20	CH2	5924.97	65.75	68.20	-2.45	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	CH2	-	-	-	-	-	-	-	Harmonic
201	802.11ax HE20	CH2	5924.97	59.97	68.20	-8.23	H	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
	802.11ax HE20	CH2	-	-	-	-	-	-	-	Harmonic
202	802.11ax HE20	CH2	5924.97	65.84	68.20	-2.36	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	CH2	-	-	-	-	-	-	-	Harmonic
203	802.11a	233	7125.28	66.03	68.20	-2.17	V	AVERAGE	Pass	Band Edge
203	802.11a	233	14230.00	49.74	88.20	-38.46	H	Peak	Pass	Harmonic
204	802.11be EHT20	233	7125.28	65.91	68.20	-2.29	V	AVERAGE	Pass	Band Edge
204	802.11be EHT20	233	14230.00	50.23	88.20	-37.97	V	Peak	Pass	Harmonic
205	802.11be EHT20	233	7125.28	60.49	68.20	-7.71	V	AVERAGE	Pass	Band Edge
205	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
206	802.11be EHT20	233	7290.82	44.90	54.00	-9.10	V	AVERAGE	Pass	Band Edge
206	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
207	802.11be EHT20	233	7125.28	61.59	68.20	-6.61	V	AVERAGE	Pass	Band Edge
207	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
208	802.11a	233	7125.00	64.74	68.20	-3.46	V	Average	Pass	Band Edge
	802.11g	11	2483.51	51.81	54.00	-2.19	H	AVERAGE	Pass	Band Edge
208	802.11a + 802.11ax HE20	233+10	7371.00	49.91	74.00	-24.09	V	Peak	Pass	Harmonic
209	802.11a	233	7125.00	64.22	68.20	-3.98	V	Average	Pass	Band Edge
	Bluetooth BR_GFSK	78	2487.72	49.67	74.00	-24.33	V	Peak	Pass	Band Edge
209	802.11a + Bluetooth BR	233+78	4960.00	49.47	74.00	-24.53	H	Peak	Pass	Harmonic
210	802.11a	233	7125.00	65.05	68.20	-3.15	V	Average	Pass	Band Edge
	802.11g	11	2483.51	45.27	54.00	-8.73	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	38	2483.52	46.30	54.00	-7.70	V	Average	Pass	Band Edge
	802.11a +802.11g+ Bluetooth-LE	233+10+38	7386.00	49.82	74.00	-24.18	V	Peak	Pass	Harmonic
211	802.11a	233	7125.28	64.79	68.20	-3.41	H	AVERAGE	Pass	Band Edge
	802.11a	233	14230.00	51.45	88.20	-36.75	H	Peak	Pass	Harmonic



	1																																																																	
Mode	Band Edge																																																																	
	U-NII-5 5.925-6.425_802.11a_CH1_5955MHz																																																																	
ANT	CDD 5+4																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<p>Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5833.19 52.89 88.20 -35.31</td> <td>38.53</td> <td>35.27</td> <td>11.56</td> <td>32.47</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5833.19 52.89 88.20 -35.31	38.53	35.27	11.56	32.47	100	43	PEAK	<p>Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5955.00 94.43</td> <td>80.22</td> <td>35.44</td> <td>11.34</td> <td>32.57</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5955.00 94.43	80.22	35.44	11.34	32.57	100	43	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5833.19 52.89 88.20 -35.31	38.53	35.27	11.56	32.47	100	43	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5955.00 94.43	80.22	35.44	11.34	32.57	100	43	PEAK																																																											
Avg	<p>Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5907.55 42.78 68.20 -25.42</td> <td>28.51</td> <td>35.37</td> <td>11.43</td> <td>32.53</td> <td>100</td> <td>43</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5907.55 42.78 68.20 -25.42	28.51	35.37	11.43	32.53	100	43	AVERAGE	<p>Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5955.00 87.21</td> <td>73.00</td> <td>35.44</td> <td>11.34</td> <td>32.57</td> <td>100</td> <td>43</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5955.00 87.21	73.00	35.44	11.34	32.57	100	43	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5907.55 42.78 68.20 -25.42	28.51	35.37	11.43	32.53	100	43	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5955.00 87.21	73.00	35.44	11.34	32.57	100	43	AVERAGE																																																											



	1																																																																															
Mode	Band Edge																																																																															
	U-NII-5 5.925-6.425_802.11a_CH1_5955MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.87</td> <td>52.87</td> <td>88.20</td> <td>-35.33</td> <td>38.53</td> <td>35.29</td> <td>11.53</td> <td>32.48</td> <td>100</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5850.87	52.87	88.20	-35.33	38.53	35.29	11.53	32.48	100	47	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>96.75</td> <td>-----</td> <td>-----</td> <td>82.54</td> <td>35.44</td> <td>11.34</td> <td>32.57</td> <td>100</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.75	-----	-----	82.54	35.44	11.34	32.57	100	47	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5850.87	52.87	88.20	-35.33	38.53	35.29	11.53	32.48	100	47	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	96.75	-----	-----	82.54	35.44	11.34	32.57	100	47	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5920.03</td> <td>42.71</td> <td>68.20</td> <td>-25.49</td> <td>28.45</td> <td>35.39</td> <td>11.41</td> <td>32.54</td> <td>100</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5920.03	42.71	68.20	-25.49	28.45	35.39	11.41	32.54	100	47	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>89.44</td> <td>-----</td> <td>-----</td> <td>75.22</td> <td>35.44</td> <td>11.35</td> <td>32.57</td> <td>100</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.44	-----	-----	75.22	35.44	11.35	32.57	100	47	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5920.03	42.71	68.20	-25.49	28.45	35.39	11.41	32.54	100	47	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	89.44	-----	-----	75.22	35.44	11.35	32.57	100	47	AVERAGE																																																																					



Mode	1																																																																																																			
	Harmonic																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																			
ANT	CDD 5+4																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>48.41</td> <td>74.00</td> <td>-25.59</td> <td>43.64</td> <td>40.13</td> <td>15.09</td> <td>50.45</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>49.62</td> <td>74.00</td> <td>-24.38</td> <td>41.71</td> <td>42.52</td> <td>17.74</td> <td>52.35</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	48.41	74.00	-25.59	43.64	40.13	15.09	50.45	--	--	Peak	2	17865.00	49.62	74.00	-24.38	41.71	42.52	17.74	52.35	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>49.12</td> <td>74.00</td> <td>-24.88</td> <td>44.35</td> <td>40.13</td> <td>15.09</td> <td>50.45</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>49.94</td> <td>74.00</td> <td>-24.06</td> <td>42.03</td> <td>42.52</td> <td>17.74</td> <td>52.35</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	49.12	74.00	-24.88	44.35	40.13	15.09	50.45	--	--	Peak	2	17865.00	49.94	74.00	-24.06	42.03	42.52	17.74	52.35	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11910.00	48.41	74.00	-25.59	43.64	40.13	15.09	50.45	--	--	Peak																																																																																									
2	17865.00	49.62	74.00	-24.38	41.71	42.52	17.74	52.35	--	--	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11910.00	49.12	74.00	-24.88	44.35	40.13	15.09	50.45	--	--	Peak																																																																																									
2	17865.00	49.94	74.00	-24.06	42.03	42.52	17.74	52.35	--	--	Peak																																																																																									



Mode	2																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHZ																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>48.21</td> <td>74.00</td> <td>-25.79</td> <td>43.33</td> <td>40.27</td> <td>15.15</td> <td>50.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12350.00	48.21	74.00	-25.79	43.33	40.27	15.15	50.54	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>48.69</td> <td>74.00</td> <td>-25.31</td> <td>43.81</td> <td>40.27</td> <td>15.15</td> <td>50.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12350.00	48.69	74.00	-25.31	43.81	40.27	15.15	50.54	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12350.00	48.21	74.00	-25.79	43.33	40.27	15.15	50.54	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12350.00	48.69	74.00	-25.31	43.81	40.27	15.15	50.54	--	--	Peak																																																										



Mode	3																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHZ																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p>Date: 2023-11-07</p>	<p>Date: 2023-11-07</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>48.20</td> <td>88.20</td> <td>-40.00</td> <td>43.48</td> <td>40.43</td> <td>15.16</td> <td>50.87</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12830.00	48.20	88.20	-40.00	43.48	40.43	15.16	50.87	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>48.31</td> <td>88.20</td> <td>-39.89</td> <td>43.59</td> <td>40.43</td> <td>15.16</td> <td>50.87</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12830.00	48.31	88.20	-39.89	43.59	40.43	15.16	50.87
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12830.00	48.20	88.20	-40.00	43.48	40.43	15.16	50.87	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12830.00	48.31	88.20	-39.89	43.59	40.43	15.16	50.87	-- -- Peak																																																											



Mode	4																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHZ																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>49.10</td> <td>88.20</td> <td>-39.10</td> <td>44.38</td> <td>40.45</td> <td>15.17</td> <td>50.90</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12870.00	49.10	88.20	-39.10	44.38	40.45	15.17	50.90	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>49.06</td> <td>88.20</td> <td>-39.14</td> <td>44.34</td> <td>40.45</td> <td>15.17</td> <td>50.90</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12870.00	49.06	88.20	-39.14	44.34	40.45	15.17	50.90
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12870.00	49.10	88.20	-39.10	44.38	40.45	15.17	50.90	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12870.00	49.06	88.20	-39.14	44.34	40.45	15.17	50.90	-- -- Peak																																																											



Mode	5																																																																									
	Harmonic																																																																									
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12950.00</td> <td>49.00</td> <td>88.20</td> <td>-39.20</td> <td>44.31</td> <td>40.48</td> <td>15.17</td> <td>50.96</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	12950.00	49.00	88.20	-39.20	44.31	40.48	15.17	50.96	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12950.00</td> <td>48.14</td> <td>88.20</td> <td>-40.06</td> <td>43.45</td> <td>40.48</td> <td>15.17</td> <td>50.96</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	12950.00	48.14	88.20	-40.06	43.45	40.48	15.17	50.96	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	12950.00	49.00	88.20	-39.20	44.31	40.48	15.17	50.96	--	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	12950.00	48.14	88.20	-40.06	43.45	40.48	15.17	50.96	--	--	Peak																																																															



Mode	6																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>49.30</td> <td>88.20</td> <td>-38.90</td> <td>44.59</td> <td>40.51</td> <td>15.19</td> <td>50.99</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13030.00	49.30	88.20	-38.90	44.59	40.51	15.19	50.99	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>48.69</td> <td>88.20</td> <td>-39.51</td> <td>43.98</td> <td>40.51</td> <td>15.19</td> <td>50.99</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13030.00	48.69	88.20	-39.51	43.98	40.51	15.19	50.99
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13030.00	49.30	88.20	-38.90	44.59	40.51	15.19	50.99	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13030.00	48.69	88.20	-39.51	43.98	40.51	15.19	50.99	-- -- Peak																																																											



Mode	7																																																																									
	Harmonic																																																																									
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>48.67</td> <td>88.20</td> <td>-39.53</td> <td>43.89</td> <td>40.51</td> <td>15.24</td> <td>50.97</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	48.67	88.20	-39.53	43.89	40.51	15.24	50.97	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>49.84</td> <td>88.20</td> <td>-38.36</td> <td>45.06</td> <td>40.51</td> <td>15.24</td> <td>50.97</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	49.84	88.20	-38.36	45.06	40.51	15.24	50.97	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13070.00	48.67	88.20	-39.53	43.89	40.51	15.24	50.97	--	-- Peak																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13070.00	49.84	88.20	-38.36	45.06	40.51	15.24	50.97	--	-- Peak																																																																	



Mode	8																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>47.80</td> <td>74.00</td> <td>-26.20</td> <td>42.45</td> <td>40.58</td> <td>15.61</td> <td>50.84</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	47.80	74.00	-26.20	42.45	40.58	15.61	50.84	-- -- Peak	<p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>48.35</td> <td>74.00</td> <td>-25.65</td> <td>43.00</td> <td>40.58</td> <td>15.61</td> <td>50.84</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	48.35	74.00	-25.65	43.00	40.58	15.61	50.84	-- -- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13390.00	47.80	74.00	-26.20	42.45	40.58	15.61	50.84	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13390.00	48.35	74.00	-25.65	43.00	40.58	15.61	50.84	-- -- Peak																																																												



Mode	9																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																																																																	
ANT	CDD 5+4																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg	<p style="text-align: right;">Date: 2023-12-05</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">APos</th> <th colspan="2">TPos</th> <th colspan="2"></th> </tr> <tr> <th colspan="2"></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th colspan="4">Remark</th> </tr> <tr> <th colspan="2"></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="4"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13712.40</td> <td>49.90</td> <td>88.20</td> <td>-38.30</td> <td>43.95</td> <td>40.73</td> <td>15.98</td> <td>50.76</td> <td>--</td> <td>--</td> <td>--</td> <td>--</td> <td>--</td> <td colspan="4">Peak</td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		APos		TPos						Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	cm	deg	Remark						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg					1	13712.40	49.90	88.20	-38.30	43.95	40.73	15.98	50.76	--	--	--	--	--	Peak				<p style="text-align: right;">Date: 2023-12-05</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">APos</th> <th colspan="2">TPos</th> <th colspan="2"></th> </tr> <tr> <th colspan="2"></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th colspan="4">Remark</th> </tr> <tr> <th colspan="2"></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="4"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13712.40</td> <td>49.33</td> <td>88.20</td> <td>-38.87</td> <td>43.38</td> <td>40.73</td> <td>15.98</td> <td>50.76</td> <td>--</td> <td>--</td> <td>--</td> <td>--</td> <td>--</td> <td colspan="4">Peak</td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		APos		TPos						Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	cm	deg	Remark						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg					1	13712.40	49.33	88.20	-38.87	43.38	40.73	15.98	50.76	--	--	--	--	--	Peak			
		Limit		Read		Ant		Cable		Preamp		APos		TPos																																																																																																																																				
		Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	cm	deg	Remark																																																																																																																																				
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																					
1	13712.40	49.90	88.20	-38.30	43.95	40.73	15.98	50.76	--	--	--	--	--	Peak																																																																																																																																				
		Limit		Read		Ant		Cable		Preamp		APos		TPos																																																																																																																																				
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	cm	deg	Remark																																																																																																																																				
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																					
1	13712.40	49.33	88.20	-38.87	43.38	40.73	15.98	50.76	--	--	--	--	--	Peak																																																																																																																																				



Mode	10																																																																				
	Harmonic																																																																				
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																				
ANT	CDD 5+4																																																																				
Pol.	Horizontal	Vertical																																																																			
Peak Avg																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>49.08</td> <td>88.20</td> <td>-39.12</td> <td>42.98</td> <td>40.77</td> <td>16.07</td> <td>50.74</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13790.00	49.08	88.20	-39.12	42.98	40.77	16.07	50.74	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>49.70</td> <td>88.20</td> <td>-38.50</td> <td>43.60</td> <td>40.77</td> <td>16.07</td> <td>50.74</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13790.00	49.70	88.20	-38.50	43.60	40.77	16.07	50.74	--
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																														
1 13790.00	49.08	88.20	-39.12	42.98	40.77	16.07	50.74	--	Peak																																																												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																														
1 13790.00	49.70	88.20	-38.50	43.60	40.77	16.07	50.74	--	Peak																																																												







Mode	11																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p>Date: 2023-12-05</p>	<p>Date: 2023-12-05</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>49.84</td> <td>88.20</td> <td>-38.36</td> <td>43.35</td> <td>40.89</td> <td>16.30</td> <td>50.70</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13990.00	49.84	88.20	-38.36	43.35	40.89	16.30	50.70	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>49.33</td> <td>88.20</td> <td>-38.87</td> <td>42.84</td> <td>40.89</td> <td>16.30</td> <td>50.70</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13990.00	49.33	88.20	-38.87	42.84	40.89	16.30	50.70
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13990.00	49.84	88.20	-38.36	43.35	40.89	16.30	50.70	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13990.00	49.33	88.20	-38.87	42.84	40.89	16.30	50.70	-- -- Peak																																																											



Mode	12																																																																									
	Band Edge																																																																									
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7235.19 55.48 88.20 -32.72</td> <td>38.76</td> <td>36.29</td> <td>13.02</td> <td>32.59</td> <td>388</td> <td>64</td> <td>PEAK</td> </tr> <tr> <td>2 7293.49 55.65 74.00 -18.35</td> <td>38.90</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>388</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 7235.19 55.48 88.20 -32.72	38.76	36.29	13.02	32.59	388	64	PEAK	2 7293.49 55.65 74.00 -18.35	38.90	36.32	13.07	32.64	388	64	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7095.00 100.42</td> <td>-----</td> <td>84.01</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>388</td> <td>64 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 7095.00 100.42	-----	84.01	36.24	12.65	32.48	388	64 PEAK
	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																		
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																							
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 7235.19 55.48 88.20 -32.72	38.76	36.29	13.02	32.59	388	64	PEAK																																																																			
2 7293.49 55.65 74.00 -18.35	38.90	36.32	13.07	32.64	388	64	PEAK																																																																			
Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																							
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 7095.00 100.42	-----	84.01	36.24	12.65	32.48	388	64 PEAK																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7127.95 45.06 68.20 -23.14</td> <td>28.58</td> <td>36.25</td> <td>12.74</td> <td>32.51</td> <td>388</td> <td>64</td> <td>AVERAGE</td> </tr> <tr> <td>2 7274.35 45.00 54.00 -9.00</td> <td>28.26</td> <td>36.31</td> <td>13.05</td> <td>32.62</td> <td>388</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 7127.95 45.06 68.20 -23.14	28.58	36.25	12.74	32.51	388	64	AVERAGE	2 7274.35 45.00 54.00 -9.00	28.26	36.31	13.05	32.62	388	64	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7095.00 93.29</td> <td>-----</td> <td>613.12-500.00</td> <td>12.65</td> <td>32.48</td> <td>388</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level	Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 7095.00 93.29	-----	613.12-500.00	12.65	32.48	388	64	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																		
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																							
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 7127.95 45.06 68.20 -23.14	28.58	36.25	12.74	32.51	388	64	AVERAGE																																																																			
2 7274.35 45.00 54.00 -9.00	28.26	36.31	13.05	32.62	388	64	AVERAGE																																																																			
Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq Level Line (dB)	Level	Factor	Loss Factor																																																																							
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 7095.00 93.29	-----	613.12-500.00	12.65	32.48	388	64	AVERAGE																																																																			







	12																																																																																											
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7206.71</td> <td>54.91</td> <td>88.20</td> <td>-33.29</td> <td>38.20</td> <td>36.28</td> <td>13.00</td> <td>32.57</td> <td>388</td> <td>34</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7287.26</td> <td>55.51</td> <td>74.00</td> <td>-18.49</td> <td>38.77</td> <td>36.31</td> <td>13.06</td> <td>32.63</td> <td>388</td> <td>34</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7206.71	54.91	88.20	-33.29	38.20	36.28	13.00	32.57	388	34	PEAK	2	7287.26	55.51	74.00	-18.49	38.77	36.31	13.06	32.63	388	34	PEAK	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>100.94</td> <td>-----</td> <td>-----</td> <td>84.58</td> <td>36.24</td> <td>12.60</td> <td>32.48</td> <td>388</td> <td>34</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	100.94	-----	-----	84.58	36.24	12.60	32.48	388	34	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7206.71	54.91	88.20	-33.29	38.20	36.28	13.00	32.57	388	34	PEAK																																																																																	
2	7287.26	55.51	74.00	-18.49	38.77	36.31	13.06	32.63	388	34	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	100.94	-----	-----	84.58	36.24	12.60	32.48	388	34	PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7146.64</td> <td>45.03</td> <td>68.20</td> <td>-23.17</td> <td>28.48</td> <td>36.26</td> <td>12.81</td> <td>32.52</td> <td>388</td> <td>34</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7251.21</td> <td>45.07</td> <td>54.00</td> <td>-8.93</td> <td>28.33</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>388</td> <td>34</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7146.64	45.03	68.20	-23.17	28.48	36.26	12.81	32.52	388	34	AVERAGE	2	7251.21	45.07	54.00	-8.93	28.33	36.30	13.04	32.60	388	34	AVERAGE	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>93.71</td> <td>-----</td> <td>-----</td> <td>77.35</td> <td>36.24</td> <td>12.60</td> <td>32.48</td> <td>388</td> <td>34</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	93.71	-----	-----	77.35	36.24	12.60	32.48	388	34	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7146.64	45.03	68.20	-23.17	28.48	36.26	12.81	32.52	388	34	AVERAGE																																																																																	
2	7251.21	45.07	54.00	-8.93	28.33	36.30	13.04	32.60	388	34	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	93.71	-----	-----	77.35	36.24	12.60	32.48	388	34	AVERAGE																																																																																	



Mode	12	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg		



	13																																																																															
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p>Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5901.70</td> <td>53.01</td> <td>88.20</td> <td>-35.19</td> <td>38.73</td> <td>35.36</td> <td>11.44</td> <td>32.52</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5901.70	53.01	88.20	-35.19	38.73	35.36	11.44	32.52	100	240	PEAK	 <p>Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>95.43</td> <td>-----</td> <td>-----</td> <td>81.21</td> <td>35.44</td> <td>11.35</td> <td>32.57</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.43	-----	-----	81.21	35.44	11.35	32.57	100	240	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5901.70	53.01	88.20	-35.19	38.73	35.36	11.44	32.52	100	240	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	95.43	-----	-----	81.21	35.44	11.35	32.57	100	240	PEAK																																																																					
Avg	 <p>Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.24</td> <td>42.69</td> <td>68.20</td> <td>-25.51</td> <td>28.43</td> <td>35.39</td> <td>11.41</td> <td>32.54</td> <td>100</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.24	42.69	68.20	-25.51	28.43	35.39	11.41	32.54	100	240	AVERAGE	 <p>Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>86.93</td> <td>-----</td> <td>-----</td> <td>72.71</td> <td>35.44</td> <td>11.35</td> <td>32.57</td> <td>100</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.93	-----	-----	72.71	35.44	11.35	32.57	100	240	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5922.24	42.69	68.20	-25.51	28.43	35.39	11.41	32.54	100	240	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	86.93	-----	-----	72.71	35.44	11.35	32.57	100	240	AVERAGE																																																																					



		13																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.15</td> <td>52.80</td> <td>88.20</td> <td>-35.40</td> <td>38.53</td> <td>35.37</td> <td>11.43</td> <td>32.53</td> <td>100</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5910.15	52.80	88.20	-35.40	38.53	35.37	11.43	32.53	100	48	PEAK	<p style="text-align: right;">Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>99.02</td> <td>-----</td> <td>-----</td> <td>84.78</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>100</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.02	-----	-----	84.78	35.43	11.37	32.56	100	48	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5910.15	52.80	88.20	-35.40	38.53	35.37	11.43	32.53	100	48	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	99.02	-----	-----	84.78	35.43	11.37	32.56	100	48	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5847.62</td> <td>42.65</td> <td>68.20</td> <td>-25.55</td> <td>28.31</td> <td>35.29</td> <td>11.53</td> <td>32.48</td> <td>100</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5847.62	42.65	68.20	-25.55	28.31	35.29	11.53	32.48	100	48	AVERAGE	<p style="text-align: right;">Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>89.49</td> <td>-----</td> <td>-----</td> <td>75.25</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>100</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.49	-----	-----	75.25	35.43	11.37	32.56	100	48	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5847.62	42.65	68.20	-25.55	28.31	35.29	11.53	32.48	100	48	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	89.49	-----	-----	75.25	35.43	11.37	32.56	100	48	AVERAGE																																																																					



Mode	13																																																																																																				
	Harmonic																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																				
ANT	CDD 5+4																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>48.47</td> <td>74.00</td> <td>-25.53</td> <td>43.70</td> <td>40.13</td> <td>15.09</td> <td>50.45</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>49.02</td> <td>74.00</td> <td>-24.98</td> <td>41.11</td> <td>42.52</td> <td>17.74</td> <td>52.35</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	48.47	74.00	-25.53	43.70	40.13	15.09	50.45	--	Peak	2	17865.00	49.02	74.00	-24.98	41.11	42.52	17.74	52.35	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11910.00</td> <td>48.53</td> <td>74.00</td> <td>-25.47</td> <td>43.76</td> <td>40.13</td> <td>15.09</td> <td>50.45</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17865.00</td> <td>49.31</td> <td>74.00</td> <td>-24.69</td> <td>41.40</td> <td>42.52</td> <td>17.74</td> <td>52.35</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	48.53	74.00	-25.47	43.76	40.13	15.09	50.45	--	Peak	2	17865.00	49.31	74.00	-24.69	41.40	42.52	17.74	52.35	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11910.00	48.47	74.00	-25.53	43.70	40.13	15.09	50.45	--	Peak																																																																																											
2	17865.00	49.02	74.00	-24.98	41.11	42.52	17.74	52.35	--	Peak																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11910.00	48.53	74.00	-25.47	43.76	40.13	15.09	50.45	--	Peak																																																																																											
2	17865.00	49.31	74.00	-24.69	41.40	42.52	17.74	52.35	--	Peak																																																																																											



Mode	14																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH45_6175MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>48.35</td> <td>74.00</td> <td>-25.65</td> <td>43.47</td> <td>40.27</td> <td>15.15</td> <td>50.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12350.00	48.35	74.00	-25.65	43.47	40.27	15.15	50.54	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>48.08</td> <td>74.00</td> <td>-25.92</td> <td>43.20</td> <td>40.27</td> <td>15.15</td> <td>50.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12350.00	48.08	74.00	-25.92	43.20	40.27	15.15	50.54	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12350.00	48.35	74.00	-25.65	43.47	40.27	15.15	50.54	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12350.00	48.08	74.00	-25.92	43.20	40.27	15.15	50.54	--	--	Peak																																																										



Mode	15																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>47.44</td> <td>88.20</td> <td>-40.76</td> <td>42.72</td> <td>40.43</td> <td>15.16</td> <td>50.87</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12830.00	47.44	88.20	-40.76	42.72	40.43	15.16	50.87	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>48.42</td> <td>88.20</td> <td>-39.78</td> <td>43.70</td> <td>40.43</td> <td>15.16</td> <td>50.87</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12830.00	48.42	88.20	-39.78	43.70	40.43	15.16	50.87	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12830.00	47.44	88.20	-40.76	42.72	40.43	15.16	50.87	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12830.00	48.42	88.20	-39.78	43.70	40.43	15.16	50.87	--	--	Peak																																																										
Avg																																																																				



Mode	16																																																																							
	Harmonic																																																																							
	U-NII-6_6.425-6.525_802.11be EHT20_CH97_6435MHz																																																																							
ANT	CDD 5+4																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak																																																																								
Avg																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12690.00</td> <td>49.12</td> <td>74.00</td> <td>-24.88</td> <td>44.34</td> <td>40.38</td> <td>15.16</td> <td>50.76</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12690.00	49.12	74.00	-24.88	44.34	40.38	15.16	50.76	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12690.00</td> <td>49.40</td> <td>74.00</td> <td>-24.60</td> <td>44.62</td> <td>40.38</td> <td>15.16</td> <td>50.76</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12690.00	49.40	74.00	-24.60	44.62	40.38	15.16	50.76	--	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12690.00	49.12	74.00	-24.88	44.34	40.38	15.16	50.76	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 12690.00	49.40	74.00	-24.60	44.62	40.38	15.16	50.76	--	Peak																																																															



Mode	17																																																																			
	Harmonic																																																																			
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_6475MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>48.25</td> <td>88.20</td> <td>-39.95</td> <td>43.56</td> <td>40.48</td> <td>15.17</td> <td>50.96</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12950.00	48.25	88.20	-39.95	43.56	40.48	15.17	50.96	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>49.75</td> <td>88.20</td> <td>-38.45</td> <td>45.06</td> <td>40.48</td> <td>15.17</td> <td>50.96</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12950.00	49.75	88.20	-38.45	45.06	40.48	15.17	50.96	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12950.00	48.25	88.20	-39.95	43.56	40.48	15.17	50.96	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12950.00	49.75	88.20	-38.45	45.06	40.48	15.17	50.96	--	--	Peak																																																										



Mode	18																																																																																								
	Harmonic																																																																																								
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_6515MHz																																																																																								
ANT	CDD 5+4																																																																																								
Pol.	Horizontal	Vertical																																																																																							
Peak Avg																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13030.00</td> <td>49.11</td> <td>88.20</td> <td>-39.09</td> <td>44.40</td> <td>40.51</td> <td>15.19</td> <td>50.99</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	13030.00	49.11	88.20	-39.09	44.40	40.51	15.19	50.99	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13030.00</td> <td>48.33</td> <td>88.20</td> <td>-39.87</td> <td>43.62</td> <td>40.51</td> <td>15.19</td> <td>50.99</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	13030.00	48.33	88.20	-39.87	43.62	40.51	15.19	50.99	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
cm	deg																																																																																								
1	13030.00	49.11	88.20	-39.09	44.40	40.51	15.19	50.99	--	--	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
cm	deg																																																																																								
1	13030.00	48.33	88.20	-39.87	43.62	40.51	15.19	50.99	--	--	Peak																																																																														



Mode	19																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full_6535MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>49.02</td> <td>88.20</td> <td>-39.18</td> <td>44.24</td> <td>40.51</td> <td>15.24</td> <td>50.97</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13070.00	49.02	88.20	-39.18	44.24	40.51	15.24	50.97	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>49.14</td> <td>88.20</td> <td>-39.06</td> <td>44.36</td> <td>40.51</td> <td>15.24</td> <td>50.97</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13070.00	49.14	88.20	-39.06	44.36	40.51	15.24	50.97
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13070.00	49.02	88.20	-39.18	44.24	40.51	15.24	50.97	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13070.00	49.14	88.20	-39.06	44.36	40.51	15.24	50.97	-- -- Peak																																																											



Mode	20																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full_6695MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>49.62</td> <td>74.00</td> <td>-24.38</td> <td>44.27</td> <td>40.58</td> <td>15.61</td> <td>50.84</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	49.62	74.00	-24.38	44.27	40.58	15.61	50.84	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>49.29</td> <td>74.00</td> <td>-24.71</td> <td>43.94</td> <td>40.58</td> <td>15.61</td> <td>50.84</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13390.00	49.29	74.00	-24.71	43.94	40.58	15.61	50.84
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13390.00	49.62	74.00	-24.38	44.27	40.58	15.61	50.84	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13390.00	49.29	74.00	-24.71	43.94	40.58	15.61	50.84	-- -- Peak																																																											



Mode	21																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full_6855MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>49.77</td> <td>88.20</td> <td>-38.43</td> <td>43.82</td> <td>40.73</td> <td>15.98</td> <td>50.76</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13710.00	49.77	88.20	-38.43	43.82	40.73	15.98	50.76	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>49.72</td> <td>88.20</td> <td>-38.48</td> <td>43.77</td> <td>40.73</td> <td>15.98</td> <td>50.76</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13710.00	49.72	88.20	-38.48	43.77	40.73	15.98	50.76
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13710.00	49.77	88.20	-38.43	43.82	40.73	15.98	50.76	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13710.00	49.72	88.20	-38.48	43.77	40.73	15.98	50.76	-- -- Peak																																																											



Mode	22																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full_6895MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p>Horizontal Peak and Average plots showing Level (dBuV/m) vs Frequency (MHz) for U-NII_8E. Date: 2023-12-05.</p>	<p>Vertical Peak and Average plots showing Level (dBuV/m) vs Frequency (MHz) for U-NII_8E. Date: 2023-12-05.</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>48.92</td> <td>88.20</td> <td>-39.28</td> <td>42.82</td> <td>40.77</td> <td>16.07</td> <td>50.74</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13790.00	48.92	88.20	-39.28	42.82	40.77	16.07	50.74	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>49.02</td> <td>88.20</td> <td>-39.18</td> <td>42.92</td> <td>40.77</td> <td>16.07</td> <td>50.74</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13790.00	49.02	88.20	-39.18	42.92	40.77	16.07	50.74
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13790.00	48.92	88.20	-39.28	42.82	40.77	16.07	50.74	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13790.00	49.02	88.20	-39.18	42.92	40.77	16.07	50.74	-- -- Peak																																																											







Mode	23																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full_6995MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>49.97</td> <td>88.20</td> <td>-38.23</td> <td>43.48</td> <td>40.89</td> <td>16.30</td> <td>50.70</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13990.00	49.97	88.20	-38.23	43.48	40.89	16.30	50.70	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>49.56</td> <td>88.20</td> <td>-38.64</td> <td>43.07</td> <td>40.89</td> <td>16.30</td> <td>50.70</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13990.00	49.56	88.20	-38.64	43.07	40.89	16.30	50.70
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13990.00	49.97	88.20	-38.23	43.48	40.89	16.30	50.70	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13990.00	49.56	88.20	-38.64	43.07	40.89	16.30	50.70	-- -- Peak																																																											



		24																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full_7095MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7241.87</td> <td>54.55</td> <td>88.20</td> <td>-33.65</td> <td>37.82</td> <td>36.30</td> <td>13.03</td> <td>32.60</td> <td>388</td> <td>85</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7320.63</td> <td>55.10</td> <td>74.00</td> <td>-18.90</td> <td>38.34</td> <td>36.33</td> <td>13.09</td> <td>32.66</td> <td>388</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7241.87	54.55	88.20	-33.65	37.82	36.30	13.03	32.60	388	85	PEAK	2	7320.63	55.10	74.00	-18.90	38.34	36.33	13.09	32.66	388	85	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>99.20</td> <td>-----</td> <td>-----</td> <td>82.79</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>388</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	99.20	-----	-----	82.79	36.24	12.65	32.48	388	85
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7241.87	54.55	88.20	-33.65	37.82	36.30	13.03	32.60	388	85	PEAK																																																																																	
2	7320.63	55.10	74.00	-18.90	38.34	36.33	13.09	32.66	388	85	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	99.20	-----	-----	82.79	36.24	12.65	32.48	388	85	PEAK																																																																																	
Avg																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7134.62</td> <td>44.97</td> <td>68.20</td> <td>-23.23</td> <td>28.46</td> <td>36.25</td> <td>12.77</td> <td>32.51</td> <td>388</td> <td>85</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7277.47</td> <td>44.86</td> <td>54.00</td> <td>-9.14</td> <td>28.12</td> <td>36.31</td> <td>13.05</td> <td>32.62</td> <td>388</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7134.62	44.97	68.20	-23.23	28.46	36.25	12.77	32.51	388	85	AVERAGE	2	7277.47	44.86	54.00	-9.14	28.12	36.31	13.05	32.62	388	85	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>92.24</td> <td>-----</td> <td>-----</td> <td>75.86</td> <td>36.24</td> <td>12.62</td> <td>32.48</td> <td>388</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	92.24	-----	-----	75.86	36.24	12.62	32.48	388	85
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7134.62	44.97	68.20	-23.23	28.46	36.25	12.77	32.51	388	85	AVERAGE																																																																																	
2	7277.47	44.86	54.00	-9.14	28.12	36.31	13.05	32.62	388	85	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	92.24	-----	-----	75.86	36.24	12.62	32.48	388	85	AVERAGE																																																																																	



		24																																																																																									
Mode	Band Edge																																																																																										
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full_7095MHz																																																																																										
ANT	CDD 5+4																																																																																										
Pol.	Vertical	Fundamental																																																																																									
Peak	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7218.28</td> <td>55.27</td> <td>88.20</td> <td>-32.93</td> <td>38.55</td> <td>36.29</td> <td>13.01</td> <td>32.58</td> <td>388</td> <td>34 PEAK</td> </tr> <tr> <td>2</td> <td>7335.32</td> <td>54.89</td> <td>74.00</td> <td>-19.11</td> <td>38.13</td> <td>36.33</td> <td>13.10</td> <td>32.67</td> <td>388</td> <td>34 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7218.28	55.27	88.20	-32.93	38.55	36.29	13.01	32.58	388	34 PEAK	2	7335.32	54.89	74.00	-19.11	38.13	36.33	13.10	32.67	388	34 PEAK	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>100.24</td> <td>-----</td> <td>-----</td> <td>83.88</td> <td>36.24</td> <td>12.60</td> <td>32.48</td> <td>388</td> <td>34 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	100.24	-----	-----	83.88	36.24	12.60	32.48	388	34 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7218.28	55.27	88.20	-32.93	38.55	36.29	13.01	32.58	388	34 PEAK																																																																																	
2	7335.32	54.89	74.00	-19.11	38.13	36.33	13.10	32.67	388	34 PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7095.00	100.24	-----	-----	83.88	36.24	12.60	32.48	388	34 PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7136.40</td> <td>45.10</td> <td>68.20</td> <td>-23.10</td> <td>28.59</td> <td>36.25</td> <td>12.77</td> <td>32.51</td> <td>388</td> <td>34 AVERAGE</td> </tr> <tr> <td>2</td> <td>7252.55</td> <td>44.99</td> <td>54.00</td> <td>-9.01</td> <td>28.25</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>388</td> <td>34 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7136.40	45.10	68.20	-23.10	28.59	36.25	12.77	32.51	388	34 AVERAGE	2	7252.55	44.99	54.00	-9.01	28.25	36.30	13.04	32.60	388	34 AVERAGE	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>94.28</td> <td>-----</td> <td>-----</td> <td>77.92</td> <td>36.24</td> <td>12.60</td> <td>32.48</td> <td>388</td> <td>34 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	94.28	-----	-----	77.92	36.24	12.60	32.48	388	34 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7136.40	45.10	68.20	-23.10	28.59	36.25	12.77	32.51	388	34 AVERAGE																																																																																	
2	7252.55	44.99	54.00	-9.01	28.25	36.30	13.04	32.60	388	34 AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7095.00	94.28	-----	-----	77.92	36.24	12.60	32.48	388	34 AVERAGE																																																																																	



Mode	24																																																																			
	Harmonic																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full_7095MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>49.64</td> <td>88.20</td> <td>-38.56</td> <td>43.05</td> <td>41.01</td> <td>16.32</td> <td>50.74</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14190.00	49.64	88.20	-38.56	43.05	41.01	16.32	50.74	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>48.99</td> <td>88.20</td> <td>-39.21</td> <td>42.40</td> <td>41.01</td> <td>16.32</td> <td>50.74</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14190.00	48.99	88.20	-39.21	42.40	41.01	16.32	50.74	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 14190.00	49.64	88.20	-38.56	43.05	41.01	16.32	50.74	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 14190.00	48.99	88.20	-39.21	42.40	41.01	16.32	50.74	-- -- Peak																																																												



		25																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full_5965MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.88</td> <td>52.77</td> <td>88.20</td> <td>-35.43</td> <td>38.44</td> <td>35.30</td> <td>11.52</td> <td>32.49</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5855.88	52.77	88.20	-35.43	38.44	35.30	11.52	32.49	100	302	PEAK	<p style="text-align: right;">Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>95.55</td> <td>-----</td> <td>-----</td> <td>81.34</td> <td>35.44</td> <td>11.34</td> <td>32.57</td> <td>100</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	95.55	-----	-----	81.34	35.44	11.34	32.57	100	302	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5855.88	52.77	88.20	-35.43	38.44	35.30	11.52	32.49	100	302	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5965.00	95.55	-----	-----	81.34	35.44	11.34	32.57	100	302	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5908.84</td> <td>42.87</td> <td>68.20</td> <td>-25.33</td> <td>28.60</td> <td>35.37</td> <td>11.43</td> <td>32.53</td> <td>100</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5908.84	42.87	68.20	-25.33	28.60	35.37	11.43	32.53	100	302	AVERAGE	<p style="text-align: right;">Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>86.50</td> <td>-----</td> <td>-----</td> <td>72.30</td> <td>35.45</td> <td>11.33</td> <td>32.58</td> <td>100</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	86.50	-----	-----	72.30	35.45	11.33	32.58	100	302	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5908.84	42.87	68.20	-25.33	28.60	35.37	11.43	32.53	100	302	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5965.00	86.50	-----	-----	72.30	35.45	11.33	32.58	100	302	AVERAGE																																																																					



	25																																																																	
Mode	Band Edge																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full_5965MHz																																																																	
ANT	CDD 5+4																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5870.60 53.28 88.20 -34.92</td> <td>38.96</td> <td>35.32</td> <td>11.50</td> <td>32.50</td> <td>100</td> <td>98</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5870.60 53.28 88.20 -34.92	38.96	35.32	11.50	32.50	100	98	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5965.00 97.62</td> <td>83.42</td> <td>35.46</td> <td>11.32</td> <td>32.58</td> <td>100</td> <td>98</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5965.00 97.62	83.42	35.46	11.32	32.58	100	98	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5870.60 53.28 88.20 -34.92	38.96	35.32	11.50	32.50	100	98	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5965.00 97.62	83.42	35.46	11.32	32.58	100	98	PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5851.40 42.81 68.20 -25.39</td> <td>28.48</td> <td>35.29</td> <td>11.53</td> <td>32.49</td> <td>100</td> <td>98</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5851.40 42.81 68.20 -25.39	28.48	35.29	11.53	32.49	100	98	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5965.00 88.15</td> <td>73.95</td> <td>35.46</td> <td>11.32</td> <td>32.58</td> <td>100</td> <td>98</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5965.00 88.15	73.95	35.46	11.32	32.58	100	98	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5851.40 42.81 68.20 -25.39	28.48	35.29	11.53	32.49	100	98	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 5965.00 88.15	73.95	35.46	11.32	32.58	100	98	AVERAGE																																																											



Mode	25																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full_5965MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> </tr> <tr> <th></th> <th>Mhz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11930.00</td> <td>47.53</td> <td>74.00</td> <td>-26.47</td> <td>42.73</td> <td>40.14</td> <td>15.10</td> <td>50.44</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>17895.00</td> <td>48.99</td> <td>74.00</td> <td>-25.01</td> <td>41.06</td> <td>42.54</td> <td>17.75</td> <td>52.36</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		Mhz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11930.00	47.53	74.00	-26.47	42.73	40.14	15.10	50.44	-- -- Peak	2	17895.00	48.99	74.00	-25.01	41.06	42.54	17.75	52.36	-- -- Peak	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> </tr> <tr> <th></th> <th>Mhz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11930.00</td> <td>49.28</td> <td>74.00</td> <td>-24.72</td> <td>44.48</td> <td>40.14</td> <td>15.10</td> <td>50.44</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>17895.00</td> <td>48.35</td> <td>74.00</td> <td>-25.65</td> <td>40.42</td> <td>42.54</td> <td>17.75</td> <td>52.36</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		Mhz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11930.00	49.28	74.00	-24.72	44.48	40.14	15.10	50.44	-- -- Peak	2	17895.00	48.35	74.00	-25.65	40.42	42.54	17.75	52.36	-- -- Peak
	Limit		Read								Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq		Level	Line Margin	Level	Factor	Loss Factor																																																																																						
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	11930.00	47.53	74.00	-26.47	42.73	40.14	15.10	50.44	-- -- Peak																																																																																			
2	17895.00	48.99	74.00	-25.01	41.06	42.54	17.75	52.36	-- -- Peak																																																																																			
Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	Freq	Level							Line Margin	Level	Factor	Loss Factor																																																																																
	Mhz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	11930.00	49.28	74.00	-24.72	44.48	40.14	15.10	50.44	-- -- Peak																																																																																			
2	17895.00	48.35	74.00	-25.65	40.42	42.54	17.75	52.36	-- -- Peak																																																																																			



Mode	26																																																																											
	Harmonic																																																																											
	U-NII-5_5.925-6.425_802.11be EHT40_CH43_Full_6165MHz																																																																											
ANT	CDD 5+4																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<p>Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12330.00</td> <td>48.91</td> <td>74.00</td> <td>-25.09</td> <td>44.02</td> <td>40.27</td> <td>15.15</td> <td>50.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12330.00	48.91	74.00	-25.09	44.02	40.27	15.15	50.53	--	--	Peak	<p>Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12330.00</td> <td>49.37</td> <td>74.00</td> <td>-24.63</td> <td>44.48</td> <td>40.27</td> <td>15.15</td> <td>50.53</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12330.00	49.37	74.00	-24.63	44.48	40.27	15.15	50.53	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12330.00	48.91	74.00	-25.09	44.02	40.27	15.15	50.53	--	--	Peak																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12330.00	49.37	74.00	-24.63	44.48	40.27	15.15	50.53	--	--	Peak																																																																		



Mode	27																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full_6405MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>47.87</td> <td>88.20</td> <td>-40.33</td> <td>43.14</td> <td>40.42</td> <td>15.16</td> <td>50.85</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12810.00	47.87	88.20	-40.33	43.14	40.42	15.16	50.85	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>48.47</td> <td>88.20</td> <td>-39.73</td> <td>43.74</td> <td>40.42</td> <td>15.16</td> <td>50.85</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12810.00	48.47	88.20	-39.73	43.74	40.42	15.16	50.85	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12810.00	47.87	88.20	-40.33	43.14	40.42	15.16	50.85	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12810.00	48.47	88.20	-39.73	43.74	40.42	15.16	50.85	-- -- Peak																																																												



Mode	28																																																																			
	Harmonic																																																																			
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full_6445MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>49.24</td> <td>88.20</td> <td>-38.96</td> <td>44.52</td> <td>40.46</td> <td>15.17</td> <td>50.91</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12890.00	49.24	88.20	-38.96	44.52	40.46	15.17	50.91	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>48.69</td> <td>88.20</td> <td>-39.51</td> <td>43.97</td> <td>40.46</td> <td>15.17</td> <td>50.91</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12890.00	48.69	88.20	-39.51	43.97	40.46	15.17	50.91	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12890.00	49.24	88.20	-38.96	44.52	40.46	15.17	50.91	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12890.00	48.69	88.20	-39.51	43.97	40.46	15.17	50.91	--	--	Peak																																																										



Mode	29																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full_6485MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12970.00</td> <td>48.87</td> <td>88.20</td> <td>-39.33</td> <td>44.18</td> <td>40.49</td> <td>15.17</td> <td>50.97</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12970.00	48.87	88.20	-39.33	44.18	40.49	15.17	50.97	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12970.00</td> <td>49.33</td> <td>88.20</td> <td>-38.87</td> <td>44.64</td> <td>40.49</td> <td>15.17</td> <td>50.97</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12970.00	49.33	88.20	-38.87	44.64	40.49	15.17	50.97
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12970.00	48.87	88.20	-39.33	44.18	40.49	15.17	50.97	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12970.00	49.33	88.20	-38.87	44.64	40.49	15.17	50.97	-- -- Peak																																																											



Mode	30																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full_6565MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>49.24</td> <td>88.20</td> <td>-38.96</td> <td>44.35</td> <td>40.53</td> <td>15.31</td> <td>50.95</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13130.00	49.24	88.20	-38.96	44.35	40.53	15.31	50.95	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>48.66</td> <td>88.20</td> <td>-39.54</td> <td>43.77</td> <td>40.53</td> <td>15.31</td> <td>50.95</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13130.00	48.66	88.20	-39.54	43.77	40.53	15.31	50.95
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13130.00	49.24	88.20	-38.96	44.35	40.53	15.31	50.95	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13130.00	48.66	88.20	-39.54	43.77	40.53	15.31	50.95	-- -- Peak																																																											



Mode	31																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full_6685MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>49.91</td> <td>74.00</td> <td>-24.09</td> <td>44.61</td> <td>40.57</td> <td>15.58</td> <td>50.85</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13370.00	49.91	74.00	-24.09	44.61	40.57	15.58	50.85	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>49.95</td> <td>74.00</td> <td>-24.05</td> <td>44.65</td> <td>40.57</td> <td>15.58</td> <td>50.85</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13370.00	49.95	74.00	-24.05	44.65	40.57	15.58	50.85
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13370.00	49.91	74.00	-24.09	44.61	40.57	15.58	50.85	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13370.00	49.95	74.00	-24.05	44.65	40.57	15.58	50.85	-- -- Peak																																																											



Mode	32																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full_6845MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13690.00</td> <td>49.10</td> <td>88.20</td> <td>-39.10</td> <td>43.19</td> <td>40.71</td> <td>15.96</td> <td>50.76</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13690.00	49.10	88.20	-39.10	43.19	40.71	15.96	50.76	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13690.00</td> <td>49.07</td> <td>88.20</td> <td>-39.13</td> <td>43.16</td> <td>40.71</td> <td>15.96</td> <td>50.76</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13690.00	49.07	88.20	-39.13	43.16	40.71	15.96	50.76	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 13690.00	49.10	88.20	-39.10	43.19	40.71	15.96	50.76	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 13690.00	49.07	88.20	-39.13	43.16	40.71	15.96	50.76	--	--	Peak																																																										



Mode	33																																																																																		
	Harmonic																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full_6925MHz																																																																																		
ANT	CDD 5+4																																																																																		
Pol.	Horizontal	Vertical																																																																																	
Peak Avg	<p>Date: 2023-12-05</p>	<p>Date: 2023-12-05</p>																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13850.00</td> <td>49.06</td> <td>88.20</td> <td>-39.14</td> <td>42.84</td> <td>40.81</td> <td>16.14</td> <td>50.73</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB						cm	deg		1 13850.00	49.06	88.20	-39.14	42.84	40.81	16.14	50.73	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13850.00</td> <td>49.48</td> <td>88.20</td> <td>-38.72</td> <td>43.26</td> <td>40.81</td> <td>16.14</td> <td>50.73</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB						cm	deg		1 13850.00	49.48	88.20	-38.72	43.26	40.81	16.14	50.73
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
					cm	deg																																																																													
1 13850.00	49.06	88.20	-39.14	42.84	40.81	16.14	50.73	-- -- Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
					cm	deg																																																																													
1 13850.00	49.48	88.20	-38.72	43.26	40.81	16.14	50.73	-- -- Peak																																																																											






Mode	34																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH203_Full_6965MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13930.00</td> <td>49.94</td> <td>88.20</td> <td>-38.26</td> <td>43.56</td> <td>40.86</td> <td>16.23</td> <td>50.71</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13930.00	49.94	88.20	-38.26	43.56	40.86	16.23	50.71	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13930.00</td> <td>49.93</td> <td>88.20</td> <td>-38.27</td> <td>43.55</td> <td>40.86</td> <td>16.23</td> <td>50.71</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13930.00	49.93	88.20	-38.27	43.55	40.86	16.23	50.71
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13930.00	49.94	88.20	-38.26	43.56	40.86	16.23	50.71	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13930.00	49.93	88.20	-38.27	43.55	40.86	16.23	50.71	-- -- Peak																																																											



		35																																																																																							
Mode	Band Edge																																																																																								
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full_7085MHz																																																																																								
ANT	CDD 5+4																																																																																								
Pol.	Horizontal	Fundamental																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7128.27</td> <td>67.59</td> <td>88.20</td> <td>-20.61</td> <td>51.11</td> <td>36.25</td> <td>12.74</td> <td>32.51</td> <td>388</td> <td>64 PEAK</td> </tr> <tr> <td>2</td> <td>7346.01</td> <td>54.96</td> <td>74.00</td> <td>-19.04</td> <td>38.20</td> <td>36.34</td> <td>13.10</td> <td>32.68</td> <td>388</td> <td>64 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7128.27	67.59	88.20	-20.61	51.11	36.25	12.74	32.51	388	64 PEAK	2	7346.01	54.96	74.00	-19.04	38.20	36.34	13.10	32.68	388	64 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>101.81</td> <td>-----</td> <td>-----</td> <td>85.40</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>388</td> <td>64 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	101.81	-----	-----	85.40	36.24	12.65	32.48	388	64 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7128.27	67.59	88.20	-20.61	51.11	36.25	12.74	32.51	388	64 PEAK																																																																															
2	7346.01	54.96	74.00	-19.04	38.20	36.34	13.10	32.68	388	64 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7085.00	101.81	-----	-----	85.40	36.24	12.65	32.48	388	64 PEAK																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.99</td> <td>57.88</td> <td>68.20</td> <td>-10.32</td> <td>41.40</td> <td>36.25</td> <td>12.74</td> <td>32.51</td> <td>388</td> <td>64 AVERAGE</td> </tr> <tr> <td>2</td> <td>7336.89</td> <td>44.99</td> <td>54.00</td> <td>-9.01</td> <td>28.23</td> <td>36.33</td> <td>13.10</td> <td>32.67</td> <td>388</td> <td>64 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7127.99	57.88	68.20	-10.32	41.40	36.25	12.74	32.51	388	64 AVERAGE	2	7336.89	44.99	54.00	-9.01	28.23	36.33	13.10	32.67	388	64 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>93.44</td> <td>-----</td> <td>-----</td> <td>77.03</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>388</td> <td>64 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	93.44	-----	-----	77.03	36.24	12.65	32.48	388	64 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7127.99	57.88	68.20	-10.32	41.40	36.25	12.74	32.51	388	64 AVERAGE																																																																															
2	7336.89	44.99	54.00	-9.01	28.23	36.33	13.10	32.67	388	64 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7085.00	93.44	-----	-----	77.03	36.24	12.65	32.48	388	64 AVERAGE																																																																															



		35																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full_7085MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7130.84</td> <td>66.68</td> <td>88.20</td> <td>-21.52</td> <td>50.19</td> <td>36.25</td> <td>12.75</td> <td>32.51</td> <td>388</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7296.14</td> <td>54.50</td> <td>74.00</td> <td>-19.50</td> <td>37.75</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>388</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7130.84	66.68	88.20	-21.52	50.19	36.25	12.75	32.51	388	28	PEAK	2	7296.14	54.50	74.00	-19.50	37.75	36.32	13.07	32.64	388	28	PEAK	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>102.24</td> <td>-----</td> <td>-----</td> <td>85.83</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>388</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	102.24	-----	-----	85.83	36.24	12.65	32.48	388	28	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7130.84	66.68	88.20	-21.52	50.19	36.25	12.75	32.51	388	28	PEAK																																																																																	
2	7296.14	54.50	74.00	-19.50	37.75	36.32	13.07	32.64	388	28	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7085.00	102.24	-----	-----	85.83	36.24	12.65	32.48	388	28	PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.13</td> <td>56.70</td> <td>68.20</td> <td>-11.50</td> <td>40.22</td> <td>36.25</td> <td>12.74</td> <td>32.51</td> <td>388</td> <td>28</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7312.10</td> <td>45.03</td> <td>54.00</td> <td>-8.97</td> <td>28.28</td> <td>36.32</td> <td>13.08</td> <td>32.65</td> <td>388</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7127.13	56.70	68.20	-11.50	40.22	36.25	12.74	32.51	388	28	AVERAGE	2	7312.10	45.03	54.00	-8.97	28.28	36.32	13.08	32.65	388	28	AVERAGE	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>93.67</td> <td>-----</td> <td>-----</td> <td>77.26</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>388</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	93.67	-----	-----	77.26	36.24	12.65	32.48	388	28	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7127.13	56.70	68.20	-11.50	40.22	36.25	12.74	32.51	388	28	AVERAGE																																																																																	
2	7312.10	45.03	54.00	-8.97	28.28	36.32	13.08	32.65	388	28	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7085.00	93.67	-----	-----	77.26	36.24	12.65	32.48	388	28	AVERAGE																																																																																	







Mode	35																																																																				
	Harmonic																																																																				
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full_7085MHz																																																																				
ANT	CDD 5+4																																																																				
Pol.	Horizontal	Vertical																																																																			
Peak Avg																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>49.10</td> <td>88.20</td> <td>-39.10</td> <td>42.51</td> <td>41.00</td> <td>16.32</td> <td>50.73</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14170.00	49.10	88.20	-39.10	42.51	41.00	16.32	50.73	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>49.54</td> <td>88.20</td> <td>-38.66</td> <td>42.95</td> <td>41.00</td> <td>16.32</td> <td>50.73</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14170.00	49.54	88.20	-38.66	42.95	41.00	16.32	50.73	--
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																														
1 14170.00	49.10	88.20	-39.10	42.51	41.00	16.32	50.73	--	Peak																																																												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																														
1 14170.00	49.54	88.20	-38.66	42.95	41.00	16.32	50.73	--	Peak																																																												



		36																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.36</td> <td>54.28</td> <td>88.20</td> <td>-33.92</td> <td>40.03</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>219</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	54.28	88.20	-33.92	40.03	35.39	11.40	32.54	219	110	PEAK	<p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>98.73</td> <td>-----</td> <td>-----</td> <td>84.49</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>219</td> <td>110</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	98.73	-----	-----	84.49	35.43	11.37	32.56	219	110	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5924.36	54.28	88.20	-33.92	40.03	35.39	11.40	32.54	219	110	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5985.00	98.73	-----	-----	84.49	35.43	11.37	32.56	219	110	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5925.00</td> <td>44.82</td> <td>68.20</td> <td>-23.38</td> <td>30.56</td> <td>35.40</td> <td>11.40</td> <td>32.54</td> <td>219</td> <td>110</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	44.82	68.20	-23.38	30.56	35.40	11.40	32.54	219	110	AVERAGE	<p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>89.71</td> <td>-----</td> <td>-----</td> <td>75.47</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>219</td> <td>110</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	89.71	-----	-----	75.47	35.43	11.37	32.56	219	110	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5925.00	44.82	68.20	-23.38	30.56	35.40	11.40	32.54	219	110	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5985.00	89.71	-----	-----	75.47	35.43	11.37	32.56	219	110	AVERAGE																																																																					



		36																																																																														
Mode		Band Edge																																																																														
		U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																																																														
ANT		CDD 5+4																																																																														
Pol.	Vertical	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5916.04</td> <td>55.03</td> <td>88.20</td> <td>-33.17</td> <td>40.77</td> <td>35.38</td> <td>11.42</td> <td>32.54</td> <td>100</td> <td>313</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5916.04	55.03	88.20	-33.17	40.77	35.38	11.42	32.54	100	313	PEAK	 <p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>97.49</td> <td>-----</td> <td>-----</td> <td>83.27</td> <td>35.44</td> <td>11.35</td> <td>32.57</td> <td>100</td> <td>313</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	97.49	-----	-----	83.27	35.44	11.35	32.57	100	313	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5916.04	55.03	88.20	-33.17	40.77	35.38	11.42	32.54	100	313	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5985.00	97.49	-----	-----	83.27	35.44	11.35	32.57	100	313	PEAK																																																																					
Avg	 <p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5914.12</td> <td>44.94</td> <td>68.20</td> <td>-23.26</td> <td>30.67</td> <td>35.38</td> <td>11.42</td> <td>32.53</td> <td>100</td> <td>313</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5914.12	44.94	68.20	-23.26	30.67	35.38	11.42	32.53	100	313	AVERAGE	 <p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>89.07</td> <td>-----</td> <td>-----</td> <td>74.85</td> <td>35.44</td> <td>11.35</td> <td>32.57</td> <td>100</td> <td>313</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	89.07	-----	-----	74.85	35.44	11.35	32.57	100	313	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5914.12	44.94	68.20	-23.26	30.67	35.38	11.42	32.53	100	313	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5985.00	89.07	-----	-----	74.85	35.44	11.35	32.57	100	313	AVERAGE																																																																					



Mode	36																																																																																														
	Harmonic																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																																																																														
ANT	CDD 5+4																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11970.00</td> <td>48.97</td> <td>74.00</td> <td>-25.03</td> <td>44.09</td> <td>40.18</td> <td>15.12</td> <td>50.42</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>17955.00</td> <td>49.69</td> <td>74.00</td> <td>-24.31</td> <td>41.73</td> <td>42.57</td> <td>17.77</td> <td>52.38</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11970.00	48.97	74.00	-25.03	44.09	40.18	15.12	50.42	-- -- Peak	2	17955.00	49.69	74.00	-24.31	41.73	42.57	17.77	52.38	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11970.00</td> <td>48.29</td> <td>74.00</td> <td>-25.71</td> <td>43.41</td> <td>40.18</td> <td>15.12</td> <td>50.42</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>17955.00</td> <td>49.27</td> <td>74.00</td> <td>-24.73</td> <td>41.31</td> <td>42.57</td> <td>17.77</td> <td>52.38</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11970.00	48.29	74.00	-25.71	43.41	40.18	15.12	50.42	-- -- Peak	2	17955.00	49.27	74.00	-24.73	41.31	42.57	17.77	52.38
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	11970.00	48.97	74.00	-25.03	44.09	40.18	15.12	50.42	-- -- Peak																																																																																						
2	17955.00	49.69	74.00	-24.31	41.73	42.57	17.77	52.38	-- -- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	11970.00	48.29	74.00	-25.71	43.41	40.18	15.12	50.42	-- -- Peak																																																																																						
2	17955.00	49.27	74.00	-24.73	41.31	42.57	17.77	52.38	-- -- Peak																																																																																						



Mode	37																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT80_CH39_Full_6145MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12290.00</td> <td>49.02</td> <td>74.00</td> <td>-24.98</td> <td>44.13</td> <td>40.26</td> <td>15.15</td> <td>50.52</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12290.00	49.02	74.00	-24.98	44.13	40.26	15.15	50.52	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12290.00</td> <td>48.99</td> <td>74.00</td> <td>-25.01</td> <td>44.10</td> <td>40.26</td> <td>15.15</td> <td>50.52</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12290.00	48.99	74.00	-25.01	44.10	40.26	15.15	50.52	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12290.00	49.02	74.00	-24.98	44.13	40.26	15.15	50.52	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12290.00	48.99	74.00	-25.01	44.10	40.26	15.15	50.52	--	--	Peak																																																										



Mode	38																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full_6385MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12770.00</td> <td>49.19</td> <td>88.20</td> <td>-39.01</td> <td>44.44</td> <td>40.41</td> <td>15.16</td> <td>50.82</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12770.00	49.19	88.20	-39.01	44.44	40.41	15.16	50.82	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12770.00</td> <td>48.13</td> <td>88.20</td> <td>-40.07</td> <td>43.38</td> <td>40.41</td> <td>15.16</td> <td>50.82</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12770.00	48.13	88.20	-40.07	43.38	40.41	15.16	50.82	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12770.00	49.19	88.20	-39.01	44.44	40.41	15.16	50.82	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12770.00	48.13	88.20	-40.07	43.38	40.41	15.16	50.82	--	--	Peak																																																										



Mode	39																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full_6465MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12930.00</td> <td>48.84</td> <td>88.20</td> <td>-39.36</td> <td>44.14</td> <td>40.47</td> <td>15.17</td> <td>50.94</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12930.00	48.84	88.20	-39.36	44.14	40.47	15.17	50.94	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12930.00</td> <td>49.58</td> <td>88.20</td> <td>-38.62</td> <td>44.88</td> <td>40.47</td> <td>15.17</td> <td>50.94</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12930.00	49.58	88.20	-38.62	44.88	40.47	15.17	50.94
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12930.00	48.84	88.20	-39.36	44.14	40.47	15.17	50.94	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12930.00	49.58	88.20	-38.62	44.88	40.47	15.17	50.94	-- -- Peak																																																											



Mode	40																																																																																		
	Harmonic																																																																																		
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full_6625MHz																																																																																		
ANT	CDD 5+4																																																																																		
Pol.	Horizontal	Vertical																																																																																	
Peak Avg																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13250.00</td> <td>49.21</td> <td>74.00</td> <td>-24.79</td> <td>44.11</td> <td>40.55</td> <td>15.45</td> <td>50.90</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB						cm	deg		1 13250.00	49.21	74.00	-24.79	44.11	40.55	15.45	50.90	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13250.00</td> <td>49.51</td> <td>74.00</td> <td>-24.49</td> <td>44.41</td> <td>40.55</td> <td>15.45</td> <td>50.90</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB						cm	deg		1 13250.00	49.51	74.00	-24.49	44.41	40.55	15.45	50.90
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
					cm	deg																																																																													
1 13250.00	49.21	74.00	-24.79	44.11	40.55	15.45	50.90	-- -- Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
					cm	deg																																																																													
1 13250.00	49.51	74.00	-24.49	44.41	40.55	15.45	50.90	-- -- Peak																																																																											



Mode	41																																																																						
	Harmonic																																																																						
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full_6705MHz																																																																						
ANT	CDD 5+4																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13410.00</td> <td>49.69</td> <td>88.20</td> <td>-38.51</td> <td>44.31</td> <td>40.58</td> <td>15.63</td> <td>50.83</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13410.00	49.69	88.20	-38.51	44.31	40.58	15.63	50.83	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13410.00</td> <td>49.44</td> <td>88.20</td> <td>-38.76</td> <td>44.06</td> <td>40.58</td> <td>15.63</td> <td>50.83</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13410.00	49.44	88.20	-38.76	44.06	40.58	15.63	50.83	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13410.00	49.69	88.20	-38.51	44.31	40.58	15.63	50.83	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 13410.00	49.44	88.20	-38.76	44.06	40.58	15.63	50.83	--	Peak																																																														



Mode	42																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full_6785MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13570.00</td> <td>49.72</td> <td>88.20</td> <td>-38.48</td> <td>44.05</td> <td>40.64</td> <td>15.82</td> <td>50.79</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13570.00	49.72	88.20	-38.48	44.05	40.64	15.82	50.79	-- -- Peak	<p>Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13570.00</td> <td>49.63</td> <td>88.20</td> <td>-38.57</td> <td>43.96</td> <td>40.64</td> <td>15.82</td> <td>50.79</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13570.00	49.63	88.20	-38.57	43.96	40.64	15.82	50.79	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13570.00	49.72	88.20	-38.48	44.05	40.64	15.82	50.79	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13570.00	49.63	88.20	-38.57	43.96	40.64	15.82	50.79	-- -- Peak																																																												







Mode	43																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full_6945MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p>Date: 2023-12-05</p>	<p>Date: 2023-12-05</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13890.00</td> <td>48.68</td> <td>88.20</td> <td>-39.52</td> <td>42.38</td> <td>40.83</td> <td>16.19</td> <td>50.72</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13890.00	48.68	88.20	-39.52	42.38	40.83	16.19	50.72	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13890.00</td> <td>48.80</td> <td>88.20</td> <td>-39.40</td> <td>42.50</td> <td>40.83</td> <td>16.19</td> <td>50.72</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13890.00	48.80	88.20	-39.40	42.50	40.83	16.19	50.72
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13890.00	48.68	88.20	-39.52	42.38	40.83	16.19	50.72	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13890.00	48.80	88.20	-39.40	42.50	40.83	16.19	50.72	-- -- Peak																																																											



		44																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full_7025MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7130.64</td> <td>70.17</td> <td>88.20</td> <td>-18.03</td> <td>53.68</td> <td>36.25</td> <td>12.75</td> <td>32.51</td> <td>400</td> <td>88</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7295.25</td> <td>55.10</td> <td>74.00</td> <td>-18.90</td> <td>38.35</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>400</td> <td>88</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7130.64	70.17	88.20	-18.03	53.68	36.25	12.75	32.51	400	88	PEAK	2	7295.25	55.10	74.00	-18.90	38.35	36.32	13.07	32.64	400	88	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>98.33</td> <td>-----</td> <td>-----</td> <td>82.18</td> <td>36.21</td> <td>12.36</td> <td>32.42</td> <td>400</td> <td>88</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	98.33	-----	-----	82.18	36.21	12.36	32.42	400	88
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7130.64	70.17	88.20	-18.03	53.68	36.25	12.75	32.51	400	88	PEAK																																																																																	
2	7295.25	55.10	74.00	-18.90	38.35	36.32	13.07	32.64	400	88	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	98.33	-----	-----	82.18	36.21	12.36	32.42	400	88	PEAK																																																																																	
Avg																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.16</td> <td>58.93</td> <td>68.20</td> <td>-9.27</td> <td>42.45</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>400</td> <td>88</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7255.47</td> <td>45.07</td> <td>54.00</td> <td>-8.93</td> <td>28.34</td> <td>36.30</td> <td>13.04</td> <td>32.61</td> <td>400</td> <td>88</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.16	58.93	68.20	-9.27	42.45	36.25	12.73	32.50	400	88	AVERAGE	2	7255.47	45.07	54.00	-8.93	28.34	36.30	13.04	32.61	400	88	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>89.76</td> <td>-----</td> <td>-----</td> <td>73.53</td> <td>36.22</td> <td>12.45</td> <td>32.44</td> <td>400</td> <td>88</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	89.76	-----	-----	73.53	36.22	12.45	32.44	400	88
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.16	58.93	68.20	-9.27	42.45	36.25	12.73	32.50	400	88	AVERAGE																																																																																	
2	7255.47	45.07	54.00	-8.93	28.34	36.30	13.04	32.61	400	88	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	89.76	-----	-----	73.53	36.22	12.45	32.44	400	88	AVERAGE																																																																																	



		<b>44</b>																																																																																										
<b>Mode</b>	<b>Band Edge</b>																																																																																											
	<b>U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full_7025MHz</b>																																																																																											
<b>ANT</b>	<b>CDD 5+4</b>																																																																																											
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																										
<b>Peak</b>	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7128.45</td> <td>67.61</td> <td>88.20</td> <td>-20.59</td> <td>51.13</td> <td>36.25</td> <td>12.74</td> <td>32.51</td> <td>200</td> <td>313</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7250.72</td> <td>55.99</td> <td>74.00</td> <td>-18.01</td> <td>39.25</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>200</td> <td>313</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7128.45	67.61	88.20	-20.59	51.13	36.25	12.74	32.51	200	313	PEAK	2	7250.72	55.99	74.00	-18.01	39.25	36.30	13.04	32.60	200	313	PEAK	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>100.59</td> <td>-----</td> <td>-----</td> <td>84.43</td> <td>36.21</td> <td>12.38</td> <td>32.43</td> <td>200</td> <td>313</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	100.59	-----	-----	84.43	36.21	12.38	32.43	200	313	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7128.45	67.61	88.20	-20.59	51.13	36.25	12.74	32.51	200	313	PEAK																																																																																	
2	7250.72	55.99	74.00	-18.01	39.25	36.30	13.04	32.60	200	313	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	100.59	-----	-----	84.43	36.21	12.38	32.43	200	313	PEAK																																																																																	
<b>Avg</b>	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.53</td> <td>56.90</td> <td>68.20</td> <td>-11.30</td> <td>40.42</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>200</td> <td>313</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7252.91</td> <td>45.23</td> <td>54.00</td> <td>-8.77</td> <td>28.49</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>200</td> <td>313</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.53	56.90	68.20	-11.30	40.42	36.25	12.73	32.50	200	313	AVERAGE	2	7252.91	45.23	54.00	-8.77	28.49	36.30	13.04	32.60	200	313	AVERAGE	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>91.17</td> <td>-----</td> <td>-----</td> <td>75.09</td> <td>36.19</td> <td>12.29</td> <td>32.40</td> <td>200</td> <td>313</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	91.17	-----	-----	75.09	36.19	12.29	32.40	200	313	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.53	56.90	68.20	-11.30	40.42	36.25	12.73	32.50	200	313	AVERAGE																																																																																	
2	7252.91	45.23	54.00	-8.77	28.49	36.30	13.04	32.60	200	313	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	91.17	-----	-----	75.09	36.19	12.29	32.40	200	313	AVERAGE																																																																																	



Mode	44																																																																			
	Harmonic																																																																			
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full_7025MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 14050.00</td> <td>49.97</td> <td>88.20</td> <td>-38.23</td> <td>43.44</td> <td>40.93</td> <td>16.31</td> <td>50.71</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14050.00	49.97	88.20	-38.23	43.44	40.93	16.31	50.71	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 14050.00</td> <td>49.56</td> <td>88.20</td> <td>-38.64</td> <td>43.03</td> <td>40.93</td> <td>16.31</td> <td>50.71</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14050.00	49.56	88.20	-38.64	43.03	40.93	16.31	50.71	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 14050.00	49.97	88.20	-38.23	43.44	40.93	16.31	50.71	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 14050.00	49.56	88.20	-38.64	43.03	40.93	16.31	50.71	--	--	Peak																																																										



		45																																																																														
Mode		Band Edge																																																																														
		U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full_6025MHz																																																																														
ANT		CDD 5+4																																																																														
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5900.60</td> <td>68.50</td> <td>88.20</td> <td>-19.70</td> <td>54.22</td> <td>35.36</td> <td>11.44</td> <td>32.52</td> <td>217</td> <td>111</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5900.60	68.50	88.20	-19.70	54.22	35.36	11.44	32.52	217	111	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>97.42</td> <td>-----</td> <td>-----</td> <td>83.06</td> <td>35.52</td> <td>11.44</td> <td>32.60</td> <td>217</td> <td>111</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.42	-----	-----	83.06	35.52	11.44	32.60	217	111	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5900.60	68.50	88.20	-19.70	54.22	35.36	11.44	32.52	217	111	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6025.00	97.42	-----	-----	83.06	35.52	11.44	32.60	217	111	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5886.04</td> <td>55.30</td> <td>68.20</td> <td>-12.90</td> <td>41.00</td> <td>35.34</td> <td>11.47</td> <td>32.51</td> <td>217</td> <td>111</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5886.04	55.30	68.20	-12.90	41.00	35.34	11.47	32.51	217	111	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>88.60</td> <td>-----</td> <td>-----</td> <td>74.24</td> <td>35.52</td> <td>11.44</td> <td>32.60</td> <td>217</td> <td>111</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	88.60	-----	-----	74.24	35.52	11.44	32.60	217	111	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5886.04	55.30	68.20	-12.90	41.00	35.34	11.47	32.51	217	111	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6025.00	88.60	-----	-----	74.24	35.52	11.44	32.60	217	111	AVERAGE																																																																					



Mode	45																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full_6025MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p>Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5887.72</td> <td>70.09</td> <td>88.20</td> <td>-18.11</td> <td>55.79</td> <td>35.34</td> <td>11.47</td> <td>32.51</td> <td>100</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5887.72	70.09	88.20	-18.11	55.79	35.34	11.47	32.51	100	314	PEAK	<p>Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>99.29</td> <td>-----</td> <td>-----</td> <td>84.90</td> <td>35.53</td> <td>11.46</td> <td>32.60</td> <td>100</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	99.29	-----	-----	84.90	35.53	11.46	32.60	100	314	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5887.72	70.09	88.20	-18.11	55.79	35.34	11.47	32.51	100	314	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6025.00	99.29	-----	-----	84.90	35.53	11.46	32.60	100	314	PEAK																																																																							
Avg	<p>Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5887.44</td> <td>57.38</td> <td>68.20</td> <td>-10.82</td> <td>43.08</td> <td>35.34</td> <td>11.47</td> <td>32.51</td> <td>100</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5887.44	57.38	68.20	-10.82	43.08	35.34	11.47	32.51	100	314	AVERAGE	<p>Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>88.32</td> <td>-----</td> <td>-----</td> <td>74.02</td> <td>35.51</td> <td>11.39</td> <td>32.60</td> <td>100</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	88.32	-----	-----	74.02	35.51	11.39	32.60	100	314	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5887.44	57.38	68.20	-10.82	43.08	35.34	11.47	32.51	100	314	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6025.00	88.32	-----	-----	74.02	35.51	11.39	32.60	100	314	AVERAGE																																																																							



Mode	45																																																																									
	Harmonic																																																																									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full_6025MHz																																																																									
ANT	CDD 5+4																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<p>Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>49.27</td> <td>74.00</td> <td>-24.73</td> <td>44.34</td> <td>40.21</td> <td>15.14</td> <td>50.42</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12050.00	49.27	74.00	-24.73	44.34	40.21	15.14	50.42	--	-- Peak	<p>Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>49.66</td> <td>74.00</td> <td>-24.34</td> <td>44.73</td> <td>40.21</td> <td>15.14</td> <td>50.42</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12050.00	49.66	74.00	-24.34	44.73	40.21	15.14	50.42	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 12050.00	49.27	74.00	-24.73	44.34	40.21	15.14	50.42	--	-- Peak																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 12050.00	49.66	74.00	-24.34	44.73	40.21	15.14	50.42	--	-- Peak																																																																	
Avg	<p>Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>49.27</td> <td>74.00</td> <td>-24.73</td> <td>44.34</td> <td>40.21</td> <td>15.14</td> <td>50.42</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12050.00	49.27	74.00	-24.73	44.34	40.21	15.14	50.42	--	-- Peak	<p>Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>49.66</td> <td>74.00</td> <td>-24.34</td> <td>44.73</td> <td>40.21</td> <td>15.14</td> <td>50.42</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12050.00	49.66	74.00	-24.34	44.73	40.21	15.14	50.42	--	-- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 12050.00	49.27	74.00	-24.73	44.34	40.21	15.14	50.42	--	-- Peak																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 12050.00	49.66	74.00	-24.34	44.73	40.21	15.14	50.42	--	-- Peak																																																																	



Mode	46																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full_6185MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12370.00</td> <td>47.89</td> <td>74.00</td> <td>-26.11</td> <td>43.02</td> <td>40.27</td> <td>15.15</td> <td>50.55</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12370.00	47.89	74.00	-26.11	43.02	40.27	15.15	50.55	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12370.00</td> <td>48.56</td> <td>74.00</td> <td>-25.44</td> <td>43.69</td> <td>40.27</td> <td>15.15</td> <td>50.55</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12370.00	48.56	74.00	-25.44	43.69	40.27	15.15	50.55	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12370.00	47.89	74.00	-26.11	43.02	40.27	15.15	50.55	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12370.00	48.56	74.00	-25.44	43.69	40.27	15.15	50.55	--	--	Peak																																																										



Mode	47																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full_6345MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p>Date: 2023-11-07</p>	<p>Date: 2023-11-07</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12690.00</td> <td>48.42</td> <td>74.00</td> <td>-25.58</td> <td>43.64</td> <td>40.38</td> <td>15.16</td> <td>50.76</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12690.00	48.42	74.00	-25.58	43.64	40.38	15.16	50.76	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12690.00</td> <td>49.15</td> <td>74.00</td> <td>-24.85</td> <td>44.37</td> <td>40.38</td> <td>15.16</td> <td>50.76</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12690.00	49.15	74.00	-24.85	44.37	40.38	15.16	50.76
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12690.00	48.42	74.00	-25.58	43.64	40.38	15.16	50.76	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12690.00	49.15	74.00	-24.85	44.37	40.38	15.16	50.76	-- -- Peak																																																											







Mode	48																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full_6665MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13330.00</td> <td>48.75</td> <td>74.00</td> <td>-25.25</td> <td>43.51</td> <td>40.57</td> <td>15.54</td> <td>50.87</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13330.00	48.75	74.00	-25.25	43.51	40.57	15.54	50.87	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13330.00</td> <td>49.65</td> <td>74.00</td> <td>-24.35</td> <td>44.41</td> <td>40.57</td> <td>15.54</td> <td>50.87</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13330.00	49.65	74.00	-24.35	44.41	40.57	15.54	50.87
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13330.00	48.75	74.00	-25.25	43.51	40.57	15.54	50.87	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13330.00	49.65	74.00	-24.35	44.41	40.57	15.54	50.87	-- -- Peak																																																											



		49																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full_6985MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7143.13</td> <td>75.91</td> <td>88.20</td> <td>-12.29</td> <td>59.37</td> <td>36.26</td> <td>12.80</td> <td>32.52</td> <td>400</td> <td>83</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7302.50</td> <td>57.51</td> <td>74.00</td> <td>-16.49</td> <td>40.76</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>400</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7143.13	75.91	88.20	-12.29	59.37	36.26	12.80	32.52	400	83	PEAK	2	7302.50	57.51	74.00	-16.49	40.76	36.32	13.07	32.64	400	83	PEAK	<p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>97.02</td> <td>-----</td> <td>-----</td> <td>80.93</td> <td>36.20</td> <td>12.30</td> <td>32.41</td> <td>400</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	97.02	-----	-----	80.93	36.20	12.30	32.41	400	83	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7143.13	75.91	88.20	-12.29	59.37	36.26	12.80	32.52	400	83	PEAK																																																																																	
2	7302.50	57.51	74.00	-16.49	40.76	36.32	13.07	32.64	400	83	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6985.00	97.02	-----	-----	80.93	36.20	12.30	32.41	400	83	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7143.13</td> <td>60.88</td> <td>68.20</td> <td>-7.32</td> <td>44.34</td> <td>36.26</td> <td>12.80</td> <td>32.52</td> <td>400</td> <td>83</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7250.63</td> <td>46.24</td> <td>54.00</td> <td>-7.76</td> <td>29.50</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>400</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7143.13	60.88	68.20	-7.32	44.34	36.26	12.80	32.52	400	83	AVERAGE	2	7250.63	46.24	54.00	-7.76	29.50	36.30	13.04	32.60	400	83	AVERAGE	<p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>87.42</td> <td>-----</td> <td>-----</td> <td>71.35</td> <td>36.19</td> <td>12.28</td> <td>32.40</td> <td>400</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	87.42	-----	-----	71.35	36.19	12.28	32.40	400	83	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7143.13	60.88	68.20	-7.32	44.34	36.26	12.80	32.52	400	83	AVERAGE																																																																																	
2	7250.63	46.24	54.00	-7.76	29.50	36.30	13.04	32.60	400	83	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6985.00	87.42	-----	-----	71.35	36.19	12.28	32.40	400	83	AVERAGE																																																																																	



		49																																																																																												
Mode	Band Edge																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full_6985MHz																																																																																													
ANT	CDD 5+4																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7143.13</td> <td>73.86</td> <td>88.20</td> <td>-14.34</td> <td>57.32</td> <td>36.26</td> <td>12.80</td> <td>32.52</td> <td>200</td> <td>320</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7296.25</td> <td>57.32</td> <td>74.00</td> <td>-16.68</td> <td>40.57</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>200</td> <td>320</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7143.13	73.86	88.20	-14.34	57.32	36.26	12.80	32.52	200	320	PEAK	2	7296.25	57.32	74.00	-16.68	40.57	36.32	13.07	32.64	200	320	PEAK	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>99.01</td> <td>-----</td> <td>-----</td> <td>82.98</td> <td>36.18</td> <td>12.26</td> <td>32.41</td> <td>200</td> <td>320</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	99.01	-----	-----	82.98	36.18	12.26	32.41	200	320	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7143.13	73.86	88.20	-14.34	57.32	36.26	12.80	32.52	200	320	PEAK																																																																																			
2	7296.25	57.32	74.00	-16.68	40.57	36.32	13.07	32.64	200	320	PEAK																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6985.00	99.01	-----	-----	82.98	36.18	12.26	32.41	200	320	PEAK																																																																																			
Avg	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7129.38</td> <td>59.79</td> <td>68.20</td> <td>-8.41</td> <td>43.30</td> <td>36.25</td> <td>12.75</td> <td>32.51</td> <td>200</td> <td>320</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7251.88</td> <td>46.86</td> <td>54.00</td> <td>-7.14</td> <td>30.12</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>200</td> <td>320</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7129.38	59.79	68.20	-8.41	43.30	36.25	12.75	32.51	200	320	AVERAGE	2	7251.88	46.86	54.00	-7.14	30.12	36.30	13.04	32.60	200	320	AVERAGE	 <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>90.45</td> <td>-----</td> <td>-----</td> <td>74.37</td> <td>36.19</td> <td>12.29</td> <td>32.40</td> <td>200</td> <td>320</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	90.45	-----	-----	74.37	36.19	12.29	32.40	200	320	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7129.38	59.79	68.20	-8.41	43.30	36.25	12.75	32.51	200	320	AVERAGE																																																																																			
2	7251.88	46.86	54.00	-7.14	30.12	36.30	13.04	32.60	200	320	AVERAGE																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6985.00	90.45	-----	-----	74.37	36.19	12.29	32.40	200	320	AVERAGE																																																																																			



Mode	49																																																																			
	Harmonic																																																																			
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full_6985MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13970.00</td> <td>49.27</td> <td>88.20</td> <td>-38.93</td> <td>42.82</td> <td>40.88</td> <td>16.28</td> <td>50.71</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13970.00	49.27	88.20	-38.93	42.82	40.88	16.28	50.71	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13970.00</td> <td>49.97</td> <td>88.20</td> <td>-38.23</td> <td>43.52</td> <td>40.88</td> <td>16.28</td> <td>50.71</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13970.00	49.97	88.20	-38.23	43.52	40.88	16.28	50.71	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13970.00	49.27	88.20	-38.93	42.82	40.88	16.28	50.71	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13970.00	49.97	88.20	-38.23	43.52	40.88	16.28	50.71	-- -- Peak																																																												



		<b>50</b>																																																																														
<b>Mode</b>		<b>Band Edge</b>																																																																														
		<b>U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full_6105MHz</b>																																																																														
<b>ANT</b>		<b>CDD 5+4</b>																																																																														
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.70</td> <td>60.10</td> <td>88.20</td> <td>-28.10</td> <td>45.74</td> <td>34.97</td> <td>11.70</td> <td>32.31</td> <td>219</td> <td>112</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5624.70	60.10	88.20	-28.10	45.74	34.97	11.70	32.31	219	112	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>92.34</td> <td>-----</td> <td>-----</td> <td>77.62</td> <td>35.58</td> <td>11.74</td> <td>32.60</td> <td>219</td> <td>112</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	92.34	-----	-----	77.62	35.58	11.74	32.60	219	112	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5624.70	60.10	88.20	-28.10	45.74	34.97	11.70	32.31	219	112	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	92.34	-----	-----	77.62	35.58	11.74	32.60	219	112	PEAK																																																																					
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5849.61</td> <td>48.32</td> <td>68.20</td> <td>-19.88</td> <td>33.98</td> <td>35.29</td> <td>11.53</td> <td>32.48</td> <td>219</td> <td>112</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5849.61	48.32	68.20	-19.88	33.98	35.29	11.53	32.48	219	112	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>84.04</td> <td>-----</td> <td>-----</td> <td>69.32</td> <td>35.58</td> <td>11.74</td> <td>32.60</td> <td>219</td> <td>112</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	84.04	-----	-----	69.32	35.58	11.74	32.60	219	112	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5849.61	48.32	68.20	-19.88	33.98	35.29	11.53	32.48	219	112	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6105.00	84.04	-----	-----	69.32	35.58	11.74	32.60	219	112	AVERAGE																																																																					



		<b>50</b>																																																																																
<b>Mode</b>		<b>Band Edge</b>																																																																																
		<b>U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full_6105MHz</b>																																																																																
<b>ANT</b>		<b>CDD 5+4</b>																																																																																
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																
<b>Peak</b>	<p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.46</td> <td>61.80</td> <td>88.20</td> <td>-26.40</td> <td>47.43</td> <td>34.98</td> <td>11.70</td> <td>32.31</td> <td>100</td> <td>315</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.46	61.80	88.20	-26.40	47.43	34.98	11.70	32.31	100	315	PEAK	<p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>92.09</td> <td>-----</td> <td>-----</td> <td>77.31</td> <td>35.59</td> <td>11.79</td> <td>32.60</td> <td>100</td> <td>315</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	92.09	-----	-----	77.31	35.59	11.79	32.60	100	315	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5625.46	61.80	88.20	-26.40	47.43	34.98	11.70	32.31	100	315	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	92.09	-----	-----	77.31	35.59	11.79	32.60	100	315	PEAK																																																																							
<b>Avg</b>	<p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5791.47</td> <td>49.97</td> <td>68.20</td> <td>-18.23</td> <td>35.58</td> <td>35.21</td> <td>11.62</td> <td>32.44</td> <td>100</td> <td>315</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5791.47	49.97	68.20	-18.23	35.58	35.21	11.62	32.44	100	315	AVERAGE	<p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>83.46</td> <td>-----</td> <td>-----</td> <td>68.76</td> <td>35.58</td> <td>11.72</td> <td>32.60</td> <td>100</td> <td>315</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	83.46	-----	-----	68.76	35.58	11.72	32.60	100	315	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5791.47	49.97	68.20	-18.23	35.58	35.21	11.62	32.44	100	315	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	83.46	-----	-----	68.76	35.58	11.72	32.60	100	315	AVERAGE																																																																							



Mode	50																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full_6105MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12210.00</td> <td>47.93</td> <td>74.00</td> <td>-26.07</td> <td>43.03</td> <td>40.24</td> <td>15.15</td> <td>50.49</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12210.00	47.93	74.00	-26.07	43.03	40.24	15.15	50.49	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12210.00</td> <td>49.11</td> <td>74.00</td> <td>-24.89</td> <td>44.21</td> <td>40.24</td> <td>15.15</td> <td>50.49</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 12210.00	49.11	74.00	-24.89	44.21	40.24	15.15	50.49	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12210.00	47.93	74.00	-26.07	43.03	40.24	15.15	50.49	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12210.00	49.11	74.00	-24.89	44.21	40.24	15.15	50.49	--	--	Peak																																																										



Mode	51																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full_6265MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12530.00</td> <td>48.10</td> <td>74.00</td> <td>-25.90</td> <td>43.26</td> <td>40.31</td> <td>15.16</td> <td>50.63</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12530.00	48.10	74.00	-25.90	43.26	40.31	15.16	50.63	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12530.00</td> <td>48.31</td> <td>74.00</td> <td>-25.69</td> <td>43.47</td> <td>40.31</td> <td>15.16</td> <td>50.63</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12530.00	48.31	74.00	-25.69	43.47	40.31	15.16	50.63
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12530.00	48.10	74.00	-25.90	43.26	40.31	15.16	50.63	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12530.00	48.31	74.00	-25.69	43.47	40.31	15.16	50.63	-- -- Peak																																																											



Mode	52																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11a_CH185_Full_6525MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>49.29</td> <td>88.20</td> <td>-38.91</td> <td>43.26</td> <td>40.75</td> <td>16.03</td> <td>50.75</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	49.29	88.20	-38.91	43.26	40.75	16.03	50.75	-- -- Peak	<p>Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>49.88</td> <td>88.20</td> <td>-38.32</td> <td>43.85</td> <td>40.75</td> <td>16.03</td> <td>50.75</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	49.88	88.20	-38.32	43.85	40.75	16.03	50.75	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13750.00	49.29	88.20	-38.91	43.26	40.75	16.03	50.75	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13750.00	49.88	88.20	-38.32	43.85	40.75	16.03	50.75	-- -- Peak																																																												
Avg	<p>Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>49.29</td> <td>88.20</td> <td>-38.91</td> <td>43.26</td> <td>40.75</td> <td>16.03</td> <td>50.75</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	49.29	88.20	-38.91	43.26	40.75	16.03	50.75	-- -- Peak	<p>Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>49.88</td> <td>88.20</td> <td>-38.32</td> <td>43.85</td> <td>40.75</td> <td>16.03</td> <td>50.75</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	49.88	88.20	-38.32	43.85	40.75	16.03	50.75	-- -- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13750.00	49.29	88.20	-38.91	43.26	40.75	16.03	50.75	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13750.00	49.88	88.20	-38.32	43.85	40.75	16.03	50.75	-- -- Peak																																																												



Mode	53																																																																																																
	Harmonic																																																																																																
	U-NII-7_6.525-6.875_802.11be EHT20_CH185_Full_6525MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>49.12</td> <td>88.20</td> <td>-39.08</td> <td>43.09</td> <td>40.75</td> <td>16.03</td> <td>50.75</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	49.12	88.20	-39.08	43.09	40.75	16.03	50.75							cm	deg							--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>49.75</td> <td>88.20</td> <td>-38.45</td> <td>43.72</td> <td>40.75</td> <td>16.03</td> <td>50.75</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	49.75	88.20	-38.45	43.72	40.75	16.03	50.75							cm	deg							--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1 13750.00	49.12	88.20	-39.08	43.09	40.75	16.03	50.75																																																																																										
						cm	deg																																																																																										
						--	-- Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1 13750.00	49.75	88.20	-38.45	43.72	40.75	16.03	50.75																																																																																										
						cm	deg																																																																																										
						--	-- Peak																																																																																										



Mode	54																																																																			
	Harmonic																																																																			
	U-NII-8_6.875-7.125_802.11be EHT40_CH187_Full_6885MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13770.00</td> <td>49.58</td> <td>88.20</td> <td>-38.62</td> <td>43.52</td> <td>40.76</td> <td>16.05</td> <td>50.75</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13770.00	49.58	88.20	-38.62	43.52	40.76	16.05	50.75	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13770.00</td> <td>49.22</td> <td>88.20</td> <td>-38.98</td> <td>43.16</td> <td>40.76</td> <td>16.05</td> <td>50.75</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13770.00	49.22	88.20	-38.98	43.16	40.76	16.05	50.75	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 13770.00	49.58	88.20	-38.62	43.52	40.76	16.05	50.75	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 13770.00	49.22	88.20	-38.98	43.16	40.76	16.05	50.75	--	--	Peak																																																										



Mode	55																																																																																		
	Harmonic																																																																																		
	U-NII-7_6.525-6.875_802.11be EHT80_CH183_Full_6865MHz																																																																																		
ANT	CDD 5+4																																																																																		
Pol.	Horizontal	Vertical																																																																																	
Peak Avg	<p>Horizontal Peak and Average plots showing Level (dBuV/m) vs Frequency (MHz) for U-NII_6E. Date: 2023-12-05.</p>	<p>Vertical Peak and Average plots showing Level (dBuV/m) vs Frequency (MHz) for U-NII_6E. Date: 2023-12-05.</p>																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13730.00</td> <td>49.76</td> <td>88.20</td> <td>-38.44</td> <td>43.77</td> <td>40.74</td> <td>16.00</td> <td>50.75</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB						cm	deg		1 13730.00	49.76	88.20	-38.44	43.77	40.74	16.00	50.75	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13730.00</td> <td>49.78</td> <td>88.20</td> <td>-38.42</td> <td>43.79</td> <td>40.74</td> <td>16.00</td> <td>50.75</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB						cm	deg		1 13730.00	49.78	88.20	-38.42	43.79	40.74	16.00	50.75
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
					cm	deg																																																																													
1 13730.00	49.76	88.20	-38.44	43.77	40.74	16.00	50.75	-- -- Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																												
					cm	deg																																																																													
1 13730.00	49.78	88.20	-38.42	43.79	40.74	16.00	50.75	-- -- Peak																																																																											



Mode	56																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11be EHT160_CH175_Full_6825MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13650.00</td> <td>49.22</td> <td>88.20</td> <td>-38.98</td> <td>43.39</td> <td>40.69</td> <td>15.91</td> <td>50.77</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13650.00	49.22	88.20	-38.98	43.39	40.69	15.91	50.77	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13650.00</td> <td>49.01</td> <td>88.20</td> <td>-39.19</td> <td>43.18</td> <td>40.69</td> <td>15.91</td> <td>50.77</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13650.00	49.01	88.20	-39.19	43.18	40.69	15.91	50.77	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13650.00	49.22	88.20	-38.98	43.39	40.69	15.91	50.77	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13650.00	49.01	88.20	-39.19	43.18	40.69	15.91	50.77	-- -- Peak																																																												



Mode	57																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full_6745MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13490.00</td> <td>49.29</td> <td>88.20</td> <td>-38.91</td> <td>43.77</td> <td>40.60</td> <td>15.72</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13490.00	49.29	88.20	-38.91	43.77	40.60	15.72	50.80	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13490.00</td> <td>49.06</td> <td>88.20</td> <td>-39.14</td> <td>43.54</td> <td>40.60</td> <td>15.72</td> <td>50.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13490.00	49.06	88.20	-39.14	43.54	40.60	15.72	50.80	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 13490.00	49.29	88.20	-38.91	43.77	40.60	15.72	50.80	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 13490.00	49.06	88.20	-39.14	43.54	40.60	15.72	50.80	--	--	Peak																																																										



		<b>58</b>																																																																																												
<b>Mode</b>	<b>Band Edge</b>																																																																																													
	<b>U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full_6905MHz</b>																																																																																													
<b>ANT</b>	<b>CDD 5+4</b>																																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																												
<b>Peak</b>	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7181.81</td> <td>55.84</td> <td>88.20</td> <td>-32.36</td> <td>39.19</td> <td>36.27</td> <td>12.93</td> <td>32.55</td> <td>380</td> <td>80</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7320.96</td> <td>55.82</td> <td>74.00</td> <td>-18.18</td> <td>39.06</td> <td>36.33</td> <td>13.09</td> <td>32.66</td> <td>380</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7181.81	55.84	88.20	-32.36	39.19	36.27	12.93	32.55	380	80	PEAK	2	7320.96	55.82	74.00	-18.18	39.06	36.33	13.09	32.66	380	80	PEAK	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>91.59</td> <td>-----</td> <td>-----</td> <td>75.72</td> <td>36.14</td> <td>12.17</td> <td>32.44</td> <td>380</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	91.59	-----	-----	75.72	36.14	12.17	32.44	380	80	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7181.81	55.84	88.20	-32.36	39.19	36.27	12.93	32.55	380	80	PEAK																																																																																			
2	7320.96	55.82	74.00	-18.18	39.06	36.33	13.09	32.66	380	80	PEAK																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	91.59	-----	-----	75.72	36.14	12.17	32.44	380	80	PEAK																																																																																			
<b>Avg</b>	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7209.04</td> <td>46.60</td> <td>68.20</td> <td>-21.60</td> <td>29.88</td> <td>36.28</td> <td>13.01</td> <td>32.57</td> <td>380</td> <td>80</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7261.07</td> <td>45.86</td> <td>54.00</td> <td>-8.14</td> <td>29.13</td> <td>36.30</td> <td>13.04</td> <td>32.61</td> <td>380</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7209.04	46.60	68.20	-21.60	29.88	36.28	13.01	32.57	380	80	AVERAGE	2	7261.07	45.86	54.00	-8.14	29.13	36.30	13.04	32.61	380	80	AVERAGE	<p style="text-align: right;">Date: 2023-11-17</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>83.20</td> <td>-----</td> <td>-----</td> <td>67.33</td> <td>36.14</td> <td>12.17</td> <td>32.44</td> <td>380</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	83.20	-----	-----	67.33	36.14	12.17	32.44	380	80	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7209.04	46.60	68.20	-21.60	29.88	36.28	13.01	32.57	380	80	AVERAGE																																																																																			
2	7261.07	45.86	54.00	-8.14	29.13	36.30	13.04	32.61	380	80	AVERAGE																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6905.00	83.20	-----	-----	67.33	36.14	12.17	32.44	380	80	AVERAGE																																																																																			



		<b>58</b>																																																																																										
<b>Mode</b>		<b>Band Edge</b>																																																																																										
		<b>U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full_6905MHz</b>																																																																																										
<b>ANT</b>		<b>CDD 5+4</b>																																																																																										
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																										
<b>Peak</b>	<p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7200.57</td> <td>55.42</td> <td>88.20</td> <td>-32.78</td> <td>30.01</td> <td>36.28</td> <td>13.00</td> <td>32.57</td> <td>200</td> <td>36</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7259.25</td> <td>55.37</td> <td>74.00</td> <td>-18.63</td> <td>38.64</td> <td>36.30</td> <td>13.04</td> <td>32.61</td> <td>200</td> <td>36</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7200.57	55.42	88.20	-32.78	30.01	36.28	13.00	32.57	200	36	PEAK	2	7259.25	55.37	74.00	-18.63	38.64	36.30	13.04	32.61	200	36	PEAK	<p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>93.64</td> <td>-----</td> <td>-----</td> <td>77.97</td> <td>36.09</td> <td>12.05</td> <td>32.47</td> <td>200</td> <td>36</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	93.64	-----	-----	77.97	36.09	12.05	32.47	200	36	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7200.57	55.42	88.20	-32.78	30.01	36.28	13.00	32.57	200	36	PEAK																																																																																	
2	7259.25	55.37	74.00	-18.63	38.64	36.30	13.04	32.61	200	36	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	93.64	-----	-----	77.97	36.09	12.05	32.47	200	36	PEAK																																																																																	
<b>Avg</b>	<p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7209.64</td> <td>46.73</td> <td>68.20</td> <td>-21.47</td> <td>30.01</td> <td>36.28</td> <td>13.01</td> <td>32.57</td> <td>200</td> <td>36</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7260.46</td> <td>45.87</td> <td>54.00</td> <td>-8.13</td> <td>29.14</td> <td>36.30</td> <td>13.04</td> <td>32.61</td> <td>200</td> <td>36</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7209.64	46.73	68.20	-21.47	30.01	36.28	13.01	32.57	200	36	AVERAGE	2	7260.46	45.87	54.00	-8.13	29.14	36.30	13.04	32.61	200	36	AVERAGE	<p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>83.71</td> <td>-----</td> <td>-----</td> <td>68.01</td> <td>36.10</td> <td>12.07</td> <td>32.47</td> <td>200</td> <td>36</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	83.71	-----	-----	68.01	36.10	12.07	32.47	200	36	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7209.64	46.73	68.20	-21.47	30.01	36.28	13.01	32.57	200	36	AVERAGE																																																																																	
2	7260.46	45.87	54.00	-8.13	29.14	36.30	13.04	32.61	200	36	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6905.00	83.71	-----	-----	68.01	36.10	12.07	32.47	200	36	AVERAGE																																																																																	



Mode	58																																																																																																
	Harmonic																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full_6905MHz																																																																																																
ANT	CDD 5+4																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13810.00</td> <td>49.22</td> <td>88.20</td> <td>-38.98</td> <td>43.08</td> <td>40.79</td> <td>16.09</td> <td>50.74</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13810.00	49.22	88.20	-38.98	43.08	40.79	16.09	50.74							cm	deg							--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13810.00</td> <td>49.79</td> <td>88.20</td> <td>-38.41</td> <td>43.65</td> <td>40.79</td> <td>16.09</td> <td>50.74</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>deg</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13810.00	49.79	88.20	-38.41	43.65	40.79	16.09	50.74							cm	deg							--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1 13810.00	49.22	88.20	-38.98	43.08	40.79	16.09	50.74																																																																																										
						cm	deg																																																																																										
						--	-- Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1 13810.00	49.79	88.20	-38.41	43.65	40.79	16.09	50.74																																																																																										
						cm	deg																																																																																										
						--	-- Peak																																																																																										



Mode	59																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT40_CH115_Full_6525MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13050.00</td> <td>49.82</td> <td>88.20</td> <td>-38.38</td> <td>45.08</td> <td>40.51</td> <td>15.21</td> <td>50.98</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13050.00	49.82	88.20	-38.38	45.08	40.51	15.21	50.98	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13050.00</td> <td>49.89</td> <td>88.20</td> <td>-38.31</td> <td>45.15</td> <td>40.51</td> <td>15.21</td> <td>50.98</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13050.00	49.89	88.20	-38.31	45.15	40.51	15.21	50.98
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13050.00	49.82	88.20	-38.38	45.08	40.51	15.21	50.98	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13050.00	49.89	88.20	-38.31	45.15	40.51	15.21	50.98	-- -- Peak																																																											



Mode	60																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11be EHT80_CH119_Full_6545MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p>Date: 2023-12-05</p>	<p>Date: 2023-12-05</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13090.00</td> <td>49.73</td> <td>88.20</td> <td>-38.47</td> <td>44.91</td> <td>40.52</td> <td>15.26</td> <td>50.96</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13090.00	49.73	88.20	-38.47	44.91	40.52	15.26	50.96	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13090.00</td> <td>48.61</td> <td>88.20</td> <td>-39.59</td> <td>43.79</td> <td>40.52</td> <td>15.26</td> <td>50.96</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13090.00	48.61	88.20	-39.59	43.79	40.52	15.26	50.96
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13090.00	49.73	88.20	-38.47	44.91	40.52	15.26	50.96	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13090.00	48.61	88.20	-39.59	43.79	40.52	15.26	50.96	-- -- Peak																																																											



Mode	61																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11be EHT160_CH111_Full_6505MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg	<p>Date: 2023-12-05</p>	<p>Date: 2023-12-05</p>																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13010.00</td> <td>49.25</td> <td>88.20</td> <td>-38.95</td> <td>44.58</td> <td>40.50</td> <td>15.17</td> <td>51.00</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13010.00	49.25	88.20	-38.95	44.58	40.50	15.17	51.00	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13010.00</td> <td>49.37</td> <td>88.20</td> <td>-38.83</td> <td>44.70</td> <td>40.50</td> <td>15.17</td> <td>51.00</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13010.00	49.37	88.20	-38.83	44.70	40.50	15.17	51.00
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13010.00	49.25	88.20	-38.95	44.58	40.50	15.17	51.00	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13010.00	49.37	88.20	-38.83	44.70	40.50	15.17	51.00	-- -- Peak																																																											



Mode	62																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11be EHT320_CH95_Full_6425MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12850.00</td> <td>48.04</td> <td>88.20</td> <td>-40.16</td> <td>43.31</td> <td>40.44</td> <td>15.17</td> <td>50.88</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12850.00	48.04	88.20	-40.16	43.31	40.44	15.17	50.88	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12850.00</td> <td>48.80</td> <td>88.20</td> <td>-39.40</td> <td>44.07</td> <td>40.44</td> <td>15.17</td> <td>50.88</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12850.00	48.80	88.20	-39.40	44.07	40.44	15.17	50.88
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12850.00	48.04	88.20	-40.16	43.31	40.44	15.17	50.88	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 12850.00	48.80	88.20	-39.40	44.07	40.44	15.17	50.88	-- -- Peak																																																											



Mode	63																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_Full_6585MHz																																																																			
ANT	CDD 5+4																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13170.00</td> <td>48.79</td> <td>88.20</td> <td>-39.41</td> <td>43.84</td> <td>40.53</td> <td>15.35</td> <td>50.93</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13170.00	48.79	88.20	-39.41	43.84	40.53	15.35	50.93	--	--	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13170.00</td> <td>49.54</td> <td>88.20</td> <td>-38.66</td> <td>44.59</td> <td>40.53</td> <td>15.35</td> <td>50.93</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13170.00	49.54	88.20	-38.66	44.59	40.53	15.35	50.93	--	--	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 13170.00	48.79	88.20	-39.41	43.84	40.53	15.35	50.93	--	--	Peak																																																										
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 13170.00	49.54	88.20	-38.66	44.59	40.53	15.35	50.93	--	--	Peak																																																										







		<b>64</b>																																																																														
<b>Mode</b>		<b>Band Edge</b>																																																																														
		<b>U-NII-5 5.925-6.425 802.11be EHT20_CH1_Single RU52/37_5955MHz</b>																																																																														
<b>ANT</b>		<b>CDD 5+4</b>																																																																														
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5861.14</td> <td>52.15</td> <td>88.20</td> <td>-36.05</td> <td>37.82</td> <td>35.31</td> <td>11.51</td> <td>32.49</td> <td>152</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5861.14	52.15	88.20	-36.05	37.82	35.31	11.51	32.49	152	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>86.24</td> <td>-----</td> <td>-----</td> <td>72.00</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>152</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	86.24	-----	-----	72.00	35.43	11.37	32.56	152	360
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5861.14	52.15	88.20	-36.05	37.82	35.31	11.51	32.49	152	360	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	86.24	-----	-----	72.00	35.43	11.37	32.56	152	360	PEAK																																																																					
<b>Avg</b>																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.89</td> <td>42.73</td> <td>68.20</td> <td>-25.47</td> <td>28.47</td> <td>35.39</td> <td>11.41</td> <td>32.54</td> <td>152</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.89	42.73	68.20	-25.47	28.47	35.39	11.41	32.54	152	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>76.52</td> <td>-----</td> <td>-----</td> <td>62.28</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>152</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	76.52	-----	-----	62.28	35.43	11.37	32.56	152	360
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5922.89	42.73	68.20	-25.47	28.47	35.39	11.41	32.54	152	360	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	76.52	-----	-----	62.28	35.43	11.37	32.56	152	360	AVERAGE																																																																					



Mode	64																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Single RU52/37_5955MHz																																																																																	
ANT	CDD 5+4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<p>Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.37</td> <td>53.15</td> <td>88.20</td> <td>-35.05</td> <td>38.89</td> <td>35.39</td> <td>11.41</td> <td>32.54</td> <td>138</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.37	53.15	88.20	-35.05	38.89	35.39	11.41	32.54	138	0	PEAK	<p>Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>89.96</td> <td>-----</td> <td>-----</td> <td>75.72</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>138</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.96	-----	-----	75.72	35.43	11.37	32.56	138	0	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5922.37	53.15	88.20	-35.05	38.89	35.39	11.41	32.54	138	0	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	89.96	-----	-----	75.72	35.43	11.37	32.56	138	0	PEAK																																																																							
Avg	<p>Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.56</td> <td>42.45</td> <td>68.20</td> <td>-25.75</td> <td>28.19</td> <td>35.38</td> <td>11.42</td> <td>32.54</td> <td>138</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.56	42.45	68.20	-25.75	28.19	35.38	11.42	32.54	138	0	AVERAGE	<p>Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>79.74</td> <td>-----</td> <td>-----</td> <td>65.50</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>138</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	79.74	-----	-----	65.50	35.43	11.37	32.56	138	0	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5917.56	42.45	68.20	-25.75	28.19	35.38	11.42	32.54	138	0	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	79.74	-----	-----	65.50	35.43	11.37	32.56	138	0	AVERAGE																																																																							



		65																																																																																								
Mode		Band Edge																																																																																								
		U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU 26/8_7095MHz																																																																																								
ANT		CDD 5+4																																																																																								
Pol.		Horizontal	Fundamental																																																																																							
Peak		 <p>Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7211.61</td> <td>54.98</td> <td>88.20</td> <td>-33.22</td> <td>29.17</td> <td>36.29</td> <td>13.02</td> <td>32.58</td> <td>103</td> <td>66 PEAK</td> </tr> <tr> <td>2</td> <td>7342.88</td> <td>55.36</td> <td>74.00</td> <td>-18.64</td> <td>38.59</td> <td>36.34</td> <td>13.10</td> <td>32.67</td> <td>103</td> <td>66 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7211.61	54.98	88.20	-33.22	29.17	36.29	13.02	32.58	103	66 PEAK	2	7342.88	55.36	74.00	-18.64	38.59	36.34	13.10	32.67	103	66 PEAK	 <p>Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>96.69</td> <td>-----</td> <td>-----</td> <td>80.28</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>103</td> <td>66 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	96.69	-----	-----	80.28	36.24	12.65	32.48	103	66 PEAK
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7211.61	54.98	88.20	-33.22	29.17	36.29	13.02	32.58	103	66 PEAK																																																																																
2	7342.88	55.36	74.00	-18.64	38.59	36.34	13.10	32.67	103	66 PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7095.00	96.69	-----	-----	80.28	36.24	12.65	32.48	103	66 PEAK																																																																																
Avg		 <p>Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7226.29</td> <td>45.90</td> <td>68.20</td> <td>-22.30</td> <td>29.17</td> <td>36.29</td> <td>13.02</td> <td>32.58</td> <td>103</td> <td>66 AVERAGE</td> </tr> <tr> <td>2</td> <td>7296.60</td> <td>45.85</td> <td>54.00</td> <td>-8.15</td> <td>29.10</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>103</td> <td>66 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7226.29	45.90	68.20	-22.30	29.17	36.29	13.02	32.58	103	66 AVERAGE	2	7296.60	45.85	54.00	-8.15	29.10	36.32	13.07	32.64	103	66 AVERAGE	 <p>Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>88.62</td> <td>-----</td> <td>-----</td> <td>72.21</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>103</td> <td>66 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	88.62	-----	-----	72.21	36.24	12.65	32.48	103	66 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7226.29	45.90	68.20	-22.30	29.17	36.29	13.02	32.58	103	66 AVERAGE																																																																																
2	7296.60	45.85	54.00	-8.15	29.10	36.32	13.07	32.64	103	66 AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7095.00	88.62	-----	-----	72.21	36.24	12.65	32.48	103	66 AVERAGE																																																																																



		<b>65</b>																																																																																				
<b>Mode</b>		<b>Band Edge</b>																																																																																				
		<b>U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU26/8_7095MHz</b>																																																																																				
<b>ANT</b>		<b>CDD 5+4</b>																																																																																				
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																				
<b>Peak</b>	<p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7159.99</td> <td>56.05</td> <td>88.20</td> <td>-32.15</td> <td>39.47</td> <td>36.26</td> <td>12.85</td> <td>32.53</td> <td>351 37 PEAK</td> </tr> <tr> <td>2</td> <td>7331.76</td> <td>55.90</td> <td>74.00</td> <td>-18.10</td> <td>39.15</td> <td>36.33</td> <td>13.09</td> <td>32.67</td> <td>351 37 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7159.99	56.05	88.20	-32.15	39.47	36.26	12.85	32.53	351 37 PEAK	2	7331.76	55.90	74.00	-18.10	39.15	36.33	13.09	32.67	351 37 PEAK	<p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>101.24</td> <td>-----</td> <td>-----</td> <td>84.83</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>351 37 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	101.24	-----	-----	84.83	36.24	12.65	32.48	351 37 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7159.99	56.05	88.20	-32.15	39.47	36.26	12.85	32.53	351 37 PEAK																																																																													
2	7331.76	55.90	74.00	-18.10	39.15	36.33	13.09	32.67	351 37 PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7095.00	101.24	-----	-----	84.83	36.24	12.65	32.48	351 37 PEAK																																																																													
<b>Avg</b>	<p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7228.07</td> <td>45.85</td> <td>68.20</td> <td>-22.35</td> <td>29.12</td> <td>36.29</td> <td>13.02</td> <td>32.58</td> <td>351 37 AVERAGE</td> </tr> <tr> <td>2</td> <td>7279.25</td> <td>45.86</td> <td>54.00</td> <td>-8.14</td> <td>29.11</td> <td>36.31</td> <td>13.06</td> <td>32.62</td> <td>351 37 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7228.07	45.85	68.20	-22.35	29.12	36.29	13.02	32.58	351 37 AVERAGE	2	7279.25	45.86	54.00	-8.14	29.11	36.31	13.06	32.62	351 37 AVERAGE	<p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>94.21</td> <td>-----</td> <td>-----</td> <td>77.79</td> <td>36.24</td> <td>12.67</td> <td>32.49</td> <td>351 37 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	94.21	-----	-----	77.79	36.24	12.67	32.49	351 37 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7228.07	45.85	68.20	-22.35	29.12	36.29	13.02	32.58	351 37 AVERAGE																																																																													
2	7279.25	45.86	54.00	-8.14	29.11	36.31	13.06	32.62	351 37 AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	7095.00	94.21	-----	-----	77.79	36.24	12.67	32.49	351 37 AVERAGE																																																																													



	66																																																																															
Mode	Band Edge																																																																															
	U-NII-5 5.925-6.425_802.11be EHT20_CH1_Small RU 52+26/38+1_5955MHz																																																																															
ANT	CDD 5+4																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.34</td> <td>52.56</td> <td>88.20</td> <td>-35.64</td> <td>38.30</td> <td>35.39</td> <td>11.41</td> <td>32.54</td> <td>400</td> <td>200</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5918.34	52.56	88.20	-35.64	38.30	35.39	11.41	32.54	400	200	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>88.08</td> <td>-----</td> <td>-----</td> <td>73.84</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>400</td> <td>200</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	88.08	-----	-----	73.84	35.43	11.37	32.56	400	200	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5918.34	52.56	88.20	-35.64	38.30	35.39	11.41	32.54	400	200	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	88.08	-----	-----	73.84	35.43	11.37	32.56	400	200	PEAK																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5849.70</td> <td>42.44</td> <td>68.20</td> <td>-25.76</td> <td>28.10</td> <td>35.29</td> <td>11.53</td> <td>32.48</td> <td>400</td> <td>200</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5849.70	42.44	68.20	-25.76	28.10	35.29	11.53	32.48	400	200	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>80.30</td> <td>-----</td> <td>-----</td> <td>66.06</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>400</td> <td>200</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	80.30	-----	-----	66.06	35.43	11.37	32.56	400	200	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5849.70	42.44	68.20	-25.76	28.10	35.29	11.53	32.48	400	200	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	80.30	-----	-----	66.06	35.43	11.37	32.56	400	200	AVERAGE																																																																					



		66																																																																															
Mode	Band Edge																																																																																
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU 52+26/38+1_5955MHz																																																																																
ANT	CDD 5+4																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<p style="text-align: right;">Date: 2023-11-08</p>		<p style="text-align: right;">Date: 2023-11-08</p>																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5863.87</td> <td>52.56</td> <td>88.20</td> <td>-35.64</td> <td>38.23</td> <td>35.31</td> <td>11.51</td> <td>32.49</td> <td>362</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5863.87	52.56	88.20	-35.64	38.23	35.31	11.51	32.49	362	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>94.22</td> <td>-----</td> <td>-----</td> <td>79.98</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>362</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.22	-----	-----	79.98	35.43	11.37	32.56	362	0
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5863.87	52.56	88.20	-35.64	38.23	35.31	11.51	32.49	362	0	PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	94.22	-----	-----	79.98	35.43	11.37	32.56	362	0	PEAK																																																																						
Avg	<p style="text-align: right;">Date: 2023-11-08</p>		<p style="text-align: right;">Date: 2023-11-08</p>																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5844.50</td> <td>42.51</td> <td>68.20</td> <td>-25.69</td> <td>28.17</td> <td>35.28</td> <td>11.54</td> <td>32.48</td> <td>362</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5844.50	42.51	68.20	-25.69	28.17	35.28	11.54	32.48	362	0	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>85.84</td> <td>-----</td> <td>-----</td> <td>71.62</td> <td>35.44</td> <td>11.35</td> <td>32.57</td> <td>362</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	85.84	-----	-----	71.62	35.44	11.35	32.57	362	0
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5844.50	42.51	68.20	-25.69	28.17	35.28	11.54	32.48	362	0	AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	85.84	-----	-----	71.62	35.44	11.35	32.57	362	0	AVERAGE																																																																						



		<b>67</b>																																																																														
<b>Mode</b>	<b>Band Edge</b>																																																																															
	<b>U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU 106+26/53+4_5955MHz</b>																																																																															
<b>ANT</b>	<b>CDD 5+4</b>																																																																															
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	<p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5828.77</td> <td>53.20</td> <td>88.20</td> <td>-35.00</td> <td>38.84</td> <td>35.26</td> <td>11.57</td> <td>32.47</td> <td>397</td> <td>19</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5828.77	53.20	88.20	-35.00	38.84	35.26	11.57	32.47	397	19	PEAK	<p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>89.61</td> <td>-----</td> <td>-----</td> <td>75.37</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>397</td> <td>19</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.61	-----	-----	75.37	35.43	11.37	32.56	397	19	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5828.77	53.20	88.20	-35.00	38.84	35.26	11.57	32.47	397	19	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	89.61	-----	-----	75.37	35.43	11.37	32.56	397	19	PEAK																																																																					
<b>Avg</b>	<p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5838.39</td> <td>42.39</td> <td>68.20</td> <td>-25.81</td> <td>28.04</td> <td>35.27</td> <td>11.55</td> <td>32.47</td> <td>397</td> <td>19</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5838.39	42.39	68.20	-25.81	28.04	35.27	11.55	32.47	397	19	AVERAGE	<p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>80.52</td> <td>-----</td> <td>-----</td> <td>66.28</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>397</td> <td>19</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	80.52	-----	-----	66.28	35.43	11.37	32.56	397	19	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5838.39	42.39	68.20	-25.81	28.04	35.27	11.55	32.47	397	19	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	80.52	-----	-----	66.28	35.43	11.37	32.56	397	19	AVERAGE																																																																					



		<b>67</b>																																																																														
<b>Mode</b>	<b>Band Edge</b>																																																																															
	<b>U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU 106+26/53+4_5955MHz</b>																																																																															
<b>ANT</b>	<b>CDD 5+4</b>																																																																															
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	<p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5832.54</td> <td>52.61</td> <td>88.20</td> <td>-35.59</td> <td>38.25</td> <td>35.27</td> <td>11.56</td> <td>32.47</td> <td>400</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5832.54	52.61	88.20	-35.59	38.25	35.27	11.56	32.47	400	302	PEAK	<p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>96.72</td> <td>-----</td> <td>-----</td> <td>82.48</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>400</td> <td>302</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.72	-----	-----	82.48	35.43	11.37	32.56	400	302	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5832.54	52.61	88.20	-35.59	38.25	35.27	11.56	32.47	400	302	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	96.72	-----	-----	82.48	35.43	11.37	32.56	400	302	PEAK																																																																					
<b>Avg</b>	<p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5882.85</td> <td>42.47</td> <td>68.20</td> <td>-25.73</td> <td>28.17</td> <td>35.34</td> <td>11.47</td> <td>32.51</td> <td>400</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5882.85	42.47	68.20	-25.73	28.17	35.34	11.47	32.51	400	302	AVERAGE	<p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>88.00</td> <td>-----</td> <td>-----</td> <td>73.76</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>400</td> <td>302</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	88.00	-----	-----	73.76	35.43	11.37	32.56	400	302	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5882.85	42.47	68.20	-25.73	28.17	35.34	11.47	32.51	400	302	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	88.00	-----	-----	73.76	35.43	11.37	32.56	400	302	AVERAGE																																																																					



		<b>68</b>																																																																																										
<b>Mode</b>	<b>Band Edge</b>																																																																																											
	<b>U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU 52+26/39+7_7095MHz</b>																																																																																											
<b>ANT</b>	<b>CDD 5+4</b>																																																																																											
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																										
<b>Peak</b>																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7197.37</td> <td>55.00</td> <td>88.20</td> <td>-33.20</td> <td>29.28</td> <td>36.28</td> <td>12.99</td> <td>32.56</td> <td>367</td> <td>59</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7335.76</td> <td>55.85</td> <td>74.00</td> <td>-18.15</td> <td>39.09</td> <td>36.33</td> <td>13.10</td> <td>32.67</td> <td>367</td> <td>59</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7197.37	55.00	88.20	-33.20	29.28	36.28	12.99	32.56	367	59	PEAK	2	7335.76	55.85	74.00	-18.15	39.09	36.33	13.10	32.67	367	59	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>100.39</td> <td>-----</td> <td>-----</td> <td>84.01</td> <td>36.24</td> <td>12.62</td> <td>32.48</td> <td>367</td> <td>59</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	100.39	-----	-----	84.01	36.24	12.62	32.48	367	59
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7197.37	55.00	88.20	-33.20	29.28	36.28	12.99	32.56	367	59	PEAK																																																																																	
2	7335.76	55.85	74.00	-18.15	39.09	36.33	13.10	32.67	367	59	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	100.39	-----	-----	84.01	36.24	12.62	32.48	367	59	PEAK																																																																																	
<b>Avg</b>																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7208.49</td> <td>46.00</td> <td>68.20</td> <td>-22.20</td> <td>29.28</td> <td>36.28</td> <td>13.01</td> <td>32.57</td> <td>367</td> <td>59</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7301.50</td> <td>45.79</td> <td>54.00</td> <td>-8.21</td> <td>29.04</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>367</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7208.49	46.00	68.20	-22.20	29.28	36.28	13.01	32.57	367	59	AVERAGE	2	7301.50	45.79	54.00	-8.21	29.04	36.32	13.07	32.64	367	59	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>92.39</td> <td>-----</td> <td>-----</td> <td>76.01</td> <td>36.24</td> <td>12.62</td> <td>32.48</td> <td>367</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	92.39	-----	-----	76.01	36.24	12.62	32.48	367	59
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7208.49	46.00	68.20	-22.20	29.28	36.28	13.01	32.57	367	59	AVERAGE																																																																																	
2	7301.50	45.79	54.00	-8.21	29.04	36.32	13.07	32.64	367	59	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	92.39	-----	-----	76.01	36.24	12.62	32.48	367	59	AVERAGE																																																																																	







		<b>68</b>																																																																																										
<b>Mode</b>	<b>Band Edge</b>																																																																																											
	<b>U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU 52+26/39+7_7095MHz</b>																																																																																											
<b>ANT</b>	<b>CDD 5+4</b>																																																																																											
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																										
<b>Peak</b>	<p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7200.04</td> <td>55.35</td> <td>88.20</td> <td>-32.85</td> <td>38.63</td> <td>36.28</td> <td>13.00</td> <td>32.56</td> <td>351</td> <td>47</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7320.19</td> <td>55.71</td> <td>74.00</td> <td>-18.29</td> <td>38.95</td> <td>36.33</td> <td>13.09</td> <td>32.66</td> <td>351</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7200.04	55.35	88.20	-32.85	38.63	36.28	13.00	32.56	351	47	PEAK	2	7320.19	55.71	74.00	-18.29	38.95	36.33	13.09	32.66	351	47	PEAK	<p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>99.50</td> <td>-----</td> <td>-----</td> <td>83.09</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>351</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	99.50	-----	-----	83.09	36.24	12.65	32.48	351	47	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7200.04	55.35	88.20	-32.85	38.63	36.28	13.00	32.56	351	47	PEAK																																																																																	
2	7320.19	55.71	74.00	-18.29	38.95	36.33	13.09	32.66	351	47	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	99.50	-----	-----	83.09	36.24	12.65	32.48	351	47	PEAK																																																																																	
<b>Avg</b>	<p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7242.31</td> <td>45.91</td> <td>68.20</td> <td>-22.29</td> <td>29.18</td> <td>36.30</td> <td>13.03</td> <td>32.60</td> <td>351</td> <td>47</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7282.81</td> <td>45.82</td> <td>54.00</td> <td>-8.18</td> <td>29.08</td> <td>36.31</td> <td>13.06</td> <td>32.63</td> <td>351</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7242.31	45.91	68.20	-22.29	29.18	36.30	13.03	32.60	351	47	AVERAGE	2	7282.81	45.82	54.00	-8.18	29.08	36.31	13.06	32.63	351	47	AVERAGE	<p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>92.38</td> <td>-----</td> <td>-----</td> <td>75.97</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>351</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	92.38	-----	-----	75.97	36.24	12.65	32.48	351	47	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7242.31	45.91	68.20	-22.29	29.18	36.30	13.03	32.60	351	47	AVERAGE																																																																																	
2	7282.81	45.82	54.00	-8.18	29.08	36.31	13.06	32.63	351	47	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	92.38	-----	-----	75.97	36.24	12.65	32.48	351	47	AVERAGE																																																																																	



		69																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU 106+26/54+4_7095MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7178.68</td> <td>55.65</td> <td>88.20</td> <td>-32.55</td> <td>39.01</td> <td>36.27</td> <td>12.92</td> <td>32.55</td> <td>367</td> <td>64</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7250.77</td> <td>55.97</td> <td>74.00</td> <td>-18.03</td> <td>39.23</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>367</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7178.68	55.65	88.20	-32.55	39.01	36.27	12.92	32.55	367	64	PEAK	2	7250.77	55.97	74.00	-18.03	39.23	36.30	13.04	32.60	367	64	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>102.94</td> <td>-----</td> <td>-----</td> <td>86.53</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>367</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7095.00	102.94	-----	-----	86.53	36.24	12.65	32.48	367	64
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																				
1	7178.68	55.65	88.20	-32.55	39.01	36.27	12.92	32.55	367	64	PEAK																																																																																	
2	7250.77	55.97	74.00	-18.03	39.23	36.30	13.04	32.60	367	64	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	102.94	-----	-----	86.53	36.24	12.65	32.48	367	64	PEAK																																																																																	
Avg																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7210.27</td> <td>45.87</td> <td>68.20</td> <td>-22.33</td> <td>29.15</td> <td>36.28</td> <td>13.01</td> <td>32.57</td> <td>367</td> <td>64</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7286.37</td> <td>45.94</td> <td>54.00</td> <td>-8.06</td> <td>29.20</td> <td>36.31</td> <td>13.06</td> <td>32.63</td> <td>367</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7210.27	45.87	68.20	-22.33	29.15	36.28	13.01	32.57	367	64	AVERAGE	2	7286.37	45.94	54.00	-8.06	29.20	36.31	13.06	32.63	367	64	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>93.15</td> <td>-----</td> <td>-----</td> <td>76.77</td> <td>36.24</td> <td>12.62</td> <td>32.48</td> <td>367</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7095.00	93.15	-----	-----	76.77	36.24	12.62	32.48	367	64
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																				
1	7210.27	45.87	68.20	-22.33	29.15	36.28	13.01	32.57	367	64	AVERAGE																																																																																	
2	7286.37	45.94	54.00	-8.06	29.20	36.31	13.06	32.63	367	64	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																				
1	7095.00	93.15	-----	-----	76.77	36.24	12.62	32.48	367	64	AVERAGE																																																																																	







		<b>69</b>																																																																																										
<b>Mode</b>	<b>Band Edge</b>																																																																																											
	<b>U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU 106+26/54+4_7095MHz</b>																																																																																											
<b>ANT</b>	<b>CDD 5+4</b>																																																																																											
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																										
<b>Peak</b>	 <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7206.71</td> <td>55.44</td> <td>88.20</td> <td>-32.76</td> <td>38.73</td> <td>36.28</td> <td>13.00</td> <td>32.57</td> <td>351</td> <td>42</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7283.70</td> <td>55.01</td> <td>74.00</td> <td>-18.99</td> <td>38.27</td> <td>36.31</td> <td>13.06</td> <td>32.63</td> <td>351</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1	7206.71	55.44	88.20	-32.76	38.73	36.28	13.00	32.57	351	42	PEAK	2	7283.70	55.01	74.00	-18.99	38.27	36.31	13.06	32.63	351	42	PEAK	 <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>100.26</td> <td>-----</td> <td>-----</td> <td>83.85</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>351</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1	7095.00	100.26	-----	-----	83.85	36.24	12.65	32.48	351	42	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																																				
1	7206.71	55.44	88.20	-32.76	38.73	36.28	13.00	32.57	351	42	PEAK																																																																																	
2	7283.70	55.01	74.00	-18.99	38.27	36.31	13.06	32.63	351	42	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																																				
1	7095.00	100.26	-----	-----	83.85	36.24	12.65	32.48	351	42	PEAK																																																																																	
<b>Avg</b>	 <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7231.63</td> <td>46.07</td> <td>68.20</td> <td>-22.13</td> <td>29.35</td> <td>36.29</td> <td>13.02</td> <td>32.59</td> <td>351</td> <td>42</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7291.71</td> <td>45.87</td> <td>54.00</td> <td>-8.13</td> <td>29.11</td> <td>36.32</td> <td>13.07</td> <td>32.63</td> <td>351</td> <td>42</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1	7231.63	46.07	68.20	-22.13	29.35	36.29	13.02	32.59	351	42	AVERAGE	2	7291.71	45.87	54.00	-8.13	29.11	36.32	13.07	32.63	351	42	AVERAGE	 <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>92.68</td> <td>-----</td> <td>-----</td> <td>76.27</td> <td>36.24</td> <td>12.65</td> <td>32.48</td> <td>351</td> <td>42</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	1	7095.00	92.68	-----	-----	76.27	36.24	12.65	32.48	351	42	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																																				
1	7231.63	46.07	68.20	-22.13	29.35	36.29	13.02	32.59	351	42	AVERAGE																																																																																	
2	7291.71	45.87	54.00	-8.13	29.11	36.32	13.07	32.63	351	42	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm																																																																																				
1	7095.00	92.68	-----	-----	76.27	36.24	12.65	32.48	351	42	AVERAGE																																																																																	



		70																																																																													
Mode		Band Edge																																																																													
		U-NII-5_5.925-6.425_802.11be EHT80_CH7_Large RU 484+242_①_5985MHz																																																																													
ANT		CDD 5+4																																																																													
Pol.		Horizontal	Fundamental																																																																												
Peak																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5925.00</td> <td>53.94</td> <td>88.20</td> <td>-34.26</td> <td>39.68</td> <td>35.40</td> <td>11.40</td> <td>32.54</td> <td>300</td> <td>229</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	53.94	88.20	-34.26	39.68	35.40	11.40	32.54	300	229	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>96.00</td> <td>-----</td> <td>-----</td> <td>81.80</td> <td>35.45</td> <td>11.33</td> <td>32.58</td> <td>300</td> <td>229</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	96.00	-----	-----	81.80	35.45	11.33	32.58	300	229
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5925.00	53.94	88.20	-34.26	39.68	35.40	11.40	32.54	300	229	PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5985.00	96.00	-----	-----	81.80	35.45	11.33	32.58	300	229	PEAK																																																																				
Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.52</td> <td>43.80</td> <td>68.20</td> <td>-24.40</td> <td>29.55</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>300</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.52	43.80	68.20	-24.40	29.55	35.39	11.40	32.54	300	229	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>86.48</td> <td>-----</td> <td>-----</td> <td>72.28</td> <td>35.45</td> <td>11.33</td> <td>32.58</td> <td>300</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	86.48	-----	-----	72.28	35.45	11.33	32.58	300	229
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5924.52	43.80	68.20	-24.40	29.55	35.39	11.40	32.54	300	229	AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5985.00	86.48	-----	-----	72.28	35.45	11.33	32.58	300	229	AVERAGE																																																																				







		70																																																																																
Mode		Band Edge																																																																																
		U-NII-5_5.925-6.425_802.11be EHT80_CH7_Large RU 484+242_①_5985MHz																																																																																
ANT		CDD 5+4																																																																																
Pol.	Vertical	Fundamental																																																																																
Peak	 <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5919.24</td> <td>53.84</td> <td>88.20</td> <td>-34.36</td> <td>39.58</td> <td>35.39</td> <td>11.41</td> <td>32.54</td> <td>400</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.24	53.84	88.20	-34.36	39.58	35.39	11.41	32.54	400	238	PEAK	 <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>94.84</td> <td>-----</td> <td>-----</td> <td>80.62</td> <td>35.44</td> <td>11.35</td> <td>32.57</td> <td>400</td> <td>238</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	94.84	-----	-----	80.62	35.44	11.35	32.57	400	238	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5919.24	53.84	88.20	-34.36	39.58	35.39	11.41	32.54	400	238	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5985.00	94.84	-----	-----	80.62	35.44	11.35	32.57	400	238	PEAK																																																																							
Avg	 <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5919.40</td> <td>43.78</td> <td>68.20</td> <td>-24.42</td> <td>29.52</td> <td>35.39</td> <td>11.41</td> <td>32.54</td> <td>400</td> <td>238</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.40	43.78	68.20	-24.42	29.52	35.39	11.41	32.54	400	238	AVERAGE	 <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>85.52</td> <td>-----</td> <td>-----</td> <td>71.30</td> <td>35.44</td> <td>11.35</td> <td>32.57</td> <td>400</td> <td>238</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	85.52	-----	-----	71.30	35.44	11.35	32.57	400	238	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5919.40	43.78	68.20	-24.42	29.52	35.39	11.41	32.54	400	238	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5985.00	85.52	-----	-----	71.30	35.44	11.35	32.57	400	238	AVERAGE																																																																							



		71																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Large RU 484+242_2_7025MHz																																																																																											
ANT	CDD 5+4																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>7126.26</td><td>66.99</td><td>88.20</td><td>-21.21</td><td>50.50</td><td>36.25</td><td>12.74</td><td>32.50</td><td>368</td><td>84</td><td>PEAK</td></tr> <tr> <td>2</td><td>7335.04</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>38.45</td><td>36.33</td><td>13.10</td><td>32.67</td><td>368</td><td>84</td><td>PEAK</td></tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7126.26	66.99	88.20	-21.21	50.50	36.25	12.74	32.50	368	84	PEAK	2	7335.04	55.21	74.00	-18.79	38.45	36.33	13.10	32.67	368	84	PEAK	<table border="1"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>7025.00</td><td>97.62</td><td>-----</td><td>-----</td><td>81.53</td><td>36.20</td><td>12.30</td><td>32.41</td><td>368</td><td>84</td><td>PEAK</td></tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	97.62	-----	-----	81.53	36.20	12.30	32.41	368	84
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7126.26	66.99	88.20	-21.21	50.50	36.25	12.74	32.50	368	84	PEAK																																																																																	
2	7335.04	55.21	74.00	-18.79	38.45	36.33	13.10	32.67	368	84	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	97.62	-----	-----	81.53	36.20	12.30	32.41	368	84	PEAK																																																																																	
Avg																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>7125.53</td><td>55.73</td><td>68.20</td><td>-12.47</td><td>39.25</td><td>36.25</td><td>12.73</td><td>32.50</td><td>368</td><td>84</td><td>AVERAGE</td></tr> <tr> <td>2</td><td>7252.55</td><td>45.90</td><td>54.00</td><td>-8.10</td><td>29.16</td><td>36.30</td><td>13.04</td><td>32.60</td><td>368</td><td>84</td><td>AVERAGE</td></tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.53	55.73	68.20	-12.47	39.25	36.25	12.73	32.50	368	84	AVERAGE	2	7252.55	45.90	54.00	-8.10	29.16	36.30	13.04	32.60	368	84	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>7025.00</td><td>89.23</td><td>-----</td><td>-----</td><td>72.95</td><td>36.23</td><td>12.51</td><td>32.46</td><td>368</td><td>84</td><td>AVERAGE</td></tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	89.23	-----	-----	72.95	36.23	12.51	32.46	368	84
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.53	55.73	68.20	-12.47	39.25	36.25	12.73	32.50	368	84	AVERAGE																																																																																	
2	7252.55	45.90	54.00	-8.10	29.16	36.30	13.04	32.60	368	84	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	89.23	-----	-----	72.95	36.23	12.51	32.46	368	84	AVERAGE																																																																																	



		71																																																																																									
Mode	Band Edge																																																																																										
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Large RU 484+242_2_7025MHz																																																																																										
ANT	CDD 5+4																																																																																										
Pol.	Vertical	Fundamental																																																																																									
Peak	 <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7131.73</td> <td>64.17</td> <td>88.20</td> <td>-24.03</td> <td>47.68</td> <td>36.25</td> <td>12.75</td> <td>32.51</td> <td>343</td> <td>24 PEAK</td> </tr> <tr> <td>2</td> <td>7278.10</td> <td>54.64</td> <td>74.00</td> <td>-19.36</td> <td>37.89</td> <td>36.31</td> <td>13.06</td> <td>32.62</td> <td>343</td> <td>24 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7131.73	64.17	88.20	-24.03	47.68	36.25	12.75	32.51	343	24 PEAK	2	7278.10	54.64	74.00	-19.36	37.89	36.31	13.06	32.62	343	24 PEAK	 <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>101.06</td> <td>-----</td> <td>-----</td> <td>84.78</td> <td>36.23</td> <td>12.51</td> <td>32.46</td> <td>343</td> <td>24 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	101.06	-----	-----	84.78	36.23	12.51	32.46	343	24 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7131.73	64.17	88.20	-24.03	47.68	36.25	12.75	32.51	343	24 PEAK																																																																																	
2	7278.10	54.64	74.00	-19.36	37.89	36.31	13.06	32.62	343	24 PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7025.00	101.06	-----	-----	84.78	36.23	12.51	32.46	343	24 PEAK																																																																																	
Avg	 <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.16</td> <td>54.27</td> <td>68.20</td> <td>-13.93</td> <td>37.79</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>343</td> <td>24 AVERAGE</td> </tr> <tr> <td>2</td> <td>7256.56</td> <td>46.01</td> <td>54.00</td> <td>-7.99</td> <td>29.28</td> <td>36.30</td> <td>13.04</td> <td>32.61</td> <td>343</td> <td>24 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.16	54.27	68.20	-13.93	37.79	36.25	12.73	32.50	343	24 AVERAGE	2	7256.56	46.01	54.00	-7.99	29.28	36.30	13.04	32.61	343	24 AVERAGE	 <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>92.44</td> <td>-----</td> <td>-----</td> <td>76.18</td> <td>36.22</td> <td>12.49</td> <td>32.45</td> <td>343</td> <td>24 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	92.44	-----	-----	76.18	36.22	12.49	32.45	343	24 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7125.16	54.27	68.20	-13.93	37.79	36.25	12.73	32.50	343	24 AVERAGE																																																																																	
2	7256.56	46.01	54.00	-7.99	29.28	36.30	13.04	32.61	343	24 AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7025.00	92.44	-----	-----	76.18	36.22	12.49	32.45	343	24 AVERAGE																																																																																	