







|       |  | 72          |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------|--|-------------|--------|--------|--------|-------------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|-------------|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|-------------|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| Mode  | Band Edge  |             |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|       | U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484_①_6025MHz  |             |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| ANT   | CDD 5+4  |             |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Pol.  | Horizontal   | Fundamental |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.96</td> <td>73.64</td> <td>88.20</td> <td>-14.56</td> <td>59.39</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>316</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Margin | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.96 | 73.64 | 88.20 | -14.56 | 59.39 | 35.39 | 11.40 | 32.54 | 316 | 224 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>96.40</td> <td>-----</td> <td>-----</td> <td>81.98</td> <td>35.53</td> <td>11.49</td> <td>32.60</td> <td>316</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6025.00 | 96.40 | ----- | ----- | 81.98 | 35.53 | 11.49 | 32.60 | 316 | 224 | PEAK    |
|       | Limit  | Margin      | Read   | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level  | Line        | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dBuV   | dB/m   | dB     | dB          | cm     | deg    |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 5924.96  | 73.64       | 88.20  | -14.56 | 59.39  | 35.39       | 11.40  | 32.54  | 316    | 224    | PEAK    |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit | Margin   | Read        | Ant    | Cable  | Preamp | APos        | TPos   | Remark |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level  | Line        | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dBuV   | dB/m   | dB     | dB          | cm     | deg    |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 6025.00  | 96.40       | -----  | -----  | 81.98  | 35.53       | 11.49  | 32.60  | 316    | 224    | PEAK    |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.96</td> <td>55.52</td> <td>68.20</td> <td>-12.68</td> <td>41.27</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>316</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Margin | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.96 | 55.52 | 68.20 | -12.68 | 41.27 | 35.39 | 11.40 | 32.54 | 316 | 224 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>86.94</td> <td>-----</td> <td>-----</td> <td>72.67</td> <td>35.51</td> <td>11.36</td> <td>32.60</td> <td>316</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6025.00 | 86.94 | ----- | ----- | 72.67 | 35.51 | 11.36 | 32.60 | 316 | 224 | AVERAGE |
|       | Limit  | Margin      | Read   | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level  | Line        | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dBuV   | dB/m   | dB     | dB          | cm     | deg    |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 5924.96  | 55.52       | 68.20  | -12.68 | 41.27  | 35.39       | 11.40  | 32.54  | 316    | 224    | AVERAGE |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit | Margin   | Read        | Ant    | Cable  | Preamp | APos        | TPos   | Remark |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level  | Line        | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dBuV   | dB/m   | dB     | dB          | cm     | deg    |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 6025.00  | 86.94       | -----  | -----  | 72.67  | 35.51       | 11.36  | 32.60  | 316    | 224    | AVERAGE |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |







|       |   | 72          |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------|---|-------------|--------|--------|--------|-------------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|-------------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|-------------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| Mode  | Band Edge   |             |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|       | U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484_①_6025MHz   |             |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| ANT   | CDD 5+4   |             |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Pol.  | Vertical  | Fundamental |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Peak  |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.84</td> <td>74.19</td> <td>88.20</td> <td>-14.01</td> <td>59.93</td> <td>35.39</td> <td>11.41</td> <td>32.54</td> <td>400</td> <td>253</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit       | Margin | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5923.84 | 74.19 | 88.20 | -14.01 | 59.93 | 35.39 | 11.41 | 32.54 | 400 | 253 | PEAK    |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>97.32</td> <td>-----</td> <td>-----</td> <td>82.90</td> <td>35.53</td> <td>11.49</td> <td>32.60</td> <td>400</td> <td>253</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6025.00 | 97.32 | ----- | ----- | 82.90 | 35.53 | 11.49 | 32.60 | 400 | 253 | PEAK    |
|       | Limit   | Margin      | Read   | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 5923.84   | 74.19       | 88.20  | -14.01 | 59.93  | 35.39       | 11.41  | 32.54  | 400    | 253    | PEAK    |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit | Margin  | Read        | Ant    | Cable  | Preamp | APos        | TPos   | Remark |        |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 6025.00   | 97.32       | -----  | -----  | 82.90  | 35.53       | 11.49  | 32.60  | 400    | 253    | PEAK    |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Avg   |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.96</td> <td>56.36</td> <td>68.20</td> <td>-11.84</td> <td>42.11</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>400</td> <td>253</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Margin | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.96 | 56.36 | 68.20 | -11.84 | 42.11 | 35.39 | 11.40 | 32.54 | 400 | 253 | AVERAGE |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>88.17</td> <td>-----</td> <td>-----</td> <td>73.84</td> <td>35.52</td> <td>11.41</td> <td>32.60</td> <td>400</td> <td>253</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6025.00 | 88.17 | ----- | ----- | 73.84 | 35.52 | 11.41 | 32.60 | 400 | 253 | AVERAGE |
|       | Limit   | Margin      | Read   | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 5924.96   | 56.36       | 68.20  | -11.84 | 42.11  | 35.39       | 11.40  | 32.54  | 400    | 253    | AVERAGE |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit | Margin  | Read        | Ant    | Cable  | Preamp | APos        | TPos   | Remark |        |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |         |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 6025.00   | 88.17       | -----  | -----  | 73.84  | 35.52       | 11.41  | 32.60  | 400    | 253    | AVERAGE |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |



|       |   | 73   |        |        |        |       |        |        |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|-------|---|--|--------|--------|--------|-------|--------|--------|------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|--|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|
| Mode  | Band Edge   |  |        |        |        |       |        |        |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|       | U-NII-8_6.875-7.125_802.11be EHT160_CH207_Large RU 996+484_3_6985MHz  |  |        |        |        |       |        |        |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| ANT   | CDD 5+4   |  |        |        |        |       |        |        |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Pol.  | Horizontal  | Fundamental  |        |        |        |       |        |        |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Peak  | <p style="text-align: right;">Date: 2023-12-05</p>  | <p style="text-align: right;">Date: 2023-12-05</p> |        |        |        |       |        |        |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|       | <table border="1"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>7152.50</td><td>67.64</td><td>88.20</td><td>-20.56</td><td>51.08</td><td>36.26</td><td>12.83</td><td>32.53</td><td>365</td><td>82</td><td>PEAK</td></tr> <tr> <td>2</td><td>7252.50</td><td>56.21</td><td>74.00</td><td>-17.79</td><td>39.47</td><td>36.30</td><td>13.04</td><td>32.60</td><td>365</td><td>82</td><td>PEAK</td></tr> </tbody> </table>      | Limit  | Margin | Read   | Ant    | Cable | Preamp | Apos   | TPos | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7152.50 | 67.64 | 88.20 | -20.56 | 51.08 | 36.26 | 12.83 | 32.53 | 365 | 82 | PEAK    | 2 | 7252.50 | 56.21 | 74.00 | -17.79 | 39.47 | 36.30 | 13.04 | 32.60 | 365 | 82 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>6985.00</td><td>96.23</td><td>-----</td><td>-----</td><td>80.16</td><td>36.19</td><td>12.28</td><td>32.40</td><td>365</td><td>82</td><td>PEAK</td></tr> </tbody> </table>    |  | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6985.00 | 96.23 | ----- | ----- | 80.16 | 36.19 | 12.28 | 32.40 | 365 | 82 |
| Limit | Margin  | Read   | Ant    | Cable  | Preamp | Apos  | TPos   | Remark |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq  | Level   | Line   | (dB)   | Level  | Factor | Loss  | Factor |        |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz   | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB     | dB    | cm     | deg    |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1     | 7152.50   | 67.64  | 88.20  | -20.56 | 51.08  | 36.26 | 12.83  | 32.53  | 365  | 82     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 2     | 7252.50   | 56.21  | 74.00  | -17.79 | 39.47  | 36.30 | 13.04  | 32.60  | 365  | 82     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Limit | Margin  | Read   | Ant    | Cable  | Preamp | Apos  | TPos   | Remark |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq  | Level   | Line   | (dB)   | Level  | Factor | Loss  | Factor |        |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz   | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB     | dB    | cm     | deg    |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1     | 6985.00   | 96.23  | -----  | -----  | 80.16  | 36.19 | 12.28  | 32.40  | 365  | 82     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Avg   | <p style="text-align: right;">Date: 2023-12-05</p>  | <p style="text-align: right;">Date: 2023-12-05</p> |        |        |        |       |        |        |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|       | <table border="1"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>7135.00</td><td>55.37</td><td>68.20</td><td>-12.83</td><td>38.86</td><td>36.25</td><td>12.77</td><td>32.51</td><td>365</td><td>82</td><td>AVERAGE</td></tr> <tr> <td>2</td><td>7254.38</td><td>47.31</td><td>54.00</td><td>-6.69</td><td>30.58</td><td>36.30</td><td>13.04</td><td>32.61</td><td>365</td><td>82</td><td>AVERAGE</td></tr> </tbody> </table> | Limit  | Margin | Read   | Ant    | Cable | Preamp | Apos   | TPos | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7135.00 | 55.37 | 68.20 | -12.83 | 38.86 | 36.25 | 12.77 | 32.51 | 365 | 82 | AVERAGE | 2 | 7254.38 | 47.31 | 54.00 | -6.69  | 30.58 | 36.30 | 13.04 | 32.61 | 365 | 82 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>6985.00</td><td>88.62</td><td>-----</td><td>-----</td><td>72.55</td><td>36.19</td><td>12.28</td><td>32.40</td><td>365</td><td>82</td><td>AVERAGE</td></tr> </tbody> </table> |  | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6985.00 | 88.62 | ----- | ----- | 72.55 | 36.19 | 12.28 | 32.40 | 365 | 82 |
| Limit | Margin  | Read   | Ant    | Cable  | Preamp | Apos  | TPos   | Remark |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq  | Level   | Line   | (dB)   | Level  | Factor | Loss  | Factor |        |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz   | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB     | dB    | cm     | deg    |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1     | 7135.00   | 55.37  | 68.20  | -12.83 | 38.86  | 36.25 | 12.77  | 32.51  | 365  | 82     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 2     | 7254.38   | 47.31  | 54.00  | -6.69  | 30.58  | 36.30 | 13.04  | 32.61  | 365  | 82     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Limit | Margin  | Read   | Ant    | Cable  | Preamp | Apos  | TPos   | Remark |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq  | Level   | Line   | (dB)   | Level  | Factor | Loss  | Factor |        |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz   | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB     | dB    | cm     | deg    |      |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1     | 6985.00   | 88.62  | -----  | -----  | 72.55  | 36.19 | 12.28  | 32.40  | 365  | 82     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |



|       |   | 73   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|-------|---|--|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| Mode  |   | Band Edge  |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|       |   | U-NII-8_6.875-7.125_802.11be EHT160_CH207_Large RU 996+484_3_6985MHz |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| ANT   |   | CDD 5+4  |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Pol.  | Vertical  | Fundamental  |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Peak  |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7135.00</td> <td>68.96</td> <td>88.20</td> <td>-19.24</td> <td>52.45</td> <td>36.25</td> <td>12.77</td> <td>32.51</td> <td>350</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7300.00</td> <td>57.58</td> <td>74.00</td> <td>-16.42</td> <td>40.83</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>350</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>       | Limit  | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7135.00 | 68.96 | 88.20 | -19.24 | 52.45 | 36.25 | 12.77 | 32.51 | 350 | 28 | PEAK    | 2 | 7300.00 | 57.58 | 74.00 | -16.42 | 40.83 | 36.32 | 13.07 | 32.64 | 350 | 28 | PEAK    |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>98.97</td> <td>-----</td> <td>-----</td> <td>82.92</td> <td>36.19</td> <td>12.27</td> <td>32.41</td> <td>350</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6985.00 | 98.97 | ----- | ----- | 82.92 | 36.19 | 12.27 | 32.41 | 350 | 28 | PEAK    |
|       | Limit   | Margin   | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 7135.00   | 68.96  | 88.20  | -19.24 | 52.45  | 36.25  | 12.77  | 32.51  | 350    | 28     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 2     | 7300.00   | 57.58  | 74.00  | -16.42 | 40.83  | 36.32  | 13.07  | 32.64  | 350    | 28     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit | Margin  | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 6985.00   | 98.97  | -----  | -----  | 82.92  | 36.19  | 12.27  | 32.41  | 350    | 28     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Avg   |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7143.13</td> <td>55.55</td> <td>68.20</td> <td>-12.65</td> <td>39.01</td> <td>36.26</td> <td>12.80</td> <td>32.52</td> <td>350</td> <td>28</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7261.25</td> <td>47.62</td> <td>54.00</td> <td>-6.38</td> <td>30.89</td> <td>36.30</td> <td>13.04</td> <td>32.61</td> <td>350</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7143.13 | 55.55 | 68.20 | -12.65 | 39.01 | 36.26 | 12.80 | 32.52 | 350 | 28 | AVERAGE | 2 | 7261.25 | 47.62 | 54.00 | -6.38  | 30.89 | 36.30 | 13.04 | 32.61 | 350 | 28 | AVERAGE |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>89.70</td> <td>-----</td> <td>-----</td> <td>73.65</td> <td>36.19</td> <td>12.27</td> <td>32.41</td> <td>350</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6985.00 | 89.70 | ----- | ----- | 73.65 | 36.19 | 12.27 | 32.41 | 350 | 28 | AVERAGE |
|       | Limit   | Margin   | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 7143.13   | 55.55  | 68.20  | -12.65 | 39.01  | 36.26  | 12.80  | 32.52  | 350    | 28     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 2     | 7261.25   | 47.62  | 54.00  | -6.38  | 30.89  | 36.30  | 13.04  | 32.61  | 350    | 28     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit | Margin  | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 6985.00   | 89.70  | -----  | -----  | 73.65  | 36.19  | 12.27  | 32.41  | 350    | 28     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |



| <b>74</b>   |  |        |        |        |        |        |        |        |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
|---|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|-------|--------|--------|--------|--------|-----|--------|--------|--------|------|------|----|----|-----|-----|---------|---------|-------|-------|--------|-------|-------|-------|-------|-----|---------|---------|
| <b>Mode</b>   | <b>Band Edge - L</b>   |        |        |        |        |        |        |        |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| <b>U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*2+484_⑥_6025MHz</b>  |  |        |        |        |        |        |        |        |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |        |        |        |        |        |        |        |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| <b>Pol.</b>   | <b>Horizontal</b>  |        |        |        |        |        |        |        |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| <b>Peak</b>   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.46</td> <td>66.96</td> <td>88.20</td> <td>-21.24</td> <td>52.59</td> <td>34.98</td> <td>11.70</td> <td>32.31</td> <td>214</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit  | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB)  | Level  | Factor | Loss   | Factor |     | MHz    | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm  | deg | 1       | 5625.46 | 66.96 | 88.20 | -21.24 | 52.59 | 34.98 | 11.70 | 32.31 | 214 | 65      | PEAK    |
|   | Limit  | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| Freq  | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| MHz   | dBuV/m   | dBuV/m | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| 1   | 5625.46  | 66.96  | 88.20  | -21.24 | 52.59  | 34.98  | 11.70  | 32.31  | 214    | 65     | PEAK    |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>93.61</td> <td>-----</td> <td>-----</td> <td>78.89</td> <td>35.58</td> <td>11.74</td> <td>32.60</td> <td>214</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit  | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq   | Level   | Line  | (dB) | Level | Factor | Loss   | Factor |        | MHz | dBuV/m | dBuV/m | dBuV   | dB/m | dB   | dB | cm | deg | 1   | 6105.00 | 93.61   | ----- | ----- | 78.89  | 35.58 | 11.74 | 32.60 | 214   | 65  | PEAK    |         |
| Limit   | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| Freq  | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| MHz   | dBuV/m   | dBuV/m | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| 1   | 6105.00  | 93.61  | -----  | -----  | 78.89  | 35.58  | 11.74  | 32.60  | 214    | 65     | PEAK    |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.70</td> <td>50.00</td> <td>68.20</td> <td>-18.20</td> <td>35.64</td> <td>34.97</td> <td>11.70</td> <td>32.31</td> <td>214</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB)  | Level  | Factor | Loss   | Factor |     | MHz    | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm  | deg | 1       | 5624.70 | 50.00 | 68.20 | -18.20 | 35.64 | 34.97 | 11.70 | 32.31 | 214 | 65      | AVERAGE |
|   | Limit  | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| Freq  | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| MHz   | dBuV/m   | dBuV/m | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| 1   | 5624.70  | 50.00  | 68.20  | -18.20 | 35.64  | 34.97  | 11.70  | 32.31  | 214    | 65     | AVERAGE |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>84.86</td> <td>-----</td> <td>-----</td> <td>70.28</td> <td>35.56</td> <td>11.62</td> <td>32.60</td> <td>214</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq   | Level   | Line  | (dB) | Level | Factor | Loss   | Factor |        | MHz | dBuV/m | dBuV/m | dBuV   | dB/m | dB   | dB | cm | deg | 1   | 6105.00 | 84.86   | ----- | ----- | 70.28  | 35.56 | 11.62 | 32.60 | 214   | 65  | AVERAGE |         |
| Limit   | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| Freq  | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| MHz   | dBuV/m   | dBuV/m | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |
| 1   | 6105.00  | 84.86  | -----  | -----  | 70.28  | 35.56  | 11.62  | 32.60  | 214    | 65     | AVERAGE |       |      |       |        |        |        |        |     |        |        |        |      |      |    |    |     |     |         |         |       |       |        |       |       |       |       |     |         |         |



|             |  | <b>74</b>          |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge - L</b>   |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|             | <b>U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*2+484_⑥_6025MHz</b>   |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.46</td> <td>64.59</td> <td>88.20</td> <td>-23.61</td> <td>50.22</td> <td>34.98</td> <td>11.70</td> <td>32.31</td> <td>302</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5625.46 | 64.59 | 88.20 | -23.61 | 50.22 | 34.98 | 11.70 | 32.31 | 302 | 105 | PEAK    | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>90.73</td> <td>-----</td> <td>-----</td> <td>76.53</td> <td>35.45</td> <td>11.33</td> <td>32.58</td> <td>302</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 90.73 | ----- | ----- | 76.53 | 35.45 | 11.33 | 32.58 | 302 | 105 | PEAK    |
|             | Limit  | Margin             | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5625.46  | 64.59              | 88.20  | -23.61 | 50.22  | 34.98  | 11.70  | 32.31  | 302    | 105    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 6105.00  | 90.73              | -----  | -----  | 76.53  | 35.45  | 11.33  | 32.58  | 302    | 105    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.70</td> <td>47.88</td> <td>68.20</td> <td>-20.32</td> <td>33.52</td> <td>34.97</td> <td>11.70</td> <td>32.31</td> <td>302</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5624.70 | 47.88 | 68.20 | -20.32 | 33.52 | 34.97 | 11.70 | 32.31 | 302 | 105 | AVERAGE | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>81.42</td> <td>-----</td> <td>-----</td> <td>67.22</td> <td>35.45</td> <td>11.33</td> <td>32.58</td> <td>302</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 81.42 | ----- | ----- | 67.22 | 35.45 | 11.33 | 32.58 | 302 | 105 | AVERAGE |
|             | Limit  | Margin             | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5624.70  | 47.88              | 68.20  | -20.32 | 33.52  | 34.97  | 11.70  | 32.31  | 302    | 105    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 6105.00  | 81.42              | -----  | -----  | 67.22  | 35.45  | 11.33  | 32.58  | 302    | 105    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |



|             |   | <b>75</b>   |        |        |             |        |        |        |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
|-------------|---|---|--------|--------|-------------|--------|--------|--------|--------|------------|------|-------|------|-------|--------|-------------|----|-----|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|----|-----|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|------------|
| <b>Mode</b> |   | <b>Band Edge</b>  |        |        |             |        |        |        |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
|             |   | <b>U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*2+484_6_6905MHz</b> |        |        |             |        |        |        |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>ANT</b>  |   | <b>CDD 5+4</b>  |        |        |             |        |        |        |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b>  |        |        |             |        |        |        |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7235.66</td> <td>55.67</td> <td>88.20</td> <td>-32.53</td> <td>38.95</td> <td>36.29</td> <td>13.02</td> <td>32.59</td> <td>377</td> <td>71 PEAK</td> </tr> <tr> <td>2</td> <td>7302.21</td> <td>55.18</td> <td>74.00</td> <td>-18.82</td> <td>38.43</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>377</td> <td>71</td> </tr> </tbody> </table>           | Limit   | Margin | Read   | Ant         | Cable  | Preamp | APos   | TPos   | Remark     | Freq | Level | Line | Level | Factor | Loss Factor | cm | deg |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7235.66 | 55.67 | 88.20 | -32.53 | 38.95 | 36.29 | 13.02 | 32.59 | 377 | 71 PEAK    | 2 | 7302.21 | 55.18 | 74.00 | -18.82 | 38.43 | 36.32 | 13.07 | 32.64 | 377 | 71         | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>90.25</td> <td>-----</td> <td>-----</td> <td>74.42</td> <td>36.13</td> <td>12.14</td> <td>32.44</td> <td>377</td> <td>71 PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor | cm | deg |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 90.25 | ----- | ----- | 74.42 | 36.13 | 12.14 | 32.44 | 377 | 71 PEAK    |
|             | Limit   | Margin  | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level   | Line  | Level  | Factor | Loss Factor | cm     | deg    |        |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m  | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 7235.66   | 55.67   | 88.20  | -32.53 | 38.95       | 36.29  | 13.02  | 32.59  | 377    | 71 PEAK    |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 2           | 7302.21   | 55.18   | 74.00  | -18.82 | 38.43       | 36.32  | 13.07  | 32.64  | 377    | 71         |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Limit       | Margin  | Read  | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level   | Line  | Level  | Factor | Loss Factor | cm     | deg    |        |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m  | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 6905.00   | 90.25   | -----  | -----  | 74.42       | 36.13  | 12.14  | 32.44  | 377    | 71 PEAK    |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7234.45</td> <td>46.85</td> <td>68.20</td> <td>-21.35</td> <td>30.13</td> <td>36.29</td> <td>13.02</td> <td>32.59</td> <td>377</td> <td>71 AVERAGE</td> </tr> <tr> <td>2</td> <td>7284.66</td> <td>46.88</td> <td>54.00</td> <td>-7.12</td> <td>30.14</td> <td>36.31</td> <td>13.06</td> <td>32.63</td> <td>377</td> <td>71 AVERAGE</td> </tr> </tbody> </table> | Limit   | Margin | Read   | Ant         | Cable  | Preamp | APos   | TPos   | Remark     | Freq | Level | Line | Level | Factor | Loss Factor | cm | deg |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7234.45 | 46.85 | 68.20 | -21.35 | 30.13 | 36.29 | 13.02 | 32.59 | 377 | 71 AVERAGE | 2 | 7284.66 | 46.88 | 54.00 | -7.12  | 30.14 | 36.31 | 13.06 | 32.63 | 377 | 71 AVERAGE | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>82.07</td> <td>-----</td> <td>-----</td> <td>66.24</td> <td>36.13</td> <td>12.14</td> <td>32.44</td> <td>377</td> <td>71 AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor | cm | deg |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 82.07 | ----- | ----- | 66.24 | 36.13 | 12.14 | 32.44 | 377 | 71 AVERAGE |
|             | Limit   | Margin  | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level   | Line  | Level  | Factor | Loss Factor | cm     | deg    |        |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m  | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 7234.45   | 46.85   | 68.20  | -21.35 | 30.13       | 36.29  | 13.02  | 32.59  | 377    | 71 AVERAGE |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 2           | 7284.66   | 46.88   | 54.00  | -7.12  | 30.14       | 36.31  | 13.06  | 32.63  | 377    | 71 AVERAGE |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Limit       | Margin  | Read  | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level   | Line  | Level  | Factor | Loss Factor | cm     | deg    |        |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m  | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 6905.00   | 82.07   | -----  | -----  | 66.24       | 36.13  | 12.14  | 32.44  | 377    | 71 AVERAGE |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |    |     |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |



|                              |  | <b>75</b>  |       |        |       |        |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
|------------------------------|--|--|-------|--------|-------|--------|---------|------|--------|----------------------|--------------|-------------|--|--|----|-----|--|-------------------|------|------|----|----|--|--|--|------------------------------|-------|-------|-------|-------|-----|----|---------|------------------------------|-------|-------|-------|-------|-----|----|---------|---|--|--------------|------|-----|-------|--------|------|------|--------|----------------------|--------------|-------------|--|--|----|-----|--|-------------------|------|------|----|----|--|--|--|-----------------------|-------|-------|-------|-------|-----|----|
| <b>Mode</b>                  | <b>Band Edge</b>   |  |       |        |       |        |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
|                              | <b>U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*2+484_6_6905MHz</b>  |  |       |        |       |        |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| <b>ANT</b>                   | <b>CDD 5+4</b>   |  |       |        |       |        |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| <b>Pol.</b>                  | <b>Vertical</b>  | <b>Fundamental</b>                                 |       |        |       |        |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| <b>Peak</b>                  | <p style="text-align: right;">Date: 2023-12-05</p>   | <p style="text-align: right;">Date: 2023-12-05</p> |       |        |       |        |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
|                              | <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7244.73 55.71 88.20 -32.49</td> <td>38.98</td> <td>36.30</td> <td>13.03</td> <td>32.60</td> <td>345</td> <td>27</td> <td>PEAK</td> </tr> <tr> <td>2 7258.65 56.05 74.00 -17.95</td> <td>39.32</td> <td>36.30</td> <td>13.04</td> <td>32.61</td> <td>345</td> <td>27</td> <td>PEAK</td> </tr> </tbody> </table>      | Limit Margin                                       | Read  | Ant    | Cable | Preamp | Apos    | TPos | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  | cm | deg |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB |  |  |  | 1 7244.73 55.71 88.20 -32.49 | 38.98 | 36.30 | 13.03 | 32.60 | 345 | 27 | PEAK    | 2 7258.65 56.05 74.00 -17.95 | 39.32 | 36.30 | 13.04 | 32.61 | 345 | 27 | PEAK    | <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 6905.00 91.93 -----</td> <td>76.06</td> <td>36.14</td> <td>12.17</td> <td>32.44</td> <td>345</td> <td>27</td> <td>PEAK</td> </tr> </tbody> </table>    |  | Limit Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  | cm | deg |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB |  |  |  | 1 6905.00 91.93 ----- | 76.06 | 36.14 | 12.17 | 32.44 | 345 | 27 |
| Limit Margin                 | Read   | Ant  | Cable | Preamp | Apos  | TPos   | Remark  |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| Freq Level Line (dB)         | Level Factor   | Loss Factor  |       |        | cm    | deg    |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| MHz dBuV/m dBuV/m            | dBuV   | dB/m   | dB    | dB     |       |        |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| 1 7244.73 55.71 88.20 -32.49 | 38.98  | 36.30  | 13.03 | 32.60  | 345   | 27     | PEAK    |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| 2 7258.65 56.05 74.00 -17.95 | 39.32  | 36.30  | 13.04 | 32.61  | 345   | 27     | PEAK    |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| Limit Margin                 | Read   | Ant  | Cable | Preamp | Apos  | TPos   | Remark  |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| Freq Level Line (dB)         | Level Factor   | Loss Factor  |       |        | cm    | deg    |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| MHz dBuV/m dBuV/m            | dBuV   | dB/m   | dB    | dB     |       |        |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| 1 6905.00 91.93 -----        | 76.06  | 36.14  | 12.17 | 32.44  | 345   | 27     | PEAK    |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| <b>Avg</b>                   | <p style="text-align: right;">Date: 2023-12-05</p>   | <p style="text-align: right;">Date: 2023-12-05</p> |       |        |       |        |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
|                              | <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7210.25 46.95 68.20 -21.25</td> <td>30.23</td> <td>36.28</td> <td>13.01</td> <td>32.57</td> <td>345</td> <td>27</td> <td>AVERAGE</td> </tr> <tr> <td>2 7336.69 46.80 54.00 -7.20</td> <td>30.04</td> <td>36.33</td> <td>13.10</td> <td>32.67</td> <td>345</td> <td>27</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit Margin                                       | Read  | Ant    | Cable | Preamp | Apos    | TPos | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  | cm | deg |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB |  |  |  | 1 7210.25 46.95 68.20 -21.25 | 30.23 | 36.28 | 13.01 | 32.57 | 345 | 27 | AVERAGE | 2 7336.69 46.80 54.00 -7.20  | 30.04 | 36.33 | 13.10 | 32.67 | 345 | 27 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 6905.00 83.65 -----</td> <td>67.79</td> <td>36.14</td> <td>12.16</td> <td>32.44</td> <td>345</td> <td>27</td> <td>AVERAGE</td> </tr> </tbody> </table> |  | Limit Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  | cm | deg |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB |  |  |  | 1 6905.00 83.65 ----- | 67.79 | 36.14 | 12.16 | 32.44 | 345 | 27 |
| Limit Margin                 | Read   | Ant  | Cable | Preamp | Apos  | TPos   | Remark  |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| Freq Level Line (dB)         | Level Factor   | Loss Factor  |       |        | cm    | deg    |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| MHz dBuV/m dBuV/m            | dBuV   | dB/m   | dB    | dB     |       |        |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| 1 7210.25 46.95 68.20 -21.25 | 30.23  | 36.28  | 13.01 | 32.57  | 345   | 27     | AVERAGE |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| 2 7336.69 46.80 54.00 -7.20  | 30.04  | 36.33  | 13.10 | 32.67  | 345   | 27     | AVERAGE |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| Limit Margin                 | Read   | Ant  | Cable | Preamp | Apos  | TPos   | Remark  |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| Freq Level Line (dB)         | Level Factor   | Loss Factor  |       |        | cm    | deg    |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| MHz dBuV/m dBuV/m            | dBuV   | dB/m   | dB    | dB     |       |        |         |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |
| 1 6905.00 83.65 -----        | 67.79  | 36.14  | 12.16 | 32.44  | 345   | 27     | AVERAGE |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                              |       |       |       |       |     |    |         |                              |       |       |       |       |     |    |         |   |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |  |  |  |                       |       |       |       |       |     |    |



|       |   | 76          |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| Mode  | Band Edge - L   |             |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|       | U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3 ①_6025MHz   |             |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| ANT   | CDD 5+4   |             |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Pol.  | Horizontal  | Fundamental |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Peak  | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5906.98</td> <td>45.10</td> <td>68.20</td> <td>-23.10</td> <td>30.83</td> <td>35.37</td> <td>11.43</td> <td>32.53</td> <td>216</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5906.98 | 45.10 | 68.20 | -23.10 | 30.83 | 35.37 | 11.43 | 32.53 | 216 | 65 | AVERAGE | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>92.60</td> <td>-----</td> <td>-----</td> <td>77.72</td> <td>35.61</td> <td>11.87</td> <td>32.60</td> <td>216</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 92.60 | ----- | ----- | 77.72 | 35.61 | 11.87 | 32.60 | 216 | 65 | PEAK    |
|       | Limit   | Margin      | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 5906.98   | 45.10       | 68.20  | -23.10 | 30.83  | 35.37  | 11.43  | 32.53  | 216    | 65     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit | Margin  | Read        | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 6105.00   | 92.60       | -----  | -----  | 77.72  | 35.61  | 11.87  | 32.60  | 216    | 65     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Avg   | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5906.98</td> <td>45.10</td> <td>68.20</td> <td>-23.10</td> <td>30.83</td> <td>35.37</td> <td>11.43</td> <td>32.53</td> <td>216</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5906.98 | 45.10 | 68.20 | -23.10 | 30.83 | 35.37 | 11.43 | 32.53 | 216 | 65 | AVERAGE | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>84.10</td> <td>-----</td> <td>-----</td> <td>69.52</td> <td>35.56</td> <td>11.62</td> <td>32.60</td> <td>216</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 84.10 | ----- | ----- | 69.52 | 35.56 | 11.62 | 32.60 | 216 | 65 | AVERAGE |
| Limit | Margin  | Read        | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 5906.98   | 45.10       | 68.20  | -23.10 | 30.83  | 35.37  | 11.43  | 32.53  | 216    | 65     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit | Margin  | Read        | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 6105.00   | 84.10       | -----  | -----  | 69.52  | 35.56  | 11.62  | 32.60  | 216    | 65     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |







|       |   | 76   |        |        |        |       |        |        |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
|-------|---|--|--------|--------|--------|-------|--------|--------|------|-----|---------|-------|------|------|-------|--------|------|--------|--------|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|--|--|-------|--------|------|-----|-------|--------|------|------|--|------|-------|------|------|-------|--------|------|--------|--------|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|
| Mode  | Band Edge - L   |  |        |        |        |       |        |        |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
|       | U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3 ①_6025MHz   |  |        |        |        |       |        |        |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| ANT   | CDD 5+4   |  |        |        |        |       |        |        |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| Pol.  | Vertical  | Fundamental  |        |        |        |       |        |        |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| Peak  | <p style="text-align: right;">Date: 2023-11-08</p>  | <p style="text-align: right;">Date: 2023-11-08</p> |        |        |        |       |        |        |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
|       | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.46</td> <td>65.18</td> <td>88.20</td> <td>-23.02</td> <td>50.81</td> <td>34.98</td> <td>11.70</td> <td>32.31</td> <td>302</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit  | Margin | Read   | Ant    | Cable | Preamp | APos   | TPos |     | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor | Remark | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5625.46 | 65.18 | 88.20 | -23.02 | 50.81 | 34.98 | 11.70 | 32.31 | 302 | 105 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>90.12</td> <td>-----</td> <td>-----</td> <td>75.85</td> <td>35.51</td> <td>11.36</td> <td>32.60</td> <td>302</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>    |  | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos |  | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor | Remark | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 90.12 | ----- | ----- | 75.85 | 35.51 | 11.36 | 32.60 | 302 | 105 |
| Limit | Margin  | Read   | Ant    | Cable  | Preamp | APos  | TPos   |        |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| Freq  | Level   | Line   | (dB)   | Level  | Factor | Loss  | Factor | Remark |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| MHz   | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB     | dB    | cm     | deg    |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| 1     | 5625.46   | 65.18  | 88.20  | -23.02 | 50.81  | 34.98 | 11.70  | 32.31  | 302  | 105 | PEAK    |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| Limit | Margin  | Read   | Ant    | Cable  | Preamp | APos  | TPos   |        |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| Freq  | Level   | Line   | (dB)   | Level  | Factor | Loss  | Factor | Remark |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| MHz   | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB     | dB    | cm     | deg    |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| 1     | 6105.00   | 90.12  | -----  | -----  | 75.85  | 35.51 | 11.36  | 32.60  | 302  | 105 | PEAK    |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| Avg   | <p style="text-align: right;">Date: 2023-11-08</p>  | <p style="text-align: right;">Date: 2023-11-08</p> |        |        |        |       |        |        |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
|       | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.70</td> <td>48.68</td> <td>68.20</td> <td>-19.52</td> <td>34.32</td> <td>34.97</td> <td>11.70</td> <td>32.31</td> <td>302</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Margin | Read   | Ant    | Cable | Preamp | APos   | TPos |     | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor | Remark | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5624.70 | 48.68 | 68.20 | -19.52 | 34.32 | 34.97 | 11.70 | 32.31 | 302 | 105 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>81.68</td> <td>-----</td> <td>-----</td> <td>67.23</td> <td>35.54</td> <td>11.51</td> <td>32.60</td> <td>302</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table> |  | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos |  | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor | Remark | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 81.68 | ----- | ----- | 67.23 | 35.54 | 11.51 | 32.60 | 302 | 105 |
| Limit | Margin  | Read   | Ant    | Cable  | Preamp | APos  | TPos   |        |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| Freq  | Level   | Line   | (dB)   | Level  | Factor | Loss  | Factor | Remark |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| MHz   | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB     | dB    | cm     | deg    |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| 1     | 5624.70   | 48.68  | 68.20  | -19.52 | 34.32  | 34.97 | 11.70  | 32.31  | 302  | 105 | AVERAGE |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| Limit | Margin  | Read   | Ant    | Cable  | Preamp | APos  | TPos   |        |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| Freq  | Level   | Line   | (dB)   | Level  | Factor | Loss  | Factor | Remark |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| MHz   | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB     | dB    | cm     | deg    |      |     |         |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |
| 1     | 6105.00   | 81.68  | -----  | -----  | 67.23  | 35.54 | 11.51  | 32.60  | 302  | 105 | AVERAGE |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |  |       |        |      |     |       |        |      |      |  |      |       |      |      |       |        |      |        |        |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |



|       |   | 77          |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| Mode  | Band Edge   |             |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|       | U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3_4_6905MHz  |             |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| ANT   | CDD 5+4   |             |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Pol.  | Horizontal  | Fundamental |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Peak  | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7200.57</td> <td>55.40</td> <td>88.20</td> <td>-32.80</td> <td>38.68</td> <td>36.28</td> <td>13.00</td> <td>32.56</td> <td>384</td> <td>67</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7296.16</td> <td>55.47</td> <td>74.00</td> <td>-18.53</td> <td>38.72</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>384</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>      | Limit       | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7200.57 | 55.40 | 88.20 | -32.80 | 38.68 | 36.28 | 13.00 | 32.56 | 384 | 67 | PEAK    | 2 | 7296.16 | 55.47 | 74.00 | -18.53 | 38.72 | 36.32 | 13.07 | 32.64 | 384 | 67 | PEAK    | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>88.17</td> <td>-----</td> <td>-----</td> <td>72.53</td> <td>36.08</td> <td>12.04</td> <td>32.48</td> <td>384</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 88.17 | ----- | ----- | 72.53 | 36.08 | 12.04 | 32.48 | 384 | 67 | PEAK    |
|       | Limit   | Margin      | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 7200.57   | 55.40       | 88.20  | -32.80 | 38.68  | 36.28  | 13.00  | 32.56  | 384    | 67     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 2     | 7296.16   | 55.47       | 74.00  | -18.53 | 38.72  | 36.32  | 13.07  | 32.64  | 384    | 67     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit | Margin  | Read        | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 6905.00   | 88.17       | -----  | -----  | 72.53  | 36.08  | 12.04  | 32.48  | 384    | 67     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Avg   | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7214.48</td> <td>46.99</td> <td>68.20</td> <td>-21.21</td> <td>30.26</td> <td>36.29</td> <td>13.01</td> <td>32.57</td> <td>384</td> <td>67</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7265.30</td> <td>47.06</td> <td>54.00</td> <td>-6.94</td> <td>30.31</td> <td>36.31</td> <td>13.05</td> <td>32.61</td> <td>384</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7214.48 | 46.99 | 68.20 | -21.21 | 30.26 | 36.29 | 13.01 | 32.57 | 384 | 67 | AVERAGE | 2 | 7265.30 | 47.06 | 54.00 | -6.94  | 30.31 | 36.31 | 13.05 | 32.61 | 384 | 67 | AVERAGE | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>79.95</td> <td>-----</td> <td>-----</td> <td>64.02</td> <td>36.16</td> <td>12.20</td> <td>32.43</td> <td>384</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 79.95 | ----- | ----- | 64.02 | 36.16 | 12.20 | 32.43 | 384 | 67 | AVERAGE |
| Limit | Margin  | Read        | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 7214.48   | 46.99       | 68.20  | -21.21 | 30.26  | 36.29  | 13.01  | 32.57  | 384    | 67     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 2     | 7265.30   | 47.06       | 54.00  | -6.94  | 30.31  | 36.31  | 13.05  | 32.61  | 384    | 67     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit | Margin  | Read        | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 6905.00   | 79.95       | -----  | -----  | 64.02  | 36.16  | 12.20  | 32.43  | 384    | 67     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |







|       |   | 77          |        |        |        |        |        |        |        |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|--------|------------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|------------|
| Mode  | Band Edge   |             |        |        |        |        |        |        |        |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
|       | U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3_4_6905MHz  |             |        |        |        |        |        |        |        |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| ANT   | CDD 5+4   |             |        |        |        |        |        |        |        |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Pol.  | Vertical  | Fundamental |        |        |        |        |        |        |        |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Peak  |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7221.14</td> <td>55.57</td> <td>88.20</td> <td>-32.63</td> <td>38.85</td> <td>36.29</td> <td>13.01</td> <td>32.58</td> <td>100</td> <td>34 PEAK</td> </tr> <tr> <td>2</td> <td>7262.28</td> <td>54.95</td> <td>74.00</td> <td>-19.05</td> <td>38.22</td> <td>36.30</td> <td>13.04</td> <td>32.61</td> <td>100</td> <td>34 PEAK</td> </tr> </tbody> </table>       | Limit       | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark     | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7221.14 | 55.57 | 88.20 | -32.63 | 38.85 | 36.29 | 13.01 | 32.58 | 100 | 34 PEAK    | 2 | 7262.28 | 54.95 | 74.00 | -19.05 | 38.22 | 36.30 | 13.04 | 32.61 | 100 | 34 PEAK    |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>91.75</td> <td>-----</td> <td>-----</td> <td>75.89</td> <td>36.14</td> <td>12.16</td> <td>32.44</td> <td>100</td> <td>34 PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 91.75 | ----- | ----- | 75.89 | 36.14 | 12.16 | 32.44 | 100 | 34 PEAK    |
|       | Limit   | Margin      | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss   | Factor |        |        |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1     | 7221.14   | 55.57       | 88.20  | -32.63 | 38.85  | 36.29  | 13.01  | 32.58  | 100    | 34 PEAK    |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 2     | 7262.28   | 54.95       | 74.00  | -19.05 | 38.22  | 36.30  | 13.04  | 32.61  | 100    | 34 PEAK    |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Limit | Margin  | Read        | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss   | Factor |        |        |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1     | 6905.00   | 91.75       | -----  | -----  | 75.89  | 36.14  | 12.16  | 32.44  | 100    | 34 PEAK    |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Avg   |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7208.43</td> <td>46.99</td> <td>68.20</td> <td>-21.21</td> <td>30.27</td> <td>36.28</td> <td>13.01</td> <td>32.57</td> <td>100</td> <td>34 AVERAGE</td> </tr> <tr> <td>2</td> <td>7317.94</td> <td>46.86</td> <td>54.00</td> <td>-7.14</td> <td>30.11</td> <td>36.33</td> <td>13.08</td> <td>32.66</td> <td>100</td> <td>34 AVERAGE</td> </tr> </tbody> </table> | Limit       | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark     | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7208.43 | 46.99 | 68.20 | -21.21 | 30.27 | 36.28 | 13.01 | 32.57 | 100 | 34 AVERAGE | 2 | 7317.94 | 46.86 | 54.00 | -7.14  | 30.11 | 36.33 | 13.08 | 32.66 | 100 | 34 AVERAGE |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>83.47</td> <td>-----</td> <td>-----</td> <td>67.61</td> <td>36.14</td> <td>12.16</td> <td>32.44</td> <td>100</td> <td>34 AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 83.47 | ----- | ----- | 67.61 | 36.14 | 12.16 | 32.44 | 100 | 34 AVERAGE |
|       | Limit   | Margin      | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss   | Factor |        |        |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1     | 7208.43   | 46.99       | 68.20  | -21.21 | 30.27  | 36.28  | 13.01  | 32.57  | 100    | 34 AVERAGE |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 2     | 7317.94   | 46.86       | 54.00  | -7.14  | 30.11  | 36.33  | 13.08  | 32.66  | 100    | 34 AVERAGE |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Limit | Margin  | Read        | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq  | Level   | Line        | (dB)   | Level  | Factor | Loss   | Factor |        |        |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |            |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1     | 6905.00   | 83.47       | -----  | -----  | 67.61  | 36.14  | 12.16  | 32.44  | 100    | 34 AVERAGE |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |







|             |  | <b>78</b>          |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
|-------------|--|--------------------|--------|--------|--------|-------------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|-------------|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|-------------|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|--------|--------|-------|-------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge - L</b>   |                    |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
|             | <b>U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484_⑧_6025MHz</b>   |                    |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b> |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.46</td> <td>60.95</td> <td>88.20</td> <td>-27.25</td> <td>46.58</td> <td>34.98</td> <td>11.70</td> <td>32.31</td> <td>216</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit              | Margin | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5625.46 | 60.95 | 88.20 | -27.25 | 46.58 | 34.98 | 11.70 | 32.31 | 216 | 65 | PEAK    | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>93.12</td> <td>-----</td> <td>-----</td> <td>78.58</td> <td>35.55</td> <td>11.59</td> <td>32.60</td> <td>216</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>      | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 93.12 | ----- | ----- | 78.58  | 35.55  | 11.59 | 32.60 | 216 | 65 | PEAK    |
|             | Limit  | Margin             | Read   | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB          | cm     | deg    |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| 1           | 5625.46  | 60.95              | 88.20  | -27.25 | 46.58  | 34.98       | 11.70  | 32.31  | 216    | 65     | PEAK    |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp | APos        | TPos   | Remark |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB          | cm     | deg    |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| 1           | 6105.00  | 93.12              | -----  | -----  | 78.58  | 35.55       | 11.59  | 32.60  | 216    | 65     | PEAK    |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5797.59</td> <td>49.33</td> <td>68.20</td> <td>-18.87</td> <td>34.93</td> <td>35.22</td> <td>11.62</td> <td>32.44</td> <td>216</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5797.59 | 49.33 | 68.20 | -18.87 | 34.93 | 35.22 | 11.62 | 32.44 | 216 | 65 | AVERAGE | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>84.46</td> <td>-----</td> <td>-----</td> <td>605.37</td> <td>500.00</td> <td>11.69</td> <td>32.60</td> <td>216</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 84.46 | ----- | ----- | 605.37 | 500.00 | 11.69 | 32.60 | 216 | 65 | AVERAGE |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp | APos        | TPos   | Remark |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB          | cm     | deg    |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| 1           | 5797.59  | 49.33              | 68.20  | -18.87 | 34.93  | 35.22       | 11.62  | 32.44  | 216    | 65     | AVERAGE |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp | APos        | TPos   | Remark |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB          | cm     | deg    |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |
| 1           | 6105.00  | 84.46              | -----  | -----  | 605.37 | 500.00      | 11.69  | 32.60  | 216    | 65     | AVERAGE |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |        |        |       |       |     |    |         |



|       |   | 78  |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------|---|---|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| Mode  |   | Band Edge - L   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|       |   | U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484 ⑧_6025MHz |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| ANT   |   | CDD 5+4   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Pol.  | Vertical  | Fundamental   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Peak  |  <p>Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.70</td> <td>70.17</td> <td>88.20</td> <td>-18.03</td> <td>55.81</td> <td>34.97</td> <td>11.70</td> <td>32.31</td> <td>302</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit   | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5624.70 | 70.17 | 88.20 | -18.03 | 55.81 | 34.97 | 11.70 | 32.31 | 302 | 105 | PEAK    |  <p>Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>90.91</td> <td>-----</td> <td>-----</td> <td>76.46</td> <td>35.54</td> <td>11.51</td> <td>32.60</td> <td>302</td> <td>105</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 90.91 | ----- | ----- | 76.46 | 35.54 | 11.51 | 32.60 | 302 | 105 | PEAK    |
|       | Limit   | Margin  | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level   | Line  | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 5624.70   | 70.17   | 88.20  | -18.03 | 55.81  | 34.97  | 11.70  | 32.31  | 302    | 105    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit | Margin  | Read  | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level   | Line  | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 6105.00   | 90.91   | -----  | -----  | 76.46  | 35.54  | 11.51  | 32.60  | 302    | 105    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Avg   |  <p>Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5789.17</td> <td>52.99</td> <td>68.20</td> <td>-15.21</td> <td>38.61</td> <td>35.20</td> <td>11.62</td> <td>32.44</td> <td>302</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit   | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5789.17 | 52.99 | 68.20 | -15.21 | 38.61 | 35.20 | 11.62 | 32.44 | 302 | 105 | AVERAGE |  <p>Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>82.39</td> <td>-----</td> <td>-----</td> <td>67.85</td> <td>35.55</td> <td>11.59</td> <td>32.60</td> <td>302</td> <td>105</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 82.39 | ----- | ----- | 67.85 | 35.55 | 11.59 | 32.60 | 302 | 105 | AVERAGE |
| Limit | Margin  | Read  | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level   | Line  | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 5789.17   | 52.99   | 68.20  | -15.21 | 38.61  | 35.20  | 11.62  | 32.44  | 302    | 105    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit | Margin  | Read  | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level   | Line  | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 6105.00   | 82.39   | -----  | -----  | 67.85  | 35.55  | 11.59  | 32.60  | 302    | 105    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |



|             |   | <b>79</b>          |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|-------------|---|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3+484_5_6905MHz</b>   |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Peak</b> |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7220.53</td> <td>55.86</td> <td>88.20</td> <td>-32.34</td> <td>39.14</td> <td>36.29</td> <td>13.01</td> <td>32.58</td> <td>384</td> <td>65</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7266.51</td> <td>55.73</td> <td>74.00</td> <td>-18.27</td> <td>38.98</td> <td>36.31</td> <td>13.05</td> <td>32.61</td> <td>384</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>       | Limit              | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7220.53 | 55.86 | 88.20 | -32.34 | 39.14 | 36.29 | 13.01 | 32.58 | 384 | 65 | PEAK    | 2 | 7266.51 | 55.73 | 74.00 | -18.27 | 38.98 | 36.31 | 13.05 | 32.61 | 384 | 65 | PEAK    |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>88.61</td> <td>-----</td> <td>-----</td> <td>72.97</td> <td>36.08</td> <td>12.04</td> <td>32.48</td> <td>384</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 88.61 | ----- | ----- | 72.97 | 36.08 | 12.04 | 32.48 | 384 | 65 | PEAK    |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7220.53   | 55.86              | 88.20  | -32.34 | 39.14  | 36.29  | 13.01  | 32.58  | 384    | 65     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7266.51   | 55.73              | 74.00  | -18.27 | 38.98  | 36.31  | 13.05  | 32.61  | 384    | 65     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 6905.00   | 88.61              | -----  | -----  | 72.97  | 36.08  | 12.04  | 32.48  | 384    | 65     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Avg</b>  |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7212.06</td> <td>47.25</td> <td>68.20</td> <td>-20.95</td> <td>30.53</td> <td>36.28</td> <td>13.01</td> <td>32.57</td> <td>384</td> <td>65</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7289.50</td> <td>46.96</td> <td>54.00</td> <td>-7.04</td> <td>30.21</td> <td>36.32</td> <td>13.06</td> <td>32.63</td> <td>384</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7212.06 | 47.25 | 68.20 | -20.95 | 30.53 | 36.28 | 13.01 | 32.57 | 384 | 65 | AVERAGE | 2 | 7289.50 | 46.96 | 54.00 | -7.04  | 30.21 | 36.32 | 13.06 | 32.63 | 384 | 65 | AVERAGE |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>80.25</td> <td>-----</td> <td>-----</td> <td>64.27</td> <td>36.17</td> <td>12.23</td> <td>32.42</td> <td>384</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 80.25 | ----- | ----- | 64.27 | 36.17 | 12.23 | 32.42 | 384 | 65 | AVERAGE |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7212.06   | 47.25              | 68.20  | -20.95 | 30.53  | 36.28  | 13.01  | 32.57  | 384    | 65     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7289.50   | 46.96              | 54.00  | -7.04  | 30.21  | 36.32  | 13.06  | 32.63  | 384    | 65     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 6905.00   | 80.25              | -----  | -----  | 64.27  | 36.17  | 12.23  | 32.42  | 384    | 65     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |



|             | <b>79</b>  |                    |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|-------------|--|--------------------|--------|--------|-------------|-------|--------|--------|------|--------|---------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3+484_5_6905MHz</b>  |                    |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7232.63</td> <td>56.47</td> <td>88.20</td> <td>-31.73</td> <td>39.75</td> <td>36.29</td> <td>13.02</td> <td>32.59</td> <td>100</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7346.98</td> <td>56.11</td> <td>74.00</td> <td>-17.89</td> <td>39.35</td> <td>36.34</td> <td>13.10</td> <td>32.68</td> <td>100</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>      | Limit              | Margin | Read   | Ant         | Cable | Preamp | APos   | TPos | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7232.63 | 56.47 | 88.20 | -31.73 | 39.75 | 36.29 | 13.02 | 32.59 | 100 | 28 | PEAK    | 2 | 7346.98 | 56.11 | 74.00 | -17.89 | 39.35 | 36.34 | 13.10 | 32.68 | 100 | 28 | PEAK    | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>91.35</td> <td>-----</td> <td>-----</td> <td>75.49</td> <td>36.14</td> <td>12.16</td> <td>32.44</td> <td>100</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 91.35 | ----- | ----- | 75.49 | 36.14 | 12.16 | 32.44 | 100 | 28 | PEAK    |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | APos  | TPos   | Remark |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7232.63  | 56.47              | 88.20  | -31.73 | 39.75       | 36.29 | 13.02  | 32.59  | 100  | 28     | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7346.98  | 56.11              | 74.00  | -17.89 | 39.35       | 36.34 | 13.10  | 32.68  | 100  | 28     | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | APos  | TPos   | Remark |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 6905.00  | 91.35              | -----  | -----  | 75.49       | 36.14 | 12.16  | 32.44  | 100  | 28     | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7223.56</td> <td>47.24</td> <td>68.20</td> <td>-20.96</td> <td>30.51</td> <td>36.29</td> <td>13.02</td> <td>32.58</td> <td>100</td> <td>28</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7282.85</td> <td>47.63</td> <td>54.00</td> <td>-6.37</td> <td>30.89</td> <td>36.31</td> <td>13.06</td> <td>32.63</td> <td>100</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant         | Cable | Preamp | APos   | TPos | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7223.56 | 47.24 | 68.20 | -20.96 | 30.51 | 36.29 | 13.02 | 32.58 | 100 | 28 | AVERAGE | 2 | 7282.85 | 47.63 | 54.00 | -6.37  | 30.89 | 36.31 | 13.06 | 32.63 | 100 | 28 | AVERAGE | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>82.60</td> <td>-----</td> <td>-----</td> <td>66.74</td> <td>36.14</td> <td>12.16</td> <td>32.44</td> <td>100</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 82.60 | ----- | ----- | 66.74 | 36.14 | 12.16 | 32.44 | 100 | 28 | AVERAGE |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | APos  | TPos   | Remark |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7223.56  | 47.24              | 68.20  | -20.96 | 30.51       | 36.29 | 13.02  | 32.58  | 100  | 28     | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7282.85  | 47.63              | 54.00  | -6.37  | 30.89       | 36.31 | 13.06  | 32.63  | 100  | 28     | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | APos  | TPos   | Remark |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 6905.00  | 82.60              | -----  | -----  | 66.74       | 36.14 | 12.16  | 32.44  | 100  | 28     | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |



|             |  | <b>80</b>  |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------------|--|--|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b> |  | <b>Band Edge</b>   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|             |  | <b>U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M ①_5985MHz</b> |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>ANT</b>  |  | <b>CDD 5+4</b>   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b>   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.80</td> <td>65.19</td> <td>88.20</td> <td>-23.01</td> <td>50.93</td> <td>35.38</td> <td>11.42</td> <td>32.54</td> <td>400</td> <td>132</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit  | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5917.80 | 65.19 | 88.20 | -23.01 | 50.93 | 35.38 | 11.42 | 32.54 | 400 | 132 | PEAK    | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>95.63</td> <td>-----</td> <td>-----</td> <td>81.39</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>400</td> <td>132</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5985.00 | 95.63 | ----- | ----- | 81.39 | 35.43 | 11.37 | 32.56 | 400 | 132 | PEAK    |
|             | Limit  | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m   | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5917.80  | 65.19  | 88.20  | -23.01 | 50.93  | 35.38  | 11.42  | 32.54  | 400    | 132    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m   | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5985.00  | 95.63  | -----  | -----  | 81.39  | 35.43  | 11.37  | 32.56  | 400    | 132    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.08</td> <td>49.51</td> <td>68.20</td> <td>-18.69</td> <td>35.25</td> <td>35.39</td> <td>11.41</td> <td>32.54</td> <td>400</td> <td>132</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5923.08 | 49.51 | 68.20 | -18.69 | 35.25 | 35.39 | 11.41 | 32.54 | 400 | 132 | AVERAGE | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>85.72</td> <td>-----</td> <td>-----</td> <td>71.48</td> <td>35.43</td> <td>11.37</td> <td>32.56</td> <td>400</td> <td>132</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5985.00 | 85.72 | ----- | ----- | 71.48 | 35.43 | 11.37 | 32.56 | 400 | 132 | AVERAGE |
|             | Limit  | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m   | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5923.08  | 49.51  | 68.20  | -18.69 | 35.25  | 35.39  | 11.41  | 32.54  | 400    | 132    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m   | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5985.00  | 85.72  | -----  | -----  | 71.48  | 35.43  | 11.37  | 32.56  | 400    | 132    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |







|             |   | <b>80</b>  |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------------|---|--|--------|--------|-------------|--------|--------|--------|--------|--------|---------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b> |   | <b>Band Edge</b>   |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|             |   | <b>U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M_①_5985MHz</b> |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>ANT</b>  |   | <b>CDD 5+4</b>   |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b>   |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.32</td> <td>67.01</td> <td>88.20</td> <td>-21.19</td> <td>52.75</td> <td>35.38</td> <td>11.42</td> <td>32.54</td> <td>100</td> <td>325</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit  | Margin | Read   | Ant         | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5917.32 | 67.01 | 88.20 | -21.19 | 52.75 | 35.38 | 11.42 | 32.54 | 100 | 325 | PEAK    | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>97.69</td> <td>-----</td> <td>-----</td> <td>83.47</td> <td>35.44</td> <td>11.35</td> <td>32.57</td> <td>100</td> <td>325</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5985.00 | 97.69 | ----- | ----- | 83.47 | 35.44 | 11.35 | 32.57 | 100 | 325 | PEAK    |
|             | Limit   | Margin   | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line   | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5917.32   | 67.01  | 88.20  | -21.19 | 52.75       | 35.38  | 11.42  | 32.54  | 100    | 325    | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin  | Read   | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line   | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5985.00   | 97.69  | -----  | -----  | 83.47       | 35.44  | 11.35  | 32.57  | 100    | 325    | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.40</td> <td>52.56</td> <td>68.20</td> <td>-15.64</td> <td>38.30</td> <td>35.39</td> <td>11.41</td> <td>32.54</td> <td>100</td> <td>325</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Margin | Read   | Ant         | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5923.40 | 52.56 | 68.20 | -15.64 | 38.30 | 35.39 | 11.41 | 32.54 | 100 | 325 | AVERAGE | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>88.98</td> <td>-----</td> <td>-----</td> <td>74.76</td> <td>35.44</td> <td>11.35</td> <td>32.57</td> <td>100</td> <td>325</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5985.00 | 88.98 | ----- | ----- | 74.76 | 35.44 | 11.35 | 32.57 | 100 | 325 | AVERAGE |
|             | Limit   | Margin   | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line   | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5923.40   | 52.56  | 68.20  | -15.64 | 38.30       | 35.39  | 11.41  | 32.54  | 100    | 325    | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin  | Read   | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line   | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5985.00   | 88.98  | -----  | -----  | 74.76       | 35.44  | 11.35  | 32.57  | 100    | 325    | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |



|             |   | <b>81</b>          |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------------|---|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT80_CH215_Puncturing 20M_1_7025MHz</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7128.81</td> <td>70.98</td> <td>88.20</td> <td>-17.22</td> <td>54.50</td> <td>36.25</td> <td>12.74</td> <td>32.51</td> <td>394</td> <td>103</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7303.65</td> <td>56.61</td> <td>74.00</td> <td>-17.39</td> <td>39.86</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>394</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>      | Limit              | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7128.81 | 70.98 | 88.20 | -17.22 | 54.50 | 36.25 | 12.74 | 32.51 | 394 | 103 | PEAK    | 2 | 7303.65 | 56.61 | 74.00 | -17.39 | 39.86 | 36.32 | 13.07 | 32.64 | 394 | 103 | PEAK    | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>99.16</td> <td>-----</td> <td>-----</td> <td>83.05</td> <td>36.20</td> <td>12.32</td> <td>32.41</td> <td>394</td> <td>103</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7025.00 | 99.16 | ----- | ----- | 83.05 | 36.20 | 12.32 | 32.41 | 394 | 103 | PEAK    |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 7128.81   | 70.98              | 88.20  | -17.22 | 54.50  | 36.25  | 12.74  | 32.51  | 394    | 103    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 2           | 7303.65   | 56.61              | 74.00  | -17.39 | 39.86  | 36.32  | 13.07  | 32.64  | 394    | 103    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 7025.00   | 99.16              | -----  | -----  | 83.05  | 36.20  | 12.32  | 32.41  | 394    | 103    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7128.81</td> <td>58.11</td> <td>68.20</td> <td>-10.09</td> <td>41.63</td> <td>36.25</td> <td>12.74</td> <td>32.51</td> <td>394</td> <td>103</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7250.36</td> <td>46.44</td> <td>54.00</td> <td>-7.56</td> <td>29.70</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>394</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7128.81 | 58.11 | 68.20 | -10.09 | 41.63 | 36.25 | 12.74 | 32.51 | 394 | 103 | AVERAGE | 2 | 7250.36 | 46.44 | 54.00 | -7.56  | 29.70 | 36.30 | 13.04 | 32.60 | 394 | 103 | AVERAGE | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>88.67</td> <td>-----</td> <td>-----</td> <td>72.56</td> <td>36.20</td> <td>12.32</td> <td>32.41</td> <td>394</td> <td>103</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7025.00 | 88.67 | ----- | ----- | 72.56 | 36.20 | 12.32 | 32.41 | 394 | 103 | AVERAGE |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 7128.81   | 58.11              | 68.20  | -10.09 | 41.63  | 36.25  | 12.74  | 32.51  | 394    | 103    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 2           | 7250.36   | 46.44              | 54.00  | -7.56  | 29.70  | 36.30  | 13.04  | 32.60  | 394    | 103    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 7025.00   | 88.67              | -----  | -----  | 72.56  | 36.20  | 12.32  | 32.41  | 394    | 103    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |







|             | <b>81</b>  |                    |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------------|--|--------------------|--------|--------|-------------|-------|--------|--------|------|--------|---------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT80_CH215_Puncturing 20M_1_7025MHz</b>   |                    |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Peak</b> |  <p>Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.72</td> <td>70.44</td> <td>88.20</td> <td>-17.76</td> <td>53.96</td> <td>36.25</td> <td>12.74</td> <td>32.51</td> <td>197</td> <td>307</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7252.55</td> <td>57.60</td> <td>74.00</td> <td>-16.40</td> <td>40.86</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>197</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>      | Limit              | Margin | Read   | Ant         | Cable | Preamp | Apos   | TPos | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7127.72 | 70.44 | 88.20 | -17.76 | 53.96 | 36.25 | 12.74 | 32.51 | 197 | 307 | PEAK    | 2 | 7252.55 | 57.60 | 74.00 | -16.40 | 40.86 | 36.30 | 13.04 | 32.60 | 197 | 307 | PEAK    |  <p>Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>99.40</td> <td>-----</td> <td>-----</td> <td>83.25</td> <td>36.21</td> <td>12.36</td> <td>32.42</td> <td>197</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7025.00 | 99.40 | ----- | ----- | 83.25 | 36.21 | 12.36 | 32.42 | 197 | 307 | PEAK    |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | Apos  | TPos   | Remark |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 7127.72  | 70.44              | 88.20  | -17.76 | 53.96       | 36.25 | 12.74  | 32.51  | 197  | 307    | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 2           | 7252.55  | 57.60              | 74.00  | -16.40 | 40.86       | 36.30 | 13.04  | 32.60  | 197  | 307    | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | Apos  | TPos   | Remark |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 7025.00  | 99.40              | -----  | -----  | 83.25       | 36.21 | 12.36  | 32.42  | 197  | 307    | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Avg</b>  |  <p>Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.89</td> <td>58.57</td> <td>68.20</td> <td>-9.63</td> <td>42.09</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>197</td> <td>307</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7250.36</td> <td>47.19</td> <td>54.00</td> <td>-6.81</td> <td>30.45</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>197</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant         | Cable | Preamp | Apos   | TPos | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.89 | 58.57 | 68.20 | -9.63  | 42.09 | 36.25 | 12.73 | 32.50 | 197 | 307 | AVERAGE | 2 | 7250.36 | 47.19 | 54.00 | -6.81  | 30.45 | 36.30 | 13.04 | 32.60 | 197 | 307 | AVERAGE |  <p>Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>88.93</td> <td>-----</td> <td>-----</td> <td>72.69</td> <td>36.22</td> <td>12.47</td> <td>32.45</td> <td>197</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7025.00 | 88.93 | ----- | ----- | 72.69 | 36.22 | 12.47 | 32.45 | 197 | 307 | AVERAGE |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | Apos  | TPos   | Remark |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 7125.89  | 58.57              | 68.20  | -9.63  | 42.09       | 36.25 | 12.73  | 32.50  | 197  | 307    | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 2           | 7250.36  | 47.19              | 54.00  | -6.81  | 30.45       | 36.30 | 13.04  | 32.60  | 197  | 307    | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | Apos  | TPos   | Remark |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 7025.00  | 88.93              | -----  | -----  | 72.69       | 36.22 | 12.47  | 32.45  | 197  | 307    | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |



|           |  | 82  |        |        |             |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
|-----------|--|---|--------|--------|-------------|--------|--------|-----------------|--------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|-----------------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|-----------------|
| Mode      |  | Band Edge   |        |        |             |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
|           |  | U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M_①_6025MHz |        |        |             |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| ANT       |  | CDD 5+4   |        |        |             |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Pol.      | Horizontal   | Fundamental   |        |        |             |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Peak      | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5881.00</td> <td>75.01</td> <td>88.20</td> <td>-13.19</td> <td>60.71</td> <td>35.33</td> <td>11.48</td> <td>32.51</td> <td>400 301 PEAK</td> </tr> </tbody> </table>    | Limit   | Margin | Read   | Ant         | Cable  | Preamp | APos            | TPos   | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 5881.00 | 75.01 | 88.20 | -13.19 | 60.71 | 35.33 | 11.48 | 32.51 | 400 301 PEAK    | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6025.00</td> <td>95.90</td> <td>-----</td> <td>-----</td> <td>81.57</td> <td>35.52</td> <td>11.41</td> <td>32.60</td> <td>400 301 PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 6025.00 | 95.90 | ----- | ----- | 81.57 | 35.52 | 11.41 | 32.60 | 400 301 PEAK    |
|           | Limit  | Margin  | Read   | Ant    | Cable       | Preamp | APos   | TPos            | Remark |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Freq      | Level  | Line  | Level  | Factor | Loss Factor |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| MHz       | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg             |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| 1 5881.00 | 75.01  | 88.20   | -13.19 | 60.71  | 35.33       | 11.48  | 32.51  | 400 301 PEAK    |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Limit     | Margin   | Read  | Ant    | Cable  | Preamp      | APos   | TPos   | Remark          |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Freq      | Level  | Line  | Level  | Factor | Loss Factor |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| MHz       | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg             |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| 1 6025.00 | 95.90  | -----   | -----  | 81.57  | 35.52       | 11.41  | 32.60  | 400 301 PEAK    |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Avg       | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5870.08</td> <td>58.09</td> <td>68.20</td> <td>-10.11</td> <td>43.77</td> <td>35.32</td> <td>11.50</td> <td>32.50</td> <td>400 301 AVERAGE</td> </tr> </tbody> </table> | Limit   | Margin | Read   | Ant         | Cable  | Preamp | APos            | TPos   | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 5870.08 | 58.09 | 68.20 | -10.11 | 43.77 | 35.32 | 11.50 | 32.50 | 400 301 AVERAGE | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6025.00</td> <td>87.37</td> <td>-----</td> <td>-----</td> <td>73.13</td> <td>35.50</td> <td>11.34</td> <td>32.60</td> <td>400 301 AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 6025.00 | 87.37 | ----- | ----- | 73.13 | 35.50 | 11.34 | 32.60 | 400 301 AVERAGE |
|           | Limit  | Margin  | Read   | Ant    | Cable       | Preamp | APos   | TPos            | Remark |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Freq      | Level  | Line  | Level  | Factor | Loss Factor |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| MHz       | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg             |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| 1 5870.08 | 58.09  | 68.20   | -10.11 | 43.77  | 35.32       | 11.50  | 32.50  | 400 301 AVERAGE |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Limit     | Margin   | Read  | Ant    | Cable  | Preamp      | APos   | TPos   | Remark          |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Freq      | Level  | Line  | Level  | Factor | Loss Factor |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| MHz       | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg             |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| 1 6025.00 | 87.37  | -----   | -----  | 73.13  | 35.50       | 11.34  | 32.60  | 400 301 AVERAGE |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |



|       |   | 82  |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------|---|---|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| Mode  |   | Band Edge   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|       |   | U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M_④_6025MHz |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| ANT   |   | CDD 5+4   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Pol.  | Vertical  | Fundamental   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Peak  |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5881.28</td> <td>75.54</td> <td>88.20</td> <td>-12.66</td> <td>61.24</td> <td>35.33</td> <td>11.48</td> <td>32.51</td> <td>100</td> <td>325</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit   | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5881.28 | 75.54 | 88.20 | -12.66 | 61.24 | 35.33 | 11.48 | 32.51 | 100 | 325 | PEAK    |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>96.50</td> <td>-----</td> <td>-----</td> <td>82.28</td> <td>35.44</td> <td>11.35</td> <td>32.57</td> <td>100</td> <td>325</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6025.00 | 96.50 | ----- | ----- | 82.28 | 35.44 | 11.35 | 32.57 | 100 | 325 | PEAK    |
|       | Limit   | Margin  | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level   | Line  | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 5881.28   | 75.54   | 88.20  | -12.66 | 61.24  | 35.33  | 11.48  | 32.51  | 100    | 325    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit | Margin  | Read  | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level   | Line  | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 6025.00   | 96.50   | -----  | -----  | 82.28  | 35.44  | 11.35  | 32.57  | 100    | 325    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Avg   |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5881.00</td> <td>58.35</td> <td>68.20</td> <td>-9.85</td> <td>44.05</td> <td>35.33</td> <td>11.48</td> <td>32.51</td> <td>100</td> <td>325</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit   | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5881.00 | 58.35 | 68.20 | -9.85  | 44.05 | 35.33 | 11.48 | 32.51 | 100 | 325 | AVERAGE |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>86.29</td> <td>-----</td> <td>-----</td> <td>72.08</td> <td>35.50</td> <td>11.31</td> <td>32.60</td> <td>100</td> <td>325</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6025.00 | 86.29 | ----- | ----- | 72.08 | 35.50 | 11.31 | 32.60 | 100 | 325 | AVERAGE |
|       | Limit   | Margin  | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level   | Line  | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 5881.00   | 58.35   | 68.20  | -9.85  | 44.05  | 35.33  | 11.48  | 32.51  | 100    | 325    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit | Margin  | Read  | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level   | Line  | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 6025.00   | 86.29   | -----  | -----  | 72.08  | 35.50  | 11.31  | 32.60  | 100    | 325    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |







|             |   | <b>83</b>  |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|-------------|---|--|--------|--------|-------------|-------|--------|--------|------|--------|---------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|--|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|
| <b>Mode</b> | <b>Band Edge</b>  |  |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 40M_1_6985MHz</b>   |  |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| <b>ANT</b>  | <b>CDD 5+4</b>  |  |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b>                                 |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-12-05</p>  | <p style="text-align: right;">Date: 2023-12-05</p> |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7138.75</td> <td>64.81</td> <td>88.20</td> <td>-23.39</td> <td>48.28</td> <td>36.26</td> <td>12.78</td> <td>32.51</td> <td>400</td> <td>86</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7340.63</td> <td>55.33</td> <td>74.00</td> <td>-18.67</td> <td>38.56</td> <td>36.34</td> <td>13.10</td> <td>32.67</td> <td>400</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>      | Limit  | Margin | Read   | Ant         | Cable | Preamp | Apos   | TPos | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7138.75 | 64.81 | 88.20 | -23.39 | 48.28 | 36.26 | 12.78 | 32.51 | 400 | 86 | PEAK    | 2 | 7340.63 | 55.33 | 74.00 | -18.67 | 38.56 | 36.34 | 13.10 | 32.67 | 400 | 86 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>94.47</td> <td>-----</td> <td>-----</td> <td>78.37</td> <td>36.20</td> <td>12.30</td> <td>32.40</td> <td>400</td> <td>86</td> <td>PEAK</td> </tr> </tbody> </table>    |  | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6985.00 | 94.47 | ----- | ----- | 78.37 | 36.20 | 12.30 | 32.40 | 400 | 86 |
| Limit       | Margin  | Read   | Ant    | Cable  | Preamp      | Apos  | TPos   | Remark |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq        | Level   | Line   | Level  | Factor | Loss Factor |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz         | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1           | 7138.75   | 64.81  | 88.20  | -23.39 | 48.28       | 36.26 | 12.78  | 32.51  | 400  | 86     | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 2           | 7340.63   | 55.33  | 74.00  | -18.67 | 38.56       | 36.34 | 13.10  | 32.67  | 400  | 86     | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Limit       | Margin  | Read   | Ant    | Cable  | Preamp      | Apos  | TPos   | Remark |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq        | Level   | Line   | Level  | Factor | Loss Factor |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz         | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1           | 6985.00   | 94.47  | -----  | -----  | 78.37       | 36.20 | 12.30  | 32.40  | 400  | 86     | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-12-05</p>  | <p style="text-align: right;">Date: 2023-12-05</p> |        |        |             |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7130.63</td> <td>52.23</td> <td>68.20</td> <td>-15.97</td> <td>35.74</td> <td>36.25</td> <td>12.75</td> <td>32.51</td> <td>400</td> <td>86</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7251.88</td> <td>46.29</td> <td>54.00</td> <td>-7.71</td> <td>29.55</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>400</td> <td>86</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Margin | Read   | Ant         | Cable | Preamp | Apos   | TPos | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7130.63 | 52.23 | 68.20 | -15.97 | 35.74 | 36.25 | 12.75 | 32.51 | 400 | 86 | AVERAGE | 2 | 7251.88 | 46.29 | 54.00 | -7.71  | 29.55 | 36.30 | 13.04 | 32.60 | 400 | 86 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>85.56</td> <td>-----</td> <td>-----</td> <td>69.54</td> <td>36.18</td> <td>12.25</td> <td>32.41</td> <td>400</td> <td>86</td> <td>AVERAGE</td> </tr> </tbody> </table> |  | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6985.00 | 85.56 | ----- | ----- | 69.54 | 36.18 | 12.25 | 32.41 | 400 | 86 |
| Limit       | Margin  | Read   | Ant    | Cable  | Preamp      | Apos  | TPos   | Remark |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq        | Level   | Line   | Level  | Factor | Loss Factor |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz         | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1           | 7130.63   | 52.23  | 68.20  | -15.97 | 35.74       | 36.25 | 12.75  | 32.51  | 400  | 86     | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 2           | 7251.88   | 46.29  | 54.00  | -7.71  | 29.55       | 36.30 | 13.04  | 32.60  | 400  | 86     | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Limit       | Margin  | Read   | Ant    | Cable  | Preamp      | Apos  | TPos   | Remark |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq        | Level   | Line   | Level  | Factor | Loss Factor |       |        |        |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz         | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1           | 6985.00   | 85.56  | -----  | -----  | 69.54       | 36.18 | 12.25  | 32.41  | 400  | 86     | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |



|             |   | <b>83</b>          |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------------|---|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 40M_1_6985MHz</b>   |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7136.88</td> <td>67.18</td> <td>88.20</td> <td>-21.02</td> <td>50.67</td> <td>36.25</td> <td>12.77</td> <td>32.51</td> <td>200</td> <td>308</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7293.75</td> <td>56.07</td> <td>74.00</td> <td>-17.93</td> <td>39.32</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>200</td> <td>308</td> <td>PEAK</td> </tr> </tbody> </table>      | Limit              | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7136.88 | 67.18 | 88.20 | -21.02 | 50.67 | 36.25 | 12.77 | 32.51 | 200 | 308 | PEAK    | 2 | 7293.75 | 56.07 | 74.00 | -17.93 | 39.32 | 36.32 | 13.07 | 32.64 | 200 | 308 | PEAK    | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>94.08</td> <td>-----</td> <td>-----</td> <td>78.03</td> <td>36.19</td> <td>12.27</td> <td>32.41</td> <td>200</td> <td>308</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6985.00 | 94.08 | ----- | ----- | 78.03 | 36.19 | 12.27 | 32.41 | 200 | 308 | PEAK    |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 7136.88   | 67.18              | 88.20  | -21.02 | 50.67  | 36.25  | 12.77  | 32.51  | 200    | 308    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 2           | 7293.75   | 56.07              | 74.00  | -17.93 | 39.32  | 36.32  | 13.07  | 32.64  | 200    | 308    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 6985.00   | 94.08              | -----  | -----  | 78.03  | 36.19  | 12.27  | 32.41  | 200    | 308    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7130.63</td> <td>53.25</td> <td>68.20</td> <td>-14.95</td> <td>36.76</td> <td>36.25</td> <td>12.75</td> <td>32.51</td> <td>200</td> <td>308</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7250.63</td> <td>46.73</td> <td>54.00</td> <td>-7.27</td> <td>29.99</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>200</td> <td>308</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7130.63 | 53.25 | 68.20 | -14.95 | 36.76 | 36.25 | 12.75 | 32.51 | 200 | 308 | AVERAGE | 2 | 7250.63 | 46.73 | 54.00 | -7.27  | 29.99 | 36.30 | 13.04 | 32.60 | 200 | 308 | AVERAGE | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>84.74</td> <td>-----</td> <td>-----</td> <td>68.64</td> <td>36.20</td> <td>12.30</td> <td>32.40</td> <td>200</td> <td>308</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6985.00 | 84.74 | ----- | ----- | 68.64 | 36.20 | 12.30 | 32.40 | 200 | 308 | AVERAGE |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 7130.63   | 53.25              | 68.20  | -14.95 | 36.76  | 36.25  | 12.75  | 32.51  | 200    | 308    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 2           | 7250.63   | 46.73              | 54.00  | -7.27  | 29.99  | 36.30  | 13.04  | 32.60  | 200    | 308    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 6985.00   | 84.74              | -----  | -----  | 68.64  | 36.20  | 12.30  | 32.40  | 200    | 308    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |



|             |  | <b>84</b>          |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------------|--|--------------------|--------|--------|-------------|--------|--------|--------|--------|--------|---------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|             | <b>U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M_Ⓢ_6025MHz</b>   |                    |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b> |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Peak</b> |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5881.00</td> <td>77.23</td> <td>88.20</td> <td>-10.97</td> <td>62.93</td> <td>35.33</td> <td>11.48</td> <td>32.51</td> <td>400</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit              | Margin | Read   | Ant         | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5881.00 | 77.23 | 88.20 | -10.97 | 62.93 | 35.33 | 11.48 | 32.51 | 400 | 300 | PEAK    |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>96.00</td> <td>-----</td> <td>-----</td> <td>81.76</td> <td>35.50</td> <td>11.34</td> <td>32.60</td> <td>400</td> <td>300</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6025.00 | 96.00 | ----- | ----- | 81.76 | 35.50 | 11.34 | 32.60 | 400 | 300 | PEAK    |
|             | Limit  | Margin             | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5881.00  | 77.23              | 88.20  | -10.97 | 62.93       | 35.33  | 11.48  | 32.51  | 400    | 300    | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 6025.00  | 96.00              | -----  | -----  | 81.76       | 35.50  | 11.34  | 32.60  | 400    | 300    | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Avg</b>  |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5881.00</td> <td>60.44</td> <td>68.20</td> <td>-7.76</td> <td>46.14</td> <td>35.33</td> <td>11.48</td> <td>32.51</td> <td>400</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant         | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5881.00 | 60.44 | 68.20 | -7.76  | 46.14 | 35.33 | 11.48 | 32.51 | 400 | 300 | AVERAGE |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>87.11</td> <td>-----</td> <td>-----</td> <td>72.87</td> <td>35.50</td> <td>11.34</td> <td>32.60</td> <td>400</td> <td>300</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6025.00 | 87.11 | ----- | ----- | 72.87 | 35.50 | 11.34 | 32.60 | 400 | 300 | AVERAGE |
|             | Limit  | Margin             | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5881.00  | 60.44              | 68.20  | -7.76  | 46.14       | 35.33  | 11.48  | 32.51  | 400    | 300    | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 6025.00  | 87.11              | -----  | -----  | 72.87       | 35.50  | 11.34  | 32.60  | 400    | 300    | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |



|             |   | <b>84</b>          |        |        |             |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
|-------------|---|--------------------|--------|--------|-------------|--------|--------|-----------------|--------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|-----------------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|-----------------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |             |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
|             | <b>U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M_⑧_6025MHz</b>  |                    |        |        |             |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |             |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |        |        |             |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5881.56</td> <td>77.88</td> <td>88.20</td> <td>-10.32</td> <td>63.58</td> <td>35.33</td> <td>11.48</td> <td>32.51</td> <td>100 322 PEAK</td> </tr> </tbody> </table>   | Limit              | Margin | Read   | Ant         | Cable  | Preamp | APos            | TPos   | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 5881.56 | 77.88 | 88.20 | -10.32 | 63.58 | 35.33 | 11.48 | 32.51 | 100 322 PEAK    | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6025.00</td> <td>95.19</td> <td>-----</td> <td>-----</td> <td>80.86</td> <td>35.52</td> <td>11.41</td> <td>32.60</td> <td>100 322 PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 6025.00 | 95.19 | ----- | ----- | 80.86 | 35.52 | 11.41 | 32.60 | 100 322 PEAK    |
|             | Limit   | Margin             | Read   | Ant    | Cable       | Preamp | APos   | TPos            | Remark |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Freq        | Level   | Line               | Level  | Factor | Loss Factor |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg             |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| 1 5881.56   | 77.88   | 88.20              | -10.32 | 63.58  | 35.33       | 11.48  | 32.51  | 100 322 PEAK    |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp      | APos   | TPos   | Remark          |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Freq        | Level   | Line               | Level  | Factor | Loss Factor |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg             |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| 1 6025.00   | 95.19   | -----              | -----  | 80.86  | 35.52       | 11.41  | 32.60  | 100 322 PEAK    |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5881.00</td> <td>61.17</td> <td>68.20</td> <td>-7.03</td> <td>46.87</td> <td>35.33</td> <td>11.48</td> <td>32.51</td> <td>100 322 AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant         | Cable  | Preamp | APos            | TPos   | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 5881.00 | 61.17 | 68.20 | -7.03  | 46.87 | 35.33 | 11.48 | 32.51 | 100 322 AVERAGE | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6025.00</td> <td>86.47</td> <td>-----</td> <td>-----</td> <td>72.17</td> <td>35.51</td> <td>11.39</td> <td>32.60</td> <td>100 322 AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 6025.00 | 86.47 | ----- | ----- | 72.17 | 35.51 | 11.39 | 32.60 | 100 322 AVERAGE |
|             | Limit   | Margin             | Read   | Ant    | Cable       | Preamp | APos   | TPos            | Remark |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Freq        | Level   | Line               | Level  | Factor | Loss Factor |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg             |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| 1 5881.00   | 61.17   | 68.20              | -7.03  | 46.87  | 35.33       | 11.48  | 32.51  | 100 322 AVERAGE |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp      | APos   | TPos   | Remark          |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| Freq        | Level   | Line               | Level  | Factor | Loss Factor |        |        |                 |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg             |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |
| 1 6025.00   | 86.47   | -----              | -----  | 72.17  | 35.51       | 11.39  | 32.60  | 100 322 AVERAGE |        |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |        |       |       |       |       |                 |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |           |       |       |       |       |       |       |       |                 |







| Mode        | 84  |             |              |             |       |        |        |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |
|-------------|---|-------------|--------------|-------------|-------|--------|--------|------|--------|------|-------|-------------|--------------|-------------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|--------------|-------------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|----|----|
|             | Harmonic  |             |              |             |       |        |        |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |
|             | U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M_⑧_6025MHz   |             |              |             |       |        |        |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |
| ANT         | CDD 5+4   |             |              |             |       |        |        |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |
| Pol.        | Horizontal  | Vertical    |              |             |       |        |        |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |
| Peak<br>Avg |   |             |              |             |       |        |        |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>50.03</td> <td>74.00</td> <td>-23.97</td> <td>45.10</td> <td>40.21</td> <td>15.14</td> <td>50.42</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable | Preamp | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12050.00 | 50.03 | 74.00 | -23.97 | 45.10 | 40.21 | 15.14 | 50.42 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>49.36</td> <td>74.00</td> <td>-24.64</td> <td>44.43</td> <td>40.21</td> <td>15.14</td> <td>50.42</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12050.00 | 49.36 | 74.00 | -24.64 | 44.43 | 40.21 | 15.14 | 50.42 | -- | -- |
| Limit       | Read  | Ant         | Cable        | Preamp      | APos  | TPos   | Remark |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor |       |        |        |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m  | dB     | dB     | cm   | deg    |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |
| 1 12050.00  | 50.03   | 74.00       | -23.97       | 45.10       | 40.21 | 15.14  | 50.42  | --   | --     | Peak |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |
| Limit       | Read  | Ant         | Cable        | Preamp      | APos  | TPos   | Remark |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor |       |        |        |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m  | dB     | dB     | cm   | deg    |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |
| 1 12050.00  | 49.36   | 74.00       | -24.64       | 44.43       | 40.21 | 15.14  | 50.42  | --   | --     | Peak |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |    |    |



|       |   | 85   |  |        |             |       |       |        |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|-------|---|--|--|--------|-------------|-------|-------|--------|------|------|---------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|--|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|
| Mode  |   | Band Edge  |  |        |             |       |       |        |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|       |   | U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 20M_1_6985MHz |  |        |             |       |       |        |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| ANT   |   | CDD 5+4  |  |        |             |       |       |        |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Pol.  |   | Horizontal   | Fundamental  |        |             |       |       |        |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Peak  | <p style="text-align: right;">Date: 2023-12-05</p>  |  | <p style="text-align: right;">Date: 2023-12-05</p> |        |             |       |       |        |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|       | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7141.25</td> <td>72.55</td> <td>88.20</td> <td>-15.65</td> <td>56.02</td> <td>36.26</td> <td>12.79</td> <td>32.52</td> <td>400</td> <td>76</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7264.38</td> <td>56.01</td> <td>74.00</td> <td>-17.99</td> <td>39.26</td> <td>36.31</td> <td>13.05</td> <td>32.61</td> <td>400</td> <td>76</td> <td>PEAK</td> </tr> </tbody> </table>      |  | Limit  | Margin | Read        | Ant   | Cable | Preamp | APos | TPos | Remark  | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7141.25 | 72.55 | 88.20 | -15.65 | 56.02 | 36.26 | 12.79 | 32.52 | 400 | 76 | PEAK    | 2 | 7264.38 | 56.01 | 74.00 | -17.99 | 39.26 | 36.31 | 13.05 | 32.61 | 400 | 76 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>96.07</td> <td>-----</td> <td>-----</td> <td>80.07</td> <td>36.17</td> <td>12.24</td> <td>32.41</td> <td>400</td> <td>76</td> <td>PEAK</td> </tr> </tbody> </table>    |  | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6985.00 | 96.07 | ----- | ----- | 80.07 | 36.17 | 12.24 | 32.41 | 400 | 76 |
| Limit | Margin  | Read   | Ant  | Cable  | Preamp      | APos  | TPos  | Remark |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq  | Level   | Line   | Level  | Factor | Loss Factor |       |       |        |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz   | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB    | cm    | deg    |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1     | 7141.25   | 72.55  | 88.20  | -15.65 | 56.02       | 36.26 | 12.79 | 32.52  | 400  | 76   | PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 2     | 7264.38   | 56.01  | 74.00  | -17.99 | 39.26       | 36.31 | 13.05 | 32.61  | 400  | 76   | PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Limit | Margin  | Read   | Ant  | Cable  | Preamp      | APos  | TPos  | Remark |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq  | Level   | Line   | Level  | Factor | Loss Factor |       |       |        |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz   | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB    | cm    | deg    |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1     | 6985.00   | 96.07  | -----  | -----  | 80.07       | 36.17 | 12.24 | 32.41  | 400  | 76   | PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Avg   | <p style="text-align: right;">Date: 2023-12-05</p>  |  | <p style="text-align: right;">Date: 2023-12-05</p> |        |             |       |       |        |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|       | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7141.25</td> <td>56.46</td> <td>68.20</td> <td>-11.74</td> <td>39.93</td> <td>36.26</td> <td>12.79</td> <td>32.52</td> <td>400</td> <td>76</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7250.63</td> <td>47.05</td> <td>54.00</td> <td>-6.95</td> <td>30.31</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>400</td> <td>76</td> <td>AVERAGE</td> </tr> </tbody> </table> |  | Limit  | Margin | Read        | Ant   | Cable | Preamp | APos | TPos | Remark  | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7141.25 | 56.46 | 68.20 | -11.74 | 39.93 | 36.26 | 12.79 | 32.52 | 400 | 76 | AVERAGE | 2 | 7250.63 | 47.05 | 54.00 | -6.95  | 30.31 | 36.30 | 13.04 | 32.60 | 400 | 76 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>85.44</td> <td>-----</td> <td>-----</td> <td>69.42</td> <td>36.18</td> <td>12.25</td> <td>32.41</td> <td>400</td> <td>76</td> <td>AVERAGE</td> </tr> </tbody> </table> |  | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6985.00 | 85.44 | ----- | ----- | 69.42 | 36.18 | 12.25 | 32.41 | 400 | 76 |
| Limit | Margin  | Read   | Ant  | Cable  | Preamp      | APos  | TPos  | Remark |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq  | Level   | Line   | Level  | Factor | Loss Factor |       |       |        |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz   | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB    | cm    | deg    |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1     | 7141.25   | 56.46  | 68.20  | -11.74 | 39.93       | 36.26 | 12.79 | 32.52  | 400  | 76   | AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 2     | 7250.63   | 47.05  | 54.00  | -6.95  | 30.31       | 36.30 | 13.04 | 32.60  | 400  | 76   | AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Limit | Margin  | Read   | Ant  | Cable  | Preamp      | APos  | TPos  | Remark |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq  | Level   | Line   | Level  | Factor | Loss Factor |       |       |        |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz   | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB    | cm    | deg    |      |      |         |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1     | 6985.00   | 85.44  | -----  | -----  | 69.42       | 36.18 | 12.25 | 32.41  | 400  | 76   | AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |







|             |  | <b>85</b>          |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------------|--|--------------------|--------|--------|-------------|--------|--------|--------|--------|--------|---------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 20M_1_6985MHz</b>  |                    |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Peak</b> |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7141.88</td> <td>72.86</td> <td>88.20</td> <td>-15.34</td> <td>56.33</td> <td>36.26</td> <td>12.79</td> <td>32.52</td> <td>200</td> <td>314</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7251.88</td> <td>58.61</td> <td>74.00</td> <td>-15.39</td> <td>41.87</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>200</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>       | Limit              | Margin | Read   | Ant         | Cable  | Preamp | Apos   | TPos   | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7141.88 | 72.86 | 88.20 | -15.34 | 56.33 | 36.26 | 12.79 | 32.52 | 200 | 314 | PEAK    | 2 | 7251.88 | 58.61 | 74.00 | -15.39 | 41.87 | 36.30 | 13.04 | 32.60 | 200 | 314 | PEAK    |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>94.50</td> <td>-----</td> <td>-----</td> <td>78.45</td> <td>36.19</td> <td>12.27</td> <td>32.41</td> <td>200</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6985.00 | 94.50 | ----- | ----- | 78.45 | 36.19 | 12.27 | 32.41 | 200 | 314 | PEAK    |
|             | Limit  | Margin             | Read   | Ant    | Cable       | Preamp | Apos   | TPos   | Remark |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 7141.88  | 72.86              | 88.20  | -15.34 | 56.33       | 36.26  | 12.79  | 32.52  | 200    | 314    | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 2           | 7251.88  | 58.61              | 74.00  | -15.39 | 41.87       | 36.30  | 13.04  | 32.60  | 200    | 314    | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | Apos   | TPos   | Remark |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 6985.00  | 94.50              | -----  | -----  | 78.45       | 36.19  | 12.27  | 32.41  | 200    | 314    | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Avg</b>  |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7140.63</td> <td>58.20</td> <td>68.20</td> <td>-10.00</td> <td>41.67</td> <td>36.26</td> <td>12.79</td> <td>32.52</td> <td>200</td> <td>314</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7253.13</td> <td>47.56</td> <td>54.00</td> <td>-6.44</td> <td>30.82</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>200</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant         | Cable  | Preamp | Apos   | TPos   | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7140.63 | 58.20 | 68.20 | -10.00 | 41.67 | 36.26 | 12.79 | 32.52 | 200 | 314 | AVERAGE | 2 | 7253.13 | 47.56 | 54.00 | -6.44  | 30.82 | 36.30 | 13.04 | 32.60 | 200 | 314 | AVERAGE |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>85.25</td> <td>-----</td> <td>-----</td> <td>69.22</td> <td>36.18</td> <td>12.26</td> <td>32.41</td> <td>200</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6985.00 | 85.25 | ----- | ----- | 69.22 | 36.18 | 12.26 | 32.41 | 200 | 314 | AVERAGE |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | Apos   | TPos   | Remark |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 7140.63  | 58.20              | 68.20  | -10.00 | 41.67       | 36.26  | 12.79  | 32.52  | 200    | 314    | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 2           | 7253.13  | 47.56              | 54.00  | -6.44  | 30.82       | 36.30  | 13.04  | 32.60  | 200    | 314    | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | Apos   | TPos   | Remark |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 6985.00  | 85.25              | -----  | -----  | 69.22       | 36.18  | 12.26  | 32.41  | 200    | 314    | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |



|       |  | 86  |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|-------|--|---|--------|--------|-------------|--------|--------|--------|--------|--------|---------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| Mode  |  | Band Edge   |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|       |  | U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M_5_6105MHz |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| ANT   |  | CDD 5+4   |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Pol.  | Horizontal   | Fundamental   |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Peak  | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.46</td> <td>62.52</td> <td>88.20</td> <td>-25.68</td> <td>48.15</td> <td>34.98</td> <td>11.70</td> <td>32.31</td> <td>214</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit   | Margin | Read   | Ant         | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5625.46 | 62.52 | 88.20 | -25.68 | 48.15 | 34.98 | 11.70 | 32.31 | 214 | 64 | PEAK    | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>91.17</td> <td>-----</td> <td>-----</td> <td>76.59</td> <td>35.56</td> <td>11.62</td> <td>32.60</td> <td>214</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 91.17 | ----- | ----- | 76.59 | 35.56 | 11.62 | 32.60 | 214 | 64 | PEAK    |
|       | Limit  | Margin  | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level  | Line  | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 5625.46  | 62.52   | 88.20  | -25.68 | 48.15       | 34.98  | 11.70  | 32.31  | 214    | 64     | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit | Margin   | Read  | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level  | Line  | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 6105.00  | 91.17   | -----  | -----  | 76.59       | 35.56  | 11.62  | 32.60  | 214    | 64     | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Avg   | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.70</td> <td>46.41</td> <td>68.20</td> <td>-21.79</td> <td>32.05</td> <td>34.97</td> <td>11.70</td> <td>32.31</td> <td>214</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit   | Margin | Read   | Ant         | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5624.70 | 46.41 | 68.20 | -21.79 | 32.05 | 34.97 | 11.70 | 32.31 | 214 | 64 | AVERAGE | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>82.94</td> <td>-----</td> <td>-----</td> <td>68.24</td> <td>35.58</td> <td>11.72</td> <td>32.60</td> <td>214</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 82.94 | ----- | ----- | 68.24 | 35.58 | 11.72 | 32.60 | 214 | 64 | AVERAGE |
|       | Limit  | Margin  | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level  | Line  | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 5624.70  | 46.41   | 68.20  | -21.79 | 32.05       | 34.97  | 11.70  | 32.31  | 214    | 64     | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit | Margin   | Read  | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level  | Line  | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 6105.00  | 82.94   | -----  | -----  | 68.24       | 35.58  | 11.72  | 32.60  | 214    | 64     | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |







|       |  | 86  |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------|--|---|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| Mode  |  | Band Edge   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|       |  | U-NII-5 5.925-6.425 802.11be EHT320_CH31_Puncturing 80M+40M_5 6105MHz |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| ANT   |  | CDD 5+4   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Pol.  | Vertical   | Fundamental   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Peak  |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.70</td> <td>66.62</td> <td>88.20</td> <td>-21.58</td> <td>52.26</td> <td>34.97</td> <td>11.70</td> <td>32.31</td> <td>302</td> <td>102</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit   | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5624.70 | 66.62 | 88.20 | -21.58 | 52.26 | 34.97 | 11.70 | 32.31 | 302 | 102 | PEAK    |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>89.88</td> <td>-----</td> <td>-----</td> <td>75.40</td> <td>35.54</td> <td>11.54</td> <td>32.60</td> <td>302</td> <td>102</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 89.88 | ----- | ----- | 75.40 | 35.54 | 11.54 | 32.60 | 302 | 102 | PEAK    |
|       | Limit  | Margin  | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level  | Line  | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m   | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 5624.70  | 66.62   | 88.20  | -21.58 | 52.26  | 34.97  | 11.70  | 32.31  | 302    | 102    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit | Margin   | Read  | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level  | Line  | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m   | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 6105.00  | 89.88   | -----  | -----  | 75.40  | 35.54  | 11.54  | 32.60  | 302    | 102    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Avg   |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.70</td> <td>49.78</td> <td>68.20</td> <td>-18.42</td> <td>35.42</td> <td>34.97</td> <td>11.70</td> <td>32.31</td> <td>302</td> <td>102</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit   | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5624.70 | 49.78 | 68.20 | -18.42 | 35.42 | 34.97 | 11.70 | 32.31 | 302 | 102 | AVERAGE |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>81.20</td> <td>-----</td> <td>-----</td> <td>66.48</td> <td>35.58</td> <td>11.74</td> <td>32.60</td> <td>302</td> <td>102</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 81.20 | ----- | ----- | 66.48 | 35.58 | 11.74 | 32.60 | 302 | 102 | AVERAGE |
|       | Limit  | Margin  | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level  | Line  | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m   | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 5624.70  | 49.78   | 68.20  | -18.42 | 35.42  | 34.97  | 11.70  | 32.31  | 302    | 102    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit | Margin   | Read  | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq  | Level  | Line  | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz   | dBuV/m   | dBuV/m  | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1     | 6105.00  | 81.20   | -----  | -----  | 66.48  | 35.58  | 11.74  | 32.60  | 302    | 102    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |



| <b>87</b>  |   |              |             |        |        |        |         |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
|--|---|--------------|-------------|--------|--------|--------|---------|--------|----------------------|----------------------|--------|-------------|-------------|----|-----|-----|-------------------|-------------------|------|------|----|----|-----|-----|-----------------------|------------------------------|-------|-------|-------|-------|-----|---------|---------|------------------------------|-------|-------|-------|-------|-----|----|---------|
| <b>Mode</b>  | <b>Band Edge</b>  |              |             |        |        |        |         |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| <b>U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 80M+40M_8_6905MHz</b>  |   |              |             |        |        |        |         |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| <b>ANT</b>   | <b>CDD 5+4</b>  |              |             |        |        |        |         |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| <b>Pol.</b>  | <b>Horizontal</b>   |              |             |        |        |        |         |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| <b>Peak</b>  | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7170.32 56.40 88.20 -31.80</td> <td>39.78</td> <td>36.27</td> <td>12.89</td> <td>32.54</td> <td>379</td> <td>61</td> <td>PEAK</td> </tr> <tr> <td>2 7261.07 55.36 74.00 -18.64</td> <td>38.63</td> <td>36.30</td> <td>13.04</td> <td>32.61</td> <td>379</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>      | Limit Margin | Read        | Ant    | Cable  | Preamp | Apos    | TPos   | Remark               | Freq Level Line (dB) | Level  | Factor      | Loss Factor |    | cm  | deg |                   | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB | cm  | deg |                       | 1 7170.32 56.40 88.20 -31.80 | 39.78 | 36.27 | 12.89 | 32.54 | 379 | 61      | PEAK    | 2 7261.07 55.36 74.00 -18.64 | 38.63 | 36.30 | 13.04 | 32.61 | 379 | 61 | PEAK    |
|  | Limit Margin  | Read         | Ant         | Cable  | Preamp | Apos   | TPos    | Remark |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| Freq Level Line (dB)   | Level   | Factor       | Loss Factor |        | cm     | deg    |         |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| MHz dBuV/m dBuV/m  | dBuV  | dB/m         | dB          | dB     | cm     | deg    |         |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| 1 7170.32 56.40 88.20 -31.80   | 39.78   | 36.27        | 12.89       | 32.54  | 379    | 61     | PEAK    |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| 2 7261.07 55.36 74.00 -18.64   | 38.63   | 36.30        | 13.04       | 32.61  | 379    | 61     | PEAK    |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 6905.00 86.91 -----</td> <td>70.91</td> <td>36.17</td> <td>12.24</td> <td>32.41</td> <td>379</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit Margin  | Read         | Ant         | Cable  | Preamp | Apos   | TPos    | Remark | Freq Level Line (dB) | Level                | Factor | Loss Factor |             | cm | deg |     | MHz dBuV/m dBuV/m | dBuV              | dB/m | dB   | dB | cm | deg |     | 1 6905.00 86.91 ----- | 70.91                        | 36.17 | 12.24 | 32.41 | 379   | 61  | PEAK    |         |                              |       |       |       |       |     |    |         |
| Limit Margin   | Read  | Ant          | Cable       | Preamp | Apos   | TPos   | Remark  |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| Freq Level Line (dB)   | Level   | Factor       | Loss Factor |        | cm     | deg    |         |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| MHz dBuV/m dBuV/m  | dBuV  | dB/m         | dB          | dB     | cm     | deg    |         |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| 1 6905.00 86.91 -----  | 70.91   | 36.17        | 12.24       | 32.41  | 379    | 61     | PEAK    |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| <b>Avg</b>   | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7159.43 46.85 68.20 -21.35</td> <td>30.27</td> <td>36.26</td> <td>12.85</td> <td>32.53</td> <td>379</td> <td>61</td> <td>AVERAGE</td> </tr> <tr> <td>2 7276.80 46.78 54.00 -7.22</td> <td>30.04</td> <td>36.31</td> <td>13.05</td> <td>32.62</td> <td>379</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit Margin | Read        | Ant    | Cable  | Preamp | Apos    | TPos   | Remark               | Freq Level Line (dB) | Level  | Factor      | Loss Factor |    | cm  | deg |                   | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB | cm  | deg |                       | 1 7159.43 46.85 68.20 -21.35 | 30.27 | 36.26 | 12.85 | 32.53 | 379 | 61      | AVERAGE | 2 7276.80 46.78 54.00 -7.22  | 30.04 | 36.31 | 13.05 | 32.62 | 379 | 61 | AVERAGE |
|  | Limit Margin  | Read         | Ant         | Cable  | Preamp | Apos   | TPos    | Remark |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| Freq Level Line (dB)   | Level   | Factor       | Loss Factor |        | cm     | deg    |         |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| MHz dBuV/m dBuV/m  | dBuV  | dB/m         | dB          | dB     | cm     | deg    |         |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| 1 7159.43 46.85 68.20 -21.35   | 30.27   | 36.26        | 12.85       | 32.53  | 379    | 61     | AVERAGE |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| 2 7276.80 46.78 54.00 -7.22  | 30.04   | 36.31        | 13.05       | 32.62  | 379    | 61     | AVERAGE |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 6905.00 79.35 -----</td> <td>63.58</td> <td>36.12</td> <td>12.11</td> <td>32.46</td> <td>379</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit Margin  | Read         | Ant         | Cable  | Preamp | Apos   | TPos    | Remark | Freq Level Line (dB) | Level                | Factor | Loss Factor |             | cm | deg |     | MHz dBuV/m dBuV/m | dBuV              | dB/m | dB   | dB | cm | deg |     | 1 6905.00 79.35 ----- | 63.58                        | 36.12 | 12.11 | 32.46 | 379   | 61  | AVERAGE |         |                              |       |       |       |       |     |    |         |
| Limit Margin   | Read  | Ant          | Cable       | Preamp | Apos   | TPos   | Remark  |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| Freq Level Line (dB)   | Level   | Factor       | Loss Factor |        | cm     | deg    |         |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| MHz dBuV/m dBuV/m  | dBuV  | dB/m         | dB          | dB     | cm     | deg    |         |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |
| 1 6905.00 79.35 -----  | 63.58   | 36.12        | 12.11       | 32.46  | 379    | 61     | AVERAGE |        |                      |                      |        |             |             |    |     |     |                   |                   |      |      |    |    |     |     |                       |                              |       |       |       |       |     |         |         |                              |       |       |       |       |     |    |         |







|             |  | <b>87</b>          |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
|-------------|--|--------------------|--------|--------|-------------|--------|--------|--------|--------|------------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|------------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 80M+40M_8_6905MHz</b>  |                    |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Peak</b> |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7169.71</td> <td>55.73</td> <td>88.20</td> <td>-32.47</td> <td>39.11</td> <td>36.27</td> <td>12.89</td> <td>32.54</td> <td>100</td> <td>33 PEAK</td> </tr> <tr> <td>2</td> <td>7288.90</td> <td>55.99</td> <td>74.00</td> <td>-18.01</td> <td>39.24</td> <td>36.32</td> <td>13.06</td> <td>32.63</td> <td>100</td> <td>33 PEAK</td> </tr> </tbody> </table>       | Limit              | Margin | Read   | Ant         | Cable  | Preamp | Apos   | TPos   | Remark     | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7169.71 | 55.73 | 88.20 | -32.47 | 39.11 | 36.27 | 12.89 | 32.54 | 100 | 33 PEAK    | 2 | 7288.90 | 55.99 | 74.00 | -18.01 | 39.24 | 36.32 | 13.06 | 32.63 | 100 | 33 PEAK    |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>91.24</td> <td>-----</td> <td>-----</td> <td>75.33</td> <td>36.15</td> <td>12.19</td> <td>32.43</td> <td>100</td> <td>33 PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 91.24 | ----- | ----- | 75.33 | 36.15 | 12.19 | 32.43 | 100 | 33 PEAK    |
|             | Limit  | Margin             | Read   | Ant    | Cable       | Preamp | Apos   | TPos   | Remark |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 7169.71  | 55.73              | 88.20  | -32.47 | 39.11       | 36.27  | 12.89  | 32.54  | 100    | 33 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 2           | 7288.90  | 55.99              | 74.00  | -18.01 | 39.24       | 36.32  | 13.06  | 32.63  | 100    | 33 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | Apos   | TPos   | Remark |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 6905.00  | 91.24              | -----  | -----  | 75.33       | 36.15  | 12.19  | 32.43  | 100    | 33 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Avg</b>  |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7169.71</td> <td>46.80</td> <td>68.20</td> <td>-21.40</td> <td>30.18</td> <td>36.27</td> <td>12.89</td> <td>32.54</td> <td>100</td> <td>33 AVERAGE</td> </tr> <tr> <td>2</td> <td>7285.87</td> <td>46.81</td> <td>54.00</td> <td>-7.19</td> <td>30.07</td> <td>36.31</td> <td>13.06</td> <td>32.63</td> <td>100</td> <td>33 AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant         | Cable  | Preamp | Apos   | TPos   | Remark     | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7169.71 | 46.80 | 68.20 | -21.40 | 30.18 | 36.27 | 12.89 | 32.54 | 100 | 33 AVERAGE | 2 | 7285.87 | 46.81 | 54.00 | -7.19  | 30.07 | 36.31 | 13.06 | 32.63 | 100 | 33 AVERAGE |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>81.46</td> <td>-----</td> <td>-----</td> <td>65.77</td> <td>36.10</td> <td>12.06</td> <td>32.47</td> <td>100</td> <td>33 AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 81.46 | ----- | ----- | 65.77 | 36.10 | 12.06 | 32.47 | 100 | 33 AVERAGE |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | Apos   | TPos   | Remark |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 7169.71  | 46.80              | 68.20  | -21.40 | 30.18       | 36.27  | 12.89  | 32.54  | 100    | 33 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 2           | 7285.87  | 46.81              | 54.00  | -7.19  | 30.07       | 36.31  | 13.06  | 32.63  | 100    | 33 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | Apos   | TPos   | Remark |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 6905.00  | 81.46              | -----  | -----  | 65.77       | 36.10  | 12.06  | 32.47  | 100    | 33 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |



|             |  | <b>88</b>  |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------------|--|--|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b> |  | <b>Band Edge</b>   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|             |  | <b>U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M_①_6105MHz</b> |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>ANT</b>  |  | <b>CDD 5+4</b>   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b>   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.46</td> <td>67.56</td> <td>88.20</td> <td>-20.64</td> <td>53.19</td> <td>34.98</td> <td>11.70</td> <td>32.31</td> <td>396</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit  | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5625.46 | 67.56 | 88.20 | -20.64 | 53.19 | 34.98 | 11.70 | 32.31 | 396 | 303 | PEAK    | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>90.87</td> <td>-----</td> <td>-----</td> <td>76.57</td> <td>35.51</td> <td>11.39</td> <td>32.60</td> <td>396</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 90.87 | ----- | ----- | 76.57 | 35.51 | 11.39 | 32.60 | 396 | 303 | PEAK    |
|             | Limit  | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m   | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5625.46  | 67.56  | 88.20  | -20.64 | 53.19  | 34.98  | 11.70  | 32.31  | 396    | 303    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m   | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 6105.00  | 90.87  | -----  | -----  | 76.57  | 35.51  | 11.39  | 32.60  | 396    | 303    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.70</td> <td>50.57</td> <td>68.20</td> <td>-17.63</td> <td>36.21</td> <td>34.97</td> <td>11.70</td> <td>32.31</td> <td>396</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5624.70 | 50.57 | 68.20 | -17.63 | 36.21 | 34.97 | 11.70 | 32.31 | 396 | 303 | AVERAGE | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>81.85</td> <td>-----</td> <td>-----</td> <td>67.37</td> <td>35.54</td> <td>11.54</td> <td>32.60</td> <td>396</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 81.85 | ----- | ----- | 67.37 | 35.54 | 11.54 | 32.60 | 396 | 303 | AVERAGE |
|             | Limit  | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m   | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5624.70  | 50.57  | 68.20  | -17.63 | 36.21  | 34.97  | 11.70  | 32.31  | 396    | 303    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m   | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 6105.00  | 81.85  | -----  | -----  | 67.37  | 35.54  | 11.54  | 32.60  | 396    | 303    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |







|             |   | <b>88</b>  |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------------|---|--|--------|--------|-------------|--------|--------|--------|--------|--------|---------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b> |   | <b>Band Edge</b>   |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|             |   | <b>U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M_①_6105MHz</b> |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>ANT</b>  |   | <b>CDD 5+4</b>   |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b>   |        |        |             |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Peak</b> |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.46</td> <td>70.96</td> <td>88.20</td> <td>-17.24</td> <td>56.59</td> <td>34.98</td> <td>11.70</td> <td>32.31</td> <td>200</td> <td>329</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit  | Margin | Read   | Ant         | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5625.46 | 70.96 | 88.20 | -17.24 | 56.59 | 34.98 | 11.70 | 32.31 | 200 | 329 | PEAK    |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>92.86</td> <td>-----</td> <td>-----</td> <td>78.14</td> <td>35.58</td> <td>11.74</td> <td>32.60</td> <td>200</td> <td>329</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 92.86 | ----- | ----- | 78.14 | 35.58 | 11.74 | 32.60 | 200 | 329 | PEAK    |
|             | Limit   | Margin   | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line   | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5625.46   | 70.96  | 88.20  | -17.24 | 56.59       | 34.98  | 11.70  | 32.31  | 200    | 329    | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin  | Read   | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line   | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 6105.00   | 92.86  | -----  | -----  | 78.14       | 35.58  | 11.74  | 32.60  | 200    | 329    | PEAK    |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Avg</b>  |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.70</td> <td>53.51</td> <td>68.20</td> <td>-14.69</td> <td>39.15</td> <td>34.97</td> <td>11.70</td> <td>32.31</td> <td>200</td> <td>329</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Margin | Read   | Ant         | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5624.70 | 53.51 | 68.20 | -14.69 | 39.15 | 34.97 | 11.70 | 32.31 | 200 | 329 | AVERAGE |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>81.95</td> <td>-----</td> <td>-----</td> <td>67.29</td> <td>35.57</td> <td>11.69</td> <td>32.60</td> <td>200</td> <td>329</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 81.95 | ----- | ----- | 67.29 | 35.57 | 11.69 | 32.60 | 200 | 329 | AVERAGE |
|             | Limit   | Margin   | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line   | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5624.70   | 53.51  | 68.20  | -14.69 | 39.15       | 34.97  | 11.70  | 32.31  | 200    | 329    | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin  | Read   | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line   | Level  | Factor | Loss Factor |        |        |        |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |        |         |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 6105.00   | 81.95  | -----  | -----  | 67.29       | 35.57  | 11.69  | 32.60  | 200    | 329    | AVERAGE |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |







|             |  | <b>89</b>   |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
|-------------|--|---|--------|--------|-------------|--------|--------|--------|--------|------------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|------------|
| <b>Mode</b> |  | <b>Band Edge</b>  |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
|             |  | <b>U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 80M_1_6905MHz</b> |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>ANT</b>  |  | <b>CDD 5+4</b>  |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b>  |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7129.18</td> <td>57.84</td> <td>88.20</td> <td>-30.36</td> <td>41.35</td> <td>36.25</td> <td>12.75</td> <td>32.51</td> <td>379</td> <td>74 PEAK</td> </tr> <tr> <td>2</td> <td>7327.01</td> <td>56.45</td> <td>74.00</td> <td>-17.55</td> <td>39.69</td> <td>36.33</td> <td>13.09</td> <td>32.66</td> <td>379</td> <td>74 PEAK</td> </tr> </tbody> </table>      | Limit   | Margin | Read   | Ant         | Cable  | Preamp | Apos   | TPos   | Remark     | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7129.18 | 57.84 | 88.20 | -30.36 | 41.35 | 36.25 | 12.75 | 32.51 | 379 | 74 PEAK    | 2 | 7327.01 | 56.45 | 74.00 | -17.55 | 39.69 | 36.33 | 13.09 | 32.66 | 379 | 74 PEAK    | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>87.55</td> <td>-----</td> <td>-----</td> <td>71.71</td> <td>36.13</td> <td>12.15</td> <td>32.44</td> <td>379</td> <td>74 PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 87.55 | ----- | ----- | 71.71 | 36.13 | 12.15 | 32.44 | 379 | 74 PEAK    |
|             | Limit  | Margin  | Read   | Ant    | Cable       | Preamp | Apos   | TPos   | Remark |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level  | Line  | Level  | Factor | Loss Factor |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 7129.18  | 57.84   | 88.20  | -30.36 | 41.35       | 36.25  | 12.75  | 32.51  | 379    | 74 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 2           | 7327.01  | 56.45   | 74.00  | -17.55 | 39.69       | 36.33  | 13.09  | 32.66  | 379    | 74 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Limit       | Margin   | Read  | Ant    | Cable  | Preamp      | Apos   | TPos   | Remark |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level  | Line  | Level  | Factor | Loss Factor |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 6905.00  | 87.55   | -----  | -----  | 71.71       | 36.13  | 12.15  | 32.44  | 379    | 74 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7138.25</td> <td>47.14</td> <td>68.20</td> <td>-21.06</td> <td>30.61</td> <td>36.26</td> <td>12.78</td> <td>32.51</td> <td>379</td> <td>74 AVERAGE</td> </tr> <tr> <td>2</td> <td>7293.74</td> <td>46.96</td> <td>54.00</td> <td>-7.04</td> <td>30.21</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>379</td> <td>74 AVERAGE</td> </tr> </tbody> </table> | Limit   | Margin | Read   | Ant         | Cable  | Preamp | Apos   | TPos   | Remark     | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7138.25 | 47.14 | 68.20 | -21.06 | 30.61 | 36.26 | 12.78 | 32.51 | 379 | 74 AVERAGE | 2 | 7293.74 | 46.96 | 54.00 | -7.04  | 30.21 | 36.32 | 13.07 | 32.64 | 379 | 74 AVERAGE | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>79.37</td> <td>-----</td> <td>-----</td> <td>63.53</td> <td>36.13</td> <td>12.15</td> <td>32.44</td> <td>379</td> <td>74 AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 79.37 | ----- | ----- | 63.53 | 36.13 | 12.15 | 32.44 | 379 | 74 AVERAGE |
|             | Limit  | Margin  | Read   | Ant    | Cable       | Preamp | Apos   | TPos   | Remark |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level  | Line  | Level  | Factor | Loss Factor |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 7138.25  | 47.14   | 68.20  | -21.06 | 30.61       | 36.26  | 12.78  | 32.51  | 379    | 74 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 2           | 7293.74  | 46.96   | 54.00  | -7.04  | 30.21       | 36.32  | 13.07  | 32.64  | 379    | 74 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Limit       | Margin   | Read  | Ant    | Cable  | Preamp      | Apos   | TPos   | Remark |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level  | Line  | Level  | Factor | Loss Factor |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 6905.00  | 79.37   | -----  | -----  | 63.53       | 36.13  | 12.15  | 32.44  | 379    | 74 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |



|             |   | <b>89</b>          |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|-------------|---|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 80M_1_6905MHz</b>   |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Peak</b> |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7134.02</td> <td>55.76</td> <td>88.20</td> <td>-32.44</td> <td>39.26</td> <td>36.25</td> <td>12.76</td> <td>32.51</td> <td>100</td> <td>35</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7303.42</td> <td>56.17</td> <td>74.00</td> <td>-17.83</td> <td>39.42</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>100</td> <td>35</td> <td>PEAK</td> </tr> </tbody> </table>       | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7134.02 | 55.76 | 88.20 | -32.44 | 39.26 | 36.25 | 12.76 | 32.51 | 100 | 35 | PEAK    | 2 | 7303.42 | 56.17 | 74.00 | -17.83 | 39.42 | 36.32 | 13.07 | 32.64 | 100 | 35 | PEAK    |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>91.77</td> <td>-----</td> <td>-----</td> <td>75.93</td> <td>36.13</td> <td>12.15</td> <td>32.44</td> <td>100</td> <td>35</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 91.77 | ----- | ----- | 75.93 | 36.13 | 12.15 | 32.44 | 100 | 35 | PEAK    |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7134.02   | 55.76              | 88.20  | -32.44 | 39.26  | 36.25  | 12.76  | 32.51  | 100    | 35     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7303.42   | 56.17              | 74.00  | -17.83 | 39.42  | 36.32  | 13.07  | 32.64  | 100    | 35     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 6905.00   | 91.77              | -----  | -----  | 75.93  | 36.13  | 12.15  | 32.44  | 100    | 35     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Avg</b>  |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7224.16</td> <td>47.04</td> <td>68.20</td> <td>-21.16</td> <td>30.31</td> <td>36.29</td> <td>13.02</td> <td>32.58</td> <td>100</td> <td>35</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7253.20</td> <td>46.95</td> <td>54.00</td> <td>-7.05</td> <td>30.21</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>100</td> <td>35</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7224.16 | 47.04 | 68.20 | -21.16 | 30.31 | 36.29 | 13.02 | 32.58 | 100 | 35 | AVERAGE | 2 | 7253.20 | 46.95 | 54.00 | -7.05  | 30.21 | 36.30 | 13.04 | 32.60 | 100 | 35 | AVERAGE |  <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>82.92</td> <td>-----</td> <td>-----</td> <td>67.06</td> <td>36.14</td> <td>12.16</td> <td>32.44</td> <td>100</td> <td>35</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6905.00 | 82.92 | ----- | ----- | 67.06 | 36.14 | 12.16 | 32.44 | 100 | 35 | AVERAGE |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7224.16   | 47.04              | 68.20  | -21.16 | 30.31  | 36.29  | 13.02  | 32.58  | 100    | 35     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7253.20   | 46.95              | 54.00  | -7.05  | 30.21  | 36.30  | 13.04  | 32.60  | 100    | 35     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 6905.00   | 82.92              | -----  | -----  | 67.06  | 36.14  | 12.16  | 32.44  | 100    | 35     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |



|             |  | <b>90</b>  |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------------|--|--|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b> |  | <b>Band Edge</b>   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|             |  | <b>U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M_Ⓢ_6105MHz</b> |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>ANT</b>  |  | <b>CDD 5+4</b>   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b>   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Peak</b> |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.46</td> <td>68.77</td> <td>88.20</td> <td>-19.43</td> <td>54.40</td> <td>34.98</td> <td>11.70</td> <td>32.31</td> <td>400</td> <td>299</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit  | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5625.46 | 68.77 | 88.20 | -19.43 | 54.40 | 34.98 | 11.70 | 32.31 | 400 | 299 | PEAK    |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>90.99</td> <td>-----</td> <td>-----</td> <td>76.02</td> <td>35.62</td> <td>11.95</td> <td>32.60</td> <td>400</td> <td>299</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 90.99 | ----- | ----- | 76.02 | 35.62 | 11.95 | 32.60 | 400 | 299 | PEAK    |
|             | Limit  | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m   | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5625.46  | 68.77  | 88.20  | -19.43 | 54.40  | 34.98  | 11.70  | 32.31  | 400    | 299    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m   | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 6105.00  | 90.99  | -----  | -----  | 76.02  | 35.62  | 11.95  | 32.60  | 400    | 299    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Avg</b>  |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5790.70</td> <td>52.28</td> <td>68.20</td> <td>-15.92</td> <td>37.89</td> <td>35.21</td> <td>11.62</td> <td>32.44</td> <td>400</td> <td>299</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5790.70 | 52.28 | 68.20 | -15.92 | 37.89 | 35.21 | 11.62 | 32.44 | 400 | 299 | AVERAGE |  <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>83.61</td> <td>-----</td> <td>-----</td> <td>69.37</td> <td>35.50</td> <td>11.34</td> <td>32.60</td> <td>400</td> <td>299</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 6105.00 | 83.61 | ----- | ----- | 69.37 | 35.50 | 11.34 | 32.60 | 400 | 299 | AVERAGE |
|             | Limit  | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m   | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5790.70  | 52.28  | 68.20  | -15.92 | 37.89  | 35.21  | 11.62  | 32.44  | 400    | 299    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level  | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m   | dBuV/m   | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 6105.00  | 83.61  | -----  | -----  | 69.37  | 35.50  | 11.34  | 32.60  | 400    | 299    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |



|                              |  | <b>90</b>  |       |        |        |        |         |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
|------------------------------|--|--|-------|--------|--------|--------|---------|--------|--------|----------------------|--------------|-------------|--|--|--|--|--|-------------------|------|------|----|----|----|-----|--|------------------------------|-------|-------|-------|-------|-----|-----|---------|---|--------------|------|-----|-------|--------|------|------|--------|----------------------|--------------|-------------|--|--|--|--|--|-------------------|------|------|----|----|----|-----|--|-------------------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b>                  |  | <b>Band Edge</b>   |       |        |        |        |         |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
|                              |  | <b>U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M_Ⓢ_6105MHz</b> |       |        |        |        |         |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| <b>ANT</b>                   |  | <b>CDD 5+4</b>   |       |        |        |        |         |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| <b>Pol.</b>                  | <b>Vertical</b>  | <b>Fundamental</b>   |       |        |        |        |         |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| <b>Peak</b>                  | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5625.46 69.77 88.20 -18.43</td> <td>55.40</td> <td>34.98</td> <td>11.70</td> <td>32.31</td> <td>209</td> <td>329</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit Margin   | Read  | Ant    | Cable  | Preamp | APos    | TPos   | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  |  |  |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB | cm | deg |  | 1 5625.46 69.77 88.20 -18.43 | 55.40 | 34.98 | 11.70 | 32.31 | 209 | 329 | PEAK    | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 6105.00 95.36 -</td> <td>80.64</td> <td>35.58</td> <td>11.74</td> <td>32.60</td> <td>209</td> <td>329</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  |  |  |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB | cm | deg |  | 1 6105.00 95.36 - | 80.64 | 35.58 | 11.74 | 32.60 | 209 | 329 | PEAK    |
|                              | Limit Margin   | Read   | Ant   | Cable  | Preamp | APos   | TPos    | Remark |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| Freq Level Line (dB)         | Level Factor   | Loss Factor  |       |        |        |        |         |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| MHz dBuV/m dBuV/m            | dBuV   | dB/m   | dB    | dB     | cm     | deg    |         |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| 1 5625.46 69.77 88.20 -18.43 | 55.40  | 34.98  | 11.70 | 32.31  | 209    | 329    | PEAK    |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| Limit Margin                 | Read   | Ant  | Cable | Preamp | APos   | TPos   | Remark  |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| Freq Level Line (dB)         | Level Factor   | Loss Factor  |       |        |        |        |         |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| MHz dBuV/m dBuV/m            | dBuV   | dB/m   | dB    | dB     | cm     | deg    |         |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| 1 6105.00 95.36 -            | 80.64  | 35.58  | 11.74 | 32.60  | 209    | 329    | PEAK    |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| <b>Avg</b>                   | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5789.94 57.02 68.20 -11.18</td> <td>42.63</td> <td>35.21</td> <td>11.62</td> <td>32.44</td> <td>209</td> <td>329</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit Margin   | Read  | Ant    | Cable  | Preamp | APos    | TPos   | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  |  |  |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB | cm | deg |  | 1 5789.94 57.02 68.20 -11.18 | 42.63 | 35.21 | 11.62 | 32.44 | 209 | 329 | AVERAGE | <p style="text-align: right;">Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 6105.00 83.00 -</td> <td>68.28</td> <td>35.58</td> <td>11.74</td> <td>32.60</td> <td>209</td> <td>329</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  |  |  |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB | cm | deg |  | 1 6105.00 83.00 - | 68.28 | 35.58 | 11.74 | 32.60 | 209 | 329 | AVERAGE |
|                              | Limit Margin   | Read   | Ant   | Cable  | Preamp | APos   | TPos    | Remark |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| Freq Level Line (dB)         | Level Factor   | Loss Factor  |       |        |        |        |         |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| MHz dBuV/m dBuV/m            | dBuV   | dB/m   | dB    | dB     | cm     | deg    |         |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| 1 5789.94 57.02 68.20 -11.18 | 42.63  | 35.21  | 11.62 | 32.44  | 209    | 329    | AVERAGE |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| Limit Margin                 | Read   | Ant  | Cable | Preamp | APos   | TPos   | Remark  |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| Freq Level Line (dB)         | Level Factor   | Loss Factor  |       |        |        |        |         |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| MHz dBuV/m dBuV/m            | dBuV   | dB/m   | dB    | dB     | cm     | deg    |         |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |
| 1 6105.00 83.00 -            | 68.28  | 35.58  | 11.74 | 32.60  | 209    | 329    | AVERAGE |        |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |  |  |  |                   |      |      |    |    |    |     |  |                   |       |       |       |       |     |     |         |



|             | <b>91</b>  |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 40M_1_6905MHz</b>  |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b> |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7199.96</td> <td>58.26</td> <td>88.20</td> <td>-29.94</td> <td>41.54</td> <td>36.28</td> <td>13.00</td> <td>32.56</td> <td>379</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7289.50</td> <td>55.72</td> <td>74.00</td> <td>-18.28</td> <td>38.97</td> <td>36.32</td> <td>13.06</td> <td>32.63</td> <td>379</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>      | Limit              | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7199.96 | 58.26 | 88.20 | -29.94 | 41.54 | 36.28 | 13.00 | 32.56 | 379 | 74 | PEAK    | 2 | 7289.50 | 55.72 | 74.00 | -18.28 | 38.97 | 36.32 | 13.06 | 32.63 | 379 | 74 | PEAK    | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>89.16</td> <td>-----</td> <td>-----</td> <td>73.35</td> <td>36.13</td> <td>12.13</td> <td>32.45</td> <td>379</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 6905.00 | 89.16 | ----- | ----- | 73.35 | 36.13 | 12.13 | 32.45 | 379 | 74 | PEAK    |
|             | Limit  | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7199.96  | 58.26              | 88.20  | -29.94 | 41.54  | 36.28  | 13.00  | 32.56  | 379    | 74   | PEAK    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7289.50  | 55.72              | 74.00  | -18.28 | 38.97  | 36.32  | 13.06  | 32.63  | 379    | 74   | PEAK    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Apos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 6905.00  | 89.16              | -----  | -----  | 73.35  | 36.13  | 12.13  | 32.45  | 379    | 74   | PEAK    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7195.12</td> <td>48.64</td> <td>68.20</td> <td>-19.56</td> <td>31.94</td> <td>36.28</td> <td>12.98</td> <td>32.56</td> <td>379</td> <td>74</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7267.72</td> <td>47.25</td> <td>54.00</td> <td>-6.75</td> <td>30.51</td> <td>36.31</td> <td>13.05</td> <td>32.62</td> <td>379</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7195.12 | 48.64 | 68.20 | -19.56 | 31.94 | 36.28 | 12.98 | 32.56 | 379 | 74 | AVERAGE | 2 | 7267.72 | 47.25 | 54.00 | -6.75  | 30.51 | 36.31 | 13.05 | 32.62 | 379 | 74 | AVERAGE | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>79.39</td> <td>-----</td> <td>-----</td> <td>63.60</td> <td>36.12</td> <td>12.12</td> <td>32.45</td> <td>379</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 6905.00 | 79.39 | ----- | ----- | 63.60 | 36.12 | 12.12 | 32.45 | 379 | 74 | AVERAGE |
| Limit       | Read   | Ant                | Cable  | Preamp | Apos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7195.12  | 48.64              | 68.20  | -19.56 | 31.94  | 36.28  | 12.98  | 32.56  | 379    | 74   | AVERAGE |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7267.72  | 47.25              | 54.00  | -6.75  | 30.51  | 36.31  | 13.05  | 32.62  | 379    | 74   | AVERAGE |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Apos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 6905.00  | 79.39              | -----  | -----  | 63.60  | 36.12  | 12.12  | 32.45  | 379    | 74   | AVERAGE |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |



|             |  | <b>91</b>          |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT320_CH191_Puncturing 40M_1_6905MHz</b>  |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7193.91</td> <td>57.54</td> <td>88.20</td> <td>-30.66</td> <td>40.85</td> <td>36.28</td> <td>12.97</td> <td>32.56</td> <td>100</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7250.18</td> <td>55.97</td> <td>74.00</td> <td>-18.03</td> <td>39.23</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>100</td> <td>39</td> <td>PEAK</td> </tr> </tbody> </table>      | Limit              | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7193.91 | 57.54 | 88.20 | -30.66 | 40.85 | 36.28 | 12.97 | 32.56 | 100 | 39 | PEAK    | 2 | 7250.18 | 55.97 | 74.00 | -18.03 | 39.23 | 36.30 | 13.04 | 32.60 | 100 | 39 | PEAK    | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>91.95</td> <td>-----</td> <td>-----</td> <td>76.08</td> <td>36.14</td> <td>12.17</td> <td>32.44</td> <td>100</td> <td>39</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 6905.00 | 91.95 | ----- | ----- | 76.08 | 36.14 | 12.17 | 32.44 | 100 | 39 | PEAK    |
|             | Limit  | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7193.91  | 57.54              | 88.20  | -30.66 | 40.85  | 36.28  | 12.97  | 32.56  | 100    | 39   | PEAK    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7250.18  | 55.97              | 74.00  | -18.03 | 39.23  | 36.30  | 13.04  | 32.60  | 100    | 39   | PEAK    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Apos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 6905.00  | 91.95              | -----  | -----  | 76.08  | 36.14  | 12.17  | 32.44  | 100    | 39   | PEAK    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7203.59</td> <td>48.03</td> <td>68.20</td> <td>-20.17</td> <td>31.32</td> <td>36.28</td> <td>13.00</td> <td>32.57</td> <td>100</td> <td>39</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7333.06</td> <td>47.09</td> <td>54.00</td> <td>-6.91</td> <td>30.34</td> <td>36.33</td> <td>13.09</td> <td>32.67</td> <td>100</td> <td>39</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7203.59 | 48.03 | 68.20 | -20.17 | 31.32 | 36.28 | 13.00 | 32.57 | 100 | 39 | AVERAGE | 2 | 7333.06 | 47.09 | 54.00 | -6.91  | 30.34 | 36.33 | 13.09 | 32.67 | 100 | 39 | AVERAGE | <p style="text-align: right;">Date: 2023-12-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>81.64</td> <td>-----</td> <td>-----</td> <td>65.78</td> <td>36.14</td> <td>12.16</td> <td>32.44</td> <td>100</td> <td>39</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 6905.00 | 81.64 | ----- | ----- | 65.78 | 36.14 | 12.16 | 32.44 | 100 | 39 | AVERAGE |
| Limit       | Read   | Ant                | Cable  | Preamp | Apos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7203.59  | 48.03              | 68.20  | -20.17 | 31.32  | 36.28  | 13.00  | 32.57  | 100    | 39   | AVERAGE |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7333.06  | 47.09              | 54.00  | -6.91  | 30.34  | 36.33  | 13.09  | 32.67  | 100    | 39   | AVERAGE |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Read   | Ant                | Cable  | Preamp | Apos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 6905.00  | 81.64              | -----  | -----  | 65.78  | 36.14  | 12.16  | 32.44  | 100    | 39   | AVERAGE |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |







| Mode        | 92   |          |        |        |        |        |        |        |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
|-------------|--|----------|--------|--------|--------|--------|--------|--------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|-------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|-------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|-------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|-------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|---|--------|-------|-------|--------|-------|-------|------|-------|----|----|------|
|             | LF   |          |        |        |        |        |        |        |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
|             | U-NII-8_6.875-7.125_WIFI Worse LF 802.11a_CH233_7115MHz  |          |        |        |        |        |        |        |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| ANT         | CDD 5+4  |          |        |        |        |        |        |        |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| Pol.        | Horizontal   | Vertical |        |        |        |        |        |        |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| QP/<br>Peak | <p>Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>59.10</td><td>20.53</td><td>40.00</td><td>-19.47</td><td>38.87</td><td>12.68</td><td>1.58</td><td>32.60</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>97.90</td><td>23.78</td><td>43.50</td><td>-19.72</td><td>37.99</td><td>16.54</td><td>1.85</td><td>32.60</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>163.86</td><td>30.97</td><td>43.50</td><td>-12.53</td><td>44.96</td><td>16.10</td><td>2.26</td><td>32.35</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>255.04</td><td>24.15</td><td>46.00</td><td>-21.85</td><td>34.18</td><td>19.45</td><td>2.52</td><td>32.00</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>438.37</td><td>23.83</td><td>46.00</td><td>-22.17</td><td>29.72</td><td>22.75</td><td>3.26</td><td>31.90</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>667.29</td><td>28.04</td><td>46.00</td><td>-17.96</td><td>31.14</td><td>25.20</td><td>3.90</td><td>32.20</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table> | Limit    | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 59.10 | 20.53 | 40.00 | -19.47 | 38.87 | 12.68 | 1.58 | 32.60 | -- | -- | Peak | 2 | 97.90 | 23.78 | 43.50 | -19.72 | 37.99 | 16.54 | 1.85 | 32.60 | -- | -- | Peak | 3 | 163.86 | 30.97 | 43.50 | -12.53 | 44.96 | 16.10 | 2.26 | 32.35 | -- | -- | Peak | 4 | 255.04 | 24.15 | 46.00 | -21.85 | 34.18 | 19.45 | 2.52 | 32.00 | -- | -- | Peak | 5 | 438.37 | 23.83 | 46.00 | -22.17 | 29.72 | 22.75 | 3.26 | 31.90 | -- | -- | Peak | 6 | 667.29 | 28.04 | 46.00 | -17.96 | 31.14 | 25.20 | 3.90 | 32.20 | -- | -- | Peak | <p>Date: 2023-11-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>54.25</td><td>23.82</td><td>40.00</td><td>-16.18</td><td>39.97</td><td>13.58</td><td>1.50</td><td>31.23</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>96.93</td><td>31.22</td><td>43.50</td><td>-12.28</td><td>44.25</td><td>16.36</td><td>1.84</td><td>31.23</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>166.77</td><td>26.56</td><td>43.50</td><td>-16.94</td><td>39.36</td><td>15.95</td><td>2.28</td><td>31.03</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>249.22</td><td>21.84</td><td>46.00</td><td>-24.16</td><td>31.64</td><td>18.60</td><td>2.50</td><td>30.90</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>537.31</td><td>24.34</td><td>46.00</td><td>-21.66</td><td>27.01</td><td>24.67</td><td>3.58</td><td>30.92</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>773.02</td><td>30.28</td><td>46.00</td><td>-15.72</td><td>31.09</td><td>25.99</td><td>4.22</td><td>31.02</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 54.25 | 23.82 | 40.00 | -16.18 | 39.97 | 13.58 | 1.50 | 31.23 | -- | -- | Peak | 2 | 96.93 | 31.22 | 43.50 | -12.28 | 44.25 | 16.36 | 1.84 | 31.23 | -- | -- | Peak | 3 | 166.77 | 26.56 | 43.50 | -16.94 | 39.36 | 15.95 | 2.28 | 31.03 | -- | -- | Peak | 4 | 249.22 | 21.84 | 46.00 | -24.16 | 31.64 | 18.60 | 2.50 | 30.90 | -- | -- | Peak | 5 | 537.31 | 24.34 | 46.00 | -21.66 | 27.01 | 24.67 | 3.58 | 30.92 | -- | -- | Peak | 6 | 773.02 | 30.28 | 46.00 | -15.72 | 31.09 | 25.99 | 4.22 | 31.02 | -- | -- | Peak |
|             | Limit  | Read     | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| Freq        | Level  | Line     | Margin | Level  | Factor | Loss   | Factor |        |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| MHz         | dBuV/m   | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| 1           | 59.10  | 20.53    | 40.00  | -19.47 | 38.87  | 12.68  | 1.58   | 32.60  | --     | --   | Peak  |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| 2           | 97.90  | 23.78    | 43.50  | -19.72 | 37.99  | 16.54  | 1.85   | 32.60  | --     | --   | Peak  |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| 3           | 163.86   | 30.97    | 43.50  | -12.53 | 44.96  | 16.10  | 2.26   | 32.35  | --     | --   | Peak  |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| 4           | 255.04   | 24.15    | 46.00  | -21.85 | 34.18  | 19.45  | 2.52   | 32.00  | --     | --   | Peak  |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| 5           | 438.37   | 23.83    | 46.00  | -22.17 | 29.72  | 22.75  | 3.26   | 31.90  | --     | --   | Peak  |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| 6           | 667.29   | 28.04    | 46.00  | -17.96 | 31.14  | 25.20  | 3.90   | 32.20  | --     | --   | Peak  |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| Limit       | Read   | Ant      | Cable  | Preamp | APos   | TPos   | Remark |        |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| Freq        | Level  | Line     | Margin | Level  | Factor | Loss   | Factor |        |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| MHz         | dBuV/m   | dBuV/m   | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| 1           | 54.25  | 23.82    | 40.00  | -16.18 | 39.97  | 13.58  | 1.50   | 31.23  | --     | --   | Peak  |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| 2           | 96.93  | 31.22    | 43.50  | -12.28 | 44.25  | 16.36  | 1.84   | 31.23  | --     | --   | Peak  |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| 3           | 166.77   | 26.56    | 43.50  | -16.94 | 39.36  | 15.95  | 2.28   | 31.03  | --     | --   | Peak  |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| 4           | 249.22   | 21.84    | 46.00  | -24.16 | 31.64  | 18.60  | 2.50   | 30.90  | --     | --   | Peak  |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| 5           | 537.31   | 24.34    | 46.00  | -21.66 | 27.01  | 24.67  | 3.58   | 30.92  | --     | --   | Peak  |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |
| 6           | 773.02   | 30.28    | 46.00  | -15.72 | 31.09  | 25.99  | 4.22   | 31.02  | --     | --   | Peak  |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |       |       |       |        |       |       |      |       |    |    |      |   |       |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |   |        |       |       |        |       |       |      |       |    |    |      |



|                              | 93  |              |       |        |        |        |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
|------------------------------|---|--------------|-------|--------|--------|--------|---------|--------|--------|----------------------|--------------|-------------|--|--|----|-----|--|-------------------|------|------|----|----|----|-----|--|------------------------------|-------|-------|-------|-------|-----|-----|---------|---|--------------|------|-----|-------|--------|------|------|--------|----------------------|--------------|-------------|--|--|----|-----|--|-------------------|------|------|----|----|----|-----|--|-----------------|-------|-------|-------|-------|-----|-----|---------|
| Mode                         | Band Edge   |              |       |        |        |        |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
|                              | U-NII-5_5.925-6.425_802.11a_CHCH2_5935MHz   |              |       |        |        |        |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| ANT                          | CDD 5+4   |              |       |        |        |        |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| Pol.                         | Horizontal  | Fundamental  |       |        |        |        |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| Peak                         | <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5924.97 75.86 88.20 -12.34</td> <td>61.61</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>373</td> <td>222</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit Margin | Read  | Ant    | Cable  | Preamp | APos    | TPos   | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  | cm | deg |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB | cm | deg |  | 1 5924.97 75.86 88.20 -12.34 | 61.61 | 35.39 | 11.40 | 32.54 | 373 | 222 | PEAK    | <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5935.00 91.54</td> <td>77.29</td> <td>35.40</td> <td>11.40</td> <td>32.55</td> <td>373</td> <td>222</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  | cm | deg |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB | cm | deg |  | 1 5935.00 91.54 | 77.29 | 35.40 | 11.40 | 32.55 | 373 | 222 | PEAK    |
|                              | Limit Margin  | Read         | Ant   | Cable  | Preamp | APos   | TPos    | Remark |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| Freq Level Line (dB)         | Level Factor  | Loss Factor  |       |        | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| MHz dBuV/m dBuV/m            | dBuV  | dB/m         | dB    | dB     | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| 1 5924.97 75.86 88.20 -12.34 | 61.61   | 35.39        | 11.40 | 32.54  | 373    | 222    | PEAK    |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| Limit Margin                 | Read  | Ant          | Cable | Preamp | APos   | TPos   | Remark  |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| Freq Level Line (dB)         | Level Factor  | Loss Factor  |       |        | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| MHz dBuV/m dBuV/m            | dBuV  | dB/m         | dB    | dB     | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| 1 5935.00 91.54              | 77.29   | 35.40        | 11.40 | 32.55  | 373    | 222    | PEAK    |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| Avg                          | <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5924.97 64.50 68.20 -3.70</td> <td>50.25</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>373</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit Margin | Read  | Ant    | Cable  | Preamp | APos    | TPos   | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  | cm | deg |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB | cm | deg |  | 1 5924.97 64.50 68.20 -3.70  | 50.25 | 35.39 | 11.40 | 32.54 | 373 | 222 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5935.00 83.96</td> <td>69.71</td> <td>35.40</td> <td>11.40</td> <td>32.55</td> <td>373</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  | cm | deg |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB | cm | deg |  | 1 5935.00 83.96 | 69.71 | 35.40 | 11.40 | 32.55 | 373 | 222 | AVERAGE |
|                              | Limit Margin  | Read         | Ant   | Cable  | Preamp | APos   | TPos    | Remark |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| Freq Level Line (dB)         | Level Factor  | Loss Factor  |       |        | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| MHz dBuV/m dBuV/m            | dBuV  | dB/m         | dB    | dB     | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| 1 5924.97 64.50 68.20 -3.70  | 50.25   | 35.39        | 11.40 | 32.54  | 373    | 222    | AVERAGE |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| Limit Margin                 | Read  | Ant          | Cable | Preamp | APos   | TPos   | Remark  |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| Freq Level Line (dB)         | Level Factor  | Loss Factor  |       |        | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| MHz dBuV/m dBuV/m            | dBuV  | dB/m         | dB    | dB     | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |
| 1 5935.00 83.96              | 69.71   | 35.40        | 11.40 | 32.55  | 373    | 222    | AVERAGE |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |     |         |   |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                 |       |       |       |       |     |     |         |



|       | 93   |             |        |       |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|-------|--|-------------|--------|-------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| Mode  | Band Edge  |             |        |       |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|       | U-NII-5_5.925-6.425_802.11a_CHCH2_5935MHz  |             |        |       |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| ANT   | CDD 5+4  |             |        |       |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Pol.  | Vertical   | Fundamental |        |       |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Peak  |  <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.84</td> <td>78.68</td> <td>88.20</td> <td>-9.52</td> <td>64.43</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>332</td> <td>84</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit       | Margin | Read  | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.84 | 78.68 | 88.20 | -9.52 | 64.43 | 35.39 | 11.40 | 32.54 | 332 | 84 | PEAK    |  <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>93.11</td> <td>-----</td> <td>-----</td> <td>78.87</td> <td>35.42</td> <td>11.38</td> <td>32.56</td> <td>332</td> <td>84</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 93.11 | ----- | ----- | 78.87 | 35.42 | 11.38 | 32.56 | 332 | 84 | PEAK    |
|       | Limit  | Margin      | Read   | Ant   | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level  | Line        | (dB)   | Level | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dBuV   | dB/m  | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 5924.84  | 78.68       | 88.20  | -9.52 | 64.43  | 35.39  | 11.40  | 32.54  | 332    | 84     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit | Margin   | Read        | Ant    | Cable | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level  | Line        | (dB)   | Level | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dBuV   | dB/m  | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 5935.00  | 93.11       | -----  | ----- | 78.87  | 35.42  | 11.38  | 32.56  | 332    | 84     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Avg   |  <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>65.80</td> <td>68.20</td> <td>-2.40</td> <td>51.55</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>332</td> <td>84</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Margin | Read  | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 65.80 | 68.20 | -2.40 | 51.55 | 35.39 | 11.40 | 32.54 | 332 | 84 | AVERAGE |  <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>85.77</td> <td>-----</td> <td>-----</td> <td>71.53</td> <td>35.42</td> <td>11.38</td> <td>32.56</td> <td>332</td> <td>84</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 85.77 | ----- | ----- | 71.53 | 35.42 | 11.38 | 32.56 | 332 | 84 | AVERAGE |
| Limit | Margin   | Read        | Ant    | Cable | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level  | Line        | (dB)   | Level | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dBuV   | dB/m  | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 5924.97  | 65.80       | 68.20  | -2.40 | 51.55  | 35.39  | 11.40  | 32.54  | 332    | 84     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit | Margin   | Read        | Ant    | Cable | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level  | Line        | (dB)   | Level | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m   | dBuV/m      | dBuV   | dB/m  | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 5935.00  | 85.77       | -----  | ----- | 71.53  | 35.42  | 11.38  | 32.56  | 332    | 84     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |



| Mode        | 93  |             |       |        |             |        |        |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
|-------------|---|-------------|-------|--------|-------------|--------|--------|--------|--------|------|-------|-------------|-------|--------|-------------|--|--|-----|--------|--------|----|------|------|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|-------|--------|-------------|--|--|-----|--------|--------|----|------|------|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|
|             | Harmonic  |             |       |        |             |        |        |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
|             | U-NII-5_5.925-6.425_802.11a_CHCH2_5935MHz   |             |       |        |             |        |        |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| ANT         | CDD 5+4   |             |       |        |             |        |        |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| Pol.        | Horizontal  | Vertical    |       |        |             |        |        |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11870.00</td> <td>48.94</td> <td>74.00</td> <td>-25.06</td> <td>44.26</td> <td>40.10</td> <td>15.06</td> <td>50.48</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17805.00</td> <td>49.14</td> <td>74.00</td> <td>-24.86</td> <td>41.25</td> <td>42.48</td> <td>17.73</td> <td>52.32</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | APos   | TPos   | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 11870.00 | 48.94 | 74.00 | -25.06 | 44.26 | 40.10 | 15.06 | 50.48 | -- | -- | Peak | 2 | 17805.00 | 49.14 | 74.00 | -24.86 | 41.25 | 42.48 | 17.73 | 52.32 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11870.00</td> <td>49.17</td> <td>74.00</td> <td>-24.83</td> <td>44.49</td> <td>40.10</td> <td>15.06</td> <td>50.48</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17805.00</td> <td>49.37</td> <td>74.00</td> <td>-24.63</td> <td>41.48</td> <td>42.48</td> <td>17.73</td> <td>52.32</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 11870.00 | 49.17 | 74.00 | -24.83 | 44.49 | 40.10 | 15.06 | 50.48 | -- | -- | Peak | 2 | 17805.00 | 49.37 | 74.00 | -24.63 | 41.48 | 42.48 | 17.73 | 52.32 | -- | -- | Peak |
|             | Limit   | Read        | Ant   | Cable  | Preamp      | APos   | TPos   | Remark |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor |        |        |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | cm     | deg    |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| 1           | 11870.00  | 48.94       | 74.00 | -25.06 | 44.26       | 40.10  | 15.06  | 50.48  | --     | --   | Peak  |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| 2           | 17805.00  | 49.14       | 74.00 | -24.86 | 41.25       | 42.48  | 17.73  | 52.32  | --     | --   | Peak  |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| Limit       | Read  | Ant         | Cable | Preamp | APos        | TPos   | Remark |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor |        |        |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | cm     | deg    |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| 1           | 11870.00  | 49.17       | 74.00 | -24.83 | 44.49       | 40.10  | 15.06  | 50.48  | --     | --   | Peak  |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| 2           | 17805.00  | 49.37       | 74.00 | -24.63 | 41.48       | 42.48  | 17.73  | 52.32  | --     | --   | Peak  |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |



|             |   | <b>94</b>          |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------------|---|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Full_5935MHz</b>   |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>73.58</td> <td>88.20</td> <td>-14.62</td> <td>59.33</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>374</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 73.58 | 88.20 | -14.62 | 59.33 | 35.39 | 11.40 | 32.54 | 374 | 224 | PEAK    | <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>84.73</td> <td>-----</td> <td>-----</td> <td>70.49</td> <td>35.42</td> <td>11.38</td> <td>32.56</td> <td>374</td> <td>224</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 84.73 | ----- | ----- | 70.49 | 35.42 | 11.38 | 32.56 | 374 | 224 | PEAK    |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5924.97   | 73.58              | 88.20  | -14.62 | 59.33  | 35.39  | 11.40  | 32.54  | 374    | 224    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5935.00   | 84.73              | -----  | -----  | 70.49  | 35.42  | 11.38  | 32.56  | 374    | 224    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>65.75</td> <td>68.20</td> <td>-2.45</td> <td>51.50</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>374</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 65.75 | 68.20 | -2.45  | 51.50 | 35.39 | 11.40 | 32.54 | 374 | 224 | AVERAGE | <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>76.34</td> <td>-----</td> <td>-----</td> <td>62.10</td> <td>35.42</td> <td>11.38</td> <td>32.56</td> <td>374</td> <td>224</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 76.34 | ----- | ----- | 62.10 | 35.42 | 11.38 | 32.56 | 374 | 224 | AVERAGE |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5924.97   | 65.75              | 68.20  | -2.45  | 51.50  | 35.39  | 11.40  | 32.54  | 374    | 224    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5935.00   | 76.34              | -----  | -----  | 62.10  | 35.42  | 11.38  | 32.56  | 374    | 224    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |







|             | <b>94</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Full_5935MHz</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>72.25</td> <td>88.20</td> <td>-15.95</td> <td>58.00</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>333</td> <td>96</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 72.25 | 88.20 | -15.95 | 58.00 | 35.39 | 11.40 | 32.54 | 333 | 96 | PEAK    | <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>85.81</td> <td>-----</td> <td>-----</td> <td>71.57</td> <td>35.42</td> <td>11.38</td> <td>32.56</td> <td>333</td> <td>96</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 85.81 | ----- | ----- | 71.57 | 35.42 | 11.38 | 32.56 | 333 | 96 | PEAK    |
|             | Limit  | Margin             | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 5924.97  | 72.25              | 88.20  | -15.95 | 58.00  | 35.39  | 11.40  | 32.54  | 333    | 96     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 5935.00  | 85.81              | -----  | -----  | 71.57  | 35.42  | 11.38  | 32.56  | 333    | 96     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>65.33</td> <td>68.20</td> <td>-2.87</td> <td>51.08</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>333</td> <td>96</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 65.33 | 68.20 | -2.87  | 51.08 | 35.39 | 11.40 | 32.54 | 333 | 96 | AVERAGE | <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>78.06</td> <td>-----</td> <td>-----</td> <td>63.81</td> <td>35.41</td> <td>11.39</td> <td>32.55</td> <td>333</td> <td>96</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 78.06 | ----- | ----- | 63.81 | 35.41 | 11.39 | 32.55 | 333 | 96 | AVERAGE |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 5924.97  | 65.33              | 68.20  | -2.87  | 51.08  | 35.39  | 11.40  | 32.54  | 333    | 96     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 5935.00  | 78.06              | -----  | -----  | 63.81  | 35.41  | 11.39  | 32.55  | 333    | 96     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |



| Mode        | 94  |             |       |        |             |       |        |        |            |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
|-------------|---|-------------|-------|--------|-------------|-------|--------|--------|------------|--|------|-------|-------------|-------|--------|-------------|--|--|--------|-----|--------|--------|----|------|------|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|------------|---|----------|-------|-------|--------|-------|-------|-------|-------|------------|---|--|-------|------|-----|-------|--------|------|------|--|------|-------|-------------|-------|--------|-------------|--|--|--------|-----|--------|--------|----|------|------|----|----|-----|---|----------|-------|-------|--------|-------|-------|-------|-------|------------|---|----------|-------|-------|--------|-------|-------|-------|-------|
|             | Harmonic  |             |       |        |             |       |        |        |            |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
|             | U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Full_5935MHz  |             |       |        |             |       |        |        |            |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
| ANT         | CDD 5+4   |             |       |        |             |       |        |        |            |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
| Pol.        | Horizontal  | Vertical    |       |        |             |       |        |        |            |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
| Peak<br>Avg |   |             |       |        |             |       |        |        |            |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
|             | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11870.00</td> <td>49.37</td> <td>74.00</td> <td>-24.63</td> <td>44.69</td> <td>40.10</td> <td>15.06</td> <td>50.48</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>17805.00</td> <td>49.90</td> <td>74.00</td> <td>-24.10</td> <td>42.01</td> <td>42.48</td> <td>17.73</td> <td>52.32</td> <td>-- -- Peak</td> </tr> </tbody> </table> |             | Limit | Read   | Ant         | Cable | Preamp | APos   | TPos       |  | Freq | Level | Line Margin | Level | Factor | Loss Factor |  |  | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 11870.00 | 49.37 | 74.00 | -24.63 | 44.69 | 40.10 | 15.06 | 50.48 | -- -- Peak | 2 | 17805.00 | 49.90 | 74.00 | -24.10 | 42.01 | 42.48 | 17.73 | 52.32 | -- -- Peak | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11870.00</td> <td>47.85</td> <td>74.00</td> <td>-26.15</td> <td>43.17</td> <td>40.10</td> <td>15.06</td> <td>50.48</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>17805.00</td> <td>49.60</td> <td>74.00</td> <td>-24.40</td> <td>41.71</td> <td>42.48</td> <td>17.73</td> <td>52.32</td> <td>-- -- Peak</td> </tr> </tbody> </table> |  | Limit | Read | Ant | Cable | Preamp | APos | TPos |  | Freq | Level | Line Margin | Level | Factor | Loss Factor |  |  | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 11870.00 | 47.85 | 74.00 | -26.15 | 43.17 | 40.10 | 15.06 | 50.48 | -- -- Peak | 2 | 17805.00 | 49.60 | 74.00 | -24.40 | 41.71 | 42.48 | 17.73 | 52.32 |
|             | Limit   | Read        | Ant   | Cable  | Preamp      | APos  | TPos   |        |            |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor |       |        | Remark |            |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB    | cm     | deg    |            |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
| 1           | 11870.00  | 49.37       | 74.00 | -24.63 | 44.69       | 40.10 | 15.06  | 50.48  | -- -- Peak |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
| 2           | 17805.00  | 49.90       | 74.00 | -24.10 | 42.01       | 42.48 | 17.73  | 52.32  | -- -- Peak |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
|             | Limit   | Read        | Ant   | Cable  | Preamp      | APos  | TPos   |        |            |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor |       |        | Remark |            |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB    | cm     | deg    |            |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
| 1           | 11870.00  | 47.85       | 74.00 | -26.15 | 43.17       | 40.10 | 15.06  | 50.48  | -- -- Peak |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |
| 2           | 17805.00  | 49.60       | 74.00 | -24.40 | 41.71       | 42.48 | 17.73  | 52.32  | -- -- Peak |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |   |  |       |      |     |       |        |      |      |  |      |       |             |       |        |             |  |  |        |     |        |        |    |      |      |    |    |     |   |          |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |







|             |   | <b>95</b>  |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------------|---|--|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|----|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|----|----|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b> |   | <b>Band Edge</b>   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|             |   | <b>U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Single RU_5935MHz</b> |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>ANT</b>  |   | <b>CDD 5+4</b>   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b>   |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Peak</b> |  <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>75.09</td> <td>88.20</td> <td>-13.11</td> <td>60.84</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>374</td> <td>229</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit  | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 75.09 | 88.20 | -13.11 | 60.84 | 35.39 | 11.40 | 32.54 | 374 | 229 | PEAK    |  <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>84.76</td> <td>-----</td> <td>-----</td> <td>70.51</td> <td>35.40</td> <td>11.40</td> <td>32.55</td> <td>374</td> <td>229</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 84.76 | ----- | ----- | 70.51 | 35.40 | 11.40 | 32.55 | 374 | 229 | PEAK    |
|             | Limit   | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dB     | dB     | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5924.97   | 75.09  | 88.20  | -13.11 | 60.84  | 35.39  | 11.40  | 32.54  | 374    | 229    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin  | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dB     | dB     | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5935.00   | 84.76  | -----  | -----  | 70.51  | 35.40  | 11.40  | 32.55  | 374    | 229    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Avg</b>  |  <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>65.99</td> <td>68.20</td> <td>-2.21</td> <td>51.74</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>374</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 65.99 | 68.20 | -2.21  | 51.74 | 35.39 | 11.40 | 32.54 | 374 | 229 | AVERAGE |  <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>77.30</td> <td>-----</td> <td>-----</td> <td>63.05</td> <td>35.40</td> <td>11.40</td> <td>32.55</td> <td>374</td> <td>229</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dB | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 77.30 | ----- | ----- | 63.05 | 35.40 | 11.40 | 32.55 | 374 | 229 | AVERAGE |
|             | Limit   | Margin   | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dB     | dB     | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5924.97   | 65.99  | 68.20  | -2.21  | 51.74  | 35.39  | 11.40  | 32.54  | 374    | 229    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin  | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line   | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dB     | dB     | dB/m   | dB     | dB     | cm     | deg    |        |         |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5935.00   | 77.30  | -----  | -----  | 63.05  | 35.40  | 11.40  | 32.55  | 374    | 229    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |    |    |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |



|             |   | <b>95</b>          |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|-------------|---|--------------------|--------|--------|--------|-------------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|-------------|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|-------------|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Single RU_5935MHz</b>  |                    |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |        |        |        |             |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>73.53</td> <td>88.20</td> <td>-14.67</td> <td>59.28</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>334</td> <td>95</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit              | Margin | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 73.53 | 88.20 | -14.67 | 59.28 | 35.39 | 11.40 | 32.54 | 334 | 95 | PEAK    | <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>84.09</td> <td>-----</td> <td>-----</td> <td>69.84</td> <td>35.40</td> <td>11.40</td> <td>32.55</td> <td>334</td> <td>95</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 84.09 | ----- | ----- | 69.84 | 35.40 | 11.40 | 32.55 | 334 | 95 | PEAK    |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB          | cm     | deg    |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 5924.97   | 73.53              | 88.20  | -14.67 | 59.28  | 35.39       | 11.40  | 32.54  | 334    | 95     | PEAK    |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | APos        | TPos   | Remark |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB          | cm     | deg    |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 5935.00   | 84.09              | -----  | -----  | 69.84  | 35.40       | 11.40  | 32.55  | 334    | 95     | PEAK    |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>64.94</td> <td>68.20</td> <td>-3.26</td> <td>50.69</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>334</td> <td>95</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 64.94 | 68.20 | -3.26  | 50.69 | 35.39 | 11.40 | 32.54 | 334 | 95 | AVERAGE | <p style="text-align: right;">Date: 2023-11-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>76.16</td> <td>-----</td> <td>-----</td> <td>61.91</td> <td>35.40</td> <td>11.40</td> <td>32.55</td> <td>334</td> <td>95</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 76.16 | ----- | ----- | 61.91 | 35.40 | 11.40 | 32.55 | 334 | 95 | AVERAGE |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB          | cm     | deg    |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 5924.97   | 64.94              | 68.20  | -3.26  | 50.69  | 35.39       | 11.40  | 32.54  | 334    | 95     | AVERAGE |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | APos        | TPos   | Remark |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss Factor |        |        |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB          | cm     | deg    |        |        |         |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 5935.00   | 76.16              | -----  | -----  | 61.91  | 35.40       | 11.40  | 32.55  | 334    | 95     | AVERAGE |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |             |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |







|             |   | <b>96</b>          |        |        |        |        |        |        |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
|-------------|---|--------------------|--------|--------|--------|--------|--------|--------|--------|-------------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-------------|---|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-------------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |        |        |        |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Small RU 52+26_5935MHz</b>   |                    |        |        |        |        |        |        |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |        |        |        |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |        |        |        |        |        |        |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| <b>Peak</b> |  <p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.58</td> <td>71.12</td> <td>88.20</td> <td>-17.08</td> <td>56.87</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>100</td> <td>114 PEAK</td> </tr> </tbody> </table>     | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark      | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.58 | 71.12 | 88.20 | -17.08 | 56.87 | 35.39 | 11.40 | 32.54 | 100 | 114 PEAK    |  <p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>94.55</td> <td>-----</td> <td>-----</td> <td>80.30</td> <td>35.40</td> <td>11.40</td> <td>32.55</td> <td>100</td> <td>114 PEAK</td> </tr> </tbody> </table>     |  | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 94.55 | ----- | ----- | 80.30 | 35.40 | 11.40 | 32.55 | 100 | 114 PEAK    |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| 1           | 5924.58   | 71.12              | 88.20  | -17.08 | 56.87  | 35.39  | 11.40  | 32.54  | 100    | 114 PEAK    |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| 1           | 5935.00   | 94.55              | -----  | -----  | 80.30  | 35.40  | 11.40  | 32.55  | 100    | 114 PEAK    |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| <b>Avg</b>  |  <p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>56.43</td> <td>68.20</td> <td>-11.77</td> <td>42.18</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>100</td> <td>114 AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark      | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 56.43 | 68.20 | -11.77 | 42.18 | 35.39 | 11.40 | 32.54 | 100 | 114 AVERAGE |  <p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>86.05</td> <td>-----</td> <td>-----</td> <td>71.80</td> <td>35.41</td> <td>11.39</td> <td>32.55</td> <td>100</td> <td>114 AVERAGE</td> </tr> </tbody> </table> |  | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 86.05 | ----- | ----- | 71.80 | 35.41 | 11.39 | 32.55 | 100 | 114 AVERAGE |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| 1           | 5924.97   | 56.43              | 68.20  | -11.77 | 42.18  | 35.39  | 11.40  | 32.54  | 100    | 114 AVERAGE |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |             |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |
| 1           | 5935.00   | 86.05              | -----  | -----  | 71.80  | 35.41  | 11.39  | 32.55  | 100    | 114 AVERAGE |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |             |   |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |             |



|             |   | <b>96</b>          |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|-------------|---|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Small RU 52+26_5935MHz</b>   |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.84</td> <td>74.26</td> <td>88.20</td> <td>-13.94</td> <td>60.01</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>300</td> <td>93</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.84 | 74.26 | 88.20 | -13.94 | 60.01 | 35.39 | 11.40 | 32.54 | 300 | 93 | PEAK    | <p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>96.98</td> <td>-----</td> <td>-----</td> <td>82.73</td> <td>35.41</td> <td>11.39</td> <td>32.55</td> <td>300</td> <td>93</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 96.98 | ----- | ----- | 82.73 | 35.41 | 11.39 | 32.55 | 300 | 93 | PEAK    |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 5924.84   | 74.26              | 88.20  | -13.94 | 60.01  | 35.39  | 11.40  | 32.54  | 300    | 93     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 5935.00   | 96.98              | -----  | -----  | 82.73  | 35.41  | 11.39  | 32.55  | 300    | 93     | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>57.26</td> <td>68.20</td> <td>-10.94</td> <td>43.01</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>300</td> <td>93</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 57.26 | 68.20 | -10.94 | 43.01 | 35.39 | 11.40 | 32.54 | 300 | 93 | AVERAGE | <p style="text-align: right;">Date: 2023-11-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>88.31</td> <td>-----</td> <td>-----</td> <td>74.06</td> <td>35.41</td> <td>11.39</td> <td>32.55</td> <td>300</td> <td>93</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 88.31 | ----- | ----- | 74.06 | 35.41 | 11.39 | 32.55 | 300 | 93 | AVERAGE |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 5924.97   | 57.26              | 68.20  | -10.94 | 43.01  | 35.39  | 11.40  | 32.54  | 300    | 93     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 5935.00   | 88.31              | -----  | -----  | 74.06  | 35.41  | 11.39  | 32.55  | 300    | 93     | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |



|             | <b>97</b>   |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|-------------|---|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----|---------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Small RU 106+26_5935MHz</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |        |        |        |        |        |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. Peak at 5929.7 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>73.95</td> <td>88.20</td> <td>-14.25</td> <td>59.70</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>391</td> <td>230</td> <td>PEAK</td> </tr> </tbody> </table>             | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 73.95 | 88.20 | -14.25 | 59.70 | 35.39 | 11.40 | 32.54 | 391 | 230 | PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Peak at 5935.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>83.34</td> <td>-----</td> <td>-----</td> <td>69.09</td> <td>35.40</td> <td>11.40</td> <td>32.55</td> <td>391</td> <td>230</td> <td>PEAK</td> </tr> </tbody> </table>             | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 83.34 | ----- | ----- | 69.09 | 35.40 | 11.40 | 32.55 | 391 | 230 | PEAK    |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5924.97   | 73.95              | 88.20  | -14.25 | 59.70  | 35.39  | 11.40  | 32.54  | 391    | 230    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5935.00   | 83.34              | -----  | -----  | 69.09  | 35.40  | 11.40  | 32.55  | 391    | 230    | PEAK    |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) for Average Horizontal polarization. Peak at 5924.97 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.97</td> <td>66.18</td> <td>68.20</td> <td>-2.02</td> <td>51.93</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>391</td> <td>230</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq    | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.97 | 66.18 | 68.20 | -2.02  | 51.93 | 35.39 | 11.40 | 32.54 | 391 | 230 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Average Fundamental polarization. Peak at 5935.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5935.00</td> <td>75.68</td> <td>-----</td> <td>-----</td> <td>61.43</td> <td>35.40</td> <td>11.40</td> <td>32.55</td> <td>391</td> <td>230</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 5935.00 | 75.68 | ----- | ----- | 61.43 | 35.40 | 11.40 | 32.55 | 391 | 230 | AVERAGE |
|             | Limit   | Margin             | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5924.97   | 66.18              | 68.20  | -2.02  | 51.93  | 35.39  | 11.40  | 32.54  | 391    | 230    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| Freq        | Level   | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |        |         |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |
| 1           | 5935.00   | 75.68              | -----  | -----  | 61.43  | 35.40  | 11.40  | 32.55  | 391    | 230    | AVERAGE |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |     |         |   |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |     |         |



|                              |  | <b>97</b>          |       |        |        |        |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
|------------------------------|--|--------------------|-------|--------|--------|--------|---------|--------|--------|----------------------|--------------|-------------|--|--|----|-----|--|-------------------|------|------|----|----|----|-----|--|------------------------------|-------|-------|-------|-------|-----|----|---------|--|--------------|------|-----|-------|--------|------|------|--------|----------------------|--------------|-------------|--|--|----|-----|--|-------------------|------|------|----|----|----|-----|--|-----------------------|-------|-------|-------|-------|-----|----|---------|
| <b>Mode</b>                  | <b>Band Edge</b>   |                    |       |        |        |        |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
|                              | <b>U-NII-5_5.925-6.425_802.11ax HE20_CHCH2_Small RU 106+26_5935MHz</b>   |                    |       |        |        |        |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| <b>ANT</b>                   | <b>CDD 5+4</b>   |                    |       |        |        |        |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| <b>Pol.</b>                  | <b>Vertical</b>  | <b>Fundamental</b> |       |        |        |        |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| <b>Peak</b>                  | <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5924.97 73.24 88.20 -14.96</td> <td>58.99</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>333</td> <td>96</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit Margin       | Read  | Ant    | Cable  | Preamp | APos    | TPos   | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  | cm | deg |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB | cm | deg |  | 1 5924.97 73.24 88.20 -14.96 | 58.99 | 35.39 | 11.40 | 32.54 | 333 | 96 | PEAK    | <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5935.00 84.67 -----</td> <td>70.42</td> <td>35.40</td> <td>11.40</td> <td>32.55</td> <td>333</td> <td>96</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  | cm | deg |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB | cm | deg |  | 1 5935.00 84.67 ----- | 70.42 | 35.40 | 11.40 | 32.55 | 333 | 96 | PEAK    |
|                              | Limit Margin   | Read               | Ant   | Cable  | Preamp | APos   | TPos    | Remark |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| Freq Level Line (dB)         | Level Factor   | Loss Factor        |       |        | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| MHz dBuV/m dBuV/m            | dBuV   | dB/m               | dB    | dB     | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| 1 5924.97 73.24 88.20 -14.96 | 58.99  | 35.39              | 11.40 | 32.54  | 333    | 96     | PEAK    |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| Limit Margin                 | Read   | Ant                | Cable | Preamp | APos   | TPos   | Remark  |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| Freq Level Line (dB)         | Level Factor   | Loss Factor        |       |        | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| MHz dBuV/m dBuV/m            | dBuV   | dB/m               | dB    | dB     | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| 1 5935.00 84.67 -----        | 70.42  | 35.40              | 11.40 | 32.55  | 333    | 96     | PEAK    |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| <b>Avg</b>                   | <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5924.97 64.63 68.20 -3.57</td> <td>50.38</td> <td>35.39</td> <td>11.40</td> <td>32.54</td> <td>333</td> <td>96</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit Margin       | Read  | Ant    | Cable  | Preamp | APos    | TPos   | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  | cm | deg |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB | cm | deg |  | 1 5924.97 64.63 68.20 -3.57  | 50.38 | 35.39 | 11.40 | 32.54 | 333 | 96 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5935.00 76.58 -----</td> <td>62.33</td> <td>35.41</td> <td>11.39</td> <td>32.55</td> <td>333</td> <td>96</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq Level Line (dB) | Level Factor | Loss Factor |  |  | cm | deg |  | MHz dBuV/m dBuV/m | dBuV | dB/m | dB | dB | cm | deg |  | 1 5935.00 76.58 ----- | 62.33 | 35.41 | 11.39 | 32.55 | 333 | 96 | AVERAGE |
|                              | Limit Margin   | Read               | Ant   | Cable  | Preamp | APos   | TPos    | Remark |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| Freq Level Line (dB)         | Level Factor   | Loss Factor        |       |        | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| MHz dBuV/m dBuV/m            | dBuV   | dB/m               | dB    | dB     | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| 1 5924.97 64.63 68.20 -3.57  | 50.38  | 35.39              | 11.40 | 32.54  | 333    | 96     | AVERAGE |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| Limit Margin                 | Read   | Ant                | Cable | Preamp | APos   | TPos   | Remark  |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| Freq Level Line (dB)         | Level Factor   | Loss Factor        |       |        | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| MHz dBuV/m dBuV/m            | dBuV   | dB/m               | dB    | dB     | cm     | deg    |         |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |
| 1 5935.00 76.58 -----        | 62.33  | 35.41              | 11.39 | 32.55  | 333    | 96     | AVERAGE |        |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                              |       |       |       |       |     |    |         |  |              |      |     |       |        |      |      |        |                      |              |             |  |  |    |     |  |                   |      |      |    |    |    |     |  |                       |       |       |       |       |     |    |         |



|             |  | <b>98</b>          |       |        |             |        |        |        |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
|-------------|--|--------------------|-------|--------|-------------|--------|--------|--------|--------|------------|------|-------|-------------|-------|--------|-------------|--|----|-----|-----|--------|--------|----|------|------|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|---|-------|------|-----|-------|--------|------|------|--------|--|------|-------|-------------|-------|--------|-------------|--|----|-----|-----|--------|--------|----|------|------|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|------------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |       |        |             |        |        |        |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
|             | <b>U-NII-8_6.875-7.125_802.11a_CH233_7115MHz</b>   |                    |       |        |             |        |        |        |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |       |        |             |        |        |        |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b> |       |        |             |        |        |        |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>78.08</td> <td>88.20</td> <td>-10.12</td> <td>61.60</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>388</td> <td>71 PEAK</td> </tr> <tr> <td>2</td> <td>7346.89</td> <td>55.18</td> <td>74.00</td> <td>-18.82</td> <td>38.42</td> <td>36.34</td> <td>13.10</td> <td>32.68</td> <td>388</td> <td>71 PEAK</td> </tr> </tbody> </table>     | Limit              | Read  | Ant    | Cable       | Preamp | Apos   | TPos   | Remark |            | Freq | Level | Line Margin | Level | Factor | Loss Factor |  | cm | deg | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 7125.28 | 78.08 | 88.20 | -10.12 | 61.60 | 36.25 | 12.73 | 32.50 | 388 | 71 PEAK    | 2 | 7346.89 | 55.18 | 74.00 | -18.82 | 38.42 | 36.34 | 13.10 | 32.68 | 388 | 71 PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>93.76</td> <td>-----</td> <td>-----</td> <td>77.30</td> <td>36.25</td> <td>12.71</td> <td>32.50</td> <td>388</td> <td>71 PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Apos | TPos | Remark |  | Freq | Level | Line Margin | Level | Factor | Loss Factor |  | cm | deg | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 7115.00 | 93.76 | ----- | ----- | 77.30 | 36.25 | 12.71 | 32.50 | 388 | 71 PEAK    |
|             | Limit  | Read               | Ant   | Cable  | Preamp      | Apos   | TPos   | Remark |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level  | Line Margin        | Level | Factor | Loss Factor |        | cm     | deg    |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m   | dBuV/m             | dB    | dBuV   | dB/m        | dB     | cm     | deg    |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 7125.28  | 78.08              | 88.20 | -10.12 | 61.60       | 36.25  | 12.73  | 32.50  | 388    | 71 PEAK    |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 2           | 7346.89  | 55.18              | 74.00 | -18.82 | 38.42       | 36.34  | 13.10  | 32.68  | 388    | 71 PEAK    |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Limit       | Read   | Ant                | Cable | Preamp | Apos        | TPos   | Remark |        |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level  | Line Margin        | Level | Factor | Loss Factor |        | cm     | deg    |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m   | dBuV/m             | dB    | dBuV   | dB/m        | dB     | cm     | deg    |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 7115.00  | 93.76              | ----- | -----  | 77.30       | 36.25  | 12.71  | 32.50  | 388    | 71 PEAK    |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>66.19</td> <td>68.20</td> <td>-2.01</td> <td>49.71</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>388</td> <td>71 AVERAGE</td> </tr> <tr> <td>2</td> <td>7315.74</td> <td>44.86</td> <td>54.00</td> <td>-9.14</td> <td>28.10</td> <td>36.33</td> <td>13.08</td> <td>32.65</td> <td>388</td> <td>71 AVERAGE</td> </tr> </tbody> </table> | Limit              | Read  | Ant    | Cable       | Preamp | Apos   | TPos   | Remark |            | Freq | Level | Line Margin | Level | Factor | Loss Factor |  | cm | deg | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 7125.28 | 66.19 | 68.20 | -2.01  | 49.71 | 36.25 | 12.73 | 32.50 | 388 | 71 AVERAGE | 2 | 7315.74 | 44.86 | 54.00 | -9.14  | 28.10 | 36.33 | 13.08 | 32.65 | 388 | 71 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>85.96</td> <td>-----</td> <td>-----</td> <td>69.50</td> <td>36.25</td> <td>12.71</td> <td>32.50</td> <td>388</td> <td>71 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Apos | TPos | Remark |  | Freq | Level | Line Margin | Level | Factor | Loss Factor |  | cm | deg | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 7115.00 | 85.96 | ----- | ----- | 69.50 | 36.25 | 12.71 | 32.50 | 388 | 71 AVERAGE |
|             | Limit  | Read               | Ant   | Cable  | Preamp      | Apos   | TPos   | Remark |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level  | Line Margin        | Level | Factor | Loss Factor |        | cm     | deg    |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m   | dBuV/m             | dB    | dBuV   | dB/m        | dB     | cm     | deg    |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 7125.28  | 66.19              | 68.20 | -2.01  | 49.71       | 36.25  | 12.73  | 32.50  | 388    | 71 AVERAGE |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 2           | 7315.74  | 44.86              | 54.00 | -9.14  | 28.10       | 36.33  | 13.08  | 32.65  | 388    | 71 AVERAGE |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Limit       | Read   | Ant                | Cable | Preamp | Apos        | TPos   | Remark |        |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level  | Line Margin        | Level | Factor | Loss Factor |        | cm     | deg    |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m   | dBuV/m             | dB    | dBuV   | dB/m        | dB     | cm     | deg    |        |            |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 7115.00  | 85.96              | ----- | -----  | 69.50       | 36.25  | 12.71  | 32.50  | 388    | 71 AVERAGE |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |      |     |       |        |      |      |        |  |      |       |             |       |        |             |  |    |     |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |            |



|             |  | <b>98</b>          |       |        |             |        |        |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
|-------------|--|--------------------|-------|--------|-------------|--------|--------|--------|--------|------|---------|-------------|-------|--------|-------------|--|--|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|-------|--------|-------------|--|--|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |       |        |             |        |        |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
|             | <b>U-NII-8_6.875-7.125_802.11a_CH233_7115MHz</b>   |                    |       |        |             |        |        |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |       |        |             |        |        |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |       |        |             |        |        |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.01</td> <td>76.34</td> <td>88.20</td> <td>-11.86</td> <td>59.86</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>200</td> <td>23</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7337.81</td> <td>55.28</td> <td>74.00</td> <td>-18.72</td> <td>38.51</td> <td>36.34</td> <td>13.10</td> <td>32.67</td> <td>200</td> <td>23</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit              | Read  | Ant    | Cable       | Preamp | Apos   | Tpos   | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 7125.01 | 76.34 | 88.20 | -11.86 | 59.86 | 36.25 | 12.73 | 32.50 | 200 | 23 | PEAK    | 2 | 7337.81 | 55.28 | 74.00 | -18.72 | 38.51 | 36.34 | 13.10 | 32.67 | 200 | 23 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>90.75</td> <td>-----</td> <td>-----</td> <td>74.30</td> <td>36.25</td> <td>12.70</td> <td>32.50</td> <td>200</td> <td>23</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Apos | Tpos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 7115.00 | 90.75 | ----- | ----- | 74.30 | 36.25 | 12.70 | 32.50 | 200 | 23 | PEAK    |
|             | Limit  | Read               | Ant   | Cable  | Preamp      | Apos   | Tpos   | Remark |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line Margin        | Level | Factor | Loss Factor |        |        |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB    | dBuV   | dB/m        | dB     | cm     |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7125.01  | 76.34              | 88.20 | -11.86 | 59.86       | 36.25  | 12.73  | 32.50  | 200    | 23   | PEAK    |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7337.81  | 55.28              | 74.00 | -18.72 | 38.51       | 36.34  | 13.10  | 32.67  | 200    | 23   | PEAK    |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Read   | Ant                | Cable | Preamp | Apos        | Tpos   | Remark |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line Margin        | Level | Factor | Loss Factor |        |        |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB    | dBuV   | dB/m        | dB     | cm     |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7115.00  | 90.75              | ----- | -----  | 74.30       | 36.25  | 12.70  | 32.50  | 200    | 23   | PEAK    |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.01</td> <td>65.95</td> <td>68.20</td> <td>-2.25</td> <td>49.47</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>200</td> <td>23</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7276.84</td> <td>44.96</td> <td>54.00</td> <td>-9.04</td> <td>28.22</td> <td>36.31</td> <td>13.05</td> <td>32.62</td> <td>200</td> <td>23</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read  | Ant    | Cable       | Preamp | Apos   | Tpos   | Remark | Freq | Level   | Line Margin | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 7125.01 | 65.95 | 68.20 | -2.25  | 49.47 | 36.25 | 12.73 | 32.50 | 200 | 23 | AVERAGE | 2 | 7276.84 | 44.96 | 54.00 | -9.04  | 28.22 | 36.31 | 13.05 | 32.62 | 200 | 23 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>84.24</td> <td>-----</td> <td>-----</td> <td>67.83</td> <td>36.24</td> <td>12.66</td> <td>32.49</td> <td>200</td> <td>23</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Apos | Tpos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 7115.00 | 84.24 | ----- | ----- | 67.83 | 36.24 | 12.66 | 32.49 | 200 | 23 | AVERAGE |
|             | Limit  | Read               | Ant   | Cable  | Preamp      | Apos   | Tpos   | Remark |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line Margin        | Level | Factor | Loss Factor |        |        |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB    | dBuV   | dB/m        | dB     | cm     |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7125.01  | 65.95              | 68.20 | -2.25  | 49.47       | 36.25  | 12.73  | 32.50  | 200    | 23   | AVERAGE |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7276.84  | 44.96              | 54.00 | -9.04  | 28.22       | 36.31  | 13.05  | 32.62  | 200    | 23   | AVERAGE |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Read   | Ant                | Cable | Preamp | Apos        | Tpos   | Remark |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line Margin        | Level | Factor | Loss Factor |        |        |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB    | dBuV   | dB/m        | dB     | cm     |        |        |      |         |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7115.00  | 84.24              | ----- | -----  | 67.83       | 36.24  | 12.66  | 32.49  | 200    | 23   | AVERAGE |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |



| Mode        | 98   |             |              |             |       |        |        |            |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |
|-------------|--|-------------|--------------|-------------|-------|--------|--------|------------|--------|------|-------|-------------|--------------|-------------|--|--|--|-----|--------|--------|----|------|------|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|--------------|-------------|--|--|--|-----|--------|--------|----|------|------|----|----|------------|-------|-------|--------|-------|-------|-------|-------|
|             | Harmonic   |             |              |             |       |        |        |            |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |
|             | U-NII-8_6.875-7.125_802.11a_CH233_7115MHz  |             |              |             |       |        |        |            |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |
| ANT         | CDD 5+4  |             |              |             |       |        |        |            |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |
| Pol.        | Horizontal   | Vertical    |              |             |       |        |        |            |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |
| Peak<br>Avg |  |             |              |             |       |        |        |            |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>49.16</td> <td>88.20</td> <td>-39.04</td> <td>42.54</td> <td>41.04</td> <td>16.33</td> <td>50.75</td> <td>-- -- Peak</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable | Preamp | APos   | TPos       | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 14230.00 | 49.16 | 88.20 | -39.04 | 42.54 | 41.04 | 16.33 | 50.75 | -- -- Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>49.23</td> <td>88.20</td> <td>-38.97</td> <td>42.61</td> <td>41.04</td> <td>16.33</td> <td>50.75</td> <td>-- -- Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 14230.00 | 49.23 | 88.20 | -38.97 | 42.61 | 41.04 | 16.33 | 50.75 |
| Limit       | Read   | Ant         | Cable        | Preamp      | APos  | TPos   | Remark |            |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor |       |        |        |            |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m  | dB     | dB     |            |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |
| 1 14230.00  | 49.16  | 88.20       | -39.04       | 42.54       | 41.04 | 16.33  | 50.75  | -- -- Peak |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |
| Limit       | Read   | Ant         | Cable        | Preamp      | APos  | TPos   | Remark |            |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor |       |        |        |            |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m  | dB     | dB     |            |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |
| 1 14230.00  | 49.23  | 88.20       | -38.97       | 42.61       | 41.04 | 16.33  | 50.75  | -- -- Peak |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |      |       |             |              |             |  |  |  |     |        |        |    |      |      |    |    |            |       |       |        |       |       |       |       |



|             |   | <b>99</b>          |        |        |        |        |        |        |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|-------------|---|--------------------|--------|--------|--------|--------|--------|--------|------|--------|---------|-------|------|-------|--------|------|--------|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|------|--------|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |        |        |        |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz</b>   |                    |        |        |        |        |        |        |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |        |        |        |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |        |        |        |        |        |        |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| <b>Peak</b> |   |                    |        |        |        |        |        |        |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>73.58</td> <td>88.20</td> <td>-14.62</td> <td>57.10</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>388</td> <td>85</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7263.23</td> <td>54.69</td> <td>74.00</td> <td>-19.31</td> <td>37.95</td> <td>36.31</td> <td>13.04</td> <td>32.61</td> <td>388</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit              | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos | Remark | Freq    | Level | Line | Level | Factor | Loss | Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 73.58 | 88.20 | -14.62 | 57.10 | 36.25 | 12.73 | 32.50 | 388 | 85 | PEAK    | 2 | 7263.23 | 54.69 | 74.00 | -19.31 | 37.95 | 36.31 | 13.04 | 32.61 | 388 | 85 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>86.13</td> <td>-----</td> <td>-----</td> <td>69.71</td> <td>36.24</td> <td>12.67</td> <td>32.49</td> <td>388</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>    |  | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss | Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 86.13 | ----- | ----- | 69.71 | 36.24 | 12.67 | 32.49 | 388 | 85 |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq        | Level   | Line               | Level  | Factor | Loss   | Factor |        |        |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1           | 7125.28   | 73.58              | 88.20  | -14.62 | 57.10  | 36.25  | 12.73  | 32.50  | 388  | 85     | PEAK    |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 2           | 7263.23   | 54.69              | 74.00  | -19.31 | 37.95  | 36.31  | 13.04  | 32.61  | 388  | 85     | PEAK    |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq        | Level   | Line               | Level  | Factor | Loss   | Factor |        |        |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1           | 7115.00   | 86.13              | -----  | -----  | 69.71  | 36.24  | 12.67  | 32.49  | 388  | 85     | PEAK    |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| <b>Avg</b>  |   |                    |        |        |        |        |        |        |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>64.46</td> <td>68.20</td> <td>-3.74</td> <td>47.98</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>388</td> <td>85</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7282.36</td> <td>44.96</td> <td>54.00</td> <td>-9.04</td> <td>28.22</td> <td>36.31</td> <td>13.06</td> <td>32.63</td> <td>388</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos | Remark | Freq    | Level | Line | Level | Factor | Loss | Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 64.46 | 68.20 | -3.74  | 47.98 | 36.25 | 12.73 | 32.50 | 388 | 85 | AVERAGE | 2 | 7282.36 | 44.96 | 54.00 | -9.04  | 28.22 | 36.31 | 13.06 | 32.63 | 388 | 85 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>76.89</td> <td>-----</td> <td>-----</td> <td>60.43</td> <td>36.25</td> <td>12.71</td> <td>32.50</td> <td>388</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table> |  | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss | Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 76.89 | ----- | ----- | 60.43 | 36.25 | 12.71 | 32.50 | 388 | 85 |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq        | Level   | Line               | Level  | Factor | Loss   | Factor |        |        |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1           | 7125.28   | 64.46              | 68.20  | -3.74  | 47.98  | 36.25  | 12.73  | 32.50  | 388  | 85     | AVERAGE |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 2           | 7282.36   | 44.96              | 54.00  | -9.04  | 28.22  | 36.31  | 13.06  | 32.63  | 388  | 85     | AVERAGE |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq        | Level   | Line               | Level  | Factor | Loss   | Factor |        |        |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |      |        |         |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1           | 7115.00   | 76.89              | -----  | -----  | 60.43  | 36.25  | 12.71  | 32.50  | 388  | 85     | AVERAGE |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |



|             |  | <b>99</b>          |        |        |        |        |        |        |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|----------------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|----------------|---|---------|-------|-------|--------|-------|-------|-------|-------|----------------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|------|-------|--------|------|--------|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|----------------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |        |        |        |        |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz</b>  |                    |        |        |        |        |        |        |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |        |        |        |        |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |        |        |        |        |        |        |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>75.25</td> <td>88.20</td> <td>-12.95</td> <td>58.77</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>388 39 PEAK</td> </tr> <tr> <td>2</td> <td>7344.66</td> <td>54.26</td> <td>74.00</td> <td>-19.74</td> <td>37.50</td> <td>36.34</td> <td>13.10</td> <td>32.68</td> <td>388 39 PEAK</td> </tr> </tbody> </table>     | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos           | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 75.25 | 88.20 | -12.95 | 58.77 | 36.25 | 12.73 | 32.50 | 388 39 PEAK    | 2 | 7344.66 | 54.26 | 74.00 | -19.74 | 37.50 | 36.34 | 13.10 | 32.68 | 388 39 PEAK    | <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>84.79</td> <td>-----</td> <td>-----</td> <td>68.33</td> <td>36.25</td> <td>12.71</td> <td>32.50</td> <td>388 39 PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 84.79 | ----- | ----- | 68.33 | 36.25 | 12.71 | 32.50 | 388 39 PEAK    |
|             | Limit  | Margin             | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark         |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| 1           | 7125.28  | 75.25              | 88.20  | -12.95 | 58.77  | 36.25  | 12.73  | 32.50  | 388 39 PEAK    |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| 2           | 7344.66  | 54.26              | 74.00  | -19.74 | 37.50  | 36.34  | 13.10  | 32.68  | 388 39 PEAK    |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| 1           | 7115.00  | 84.79              | -----  | -----  | 68.33  | 36.25  | 12.71  | 32.50  | 388 39 PEAK    |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>65.76</td> <td>68.20</td> <td>-2.44</td> <td>49.28</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>388 39 AVERAGE</td> </tr> <tr> <td>2</td> <td>7346.89</td> <td>44.98</td> <td>54.00</td> <td>-9.02</td> <td>28.22</td> <td>36.34</td> <td>13.10</td> <td>32.68</td> <td>388 39 AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable  | Preamp | APos   | TPos           | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 65.76 | 68.20 | -2.44  | 49.28 | 36.25 | 12.73 | 32.50 | 388 39 AVERAGE | 2 | 7346.89 | 44.98 | 54.00 | -9.02  | 28.22 | 36.34 | 13.10 | 32.68 | 388 39 AVERAGE | <p style="text-align: right;">Date: 2023-11-16</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>77.26</td> <td>-----</td> <td>-----</td> <td>60.84</td> <td>36.24</td> <td>12.67</td> <td>32.49</td> <td>388 39 AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | (dB) | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 77.26 | ----- | ----- | 60.84 | 36.24 | 12.67 | 32.49 | 388 39 AVERAGE |
|             | Limit  | Margin             | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark         |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| 1           | 7125.28  | 65.76              | 68.20  | -2.44  | 49.28  | 36.25  | 12.73  | 32.50  | 388 39 AVERAGE |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| 2           | 7346.89  | 44.98              | 54.00  | -9.02  | 28.22  | 36.34  | 13.10  | 32.68  | 388 39 AVERAGE |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| Freq        | Level  | Line               | (dB)   | Level  | Factor | Loss   | Factor |        |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |                |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |
| 1           | 7115.00  | 77.26              | -----  | -----  | 60.84  | 36.24  | 12.67  | 32.49  | 388 39 AVERAGE |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |                |   |         |       |       |        |       |       |       |       |                |  |       |        |      |     |       |        |      |      |        |      |       |      |      |       |        |      |        |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |                |



| Mode        | 99   |          |             |             |             |            |             |             |             |        |        |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |  |      |       |       |             |            |            |            |             |      |      |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |
|-------------|--|----------|-------------|-------------|-------------|------------|-------------|-------------|-------------|--------|--------|--------|-----|--------|--------|----|------|------|----|----|----|-----|--|------------|-------|-------|--------|-------|-------|-------|-------|----|----|------|--|------|-------|-------|-------------|------------|------------|------------|-------------|------|------|--------|-----|--------|--------|----|------|------|----|----|----|-----|--|------------|-------|-------|--------|-------|-------|-------|-------|----|----|------|
|             | Harmonic   |          |             |             |             |            |             |             |             |        |        |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |  |      |       |       |             |            |            |            |             |      |      |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |
|             | U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz   |          |             |             |             |            |             |             |             |        |        |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |  |      |       |       |             |            |            |            |             |      |      |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |
| ANT         | CDD 5+4  |          |             |             |             |            |             |             |             |        |        |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |  |      |       |       |             |            |            |            |             |      |      |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |
| Pol.        | Horizontal   | Vertical |             |             |             |            |             |             |             |        |        |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |  |      |       |       |             |            |            |            |             |      |      |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>49.46</td> <td>88.20</td> <td>-38.74</td> <td>42.84</td> <td>41.04</td> <td>16.33</td> <td>50.75</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Freq     | Level       | Limit       | Line Margin | Read Level | Ant Factor  | Cable Loss  | Preamp Loss | APos   | TPos   | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg |  | 1 14230.00 | 49.46 | 88.20 | -38.74 | 42.84 | 41.04 | 16.33 | 50.75 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>49.92</td> <td>88.20</td> <td>-38.28</td> <td>43.30</td> <td>41.04</td> <td>16.33</td> <td>50.75</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Freq | Level | Limit | Line Margin | Read Level | Ant Factor | Cable Loss | Preamp Loss | APos | TPos | Remark | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg |  | 1 14230.00 | 49.92 | 88.20 | -38.28 | 43.30 | 41.04 | 16.33 | 50.75 | -- | -- | Peak |
|             | Freq   | Level    | Limit       | Line Margin | Read Level  | Ant Factor | Cable Loss  | Preamp Loss | APos        | TPos   | Remark |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |  |      |       |       |             |            |            |            |             |      |      |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |
| MHz         | dBuV/m   | dBuV/m   | dB          | dBuV        | dB/m        | dB         | dB          | cm          | deg         |        |        |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |  |      |       |       |             |            |            |            |             |      |      |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |
| 1 14230.00  | 49.46  | 88.20    | -38.74      | 42.84       | 41.04       | 16.33      | 50.75       | --          | --          | Peak   |        |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |  |      |       |       |             |            |            |            |             |      |      |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |
| Freq        | Level  | Limit    | Line Margin | Read Level  | Ant Factor  | Cable Loss | Preamp Loss | APos        | TPos        | Remark |        |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |  |      |       |       |             |            |            |            |             |      |      |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |
| MHz         | dBuV/m   | dBuV/m   | dB          | dBuV        | dB/m        | dB         | dB          | cm          | deg         |        |        |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |  |      |       |       |             |            |            |            |             |      |      |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |
| 1 14230.00  | 49.92  | 88.20    | -38.28      | 43.30       | 41.04       | 16.33      | 50.75       | --          | --          | Peak   |        |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |  |      |       |       |             |            |            |            |             |      |      |        |     |        |        |    |      |      |    |    |    |     |  |            |       |       |        |       |       |       |       |    |    |      |



| <b>100</b>   |                    |        |        |        |             |       |        |        |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
|--|--------------------|--------|--------|--------|-------------|-------|--------|--------|------|------------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|------------|
| <b>Mode</b>  | <b>Band Edge</b>   |        |        |        |             |       |        |        |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>U-NII-8_6.875-7.125_802.11be EHT20_CH233_Single RU_52/40_7115MHz</b>  |                    |        |        |        |             |       |        |        |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>ANT</b>   | <b>CDD 5+4</b>     |        |        |        |             |       |        |        |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Pol.</b>  | <b>Horizontal</b>  |        |        |        |             |       |        |        |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Peak</b>  | <b>Fundamental</b> |        |        |        |             |       |        |        |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>67.87</td> <td>88.20</td> <td>-20.33</td> <td>51.39</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>382</td> <td>15 PEAK</td> </tr> <tr> <td>2</td> <td>7326.42</td> <td>54.63</td> <td>74.00</td> <td>-19.37</td> <td>37.87</td> <td>36.33</td> <td>13.09</td> <td>32.66</td> <td>382</td> <td>15 PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>79.07</td> <td>-----</td> <td>-----</td> <td>62.59</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>382</td> <td>15 PEAK</td> </tr> </tbody> </table> </div> </div>        |                    | Limit  | Margin | Read   | Ant         | Cable | Preamp | APos   | TPos | Remark     | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 67.87 | 88.20 | -20.33 | 51.39 | 36.25 | 12.73 | 32.50 | 382 | 15 PEAK    | 2 | 7326.42 | 54.63 | 74.00 | -19.37 | 37.87 | 36.33 | 13.09 | 32.66 | 382 | 15 PEAK    | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 79.07 | ----- | ----- | 62.59 | 36.25 | 12.73 | 32.50 | 382 | 15 PEAK    |
| Limit  | Margin             | Read   | Ant    | Cable  | Preamp      | APos  | TPos   | Remark |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq   | Level              | Line   | Level  | Factor | Loss Factor |       |        |        |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz  | dBuV/m             | dBuV/m | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1  | 7125.28            | 67.87  | 88.20  | -20.33 | 51.39       | 36.25 | 12.73  | 32.50  | 382  | 15 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 2  | 7326.42            | 54.63  | 74.00  | -19.37 | 37.87       | 36.33 | 13.09  | 32.66  | 382  | 15 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Limit  | Margin             | Read   | Ant    | Cable  | Preamp      | APos  | TPos   | Remark |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq   | Level              | Line   | Level  | Factor | Loss Factor |       |        |        |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz  | dBuV/m             | dBuV/m | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1  | 7115.00            | 79.07  | -----  | -----  | 62.59       | 36.25 | 12.73  | 32.50  | 382  | 15 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Avg</b>   | <b>Fundamental</b> |        |        |        |             |       |        |        |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>58.34</td> <td>68.20</td> <td>-9.86</td> <td>41.86</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>382</td> <td>15 AVERAGE</td> </tr> <tr> <td>2</td> <td>7345.55</td> <td>44.85</td> <td>54.00</td> <td>-9.15</td> <td>28.09</td> <td>36.34</td> <td>13.10</td> <td>32.68</td> <td>382</td> <td>15 AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>71.73</td> <td>-----</td> <td>-----</td> <td>55.25</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>382</td> <td>15 AVERAGE</td> </tr> </tbody> </table> </div> </div> |                    | Limit  | Margin | Read   | Ant         | Cable | Preamp | APos   | TPos | Remark     | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 58.34 | 68.20 | -9.86  | 41.86 | 36.25 | 12.73 | 32.50 | 382 | 15 AVERAGE | 2 | 7345.55 | 44.85 | 54.00 | -9.15  | 28.09 | 36.34 | 13.10 | 32.68 | 382 | 15 AVERAGE | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 71.73 | ----- | ----- | 55.25 | 36.25 | 12.73 | 32.50 | 382 | 15 AVERAGE |
| Limit  | Margin             | Read   | Ant    | Cable  | Preamp      | APos  | TPos   | Remark |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq   | Level              | Line   | Level  | Factor | Loss Factor |       |        |        |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz  | dBuV/m             | dBuV/m | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1  | 7125.28            | 58.34  | 68.20  | -9.86  | 41.86       | 36.25 | 12.73  | 32.50  | 382  | 15 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 2  | 7345.55            | 44.85  | 54.00  | -9.15  | 28.09       | 36.34 | 13.10  | 32.68  | 382  | 15 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Limit  | Margin             | Read   | Ant    | Cable  | Preamp      | APos  | TPos   | Remark |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq   | Level              | Line   | Level  | Factor | Loss Factor |       |        |        |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz  | dBuV/m             | dBuV/m | dBuV   | dB/m   | dB          | dB    | cm     | deg    |      |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1  | 7115.00            | 71.73  | -----  | -----  | 55.25       | 36.25 | 12.73  | 32.50  | 382  | 15 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |







|             |  | <b>100</b>  |        |        |        |        |        |        |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
|-------------|--|---|--------|--------|--------|--------|--------|--------|--------|-----------|------|-------|------|-------|--------|------|--------|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|------|--------|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----------|
| <b>Mode</b> |  | <b>Band Edge</b>  |        |        |        |        |        |        |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
|             |  | <b>U-NII-8_6.875-7.125_802.11be EHT20_CH233_Single RU_52/40_7115MHz</b> |        |        |        |        |        |        |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| <b>ANT</b>  |  | <b>CDD 5+4</b>  |        |        |        |        |        |        |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b>  |        |        |        |        |        |        |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>69.41</td> <td>88.20</td> <td>-18.79</td> <td>52.93</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>6 PEAK</td> </tr> <tr> <td>2</td> <td>7304.61</td> <td>54.57</td> <td>74.00</td> <td>-19.43</td> <td>37.82</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>100</td> <td>6 PEAK</td> </tr> </tbody> </table>     | Limit   | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark    | Freq | Level | Line | Level | Factor | Loss | Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 69.41 | 88.20 | -18.79 | 52.93 | 36.25 | 12.73 | 32.50 | 100 | 6 PEAK    | 2 | 7304.61 | 54.57 | 74.00 | -19.43 | 37.82 | 36.32 | 13.07 | 32.64 | 100 | 6 PEAK    | <p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>81.40</td> <td>-----</td> <td>-----</td> <td>64.92</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>6 PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss | Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 81.40 | ----- | ----- | 64.92 | 36.25 | 12.73 | 32.50 | 100 | 6 PEAK    |
|             | Limit  | Margin  | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Freq        | Level  | Line  | Level  | Factor | Loss   | Factor |        |        |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| MHz         | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 1           | 7125.28  | 69.41   | 88.20  | -18.79 | 52.93  | 36.25  | 12.73  | 32.50  | 100    | 6 PEAK    |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 2           | 7304.61  | 54.57   | 74.00  | -19.43 | 37.82  | 36.32  | 13.07  | 32.64  | 100    | 6 PEAK    |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Limit       | Margin   | Read  | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Freq        | Level  | Line  | Level  | Factor | Loss   | Factor |        |        |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| MHz         | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 1           | 7115.00  | 81.40   | -----  | -----  | 64.92  | 36.25  | 12.73  | 32.50  | 100    | 6 PEAK    |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>61.25</td> <td>68.20</td> <td>-6.95</td> <td>44.77</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>6 AVERAGE</td> </tr> <tr> <td>2</td> <td>7297.05</td> <td>44.92</td> <td>54.00</td> <td>-9.08</td> <td>28.17</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>100</td> <td>6 AVERAGE</td> </tr> </tbody> </table> | Limit   | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark    | Freq | Level | Line | Level | Factor | Loss | Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 61.25 | 68.20 | -6.95  | 44.77 | 36.25 | 12.73 | 32.50 | 100 | 6 AVERAGE | 2 | 7297.05 | 44.92 | 54.00 | -9.08  | 28.17 | 36.32 | 13.07 | 32.64 | 100 | 6 AVERAGE | <p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>74.13</td> <td>-----</td> <td>-----</td> <td>57.65</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>6 AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss | Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 74.13 | ----- | ----- | 57.65 | 36.25 | 12.73 | 32.50 | 100 | 6 AVERAGE |
|             | Limit  | Margin  | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Freq        | Level  | Line  | Level  | Factor | Loss   | Factor |        |        |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| MHz         | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 1           | 7125.28  | 61.25   | 68.20  | -6.95  | 44.77  | 36.25  | 12.73  | 32.50  | 100    | 6 AVERAGE |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 2           | 7297.05  | 44.92   | 54.00  | -9.08  | 28.17  | 36.32  | 13.07  | 32.64  | 100    | 6 AVERAGE |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Limit       | Margin   | Read  | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Freq        | Level  | Line  | Level  | Factor | Loss   | Factor |        |        |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| MHz         | dBuV/m   | dBuV/m  | dBuV   | dB/m   | dB     | dB     | cm     | deg    |        |           |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 1           | 7115.00  | 74.13   | -----  | -----  | 57.65  | 36.25  | 12.73  | 32.50  | 100    | 6 AVERAGE |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |



|             |  | <b>101</b>         |        |        |        |        |        |        |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|------|------------|------|-------|------|-------|--------|------|--------|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|--|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|------|--------|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |        |        |        |        |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU 52+26/39+7_7115MHz</b>  |                    |        |        |        |        |        |        |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |        |        |        |        |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b> |        |        |        |        |        |        |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| <b>Peak</b> |  |                    |        |        |        |        |        |        |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>57.74</td> <td>88.20</td> <td>-30.46</td> <td>41.26</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>61 PEAK</td> </tr> <tr> <td>2</td> <td>7293.49</td> <td>54.89</td> <td>74.00</td> <td>-19.11</td> <td>38.14</td> <td>36.32</td> <td>13.07</td> <td>32.64</td> <td>100</td> <td>61 PEAK</td> </tr> </tbody> </table>      | Limit              | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos | Remark     | Freq | Level | Line | Level | Factor | Loss | Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 57.74 | 88.20 | -30.46 | 41.26 | 36.25 | 12.73 | 32.50 | 100 | 61 PEAK    | 2 | 7293.49 | 54.89 | 74.00 | -19.11 | 38.14 | 36.32 | 13.07 | 32.64 | 100 | 61 PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>79.52</td> <td>-----</td> <td>-----</td> <td>63.06</td> <td>36.25</td> <td>12.71</td> <td>32.50</td> <td>100</td> <td>61 PEAK</td> </tr> </tbody> </table>    |  | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss | Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 79.52 | ----- | ----- | 63.06 | 36.25 | 12.71 | 32.50 | 100 |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| Freq        | Level  | Line               | Level  | Factor | Loss   | Factor |        |        |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| 1           | 7125.28  | 57.74              | 88.20  | -30.46 | 41.26  | 36.25  | 12.73  | 32.50  | 100  | 61 PEAK    |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| 2           | 7293.49  | 54.89              | 74.00  | -19.11 | 38.14  | 36.32  | 13.07  | 32.64  | 100  | 61 PEAK    |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| Freq        | Level  | Line               | Level  | Factor | Loss   | Factor |        |        |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| 1           | 7115.00  | 79.52              | -----  | -----  | 63.06  | 36.25  | 12.71  | 32.50  | 100  | 61 PEAK    |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| <b>Avg</b>  |  |                    |        |        |        |        |        |        |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>45.08</td> <td>68.20</td> <td>-23.12</td> <td>28.60</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>61 AVERAGE</td> </tr> <tr> <td>2</td> <td>7253.88</td> <td>44.89</td> <td>54.00</td> <td>-9.11</td> <td>28.15</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>100</td> <td>61 AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant    | Cable  | Preamp | Apos   | TPos | Remark     | Freq | Level | Line | Level | Factor | Loss | Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 45.08 | 68.20 | -23.12 | 28.60 | 36.25 | 12.73 | 32.50 | 100 | 61 AVERAGE | 2 | 7253.88 | 44.89 | 54.00 | -9.11  | 28.15 | 36.30 | 13.04 | 32.60 | 100 | 61 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>70.41</td> <td>-----</td> <td>-----</td> <td>53.95</td> <td>36.25</td> <td>12.71</td> <td>32.50</td> <td>100</td> <td>61 AVERAGE</td> </tr> </tbody> </table> |  | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss | Factor |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 70.41 | ----- | ----- | 53.95 | 36.25 | 12.71 | 32.50 | 100 |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| Freq        | Level  | Line               | Level  | Factor | Loss   | Factor |        |        |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| 1           | 7125.28  | 45.08              | 68.20  | -23.12 | 28.60  | 36.25  | 12.73  | 32.50  | 100  | 61 AVERAGE |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| 2           | 7253.88  | 44.89              | 54.00  | -9.11  | 28.15  | 36.30  | 13.04  | 32.60  | 100  | 61 AVERAGE |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| Freq        | Level  | Line               | Level  | Factor | Loss   | Factor |        |        |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB     | dB     | cm     | deg    |      |            |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |
| 1           | 7115.00  | 70.41              | -----  | -----  | 53.95  | 36.25  | 12.71  | 32.50  | 100  | 61 AVERAGE |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |      |        |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |







|             |  | <b>101</b>         |        |        |             |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
|-------------|--|--------------------|--------|--------|-------------|--------|--------|--------|--------|-----------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----------|--|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |             |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU 52+26/39+7_7115MHz</b>  |                    |        |        |             |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |             |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |        |        |             |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| <b>Peak</b> |  <p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>56.85</td> <td>88.20</td> <td>-31.35</td> <td>40.37</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>9 PEAK</td> </tr> <tr> <td>2</td> <td>7313.96</td> <td>54.66</td> <td>74.00</td> <td>-19.34</td> <td>37.90</td> <td>36.33</td> <td>13.08</td> <td>32.65</td> <td>100</td> <td>9 PEAK</td> </tr> </tbody> </table>       | Limit              | Margin | Read   | Ant         | Cable  | Preamp | APos   | TPos   | Remark    | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 56.85 | 88.20 | -31.35 | 40.37 | 36.25 | 12.73 | 32.50 | 100 | 9 PEAK    | 2 | 7313.96 | 54.66 | 74.00 | -19.34 | 37.90 | 36.33 | 13.08 | 32.65 | 100 | 9 PEAK    |  <p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>80.61</td> <td>-----</td> <td>-----</td> <td>64.15</td> <td>36.25</td> <td>12.71</td> <td>32.50</td> <td>100</td> <td>9 PEAK</td> </tr> </tbody> </table>     |  | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 80.61 | ----- | ----- | 64.15 | 36.25 | 12.71 | 32.50 | 100 | 9 PEAK    |
|             | Limit  | Margin             | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 1           | 7125.28  | 56.85              | 88.20  | -31.35 | 40.37       | 36.25  | 12.73  | 32.50  | 100    | 9 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 2           | 7313.96  | 54.66              | 74.00  | -19.34 | 37.90       | 36.33  | 13.08  | 32.65  | 100    | 9 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 1           | 7115.00  | 80.61              | -----  | -----  | 64.15       | 36.25  | 12.71  | 32.50  | 100    | 9 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| <b>Avg</b>  |  <p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>45.63</td> <td>68.20</td> <td>-22.57</td> <td>29.15</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>9 AVERAGE</td> </tr> <tr> <td>2</td> <td>7322.86</td> <td>44.92</td> <td>54.00</td> <td>-9.08</td> <td>28.16</td> <td>36.33</td> <td>13.09</td> <td>32.66</td> <td>100</td> <td>9 AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant         | Cable  | Preamp | APos   | TPos   | Remark    | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 45.63 | 68.20 | -22.57 | 29.15 | 36.25 | 12.73 | 32.50 | 100 | 9 AVERAGE | 2 | 7322.86 | 44.92 | 54.00 | -9.08  | 28.16 | 36.33 | 13.09 | 32.66 | 100 | 9 AVERAGE |  <p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>72.86</td> <td>-----</td> <td>-----</td> <td>56.40</td> <td>36.25</td> <td>12.71</td> <td>32.50</td> <td>100</td> <td>9 AVERAGE</td> </tr> </tbody> </table> |  | Limit | Margin | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 72.86 | ----- | ----- | 56.40 | 36.25 | 12.71 | 32.50 | 100 | 9 AVERAGE |
|             | Limit  | Margin             | Read   | Ant    | Cable       | Preamp | APos   | TPos   | Remark |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 1           | 7125.28  | 45.63              | 68.20  | -22.57 | 29.15       | 36.25  | 12.73  | 32.50  | 100    | 9 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 2           | 7322.86  | 44.92              | 54.00  | -9.08  | 28.16       | 36.33  | 13.09  | 32.66  | 100    | 9 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Limit       | Margin   | Read               | Ant    | Cable  | Preamp      | APos   | TPos   | Remark |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Freq        | Level  | Line               | Level  | Factor | Loss Factor |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| MHz         | dBuV/m   | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 1           | 7115.00  | 72.86              | -----  | -----  | 56.40       | 36.25  | 12.71  | 32.50  | 100    | 9 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |



|             |   | <b>102</b>         |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
|-------------|---|--------------------|--------|--------|-------------|--------|--------|--------|--------|------------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|------------|---|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|------------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
|             | <b>U-NII-8_6.875-7.125_802.11be EHT20_CH233_Small RU 106+26/54+4_7115MHz</b>  |                    |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |        |        |             |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>67.90</td> <td>88.20</td> <td>-20.30</td> <td>51.42</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>55 PEAK</td> </tr> <tr> <td>2</td> <td>7265.90</td> <td>54.80</td> <td>74.00</td> <td>-19.20</td> <td>38.05</td> <td>36.31</td> <td>13.05</td> <td>32.61</td> <td>100</td> <td>55 PEAK</td> </tr> </tbody> </table>      | Limit              | Margin | Read   | Ant         | Cable  | Preamp | Apos   | TPos   | Remark     | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 67.90 | 88.20 | -20.30 | 51.42 | 36.25 | 12.73 | 32.50 | 100 | 55 PEAK    | 2 | 7265.90 | 54.80 | 74.00 | -19.20 | 38.05 | 36.31 | 13.05 | 32.61 | 100 | 55 PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>79.80</td> <td>-----</td> <td>-----</td> <td>63.34</td> <td>36.25</td> <td>12.71</td> <td>32.50</td> <td>100</td> <td>55 PEAK</td> </tr> </tbody> </table>    | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 79.80 | ----- | ----- | 63.34 | 36.25 | 12.71 | 32.50 | 100 | 55 PEAK    |
|             | Limit   | Margin             | Read   | Ant    | Cable       | Preamp | Apos   | TPos   | Remark |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level   | Line               | Level  | Factor | Loss Factor |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 7125.28   | 67.90              | 88.20  | -20.30 | 51.42       | 36.25  | 12.73  | 32.50  | 100    | 55 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 2           | 7265.90   | 54.80              | 74.00  | -19.20 | 38.05       | 36.31  | 13.05  | 32.61  | 100    | 55 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp      | Apos   | TPos   | Remark |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level   | Line               | Level  | Factor | Loss Factor |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 7115.00   | 79.80              | -----  | -----  | 63.34       | 36.25  | 12.71  | 32.50  | 100    | 55 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>57.87</td> <td>68.20</td> <td>-10.33</td> <td>41.39</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>55 AVERAGE</td> </tr> <tr> <td>2</td> <td>7334.43</td> <td>44.90</td> <td>54.00</td> <td>-9.10</td> <td>28.14</td> <td>36.33</td> <td>13.10</td> <td>32.67</td> <td>100</td> <td>55 AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant         | Cable  | Preamp | Apos   | TPos   | Remark     | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 57.87 | 68.20 | -10.33 | 41.39 | 36.25 | 12.73 | 32.50 | 100 | 55 AVERAGE | 2 | 7334.43 | 44.90 | 54.00 | -9.10  | 28.14 | 36.33 | 13.10 | 32.67 | 100 | 55 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>69.41</td> <td>-----</td> <td>-----</td> <td>52.95</td> <td>36.25</td> <td>12.71</td> <td>32.50</td> <td>100</td> <td>55 AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 69.41 | ----- | ----- | 52.95 | 36.25 | 12.71 | 32.50 | 100 | 55 AVERAGE |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp      | Apos   | TPos   | Remark |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level   | Line               | Level  | Factor | Loss Factor |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 7125.28   | 57.87              | 68.20  | -10.33 | 41.39       | 36.25  | 12.73  | 32.50  | 100    | 55 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 2           | 7334.43   | 44.90              | 54.00  | -9.10  | 28.14       | 36.33  | 13.10  | 32.67  | 100    | 55 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp      | Apos   | TPos   | Remark |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| Freq        | Level   | Line               | Level  | Factor | Loss Factor |        |        |        |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |            |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |
| 1           | 7115.00   | 69.41              | -----  | -----  | 52.95       | 36.25  | 12.71  | 32.50  | 100    | 55 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |            |   |         |       |       |        |       |       |       |       |     |            |   |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |            |







|             |   | <b>102</b>         |        |        |             |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
|-------------|---|--------------------|--------|--------|-------------|--------|--------|--------|--------|-----------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|-----------|--|-------|--------|------|-----|-------|--------|------|------|--------|------|-------|------|-------|--------|-------------|--|--|--|-----|--------|--------|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|-----------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |             |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
|             | <b>U-NII-8 6.875-7.125_802.11be EHT20_CH233_Small RU 106+2654+4_7115MHz</b>   |                    |        |        |             |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |             |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |        |        |             |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| <b>Peak</b> |  <p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>70.74</td> <td>88.20</td> <td>-17.46</td> <td>54.26</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>6 PEAK</td> </tr> <tr> <td>2</td> <td>7330.87</td> <td>54.82</td> <td>74.00</td> <td>-19.18</td> <td>38.07</td> <td>36.33</td> <td>13.09</td> <td>32.67</td> <td>100</td> <td>6 PEAK</td> </tr> </tbody> </table>      | Limit              | Margin | Read   | Ant         | Cable  | Preamp | Apos   | TPos   | Remark    | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 70.74 | 88.20 | -17.46 | 54.26 | 36.25 | 12.73 | 32.50 | 100 | 6 PEAK    | 2 | 7330.87 | 54.82 | 74.00 | -19.18 | 38.07 | 36.33 | 13.09 | 32.67 | 100 | 6 PEAK    |  <p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>80.23</td> <td>-----</td> <td>-----</td> <td>63.75</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>6 PEAK</td> </tr> </tbody> </table>     | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 80.23 | ----- | ----- | 63.75 | 36.25 | 12.73 | 32.50 | 100 | 6 PEAK    |
|             | Limit   | Margin             | Read   | Ant    | Cable       | Preamp | Apos   | TPos   | Remark |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Freq        | Level   | Line               | Level  | Factor | Loss Factor |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 1           | 7125.28   | 70.74              | 88.20  | -17.46 | 54.26       | 36.25  | 12.73  | 32.50  | 100    | 6 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 2           | 7330.87   | 54.82              | 74.00  | -19.18 | 38.07       | 36.33  | 13.09  | 32.67  | 100    | 6 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp      | Apos   | TPos   | Remark |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Freq        | Level   | Line               | Level  | Factor | Loss Factor |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 1           | 7115.00   | 80.23              | -----  | -----  | 63.75       | 36.25  | 12.73  | 32.50  | 100    | 6 PEAK    |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| <b>Avg</b>  |  <p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>61.68</td> <td>68.20</td> <td>-6.52</td> <td>45.20</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>6 AVERAGE</td> </tr> <tr> <td>2</td> <td>7278.36</td> <td>44.89</td> <td>54.00</td> <td>-9.11</td> <td>28.14</td> <td>36.31</td> <td>13.06</td> <td>32.62</td> <td>100</td> <td>6 AVERAGE</td> </tr> </tbody> </table> | Limit              | Margin | Read   | Ant         | Cable  | Preamp | Apos   | TPos   | Remark    | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.28 | 61.68 | 68.20 | -6.52  | 45.20 | 36.25 | 12.73 | 32.50 | 100 | 6 AVERAGE | 2 | 7278.36 | 44.89 | 54.00 | -9.11  | 28.14 | 36.31 | 13.06 | 32.62 | 100 | 6 AVERAGE |  <p style="text-align: right;">Date: 2023-11-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>72.73</td> <td>-----</td> <td>-----</td> <td>56.25</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>6 AVERAGE</td> </tr> </tbody> </table> | Limit | Margin | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 72.73 | ----- | ----- | 56.25 | 36.25 | 12.73 | 32.50 | 100 | 6 AVERAGE |
|             | Limit   | Margin             | Read   | Ant    | Cable       | Preamp | Apos   | TPos   | Remark |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Freq        | Level   | Line               | Level  | Factor | Loss Factor |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 1           | 7125.28   | 61.68              | 68.20  | -6.52  | 45.20       | 36.25  | 12.73  | 32.50  | 100    | 6 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 2           | 7278.36   | 44.89              | 54.00  | -9.11  | 28.14       | 36.31  | 13.06  | 32.62  | 100    | 6 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Limit       | Margin  | Read               | Ant    | Cable  | Preamp      | Apos   | TPos   | Remark |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| Freq        | Level   | Line               | Level  | Factor | Loss Factor |        |        |        |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| MHz         | dBuV/m  | dBuV/m             | dBuV   | dB/m   | dB          | dB     | cm     | deg    |        |           |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |
| 1           | 7115.00   | 72.73              | -----  | -----  | 56.25       | 36.25  | 12.73  | 32.50  | 100    | 6 AVERAGE |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |           |   |         |       |       |        |       |       |       |       |     |           |  |       |        |      |     |       |        |      |      |        |      |       |      |       |        |             |  |  |  |     |        |        |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |           |



|             | <b>103</b>   |                    |        |        |        |        |        |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
|-------------|--|--------------------|--------|--------|--------|--------|--------|-------|--------|------|---------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |        |        |        |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
|             | <b>Co-location_ 11a_Ch233_7115MHz_11g_CH11_2462MHz+N30</b>   |                    |        |        |        |        |        |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |        |        |        |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b> |        |        |        |        |        |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>74.95</td> <td>88.20</td> <td>-13.25</td> <td>58.47</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>400</td> <td>76</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7251.21</td> <td>54.71</td> <td>74.00</td> <td>-19.29</td> <td>37.97</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>400</td> <td>76</td> <td>Peak</td> </tr> </tbody> </table>     | Limit              | Read   | Ant    | Cable  | Preamp | APos   | TPos  | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7125.00 | 74.95 | 88.20 | -13.25 | 58.47 | 36.25 | 12.73 | 32.50 | 400 | 76 | Peak    | 2 | 7251.21 | 54.71 | 74.00 | -19.29 | 37.97 | 36.30 | 13.04 | 32.60 | 400 | 76 | Peak    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>91.15</td> <td>-----</td> <td>-----</td> <td>74.70</td> <td>36.25</td> <td>12.70</td> <td>32.50</td> <td>400</td> <td>76</td> <td>Peak</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7115.00 | 91.15 | ----- | ----- | 74.70 | 36.25 | 12.70 | 32.50 | 400 | 76 | Peak    |
| Limit       | Read   | Ant                | Cable  | Preamp | APos   | TPos   | Remark |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7125.00  | 74.95              | 88.20  | -13.25 | 58.47  | 36.25  | 12.73  | 32.50 | 400    | 76   | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7251.21  | 54.71              | 74.00  | -19.29 | 37.97  | 36.30  | 13.04  | 32.60 | 400    | 76   | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Read   | Ant                | Cable  | Preamp | APos   | TPos   | Remark |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7115.00  | 91.15              | -----  | -----  | 74.70  | 36.25  | 12.70  | 32.50 | 400    | 76   | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>64.12</td> <td>68.20</td> <td>-4.08</td> <td>47.64</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>400</td> <td>76</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7314.66</td> <td>44.70</td> <td>54.00</td> <td>-9.30</td> <td>27.94</td> <td>36.33</td> <td>13.08</td> <td>32.65</td> <td>400</td> <td>76</td> <td>Average</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | APos   | TPos  | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7125.00 | 64.12 | 68.20 | -4.08  | 47.64 | 36.25 | 12.73 | 32.50 | 400 | 76 | Average | 2 | 7314.66 | 44.70 | 54.00 | -9.30  | 27.94 | 36.33 | 13.08 | 32.65 | 400 | 76 | Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>84.31</td> <td>-----</td> <td>-----</td> <td>67.86</td> <td>36.25</td> <td>12.70</td> <td>32.50</td> <td>400</td> <td>76</td> <td>Average</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7115.00 | 84.31 | ----- | ----- | 67.86 | 36.25 | 12.70 | 32.50 | 400 | 76 | Average |
| Limit       | Read   | Ant                | Cable  | Preamp | APos   | TPos   | Remark |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7125.00  | 64.12              | 68.20  | -4.08  | 47.64  | 36.25  | 12.73  | 32.50 | 400    | 76   | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7314.66  | 44.70              | 54.00  | -9.30  | 27.94  | 36.33  | 13.08  | 32.65 | 400    | 76   | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Read   | Ant                | Cable  | Preamp | APos   | TPos   | Remark |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |       |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7115.00  | 84.31              | -----  | -----  | 67.86  | 36.25  | 12.70  | 32.50 | 400    | 76   | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |



|       |   | 103         |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| Mode  | Band Edge   |             |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
|       | Co-location_ 11a_Ch233_7115MHz_11g_CH11_2462MHz+N30   |             |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| ANT   | CDD 5+4   |             |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Pol.  | Vertical  | Fundamental |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Peak  |  <p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>78.31</td> <td>88.20</td> <td>-9.89</td> <td>61.83</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>397</td> <td>24</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7252.55</td> <td>55.59</td> <td>74.00</td> <td>-18.41</td> <td>38.85</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>397</td> <td>24</td> <td>Peak</td> </tr> </tbody> </table>       | Limit       | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7125.00 | 78.31 | 88.20 | -9.89 | 61.83 | 36.25 | 12.73 | 32.50 | 397 | 24 | Peak    | 2 | 7252.55 | 55.59 | 74.00 | -18.41 | 38.85 | 36.30 | 13.04 | 32.60 | 397 | 24 | Peak    |  <p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>92.57</td> <td>-----</td> <td>-----</td> <td>76.12</td> <td>36.25</td> <td>12.70</td> <td>32.50</td> <td>397</td> <td>24</td> <td>Peak</td> </tr> </tbody> </table>     | Limit | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7115.00 | 92.57 | ----- | ----- | 76.12 | 36.25 | 12.70 | 32.50 | 397 | 24 | Peak    |
|       | Limit   | Read        | Ant    | Cable  | Preamp | Apos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 7125.00   | 78.31       | 88.20  | -9.89  | 61.83  | 36.25  | 12.73  | 32.50  | 397    | 24   | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 2     | 7252.55   | 55.59       | 74.00  | -18.41 | 38.85  | 36.30  | 13.04  | 32.60  | 397    | 24   | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit | Read  | Ant         | Cable  | Preamp | Apos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 7115.00   | 92.57       | -----  | -----  | 76.12  | 36.25  | 12.70  | 32.50  | 397    | 24   | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Avg   |  <p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>65.78</td> <td>68.20</td> <td>-2.42</td> <td>49.30</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>397</td> <td>24</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7252.82</td> <td>44.59</td> <td>54.00</td> <td>-9.41</td> <td>27.85</td> <td>36.30</td> <td>13.04</td> <td>32.60</td> <td>397</td> <td>24</td> <td>Average</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | Apos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7125.00 | 65.78 | 68.20 | -2.42 | 49.30 | 36.25 | 12.73 | 32.50 | 397 | 24 | Average | 2 | 7252.82 | 44.59 | 54.00 | -9.41  | 27.85 | 36.30 | 13.04 | 32.60 | 397 | 24 | Average |  <p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>86.06</td> <td>-----</td> <td>-----</td> <td>69.61</td> <td>36.25</td> <td>12.70</td> <td>32.50</td> <td>397</td> <td>24</td> <td>Average</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7115.00 | 86.06 | ----- | ----- | 69.61 | 36.25 | 12.70 | 32.50 | 397 | 24 | Average |
| Limit | Read  | Ant         | Cable  | Preamp | Apos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 7125.00   | 65.78       | 68.20  | -2.42  | 49.30  | 36.25  | 12.73  | 32.50  | 397    | 24   | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 2     | 7252.82   | 44.59       | 54.00  | -9.41  | 27.85  | 36.30  | 13.04  | 32.60  | 397    | 24   | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit | Read  | Ant         | Cable  | Preamp | Apos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 7115.00   | 86.06       | -----  | -----  | 69.61  | 36.25  | 12.70  | 32.50  | 397    | 24   | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |



|             |   | <b>103</b> |  |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
|-------------|---|------------|--|--------|--------|-------|--------|-------|------|--------|---------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|----|---------|---|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|--------|-------|-------|-------|-------|------|-------|-----|----|
| <b>Mode</b> | <b>Band Edge</b>  |            |  |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
|             | <b>Co-location_ 11a_Ch233_7115MHz_11g_CH11_2462MHz+N30</b>  |            |  |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| <b>ANT</b>  | <b>CDD 5+4</b>  |            |  |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| <b>Pol.</b> | <b>Horizontal</b>   |            | <b>Fundamental</b>                                 |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-11-30</p>  |            | <p style="text-align: right;">Date: 2023-11-30</p> |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.68</td> <td>65.56</td> <td>74.00</td> <td>-8.44</td> <td>57.31</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>372</td> <td>32</td> <td>Peak</td> </tr> </tbody> </table>    |            | Limit  | Read   | Ant    | Cable | Preamp | APos  | TPos | Remark | Freq    | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2484.68 | 65.56 | 74.00 | -8.44 | 57.31 | 32.47 | 7.88 | 32.10 | 372 | 32 | Peak    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>103.17</td> <td>-----</td> <td>-----</td> <td>94.98</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>372</td> <td>32</td> <td>Peak</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2462.00 | 103.17 | ----- | ----- | 94.98 | 32.42 | 7.86 | 32.09 | 372 | 32 |
| Limit       | Read  | Ant        | Cable  | Preamp | APos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| Freq        | Level   | Line       | Margin   | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| MHz         | dBuV/m  | dBuV/m     | dB   | dBuV   | dB/m   | dB    | cm     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| 1           | 2484.68   | 65.56      | 74.00  | -8.44  | 57.31  | 32.47 | 7.88   | 32.10 | 372  | 32     | Peak    |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| Limit       | Read  | Ant        | Cable  | Preamp | APos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| Freq        | Level   | Line       | Margin   | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| MHz         | dBuV/m  | dBuV/m     | dB   | dBuV   | dB/m   | dB    | cm     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| 1           | 2462.00   | 103.17     | -----  | -----  | 94.98  | 32.42 | 7.86   | 32.09 | 372  | 32     | Peak    |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-11-30</p>  |            | <p style="text-align: right;">Date: 2023-11-30</p> |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>51.89</td> <td>54.00</td> <td>-2.11</td> <td>43.65</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>372</td> <td>32</td> <td>Average</td> </tr> </tbody> </table> |            | Limit  | Read   | Ant    | Cable | Preamp | APos  | TPos | Remark | Freq    | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2483.52 | 51.89 | 54.00 | -2.11 | 43.65 | 32.46 | 7.88 | 32.10 | 372 | 32 | Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>96.72</td> <td>-----</td> <td>-----</td> <td>88.53</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>372</td> <td>32</td> <td>Average</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2462.00 | 96.72  | ----- | ----- | 88.53 | 32.42 | 7.86 | 32.09 | 372 | 32 |
| Limit       | Read  | Ant        | Cable  | Preamp | APos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| Freq        | Level   | Line       | Margin   | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| MHz         | dBuV/m  | dBuV/m     | dB   | dBuV   | dB/m   | dB    | cm     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| 1           | 2483.52   | 51.89      | 54.00  | -2.11  | 43.65  | 32.46 | 7.88   | 32.10 | 372  | 32     | Average |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| Limit       | Read  | Ant        | Cable  | Preamp | APos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| Freq        | Level   | Line       | Margin   | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| MHz         | dBuV/m  | dBuV/m     | dB   | dBuV   | dB/m   | dB    | cm     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |
| 1           | 2462.00   | 96.72      | -----  | -----  | 88.53  | 32.42 | 7.86   | 32.09 | 372  | 32     | Average |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |   |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |    |



|             |  | <b>103</b>         |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|-----|----|---------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
|             | <b>Co-location_ 11a_Ch233_7115MHz_11g_CH11_2462MHz+N30</b>   |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>   |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>60.84</td> <td>74.00</td> <td>-13.16</td> <td>52.60</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>370</td> <td>88</td> <td>Peak</td> </tr> </tbody> </table>   | Limit              | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2483.56 | 60.84 | 74.00 | -13.16 | 52.60 | 32.46 | 7.88 | 32.10 | 370 | 88 | Peak    | <p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>96.99</td> <td>-----</td> <td>-----</td> <td>88.80</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>370</td> <td>88</td> <td>Peak</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2462.00 | 96.99 | ----- | ----- | 88.80 | 32.42 | 7.86 | 32.09 | 370 | 88 | Peak    |
|             | Limit  | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | cm     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| 1           | 2483.56  | 60.84              | 74.00  | -13.16 | 52.60  | 32.46  | 7.88   | 32.10  | 370    | 88   | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| Limit       | Read   | Ant                | Cable  | Preamp | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | cm     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| 1           | 2462.00  | 96.99              | -----  | -----  | 88.80  | 32.42  | 7.86   | 32.09  | 370    | 88   | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>47.85</td> <td>54.00</td> <td>-6.15</td> <td>39.61</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>370</td> <td>88</td> <td>Average</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2483.52 | 47.85 | 54.00 | -6.15  | 39.61 | 32.46 | 7.88 | 32.10 | 370 | 88 | Average | <p style="text-align: right;">Date: 2023-11-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>90.22</td> <td>-----</td> <td>-----</td> <td>82.03</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>370</td> <td>88</td> <td>Average</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2462.00 | 90.22 | ----- | ----- | 82.03 | 32.42 | 7.86 | 32.09 | 370 | 88 | Average |
| Limit       | Read   | Ant                | Cable  | Preamp | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | cm     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| 1           | 2483.52  | 47.85              | 54.00  | -6.15  | 39.61  | 32.46  | 7.88   | 32.10  | 370    | 88   | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| Limit       | Read   | Ant                | Cable  | Preamp | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | cm     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |
| 1           | 2462.00  | 90.22              | -----  | -----  | 82.03  | 32.42  | 7.86   | 32.09  | 370    | 88   | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |    |         |



| Mode        | 103   |             |       |        |             |        |        |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
|-------------|---|-------------|-------|--------|-------------|--------|--------|--------|--------|------|-------|-------------|-------|--------|-------------|--|--|-----|--------|--------|----|------|------|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|-------|------|-----|-------|--------|------|------|--------|------|-------|-------------|-------|--------|-------------|--|--|-----|--------|--------|----|------|------|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|---------|-------|-------|--------|-------|-------|-------|-------|----|----|------|---|----------|-------|-------|--------|-------|-------|-------|-------|----|----|------|
|             | Harmonic  |             |       |        |             |        |        |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
|             | Co-location_ 11a_Ch233_7115MHz_11g_CH11_2462MHz+N30   |             |       |        |             |        |        |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| ANT         | CDD 5+4   |             |       |        |             |        |        |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| Pol.        | Horizontal  | Vertical    |       |        |             |        |        |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>50.56</td> <td>74.00</td> <td>-23.44</td> <td>36.26</td> <td>34.87</td> <td>11.12</td> <td>31.69</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>49.59</td> <td>74.00</td> <td>-24.41</td> <td>32.82</td> <td>36.35</td> <td>13.13</td> <td>32.71</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>14230.00</td> <td>49.88</td> <td>88.20</td> <td>-38.32</td> <td>26.82</td> <td>41.04</td> <td>16.33</td> <td>34.31</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit       | Read  | Ant    | Cable       | Preamp | APos   | TPos   | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 4924.00 | 50.56 | 74.00 | -23.44 | 36.26 | 34.87 | 11.12 | 31.69 | -- | -- | Peak | 2 | 7386.00 | 49.59 | 74.00 | -24.41 | 32.82 | 36.35 | 13.13 | 32.71 | -- | -- | Peak | 3 | 14230.00 | 49.88 | 88.20 | -38.32 | 26.82 | 41.04 | 16.33 | 34.31 | -- | -- | Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>50.23</td> <td>74.00</td> <td>-23.77</td> <td>35.93</td> <td>34.87</td> <td>11.12</td> <td>31.69</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>49.97</td> <td>74.00</td> <td>-24.03</td> <td>33.20</td> <td>36.35</td> <td>13.13</td> <td>32.71</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>14230.00</td> <td>50.05</td> <td>88.20</td> <td>-38.15</td> <td>26.99</td> <td>41.04</td> <td>16.33</td> <td>34.31</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 4924.00 | 50.23 | 74.00 | -23.77 | 35.93 | 34.87 | 11.12 | 31.69 | -- | -- | Peak | 2 | 7386.00 | 49.97 | 74.00 | -24.03 | 33.20 | 36.35 | 13.13 | 32.71 | -- | -- | Peak | 3 | 14230.00 | 50.05 | 88.20 | -38.15 | 26.99 | 41.04 | 16.33 | 34.31 | -- | -- | Peak |
|             | Limit   | Read        | Ant   | Cable  | Preamp      | APos   | TPos   | Remark |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor |        |        |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | cm     | deg    |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| 1           | 4924.00   | 50.56       | 74.00 | -23.44 | 36.26       | 34.87  | 11.12  | 31.69  | --     | --   | Peak  |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| 2           | 7386.00   | 49.59       | 74.00 | -24.41 | 32.82       | 36.35  | 13.13  | 32.71  | --     | --   | Peak  |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| 3           | 14230.00  | 49.88       | 88.20 | -38.32 | 26.82       | 41.04  | 16.33  | 34.31  | --     | --   | Peak  |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| Limit       | Read  | Ant         | Cable | Preamp | APos        | TPos   | Remark |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| Freq        | Level   | Line Margin | Level | Factor | Loss Factor |        |        |        |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| MHz         | dBuV/m  | dBuV/m      | dB    | dBuV   | dB/m        | dB     | cm     | deg    |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| 1           | 4924.00   | 50.23       | 74.00 | -23.77 | 35.93       | 34.87  | 11.12  | 31.69  | --     | --   | Peak  |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| 2           | 7386.00   | 49.97       | 74.00 | -24.03 | 33.20       | 36.35  | 13.13  | 32.71  | --     | --   | Peak  |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |
| 3           | 14230.00  | 50.05       | 88.20 | -38.15 | 26.99       | 41.04  | 16.33  | 34.31  | --     | --   | Peak  |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |   |       |      |     |       |        |      |      |        |      |       |             |       |        |             |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |    |    |      |   |         |       |       |        |       |       |       |       |    |    |      |   |          |       |       |        |       |       |       |       |    |    |      |

Note: for RSE co-locaton plots, the individual highest signals over limit are co-location fundamental signals.



|             |   | <b>104</b>         |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
|-------------|---|--------------------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
|             | <b>Co-location _11a_Ch233_7115MHz +Bluetooth BR_GFSK_CH78_2480MHz+N30</b>   |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>72.84</td> <td>88.20</td> <td>-15.36</td> <td>56.36</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>387</td> <td>58</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7328.20</td> <td>55.10</td> <td>74.00</td> <td>-18.90</td> <td>38.34</td> <td>36.33</td> <td>13.09</td> <td>32.66</td> <td>387</td> <td>58</td> <td>Peak</td> </tr> </tbody> </table>      | Limit              | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7125.00 | 72.84 | 88.20 | -15.36 | 56.36 | 36.25 | 12.73 | 32.50 | 387 | 58 | Peak    | 2 | 7328.20 | 55.10 | 74.00 | -18.90 | 38.34 | 36.33 | 13.09 | 32.66 | 387 | 58 | Peak    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>93.60</td> <td>-----</td> <td>-----</td> <td>77.15</td> <td>36.25</td> <td>12.70</td> <td>32.50</td> <td>387</td> <td>58</td> <td>Peak</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7115.00 | 93.60 | ----- | ----- | 77.15 | 36.25 | 12.70 | 32.50 | 387 | 58 | Peak    |
|             | Limit   | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7125.00   | 72.84              | 88.20  | -15.36 | 56.36  | 36.25  | 12.73  | 32.50  | 387    | 58   | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7328.20   | 55.10              | 74.00  | -18.90 | 38.34  | 36.33  | 13.09  | 32.66  | 387    | 58   | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Read  | Ant                | Cable  | Preamp | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7115.00   | 93.60              | -----  | -----  | 77.15  | 36.25  | 12.70  | 32.50  | 387    | 58   | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>60.62</td> <td>68.20</td> <td>-7.58</td> <td>44.14</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>387</td> <td>58</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7255.61</td> <td>44.00</td> <td>54.00</td> <td>-10.00</td> <td>27.27</td> <td>36.30</td> <td>13.04</td> <td>32.61</td> <td>387</td> <td>58</td> <td>Average</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7125.00 | 60.62 | 68.20 | -7.58  | 44.14 | 36.25 | 12.73 | 32.50 | 387 | 58 | Average | 2 | 7255.61 | 44.00 | 54.00 | -10.00 | 27.27 | 36.30 | 13.04 | 32.61 | 387 | 58 | Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>85.93</td> <td>-----</td> <td>-----</td> <td>69.48</td> <td>36.25</td> <td>12.70</td> <td>32.50</td> <td>387</td> <td>58</td> <td>Average</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7115.00 | 85.93 | ----- | ----- | 69.48 | 36.25 | 12.70 | 32.50 | 387 | 58 | Average |
| Limit       | Read  | Ant                | Cable  | Preamp | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7125.00   | 60.62              | 68.20  | -7.58  | 44.14  | 36.25  | 12.73  | 32.50  | 387    | 58   | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7255.61   | 44.00              | 54.00  | -10.00 | 27.27  | 36.30  | 13.04  | 32.61  | 387    | 58   | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Read  | Ant                | Cable  | Preamp | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7115.00   | 85.93              | -----  | -----  | 69.48  | 36.25  | 12.70  | 32.50  | 387    | 58   | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |



|             |   | <b>104</b>         |        |        |        |       |        |        |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|-------------|---|--------------------|--------|--------|--------|-------|--------|--------|------|----|---------|-------|------|--------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|--|-------|------|-----|-------|--------|------|------|--|------|-------|------|--------|-------|--------|------|--------|--------|--|-----|--------|--------|----|------|------|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |       |        |        |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | <b>Co-location _11a_Ch233_7115MHz +Bluetooth BR_GFSK_CH78_2480MHz+N30</b>   |                    |        |        |        |       |        |        |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| <b>ANT</b>  | <b>CDD 5+4</b>  |                    |        |        |        |       |        |        |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |        |        |        |       |        |        |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| <b>Peak</b> |   |                    |        |        |        |       |        |        |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>78.44</td> <td>88.20</td> <td>-9.76</td> <td>61.96</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>28</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.63</td> <td>56.05</td> <td>74.00</td> <td>-17.95</td> <td>39.29</td> <td>36.33</td> <td>13.09</td> <td>32.66</td> <td>100</td> <td>28</td> <td>Peak</td> </tr> </tbody> </table>      |                    | Limit  | Read   | Ant    | Cable | Preamp | APos   | TPos |    | Freq    | Level | Line | Margin | Level | Factor | Loss | Factor | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 7125.00 | 78.44 | 88.20 | -9.76 | 61.96 | 36.25 | 12.73 | 32.50 | 100 | 28 | Peak    | 2 | 7320.63 | 56.05 | 74.00 | -17.95 | 39.29 | 36.33 | 13.09 | 32.66 | 100 | 28 | Peak    | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>96.00</td> <td>-----</td> <td>-----</td> <td>79.55</td> <td>36.25</td> <td>12.70</td> <td>32.50</td> <td>100</td> <td>28</td> <td>Peak</td> </tr> </tbody> </table>    |  | Limit | Read | Ant | Cable | Preamp | APos | TPos |  | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 7115.00 | 96.00 | ----- | ----- | 79.55 | 36.25 | 12.70 | 32.50 | 100 | 28 |
|             | Limit   | Read               | Ant    | Cable  | Preamp | APos  | TPos   |        |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss  | Factor | Remark |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | MHz   | dBuV/m             | dBuV/m | dB     | dBuV   | dB/m  | dB     | cm     | deg  |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1           | 7125.00   | 78.44              | 88.20  | -9.76  | 61.96  | 36.25 | 12.73  | 32.50  | 100  | 28 | Peak    |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 2           | 7320.63   | 56.05              | 74.00  | -17.95 | 39.29  | 36.33 | 13.09  | 32.66  | 100  | 28 | Peak    |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | Limit   | Read               | Ant    | Cable  | Preamp | APos  | TPos   |        |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss  | Factor | Remark |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | MHz   | dBuV/m             | dBuV/m | dB     | dBuV   | dB/m  | dB     | cm     | deg  |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1           | 7115.00   | 96.00              | -----  | -----  | 79.55  | 36.25 | 12.70  | 32.50  | 100  | 28 | Peak    |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| <b>Avg</b>  |   |                    |        |        |        |       |        |        |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>64.57</td> <td>68.20</td> <td>-3.63</td> <td>48.09</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>100</td> <td>28</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7290.95</td> <td>45.01</td> <td>54.00</td> <td>-8.99</td> <td>28.26</td> <td>36.32</td> <td>13.06</td> <td>32.63</td> <td>100</td> <td>28</td> <td>Average</td> </tr> </tbody> </table> |                    | Limit  | Read   | Ant    | Cable | Preamp | APos   | TPos |    | Freq    | Level | Line | Margin | Level | Factor | Loss | Factor | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 7125.00 | 64.57 | 68.20 | -3.63 | 48.09 | 36.25 | 12.73 | 32.50 | 100 | 28 | Average | 2 | 7290.95 | 45.01 | 54.00 | -8.99  | 28.26 | 36.32 | 13.06 | 32.63 | 100 | 28 | Average | <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>88.19</td> <td>-----</td> <td>-----</td> <td>71.74</td> <td>36.25</td> <td>12.70</td> <td>32.50</td> <td>100</td> <td>28</td> <td>Average</td> </tr> </tbody> </table> |  | Limit | Read | Ant | Cable | Preamp | APos | TPos |  | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 7115.00 | 88.19 | ----- | ----- | 71.74 | 36.25 | 12.70 | 32.50 | 100 | 28 |
|             | Limit   | Read               | Ant    | Cable  | Preamp | APos  | TPos   |        |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss  | Factor | Remark |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | MHz   | dBuV/m             | dBuV/m | dB     | dBuV   | dB/m  | dB     | cm     | deg  |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1           | 7125.00   | 64.57              | 68.20  | -3.63  | 48.09  | 36.25 | 12.73  | 32.50  | 100  | 28 | Average |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 2           | 7290.95   | 45.01              | 54.00  | -8.99  | 28.26  | 36.32 | 13.06  | 32.63  | 100  | 28 | Average |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | Limit   | Read               | Ant    | Cable  | Preamp | APos  | TPos   |        |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss  | Factor | Remark |      |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
|             | MHz   | dBuV/m             | dBuV/m | dB     | dBuV   | dB/m  | dB     | cm     | deg  |    |         |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |
| 1           | 7115.00   | 88.19              | -----  | -----  | 71.74  | 36.25 | 12.70  | 32.50  | 100  | 28 | Average |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |        |  |     |        |        |    |      |      |    |    |     |   |         |       |       |       |       |       |       |       |     |    |



| Mode  | 104   |             |        |        |        |        |        |       |     |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
|-------|---|-------------|--------|--------|--------|--------|--------|-------|-----|------|---------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|---------|--|-------|------|-----|-------|--------|------|------|--|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|--------|-------|-------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|-------|-------|-------|------|-------|-----|-----|---------|
|       | Band Edge   |             |        |        |        |        |        |       |     |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
|       | Co-location _11a_Ch233_7115MHz +Bluetooth BR_GFSK_CH78_2480MHz+N30  |             |        |        |        |        |        |       |     |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
| ANT   | MIMO 5+4  |             |        |        |        |        |        |       |     |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
| Pol.  | Horizontal  | Fundamental |        |        |        |        |        |       |     |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
| Peak  | <p>Date: 2023-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.92</td> <td>48.68</td> <td>74.00</td> <td>-25.32</td> <td>40.44</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>385</td> <td>144</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2483.92</td> <td>23.89</td> <td>54.00</td> <td>-30.11</td> <td>15.65</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>385</td> <td>144</td> <td>Average</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | APos   | TPos  |     | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2483.92 | 48.68 | 74.00 | -25.32 | 40.44 | 32.46 | 7.88 | 32.10 | 385 | 144 | Peak | 2 | 2483.92 | 23.89 | 54.00 | -30.11 | 15.65 | 32.46 | 7.88 | 32.10 | 385 | 144 | Average | <p>Date: 2023-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.79</td> <td>-----</td> <td>-----</td> <td>93.56</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>385</td> <td>144</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>77.00</td> <td>-----</td> <td>-----</td> <td>68.77</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>385</td> <td>144</td> <td>Average</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos |  | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2480.00 | 101.79 | ----- | ----- | 93.56 | 32.46 | 7.87 | 32.10 | 385 | 144 | Peak | 2 | 2480.00 | 77.00 | ----- | ----- | 68.77 | 32.46 | 7.87 | 32.10 | 385 | 144 | Average |
|       | Limit   | Read        | Ant    | Cable  | Preamp | APos   | TPos   |       |     |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |       |     |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |       |     |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
| 1     | 2483.92   | 48.68       | 74.00  | -25.32 | 40.44  | 32.46  | 7.88   | 32.10 | 385 | 144  | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
| 2     | 2483.92   | 23.89       | 54.00  | -30.11 | 15.65  | 32.46  | 7.88   | 32.10 | 385 | 144  | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
| Limit | Read  | Ant         | Cable  | Preamp | APos   | TPos   |        |       |     |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |       |     |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |       |     |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
| 1     | 2480.00   | 101.79      | -----  | -----  | 93.56  | 32.46  | 7.87   | 32.10 | 385 | 144  | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
| 2     | 2480.00   | 77.00       | -----  | -----  | 68.77  | 32.46  | 7.87   | 32.10 | 385 | 144  | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |
|       |   |             |        |        |        |        |        |       |     |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |      |   |         |       |       |       |       |       |      |       |     |     |         |



| Mode  | 104   |             |        |        |        |        |        |       |     |         |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
|-------|---|-------------|--------|--------|--------|--------|--------|-------|-----|---------|---------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|---------|--|-------|------|-----|-------|--------|------|------|--|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|--------|-------|-------|-------|------|-------|-----|-----|------|---|---------|-------|-------|-------|-------|------|-------|-----|-----|---------|
|       | Band Edge   |             |        |        |        |        |        |       |     |         |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
|       | Co-location _11a_Ch233_7115MHz +Bluetooth BR_GFSK_CH78_2480MHz+N30  |             |        |        |        |        |        |       |     |         |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
| ANT   | MIMO 5+4  |             |        |        |        |        |        |       |     |         |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
| Pol.  | Vertical  | Fundamental |        |        |        |        |        |       |     |         |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
| Peak  | <p>Date: 2023-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.44</td> <td>48.61</td> <td>74.00</td> <td>-25.39</td> <td>40.36</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>244</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2488.44</td> <td>23.82</td> <td>54.00</td> <td>-30.18</td> <td>15.57</td> <td>32.47</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>244</td> <td>Average</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | APos   | TPos  |     | Freq    | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2488.44 | 48.61 | 74.00 | -25.39 | 40.36 | 32.47 | 7.88 | 32.10 | 400 | 244 | Peak | 2 | 2488.44 | 23.82 | 54.00 | -30.18 | 15.57 | 32.47 | 7.88 | 32.10 | 400 | 244 | Average | <p>Date: 2023-12-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>100.24</td> <td>-----</td> <td>92.01</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>400</td> <td>244</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2480.00</td> <td>75.45</td> <td>-----</td> <td>67.22</td> <td>32.46</td> <td>7.87</td> <td>32.10</td> <td>400</td> <td>244</td> <td>Average</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos |  | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2480.00 | 100.24 | ----- | 92.01 | 32.46 | 7.87 | 32.10 | 400 | 244 | Peak | 2 | 2480.00 | 75.45 | ----- | 67.22 | 32.46 | 7.87 | 32.10 | 400 | 244 | Average |
|       | Limit   | Read        | Ant    | Cable  | Preamp | APos   | TPos   |       |     |         |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |       |     |         |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |       |     |         |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
| 1     | 2488.44   | 48.61       | 74.00  | -25.39 | 40.36  | 32.47  | 7.88   | 32.10 | 400 | 244     | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
| 2     | 2488.44   | 23.82       | 54.00  | -30.18 | 15.57  | 32.47  | 7.88   | 32.10 | 400 | 244     | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
| Limit | Read  | Ant         | Cable  | Preamp | APos   | TPos   |        |       |     |         |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |       |     |         |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     |       |     |         |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
| 1     | 2480.00   | 100.24      | -----  | 92.01  | 32.46  | 7.87   | 32.10  | 400   | 244 | Peak    |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
| 2     | 2480.00   | 75.45       | -----  | 67.22  | 32.46  | 7.87   | 32.10  | 400   | 244 | Average |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |
|       |   |             |        |        |        |        |        |       |     |         |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |      |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |  |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |      |       |     |     |      |   |         |       |       |       |       |      |       |     |     |         |



| Mode        | 104  |          |        |             |        |        |        |        |            |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
|-------------|--|----------|--------|-------------|--------|--------|--------|--------|------------|------------|-------------|-------|--------|-------------|--|--|--|-----|--------|--------|----|------|------|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------------|---|---------|-------|-------|--------|-------|-------|-------|-------|------------|---|----------|-------|-------|--------|-------|-------|-------|-------|------------|--|-------|------|-----|-------|--------|------|------|--------|------------|-------------|-------|--------|-------------|--|--|--|-----|--------|--------|----|------|------|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------------|---|---------|-------|-------|--------|-------|-------|-------|-------|------------|---|----------|-------|-------|--------|-------|-------|-------|-------|------------|
|             | Harmonic   |          |        |             |        |        |        |        |            |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
|             | Co-location _11a_Ch233_7115MHz +Bluetooth BR_GFSK_CH78_2480MHz+N30   |          |        |             |        |        |        |        |            |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
| ANT         | CDD 5+4/ MIMO 5+4  |          |        |             |        |        |        |        |            |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
| Pol.        | Horizontal   | Vertical |        |             |        |        |        |        |            |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>50.90</td> <td>74.00</td> <td>-23.10</td> <td>36.53</td> <td>34.88</td> <td>11.14</td> <td>31.65</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>47.34</td> <td>74.00</td> <td>-26.66</td> <td>30.74</td> <td>36.38</td> <td>12.97</td> <td>32.75</td> <td>-- -- Peak</td> </tr> <tr> <td>3</td> <td>14230.00</td> <td>50.01</td> <td>88.20</td> <td>-38.19</td> <td>26.95</td> <td>41.04</td> <td>16.33</td> <td>34.31</td> <td>-- -- Peak</td> </tr> </tbody> </table> | Limit    | Read   | Ant         | Cable  | Preamp | APos   | TPos   | Remark     | Freq Level | Line Margin | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 4960.00 | 50.90 | 74.00 | -23.10 | 36.53 | 34.88 | 11.14 | 31.65 | -- -- Peak | 2 | 7440.00 | 47.34 | 74.00 | -26.66 | 30.74 | 36.38 | 12.97 | 32.75 | -- -- Peak | 3 | 14230.00 | 50.01 | 88.20 | -38.19 | 26.95 | 41.04 | 16.33 | 34.31 | -- -- Peak | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>50.74</td> <td>74.00</td> <td>-23.26</td> <td>36.37</td> <td>34.88</td> <td>11.14</td> <td>31.65</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>48.62</td> <td>74.00</td> <td>-25.38</td> <td>32.02</td> <td>36.38</td> <td>12.97</td> <td>32.75</td> <td>-- -- Peak</td> </tr> <tr> <td>3</td> <td>14230.00</td> <td>49.53</td> <td>88.20</td> <td>-38.67</td> <td>26.47</td> <td>41.04</td> <td>16.33</td> <td>34.31</td> <td>-- -- Peak</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq Level | Line Margin | Level | Factor | Loss Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | deg | 1 | 4960.00 | 50.74 | 74.00 | -23.26 | 36.37 | 34.88 | 11.14 | 31.65 | -- -- Peak | 2 | 7440.00 | 48.62 | 74.00 | -25.38 | 32.02 | 36.38 | 12.97 | 32.75 | -- -- Peak | 3 | 14230.00 | 49.53 | 88.20 | -38.67 | 26.47 | 41.04 | 16.33 | 34.31 | -- -- Peak |
|             | Limit  | Read     | Ant    | Cable       | Preamp | APos   | TPos   | Remark |            |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
| Freq Level  | Line Margin  | Level    | Factor | Loss Factor |        |        |        |        |            |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
| MHz         | dBuV/m   | dBuV/m   | dB     | dBuV        | dB/m   | dB     | cm     | deg    |            |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
| 1           | 4960.00  | 50.90    | 74.00  | -23.10      | 36.53  | 34.88  | 11.14  | 31.65  | -- -- Peak |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
| 2           | 7440.00  | 47.34    | 74.00  | -26.66      | 30.74  | 36.38  | 12.97  | 32.75  | -- -- Peak |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
| 3           | 14230.00   | 50.01    | 88.20  | -38.19      | 26.95  | 41.04  | 16.33  | 34.31  | -- -- Peak |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
| Limit       | Read   | Ant      | Cable  | Preamp      | APos   | TPos   | Remark |        |            |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
| Freq Level  | Line Margin  | Level    | Factor | Loss Factor |        |        |        |        |            |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
| MHz         | dBuV/m   | dBuV/m   | dB     | dBuV        | dB/m   | dB     | cm     | deg    |            |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
| 1           | 4960.00  | 50.74    | 74.00  | -23.26      | 36.37  | 34.88  | 11.14  | 31.65  | -- -- Peak |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
| 2           | 7440.00  | 48.62    | 74.00  | -25.38      | 32.02  | 36.38  | 12.97  | 32.75  | -- -- Peak |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |
| 3           | 14230.00   | 49.53    | 88.20  | -38.67      | 26.47  | 41.04  | 16.33  | 34.31  | -- -- Peak |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |  |       |      |     |       |        |      |      |        |            |             |       |        |             |  |  |  |     |        |        |    |      |      |    |    |     |   |         |       |       |        |       |       |       |       |            |   |         |       |       |        |       |       |       |       |            |   |          |       |       |        |       |       |       |       |            |

Note: for RSE co-locaton plots, the individual highest signals over limit are co-location fundamental signals.



|       |   | 105         |        |        |        |        |        |        |        |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|-------|---|-------------|--------|--------|--------|--------|--------|--------|--------|----|---------|-------|------|--------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|-------|------|-----|-------|--------|------|------|--------|--|------|-------|------|--------|-------|--------|------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| Mode  | Band Edge   |             |        |        |        |        |        |        |        |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
|       | Co-location _11a_Ch233_7115MHz +11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+N30   |             |        |        |        |        |        |        |        |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| ANT   | 5+4   |             |        |        |        |        |        |        |        |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Pol.  | Horizontal  | Fundamental |        |        |        |        |        |        |        |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>73.60</td> <td>88.20</td> <td>-14.60</td> <td>57.12</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>400</td> <td>62</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7341.55</td> <td>56.53</td> <td>74.00</td> <td>-17.47</td> <td>39.76</td> <td>36.34</td> <td>13.10</td> <td>32.67</td> <td>400</td> <td>62</td> <td>Peak</td> </tr> </tbody> </table>     | Limit       | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |    | Freq    | Level | Line | Margin | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.00 | 73.60 | 88.20 | -14.60 | 57.12 | 36.25 | 12.73 | 32.50 | 400 | 62 | Peak    | 2 | 7341.55 | 56.53 | 74.00 | -17.47 | 39.76 | 36.34 | 13.10 | 32.67 | 400 | 62 | Peak    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>93.23</td> <td>-----</td> <td>-----</td> <td>76.78</td> <td>36.25</td> <td>12.70</td> <td>32.50</td> <td>400</td> <td>62</td> <td>Peak</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark |  | Freq | Level | Line | Margin | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 93.23 | ----- | ----- | 76.78 | 36.25 | 12.70 | 32.50 | 400 | 62 | Peak    |
|       | Limit   | Read        | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |        |        |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 7125.00   | 73.60       | 88.20  | -14.60 | 57.12  | 36.25  | 12.73  | 32.50  | 400    | 62 | Peak    |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 2     | 7341.55   | 56.53       | 74.00  | -17.47 | 39.76  | 36.34  | 13.10  | 32.67  | 400    | 62 | Peak    |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit | Read  | Ant         | Cable  | Preamp | APos   | TPos   | Remark |        |        |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |        |        |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 7115.00   | 93.23       | -----  | -----  | 76.78  | 36.25  | 12.70  | 32.50  | 400    | 62 | Peak    |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>62.63</td> <td>68.20</td> <td>-5.57</td> <td>46.15</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>400</td> <td>62</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7284.44</td> <td>45.00</td> <td>54.00</td> <td>-9.00</td> <td>28.26</td> <td>36.31</td> <td>13.06</td> <td>32.63</td> <td>400</td> <td>62</td> <td>Average</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark |    | Freq    | Level | Line | Margin | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7125.00 | 62.63 | 68.20 | -5.57  | 46.15 | 36.25 | 12.73 | 32.50 | 400 | 62 | Average | 2 | 7284.44 | 45.00 | 54.00 | -9.00  | 28.26 | 36.31 | 13.06 | 32.63 | 400 | 62 | Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>84.82</td> <td>-----</td> <td>-----</td> <td>68.37</td> <td>36.25</td> <td>12.70</td> <td>32.50</td> <td>400</td> <td>62</td> <td>Average</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark |  | Freq | Level | Line | Margin | Level | Factor | Loss | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 7115.00 | 84.82 | ----- | ----- | 68.37 | 36.25 | 12.70 | 32.50 | 400 | 62 | Average |
| Limit | Read  | Ant         | Cable  | Preamp | APos   | TPos   | Remark |        |        |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |        |        |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 7125.00   | 62.63       | 68.20  | -5.57  | 46.15  | 36.25  | 12.73  | 32.50  | 400    | 62 | Average |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 2     | 7284.44   | 45.00       | 54.00  | -9.00  | 28.26  | 36.31  | 13.06  | 32.63  | 400    | 62 | Average |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit | Read  | Ant         | Cable  | Preamp | APos   | TPos   | Remark |        |        |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq  | Level   | Line        | Margin | Level  | Factor | Loss   | Factor |        |        |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz   | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m   | dB     | dB     | cm     | deg    |    |         |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |
| 1     | 7115.00   | 84.82       | -----  | -----  | 68.37  | 36.25  | 12.70  | 32.50  | 400    | 62 | Average |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |   |       |      |     |       |        |      |      |        |  |      |       |      |        |       |        |      |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |     |    |         |



|             |  | <b>105</b>         |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
|-------------|--|--------------------|--------|--------|--------|--------|--------|--------|--------|------|---------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|---|---------|-------|-------|--------|-------|-------|-------|-------|-----|----|---------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|-------|-------|-----|----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
|             | <b>Co-location _11a_Ch233_7115MHz +11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+N30</b>   |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>ANT</b>  | <b>5+4</b>   |                    |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |        |        |        |        |        |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>77.18</td> <td>88.20</td> <td>-11.02</td> <td>60.70</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>400</td> <td>24</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7312.62</td> <td>55.19</td> <td>74.00</td> <td>-18.81</td> <td>38.43</td> <td>36.33</td> <td>13.08</td> <td>32.65</td> <td>400</td> <td>24</td> <td>Peak</td> </tr> </tbody> </table>     | Limit              | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7125.00 | 77.18 | 88.20 | -11.02 | 60.70 | 36.25 | 12.73 | 32.50 | 400 | 24 | Peak    | 2 | 7312.62 | 55.19 | 74.00 | -18.81 | 38.43 | 36.33 | 13.08 | 32.65 | 400 | 24 | Peak    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>93.82</td> <td>-----</td> <td>-----</td> <td>77.37</td> <td>36.25</td> <td>12.70</td> <td>32.50</td> <td>400</td> <td>24</td> <td>Peak</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7115.00 | 93.82 | ----- | ----- | 77.37 | 36.25 | 12.70 | 32.50 | 400 | 24 | Peak    |
|             | Limit  | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7125.00  | 77.18              | 88.20  | -11.02 | 60.70  | 36.25  | 12.73  | 32.50  | 400    | 24   | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7312.62  | 55.19              | 74.00  | -18.81 | 38.43  | 36.33  | 13.08  | 32.65  | 400    | 24   | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Read   | Ant                | Cable  | Preamp | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7115.00  | 93.82              | -----  | -----  | 77.37  | 36.25  | 12.70  | 32.50  | 400    | 24   | Peak    |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>64.86</td> <td>68.20</td> <td>-3.34</td> <td>48.38</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>400</td> <td>24</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7287.23</td> <td>44.98</td> <td>54.00</td> <td>-9.02</td> <td>28.24</td> <td>36.31</td> <td>13.06</td> <td>32.63</td> <td>400</td> <td>24</td> <td>Average</td> </tr> </tbody> </table> | Limit              | Read   | Ant    | Cable  | Preamp | APos   | TPos   | Remark | Freq | Level   | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7125.00 | 64.86 | 68.20 | -3.34  | 48.38 | 36.25 | 12.73 | 32.50 | 400 | 24 | Average | 2 | 7287.23 | 44.98 | 54.00 | -9.02  | 28.24 | 36.31 | 13.06 | 32.63 | 400 | 24 | Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>86.40</td> <td>-----</td> <td>-----</td> <td>69.95</td> <td>36.25</td> <td>12.70</td> <td>32.50</td> <td>400</td> <td>24</td> <td>Average</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 7115.00 | 86.40 | ----- | ----- | 69.95 | 36.25 | 12.70 | 32.50 | 400 | 24 | Average |
|             | Limit  | Read               | Ant    | Cable  | Preamp | APos   | TPos   | Remark |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7125.00  | 64.86              | 68.20  | -3.34  | 48.38  | 36.25  | 12.73  | 32.50  | 400    | 24   | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 2           | 7287.23  | 44.98              | 54.00  | -9.02  | 28.24  | 36.31  | 13.06  | 32.63  | 400    | 24   | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Limit       | Read   | Ant                | Cable  | Preamp | APos   | TPos   | Remark |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| Freq        | Level  | Line               | Margin | Level  | Factor | Loss   | Factor |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| MHz         | dBuV/m   | dBuV/m             | dB     | dBuV   | dB/m   | dB     | dB     |        |        |      |         |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |
| 1           | 7115.00  | 86.40              | -----  | -----  | 69.95  | 36.25  | 12.70  | 32.50  | 400    | 24   | Average |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |       |       |     |    |         |   |         |       |       |        |       |       |       |       |     |    |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |       |       |     |    |         |



|             |  | <b>105</b> |  |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
|-------------|--|------------|--|--------|--------|-------|--------|-------|------|--------|---------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|---------|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|--------|-------|-------|-------|-------|------|-------|-----|-----|
| <b>Mode</b> | <b>Band Edge</b>   |            |  |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
|             | <b>Co-location _11a_Ch233_7115MHz +11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+N30</b>   |            |  |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| <b>ANT</b>  | <b>4</b>   |            |  |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| <b>Pol.</b> | <b>Horizontal</b>  |            | <b>Fundamental</b>                                 |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-12-06</p>   |            | <p style="text-align: right;">Date: 2023-12-06</p> |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>61.57</td> <td>74.00</td> <td>-12.43</td> <td>53.33</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>371</td> <td>121</td> <td>Peak</td> </tr> </tbody> </table>   |            | Limit  | Read   | Ant    | Cable | Preamp | Apos  | TPos | Remark | Freq    | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2483.68 | 61.57 | 74.00 | -12.43 | 53.33 | 32.46 | 7.88 | 32.10 | 371 | 121 | Peak    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>100.87</td> <td>-----</td> <td>-----</td> <td>92.68</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>371</td> <td>121</td> <td>Peak</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2462.00 | 100.87 | ----- | ----- | 92.68 | 32.42 | 7.86 | 32.09 | 371 | 121 |
| Limit       | Read   | Ant        | Cable  | Preamp | Apos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| Freq        | Level  | Line       | Margin   | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| MHz         | dBuV/m   | dBuV/m     | dB   | dBuV   | dB/m   | dB    | cm     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| 1           | 2483.68  | 61.57      | 74.00  | -12.43 | 53.33  | 32.46 | 7.88   | 32.10 | 371  | 121    | Peak    |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| Limit       | Read   | Ant        | Cable  | Preamp | Apos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| Freq        | Level  | Line       | Margin   | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| MHz         | dBuV/m   | dBuV/m     | dB   | dBuV   | dB/m   | dB    | cm     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| 1           | 2462.00  | 100.87     | -----  | -----  | 92.68  | 32.42 | 7.86   | 32.09 | 371  | 121    | Peak    |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-12-06</p>   |            | <p style="text-align: right;">Date: 2023-12-06</p> |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>46.37</td> <td>54.00</td> <td>-7.63</td> <td>38.13</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>371</td> <td>121</td> <td>Average</td> </tr> </tbody> </table> |            | Limit  | Read   | Ant    | Cable | Preamp | Apos  | TPos | Remark | Freq    | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2483.52 | 46.37 | 54.00 | -7.63  | 38.13 | 32.46 | 7.88 | 32.10 | 371 | 121 | Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>93.01</td> <td>-----</td> <td>-----</td> <td>84.82</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>371</td> <td>121</td> <td>Average</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Apos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2462.00 | 93.01  | ----- | ----- | 84.82 | 32.42 | 7.86 | 32.09 | 371 | 121 |
| Limit       | Read   | Ant        | Cable  | Preamp | Apos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| Freq        | Level  | Line       | Margin   | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| MHz         | dBuV/m   | dBuV/m     | dB   | dBuV   | dB/m   | dB    | cm     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| 1           | 2483.52  | 46.37      | 54.00  | -7.63  | 38.13  | 32.46 | 7.88   | 32.10 | 371  | 121    | Average |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| Limit       | Read   | Ant        | Cable  | Preamp | Apos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| Freq        | Level  | Line       | Margin   | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| MHz         | dBuV/m   | dBuV/m     | dB   | dBuV   | dB/m   | dB    | cm     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |
| 1           | 2462.00  | 93.01      | -----  | -----  | 84.82  | 32.42 | 7.86   | 32.09 | 371  | 121    | Average |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |        |       |       |       |       |      |       |     |     |



|             |  | <b>105</b>         |  |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
|-------------|--|--------------------|--|--------|--------|-------|--------|-------|------|--------|---------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|-----|---|---------|--|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|---|
| <b>Mode</b> | <b>Band Edge</b>   |                    |  |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
|             | <b>Co-location _11a_Ch233_7115MHz +11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+N30</b>   |                    |  |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| <b>ANT</b>  | <b>4</b>   |                    |  |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |  |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| <b>Peak</b> | <p style="text-align: right;">Date: 2023-12-06</p>   |                    | <p style="text-align: right;">Date: 2023-12-06</p> |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>61.29</td> <td>74.00</td> <td>-12.71</td> <td>53.05</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>398</td> <td>7</td> <td>Peak</td> </tr> </tbody> </table>   |                    | Limit  | Read   | Ant    | Cable | Preamp | APos  | TPos | Remark | Freq    | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2483.56 | 61.29 | 74.00 | -12.71 | 53.05 | 32.46 | 7.88 | 32.10 | 398 | 7 | Peak    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>98.95</td> <td>-----</td> <td>-----</td> <td>90.76</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>398</td> <td>7</td> <td>Peak</td> </tr> </tbody> </table>    |  | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2462.00 | 98.95 | ----- | ----- | 90.76 | 32.42 | 7.86 | 32.09 | 398 | 7 |
| Limit       | Read   | Ant                | Cable  | Preamp | APos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| Freq        | Level  | Line               | Margin   | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| MHz         | dBuV/m   | dBuV/m             | dB   | dBuV   | dB/m   | dB    | cm     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| 1           | 2483.56  | 61.29              | 74.00  | -12.71 | 53.05  | 32.46 | 7.88   | 32.10 | 398  | 7      | Peak    |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| Limit       | Read   | Ant                | Cable  | Preamp | APos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| Freq        | Level  | Line               | Margin   | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| MHz         | dBuV/m   | dBuV/m             | dB   | dBuV   | dB/m   | dB    | cm     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| 1           | 2462.00  | 98.95              | -----  | -----  | 90.76  | 32.42 | 7.86   | 32.09 | 398  | 7      | Peak    |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| <b>Avg</b>  | <p style="text-align: right;">Date: 2023-12-06</p>   |                    | <p style="text-align: right;">Date: 2023-12-06</p> |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>46.55</td> <td>54.00</td> <td>-7.45</td> <td>38.31</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>398</td> <td>7</td> <td>Average</td> </tr> </tbody> </table> |                    | Limit  | Read   | Ant    | Cable | Preamp | APos  | TPos | Remark | Freq    | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2483.52 | 46.55 | 54.00 | -7.45  | 38.31 | 32.46 | 7.88 | 32.10 | 398 | 7 | Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>90.82</td> <td>-----</td> <td>-----</td> <td>82.63</td> <td>32.42</td> <td>7.86</td> <td>32.09</td> <td>398</td> <td>7</td> <td>Average</td> </tr> </tbody> </table> |  | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | cm | 1 | 2462.00 | 90.82 | ----- | ----- | 82.63 | 32.42 | 7.86 | 32.09 | 398 | 7 |
| Limit       | Read   | Ant                | Cable  | Preamp | APos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| Freq        | Level  | Line               | Margin   | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| MHz         | dBuV/m   | dBuV/m             | dB   | dBuV   | dB/m   | dB    | cm     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| 1           | 2483.52  | 46.55              | 54.00  | -7.45  | 38.31  | 32.46 | 7.88   | 32.10 | 398  | 7      | Average |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| Limit       | Read   | Ant                | Cable  | Preamp | APos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| Freq        | Level  | Line               | Margin   | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| MHz         | dBuV/m   | dBuV/m             | dB   | dBuV   | dB/m   | dB    | cm     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |
| 1           | 2462.00  | 90.82              | -----  | -----  | 82.63  | 32.42 | 7.86   | 32.09 | 398  | 7      | Average |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |   |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |   |



|             |   | <b>105</b>         |        |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
|-------------|---|--------------------|--------|--------|--------|-------|--------|-------|------|--------|---------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|--------|-------|-------|------|-------|-----|-----|---------|--|--|-------|------|-----|-------|--------|------|------|--------|------|-------|------|--------|-------|--------|------|--------|-----|--------|--------|----|------|------|----|----|---|---------|-------|-------|-------|-------|-------|------|-------|-----|-----|
| <b>Mode</b> | <b>Band Edge</b>  |                    |        |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
|             | <b>Co-location _11a_Ch233_7115MHz +11g_CH11_2462MHz +Bluetooth-LE_CH38_2478MHz+N30</b>  |                    |        |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| <b>ANT</b>  | <b>5</b>  |                    |        |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |        |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| <b>Peak</b> |   |                    |        |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.60</td> <td>50.42</td> <td>74.00</td> <td>-23.58</td> <td>42.18</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>237</td> <td>Peak</td> </tr> </tbody> </table>    |                    | Limit  | Read   | Ant    | Cable | Preamp | APos  | TPos | Remark | Freq    | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2483.60 | 50.42 | 74.00 | -23.58 | 42.18 | 32.46 | 7.88 | 32.10 | 400 | 237 | Peak    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>95.79</td> <td>-----</td> <td>-----</td> <td>87.56</td> <td>32.45</td> <td>7.87</td> <td>32.09</td> <td>400</td> <td>237</td> <td>Peak</td> </tr> </tbody> </table>    |  | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2478.00 | 95.79 | ----- | ----- | 87.56 | 32.45 | 7.87 | 32.09 | 400 | 237 |
| Limit       | Read  | Ant                | Cable  | Preamp | APos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB    | dB     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| 1           | 2483.60   | 50.42              | 74.00  | -23.58 | 42.18  | 32.46 | 7.88   | 32.10 | 400  | 237    | Peak    |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| Limit       | Read  | Ant                | Cable  | Preamp | APos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB    | dB     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| 1           | 2478.00   | 95.79              | -----  | -----  | 87.56  | 32.45 | 7.87   | 32.09 | 400  | 237    | Peak    |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| <b>Avg</b>  |   |                    |        |        |        |       |        |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
|             | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.96</td> <td>41.37</td> <td>54.00</td> <td>-12.63</td> <td>33.13</td> <td>32.46</td> <td>7.88</td> <td>32.10</td> <td>400</td> <td>237</td> <td>Average</td> </tr> </tbody> </table> |                    | Limit  | Read   | Ant    | Cable | Preamp | APos  | TPos | Remark | Freq    | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2483.96 | 41.37 | 54.00 | -12.63 | 33.13 | 32.46 | 7.88 | 32.10 | 400 | 237 | Average | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>94.90</td> <td>-----</td> <td>-----</td> <td>86.67</td> <td>32.45</td> <td>7.87</td> <td>32.09</td> <td>400</td> <td>237</td> <td>Average</td> </tr> </tbody> </table> |  | Limit | Read | Ant | Cable | Preamp | APos | TPos | Remark | Freq | Level | Line | Margin | Level | Factor | Loss | Factor | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | 1 | 2478.00 | 94.90 | ----- | ----- | 86.67 | 32.45 | 7.87 | 32.09 | 400 | 237 |
| Limit       | Read  | Ant                | Cable  | Preamp | APos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB    | dB     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| 1           | 2483.96   | 41.37              | 54.00  | -12.63 | 33.13  | 32.46 | 7.88   | 32.10 | 400  | 237    | Average |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| Limit       | Read  | Ant                | Cable  | Preamp | APos   | TPos  | Remark |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| Freq        | Level   | Line               | Margin | Level  | Factor | Loss  | Factor |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| MHz         | dBuV/m  | dBuV/m             | dB     | dBuV   | dB/m   | dB    | dB     |       |      |        |         |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |
| 1           | 2478.00   | 94.90              | -----  | -----  | 86.67  | 32.45 | 7.87   | 32.09 | 400  | 237    | Average |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |        |       |       |      |       |     |     |         |  |  |       |      |     |       |        |      |      |        |      |       |      |        |       |        |      |        |     |        |        |    |      |      |    |    |   |         |       |       |       |       |       |      |       |     |     |