



		211																																																																																						
Mode		Band Edge																																																																																						
		U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																						
ANT		CDD 5+4																																																																																						
Pol.		Vertical	Fundamental																																																																																					
Peak																																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>69.04</td> <td>88.20</td> <td>-19.16</td> <td>52.56</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>244</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>7281.92</td> <td>55.09</td> <td>74.00</td> <td>-18.91</td> <td>38.35</td> <td>36.31</td> <td>13.06</td> <td>32.63</td> <td>244</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	69.04	88.20	-19.16	52.56	36.25	12.73	32.50	244	0 PEAK	2	7281.92	55.09	74.00	-18.91	38.35	36.31	13.06	32.63	244	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>86.14</td> <td>-----</td> <td>-----</td> <td>69.68</td> <td>36.25</td> <td>12.71</td> <td>32.50</td> <td>244</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	86.14	-----	-----	69.68	36.25	12.71	32.50	244
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	7125.28	69.04	88.20	-19.16	52.56	36.25	12.73	32.50	244	0 PEAK																																																																														
2	7281.92	55.09	74.00	-18.91	38.35	36.31	13.06	32.63	244	0 PEAK																																																																														
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	7115.00	86.14	-----	-----	69.68	36.25	12.71	32.50	244	0 PEAK																																																																														
Avg																																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.28</td> <td>58.44</td> <td>68.20</td> <td>-9.76</td> <td>41.96</td> <td>36.25</td> <td>12.73</td> <td>32.50</td> <td>244</td> <td>0 AVERAGE</td> </tr> <tr> <td>2</td> <td>7284.59</td> <td>44.67</td> <td>54.00</td> <td>-9.33</td> <td>27.93</td> <td>36.31</td> <td>13.06</td> <td>32.63</td> <td>244</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	58.44	68.20	-9.76	41.96	36.25	12.73	32.50	244	0 AVERAGE	2	7284.59	44.67	54.00	-9.33	27.93	36.31	13.06	32.63	244	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>79.58</td> <td>-----</td> <td>-----</td> <td>63.13</td> <td>36.25</td> <td>12.69</td> <td>32.49</td> <td>244</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	79.58	-----	-----	63.13	36.25	12.69	32.49	244
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	7125.28	58.44	68.20	-9.76	41.96	36.25	12.73	32.50	244	0 AVERAGE																																																																														
2	7284.59	44.67	54.00	-9.33	27.93	36.31	13.06	32.63	244	0 AVERAGE																																																																														
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	7115.00	79.58	-----	-----	63.13	36.25	12.69	32.49	244	0 AVERAGE																																																																														




Mode	211																																																																		
	Harmonic																																																																		
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																		
ANT	CDD 5+4																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>51.45</td> <td>88.20</td> <td>-36.75</td> <td>44.83</td> <td>41.04</td> <td>16.33</td> <td>50.75</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	51.45	88.20	-36.75	44.83	41.04	16.33	50.75	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>49.13</td> <td>88.20</td> <td>-39.07</td> <td>42.51</td> <td>41.04</td> <td>16.33</td> <td>50.75</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	49.13	88.20	-39.07	42.51	41.04	16.33	50.75
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14230.00	51.45	88.20	-36.75	44.83	41.04	16.33	50.75	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14230.00	49.13	88.20	-39.07	42.51	41.04	16.33	50.75	-- -- Peak																																																											



Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
4+5	802.11a	99.32	-	-	10Hz
4+5	802.11be EHT20	100	-	-	10Hz
4+5	802.11be EHT40	100	-	-	10Hz
4+5	802.11be EHT80	100	-	-	10Hz
4+5	802.11be EHT160	100	-	-	10Hz
4+5	802.11be EHT320	98.04	-	-	10Hz
5+6	802.11a	99.32	-	-	10Hz
5+6	802.11be EHT20	100	-	-	10Hz
5+6	802.11be EHT40	100	-	-	10Hz
5+6	802.11be EHT80	100	-	-	10Hz
5+6	802.11be EHT160	100	-	-	10Hz
5+6	802.11be EHT320	98.03	-	-	10Hz

802.11a (Antenna 4/5)






802.11be EHT20 (Antenna 4/5)




802.11be EHT40 (Antenna 4/5)






802.11be EHT80 (Antenna 4/5)




802.11be EHT160 (Antenna 4/5)






802.11be EHT320 (Antenna 4/5)




802.11a (Antenna 5/6)






802.11be EHT20 (Antenna 5/6)




802.11be EHT40 (Antenna 5/6)






802.11be EHT80 (Antenna 5/6)



802.11be EHT160 (Antenna 5/6)





802.11be EHT320 (Antenna 5/6)

