



Band2\_20MHz\_QPSK\_RB1\_0\_CH18700




Band4\_20MHz\_QPSK\_RB1\_0\_CH20050




Band2\_20MHz\_QPSK\_RB1\_0\_CH18900




Band4\_20MHz\_QPSK\_RB1\_0\_CH20175



Band2\_20MHz\_QPSK\_RB1\_0\_CH19100



Band4\_20MHz\_QPSK\_RB1\_0\_CH20300



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5\_10MHz\_QPSK\_RB1\_0\_CH20450




Band7\_20MHz\_QPSK\_RB1\_0\_CH20850




Band5\_10MHz\_QPSK\_RB1\_0\_CH20525




Band7\_20MHz\_QPSK\_RB1\_0\_CH21100



Band5\_10MHz\_QPSK\_RB1\_0\_CH20600



Band7\_20MHz\_QPSK\_RB1\_0\_CH21350




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12\_10MHz\_QPSK\_RB1\_0\_CH23060




Band17\_10MHz\_QPSK\_RB1\_0\_CH23780



Band12\_10MHz\_QPSK\_RB1\_0\_CH23095




Band17\_10MHz\_QPSK\_RB1\_0\_CH23790



Band12\_10MHz\_QPSK\_RB1\_0\_CH23130



Band17\_10MHz\_QPSK\_RB1\_0\_CH23800




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band25\_20MHz\_QPSK\_RB1\_0\_CH26140




Band26-Part90s\_10MHz\_QPSK\_RB1\_49\_CH26740



Band25\_20MHz\_QPSK\_RB1\_0\_CH26365




Band26\_15MHz\_QPSK\_RB1\_74\_CH26865



Band25\_20MHz\_QPSK\_RB1\_0\_CH26590



Band26\_15MHz\_QPSK\_RB1\_74\_CH26915



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band26\_15MHz\_QPSK\_RB1\_74\_CH26965




Band30\_5MHz\_QPSK\_RB1\_0\_CH27735



Band30\_5MHz\_QPSK\_RB1\_0\_CH27685




Band30\_10MHz\_QPSK\_RB1\_0\_CH27710



Band30\_5MHz\_QPSK\_RB1\_0\_CH27710



Band38\_15MHz\_QPSK\_RB1\_0\_CH37825



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band38\_15MHz\_QPSK\_RB1\_0\_CH38000




Band38\_20MHz\_QPSK\_RB1\_0\_CH38000



Band38\_15MHz\_QPSK\_RB1\_0\_CH38175



Band38\_20MHz\_QPSK\_RB1\_0\_CH38150



Band38\_20MHz\_QPSK\_RB1\_0\_CH37850



Band41\_5MHz\_QPSK\_RB1\_0\_CH39675




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band41\_5MHz\_QPSK\_RB1\_0\_CH39715




Band41\_20MHz\_QPSK\_RB1\_0\_CH39750



Band41\_5MHz\_QPSK\_RB1\_0\_CH40620



Band41\_20MHz\_QPSK\_RB1\_0\_CH39790



Band41\_5MHz\_QPSK\_RB1\_0\_CH41565



Band41\_20MHz\_QPSK\_RB1\_0\_CH40620



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band41\_20MHz\_QPSK\_RB1\_0\_CH41490




Band66\_20MHz\_QPSK\_RB1\_0\_CH132572



Band66\_20MHz\_QPSK\_RB1\_0\_CH132072



Band71\_20MHz\_QPSK\_RB1\_0\_CH133222



Band66\_20MHz\_QPSK\_RB1\_0\_CH132322



Band71\_20MHz\_QPSK\_RB1\_0\_CH133297




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band71\_20MHz\_QPSK\_RB1\_0\_CH133372



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 5 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Report Number :TERF2407002102ER  
 Operation Mode :LTE B2  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :1860 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-67.83	-53.28	-13.41	-1.14	-13.00	-54.83
71.71	-75.97	-68.19	-6.23	-1.55	-13.00	-62.97
146.40	-72.79	-68.86	-1.73	-2.21	-13.00	-59.79
231.76	-77.09	-78.77	4.46	-2.78	-13.00	-64.09
268.62	-77.58	-78.50	3.93	-3.00	-13.00	-64.58
375.32	-73.74	-74.26	4.05	-3.54	-13.00	-60.74
3720.00	-55.40	-56.52	12.50	-11.38	-13.00	-42.40
5580.00	-37.58	-36.60	13.12	-14.10	-13.00	-24.58
7440.00	-49.25	-43.77	10.90	-16.38	-13.00	-36.25
9300.00	-45.00	-37.76	11.10	-18.34	-13.00	-32.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B2  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :1860 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-67.21	-51.33	-14.88	-1.00	-13.00	-54.21
69.77	-76.52	-68.30	-6.69	-1.53	-13.00	-63.52
153.19	-67.23	-63.53	-1.44	-2.26	-13.00	-54.23
271.53	-78.60	-79.35	3.77	-3.02	-13.00	-65.60
360.77	-76.48	-77.22	4.21	-3.46	-13.00	-63.48
426.73	-74.36	-74.57	3.98	-3.77	-13.00	-61.36
3720.00	-56.11	-57.23	12.50	-11.38	-13.00	-43.11
5580.00	-38.85	-37.87	13.12	-14.10	-13.00	-25.85
7440.00	-42.42	-36.94	10.90	-16.38	-13.00	-29.42
9300.00	-36.76	-29.52	11.10	-18.34	-13.00	-23.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B2  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :1880 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-61.45	-47.05	-13.25	-1.16	-13.00	-48.45
70.74	-76.10	-68.11	-6.45	-1.54	-13.00	-63.10
153.19	-72.21	-68.51	-1.44	-2.26	-13.00	-59.21
230.79	-77.18	-79.01	4.60	-2.77	-13.00	-64.18
277.35	-76.46	-77.11	3.69	-3.05	-13.00	-63.46
388.90	-73.48	-73.78	3.90	-3.60	-13.00	-60.48
3760.00	-43.92	-44.97	12.50	-11.44	-13.00	-30.92
5640.00	-42.06	-41.17	13.28	-14.17	-13.00	-29.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B2  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :1880 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-73.43	-58.89	-13.41	-1.14	-13.00	-60.43
68.80	-77.35	-68.76	-7.07	-1.52	-13.00	-64.35
154.16	-66.64	-62.90	-1.48	-2.27	-13.00	-53.64
271.53	-79.56	-80.31	3.77	-3.02	-13.00	-66.56
364.65	-76.01	-76.75	4.23	-3.48	-13.00	-63.01
436.43	-74.44	-74.35	3.72	-3.81	-13.00	-61.44
3760.00	-55.45	-56.50	12.50	-11.44	-13.00	-42.45
5640.00	-38.64	-37.75	13.28	-14.17	-13.00	-25.64
7520.00	-44.64	-39.23	11.04	-16.45	-13.00	-31.64
9400.00	-37.77	-30.51	11.20	-18.46	-13.00	-24.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B2  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :1900 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-67.73	-53.32	-13.25	-1.16	-13.00	-54.73
69.77	-76.31	-68.09	-6.69	-1.53	-13.00	-63.31
143.49	-72.40	-68.38	-1.83	-2.19	-13.00	-59.40
227.88	-76.98	-79.06	4.84	-2.76	-13.00	-63.98
265.71	-76.86	-78.05	4.18	-2.99	-13.00	-63.86
378.23	-73.47	-73.93	4.01	-3.55	-13.00	-60.47
3800.00	-56.17	-57.17	12.50	-11.50	-13.00	-43.17
5700.00	-53.26	-52.11	13.10	-14.25	-13.00	-40.26
7600.00	-45.80	-40.46	11.20	-16.54	-13.00	-32.80
9500.00	-42.06	-35.20	11.70	-18.56	-13.00	-29.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B2  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :1900 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-72.59	-57.02	-14.54	-1.03	-13.00	-59.59
69.77	-75.87	-67.65	-6.69	-1.53	-13.00	-62.87
154.16	-67.55	-63.80	-1.48	-2.27	-13.00	-54.55
266.68	-78.67	-79.77	4.10	-2.99	-13.00	-65.67
364.65	-76.01	-76.76	4.23	-3.48	-13.00	-63.01
413.15	-75.53	-75.93	4.10	-3.71	-13.00	-62.53
3800.00	-55.47	-56.47	12.50	-11.50	-13.00	-42.47
5700.00	-54.30	-53.15	13.10	-14.25	-13.00	-41.30
7600.00	-48.45	-43.11	11.20	-16.54	-13.00	-35.45
9500.00	-36.77	-29.91	11.70	-18.56	-13.00	-23.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B4  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :1720 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-67.73	-53.33	-13.25	-1.16	-13.00	-54.73
71.71	-76.36	-68.58	-6.23	-1.55	-13.00	-63.36
145.43	-71.83	-67.91	-1.72	-2.20	-13.00	-58.83
231.76	-76.80	-78.48	4.46	-2.78	-13.00	-63.80
264.74	-76.17	-77.41	4.22	-2.98	-13.00	-63.17
373.38	-73.06	-73.62	4.09	-3.53	-13.00	-60.06
3440.00	-51.79	-53.46	12.60	-10.93	-13.00	-38.79
5160.00	-53.57	-52.48	12.44	-13.52	-13.00	-40.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B4  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :1720 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-72.29	-57.73	-13.43	-1.12	-13.00	-59.29
71.71	-76.66	-68.87	-6.23	-1.55	-13.00	-63.66
157.07	-67.31	-63.83	-1.20	-2.29	-13.00	-54.31
266.68	-78.68	-79.78	4.10	-2.99	-13.00	-65.68
367.56	-75.85	-76.54	4.18	-3.50	-13.00	-62.85
415.09	-74.15	-74.58	4.14	-3.72	-13.00	-61.15
3440.00	-42.40	-44.07	12.60	-10.93	-13.00	-29.40
5160.00	-53.00	-51.92	12.44	-13.52	-13.00	-40.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B4  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :1732.5 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
40.67	-68.56	-54.36	-13.03	-1.17	-13.00	-55.56
71.71	-76.13	-68.34	-6.23	-1.55	-13.00	-63.13
149.31	-72.21	-68.38	-1.60	-2.23	-13.00	-59.21
230.79	-77.38	-79.20	4.60	-2.77	-13.00	-64.38
270.56	-77.13	-77.91	3.79	-3.01	-13.00	-64.13
372.41	-73.64	-74.22	4.10	-3.52	-13.00	-60.64
3465.00	-52.15	-53.71	12.54	-10.97	-13.00	-39.15
5197.50	-53.92	-52.93	12.59	-13.58	-13.00	-40.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B4  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :1732.5 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-71.89	-57.35	-13.41	-1.14	-13.00	-58.89
69.77	-76.93	-68.71	-6.69	-1.53	-13.00	-63.93
156.10	-66.58	-62.95	-1.34	-2.28	-13.00	-53.58
270.56	-79.55	-80.33	3.79	-3.01	-13.00	-66.55
345.25	-75.78	-76.43	4.05	-3.39	-13.00	-62.78
435.46	-74.98	-74.91	3.74	-3.81	-13.00	-61.98
3465.00	-47.61	-49.18	12.54	-10.97	-13.00	-34.61
5197.50	-52.59	-51.61	12.59	-13.58	-13.00	-39.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B4  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :1745 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-67.29	-52.89	-13.25	-1.16	-13.00	-54.29
71.71	-76.46	-68.68	-6.23	-1.55	-13.00	-63.46
152.22	-72.78	-68.98	-1.55	-2.26	-13.00	-59.78
229.82	-76.47	-78.42	4.72	-2.77	-13.00	-63.47
285.11	-76.81	-77.41	3.68	-3.09	-13.00	-63.81
373.38	-73.10	-73.66	4.09	-3.53	-13.00	-60.10
3490.00	-51.73	-53.15	12.44	-11.01	-13.00	-38.73
5235.00	-53.67	-52.85	12.81	-13.63	-13.00	-40.67
6980.00	-47.16	-42.83	11.52	-15.85	-13.00	-34.16
8725.00	-45.97	-39.66	11.45	-17.76	-13.00	-32.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B4  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :1745 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-72.40	-56.83	-14.54	-1.03	-13.00	-59.40
71.71	-76.93	-69.15	-6.23	-1.55	-13.00	-63.93
158.04	-67.02	-63.57	-1.15	-2.30	-13.00	-54.02
276.38	-79.80	-80.44	3.68	-3.04	-13.00	-66.80
364.65	-76.30	-77.05	4.23	-3.48	-13.00	-63.30
414.12	-74.76	-75.17	4.12	-3.71	-13.00	-61.76
3490.00	-43.32	-44.75	12.44	-11.01	-13.00	-30.32
5235.00	-53.08	-52.26	12.81	-13.63	-13.00	-40.08
6980.00	-45.68	-41.36	11.52	-15.85	-13.00	-32.68
8725.00	-43.23	-36.92	11.45	-17.76	-13.00	-30.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B5  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :829 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-67.71	-53.31	-13.25	-1.16	-13.00	-54.71
70.74	-75.79	-67.80	-6.45	-1.54	-13.00	-62.79
142.52	-71.73	-67.72	-1.84	-2.18	-13.00	-58.73
231.76	-76.08	-77.76	4.46	-2.78	-13.00	-63.08
264.74	-77.19	-78.42	4.22	-2.98	-13.00	-64.19
371.44	-73.33	-73.93	4.12	-3.52	-13.00	-60.33
1658.00	-56.11	-58.21	9.58	-7.48	-13.00	-43.11
2487.00	-44.91	-46.16	10.50	-9.25	-13.00	-31.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B5  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :829 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-71.37	-55.95	-14.37	-1.05	-13.00	-58.37
69.77	-77.35	-69.13	-6.69	-1.53	-13.00	-64.35
157.07	-67.32	-63.83	-1.20	-2.29	-13.00	-54.32
190.05	-80.97	-81.22	2.77	-2.52	-13.00	-67.97
268.62	-78.84	-79.77	3.93	-3.00	-13.00	-65.84
416.06	-74.95	-75.37	4.14	-3.72	-13.00	-61.95
1658.00	-55.63	-57.73	9.58	-7.48	-13.00	-42.63
2487.00	-52.60	-53.85	10.50	-9.25	-13.00	-39.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B5  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :836.5 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-67.29	-52.88	-13.25	-1.16	-13.00	-54.29
70.74	-75.07	-67.08	-6.45	-1.54	-13.00	-62.07
152.22	-72.40	-68.60	-1.55	-2.26	-13.00	-59.40
230.79	-77.19	-79.01	4.60	-2.77	-13.00	-64.19
267.65	-77.54	-78.55	4.01	-3.00	-13.00	-64.54
370.47	-73.39	-74.01	4.13	-3.51	-13.00	-60.39
1673.00	-55.78	-58.00	9.73	-7.52	-13.00	-42.78
2509.50	-58.82	-60.23	10.69	-9.29	-13.00	-45.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B5  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :836.5 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-71.96	-57.39	-13.47	-1.11	-13.00	-58.96
70.74	-77.89	-69.90	-6.45	-1.54	-13.00	-64.89
154.16	-66.26	-62.51	-1.48	-2.27	-13.00	-53.26
184.23	-80.00	-79.43	1.91	-2.48	-13.00	-67.00
272.50	-79.36	-80.08	3.74	-3.02	-13.00	-66.36
430.61	-75.11	-75.17	3.84	-3.78	-13.00	-62.11
1673.00	-54.61	-56.82	9.73	-7.52	-13.00	-41.61
2509.50	-58.89	-60.30	10.69	-9.29	-13.00	-45.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B5  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :844 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-68.83	-54.28	-13.41	-1.14	-13.00	-55.83
72.68	-75.54	-68.17	-5.82	-1.56	-13.00	-62.54
150.28	-72.03	-68.11	-1.68	-2.24	-13.00	-59.03
232.73	-75.84	-77.38	4.32	-2.79	-13.00	-62.84
286.08	-76.68	-77.28	3.69	-3.09	-13.00	-63.68
371.44	-72.86	-73.46	4.12	-3.52	-13.00	-59.86
1688.00	-59.66	-61.99	9.88	-7.55	-13.00	-46.66
2532.00	-52.46	-53.65	10.52	-9.33	-13.00	-39.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B5  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :844 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
37.76	-70.19	-55.63	-13.43	-1.12	-13.00	-57.19
69.77	-76.60	-68.37	-6.69	-1.53	-13.00	-63.60
155.13	-67.10	-63.33	-1.49	-2.28	-13.00	-54.10
270.56	-78.15	-78.94	3.79	-3.01	-13.00	-65.15
353.98	-76.30	-77.13	4.26	-3.43	-13.00	-63.30
409.27	-75.31	-75.65	4.02	-3.69	-13.00	-62.31
1688.00	-59.06	-61.38	9.88	-7.55	-13.00	-46.06
2532.00	-58.41	-59.59	10.52	-9.33	-13.00	-45.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B7  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :2510 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-68.50	-54.10	-13.25	-1.16	-25.00	-43.50
71.71	-76.18	-68.40	-6.23	-1.55	-25.00	-51.18
156.10	-73.04	-69.41	-1.34	-2.28	-25.00	-48.04
231.76	-77.26	-78.94	4.46	-2.78	-25.00	-52.26
273.47	-77.45	-78.14	3.71	-3.03	-25.00	-52.45
374.35	-73.52	-74.06	4.07	-3.53	-25.00	-48.52
5020.00	-53.63	-52.71	12.40	-13.32	-25.00	-28.63
7530.00	-50.22	-44.82	11.06	-16.46	-25.00	-25.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B7  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :2510 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-69.66	-55.11	-13.41	-1.14	-25.00	-44.66
69.77	-78.00	-69.78	-6.69	-1.53	-25.00	-53.00
155.13	-66.99	-63.23	-1.49	-2.28	-25.00	-41.99
267.65	-78.19	-79.21	4.01	-3.00	-25.00	-53.19
367.56	-76.05	-76.73	4.18	-3.50	-25.00	-51.05
425.76	-75.04	-75.30	4.02	-3.76	-25.00	-50.04
5020.00	-53.20	-52.28	12.40	-13.32	-25.00	-28.20
7530.00	-49.78	-44.38	11.06	-16.46	-25.00	-24.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B7  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :2535 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-68.15	-53.75	-13.25	-1.16	-25.00	-43.15
71.71	-76.02	-68.24	-6.23	-1.55	-25.00	-51.02
151.25	-72.93	-69.05	-1.62	-2.25	-25.00	-47.93
233.70	-77.16	-78.55	4.18	-2.79	-25.00	-52.16
378.23	-73.66	-74.12	4.01	-3.55	-25.00	-48.66
461.65	-73.19	-73.11	3.84	-3.92	-25.00	-48.19
5070.00	-52.58	-51.58	12.40	-13.40	-25.00	-27.58
7605.00	-50.98	-45.64	11.21	-16.55	-25.00	-25.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B7  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :2535 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-69.83	-55.29	-13.41	-1.14	-25.00	-44.83
69.77	-76.81	-68.59	-6.69	-1.53	-25.00	-51.81
154.16	-67.87	-64.12	-1.48	-2.27	-25.00	-42.87
263.77	-79.05	-80.22	4.15	-2.98	-25.00	-54.05
355.92	-76.94	-77.77	4.27	-3.44	-25.00	-51.94
412.18	-75.58	-75.96	4.08	-3.70	-25.00	-50.58
5070.00	-53.59	-52.59	12.40	-13.40	-25.00	-28.59
7605.00	-50.79	-45.45	11.21	-16.55	-25.00	-25.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B7  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :2560 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-68.36	-53.95	-13.25	-1.16	-25.00	-43.36
71.71	-75.85	-68.06	-6.23	-1.55	-25.00	-50.85
154.16	-72.38	-68.63	-1.48	-2.27	-25.00	-47.38
223.03	-76.97	-79.15	4.91	-2.73	-25.00	-51.97
279.29	-77.00	-77.66	3.71	-3.06	-25.00	-52.00
373.38	-73.26	-73.82	4.09	-3.53	-25.00	-48.26
5120.00	-53.59	-52.53	12.40	-13.47	-25.00	-28.59
7680.00	-50.83	-45.60	11.42	-16.65	-25.00	-25.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B7  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :2560 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-71.44	-57.04	-13.25	-1.16	-25.00	-46.44
68.80	-76.94	-68.36	-7.07	-1.52	-25.00	-51.94
154.16	-67.25	-63.51	-1.48	-2.27	-25.00	-42.25
268.62	-79.25	-80.18	3.93	-3.00	-25.00	-54.25
383.08	-75.62	-75.98	3.92	-3.57	-25.00	-50.62
423.82	-74.49	-74.81	4.07	-3.76	-25.00	-49.49
5120.00	-53.34	-52.27	12.40	-13.47	-25.00	-28.34
7680.00	-51.13	-45.90	11.42	-16.65	-25.00	-26.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B12  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :704 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-68.29	-53.88	-13.25	-1.16	-13.00	-55.29
70.74	-76.11	-68.12	-6.45	-1.54	-13.00	-63.11
149.31	-72.38	-68.54	-1.60	-2.23	-13.00	-59.38
234.67	-77.58	-78.83	4.05	-2.80	-13.00	-64.58
268.62	-76.65	-77.58	3.93	-3.00	-13.00	-63.65
374.35	-73.51	-74.05	4.07	-3.53	-13.00	-60.51
1408.00	-55.23	-55.93	7.58	-6.88	-13.00	-42.23
2112.00	-39.70	-40.90	9.68	-8.49	-13.00	-26.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B12  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :704 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-70.84	-55.27	-14.54	-1.03	-13.00	-57.84
70.74	-77.17	-69.18	-6.45	-1.54	-13.00	-64.17
155.13	-67.36	-63.59	-1.49	-2.28	-13.00	-54.36
269.59	-78.73	-79.57	3.85	-3.01	-13.00	-65.73
377.26	-75.65	-76.12	4.02	-3.55	-13.00	-62.65
413.15	-74.03	-74.43	4.10	-3.71	-13.00	-61.03
1408.00	-55.75	-56.45	7.58	-6.88	-13.00	-42.75
2112.00	-37.53	-38.72	9.68	-8.49	-13.00	-24.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B12  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :707.5 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-67.77	-53.37	-13.25	-1.16	-13.00	-54.77
69.77	-75.75	-67.53	-6.69	-1.53	-13.00	-62.75
153.19	-71.99	-68.29	-1.44	-2.26	-13.00	-58.99
228.85	-76.95	-78.97	4.78	-2.76	-13.00	-63.95
266.68	-76.98	-78.08	4.10	-2.99	-13.00	-63.98
378.23	-73.19	-73.64	4.01	-3.55	-13.00	-60.19
1415.00	-57.26	-58.02	7.65	-6.90	-13.00	-44.26
2122.50	-41.69	-42.76	9.58	-8.51	-13.00	-28.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B12  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :707.5 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-71.01	-55.59	-14.37	-1.05	-13.00	-58.01
70.74	-76.75	-68.76	-6.45	-1.54	-13.00	-63.75
155.13	-67.77	-64.00	-1.49	-2.28	-13.00	-54.77
266.68	-79.18	-80.28	4.10	-2.99	-13.00	-66.18
354.95	-76.19	-77.04	4.28	-3.43	-13.00	-63.19
489.78	-73.31	-73.25	3.98	-4.04	-13.00	-60.31
1415.00	-57.47	-58.22	7.65	-6.90	-13.00	-44.47
2122.50	-39.25	-40.31	9.58	-8.51	-13.00	-26.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B12  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :711 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-67.56	-53.15	-13.25	-1.16	-13.00	-54.56
71.71	-75.63	-67.85	-6.23	-1.55	-13.00	-62.63
151.25	-71.91	-68.04	-1.62	-2.25	-13.00	-58.91
232.73	-77.30	-78.83	4.32	-2.79	-13.00	-64.30
282.20	-76.68	-77.31	3.70	-3.07	-13.00	-63.68
369.50	-72.89	-73.53	4.15	-3.51	-13.00	-59.89
1422.00	-55.12	-55.91	7.70	-6.91	-13.00	-42.12
2133.00	-42.44	-43.41	9.50	-8.53	-13.00	-29.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B12  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :711 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-70.80	-56.26	-13.41	-1.14	-13.00	-57.80
69.77	-77.28	-69.06	-6.69	-1.53	-13.00	-64.28
157.07	-67.76	-64.28	-1.20	-2.29	-13.00	-54.76
265.71	-79.74	-80.93	4.18	-2.99	-13.00	-66.74
368.53	-75.87	-76.53	4.17	-3.50	-13.00	-62.87
442.25	-74.71	-74.48	3.61	-3.84	-13.00	-61.71
1422.00	-54.01	-54.80	7.70	-6.91	-13.00	-41.01
2133.00	-43.63	-44.60	9.50	-8.53	-13.00	-30.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B17  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :709 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-68.41	-54.00	-13.25	-1.16	-13.00	-55.40
71.71	-76.15	-68.37	-6.23	-1.55	-13.00	-63.16
150.28	-72.41	-68.49	-1.68	-2.24	-13.00	-59.42
229.82	-76.63	-78.58	4.72	-2.77	-13.00	-63.62
287.05	-76.70	-77.30	3.70	-3.10	-13.00	-63.69
375.32	-73.02	-73.53	4.05	-3.54	-13.00	-60.01
1418.00	-57.70	-58.48	7.68	-6.90	-13.00	-44.71
2127.00	-25.01	-26.02	9.53	-8.52	-13.00	-12.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B17  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :709 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-68.56	-54.15	-13.25	-1.16	-13.00	-55.56
69.77	-77.30	-69.08	-6.69	-1.53	-13.00	-64.30
154.16	-67.16	-63.41	-1.48	-2.27	-13.00	-54.16
268.62	-78.90	-79.83	3.93	-3.00	-13.00	-65.91
360.77	-75.70	-76.45	4.21	-3.46	-13.00	-62.71
421.88	-74.55	-74.91	4.11	-3.75	-13.00	-61.55
1418.00	-58.40	-59.18	7.68	-6.90	-13.00	-45.40
2127.00	-25.68	-26.69	9.53	-8.52	-13.00	-12.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B17  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :710 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-67.87	-53.46	-13.25	-1.16	-13.00	-54.86
70.74	-75.56	-67.57	-6.45	-1.54	-13.00	-62.56
145.43	-72.33	-68.41	-1.72	-2.20	-13.00	-59.34
227.88	-76.80	-78.88	4.84	-2.76	-13.00	-63.80
271.53	-76.69	-77.44	3.77	-3.02	-13.00	-63.69
370.47	-72.73	-73.35	4.13	-3.51	-13.00	-59.73
1420.00	-57.06	-57.85	7.70	-6.91	-13.00	-44.06
2130.00	-25.17	-26.14	9.50	-8.53	-13.00	-12.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B17  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :710 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-68.55	-54.00	-13.41	-1.14	-13.00	-55.55
69.77	-77.73	-69.51	-6.69	-1.53	-13.00	-64.73
155.13	-66.96	-63.19	-1.49	-2.28	-13.00	-53.95
269.59	-79.28	-80.12	3.85	-3.01	-13.00	-66.29
341.37	-76.66	-77.30	4.02	-3.38	-13.00	-63.66
433.52	-75.02	-75.00	3.78	-3.80	-13.00	-62.02
1420.00	-57.68	-58.47	7.70	-6.91	-13.00	-44.68
2130.00	-25.60	-26.57	9.50	-8.53	-13.00	-12.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B17  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :711 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-68.95	-54.54	-13.25	-1.16	-13.00	-55.94
70.74	-75.58	-67.59	-6.45	-1.54	-13.00	-62.58
153.19	-72.26	-68.56	-1.44	-2.26	-13.00	-59.26
233.70	-77.09	-78.48	4.18	-2.79	-13.00	-64.08
280.26	-77.33	-77.99	3.72	-3.06	-13.00	-64.34
371.44	-72.97	-73.57	4.12	-3.52	-13.00	-59.98
1422.00	-57.98	-58.77	7.70	-6.91	-13.00	-44.98
2133.00	-29.55	-30.52	9.50	-8.53	-13.00	-16.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B17  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :711 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-68.78	-54.37	-13.25	-1.16	-13.00	-55.77
70.74	-77.20	-69.21	-6.45	-1.54	-13.00	-64.19
154.16	-67.55	-63.80	-1.48	-2.27	-13.00	-54.54
266.68	-78.82	-79.93	4.10	-2.99	-13.00	-65.83
385.02	-75.13	-75.44	3.89	-3.58	-13.00	-62.13
414.12	-75.35	-75.76	4.12	-3.71	-13.00	-62.35
1422.00	-56.92	-57.71	7.70	-6.91	-13.00	-43.93
2133.00	-32.35	-33.32	9.50	-8.53	-13.00	-19.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B25  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :1860 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-68.42	-54.01	-13.25	-1.16	-13.00	-55.41
70.74	-75.74	-67.75	-6.45	-1.54	-13.00	-62.74
150.28	-72.73	-68.81	-1.68	-2.24	-13.00	-59.73
224.00	-76.89	-79.12	4.96	-2.73	-13.00	-63.90
277.35	-77.39	-78.03	3.69	-3.05	-13.00	-64.38
364.65	-73.60	-74.35	4.23	-3.48	-13.00	-60.60
3720.00	-51.42	-52.54	12.50	-11.38	-13.00	-38.42
5580.00	-52.69	-51.71	13.12	-14.10	-13.00	-39.69
7440.00	-46.40	-40.92	10.90	-16.38	-13.00	-33.40
9300.00	-42.98	-35.74	11.10	-18.34	-13.00	-29.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B25  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :1860 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-68.66	-54.11	-13.41	-1.14	-13.00	-55.65
71.71	-77.91	-70.13	-6.23	-1.55	-13.00	-64.91
155.13	-67.31	-63.54	-1.49	-2.28	-13.00	-54.30
272.50	-79.43	-80.15	3.74	-3.02	-13.00	-66.43
366.59	-75.88	-76.59	4.20	-3.49	-13.00	-62.89
424.79	-74.97	-75.26	4.05	-3.76	-13.00	-61.96
3720.00	-51.25	-52.37	12.50	-11.38	-13.00	-38.25
5580.00	-53.17	-52.19	13.12	-14.10	-13.00	-40.16
7440.00	-42.91	-37.43	10.90	-16.38	-13.00	-29.91
9300.00	-36.75	-29.51	11.10	-18.34	-13.00	-23.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B25  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :1882.5 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-67.89	-53.48	-13.25	-1.16	-13.00	-54.88
71.71	-74.97	-67.19	-6.23	-1.55	-13.00	-61.97
153.19	-72.72	-69.02	-1.44	-2.26	-13.00	-59.72
228.85	-77.20	-79.22	4.78	-2.76	-13.00	-64.21
277.35	-76.96	-77.60	3.69	-3.05	-13.00	-63.95
365.62	-73.33	-74.06	4.22	-3.49	-13.00	-60.33
3765.00	-51.12	-52.17	12.50	-11.45	-13.00	-38.12
5647.50	-52.58	-51.70	13.30	-14.18	-13.00	-39.58
7530.00	-49.73	-44.33	11.06	-16.46	-13.00	-36.73
9412.50	-48.12	-40.90	11.25	-18.47	-13.00	-35.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B25  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :1882.5 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-69.25	-54.84	-13.25	-1.16	-13.00	-56.25
69.77	-77.07	-68.85	-6.69	-1.53	-13.00	-64.07
154.16	-67.23	-63.48	-1.48	-2.27	-13.00	-54.22
203.63	-81.10	-82.42	3.93	-2.61	-13.00	-68.10
268.62	-79.71	-80.64	3.93	-3.00	-13.00	-66.71
380.17	-75.91	-76.33	3.98	-3.56	-13.00	-62.91
3765.00	-50.64	-51.69	12.50	-11.45	-13.00	-37.64
5647.50	-52.76	-51.88	13.30	-14.18	-13.00	-39.76
7530.00	-43.82	-38.42	11.06	-16.46	-13.00	-30.82
9412.50	-38.96	-31.74	11.25	-18.47	-13.00	-25.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B25  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :1905 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-68.87	-54.32	-13.41	-1.14	-13.00	-55.86
71.71	-76.00	-68.22	-6.23	-1.55	-13.00	-63.00
153.19	-72.38	-68.68	-1.44	-2.26	-13.00	-59.38
231.76	-77.14	-78.82	4.46	-2.78	-13.00	-64.14
276.38	-77.98	-78.62	3.68	-3.04	-13.00	-64.98
369.50	-73.76	-74.40	4.15	-3.51	-13.00	-60.76
3810.00	-55.08	-56.04	12.48	-11.52	-13.00	-42.07
5715.00	-54.08	-52.91	13.10	-14.27	-13.00	-41.08
7620.00	-49.33	-44.00	11.24	-16.57	-13.00	-36.33
9525.00	-47.70	-40.82	11.70	-18.58	-13.00	-34.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B25  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :1905 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
36.79	-69.22	-54.64	-13.47	-1.11	-13.00	-56.22
69.77	-77.89	-69.67	-6.69	-1.53	-13.00	-64.89
155.13	-67.46	-63.69	-1.49	-2.28	-13.00	-54.46
269.59	-79.27	-80.11	3.85	-3.01	-13.00	-66.27
377.26	-75.82	-76.29	4.02	-3.55	-13.00	-62.81
431.58	-74.81	-74.84	3.82	-3.79	-13.00	-61.81
3810.00	-54.78	-55.74	12.48	-11.52	-13.00	-41.78
5715.00	-52.62	-51.45	13.10	-14.27	-13.00	-39.62
7620.00	-49.13	-43.80	11.24	-16.57	-13.00	-36.13
9525.00	-36.00	-29.12	11.70	-18.58	-13.00	-23.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B26 Part 90S  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :819 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-68.50	-54.09	-13.25	-1.16	-13.00	-55.49
70.74	-76.42	-68.43	-6.45	-1.54	-13.00	-63.41
154.16	-72.08	-68.33	-1.48	-2.27	-13.00	-59.08
228.85	-77.31	-79.33	4.78	-2.76	-13.00	-64.31
280.26	-76.91	-77.57	3.72	-3.06	-13.00	-63.91
370.47	-73.71	-74.33	4.13	-3.51	-13.00	-60.71
1638.00	-55.03	-57.00	9.40	-7.43	-13.00	-42.03
2457.00	-37.92	-39.20	10.47	-9.19	-13.00	-24.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B26 Part 90S  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :819 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-68.42	-53.87	-13.41	-1.14	-13.00	-55.42
70.74	-77.77	-69.78	-6.45	-1.54	-13.00	-64.77
151.25	-67.18	-63.31	-1.62	-2.25	-13.00	-54.18
264.74	-79.10	-80.34	4.22	-2.98	-13.00	-66.10
385.99	-75.92	-76.23	3.89	-3.58	-13.00	-62.92
437.40	-74.25	-74.13	3.70	-3.82	-13.00	-61.24
1638.00	-53.66	-55.63	9.40	-7.43	-13.00	-40.66
2457.00	-34.18	-35.46	10.47	-9.19	-13.00	-21.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B26  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :831.5 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-67.86	-53.45	-13.25	-1.16	-13.00	-54.85
70.74	-76.55	-68.56	-6.45	-1.54	-13.00	-63.55
149.31	-72.27	-68.44	-1.60	-2.23	-13.00	-59.27
230.79	-76.18	-78.01	4.60	-2.77	-13.00	-63.19
270.56	-76.75	-77.53	3.79	-3.01	-13.00	-63.75
382.11	-73.33	-73.70	3.94	-3.57	-13.00	-60.33
1663.00	-56.36	-58.50	9.63	-7.49	-13.00	-43.36
2494.50	-39.39	-40.68	10.55	-9.26	-13.00	-26.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B26  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :831.5 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-67.90	-53.35	-13.41	-1.14	-13.00	-54.89
69.77	-77.09	-68.87	-6.69	-1.53	-13.00	-64.09
150.28	-67.43	-63.51	-1.68	-2.24	-13.00	-54.43
266.68	-79.24	-80.35	4.10	-2.99	-13.00	-66.25
337.49	-76.40	-76.98	3.94	-3.36	-13.00	-63.39
371.44	-75.29	-75.89	4.12	-3.52	-13.00	-62.29
1663.00	-54.51	-56.65	9.63	-7.49	-13.00	-41.51
2494.50	-38.35	-39.64	10.55	-9.26	-13.00	-25.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B26  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :836.5 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-68.72	-54.31	-13.25	-1.16	-13.00	-55.71
70.74	-76.37	-68.38	-6.45	-1.54	-13.00	-63.36
151.25	-72.37	-68.50	-1.62	-2.25	-13.00	-59.37
230.79	-77.21	-79.04	4.60	-2.77	-13.00	-64.22
368.53	-72.79	-73.46	4.17	-3.50	-13.00	-59.80
529.55	-72.37	-72.14	3.97	-4.20	-13.00	-59.36
1673.00	-53.37	-55.58	9.73	-7.52	-13.00	-40.36
2509.50	-38.09	-39.49	10.69	-9.29	-13.00	-25.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B26  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :836.5 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-67.30	-52.75	-13.41	-1.14	-13.00	-54.30
69.77	-77.20	-68.98	-6.69	-1.53	-13.00	-64.20
156.10	-66.84	-63.22	-1.34	-2.28	-13.00	-53.85
271.53	-79.06	-79.81	3.77	-3.02	-13.00	-66.06
375.32	-76.17	-76.68	4.05	-3.54	-13.00	-63.16
418.00	-74.38	-74.79	4.14	-3.73	-13.00	-61.38
1673.00	-52.52	-54.73	9.73	-7.52	-13.00	-39.51
2509.50	-37.99	-39.39	10.69	-9.29	-13.00	-24.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B26  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :841.5 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-69.50	-55.09	-13.25	-1.16	-13.00	-56.49
71.71	-75.73	-67.95	-6.23	-1.55	-13.00	-62.73
149.31	-72.33	-68.50	-1.60	-2.23	-13.00	-59.33
232.73	-76.26	-77.79	4.32	-2.79	-13.00	-63.25
271.53	-77.21	-77.96	3.77	-3.02	-13.00	-64.21
370.47	-73.35	-73.97	4.13	-3.51	-13.00	-60.35
1683.00	-53.41	-55.70	9.83	-7.54	-13.00	-40.41
2524.50	-37.13	-38.37	10.56	-9.32	-13.00	-24.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B26  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :841.5 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-68.85	-54.30	-13.41	-1.14	-13.00	-55.84
70.74	-77.51	-69.52	-6.45	-1.54	-13.00	-64.51
153.19	-66.94	-63.24	-1.44	-2.26	-13.00	-53.94
269.59	-79.04	-79.88	3.85	-3.01	-13.00	-66.04
364.65	-75.82	-76.57	4.23	-3.48	-13.00	-62.82
425.76	-74.45	-74.71	4.02	-3.76	-13.00	-61.46
1673.00	-50.62	-52.83	9.73	-7.52	-13.00	-37.61
2509.50	-35.05	-36.45	10.69	-9.29	-13.00	-22.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B30  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :2307.5 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-68.93	-54.52	-13.25	-1.16	-40.00	-28.92
71.71	-76.12	-68.34	-6.23	-1.55	-40.00	-36.13
151.25	-72.83	-68.96	-1.62	-2.25	-40.00	-32.83
228.85	-77.15	-79.17	4.78	-2.76	-40.00	-37.15
266.68	-77.60	-78.71	4.10	-2.99	-40.00	-37.60
368.53	-73.45	-74.12	4.17	-3.50	-40.00	-33.46
4615.00	-51.27	-50.98	12.44	-12.73	-40.00	-11.27
6922.50	-41.39	-37.43	11.81	-15.77	-40.00	-1.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B30  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :2307.5 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-68.13	-53.58	-13.41	-1.14	-40.00	-28.13
70.74	-77.06	-69.07	-6.45	-1.54	-40.00	-37.05
155.13	-67.23	-63.46	-1.49	-2.28	-40.00	-27.23
266.68	-79.05	-80.16	4.10	-2.99	-40.00	-39.06
380.17	-76.40	-76.82	3.98	-3.56	-40.00	-36.40
426.73	-74.31	-74.52	3.98	-3.77	-40.00	-34.30
4615.00	-50.86	-50.57	12.44	-12.73	-40.00	-10.86
6922.50	-41.10	-37.14	11.81	-15.77	-40.00	-1.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B30  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :2310 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-69.10	-54.69	-13.25	-1.16	-40.00	-29.09
71.71	-76.42	-68.64	-6.23	-1.55	-40.00	-36.42
146.40	-72.71	-68.77	-1.73	-2.21	-40.00	-32.71
230.79	-77.24	-79.07	4.60	-2.77	-40.00	-37.25
263.77	-76.73	-77.90	4.15	-2.98	-40.00	-36.73
369.50	-73.65	-74.29	4.15	-3.51	-40.00	-33.65
4620.00	-50.92	-50.60	12.42	-12.74	-40.00	-10.92
6930.00	-42.49	-38.49	11.78	-15.78	-40.00	-2.49


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B30  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :2310 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-69.26	-54.71	-13.41	-1.14	-40.00	-29.26
69.77	-77.74	-69.52	-6.69	-1.53	-40.00	-37.74
156.10	-66.95	-63.33	-1.34	-2.28	-40.00	-26.96
266.68	-78.97	-80.08	4.10	-2.99	-40.00	-38.97
372.41	-76.20	-76.78	4.10	-3.52	-40.00	-36.20
416.06	-74.82	-75.24	4.14	-3.72	-40.00	-34.82
4620.00	-55.05	-54.73	12.42	-12.74	-40.00	-15.05
6930.00	-51.57	-47.57	11.78	-15.78	-40.00	-11.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B30  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :2312.5 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-68.89	-54.48	-13.25	-1.16	-40.00	-28.88
71.71	-76.41	-68.63	-6.23	-1.55	-40.00	-36.41
156.10	-72.80	-69.18	-1.34	-2.28	-40.00	-32.80
228.85	-77.46	-79.48	4.78	-2.76	-40.00	-37.46
278.32	-76.71	-77.36	3.70	-3.05	-40.00	-36.71
369.50	-73.72	-74.36	4.15	-3.51	-40.00	-33.71
4625.00	-55.19	-54.85	12.40	-12.74	-40.00	-15.20
6937.50	-51.21	-47.17	11.75	-15.79	-40.00	-11.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B30  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :2312.5 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-68.01	-53.46	-13.41	-1.14	-40.00	-28.00
72.68	-77.13	-69.75	-5.82	-1.56	-40.00	-37.12
154.16	-67.46	-63.71	-1.48	-2.27	-40.00	-27.46
264.74	-78.74	-79.98	4.22	-2.98	-40.00	-38.74
373.38	-76.31	-76.87	4.09	-3.53	-40.00	-36.31
420.91	-75.01	-75.39	4.12	-3.74	-40.00	-35.01
4625.00	-53.90	-53.56	12.40	-12.74	-40.00	-13.91
6937.50	-50.92	-46.88	11.75	-15.79	-40.00	-10.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B38  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :2577.5 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-69.20	-54.79	-13.25	-1.16	-25.00	-44.19
70.74	-76.31	-68.32	-6.45	-1.54	-25.00	-51.31
147.37	-73.02	-68.99	-1.81	-2.22	-25.00	-48.02
233.70	-77.47	-78.86	4.18	-2.79	-25.00	-52.47
266.68	-74.96	-76.07	4.10	-2.99	-25.00	-49.97
371.44	-73.83	-74.43	4.12	-3.52	-25.00	-48.83
5155.00	-52.50	-51.40	12.42	-13.52	-25.00	-27.50
7732.50	-36.79	-31.51	11.43	-16.71	-25.00	-11.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
Operation Mode :LTE B38  
Test Mode :Tx  
EUT Pol :H Plane  
Test Frequency :2577.5 MHz

Test Site :SAC 3  
Test Date :2024-10-21  
Temp./Humi. :26.1°C/57%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
38.73	-69.29	-54.74	-13.41	-1.14	-25.00	-44.28
70.74	-77.92	-69.93	-6.45	-1.54	-25.00	-52.91
152.22	-67.62	-63.81	-1.55	-2.26	-25.00	-42.61
269.59	-79.99	-80.83	3.85	-3.01	-25.00	-54.99
359.80	-76.95	-77.70	4.21	-3.46	-25.00	-51.94
430.61	-75.40	-75.46	3.84	-3.78	-25.00	-50.40
5155.00	-52.66	-51.56	12.42	-13.52	-25.00	-27.66
7732.50	-50.57	-45.29	11.43	-16.71	-25.00	-25.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002102ER  
 Operation Mode :LTE B38  
 Test Mode :Tx  
 EUT Pol :H Plane  
 Test Frequency :2595 MHz

Test Site :SAC 3  
 Test Date :2024-10-21  
 Temp./Humi. :26.1°C/57%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
39.70	-68.95	-54.54	-13.25	-1.16	-25.00	-43.94
71.71	-76.37	-68.59	-6.23	-1.55	-25.00	-51.38
149.31	-72.67	-68.84	-1.60	-2.23	-25.00	-47.68
228.85	-77.39	-79.41	4.78	-2.76	-25.00	-52.39
276.38	-77.35	-77.99	3.68	-3.04	-25.00	-52.35
378.23	-73.45	-73.91	4.01	-3.55	-25.00	-48.45
5190.00	-52.86	-51.85	12.56	-13.57	-25.00	-27.85
7785.00	-49.23	-43.87	11.40	-16.76	-25.00	-24.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.