


Report Number :TERF2407002110ER
 Operation Mode :802.11a
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5148.16	Peak	64.82	-0.63	64.19	74.00	-9.81
5149.60	Average	53.41	-0.63	52.78	54.00	-1.22
5180.00	Peak	113.95	-0.82	113.13	-	-
5180.00	Average	104.47	-0.82	103.65	-	-
5353.17	Peak	61.00	-1.40	59.60	74.00	-14.40
5447.04	Average	49.60	-0.97	48.63	54.00	-5.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11a
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
4862.73	Average	45.59	-1.37	44.22	54.00	-9.78
4871.37	Peak	56.30	-1.38	54.92	74.00	-19.08
5320.00	Peak	110.78	-1.48	109.30	-	-
5320.00	Average	103.63	-1.48	102.15	-	-
5351.97	Average	51.19	-1.40	49.79	54.00	-4.21
5352.21	Peak	65.87	-1.40	64.47	74.00	-9.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11a
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4823.84	Average	46.24	-1.43	44.81	54.00	-9.19
5139.76	Peak	55.82	-0.64	55.18	74.00	-18.82
5320.00	Peak	112.55	-1.48	111.07	-	-
5320.00	Average	105.01	-1.48	103.53	-	-
5350.05	Average	47.75	-1.41	46.34	54.00	-7.66
5354.37	Peak	60.75	-1.39	59.36	74.00	-14.64


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11a
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5445.66	Peak	61.35	-0.98	60.37	74.00	-13.63
5456.08	Average	50.43	-0.93	49.50	54.00	-4.50
5466.08	Peak	63.19	-0.90	62.29	68.20	-5.91
5500.00	Peak	112.06	-0.78	111.28	-	-
5500.00	Average	104.02	-0.78	103.24	-	-
5872.26	Peak	61.06	0.21	61.27	68.20	-6.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11a
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5453.99	Peak	61.06	-0.93	60.13	74.00	-13.87
5459.20	Average	50.74	-0.92	49.82	54.00	-4.18
5468.58	Peak	65.83	-0.89	64.94	68.20	-3.26
5500.00	Peak	113.40	-0.78	112.62	-	-
5500.00	Average	105.61	-0.78	104.83	-	-
5853.29	Peak	61.11	0.09	61.20	68.20	-7.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11a
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5425.86	Peak	60.21	-1.09	59.12	74.00	-14.88
5459.00	Average	49.73	-0.92	48.81	54.00	-5.19
5465.87	Peak	60.51	-0.90	59.61	68.20	-8.59
5700.00	Peak	111.38	-0.14	111.24	-	-
5700.00	Average	103.54	-0.14	103.40	-	-
5726.79	Peak	62.46	-0.15	62.31	68.20	-5.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11a
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5407.73	Peak	60.67	-1.18	59.49	74.00	-14.51
5458.58	Average	49.58	-0.92	48.66	54.00	-5.34
5460.87	Peak	60.51	-0.92	59.59	68.20	-8.61
5700.00	Peak	113.70	-0.14	113.56	-	-
5700.00	Average	105.79	-0.14	105.65	-	-
5731.17	Peak	64.77	-0.15	64.62	68.20	-3.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11a
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5433.78	Average	49.81	-1.03	48.78	54.00	-5.22
5448.37	Peak	59.94	-0.97	58.97	74.00	-15.03
5460.87	Peak	60.00	-0.92	59.08	68.20	-9.12
5720.00	Peak	113.69	-0.15	113.54	-	-
5720.00	Average	105.84	-0.15	105.69	-	-
5854.54	Peak	61.63	0.10	61.73	68.20	-6.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11a
Test Frequency :5720 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5450.03	Peak	60.68	-0.94	59.74	74.00	-14.26
5451.28	Average	49.83	-0.94	48.89	54.00	-5.11
5462.95	Peak	59.62	-0.90	58.72	68.20	-9.48
5720.00	Peak	117.63	-0.15	117.48	-	-
5720.00	Average	109.61	-0.15	109.46	-	-
5906.64	Peak	61.54	0.40	61.94	68.20	-6.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11a
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5649.06	Peak	63.18	-0.46	62.72	68.20	-5.48
5699.49	Peak	76.10	-0.14	75.96	104.82	-28.86
5719.29	Peak	88.18	-0.15	88.03	110.60	-22.57
5722.42	Peak	93.41	-0.15	93.26	116.31	-23.05
5745.00	Peak	115.24	-0.16	115.08	-	-
5854.54	Peak	60.47	0.10	60.57	111.84	-51.27
5856.00	Peak	61.68	0.11	61.79	110.52	-48.73
5900.60	Peak	62.05	0.40	62.45	86.26	-23.81
5928.32	Peak	60.56	0.37	60.93	68.20	-7.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11a
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5638.64	Peak	61.68	-0.48	61.20	68.20	-7.00
5699.91	Peak	73.72	-0.14	73.58	105.13	-31.55
5719.92	Peak	86.35	-0.15	86.20	110.78	-24.58
5724.71	Peak	97.58	-0.15	97.43	121.53	-24.10
5745.00	Peak	118.11	-0.16	117.95	-	-
5852.46	Peak	60.57	0.08	60.65	116.59	-55.94
5864.13	Peak	60.72	0.15	60.87	108.24	-47.37
5916.44	Peak	61.00	0.37	61.37	74.54	-13.17
5963.54	Peak	60.48	0.35	60.83	68.20	-7.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11a
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5614.88	Peak	60.64	-0.53	60.11	68.20	-8.09
5687.20	Peak	61.49	-0.22	61.27	95.72	-34.45
5719.71	Peak	63.47	-0.15	63.32	110.72	-47.40
5723.67	Peak	64.07	-0.15	63.92	119.16	-55.24
5825.00	Peak	115.32	-0.01	115.31	-	-
5853.71	Peak	90.75	0.09	90.84	113.74	-22.90
5858.09	Peak	90.34	0.12	90.46	109.94	-19.48
5879.97	Peak	76.56	0.26	76.82	101.52	-24.70
5929.99	Peak	62.63	0.36	62.99	68.20	-5.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11a
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5644.68	Peak	60.94	-0.46	60.48	68.20	-7.72
5699.08	Peak	62.22	-0.14	62.08	104.52	-42.44
5717.41	Peak	65.62	-0.15	65.47	110.08	-44.61
5723.25	Peak	67.83	-0.15	67.68	118.21	-50.53
5825.00	Peak	117.52	-0.01	117.51	-	-
5850.00	Peak	95.26	0.07	95.33	122.20	-26.87
5857.67	Peak	94.55	0.12	94.67	110.05	-15.38
5876.43	Peak	83.46	0.24	83.70	104.15	-20.45
5927.48	Peak	66.47	0.36	66.83	68.20	-1.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11a
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5596.54	Peak	54.41	-0.47	53.94	68.20	-14.26
5687.61	Peak	53.63	-0.14	53.49	96.03	-42.54
5709.50	Peak	53.43	-0.08	53.35	107.86	-54.51
5724.50	Peak	53.36	-0.07	53.29	123.76	-70.47
5885.00	Peak	115.13	0.31	115.44	-	-
5885.00	Average	54.43	0.31	54.74	-	-
5895.00	Average	86.38	0.36	86.74	90.20	-3.46
5895.60	Peak	95.58	0.36	95.94	109.76	-13.82
5924.98	Average	63.90	0.44	64.34	68.21	-3.87
5928.32	Peak	75.90	0.46	76.36	88.20	-11.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11a
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5635.51	Peak	54.87	-0.38	54.49	68.20	-13.71
5698.45	Peak	54.07	-0.09	53.98	104.05	-50.07
5707.41	Peak	52.78	-0.08	52.70	107.27	-54.57
5719.92	Peak	51.88	-0.07	51.81	110.78	-58.97
5885.00	Peak	114.52	0.31	114.83	-	-
5885.00	Average	54.87	0.31	55.18	-	-
5895.00	Average	86.84	0.36	87.20	90.20	-3.00
5895.18	Peak	96.47	0.36	96.83	110.07	-13.24
5924.98	Average	66.38	0.44	66.82	68.21	-1.39
5929.57	Peak	81.33	0.46	81.79	88.20	-6.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU Full
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5146.48	Peak	64.29	-0.64	63.65	74.00	-10.35
5149.36	Average	53.06	-0.63	52.43	54.00	-1.57
5180.00	Peak	111.76	-0.82	110.94	-	-
5180.00	Average	102.68	-0.82	101.86	-	-
5413.91	Peak	60.15	-1.14	59.01	74.00	-14.99
5450.88	Average	49.41	-0.94	48.47	54.00	-5.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU Full
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5148.64	Average	53.48	-0.63	52.85	54.00	-1.15
5149.36	Peak	66.45	-0.63	65.82	74.00	-8.18
5180.00	Peak	113.67	-0.82	112.85	-	-
5180.00	Average	103.84	-0.82	103.02	-	-
5435.27	Peak	60.40	-1.03	59.37	74.00	-14.63
5458.32	Average	49.34	-0.92	48.42	54.00	-5.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 26/0
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
4815.68	Peak	56.23	-1.45	54.78	74.00	-19.22
4824.08	Average	45.20	-1.43	43.77	54.00	-10.23
5180.00	Peak	109.13	-0.82	108.31	-	-
5180.00	Average	101.17	-0.82	100.35	-	-
5400.47	Peak	54.74	-1.22	53.52	74.00	-20.48
5456.16	Average	43.36	-0.93	42.43	54.00	-11.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 26/0
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4824.32	Average	45.35	-1.43	43.92	54.00	-10.08
5070.62	Peak	54.61	-0.85	53.76	74.00	-20.24
5180.00	Peak	107.89	-0.82	107.07	-	-
5180.00	Average	100.37	-0.82	99.55	-	-
5424.95	Peak	53.47	-1.09	52.38	74.00	-21.62
5454.96	Average	43.51	-0.93	42.58	54.00	-11.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52/37
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4832.48	Peak	56.11	-1.42	54.69	74.00	-19.31
5146.72	Average	44.47	-0.64	43.83	54.00	-10.17
5180.00	Peak	110.77	-0.82	109.95	-	-
5180.00	Average	101.37	-0.82	100.55	-	-
5416.55	Peak	54.85	-1.12	53.73	74.00	-20.27
5440.56	Average	43.56	-1.00	42.56	54.00	-11.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52/37
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4823.84	Average	45.34	-1.43	43.91	54.00	-10.09
4834.16	Peak	55.58	-1.41	54.17	74.00	-19.83
5180.00	Peak	109.64	-0.82	108.82	-	-
5180.00	Average	101.64	-0.82	100.82	-	-
5426.63	Peak	53.76	-1.08	52.68	74.00	-21.32
5456.40	Average	43.49	-0.93	42.56	54.00	-11.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106/53
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5135.92	Peak	55.35	-0.65	54.70	74.00	-19.30
5148.64	Average	44.51	-0.63	43.88	54.00	-10.12
5180.00	Peak	109.38	-0.82	108.56	-	-
5180.00	Average	100.83	-0.82	100.01	-	-
5403.35	Peak	54.16	-1.21	52.95	74.00	-21.05
5459.04	Average	43.48	-0.92	42.56	54.00	-11.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106/53
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4823.84	Average	45.37	-1.43	43.94	54.00	-10.06
5116.47	Peak	54.96	-0.68	54.28	74.00	-19.72
5180.00	Peak	109.75	-0.82	108.93	-	-
5180.00	Average	101.03	-0.82	100.21	-	-
5408.87	Peak	53.87	-1.17	52.70	74.00	-21.30
5453.76	Average	43.58	-0.93	42.65	54.00	-11.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 52+26MRU1
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5100.39	Peak	55.00	-0.70	54.30	74.00	-19.70
5148.88	Average	44.61	-0.63	43.98	54.00	-10.02
5180.00	Peak	109.43	-0.82	108.61	-	-
5180.00	Average	100.74	-0.82	99.92	-	-
5390.38	Peak	54.05	-1.26	52.79	74.00	-21.21
5438.64	Average	43.73	-1.02	42.71	54.00	-11.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52+26MRU1
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
4823.84	Peak	56.13	-1.43	54.70	74.00	-19.30
5142.64	Average	44.67	-0.64	44.03	54.00	-9.97
5180.00	Peak	109.58	-0.82	108.76	-	-
5180.00	Average	100.59	-0.82	99.77	-	-
5428.55	Peak	53.35	-1.07	52.28	74.00	-21.72
5455.92	Average	43.48	-0.93	42.55	54.00	-11.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 106+26MRU1
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5145.28	Peak	55.47	-0.64	54.83	74.00	-19.17
5150.00	Average	44.87	-0.63	44.24	54.00	-9.76
5180.00	Peak	111.53	-0.82	110.71	-	-
5180.00	Average	100.93	-0.82	100.11	-	-
5381.50	Peak	54.05	-1.29	52.76	74.00	-21.24
5457.60	Average	43.68	-0.92	42.76	54.00	-11.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 106+26MRU1
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5137.36	Peak	55.66	-0.65	55.01	74.00	-18.99
5141.92	Average	44.96	-0.64	44.32	54.00	-9.68
5180.00	Peak	111.23	-0.82	110.41	-	-
5180.00	Average	102.06	-0.82	101.24	-	-
5435.03	Peak	53.36	-1.03	52.33	74.00	-21.67
5458.56	Average	43.50	-0.92	42.58	54.00	-11.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
4833.92	Average	51.15	-1.41	49.74	54.00	-4.26
4871.37	Peak	63.31	-1.38	61.93	74.00	-12.07
5320.00	Peak	112.63	-1.48	111.15	-	-
5320.00	Average	102.76	-1.48	101.28	-	-
5350.77	Peak	67.98	-1.41	66.57	74.00	-7.43
5351.49	Average	54.37	-1.40	52.97	54.00	-1.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU Full
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
4823.84	Average	51.40	-1.43	49.97	54.00	-4.03
4881.94	Peak	62.11	-1.37	60.74	74.00	-13.26
5320.00	Peak	113.91	-1.48	112.43	-	-
5320.00	Average	104.30	-1.48	102.82	-	-
5350.77	Average	51.64	-1.41	50.23	54.00	-3.77
5354.13	Peak	62.50	-1.39	61.11	74.00	-12.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
4824.08	Average	45.13	-1.43	43.70	54.00	-10.30
4831.76	Peak	55.50	-1.42	54.08	74.00	-19.92
5320.00	Peak	110.14	-1.48	108.66	-	-
5320.00	Average	102.47	-1.48	100.99	-	-
5407.19	Peak	53.81	-1.18	52.63	74.00	-21.37
5454.96	Average	43.54	-0.93	42.61	54.00	-11.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 26/8
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4824.08	Average	46.59	-1.43	45.16	54.00	-8.84
5083.11	Peak	55.03	-0.78	54.25	74.00	-19.75
5320.00	Peak	112.44	-1.48	110.96	-	-
5320.00	Average	104.76	-1.48	103.28	-	-
5353.41	Average	44.31	-1.40	42.91	54.00	-11.09
5353.89	Peak	55.08	-1.39	53.69	74.00	-20.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 52/40
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
4865.13	Average	44.83	-1.37	43.46	54.00	-10.54
5035.33	Peak	55.56	-0.98	54.58	74.00	-19.42
5320.00	Peak	111.57	-1.48	110.09	-	-
5320.00	Average	102.73	-1.48	101.25	-	-
5433.35	Peak	55.44	-1.04	54.40	74.00	-19.60
5446.32	Average	43.58	-0.97	42.61	54.00	-11.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52/40
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4823.84	Peak	57.39	-1.43	55.96	74.00	-18.04
4823.84	Average	46.89	-1.43	45.46	54.00	-8.54
5320.00	Peak	113.85	-1.48	112.37	-	-
5320.00	Average	105.34	-1.48	103.86	-	-
5350.53	Average	45.03	-1.41	43.62	54.00	-10.38
5403.11	Peak	55.07	-1.21	53.86	74.00	-20.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4835.60	Average	45.16	-1.41	43.75	54.00	-10.25
5102.79	Peak	55.40	-0.69	54.71	74.00	-19.29
5320.00	Peak	112.90	-1.48	111.42	-	-
5320.00	Average	102.27	-1.48	100.79	-	-
5423.27	Peak	54.44	-1.10	53.34	74.00	-20.66
5453.76	Average	43.60	-0.93	42.67	54.00	-11.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
4823.84	Average	46.68	-1.43	45.25	54.00	-8.75
4853.13	Peak	56.52	-1.38	55.14	74.00	-18.86
5320.00	Peak	114.77	-1.48	113.29	-	-
5320.00	Average	104.30	-1.48	102.82	-	-
5353.17	Average	44.67	-1.40	43.27	54.00	-10.73
5382.22	Peak	56.29	-1.29	55.00	74.00	-19.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4824.08	Average	45.17	-1.43	43.74	54.00	-10.26
4870.89	Peak	56.37	-1.38	54.99	74.00	-19.01
5320.00	Peak	112.00	-1.48	110.52	-	-
5320.00	Average	101.73	-1.48	100.25	-	-
5399.03	Peak	54.54	-1.22	53.32	74.00	-20.68
5453.04	Average	43.57	-0.93	42.64	54.00	-11.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4824.08	Average	46.43	-1.43	45.00	54.00	-9.00
5065.58	Peak	56.46	-0.88	55.58	74.00	-18.42
5320.00	Peak	114.81	-1.48	113.33	-	-
5320.00	Average	104.51	-1.48	103.03	-	-
5352.93	Average	45.34	-1.40	43.94	54.00	-10.06
5367.34	Peak	56.32	-1.34	54.98	74.00	-19.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106+26MRU2
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4824.08	Average	45.20	-1.43	43.77	54.00	-10.23
5106.15	Peak	55.50	-0.70	54.80	74.00	-19.20
5320.00	Peak	111.96	-1.48	110.48	-	-
5320.00	Average	102.49	-1.48	101.01	-	-
5350.29	Average	44.24	-1.41	42.83	54.00	-11.17
5429.03	Peak	55.05	-1.06	53.99	74.00	-20.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106+26MRU2
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
4824.08	Average	47.02	-1.43	45.59	54.00	-8.41
4845.93	Peak	56.72	-1.38	55.34	74.00	-18.66
5320.00	Peak	115.04	-1.48	113.56	-	-
5320.00	Average	105.15	-1.48	103.67	-	-
5351.73	Average	45.90	-1.40	44.50	54.00	-9.50
5354.61	Peak	56.50	-1.39	55.11	74.00	-18.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5459.41	Peak	61.78	-0.92	60.86	74.00	-13.14
5460.00	Average	50.80	-0.92	49.88	54.00	-4.12
5464.41	Peak	66.36	-0.90	65.46	68.20	-2.74
5500.00	Peak	113.84	-0.78	113.06	-	-
5500.00	Average	103.19	-0.78	102.41	-	-
5832.66	Peak	61.86	0.02	61.88	68.20	-6.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5456.70	Peak	65.54	-0.93	64.61	74.00	-9.39
5460.00	Average	51.58	-0.92	50.66	54.00	-3.34
5468.79	Peak	67.60	-0.89	66.71	68.20	-1.49
5500.00	Peak	115.33	-0.78	114.55	-	-
5500.00	Average	105.55	-0.78	104.77	-	-
5897.47	Peak	60.88	0.38	61.26	68.20	-6.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 26/0
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5415.65	Peak	54.89	-1.14	53.75	74.00	-20.25
5458.58	Average	43.77	-0.92	42.85	54.00	-11.15
5461.29	Peak	54.37	-0.91	53.46	68.20	-14.74
5500.00	Peak	110.97	-0.78	110.19	-	-
5500.00	Average	102.09	-0.78	101.31	-	-
5924.15	Peak	55.19	0.37	55.56	68.20	-12.64


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 26/0
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5438.78	Peak	54.91	-1.00	53.91	74.00	-20.09
5458.58	Average	43.92	-0.92	43.00	54.00	-11.00
5464.00	Peak	54.19	-0.90	53.29	68.20	-14.91
5500.00	Peak	109.97	-0.78	109.19	-	-
5500.00	Average	101.55	-0.78	100.77	-	-
5896.85	Peak	54.92	0.38	55.30	68.20	-12.90


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52/37
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5425.65	Peak	54.98	-1.09	53.89	74.00	-20.11
5460.00	Average	44.00	-0.92	43.08	54.00	-10.92
5469.83	Peak	54.42	-0.88	53.54	68.20	-14.66
5500.00	Peak	112.20	-0.78	111.42	-	-
5500.00	Average	102.68	-0.78	101.90	-	-
5924.15	Peak	54.80	0.37	55.17	68.20	-13.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52/37
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5458.37	Peak	55.17	-0.92	54.25	74.00	-19.75
5459.62	Average	44.21	-0.92	43.29	54.00	-10.71
5464.21	Peak	55.16	-0.90	54.26	68.20	-13.94
5500.00	Peak	112.03	-0.78	111.25	-	-
5500.00	Average	102.99	-0.78	102.21	-	-
5928.73	Peak	55.27	0.37	55.64	68.20	-12.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 106/53
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5451.28	Peak	55.53	-0.94	54.59	74.00	-19.41
5457.12	Average	44.24	-0.93	43.31	54.00	-10.69
5460.04	Peak	55.28	-0.92	54.36	68.20	-13.84
5500.00	Peak	113.49	-0.78	112.71	-	-
5500.00	Average	102.90	-0.78	102.12	-	-
5942.28	Peak	55.44	0.35	55.79	68.20	-12.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 106/53
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5446.28	Peak	55.68	-0.97	54.71	74.00	-19.29
5459.62	Average	44.32	-0.92	43.40	54.00	-10.60
5464.41	Peak	55.24	-0.90	54.34	68.20	-13.86
5500.00	Peak	114.46	-0.78	113.68	-	-
5500.00	Average	103.78	-0.78	103.00	-	-
5914.77	Peak	55.14	0.38	55.52	68.20	-12.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52+26MRU1
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5409.40	Peak	55.88	-1.17	54.71	74.00	-19.29
5455.24	Average	44.32	-0.93	43.39	54.00	-10.61
5465.46	Peak	54.89	-0.90	53.99	68.20	-14.21
5500.00	Peak	112.95	-0.78	112.17	-	-
5500.00	Average	102.60	-0.78	101.82	-	-
5864.55	Peak	55.31	0.16	55.47	68.20	-12.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52+26MRU1
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5405.44	Peak	55.52	-1.20	54.32	74.00	-19.68
5456.49	Average	44.34	-0.93	43.41	54.00	-10.59
5460.45	Peak	55.76	-0.92	54.84	68.20	-13.36
5500.00	Peak	113.82	-0.78	113.04	-	-
5500.00	Average	102.97	-0.78	102.19	-	-
5882.26	Peak	55.47	0.27	55.74	68.20	-12.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106+26MRU1
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5456.29	Peak	55.36	-0.93	54.43	74.00	-19.57
5458.16	Average	44.23	-0.92	43.31	54.00	-10.69
5468.17	Peak	55.36	-0.89	54.47	68.20	-13.73
5500.00	Peak	111.87	-0.78	111.09	-	-
5500.00	Average	101.66	-0.78	100.88	-	-
5916.44	Peak	55.58	0.37	55.95	68.20	-12.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106+26MRU1
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5456.49	Peak	55.78	-0.93	54.85	74.00	-19.15
5457.33	Average	44.58	-0.93	43.65	54.00	-10.35
5463.16	Peak	56.03	-0.90	55.13	68.20	-13.07
5500.00	Peak	113.96	-0.78	113.18	-	-
5500.00	Average	103.63	-0.78	102.85	-	-
5884.55	Peak	54.93	0.30	55.23	68.20	-12.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5386.26	Peak	60.50	-1.27	59.23	74.00	-14.77
5453.37	Average	49.46	-0.93	48.53	54.00	-5.47
5465.04	Peak	60.34	-0.90	59.44	68.20	-8.76
5700.00	Peak	112.41	-0.14	112.27	-	-
5700.00	Average	102.64	-0.14	102.50	-	-
5725.96	Peak	66.74	-0.15	66.59	68.20	-1.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5386.47	Peak	61.26	-1.27	59.99	74.00	-14.01
5459.41	Average	49.36	-0.92	48.44	54.00	-5.56
5468.37	Peak	59.62	-0.89	58.73	68.20	-9.47
5700.00	Peak	115.15	-0.14	115.01	-	-
5700.00	Average	104.51	-0.14	104.37	-	-
5735.13	Peak	66.69	-0.15	66.54	68.20	-1.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5406.69	Peak	54.65	-1.18	53.47	74.00	-20.53
5460.00	Average	43.43	-0.92	42.51	54.00	-11.49
5460.25	Peak	54.44	-0.92	53.52	68.20	-14.68
5700.00	Peak	111.71	-0.14	111.57	-	-
5700.00	Average	102.44	-0.14	102.30	-	-
5842.87	Peak	56.18	0.04	56.22	68.20	-11.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5425.86	Peak	55.51	-1.09	54.42	74.00	-19.58
5456.29	Average	43.49	-0.93	42.56	54.00	-11.44
5466.50	Peak	54.18	-0.90	53.28	68.20	-14.92
5700.00	Peak	110.04	-0.14	109.90	-	-
5700.00	Average	101.17	-0.14	101.03	-	-
5876.43	Peak	55.11	0.24	55.35	68.20	-12.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52/40
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5454.62	Average	43.61	-0.93	42.68	54.00	-11.32
5457.74	Peak	54.44	-0.92	53.52	74.00	-20.48
5468.37	Peak	53.90	-0.89	53.01	68.20	-15.19
5700.00	Peak	112.44	-0.14	112.30	-	-
5700.00	Average	103.40	-0.14	103.26	-	-
5900.18	Peak	55.43	0.40	55.83	68.20	-12.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52/40
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5435.65	Peak	54.54	-1.03	53.51	74.00	-20.49
5459.20	Average	43.46	-0.92	42.54	54.00	-11.46
5465.04	Peak	54.43	-0.90	53.53	68.20	-14.67
5700.00	Peak	109.73	-0.14	109.59	-	-
5700.00	Average	100.69	-0.14	100.55	-	-
5910.81	Peak	55.42	0.39	55.81	68.20	-12.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 106/54
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5446.28	Peak	54.46	-0.97	53.49	74.00	-20.51
5448.37	Average	43.67	-0.97	42.70	54.00	-11.30
5460.66	Peak	54.20	-0.92	53.28	68.20	-14.92
5700.00	Peak	113.71	-0.14	113.57	-	-
5700.00	Average	103.70	-0.14	103.56	-	-
5887.05	Peak	55.91	0.31	56.22	68.20	-11.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 106/54
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5359.17	Peak	55.20	-1.38	53.82	74.00	-20.18
5459.20	Average	43.35	-0.92	42.43	54.00	-11.57
5467.75	Peak	54.12	-0.89	53.23	68.20	-14.97
5700.00	Peak	113.80	-0.14	113.66	-	-
5700.00	Average	103.51	-0.14	103.37	-	-
5725.00	Peak	57.50	-0.15	57.35	68.20	-10.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5444.82	Peak	54.78	-0.98	53.80	74.00	-20.20
5455.04	Average	43.64	-0.93	42.71	54.00	-11.29
5460.25	Peak	55.10	-0.92	54.18	68.20	-14.02
5700.00	Peak	114.06	-0.14	113.92	-	-
5700.00	Average	103.31	-0.14	103.17	-	-
5946.66	Peak	55.23	0.34	55.57	68.20	-12.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52+26MRU3
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5418.15	Peak	54.68	-1.12	53.56	74.00	-20.44
5456.70	Average	43.36	-0.93	42.43	54.00	-11.57
5465.46	Peak	54.04	-0.90	53.14	68.20	-15.06
5700.00	Peak	114.33	-0.14	114.19	-	-
5700.00	Average	104.02	-0.14	103.88	-	-
5739.51	Peak	56.90	-0.16	56.74	68.20	-11.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106+26MRU2
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5415.23	Peak	55.07	-1.14	53.93	74.00	-20.07
5459.62	Average	43.66	-0.92	42.74	54.00	-11.26
5467.96	Peak	54.69	-0.89	53.80	68.20	-14.40
5700.00	Peak	112.60	-0.14	112.46	-	-
5700.00	Average	103.19	-0.14	103.05	-	-
5728.04	Peak	55.85	-0.15	55.70	68.20	-12.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5459.20	Peak	54.74	-0.92	53.82	74.00	-20.18
5459.62	Average	43.38	-0.92	42.46	54.00	-11.54
5461.29	Peak	54.02	-0.91	53.11	68.20	-15.09
5700.00	Peak	113.27	-0.14	113.13	-	-
5700.00	Average	103.77	-0.14	103.63	-	-
5726.38	Peak	57.42	-0.15	57.27	68.20	-10.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU Full
Test Frequency :5720 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5421.69	Peak	60.52	-1.10	59.42	74.00	-14.58
5458.79	Average	49.53	-0.92	48.61	54.00	-5.39
5466.91	Peak	59.71	-0.90	58.81	68.20	-9.39
5720.00	Peak	116.27	-0.15	116.12	-	-
5720.00	Average	106.52	-0.15	106.37	-	-
5859.55	Peak	61.46	0.13	61.59	68.20	-6.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU Full
Test Frequency :5720 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5436.28	Average	49.67	-1.02	48.65	54.00	-5.35
5443.57	Peak	60.48	-0.99	59.49	74.00	-14.51
5464.41	Peak	60.04	-0.90	59.14	68.20	-9.06
5720.00	Peak	118.67	-0.15	118.52	-	-
5720.00	Average	108.19	-0.15	108.04	-	-
5897.68	Peak	61.89	0.39	62.28	68.20	-5.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5645.72	Peak	62.29	-0.46	61.83	68.20	-6.37
5685.95	Peak	75.85	-0.24	75.61	94.80	-19.19
5719.08	Peak	85.13	-0.15	84.98	110.54	-25.56
5724.29	Peak	90.03	-0.15	89.88	120.59	-30.71
5745.00	Peak	114.41	-0.16	114.25	-	-
5851.63	Peak	59.58	0.08	59.66	118.50	-58.84
5857.25	Peak	60.20	0.11	60.31	110.17	-49.86
5894.97	Peak	59.40	0.37	59.77	90.42	-30.65
5947.70	Peak	58.70	0.33	59.03	68.20	-9.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5598.00	Peak	62.19	-0.57	61.62	68.20	-6.58
5699.91	Peak	75.54	-0.14	75.40	105.13	-29.73
5719.71	Peak	92.72	-0.15	92.57	110.72	-18.15
5724.50	Peak	93.60	-0.15	93.45	121.06	-27.61
5745.00	Peak	114.12	-0.16	113.96	-	-
5851.00	Peak	60.46	0.08	60.54	119.92	-59.38
5865.17	Peak	60.73	0.16	60.89	107.95	-47.06
5890.18	Peak	61.02	0.34	61.36	93.97	-32.61
5944.37	Peak	61.00	0.34	61.34	68.20	-6.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 26/0
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5559.24	Peak	55.84	-0.66	55.18	68.20	-13.02
5682.40	Peak	55.48	-0.25	55.23	92.18	-36.95
5719.50	Peak	55.74	-0.15	55.59	110.66	-55.07
5720.54	Peak	56.01	-0.15	55.86	112.03	-56.17
5745.00	Peak	116.53	-0.16	116.37	-	-
5852.04	Peak	55.47	0.08	55.55	117.54	-61.99
5856.00	Peak	55.17	0.11	55.28	110.52	-55.24
5883.72	Peak	55.50	0.29	55.79	98.75	-42.96
5964.37	Peak	54.80	0.35	55.15	68.20	-13.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 26/0
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5648.23	Peak	55.50	-0.46	55.04	68.20	-13.16
5683.03	Peak	55.98	-0.25	55.73	92.64	-36.91
5712.41	Peak	55.17	-0.15	55.02	108.68	-53.66
5724.08	Peak	55.51	-0.15	55.36	120.11	-64.75
5745.00	Peak	115.61	-0.16	115.45	-	-
5853.92	Peak	54.20	0.09	54.29	113.27	-58.98
5858.50	Peak	54.92	0.12	55.04	109.82	-54.78
5911.85	Peak	55.13	0.38	55.51	77.93	-22.42
5925.19	Peak	54.78	0.36	55.14	68.20	-13.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52/37
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5630.30	Peak	56.36	-0.50	55.86	68.20	-12.34
5693.66	Peak	57.25	-0.18	57.07	100.51	-43.44
5719.29	Peak	62.39	-0.15	62.24	110.60	-48.36
5722.42	Peak	63.75	-0.15	63.60	116.31	-52.71
5745.00	Peak	119.11	-0.16	118.95	-	-
5850.00	Peak	55.25	0.07	55.32	122.20	-66.88
5866.21	Peak	55.72	0.17	55.89	107.66	-51.77
5912.06	Peak	56.01	0.38	56.39	77.77	-21.38
5937.49	Peak	55.70	0.35	56.05	68.20	-12.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52/37
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5649.89	Peak	55.74	-0.45	55.29	68.20	-12.91
5697.20	Peak	57.14	-0.16	56.98	103.13	-46.15
5717.21	Peak	63.64	-0.15	63.49	110.02	-46.53
5720.75	Peak	64.24	-0.15	64.09	112.51	-48.42
5745.00	Peak	117.30	-0.16	117.14	-	-
5853.92	Peak	55.79	0.09	55.88	113.27	-57.39
5868.71	Peak	56.05	0.18	56.23	106.96	-50.73
5920.19	Peak	55.45	0.38	55.83	71.76	-15.93
5926.03	Peak	54.71	0.36	55.07	68.20	-13.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106/53
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5648.43	Peak	58.64	-0.46	58.18	68.20	-10.02
5699.70	Peak	75.49	-0.14	75.35	104.98	-29.63
5717.41	Peak	87.90	-0.15	87.75	110.08	-22.33
5720.54	Peak	87.87	-0.15	87.72	112.03	-24.31
5745.00	Peak	118.52	-0.16	118.36	-	-
5853.71	Peak	55.22	0.09	55.31	113.74	-58.43
5870.38	Peak	55.89	0.20	56.09	106.49	-50.40
5908.73	Peak	55.72	0.39	56.11	80.24	-24.13
5925.40	Peak	55.43	0.36	55.79	68.20	-12.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106/53
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5648.43	Peak	63.16	-0.46	62.70	68.20	-5.50
5691.57	Peak	81.88	-0.19	81.69	98.96	-17.27
5713.66	Peak	94.72	-0.15	94.57	109.03	-14.46
5722.21	Peak	92.80	-0.15	92.65	115.83	-23.18
5745.00	Peak	120.06	-0.16	119.90	-	-
5851.21	Peak	55.25	0.08	55.33	119.45	-64.12
5860.17	Peak	56.13	0.13	56.26	109.35	-53.09
5883.09	Peak	55.51	0.28	55.79	99.21	-43.42
5947.28	Peak	55.18	0.34	55.52	68.20	-12.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52+26MRU1
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5650.10	Peak	57.82	-0.45	57.37	68.27	-10.90
5699.28	Peak	71.98	-0.14	71.84	104.67	-32.83
5709.29	Peak	81.24	-0.14	81.10	107.80	-26.70
5722.21	Peak	77.08	-0.15	76.93	115.83	-38.90
5745.00	Peak	120.02	-0.16	119.86	-	-
5852.46	Peak	56.37	0.08	56.45	116.59	-60.14
5861.00	Peak	55.89	0.14	56.03	109.12	-53.09
5881.64	Peak	55.44	0.27	55.71	100.29	-44.58
5940.82	Peak	55.07	0.35	55.42	68.20	-12.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52+26MRU1
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5649.06	Peak	63.11	-0.46	62.65	68.20	-5.55
5699.28	Peak	79.10	-0.14	78.96	104.67	-25.71
5709.29	Peak	90.11	-0.14	89.97	107.80	-17.83
5724.92	Peak	83.31	-0.15	83.16	122.01	-38.85
5745.00	Peak	121.51	-0.16	121.35	-	-
5851.42	Peak	55.63	0.08	55.71	118.97	-63.26
5859.34	Peak	57.02	0.13	57.15	109.59	-52.44
5889.76	Peak	55.21	0.33	55.54	94.28	-38.74
5937.70	Peak	54.63	0.35	54.98	68.20	-13.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106+26MRU1
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5649.27	Peak	59.06	-0.46	58.60	68.20	-9.60
5696.78	Peak	77.41	-0.16	77.25	102.82	-25.57
5719.71	Peak	87.73	-0.15	87.58	110.72	-23.14
5720.75	Peak	90.10	-0.15	89.95	112.51	-22.56
5745.00	Peak	117.41	-0.16	117.25	-	-
5853.08	Peak	55.79	0.09	55.88	115.17	-59.29
5862.88	Peak	55.75	0.15	55.90	108.59	-52.69
5907.06	Peak	55.88	0.39	56.27	81.48	-25.21
5934.15	Peak	64.79	0.35	65.14	68.20	-3.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106+26MRU1
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5649.68	Peak	60.56	-0.46	60.10	68.20	-8.10
5699.91	Peak	79.06	-0.14	78.92	105.13	-26.21
5718.87	Peak	90.16	-0.15	90.01	110.48	-20.47
5721.17	Peak	91.21	-0.15	91.06	113.46	-22.40
5745.00	Peak	116.13	-0.16	115.97	-	-
5852.04	Peak	54.59	0.08	54.67	117.54	-62.87
5861.21	Peak	55.24	0.14	55.38	109.06	-53.68
5923.32	Peak	55.33	0.37	55.70	69.45	-13.75
5948.95	Peak	54.73	0.33	55.06	68.20	-13.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5544.23	Peak	61.09	-0.69	60.40	68.20	-7.80
5699.70	Peak	61.92	-0.14	61.78	104.98	-43.20
5717.00	Peak	61.56	-0.15	61.41	109.96	-48.55
5720.12	Peak	62.78	-0.15	62.63	111.08	-48.45
5825.00	Peak	116.79	-0.01	116.78	-	-
5850.17	Peak	92.34	0.07	92.41	121.82	-29.41
5855.00	Peak	85.55	0.10	85.65	110.80	-25.15
5890.18	Peak	75.87	0.34	76.21	93.97	-17.76
5928.53	Peak	62.43	0.37	62.80	68.20	-5.40


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5596.33	Peak	61.02	-0.58	60.44	68.20	-7.76
5686.36	Peak	60.93	-0.23	60.70	95.11	-34.41
5718.87	Peak	63.61	-0.15	63.46	110.48	-47.02
5724.71	Peak	65.59	-0.15	65.44	121.53	-56.09
5825.00	Peak	118.95	-0.01	118.94	-	-
5851.21	Peak	94.16	0.08	94.24	119.45	-25.21
5862.46	Peak	85.55	0.14	85.69	108.71	-23.02
5874.97	Peak	78.26	0.23	78.49	105.21	-26.72
5921.02	Peak	66.90	0.37	67.27	71.14	-3.87
5924.98	Peak	64.15	0.36	64.51	68.21	-3.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5627.59	Peak	55.22	-0.51	54.71	68.20	-13.49
5677.61	Peak	55.40	-0.28	55.12	88.63	-33.51
5713.87	Peak	54.92	-0.15	54.77	109.08	-54.31
5723.67	Peak	54.70	-0.15	54.55	119.16	-64.61
5825.00	Peak	115.97	-0.01	115.96	-	-
5851.42	Peak	56.09	0.08	56.17	118.97	-62.80
5862.67	Peak	56.46	0.15	56.61	108.65	-52.04
5891.85	Peak	55.29	0.35	55.64	92.73	-37.09
5970.00	Peak	55.34	0.35	55.69	68.20	-12.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5554.86	Peak	54.85	-0.66	54.19	68.20	-14.01
5693.24	Peak	53.87	-0.18	53.69	100.20	-46.51
5706.58	Peak	54.72	-0.14	54.58	107.04	-52.46
5720.75	Peak	53.10	-0.15	52.95	112.51	-59.56
5825.00	Peak	114.90	-0.01	114.89	-	-
5852.25	Peak	54.72	0.08	54.80	117.07	-62.27
5874.34	Peak	55.16	0.23	55.39	105.38	-49.99
5920.61	Peak	54.88	0.37	55.25	71.45	-16.20
5934.99	Peak	53.80	0.35	54.15	68.20	-14.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52/40
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5568.62	Peak	55.85	-0.63	55.22	68.20	-12.98
5675.53	Peak	56.63	-0.30	56.33	87.09	-30.76
5712.00	Peak	57.08	-0.14	56.94	108.56	-51.62
5724.08	Peak	55.34	-0.15	55.19	120.11	-64.92
5825.00	Peak	117.27	-0.01	117.26	-	-
5850.79	Peak	69.25	0.07	69.32	120.39	-51.07
5862.05	Peak	66.90	0.14	67.04	108.83	-41.79
5891.85	Peak	56.46	0.35	56.81	92.73	-35.92
5940.82	Peak	55.23	0.35	55.58	68.20	-12.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52/40
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5649.68	Peak	55.17	-0.46	54.71	68.20	-13.49
5680.11	Peak	55.20	-0.27	54.93	90.48	-35.55
5718.25	Peak	55.20	-0.15	55.05	110.31	-55.26
5720.33	Peak	54.73	-0.15	54.58	111.56	-56.98
5825.00	Peak	113.66	-0.01	113.65	-	-
5850.00	Peak	68.92	0.07	68.99	122.20	-53.21
5863.30	Peak	68.35	0.15	68.50	108.48	-39.98
5887.89	Peak	57.41	0.32	57.73	95.66	-37.93
5958.75	Peak	54.86	0.34	55.20	68.20	-13.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5596.54	Peak	61.37	-0.57	60.80	68.20	-7.40
5695.12	Peak	61.25	-0.17	61.08	101.59	-40.51
5699.91	Peak	60.55	-0.14	60.41	105.13	-44.72
5722.00	Peak	60.08	-0.15	59.93	115.36	-55.43
5825.00	Peak	117.79	-0.01	117.78	-	-
5852.67	Peak	87.19	0.09	87.28	116.12	-28.84
5857.04	Peak	85.73	0.11	85.84	110.23	-24.39
5875.59	Peak	69.60	0.23	69.83	104.76	-34.93
5962.91	Peak	61.41	0.35	61.76	68.20	-6.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5600.71	Peak	61.68	-0.57	61.11	68.20	-7.09
5677.61	Peak	61.14	-0.28	60.86	88.63	-27.77
5716.16	Peak	61.54	-0.15	61.39	109.73	-48.34
5722.42	Peak	61.17	-0.15	61.02	116.31	-55.29
5825.00	Peak	118.24	-0.01	118.23	-	-
5852.67	Peak	93.12	0.09	93.21	116.12	-22.91
5857.67	Peak	91.75	0.12	91.87	110.05	-18.18
5880.39	Peak	75.37	0.26	75.63	101.21	-25.58
5926.03	Peak	61.26	0.36	61.62	68.20	-6.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52+26MRU3
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5584.25	Peak	61.07	-0.60	60.47	68.20	-7.73
5669.69	Peak	61.37	-0.33	61.04	82.77	-21.73
5703.03	Peak	60.89	-0.14	60.75	106.05	-45.30
5720.12	Peak	60.36	-0.15	60.21	111.08	-50.87
5825.00	Peak	118.39	-0.01	118.38	-	-
5851.42	Peak	67.35	0.08	67.43	118.97	-51.54
5856.21	Peak	64.46	0.11	64.57	110.46	-45.89
5876.01	Peak	62.11	0.24	62.35	104.45	-42.10
5927.90	Peak	61.84	0.37	62.21	68.20	-5.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52+26MRU3
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5625.93	Peak	61.47	-0.51	60.96	68.20	-7.24
5672.82	Peak	61.29	-0.31	60.98	85.08	-24.10
5710.75	Peak	62.45	-0.14	62.31	108.21	-45.90
5723.46	Peak	61.12	-0.15	60.97	118.68	-57.71
5825.00	Peak	118.69	-0.01	118.68	-	-
5850.58	Peak	71.49	0.07	71.56	120.87	-49.31
5856.42	Peak	68.60	0.11	68.71	110.40	-41.69
5875.80	Peak	64.83	0.23	65.06	104.61	-39.55
5925.40	Peak	61.24	0.36	61.60	68.20	-6.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106+26MRU2
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5504.22	Peak	61.49	-0.77	60.72	68.20	-7.48
5664.90	Peak	61.06	-0.36	60.70	79.22	-18.52
5714.71	Peak	60.92	-0.15	60.77	109.32	-48.55
5724.50	Peak	60.12	-0.15	59.97	121.06	-61.09
5825.00	Peak	117.94	-0.01	117.93	-	-
5852.25	Peak	87.81	0.08	87.89	117.07	-29.18
5858.71	Peak	87.94	0.12	88.06	109.76	-21.70
5877.26	Peak	75.58	0.24	75.82	103.53	-27.71
5940.82	Peak	61.28	0.35	61.63	68.20	-6.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106+26MRU2
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5592.58	Peak	61.67	-0.59	61.08	68.20	-7.12
5697.62	Peak	61.65	-0.15	61.50	103.44	-41.94
5704.08	Peak	60.92	-0.14	60.78	106.34	-45.56
5724.71	Peak	60.78	-0.15	60.63	121.53	-60.90
5825.00	Peak	117.92	-0.01	117.91	-	-
5852.46	Peak	92.55	0.08	92.63	116.59	-23.96
5858.50	Peak	91.84	0.12	91.96	109.82	-17.86
5877.26	Peak	80.45	0.24	80.69	103.53	-22.84
5924.98	Peak	61.88	0.36	62.24	68.21	-5.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5574.87	Peak	61.77	-0.46	61.31	68.20	-6.89
5671.36	Peak	60.94	-0.22	60.72	84.00	-23.28
5716.79	Peak	60.18	-0.07	60.11	109.90	-49.79
5720.96	Peak	59.73	-0.07	59.66	113.56	-53.90
5885.00	Peak	108.16	0.31	108.47	-	-
5885.00	Average	61.77	0.31	62.08	-	-
5895.00	Peak	96.72	0.36	97.08	110.20	-13.12
5895.00	Average	87.81	0.36	88.17	90.20	-2.03
5930.19	Average	49.72	0.46	50.18	68.20	-18.02
5937.28	Peak	61.13	0.47	61.60	88.20	-26.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5600.08	Peak	60.90	-0.48	60.42	68.20	-7.78
5687.82	Peak	60.71	-0.14	60.57	96.19	-35.62
5715.96	Peak	60.40	-0.08	60.32	109.67	-49.35
5722.42	Peak	60.50	-0.07	60.43	117.76	-57.33
5885.00	Peak	108.07	0.31	108.38	-	-
5885.00	Average	60.91	0.31	61.22	-	-
5895.00	Peak	95.91	0.36	96.27	110.20	-13.93
5895.00	Average	87.02	0.36	87.38	90.20	-2.82
5928.94	Average	49.77	0.46	50.23	68.20	-17.97
5932.28	Peak	60.28	0.46	60.74	88.20	-27.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5570.07	Peak	54.64	-0.45	54.19	68.20	-14.01
5689.70	Peak	54.28	-0.13	54.15	97.58	-43.43
5701.37	Peak	54.68	-0.08	54.60	105.58	-50.98
5721.17	Peak	53.59	-0.07	53.52	114.16	-60.64
5885.00	Peak	96.40	0.31	96.71	-	-
5885.00	Average	54.64	0.31	54.95	-	-
5895.00	Peak	89.47	0.36	89.83	110.20	-20.37
5895.00	Average	81.56	0.36	81.92	90.20	-8.28
5925.82	Average	43.63	0.44	44.07	68.20	-24.13
5942.28	Peak	54.08	0.49	54.57	88.20	-33.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5614.05	Peak	54.76	-0.43	54.33	68.20	-13.87
5657.60	Peak	55.18	-0.30	54.88	73.83	-18.95
5716.79	Peak	54.12	-0.07	54.05	109.90	-55.85
5722.42	Peak	53.62	-0.07	53.55	117.76	-64.21
5885.00	Peak	94.30	0.31	94.61	-	-
5885.00	Average	54.78	0.31	55.09	-	-
5895.00	Peak	86.05	0.36	86.41	110.20	-23.79
5895.00	Average	79.14	0.36	79.50	90.20	-10.70
5927.69	Average	43.56	0.46	44.02	68.20	-24.18
5973.33	Peak	54.44	0.58	55.02	88.20	-33.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52/40
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5606.96	Peak	55.50	-0.47	55.03	68.20	-13.17
5666.56	Peak	54.43	-0.24	54.19	80.46	-26.27
5710.75	Peak	54.44	-0.08	54.36	108.21	-53.85
5720.54	Peak	55.60	-0.07	55.53	112.36	-56.83
5885.00	Peak	104.81	0.31	105.12	-	-
5885.00	Average	55.50	0.31	55.81	-	-
5895.00	Peak	96.89	0.36	97.25	110.20	-12.95
5895.00	Average	87.30	0.36	87.66	90.20	-2.54
5926.23	Average	43.78	0.44	44.22	68.20	-23.98
5966.25	Peak	55.15	0.55	55.70	88.20	-32.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52/40
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5539.44	Peak	54.81	-0.43	54.38	68.20	-13.82
5698.24	Peak	55.10	-0.09	55.01	103.90	-48.89
5716.58	Peak	54.03	-0.08	53.95	109.84	-55.89
5720.96	Peak	54.30	-0.07	54.23	113.56	-59.33
5885.00	Peak	102.29	0.31	102.60	-	-
5885.00	Average	54.82	0.31	55.13	-	-
5895.00	Peak	93.51	0.36	93.87	110.20	-16.33
5895.00	Average	85.12	0.36	85.48	90.20	-4.72
5934.15	Average	43.74	0.47	44.21	68.20	-23.99
5968.96	Peak	54.49	0.56	55.05	88.20	-33.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5611.34	Peak	55.31	-0.45	54.86	68.20	-13.34
5655.10	Peak	54.92	-0.31	54.61	71.98	-17.37
5715.75	Peak	54.39	-0.08	54.31	109.61	-55.30
5721.58	Peak	54.79	-0.07	54.72	115.36	-60.64
5885.00	Peak	106.06	0.31	106.37	-	-
5885.00	Average	55.31	0.31	55.62	-	-
5895.00	Peak	96.31	0.36	96.67	110.20	-13.53
5895.00	Average	88.51	0.36	88.87	90.20	-1.33
5926.65	Average	43.78	0.44	44.22	68.20	-23.98
5940.20	Peak	54.62	0.49	55.11	88.20	-33.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5584.25	Peak	54.72	-0.46	54.26	68.20	-13.94
5695.32	Peak	54.79	-0.10	54.69	101.74	-47.05
5719.50	Peak	54.51	-0.07	54.44	110.66	-56.22
5720.12	Peak	53.46	-0.07	53.39	111.16	-57.77
5885.00	Peak	103.67	0.31	103.98	-	-
5885.00	Average	54.73	0.31	55.04	-	-
5895.00	Peak	94.31	0.36	94.67	110.20	-15.53
5895.00	Average	86.31	0.36	86.67	90.20	-3.53
5925.19	Average	43.75	0.44	44.19	68.20	-24.01
5970.00	Peak	54.40	0.56	54.96	88.20	-33.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 52+26 MRU3
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5540.06	Peak	55.09	-0.43	54.66	68.20	-13.54
5658.23	Peak	55.37	-0.30	55.07	74.29	-19.22
5700.74	Peak	54.23	-0.08	54.15	105.41	-51.26
5722.00	Peak	53.78	-0.07	53.71	116.56	-62.85
5885.00	Peak	105.82	0.31	106.13	-	-
5885.00	Average	55.10	0.31	55.41	-	-
5895.00	Peak	82.81	0.36	83.17	110.20	-27.03
5895.00	Average	61.46	0.36	61.82	90.20	-28.38
5937.49	Average	43.82	0.47	44.29	68.20	-23.91
5945.82	Peak	54.86	0.50	55.36	88.20	-32.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be20 RU 52+26 MRU3
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-10-09
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5630.93	Peak	54.69	-0.39	54.30	68.20	-13.90
5656.35	Peak	54.39	-0.30	54.09	72.90	-18.81
5717.21	Peak	54.37	-0.07	54.30	110.02	-55.72
5720.75	Peak	54.21	-0.07	54.14	112.96	-58.82
5885.00	Peak	104.34	0.31	104.65	-	-
5885.00	Average	54.69	0.31	55.00	-	-
5895.00	Peak	81.77	0.36	82.13	110.20	-28.07
5895.00	Average	61.17	0.36	61.53	90.20	-28.67
5927.07	Average	43.87	0.44	44.31	68.20	-23.89
5954.99	Peak	54.80	0.52	55.32	88.20	-32.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106+26 MRU2
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5569.66	Peak	55.35	-0.45	54.90	68.20	-13.30
5671.77	Peak	54.41	-0.22	54.19	84.31	-30.12
5708.04	Peak	54.89	-0.08	54.81	107.45	-52.64
5723.04	Peak	53.95	-0.07	53.88	119.56	-65.68
5885.00	Peak	104.76	0.31	105.07	-	-
5885.00	Average	55.35	0.31	55.66	-	-
5895.00	Peak	97.20	0.36	97.56	110.20	-12.64
5895.00	Average	88.18	0.36	88.54	90.20	-1.66
5925.19	Average	43.96	0.44	44.40	68.20	-23.80
5962.29	Peak	54.80	0.54	55.34	88.20	-32.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be20 RU 106+26 MRU2
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5618.84	Peak	54.91	-0.42	54.49	68.20	-13.71
5692.41	Peak	54.94	-0.11	54.83	99.58	-44.75
5707.83	Peak	56.58	-0.08	56.50	107.39	-50.89
5724.08	Peak	53.39	-0.07	53.32	122.56	-69.24
5885.00	Peak	102.08	0.31	102.39	-	-
5885.00	Average	54.92	0.31	55.23	-	-
5895.00	Peak	95.87	0.36	96.23	110.20	-13.97
5895.00	Average	85.79	0.36	86.15	90.20	-4.05
5928.11	Average	43.71	0.46	44.17	68.20	-24.03
5946.87	Peak	54.61	0.50	55.11	88.20	-33.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be40 RU Full
 Test Frequency :5190 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5136.64	Peak	63.01	-0.65	62.36	74.00	-11.64
5150.00	Average	51.72	-0.63	51.09	54.00	-2.91
5190.00	Peak	106.50	-0.90	105.60	-	-
5190.00	Average	96.77	-0.90	95.87	-	-
5401.67	Peak	60.51	-1.21	59.30	74.00	-14.70
5459.04	Average	49.34	-0.92	48.42	54.00	-5.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be40 RU Full
 Test Frequency :5190 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
517.68	Peak	64.83	-0.63	64.20	74.00	-9.80
515.00	Average	53.51	-0.63	52.88	54.00	-1.12
5190.00	Peak	110.02	-0.90	109.12	-	-
5190.00	Average	98.76	-0.90	97.86	-	-
5409.59	Peak	60.31	-1.17	59.14	74.00	-14.86
5456.64	Average	49.28	-0.93	48.35	54.00	-5.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be40 RU Full
Test Frequency :5310 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4837.28	Average	51.09	-1.41	49.68	54.00	-4.32
5029.33	Peak	62.08	-0.98	61.10	74.00	-12.90
5310.00	Peak	108.77	-1.49	107.28	-	-
5310.00	Average	99.33	-1.49	97.84	-	-
5350.05	Average	53.63	-1.41	52.22	54.00	-1.78
5358.70	Peak	65.00	-1.39	63.61	74.00	-10.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be40 RU Full
Test Frequency :5310 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
4824.08	Average	51.30	-1.43	49.87	54.00	-4.13
5005.57	Peak	61.78	-1.01	60.77	74.00	-13.23
5310.00	Peak	111.52	-1.49	110.03	-	-
5310.00	Average	101.09	-1.49	99.60	-	-
5352.45	Peak	65.75	-1.40	64.35	74.00	-9.65
5355.81	Average	53.79	-1.39	52.40	54.00	-1.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be40 RU Full
Test Frequency :5510 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5459.20	Peak	62.86	-0.92	61.94	74.00	-12.06
5460.00	Average	51.37	-0.92	50.45	54.00	-3.55
5460.87	Peak	63.76	-0.92	62.84	68.20	-5.36
5510.00	Peak	109.82	-0.76	109.06	-	-
5510.00	Average	98.26	-0.76	97.50	-	-
5884.14	Peak	60.82	0.29	61.11	68.20	-7.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be40 RU Full
 Test Frequency :5510 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5458.58	Peak	66.13	-0.92	65.21	74.00	-8.79
5459.62	Average	53.23	-0.92	52.31	54.00	-1.69
5466.29	Peak	66.34	-0.90	65.44	68.20	-2.76
5510.00	Peak	110.91	-0.76	110.15	-	-
5510.00	Average	100.10	-0.76	99.34	-	-
5815.16	Peak	61.09	-0.04	61.05	68.20	-7.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be40 RU Full
 Test Frequency :5670 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5424.61	Peak	60.50	-1.09	59.41	74.00	-14.59
5460.00	Average	49.40	-0.92	48.48	54.00	-5.52
5461.50	Peak	60.18	-0.91	59.27	68.20	-8.93
5670.00	Peak	111.14	-0.33	110.81	-	-
5670.00	Average	100.79	-0.33	100.46	-	-
5726.38	Peak	67.00	-0.15	66.85	68.20	-1.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be40 RU Full
 Test Frequency :5670 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5400.85	Peak	60.83	-1.22	59.61	74.00	-14.39
5451.70	Average	49.44	-0.94	48.50	54.00	-5.50
5468.58	Peak	59.73	-0.89	58.84	68.20	-9.36
5670.00	Peak	110.57	-0.33	110.24	-	-
5670.00	Average	99.76	-0.33	99.43	-	-
5725.54	Peak	65.72	-0.15	65.57	68.20	-2.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be40 RU Full
Test Frequency :5710 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5438.36	Peak	60.44	-1.02	59.42	74.00	-14.58
5454.62	Average	49.61	-0.93	48.68	54.00	-5.32
5466.71	Peak	59.45	-0.90	58.55	68.20	-9.65
5710.00	Peak	113.27	-0.14	113.13	-	-
5710.00	Average	102.16	-0.14	102.02	-	-
5860.59	Peak	61.40	0.13	61.53	68.20	-6.67


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be40 RU Full
 Test Frequency :5710 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5428.15	Peak	60.88	-1.07	59.81	74.00	-14.19
5450.87	Average	49.48	-0.94	48.54	54.00	-5.46
5467.96	Peak	59.81	-0.89	58.92	68.20	-9.28
5710.00	Peak	115.45	-0.14	115.31	-	-
5710.00	Average	103.81	-0.14	103.67	-	-
5852.67	Peak	64.45	0.09	64.54	68.20	-3.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be40 RU Full
 Test Frequency :5755 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5648.23	Peak	64.79	-0.46	64.33	68.20	-3.87
5697.41	Peak	73.71	-0.15	73.56	103.28	-29.72
5716.79	Peak	82.73	-0.15	82.58	109.90	-27.32
5721.79	Peak	78.97	-0.15	78.82	114.88	-36.06
5755.00	Peak	112.08	-0.15	111.93	-	-
5852.46	Peak	63.07	0.08	63.15	116.59	-53.44
5859.96	Peak	62.21	0.13	62.34	109.41	-47.07
5891.43	Peak	61.10	0.35	61.45	93.04	-31.59
5951.03	Peak	60.38	0.34	60.72	68.20	-7.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be40 RU Full
 Test Frequency :5755 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5646.56	Peak	64.46	-0.46	64.00	68.20	-4.20
5698.03	Peak	78.22	-0.15	78.07	103.74	-25.67
5718.25	Peak	85.14	-0.15	84.99	110.31	-25.32
5720.33	Peak	84.52	-0.15	84.37	111.56	-27.19
5755.00	Peak	113.72	-0.15	113.57	-	-
5852.88	Peak	66.27	0.09	66.36	115.64	-49.28
5856.84	Peak	63.94	0.11	64.05	110.29	-46.24
5884.97	Peak	61.17	0.30	61.47	97.82	-36.35
5933.11	Peak	60.51	0.36	60.87	68.20	-7.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be40 RU Full
 Test Frequency :5795 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5641.35	Peak	64.96	-0.47	64.49	68.20	-3.71
5696.78	Peak	71.21	-0.16	71.05	102.82	-31.77
5717.83	Peak	75.16	-0.15	75.01	110.19	-35.18
5723.46	Peak	76.22	-0.15	76.07	118.68	-42.61
5795.00	Peak	113.64	-0.09	113.55	-	-
5850.58	Peak	77.66	0.07	77.73	120.87	-43.14
5863.50	Peak	76.64	0.15	76.79	108.42	-31.63
5883.09	Peak	74.50	0.28	74.78	99.21	-24.43
5926.23	Peak	64.03	0.36	64.39	68.20	-3.81


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be40 RU Full
 Test Frequency :5795 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5644.89	Peak	63.65	-0.46	63.19	68.20	-5.01
5699.08	Peak	73.50	-0.14	73.36	104.52	-31.16
5719.08	Peak	77.29	-0.15	77.14	110.54	-33.40
5722.83	Peak	78.32	-0.15	78.17	117.26	-39.09
5795.00	Peak	115.55	-0.09	115.46	-	-
5850.00	Peak	82.53	0.07	82.60	122.20	-39.60
5855.00	Peak	80.54	0.10	80.64	110.80	-30.16
5876.22	Peak	76.28	0.24	76.52	104.30	-27.78
5928.11	Peak	64.39	0.37	64.76	68.20	-3.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be40 RU Full
Test Frequency :5875 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-10-09
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5547.77	Peak	60.81	-0.43	60.38	68.20	-7.82
5690.74	Peak	60.65	-0.13	60.52	98.35	-37.83
5717.41	Peak	60.37	-0.07	60.30	110.08	-49.78
5721.79	Peak	59.97	-0.07	59.90	115.96	-56.06
5875.00	Peak	113.47	0.28	113.75	-	-
5875.00	Average	60.80	0.28	61.08	-	-
5895.00	Peak	101.84	0.36	102.20	110.20	-8.00
5895.00	Average	88.29	0.36	88.65	90.20	-1.55
5925.19	Peak	76.62	0.44	77.06	88.20	-11.14
5933.32	Average	61.15	0.47	61.62	68.20	-6.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be40 RU Full
 Test Frequency :5875 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5547.77	Peak	60.97	-0.43	60.54	68.20	-7.66
5673.86	Peak	60.60	-0.21	60.39	85.85	-25.46
5708.04	Peak	60.45	-0.08	60.37	107.45	-47.08
5722.83	Peak	59.83	-0.07	59.76	118.96	-59.20
5875.00	Peak	113.65	0.28	113.93	-	-
5875.00	Average	60.96	0.28	61.24	-	-
5895.00	Peak	101.18	0.36	101.54	110.20	-8.66
5895.00	Average	87.16	0.36	87.52	90.20	-2.68
5925.19	Peak	75.34	0.44	75.78	88.20	-12.42
5927.28	Average	61.17	0.44	61.61	68.20	-6.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 SU_Punct20_Mid2
 Test Frequency :5210 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5131.60	Average	52.47	-0.66	51.81	54.00	-2.19
5146.00	Peak	67.89	-0.64	67.25	74.00	-6.75
5210.00	Peak	106.98	-1.03	105.95	-	-
5210.00	Average	96.16	-1.03	95.13	-	-
5350.29	Peak	64.91	-1.41	63.50	74.00	-10.50
5351.97	Average	46.71	-1.40	45.31	54.00	-8.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 SU_Punct20_Mid2
 Test Frequency :5210 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5130.88	Average	50.51	-0.66	49.85	54.00	-4.15
5134.00	Peak	67.07	-0.65	66.42	74.00	-7.58
5210.00	Peak	110.42	-1.03	109.39	-	-
5210.00	Average	99.57	-1.03	98.54	-	-
5353.65	Average	46.28	-1.40	44.88	54.00	-9.12
5376.70	Peak	60.71	-1.31	59.40	74.00	-14.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be80 RU Full
Test Frequency :5210 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5120.80	Peak	62.59	-0.68	61.91	74.00	-12.09
5132.56	Average	51.81	-0.65	51.16	54.00	-2.84
5210.00	Peak	106.70	-1.03	105.67	-	-
5210.00	Average	96.04	-1.03	95.01	-	-
5382.70	Peak	60.90	-1.29	59.61	74.00	-14.39
5440.32	Average	49.61	-1.00	48.61	54.00	-5.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5210 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5134.24	Average	52.18	-0.65	51.53	54.00	-2.47
5143.84	Peak	63.26	-0.64	62.62	74.00	-11.38
5210.00	Peak	109.26	-1.03	108.23	-	-
5210.00	Average	98.07	-1.03	97.04	-	-
5350.77	Average	49.94	-1.41	48.53	54.00	-5.47
5351.01	Peak	60.48	-1.41	59.07	74.00	-14.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be80 RU484+242/Punc20
Test Frequency :5210 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5114.07	Average	52.14	-0.68	51.46	54.00	-2.54
5146.00	Peak	68.56	-0.64	67.92	74.00	-6.08
5210.00	Peak	105.94	-1.03	104.91	-	-
5210.00	Average	96.04	-1.03	95.01	-	-
5350.77	Average	47.14	-1.41	45.73	54.00	-8.27
5367.58	Peak	62.88	-1.34	61.54	74.00	-12.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 RU484+242/Punc20
 Test Frequency :5210 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5128.48	Average	49.82	-0.66	49.16	54.00	-4.84
5140.48	Peak	62.75	-0.64	62.11	74.00	-11.89
5210.00	Peak	109.70	-1.03	108.67	-	-
5210.00	Average	99.70	-1.03	98.67	-	-
5351.25	Average	46.51	-1.40	45.11	54.00	-8.89
5355.33	Peak	60.52	-1.39	59.13	74.00	-14.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be80 SU_Punct20_Mid2
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5141.20	Peak	63.77	-0.64	63.13	74.00	-10.87
5149.12	Average	46.42	-0.63	45.79	54.00	-8.21
5290.00	Peak	107.49	-1.48	106.01	-	-
5290.00	Average	96.60	-1.48	95.12	-	-
5351.01	Peak	73.00	-1.41	71.59	74.00	-2.41
5366.86	Average	51.27	-1.34	49.93	54.00	-4.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be80 SU_Punct20_Mid2
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
4823.84	Average	47.14	-1.43	45.71	54.00	-8.29
5137.36	Peak	57.16	-0.65	56.51	74.00	-17.49
5290.00	Peak	111.41	-1.48	109.93	-	-
5290.00	Average	99.90	-1.48	98.42	-	-
5357.98	Peak	66.54	-1.39	65.15	74.00	-8.85
5374.78	Average	50.65	-1.32	49.33	54.00	-4.67


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be80 RU Full
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5146.96	Peak	62.38	-0.64	61.74	74.00	-12.26
5150.00	Average	51.46	-0.63	50.83	54.00	-3.17
5290.00	Peak	107.43	-1.48	105.95	-	-
5290.00	Average	97.32	-1.48	95.84	-	-
5359.18	Peak	65.36	-1.38	63.98	74.00	-10.02
5379.10	Average	54.21	-1.29	52.92	54.00	-1.08


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5290 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4854.81	Peak	62.64	-1.38	61.26	74.00	-12.74
5136.40	Average	50.62	-0.65	49.97	54.00	-4.03
5290.00	Peak	109.29	-1.48	107.81	-	-
5290.00	Average	99.02	-1.48	97.54	-	-
5370.94	Average	51.47	-1.34	50.13	54.00	-3.87
5373.82	Peak	62.14	-1.32	60.82	74.00	-13.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be80 RU484+242/Punc20
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5140.96	Average	47.46	-0.64	46.82	54.00	-7.18
5144.32	Peak	66.00	-0.64	65.36	74.00	-8.64
5290.00	Peak	106.02	-1.48	104.54	-	-
5290.00	Average	96.51	-1.48	95.03	-	-
5360.62	Peak	73.65	-1.38	72.27	74.00	-1.73
5363.50	Average	54.13	-1.37	52.76	54.00	-1.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be80 RU484+242/Punc20
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
4824.08	Average	47.21	-1.43	45.78	54.00	-8.22
5135.92	Peak	56.57	-0.65	55.92	74.00	-18.08
5290.00	Peak	110.03	-1.48	108.55	-	-
5290.00	Average	99.87	-1.48	98.39	-	-
5361.58	Peak	66.16	-1.37	64.79	74.00	-9.21
5373.82	Average	52.50	-1.32	51.18	54.00	-2.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 SU_Punct20_Mid2
 Test Frequency :5530 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5450.03	Average	49.97	-0.94	49.03	54.00	-4.97
5451.49	Peak	64.89	-0.94	63.95	74.00	-10.05
5469.62	Peak	63.75	-0.89	62.86	68.20	-5.34
5530.00	Peak	108.70	-0.72	107.98	-	-
5530.00	Average	96.89	-0.72	96.17	-	-
5918.52	Peak	55.46	0.38	55.84	68.20	-12.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be80 SU_Punct20_Mid2
Test Frequency :5530 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5439.82	Peak	66.27	-1.00	65.27	74.00	-8.73
5459.83	Average	52.27	-0.92	51.35	54.00	-2.65
5462.33	Peak	67.60	-0.91	66.69	68.20	-1.51
5530.00	Peak	110.38	-0.72	109.66	-	-
5530.00	Average	99.18	-0.72	98.46	-	-
5889.76	Peak	56.31	0.33	56.64	68.20	-11.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be80 RU Full
Test Frequency :5530 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5429.40	Peak	62.79	-1.06	61.73	74.00	-12.27
5450.66	Average	51.71	-0.94	50.77	54.00	-3.23
5466.91	Peak	61.67	-0.90	60.77	68.20	-7.43
5530.00	Peak	109.69	-0.72	108.97	-	-
5530.00	Average	98.21	-0.72	97.49	-	-
5887.68	Peak	61.30	0.32	61.62	68.20	-6.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5530 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5449.83	Peak	65.76	-0.94	64.82	74.00	-9.18
5459.41	Average	53.28	-0.92	52.36	54.00	-1.64
5467.54	Peak	65.53	-0.89	64.64	68.20	-3.56
5530.00	Peak	111.34	-0.72	110.62	-	-
5530.00	Average	100.31	-0.72	99.59	-	-
5947.07	Peak	61.41	0.34	61.75	68.20	-6.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be80 RU484+242/Punc20
Test Frequency :5530 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5450.45	Average	48.73	-0.94	47.79	54.00	-6.21
5453.16	Peak	60.87	-0.93	59.94	74.00	-14.06
5469.83	Peak	61.56	-0.88	60.68	68.20	-7.52
5530.00	Peak	107.21	-0.72	106.49	-	-
5530.00	Average	96.84	-0.72	96.12	-	-
5898.93	Peak	54.95	0.39	55.34	68.20	-12.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be80 RU484+242/Punc20
Test Frequency :5530 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5437.32	Peak	64.29	-1.02	63.27	74.00	-10.73
5442.11	Average	51.44	-0.99	50.45	54.00	-3.55
5464.41	Peak	64.19	-0.90	63.29	68.20	-4.91
5530.00	Peak	109.53	-0.72	108.81	-	-
5530.00	Average	99.17	-0.72	98.45	-	-
5964.79	Peak	55.46	0.35	55.81	68.20	-12.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be80 RU Full
Test Frequency :5610 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5451.91	Peak	65.80	-0.94	64.86	74.00	-9.14
5453.37	Average	52.36	-0.93	51.43	54.00	-2.57
5461.70	Peak	65.60	-0.91	64.69	68.20	-3.51
5610.00	Peak	109.73	-0.55	109.18	-	-
5610.00	Average	99.44	-0.55	98.89	-	-
5747.22	Peak	64.38	-0.16	64.22	68.20	-3.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5610 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5450.66	Peak	64.91	-0.94	63.97	74.00	-10.03
5452.53	Average	52.84	-0.93	51.91	54.00	-2.09
5460.66	Peak	64.70	-0.92	63.78	68.20	-4.42
5610.00	Peak	109.68	-0.55	109.13	-	-
5610.00	Average	99.35	-0.55	98.80	-	-
5736.59	Peak	66.39	-0.15	66.24	68.20	-1.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5690 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5456.08	Peak	64.63	-0.93	63.70	74.00	-10.30
5456.91	Average	50.33	-0.93	49.40	54.00	-4.60
5460.04	Peak	62.60	-0.92	61.68	68.20	-6.52
5690.00	Peak	109.77	-0.20	109.57	-	-
5690.00	Average	99.40	-0.20	99.20	-	-
5850.58	Peak	66.82	0.07	66.89	68.20	-1.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be80 RU Full
Test Frequency :5690 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5456.91	Peak	61.92	-0.93	60.99	74.00	-13.01
5456.91	Average	49.79	-0.93	48.86	54.00	-5.14
5460.45	Peak	60.84	-0.92	59.92	68.20	-8.28
5690.00	Peak	111.27	-0.20	111.07	-	-
5690.00	Average	100.42	-0.20	100.22	-	-
5909.35	Peak	61.56	0.39	61.95	68.20	-6.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 SU_Punct20_Mid2
 Test Frequency :5775 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5636.97	Peak	57.36	-0.49	56.87	68.20	-11.33
5693.87	Peak	66.48	-0.17	66.31	100.66	-34.35
5715.75	Peak	68.16	-0.15	68.01	109.61	-41.60
5724.92	Peak	68.83	-0.15	68.68	122.01	-53.33
5775.00	Peak	106.89	-0.12	106.77	-	-
5851.00	Peak	66.02	0.08	66.10	119.92	-53.82
5868.51	Peak	67.21	0.18	67.39	107.02	-39.63
5876.43	Peak	66.67	0.24	66.91	104.15	-37.24
5927.28	Peak	55.19	0.36	55.55	68.20	-12.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 SU_Punct20_Mid2
 Test Frequency :5775 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5647.39	Peak	58.67	-0.46	58.21	68.20	-9.99
5692.82	Peak	71.86	-0.18	71.68	99.89	-28.21
5707.20	Peak	73.16	-0.14	73.02	107.22	-34.20
5724.71	Peak	72.57	-0.15	72.42	121.53	-49.11
5775.00	Peak	109.34	-0.12	109.22	-	-
5852.04	Peak	70.81	0.08	70.89	117.54	-46.65
5855.17	Peak	69.24	0.10	69.34	110.75	-41.41
5878.51	Peak	66.88	0.25	67.13	102.60	-35.47
5974.58	Peak	55.05	0.36	55.41	68.20	-12.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5775 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5646.97	Peak	64.96	-0.46	64.50	68.20	-3.70
5699.49	Peak	66.35	-0.14	66.21	104.82	-38.61
5717.41	Peak	68.07	-0.15	67.92	110.08	-42.16
5724.71	Peak	71.10	-0.15	70.95	121.53	-50.58
5775.00	Peak	109.30	-0.12	109.18	-	-
5851.63	Peak	64.52	0.08	64.60	118.50	-53.90
5861.00	Peak	65.97	0.14	66.11	109.12	-43.01
5881.01	Peak	64.30	0.27	64.57	100.75	-36.18
5932.07	Peak	63.16	0.36	63.52	68.20	-4.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5775 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5639.68	Peak	66.51	-0.47	66.04	68.20	-2.16
5689.07	Peak	72.43	-0.20	72.23	97.11	-24.88
5718.04	Peak	73.35	-0.15	73.20	110.25	-37.05
5722.21	Peak	74.05	-0.15	73.90	115.83	-41.93
5775.00	Peak	111.38	-0.12	111.26	-	-
5854.54	Peak	67.81	0.10	67.91	111.84	-43.93
5858.29	Peak	67.68	0.12	67.80	109.88	-42.08
5880.59	Peak	66.82	0.26	67.08	101.06	-33.98
5932.69	Peak	63.77	0.36	64.13	68.20	-4.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 RU484+242/Punc20
 Test Frequency :5775 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5644.27	Peak	64.51	-0.47	64.04	68.20	-4.16
5685.74	Peak	67.77	-0.24	67.53	94.65	-27.12
5701.16	Peak	68.36	-0.14	68.22	105.52	-37.30
5723.25	Peak	67.32	-0.15	67.17	118.21	-51.04
5775.00	Peak	106.03	-0.12	105.91	-	-
5851.83	Peak	62.20	0.08	62.28	118.02	-55.74
5871.63	Peak	61.77	0.21	61.98	106.14	-44.16
5890.60	Peak	61.49	0.34	61.83	93.66	-31.83
5966.87	Peak	58.36	0.34	58.70	68.20	-9.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 RU484+242/Punc20
 Test Frequency :5775 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5649.27	Peak	67.40	-0.46	66.94	68.20	-1.26
5691.16	Peak	71.14	-0.20	70.94	98.65	-27.71
5704.91	Peak	71.06	-0.14	70.92	106.57	-35.65
5724.92	Peak	71.74	-0.15	71.59	122.01	-50.42
5775.00	Peak	108.30	-0.12	108.18	-	-
5851.21	Peak	67.27	0.08	67.35	119.45	-52.10
5863.71	Peak	65.96	0.15	66.11	108.36	-42.25
5877.05	Peak	63.88	0.24	64.12	103.68	-39.56
5927.28	Peak	56.90	0.36	57.26	68.20	-10.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5855 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5648.43	Peak	66.97	-0.33	66.64	68.20	-1.56
5690.95	Peak	73.08	-0.13	72.95	98.50	-25.55
5709.50	Peak	73.93	-0.08	73.85	107.86	-34.01
5723.25	Peak	71.23	-0.07	71.16	120.16	-49.00
5855.00	Peak	111.36	0.19	111.55	-	-
5855.00	Average	66.97	0.19	67.16	-	-
5895.00	Peak	100.40	0.36	100.76	110.20	-9.44
5895.00	Average	86.84	0.36	87.20	90.20	-3.00
5932.69	Average	61.95	0.47	62.42	68.20	-5.78
5935.61	Peak	74.61	0.47	75.08	88.20	-13.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5855 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5587.37	Peak	63.27	-0.46	62.81	68.20	-5.39
5691.99	Peak	69.54	-0.11	69.43	99.27	-29.84
5719.50	Peak	73.78	-0.07	73.71	110.66	-36.95
5722.62	Peak	72.81	-0.07	72.74	118.36	-45.62
5855.00	Peak	111.71	0.19	111.90	-	-
5855.00	Average	63.27	0.19	63.46	-	-
5895.00	Peak	99.01	0.36	99.37	110.20	-10.83
5895.00	Average	86.69	0.36	87.05	90.20	-3.15
5928.11	Peak	73.45	0.46	73.91	88.20	-14.29
5930.61	Average	59.59	0.46	60.05	68.20	-8.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be160 996+484 MRU4
 Test Frequency :5250 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5148.64	Peak	67.24	-0.63	66.61	74.00	-7.39
5148.88	Average	47.97	-0.63	47.34	54.00	-6.66
5250.00	Peak	102.85	-1.34	101.51	-	-
5250.00	Average	92.16	-1.34	90.82	-	-
5359.66	Average	50.44	-1.38	49.06	54.00	-4.94
5360.14	Peak	72.77	-1.38	71.39	74.00	-2.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be160 996+484 MRU4
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5095.83	Peak	67.37	-0.72	66.65	74.00	-7.35
5149.60	Average	50.37	-0.63	49.74	54.00	-4.26
5250.00	Peak	105.76	-1.34	104.42	-	-
5250.00	Average	95.57	-1.34	94.23	-	-
5353.41	Average	49.59	-1.40	48.19	54.00	-5.81
5363.02	Peak	66.93	-1.37	65.56	74.00	-8.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be160 SU_Punct20_Mid3
 Test Frequency :5250 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5035.57	Peak	67.41	-0.97	66.44	74.00	-7.56
5115.75	Average	50.16	-0.68	49.48	54.00	-4.52
5250.00	Peak	101.96	-1.34	100.62	-	-
5250.00	Average	91.30	-1.34	89.96	-	-
5365.42	Average	53.04	-1.35	51.69	54.00	-2.31
5366.14	Peak	73.88	-1.35	72.53	74.00	-1.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be160 SU_Punct20_Mid3
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5125.36	Average	53.15	-0.66	52.49	54.00	-1.51
5126.80	Peak	72.50	-0.67	71.83	74.00	-2.17
5250.00	Peak	106.40	-1.34	105.06	-	-
5250.00	Average	95.15	-1.34	93.81	-	-
5356.05	Average	49.63	-1.40	48.23	54.00	-5.77
5398.79	Peak	64.66	-1.22	63.44	74.00	-10.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be160 SU_Punct40_Mid2
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5094.63	Average	50.53	-0.72	49.81	54.00	-4.19
5126.56	Peak	66.28	-0.66	65.62	74.00	-8.38
5250.00	Peak	102.62	-1.34	101.28	-	-
5250.00	Average	91.85	-1.34	90.51	-	-
5389.66	Average	51.53	-1.26	50.27	54.00	-3.73
5396.14	Peak	70.93	-1.24	69.69	74.00	-4.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be160 SU_Punct40_Mid2
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5125.84	Peak	70.06	-0.66	69.40	74.00	-4.60
5131.84	Average	52.04	-0.66	51.38	54.00	-2.62
5250.00	Peak	107.59	-1.34	106.25	-	-
5250.00	Average	95.76	-1.34	94.42	-	-
5355.33	Average	51.06	-1.39	49.67	54.00	-4.33
5398.79	Peak	66.79	-1.22	65.57	74.00	-8.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be160 RU Full
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5040.38	Peak	68.95	-0.96	67.99	74.00	-6.01
5052.14	Average	52.35	-0.94	51.41	54.00	-2.59
5250.00	Peak	104.82	-1.34	103.48	-	-
5250.00	Average	94.42	-1.34	93.08	-	-
5405.51	Peak	70.80	-1.20	69.60	74.00	-4.40
5405.99	Average	53.73	-1.19	52.54	54.00	-1.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be160 RU Full
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5115.03	Peak	63.88	-0.68	63.20	74.00	-10.80
5143.36	Average	50.97	-0.64	50.33	54.00	-3.67
5250.00	Peak	107.20	-1.34	105.86	-	-
5250.00	Average	95.68	-1.34	94.34	-	-
5396.86	Average	53.28	-1.23	52.05	54.00	-1.95
5407.19	Peak	68.07	-1.18	66.89	74.00	-7.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be160 RU 996/67
 Test Frequency :5250 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5136.88	Peak	62.92	-0.65	62.27	74.00	-11.73
5150.00	Average	49.67	-0.63	49.04	54.00	-4.96
5250.00	Peak	103.74	-1.34	102.40	-	-
5250.00	Average	93.52	-1.34	92.18	-	-
5363.26	Peak	57.48	-1.37	56.11	74.00	-17.89
5363.50	Average	45.06	-1.37	43.69	54.00	-10.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be160 RU 996/67
 Test Frequency :5250 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5146.96	Peak	61.04	-0.64	60.40	74.00	-13.60
5150.00	Average	49.24	-0.63	48.61	54.00	-5.39
5250.00	Peak	108.18	-1.34	106.84	-	-
5250.00	Average	97.58	-1.34	96.24	-	-
5350.29	Average	45.27	-1.41	43.86	54.00	-10.14
5351.25	Peak	56.69	-1.40	55.29	74.00	-18.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be160 RU996+484/Punc40
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5177.20	Peak	69.32	-0.64	68.68	74.00	-5.32
5177.44	Average	50.01	-0.64	49.37	54.00	-4.63
5250.00	Peak	102.77	-1.34	101.43	-	-
5250.00	Average	92.36	-1.34	91.02	-	-
5405.99	Peak	72.49	-1.19	71.30	74.00	-2.70
5406.23	Average	52.10	-1.19	50.91	54.00	-3.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be160 RU996+484/Punc40
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5126.32	Peak	63.00	-0.66	62.34	74.00	-11.66
5147.44	Average	49.49	-0.64	48.85	54.00	-5.15
5250.00	Peak	105.96	-1.34	104.62	-	-
5250.00	Average	96.19	-1.34	94.85	-	-
5398.54	Peak	66.70	-1.23	65.47	74.00	-8.53
5398.54	Average	50.87	-1.23	49.64	54.00	-4.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be160 996+484 MRU4
 Test Frequency :5570 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5414.40	Peak	67.51	-1.14	66.37	74.00	-7.63
5451.91	Average	49.25	-0.94	48.31	54.00	-5.69
5470.00	Peak	62.81	-0.88	61.93	68.20	-6.27
5570.00	Peak	102.28	-0.63	101.65	-	-
5570.00	Average	93.39	-0.63	92.76	-	-
5762.85	Peak	64.42	-0.14	64.28	68.20	-3.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be160 996+484 MRU4
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5417.94	Peak	69.06	-1.12	67.94	74.00	-6.06
5459.83	Average	51.62	-0.92	50.70	54.00	-3.30
5467.33	Peak	64.65	-0.90	63.75	68.20	-4.45
5570.00	Peak	102.29	-0.63	101.66	-	-
5570.00	Average	92.53	-0.63	91.90	-	-
5759.72	Peak	62.92	-0.14	62.78	68.20	-5.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be160 SU_Punct20_High
 Test Frequency :5570 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5450.87	Average	47.99	-0.94	47.05	54.00	-6.95
5454.62	Peak	62.76	-0.93	61.83	74.00	-12.17
5466.08	Peak	64.43	-0.90	63.53	68.20	-4.67
5570.00	Peak	102.70	-0.63	102.07	-	-
5570.00	Average	91.64	-0.63	91.01	-	-
5737.63	Peak	62.58	-0.16	62.42	68.20	-5.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be160 SU_Punct20_High
 Test Frequency :5570 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5457.95	Average	52.41	-0.92	51.49	54.00	-2.51
5459.83	Peak	65.98	-0.92	65.06	74.00	-8.94
5467.33	Peak	67.66	-0.90	66.76	68.20	-1.44
5570.00	Peak	106.38	-0.63	105.75	-	-
5570.00	Average	94.44	-0.63	93.81	-	-
5814.74	Peak	58.37	-0.04	58.33	68.20	-9.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be160 SU_Punct40_High
 Test Frequency :5570 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5415.44	Peak	67.95	-1.14	66.81	74.00	-7.19
5450.24	Average	48.36	-0.94	47.42	54.00	-6.58
5467.96	Peak	62.19	-0.89	61.30	68.20	-6.90
5570.00	Peak	104.55	-0.63	103.92	-	-
5570.00	Average	93.45	-0.63	92.82	-	-
5738.46	Peak	64.96	-0.16	64.80	68.20	-3.40


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be160 SU_Punct40_High
 Test Frequency :5570 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-29
 Temp./Humi. :24.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5417.11	Peak	68.87	-1.12	67.75	74.00	-6.25
5458.79	Average	53.55	-0.92	52.63	54.00	-1.37
5461.08	Peak	66.90	-0.91	65.99	68.20	-2.21
5570.00	Peak	107.60	-0.63	106.97	-	-
5570.00	Average	96.23	-0.63	95.60	-	-
5878.30	Peak	56.50	0.25	56.75	68.20	-11.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be160 RU Full
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-20
Temp./Humi. :23.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5435.65	Peak	63.99	-1.03	62.96	74.00	-11.04
5453.16	Average	50.48	-0.93	49.55	54.00	-4.45
5469.62	Peak	60.95	-0.89	60.06	68.20	-8.14
5570.00	Peak	104.23	-0.63	103.60	-	-
5570.00	Average	93.44	-0.63	92.81	-	-
5726.58	Peak	64.77	-0.15	64.62	68.20	-3.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be160 RU Full
 Test Frequency :5570 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-08-20
 Temp./Humi. :23.5°C/67%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5446.07	Peak	65.12	-0.98	64.14	74.00	-9.86
5457.54	Average	50.48	-0.92	49.56	54.00	-4.44
5465.66	Peak	62.43	-0.90	61.53	68.20	-6.67
5570.00	Peak	103.81	-0.63	103.18	-	-
5570.00	Average	93.27	-0.63	92.64	-	-
5726.38	Peak	65.56	-0.15	65.41	68.20	-2.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be160 RU996+484/Punc40
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5439.82	Peak	63.93	-1.00	62.93	74.00	-11.07
5451.08	Average	49.37	-0.94	48.43	54.00	-5.57
5466.29	Peak	65.02	-0.90	64.12	68.20	-4.08
5570.00	Peak	102.16	-0.63	101.53	-	-
5570.00	Average	92.74	-0.63	92.11	-	-
5733.46	Peak	65.04	-0.15	64.89	68.20	-3.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
Operation Mode :802.11be160 RU996+484/Punc40
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :E1 Plane

Test Site :SAC 3
Test Date :2024-08-29
Temp./Humi. :24.5°C/67%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5446.07	Peak	68.22	-0.98	67.24	74.00	-6.76
5457.95	Average	53.39	-0.92	52.47	54.00	-1.53
5467.33	Peak	67.76	-0.90	66.86	68.20	-1.34
5570.00	Peak	106.16	-0.63	105.53	-	-
5570.00	Average	95.60	-0.63	94.97	-	-
5817.66	Peak	61.89	-0.02	61.87	68.20	-6.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be160 RU Full
 Test Frequency :5815 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5605.502	Peak	65.10	-0.46	64.64	68.20	-3.56
5691.155	Peak	66.04	-0.12	65.91	98.65	-32.74
5719.915	Peak	65.08	-0.07	65.00	110.78	-45.77
5724.292	Peak	73.68	-0.07	73.61	123.16	-49.55
5815.000	Peak	104.58	0.08	104.67	-	-
5815.000	Average	94.76	0.08	94.84	-	-
5895.000	Peak	86.67	0.36	87.03	110.20	-23.17
5895.000	Average	69.77	0.36	70.13	90.20	-20.07
5928.526	Average	51.47	0.45	51.92	68.20	-16.28
5969.165	Peak	62.43	0.56	62.99	88.20	-25.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2407002110ER
 Operation Mode :802.11be160 RU Full
 Test Frequency :5815 MHz
 Test Mode :Bandedge
 EUT Pol :E1 Plane

Test Site :SAC 3
 Test Date :2024-10-09
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5598.625	Peak	67.04	-0.48	66.56	68.20	-1.64
5688.029	Peak	67.38	-0.14	67.24	96.34	-29.10
5718.873	Peak	66.89	-0.07	66.81	110.48	-43.67
5724.917	Peak	76.24	-0.07	76.17	124.96	-48.79
5815.000	Peak	104.93	0.08	105.01	-	-
5815.000	Average	94.74	0.08	94.82	-	-
5895.000	Peak	79.52	0.36	79.88	110.20	-30.32
5895.000	Average	67.96	0.36	68.32	90.20	-21.88
5963.121	Average	49.92	0.54	50.47	68.20	-17.73
5971.874	Peak	61.47	0.57	62.04	88.20	-26.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

12 TRANSMISSION IN THE ABSENCE OF DATA

12.1 Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

13 ANTENNA REQUIREMENT

13.1 Standard Applicable

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of §§ 15.211, 15.213, 15.217, 15.219, 15.221, or § 15.236. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with § 15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.

13.2 Antenna Connected Construction:

The antenna complies with this requirement and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.