




802.11be_160MHz_Chain0_5250MHz_996+484 MRU4



802.11be_160MHz_Chain0_5250MHz_SU_Punct20_Mid3



802.11be_160MHz_Chain0_5250MHz_SU_Punct40_Mid2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.5 Output Power Measurement Result

9.5.1 FCC Output power

802.11a_Ch0

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	6	17	47.392	16.76	23.98	PASS
44	5220	6	18	59.116	17.72	23.98	PASS
48	5240	6	18	59.801	17.77	23.98	PASS
52	5260	6	18	61.476	17.89	23.98	PASS
60	5300	6	19	75.458	18.78	23.98	PASS
64	5320	6	15.5	34.730	15.41	23.98	PASS
100	5500	6	17	51.607	17.13	23.98	PASS
116	5580	6	17.5	57.373	17.59	23.98	PASS
140	5700	6	17	50.782	17.06	23.98	PASS
144	5720(U-NII 2C)	6	18	42.916	16.33	23.98	PASS
144	5720 (U-NII 3)	6	18	21.458	13.32	30	PASS
149	5745	6	22	153.712	21.87	30	PASS
157	5785	6	21.5	142.137	21.53	30	PASS
165	5825	6	22	155.134	21.91	30	PASS
169	5845 (U-NII 3)	6	21	110.825	20.45	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845 (U-NII 4)	6	21	11.646	10.66	30	PASS
173	5865	6	21	60.633	17.83	30	PASS
177	5885	6	20.5	56.847	17.55	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11a_Ch1

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	6	17	63.199	18.01	23.98	PASS
44	5220	6	18	87.038	19.40	23.98	PASS
48	5240	6	18	94.560	19.76	23.98	PASS
52	5260	6	18	99.703	19.99	23.98	PASS
60	5300	6	19	125.230	20.98	23.98	PASS
64	5320	6	15.5	54.665	17.38	23.98	PASS
100	5500	6	17	66.943	18.26	23.98	PASS
116	5580	6	17.5	66.482	18.23	23.98	PASS
140	5700	6	17	47.501	16.77	23.98	PASS
144	5720(U-NII 2C)	6	18	43.129	16.35	23.21	PASS
144	5720 (U-NII 3)	6	18	17.226	12.36	30	PASS
149	5745	6	22	127.558	21.06	30	PASS
157	5785	6	21.5	115.533	20.63	30	PASS
165	5825	6	22	135.116	21.31	30	PASS
169	5845 (U-NII 3)	6	21	125.008	20.97	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845 (U-NII 4)	6	21	9.887	9.95	30	PASS
173	5865	6	21	50.899	17.07	30	PASS
177	5885	6	20.5	48.162	16.83	30	PASS

802.11a_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
36	5180	6	17	16.81	18.07	112.019	20.49	23.98	PASS
44	5220	6	18	17.79	19.47	148.529	21.72	23.98	PASS
48	5240	6	18	17.78	19.80	155.374	21.91	23.98	PASS
52	5260	6	18	17.93	20.07	163.601	22.14	23.98	PASS
60	5300	6	19	18.84	21.03	203.188	23.08	23.98	PASS
64	5320	6	15.5	15.48	17.47	91.104	19.60	23.98	PASS
100	5500	6	17	17.17	18.34	120.272	20.80	23.98	PASS
116	5580	6	17.5	17.64	18.29	125.445	20.98	23.98	PASS
140	5700	6	17	17.12	16.83	99.650	19.98	23.98	PASS
144	5720(U-NII 2C)	6	18	16.37	16.43	87.243	19.41	23.21	PASS
144	5720 (U-NII 3)	6	18	13.36	12.44	39.202	15.93	30	PASS
149	5745	6	22	21.96	21.13	286.561	24.57	30	PASS
157	5785	6	21.5	21.60	20.72	262.399	24.19	30	PASS
165	5825	6	22	21.95	21.40	294.515	24.69	30	PASS
169	5845 (U-NII 3)	6	21	20.49	21.00	237.725	23.76	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
169	5845 (U-NII 4)	6	21	14.32	14.87	21.910	13.41	30	PASS
173	5865	6	21	21.49	21.98	113.254	20.54	30	PASS
177	5885	6	20.5	21.21	21.78	107.225	20.30	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11n_HT20_Ch0

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	15.5	34.869	15.42	23.98	PASS
44	5220	MCS0	18	58.269	17.65	23.98	PASS
48	5240	MCS0	18	59.901	17.77	23.98	PASS
52	5260	MCS0	18.5	67.056	18.26	23.98	PASS
60	5300	MCS0	19	73.187	18.64	23.98	PASS
64	5320	MCS0	15	31.509	14.98	23.98	PASS
100	5500	MCS0	16.5	45.649	16.59	23.98	PASS
116	5580	MCS0	18	63.597	18.03	23.98	PASS
140	5700	MCS0	16.5	44.100	16.44	23.98	PASS
144	5720(U-NII 2C)	MCS0	18.5	50.278	17.01	23.98	PASS
144	5720 (U-NII 3)	MCS0	18.5	18.815	12.75	30	PASS
149	5745	MCS0	22	152.910	21.84	30	PASS
157	5785	MCS0	21.5	140.746	21.48	30	PASS
165	5825	MCS0	21.5	131.958	21.20	30	PASS
169	5845 (U-NII 3)	MCS0	21	107.698	20.32	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845 (U-NII 4)	MCS0	21	13.105	11.17	30	PASS
173	5865	MCS0	21	60.178	17.79	30	PASS
177	5885	MCS0	10.5	6.493	8.12	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11n_HT20_Ch1

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	15.5	45.544	16.58	23.98	PASS
44	5220	MCS0	18	86.186	19.35	23.98	PASS
48	5240	MCS0	18	95.156	19.78	23.98	PASS
52	5260	MCS0	18.5	108.752	20.36	23.98	PASS
60	5300	MCS0	19	122.303	20.87	23.98	PASS
64	5320	MCS0	15	49.027	16.90	23.98	PASS
100	5500	MCS0	16.5	62.580	17.96	23.98	PASS
116	5580	MCS0	18	74.035	18.69	23.98	PASS
140	5700	MCS0	16.5	44.100	16.44	23.98	PASS
144	5720(U-NII 2C)	MCS0	18.5	48.131	16.82	23.98	PASS
144	5720 (U-NII 3)	MCS0	18.5	18.310	12.63	30	PASS
149	5745	MCS0	22	129.251	21.11	30	PASS
157	5785	MCS0	21.5	117.067	20.68	30	PASS
165	5825	MCS0	21.5	138.177	21.40	30	PASS
169	5845 (U-NII 3)	MCS0	21	122.031	20.86	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845 (U-NII 4)	MCS0	21	11.054	10.44	30	PASS
173	5865	MCS0	21	50.750	17.05	30	PASS
177	5885	MCS0	10.5	4.880	6.88	30	PASS

802.11n_HT20_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
36	5180	MCS0	15.5	15.49	16.64	81.613	19.12	23.98	PASS
44	5220	MCS0	18	17.69	19.43	146.596	21.66	23.98	PASS
48	5240	MCS0	18	17.82	19.86	157.520	21.97	23.98	PASS
52	5260	MCS0	18.5	18.33	20.40	177.903	22.50	23.98	PASS
60	5300	MCS0	19	18.72	20.89	197.415	22.95	23.98	PASS
64	5320	MCS0	15	15.03	16.95	81.469	19.11	23.98	PASS
100	5500	MCS0	16.5	16.67	18.02	109.949	20.41	23.98	PASS
116	5580	MCS0	18	18.07	18.75	139.250	21.44	23.98	PASS
140	5700	MCS0	16.5	16.52	16.48	89.427	19.51	23.98	PASS
144	5720(U-NII 2C)	MCS0	18.5	17.06	16.90	99.886	20.00	23.04	PASS
144	5720 (U-NII 3)	MCS0	18.5	12.80	12.71	37.683	15.76	30	PASS
149	5745	MCS0	22	21.91	21.19	287.049	24.58	30	PASS
157	5785	MCS0	21.5	21.53	20.76	261.619	24.18	30	PASS
165	5825	MCS0	21.5	21.26	21.47	274.216	24.38	30	PASS
169	5845 (U-NII 3)	MCS0	21	20.32	20.86	229.729	23.61	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
169	5845 (U-NII 4)	MCS0	21	14.79	15.33	24.375	13.87	30	PASS
173	5865	MCS0	21	21.41	21.94	111.918	20.49	30	PASS
177	5885	MCS0	10.5	11.74	11.77	11.379	10.56	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11n_HT40_Ch0

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	12.5	18.007	12.55	23.98	PASS
46	5230	MCS0	20	85.592	19.32	23.98	PASS
54	5270	MCS0	20	85.003	19.29	23.98	PASS
62	5310	MCS0	14.5	26.757	14.27	23.98	PASS
102	5510	MCS0	15	31.220	14.94	23.98	PASS
110	5550	MCS0	20.5	111.285	20.46	23.98	PASS
134	5670	MCS0	17.5	54.254	17.34	23.98	PASS
142	5710(U-NII 2C)	MCS0	19.5	68.748	18.37	23.98	PASS
142	5710 (U-NII 3)	MCS0	19.5	12.243	10.88	30	PASS
151	5755	MCS0	18.5	66.441	18.22	30	PASS
159	5795	MCS0	20.5	104.818	20.20	30	PASS
167	5835 (U-NII 3)	MCS0	21	123.729	20.92	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
167	5835 (U-NII 4)	MCS0	21	5.182	7.14	30	PASS
175	5875	MCS0	19.5	40.873	16.11	30	PASS

802.11n_HT40_Ch1

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	12.5	21.699	13.36	23.98	PASS
46	5230	MCS0	20	138.177	21.40	23.98	PASS
54	5270	MCS0	20	146.364	21.65	23.98	PASS
62	5310	MCS0	14.5	43.295	16.36	23.98	PASS
102	5510	MCS0	15	41.537	16.18	23.98	PASS
110	5550	MCS0	20.5	132.873	21.23	23.98	PASS
134	5670	MCS0	17.5	53.019	17.24	23.98	PASS
142	5710(U-NII 2C)	MCS0	19.5	70.451	18.48	23.98	PASS
142	5710 (U-NII 3)	MCS0	19.5	12.427	10.94	30	PASS
151	5755	MCS0	18.5	67.210	18.27	30	PASS
159	5795	MCS0	20.5	107.507	20.31	30	PASS
167	5835 (U-NII 3)	MCS0	21	139.157	21.44	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
167	5835 (U-NII 4)	MCS0	21	4.461	6.49	30	PASS
175	5875	MCS0	19.5	37.105	15.69	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11n_HT40_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
38	5190	MCS0	12.5	12.59	13.44	40.276	16.05	23.98	PASS
46	5230	MCS0	20	19.36	21.47	226.807	23.56	23.98	PASS
54	5270	MCS0	20	19.36	21.68	233.763	23.69	23.98	PASS
62	5310	MCS0	14.5	14.33	16.40	70.824	18.50	23.98	PASS
102	5510	MCS0	15	15.00	16.22	73.576	18.67	23.98	PASS
110	5550	MCS0	20.5	20.51	21.30	247.605	23.94	23.98	PASS
134	5670	MCS0	17.5	17.39	17.31	108.764	20.36	23.98	PASS
142	5710(U-NII 2C)	MCS0	19.5	18.43	18.55	141.300	21.50	23.98	PASS
142	5710 (U-NII 3)	MCS0	19.5	10.94	11.01	25.042	13.99	30	PASS
151	5755	MCS0	18.5	18.30	18.34	135.978	21.33	30	PASS
159	5795	MCS0	20.5	20.27	20.38	215.775	23.34	30	PASS
167	5835 (U-NII 3)	MCS0	21	20.99	21.48	266.184	24.25	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
167	5835 (U-NII 4)	MCS0	21	10.83	11.42	9.865	9.94	30	PASS
175	5875	MCS0	19.5	19.75	20.63	110.862	20.45	30	PASS

802.11ac_VHT20_Ch0

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	15.5	34.549	15.384	23.98	PASS
44	5220	MCS0	18	58.001	17.634	23.98	PASS
48	5240	MCS0	18	59.489	17.744	23.98	PASS
52	5260	MCS0	18.5	66.441	18.224	23.98	PASS
60	5300	MCS0	19	72.683	18.614	23.98	PASS
64	5320	MCS0	15	31.292	14.954	23.98	PASS
100	5500	MCS0	16.5	44.920	16.524	23.98	PASS
116	5580	MCS0	18	63.014	17.994	23.98	PASS
140	5700	MCS0	16.5	43.495	16.384	23.98	PASS
144	5720(U-NII 2C)	MCS0	18.5	49.203	16.920	23.98	PASS
144	5720 (U-NII 3)	MCS0	18.5	18.943	12.774	30	PASS
149	5745	MCS0	22	151.857	21.814	30	PASS
157	5785	MCS0	21.5	131.352	21.184	30	PASS
165	5825	MCS0	21.5	131.050	21.174	30	PASS
169	5845 (U-NII 3)	MCS0	21	105.246	20.222	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845 (U-NII 4)	MCS0	21	12.807	11.07	30	PASS
173	5865	MCS0	21	59.489	17.74	30	PASS
177	5885	MCS0	10.5	6.330	8.01	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ac_VHT20_Ch1

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	15.5	45.023	16.53	23.98	PASS
44	5220	MCS0	18	85.199	19.30	23.98	PASS
48	5240	MCS0	18	94.283	19.74	23.98	PASS
52	5260	MCS0	18.5	106.767	20.28	23.98	PASS
60	5300	MCS0	19	121.461	20.84	23.98	PASS
64	5320	MCS0	15	48.243	16.83	23.98	PASS
100	5500	MCS0	16.5	61.721	17.90	23.98	PASS
116	5580	MCS0	18	73.356	18.65	23.98	PASS
140	5700	MCS0	16.5	43.295	16.36	23.98	PASS
144	5720(U-NII 2C)	MCS0	18.5	47.673	16.78	23.98	PASS
144	5720 (U-NII 3)	MCS0	18.5	18.007	12.55	30	PASS
149	5745	MCS0	22	128.362	21.08	30	PASS
157	5785	MCS0	21.5	115.994	20.64	30	PASS
165	5825	MCS0	21.5	135.655	21.32	30	PASS
169	5845 (U-NII 3)	MCS0	21	119.804	20.78	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845 (U-NII 4)	MCS0	21	10.852	10.36	30	PASS
173	5865	MCS0	21	49.939	16.98	30	PASS
177	5885	MCS0	10.5	4.791	6.80	30	PASS

802.11ac_VHT20_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
36	5180	MCS0	15.5	15.45	16.60	80.865	19.08	23.98	PASS
44	5220	MCS0	18	17.63	19.38	144.784	21.61	23.98	PASS
48	5240	MCS0	18	17.80	19.82	156.353	21.94	23.98	PASS
52	5260	MCS0	18.5	18.28	20.37	176.367	22.46	23.98	PASS
60	5300	MCS0	19	18.66	20.85	195.266	22.91	23.98	PASS
64	5320	MCS0	15	14.98	16.88	80.311	19.05	23.98	PASS
100	5500	MCS0	16.5	16.63	17.96	108.652	20.36	23.98	PASS
116	5580	MCS0	18	18.03	18.68	137.461	21.38	23.98	PASS
140	5700	MCS0	16.5	16.60	16.42	89.652	19.53	23.98	PASS
144	5720(U-NII 2C)	MCS0	18.5	16.95	16.84	97.880	19.91	23.04	PASS
144	5720 (U-NII 3)	MCS0	18.5	12.80	12.61	37.332	15.72	30	PASS
149	5745	MCS0	22	21.86	21.13	283.464	24.52	30	PASS
157	5785	MCS0	21.5	21.20	20.69	249.295	23.97	30	PASS
165	5825	MCS0	21.5	21.19	21.36	268.565	24.29	30	PASS
169	5845 (U-NII 3)	MCS0	21	20.28	20.83	227.901	23.58	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
169	5845 (U-NII 4)	MCS0	21	14.75	15.30	24.181	13.83	30	PASS
173	5865	MCS0	21	21.38	21.92	111.283	20.46	30	PASS
177	5885	MCS0	10.5	11.70	11.72	11.261	10.52	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ac_VHT40_Ch0

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	12.5	17.883	12.52	23.98	PASS
46	5230	MCS0	20	84.224	19.25	23.98	PASS
54	5270	MCS0	20	83.837	19.23	23.98	PASS
62	5310	MCS0	14.5	26.451	14.22	23.98	PASS
102	5510	MCS0	15	30.792	14.88	23.98	PASS
110	5550	MCS0	20.5	109.505	20.39	23.98	PASS
134	5670	MCS0	17.5	53.510	17.28	23.98	PASS
142	5710(U-NII 2C)	MCS0	19.5	68.061	18.33	23.98	PASS
142	5710 (U-NII 3)	MCS0	19.5	12.372	10.92	30	PASS
151	5755	MCS0	18.5	65.680	18.17	30	PASS
159	5795	MCS0	20.5	103.142	20.13	30	PASS
167	5835 (U-NII 3)	MCS0	21	122.313	20.87	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
167	5835 (U-NII 4)	MCS0	21	5.123	7.09	30	PASS
175	5875	MCS0	19.5	40.127	16.03	30	PASS

802.11ac_VHT40_Ch1

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	12.5	21.500	13.32	23.98	PASS
46	5230	MCS0	20	136.281	21.34	23.98	PASS
54	5270	MCS0	20	144.024	21.58	23.98	PASS
62	5310	MCS0	14.5	42.603	16.29	23.98	PASS
102	5510	MCS0	15	40.779	16.10	23.98	PASS
110	5550	MCS0	20.5	130.748	21.16	23.98	PASS
134	5670	MCS0	17.5	52.172	17.17	23.98	PASS
142	5710(U-NII 2C)	MCS0	19.5	69.440	18.42	23.98	PASS
142	5710 (U-NII 3)	MCS0	19.5	12.677	11.03	30	PASS
151	5755	MCS0	18.5	66.441	18.22	30	PASS
159	5795	MCS0	20.5	105.788	20.24	30	PASS
167	5835 (U-NII 3)	MCS0	21	138.518	21.42	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
167	5835 (U-NII 4)	MCS0	21	4.440	6.47	30	PASS
175	5875	MCS0	19.5	36.765	15.65	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ac_VHT40_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
38	5190	MCS0	12.2	12.56	13.38	39.847	16.00	23.98	PASS
46	5230	MCS0	20	19.30	21.40	223.376	23.49	23.98	PASS
54	5270	MCS0	20	19.29	21.63	230.695	23.63	23.98	PASS
62	5310	MCS0	14.5	14.27	16.38	70.252	18.47	23.98	PASS
102	5510	MCS0	15	14.96	16.16	72.710	18.62	23.98	PASS
110	5550	MCS0	20.5	20.45	21.24	244.208	23.88	23.98	PASS
134	5670	MCS0	17.5	17.32	17.27	107.392	20.31	23.98	PASS
142	5710(U-NII 2C)	MCS0	19.5	18.39	18.45	138.930	21.43	23.98	PASS
142	5710 (U-NII 3)	MCS0	19.5	10.98	11.06	25.309	14.03	30	PASS
151	5755	MCS0	18.5	18.24	18.29	134.268	21.28	30	PASS
159	5795	MCS0	20.5	20.22	20.36	214.053	23.31	30	PASS
167	5835 (U-NII 3)	MCS0	21	20.92	21.45	263.207	24.20	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
167	5835 (U-NII 4)	MCS0	21	10.76	11.39	9.755	9.89	30	PASS
175	5875	MCS0	19.5	19.72	20.59	109.622	20.40	30	PASS

802.11ac_VHT80_Ch0

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
42	5210	MCS0	15	29.338	14.67	23.98	PASS
58	5290	MCS0	15.5	33.918	15.30	23.98	PASS
106	5530	MCS0	17	49.253	16.92	23.98	PASS
122	5610	MCS0	18.5	65.832	18.18	23.98	PASS
138	5690(U-NII 2C)	MCS0	19	61.439	17.88	23.98	PASS
138	5690 (U-NII 3)	MCS0	19	8.455	9.27	30	PASS
155	5775	MCS0	18.5	68.145	18.33	30	PASS
171	5855 (U-NII 3)	MCS0	20	44.213	16.46	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
171	5855 (U-NII 4)	MCS0	20	24.990	13.98	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ac_VHT80_Ch1

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
42	5210	MCS0	15	41.729	16.20	23.98	PASS
58	5290	MCS0	15.5	53.264	17.26	23.98	PASS
106	5530	MCS0	17	61.579	17.89	23.98	PASS
122	5610	MCS0	18.5	73.356	18.65	23.98	PASS
138	5690(U-NII 2C)	MCS0	19	66.584	18.23	23.98	PASS
138	5690 (U-NII 3)	MCS0	19	8.308	9.20	30	PASS
155	5775	MCS0	18.5	64.333	18.08	30	PASS
171	5855 (U-NII 3)	MCS0	20	53.275	17.27	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
171	5855 (U-NII 4)	MCS0	20	22.480	13.52	30	PASS

802.11ac_VHT80_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
42	5210	MCS0	15	14.72	16.24	71.793	18.56	23.98	PASS
58	5290	MCS0	15.5	15.35	17.31	88.192	19.45	23.98	PASS
106	5530	MCS0	17	16.99	17.92	112.060	20.49	23.98	PASS
122	5610	MCS0	18.5	18.26	18.69	141.090	21.49	23.98	PASS
138	5690(U-NII 2C)	MCS0	19	17.95	18.27	129.637	21.13	23.98	PASS
138	5690 (U-NII 3)	MCS0	19	9.34	9.24	16.977	12.30	30	PASS
155	5775	MCS0	18.5	18.37	18.13	133.854	21.27	30	PASS
171	5855 (U-NII 3)	MCS0	20	16.54	17.32	98.927	19.95	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
171	5855 (U-NII 4)	MCS0	20	CH 0	CH 1	48.830	16.89	30	PASS

802.11ac_VHT160_Ch0

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
50	5250	MCS0	16	30.721	14.87	23.98	PASS
114	5570	MCS0	15.5	31.148	14.93	23.98	PASS
163	5815 (U-NII 3)	MCS0	16.5	32.578	15.13	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
163	5815 (U-NII 4)	MCS0	16.5	5.408	7.33	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ac_VHT160_Ch1

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
50	5250	MCS0	16	52.292	17.18	23.98	PASS
114	5570	MCS0	15.5	38.057	15.80	23.98	PASS
163	5815 (U-NII 3)	MCS0	16.5	38.010	15.80	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
163	5815 (U-NII 4)	MCS0	16.5	4.710	6.73	30	PASS

802.11ac_VHT160_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
50	5250	MCS0	16	14.90	17.22	83.710	19.23	23.98	PASS
114	5570	MCS0	15.5	14.97	15.84	69.846	18.44	23.98	PASS
163	5815 (U-NII 3)	MCS0	16.5	15.16	15.84	71.166	18.52	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
163	5815 (U-NII 4)	MCS0	16.5	CH 0	CH 1	10.316	10.14	30	PASS

802.11ax_HE20_Ch0

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	full	15.5	35.449	15.50	23.98	PASS
44	5220	MCS0	full	18	58.426	17.67	23.98	PASS
48	5240	MCS0	full	18	59.650	17.76	23.98	PASS
52	5260	MCS0	full	18.5	67.548	18.30	23.98	PASS
60	5300	MCS0	full	19	59.376	17.74	23.98	PASS
64	5320	MCS0	full	15	31.813	15.03	23.98	PASS
100	5500	MCS0	full	16.5	46.410	16.67	23.98	PASS
116	5580	MCS0	full	18	64.507	18.10	23.98	PASS
140	5700	MCS0	full	16.5	45.145	16.55	23.98	PASS
144	5720(U-NII 2C)	MCS0	full	18.5	49.874	16.98	23.1	PASS
144	5720 (U-NII 3)	MCS0	full	18.5	19.088	12.81	30	PASS
149	5745	MCS0	full	22	153.324	21.86	30	PASS
157	5785	MCS0	full	22	152.619	21.84	30	PASS
165	5825	MCS0	full	21.5	133.847	21.27	30	PASS
169	5845 (U-NII 3)	MCS0	full	21	106.787	20.29	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845 (U-NII 4)	MCS0	full	21	14.499	11.61	30	PASS
173	5865	MCS0	full	21	60.480	17.82	30	PASS
177	5885	MCS0	full	10.5	6.495	8.13	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_HE20_Ch1

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	full	15.5	46.410	16.67	23.98	PASS
44	5220	MCS0	full	18	87.621	19.43	23.98	PASS
48	5240	MCS0	full	18	96.518	19.85	23.98	PASS
52	5260	MCS0	full	18.5	110.309	20.43	23.98	PASS
60	5300	MCS0	full	19	123.200	20.91	23.98	PASS
64	5320	MCS0	full	15	49.387	16.94	23.98	PASS
100	5500	MCS0	full	16.5	62.605	17.97	23.98	PASS
116	5580	MCS0	full	18	74.578	18.73	23.98	PASS
140	5700	MCS0	full	16.5	43.612	16.40	23.98	PASS
144	5720(U-NII 2C)	MCS0	full	18.5	49.916	16.98	23	PASS
144	5720 (U-NII 3)	MCS0	full	18.5	18.413	12.65	30	PASS
149	5745	MCS0	full	22	125.780	21.00	30	PASS
157	5785	MCS0	full	22	127.529	21.06	30	PASS
165	5825	MCS0	full	21.5	139.833	21.46	30	PASS
169	5845 (U-NII 3)	MCS0	full	21	116.468	20.66	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845 (U-NII 4)	MCS0	full	21	11.840	10.73	30	PASS
173	5865	MCS0	full	21	50.189	17.01	30	PASS
177	5885	MCS0	full	10.5	4.815	6.83	30	PASS

802.11ax_HE20_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
36	5180	MCS0	full	15.5	15.55	16.73	82.915	19.19	23.98	PASS
44	5220	MCS0	full	18	17.75	19.53	149.175	21.74	23.98	PASS
48	5240	MCS0	full	18	17.84	19.90	158.395	22.00	23.98	PASS
52	5260	MCS0	full	18.5	18.33	20.51	180.375	22.56	23.98	PASS
60	5300	MCS0	full	19	18.79	20.99	201.106	23.03	23.98	PASS
64	5320	MCS0	full	15	15.09	17.00	82.330	19.16	23.98	PASS
100	5500	MCS0	full	16.5	16.72	18.04	110.570	20.44	23.98	PASS
116	5580	MCS0	full	18	18.18	18.77	140.975	21.49	23.98	PASS
140	5700	MCS0	full	16.5	16.58	16.49	89.984	19.54	23.98	PASS
144	5720(U-NII 2C)	MCS0	full	18.5	17.09	17.05	101.881	20.08	23	PASS
144	5720 (U-NII 3)	MCS0	full	18.5	12.92	12.72	38.290	15.83	30	PASS
149	5745	MCS0	full	22	21.93	21.07	283.638	24.53	30	PASS
157	5785	MCS0	full	22	21.91	21.12	284.403	24.54	30	PASS
165	5825	MCS0	full	21.5	21.33	21.51	277.162	24.43	30	PASS
169	5845 (U-NII 3)	MCS0	full	21	20.36	20.72	226.610	23.55	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
					CH 0	CH 1				
169	5845 (U-NII 4)	MCS0	full	21	15.30	15.68	26.910	14.30	30	PASS
173	5865	MCS0	full	21	21.48	21.93	112.421	20.51	30	PASS
177	5885	MCS0	full	10.5	11.79	11.77	11.423	10.58	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_HE40_Ch0

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	full	12.5	18.384	12.64	23.98	PASS
46	5230	MCS0	full	20.5	92.563	19.66	23.98	PASS
54	5270	MCS0	full	20	84.418	19.26	23.98	PASS
62	5310	MCS0	full	14.5	26.451	14.22	23.98	PASS
102	5510	MCS0	full	15	31.509	14.98	23.98	PASS
110	5550	MCS0	full	20.5	31.509	20.34	23.98	PASS
134	5670	MCS0	full	17.5	53.387	17.27	23.98	PASS
142	5710(U-NII 2C)	MCS0	full	19.5	68.276	18.34	23.98	PASS
142	5710 (U-NII 3)	MCS0	full	19.5	12.714	11.04	30	PASS
151	5755	MCS0	full	18.5	66.136	18.20	30	PASS
159	5795	MCS0	full	20.5	107.013	20.29	30	PASS
167	5835 (U-NII 3)	MCS0	full	21	121.249	20.84	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
167	5835 (U-NII 4)	MCS0	full	21	6.260	7.97	30	PASS
175	5875	MCS0	full	19.5	40.873	16.11	30	PASS

802.11ax_HE40_Ch1

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	full	12.5	22.410	13.50	23.98	PASS
46	5230	MCS0	full	20.5	147.719	21.69	23.98	PASS
54	5270	MCS0	full	20	145.692	21.63	23.98	PASS
62	5310	MCS0	full	14.5	43.295	16.36	23.98	PASS
102	5510	MCS0	full	15	41.729	16.20	23.98	PASS
110	5550	MCS0	full	20.5	41.729	21.25	23.98	PASS
134	5670	MCS0	full	17.5	54.005	17.32	23.98	PASS
142	5710(U-NII 2C)	MCS0	full	19.5	70.736	18.50	23.98	PASS
142	5710 (U-NII 3)	MCS0	full	19.5	12.716	11.04	30	PASS
151	5755	MCS0	full	18.5	67.056	18.26	30	PASS
159	5795	MCS0	full	20.5	109.758	20.40	30	PASS
167	5835 (U-NII 3)	MCS0	full	21	136.939	21.37	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
167	5835 (U-NII 4)	MCS0	full	21	5.294	7.24	30	PASS
175	5875	MCS0	full	19.5	37.191	15.70	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_HE40_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
38	5190	MCS0	full	12.5	12.69	13.60	41.528	16.18	23.98	PASS
46	5230	MCS0	full	20.5	19.73	21.76	244.186	23.88	23.98	PASS
54	5270	MCS0	full	20	19.37	21.75	236.357	23.74	23.98	PASS
62	5310	MCS0	full	14.5	14.33	16.44	71.229	18.53	23.98	PASS
102	5510	MCS0	full	15	15.02	16.28	74.305	18.71	23.98	PASS
110	5550	MCS0	full	20.5	20.40	21.34	74.305	23.91	23.98	PASS
134	5670	MCS0	full	17.5	17.38	17.36	109.261	20.38	23.98	PASS
142	5710(U-NII 2C)	MCS0	full	19.5	18.44	18.59	142.084	21.53	23.98	PASS
142	5710 (U-NII 3)	MCS0	full	19.5	11.14	11.13	25.993	14.15	30	PASS
151	5755	MCS0	full	18.5	18.26	18.33	135.201	21.31	30	PASS
159	5795	MCS0	full	20.5	20.34	20.47	219.793	23.42	30	PASS
167	5835 (U-NII 3)	MCS0	full	21	20.88	21.43	261.215	24.17	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
					CH 0	CH 1				
167	5835 (U-NII 4)	MCS0	full	21	11.63	12.19	11.796	10.72	30	PASS
175	5875	MCS0	full	19.5	19.76	20.63	79.848	19.02	30	PASS

802.11ax_HE80_Ch0

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
42	5210	MCS0	full	15	29.474	14.69	23.98	PASS
58	5290	MCS0	full	15.5	34.232	15.34	23.98	PASS
106	5530	MCS0	full	17	49.367	16.93	23.98	PASS
122	5610	MCS0	full	18.5	67.365	18.28	23.98	PASS
138	5690(U-NII 2C)	MCS0	full	19	40.238	16.05	23.98	PASS
138	5690 (U-NII 3)	MCS0	full	19	4.475	6.51	30	PASS
155	5775	MCS0	full	18.5	68.460	18.35	30	PASS
171	5855 (U-NII 3)	MCS0	full	20	44.864	16.52	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
171	5855 (U-NII 4)	MCS0	full	20	25.219	14.02	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_HE80_Ch1

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
42	5210	MCS0	full	15	41.921	16.22	23.98	PASS
58	5290	MCS0	full	15.5	53.510	17.28	23.98	PASS
106	5530	MCS0	full	17	62.580	17.96	23.98	PASS
122	5610	MCS0	full	18.5	73.356	18.65	23.98	PASS
138	5690(U-NII 2C)	MCS0	full	19	67.523	18.29	23.98	PASS
138	5690 (U-NII 3)	MCS0	full	19	7.369	8.67	30	PASS
155	5775	MCS0	full	18.5	66.441	18.22	30	PASS
171	5855 (U-NII 3)	MCS0	full	20	53.960	17.32	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
171	5855 (U-NII 4)	MCS0	full	20	22.626	13.55	30	PASS

802.11ax_HE80_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
42	5210	MCS0	full	15	14.76	16.30	72.653	18.61	23.98	PASS
58	5290	MCS0	full	15.5	15.40	17.36	89.213	19.50	23.98	PASS
106	5530	MCS0	full	17	16.97	18.03	113.420	20.55	23.98	PASS
122	5610	MCS0	full	18.5	18.31	18.74	142.724	21.54	23.98	PASS
138	5690(U-NII 2C)	MCS0	full	19	16.10	18.33	108.852	20.37	23.98	PASS
138	5690 (U-NII 3)	MCS0	full	19	6.56	8.71	11.964	10.78	30	PASS
155	5775	MCS0	full	18.5	18.43	18.27	136.943	21.37	30	PASS
171	5855 (U-NII 3)	MCS0	full	20	16.59	17.37	100.178	20.01	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
171	5855 (U-NII 4)	MCS0	full	20	CH 0	CH 1	49.154	16.92	30	PASS

802.11ax_HE160_Ch0

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
50	5250	MCS0	full	16	31.136	14.93	23.98	PASS
114	5570	MCS0	full	15.5	30.850	14.89	23.98	PASS
163	5815 (U-NII 3)	MCS0	full	16.5	32.537	15.12	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
163	5815 (U-NII 4)	MCS0	full	16.5	5.463	7.37	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_HE160_Ch1

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
50	5250	MCS0	full	16	52.031	17.16	23.98	PASS
114	5570	MCS0	full	15.5	38.394	15.84	23.98	PASS
163	5815 (U-NII 3)	MCS0	full	16.5	37.560	15.75	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
163	5815 (U-NII 4)	MCS0	full	16.5	4.693	6.71	30	PASS

802.11ax_HE160_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
50	5250	MCS0	full	16	14.96	17.22	84.106	19.25	23.98	PASS
114	5570	MCS0	full	15.5	14.98	15.89	70.335	18.47	23.98	PASS
163	5815 (U-NII 3)	MCS0	full	16.5	15.16	15.82	71.008	18.51	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
					CH 0	CH 1				
163	5815 (U-NII 4)	MCS0	full	16.5	11.03	11.67	10.394	10.17	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11be_EHT20_Ch0

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	full	15.5	36.274	15.60	23.98	PASS
		MCS0	26/0	5.5	4.411	6.45	23.98	PASS
		MCS0	52/37	8.5	8.964	9.53	23.98	PASS
		MCS0	106/53	11.25	14.811	11.71	23.98	PASS
		MCS0	52+26 MRU1	10	11.633	10.66	23.98	PASS
		MCS0	106+26 MRU1	12.25	17.733	12.49	23.98	PASS
44	5220	MCS0	full	18	58.694	17.69	23.98	PASS
48	5240	MCS0	full	18	60.617	17.83	23.98	PASS
52	5260	MCS0	full	18.5	68.327	18.35	23.98	PASS
60	5300	MCS0	full	19	75.265	18.77	23.98	PASS
64	5320	MCS0	full	15	32.255	15.09	23.98	PASS
		MCS0	26/8	5.5	4.164	6.20	23.98	PASS
		MCS0	52/40	10.5	8.176	9.13	23.98	PASS
		MCS0	106/54	11.25	14.144	11.51	23.98	PASS
		MCS0	52+26 MRU3	10	11.238	10.51	23.98	PASS
		MCS0	106+26 MRU2	12.25	17.450	12.42	23.98	PASS
100	5500	MCS0	full	16.5	46.622	16.69	23.98	PASS
		MCS0	26/0	6.5	5.748	7.60	23.98	PASS
		MCS0	52/37	9.5	11.443	10.59	23.98	PASS
		MCS0	106/53	12.75	22.314	13.49	23.98	PASS
		MCS0	52+26 MRU1	11	16.058	12.06	23.98	PASS
		MCS0	106+26 MRU1	13.75	26.778	14.28	23.98	PASS
116	5580	MCS0	full	18	64.952	18.13	23.98	PASS
140	5700	MCS0	full	16.5	45.771	16.61	23.98	PASS
		MCS0	26/8	6.5	5.801	7.64	23.98	PASS
		MCS0	52/40	9	10.222	10.10	23.98	PASS
		MCS0	106/54	12.75	21.114	13.25	23.98	PASS
		MCS0	52+26 MRU3	11	15.442	11.89	23.98	PASS
		MCS0	106+26 MRU2	13.25	23.431	13.70	23.98	PASS
144	5720(U-NII 2C)	MCS0	full	18.5	46.505	16.68	23.98	PASS
144	5720 (U-NII 3)	MCS0	full	18.5	23.253	13.66	30	PASS
149	5745	MCS0	full	22	154.736	21.90	30	PASS
		MCS0	26/0	12.5	23.202	13.66	30	PASS
		MCS0	52/37	15.5	42.513	16.29	30	PASS
		MCS0	106/53	18	71.379	18.54	30	PASS
		MCS0	52+26 MRU1	17	55.552	17.45	30	PASS
		MCS0	106+26 MRU1	18	69.789	18.44	30	PASS
157	5785	MCS0	full	22	154.025	21.88	30	PASS
165	5825	MCS0	full	21.5	136.330	21.35	30	PASS
		MCS0	26/8	11.75	18.773	12.74	30	PASS
		MCS0	52/40	14.5	34.795	15.42	30	PASS
		MCS0	106/54	17.75	65.399	18.16	30	PASS
		MCS0	52+26 MRU3	16.5	49.739	16.97	30	PASS
		MCS0	106+26 MRU2	18.75	78.304	18.94	30	PASS
169	5845 (U-NII 3)	MCS0	full	21	108.268	20.35	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845 (U-NII 4)	MCS0	full	21	14.700	11.67	30	PASS
173	5865	MCS0	full	21	61.037	17.86	30	PASS
		MCS0	26/0	10.5	7.543	8.78	30	PASS
		MCS0	52/37	13.25	12.750	11.06	30	PASS
		MCS0	106/53	16.5	25.679	14.10	30	PASS
		MCS0	52+26 MRU1	15.5	20.077	13.03	30	PASS
		MCS0	106+26 MRU1	17.75	31.753	15.02	30	PASS
177	5885	MCS0	full	10.5	6.510	8.14	30	PASS
		MCS0	26/8	0.25	0.100	-9.98	30	PASS
		MCS0	52/40	3.5	1.515	1.81	30	PASS
		MCS0	106/54	6.5	2.739	4.38	30	PASS
		MCS0	52+26 MRU3	5.5	2.375	3.76	30	PASS
		MCS0	106+26 MRU2	7.75	3.474	5.41	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11be_EHT20_Ch1

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	full	15.5	46.622	16.69	23.98	PASS
		MCS0	26/0	5.5	5.452	7.37	23.98	PASS
		MCS0	52/37	8.5	10.953	10.40	23.98	PASS
		MCS0	106/53	11.25	18.390	12.65	23.98	PASS
		MCS0	52+26 MRU1	10	14.747	11.69	23.98	PASS
		MCS0	106+26 MRU1	12.25	22.171	13.46	23.98	PASS
44	5220	MCS0	full	18	88.022	19.45	23.98	PASS
48	5240	MCS0	full	18	96.960	19.87	23.98	PASS
52	5260	MCS0	full	18.5	111.839	20.49	23.98	PASS
60	5300	MCS0	full	19	125.197	20.98	23.98	PASS
64	5320	MCS0	full	15	50.419	17.03	23.98	PASS
		MCS0	26/8	5.5	5.748	7.60	23.98	PASS
		MCS0	52/40	10.5	11.790	10.72	23.98	PASS
		MCS0	106/54	11.25	20.729	13.17	23.98	PASS
		MCS0	52+26 MRU3	10	15.765	11.98	23.98	PASS
		MCS0	106+26 MRU2	12.25	25.929	14.14	23.98	PASS
100	5500	MCS0	full	16.5	63.473	18.03	23.98	PASS
		MCS0	26/0	6.5	6.584	8.19	23.98	PASS
		MCS0	52/37	9.5	13.694	11.37	23.98	PASS
		MCS0	106/53	12.75	25.916	14.14	23.98	PASS
		MCS0	52+26 MRU1	11	17.935	12.54	23.98	PASS
		MCS0	106+26 MRU1	13.75	32.418	15.11	23.98	PASS
116	5580	MCS0	full	18	75.612	18.79	23.98	PASS
140	5700	MCS0	full	16.5	45.143	16.55	23.98	PASS
		MCS0	26/8	6.5	4.462	6.50	23.98	PASS
		MCS0	52/40	9	8.720	9.41	23.98	PASS
		MCS0	106/54	12.75	18.775	12.74	23.98	PASS
		MCS0	52+26 MRU3	11	13.418	11.28	23.98	PASS
		MCS0	106+26 MRU2	13.25	21.027	13.23	23.98	PASS
144	5720(U-NII 2C)	MCS0	full	18.5	50.088	17.00	23.05	PASS
144	5720 (U-NII 3)	MCS0	full	18.5	18.871	12.76	30	PASS
149	5745	MCS0	full	22	127.231	21.05	30	PASS
		MCS0	26/0	12.5	20.301	13.08	30	PASS
		MCS0	52/37	15.5	39.493	15.97	30	PASS
		MCS0	106/53	18	55.408	17.44	30	PASS
		MCS0	52+26 MRU1	17	54.916	17.40	30	PASS
		MCS0	106+26 MRU1	18	54.549	17.37	30	PASS
157	5785	MCS0	full	22	129.001	21.11	30	PASS
165	5825	MCS0	full	21.5	140.797	21.49	30	PASS
		MCS0	26/8	11.75	16.052	12.06	30	PASS
		MCS0	52/40	14.5	30.940	14.91	30	PASS
		MCS0	106/54	17.75	62.455	17.96	30	PASS
		MCS0	52+26 MRU3	16.5	51.015	17.08	30	PASS
		MCS0	106+26 MRU2	18.75	77.586	18.90	30	PASS
169	5845 (U-NII 3)	MCS0	full	21	117.001	20.68	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845 (U-NII 4)	MCS0	full	21	11.894	10.75	30	PASS
173	5865	MCS0	full	21	50.768	17.06	30	PASS
		MCS0	26/0	10.5	5.579	7.47	30	PASS
		MCS0	52/37	13.25	10.105	10.05	30	PASS
		MCS0	106/53	16.5	22.211	13.47	30	PASS
		MCS0	52+26 MRU1	15.5	17.366	12.40	30	PASS
		MCS0	106+26 MRU1	17.75	26.778	14.28	30	PASS
177	5885	MCS0	full	10.5	4.826	6.84	30	PASS
		MCS0	26/8	0.25	0.059	-12.28	30	PASS
		MCS0	52/40	3.5	1.070	0.30	30	PASS
		MCS0	106/54	6.5	2.358	3.73	30	PASS
		MCS0	52+26 MRU3	5.5	1.737	2.40	30	PASS
		MCS0	106+26 MRU2	7.75	2.721	4.35	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11be_EHT20_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
36	5180	MCS0	full	15.5	15.64	16.78	84.208	19.25	23.98	PASS
		MCS0	26/0	5.5	6.49	7.44	9.992	10.00	23.98	PASS
		MCS0	52/37	8.5	9.58	10.46	20.173	13.05	23.98	PASS
		MCS0	106/53	11.25	11.74	12.72	33.601	15.26	23.98	PASS
		MCS0	52+26 MRU1	10	10.70	11.76	26.727	14.27	23.98	PASS
		MCS0	106+26 MRU1	12.25	12.62	13.53	40.803	16.11	23.98	PASS
44	5220	MCS0	full	18	17.81	19.56	150.618	21.78	23.98	PASS
48	5240	MCS0	full	18	17.89	19.95	160.223	22.05	23.98	PASS
52	5260	MCS0	full	18.5	18.42	20.56	183.093	22.63	23.98	PASS
60	5300	MCS0	full	19	18.82	21.03	202.783	23.07	23.98	PASS
64	5320	MCS0	full	15	15.14	17.10	83.866	19.24	23.98	PASS
		MCS0	26/8	5.5	6.23	7.66	10.021	10.01	23.98	PASS
		MCS0	52/40	10.5	9.17	10.79	20.233	13.06	23.98	PASS
		MCS0	106/54	11.25	11.57	13.22	35.309	15.48	23.98	PASS
		MCS0	52+26 MRU3	10	10.56	12.02	27.279	14.36	23.98	PASS
		MCS0	106+26 MRU2	12.25	12.48	14.19	43.921	16.43	23.98	PASS
100	5500	MCS0	full	16.5	16.75	18.10	111.776	20.48	23.98	PASS
		MCS0	26/0	6.5	7.66	8.25	12.504	10.97	23.98	PASS
		MCS0	52/37	9.5	10.67	11.40	25.444	14.06	23.98	PASS
		MCS0	106/53	12.75	13.52	14.19	48.684	16.87	23.98	PASS
		MCS0	52+26 MRU1	11	12.12	12.62	34.550	15.38	23.98	PASS
		MCS0	106+26 MRU1	13.75	14.33	15.15	59.806	17.77	23.98	PASS
116	5580	MCS0	full	18	18.22	18.85	142.976	21.55	23.98	PASS
140	5700	MCS0	full	16.5	16.65	16.61	91.966	19.64	23.98	PASS
		MCS0	26/8	6.5	7.70	6.56	10.406	10.17	23.98	PASS
		MCS0	52/40	9	10.18	9.47	19.253	12.85	23.98	PASS
		MCS0	106/54	12.75	13.33	12.79	40.498	16.07	23.98	PASS
		MCS0	52+26 MRU3	11	11.95	11.32	29.199	14.65	23.98	PASS
		MCS0	106+26 MRU2	13.25	13.76	13.25	44.881	16.52	23.98	PASS
144	5720(U-NII 2C)	MCS0	full	18.5	16.78	17.06	98.374	19.93	23.05	PASS
144	5720(U-NII 3)	MCS0	full	18.5	13.76	12.82	42.928	16.33	30	PASS
149	5745	MCS0	full	22	21.96	21.13	286.485	24.57	30	PASS
		MCS0	26/0	12.5	13.71	13.13	44.007	16.44	30	PASS
		MCS0	52/37	15.5	16.34	16.03	83.048	19.19	30	PASS
		MCS0	106/53	18	18.57	17.50	128.138	21.08	30	PASS
		MCS0	52+26 MRU1	17	17.52	17.44	111.878	20.49	30	PASS
		MCS0	106+26 MRU1	18	18.48	17.42	125.671	20.99	30	PASS
157	5785	MCS0	full	22	21.97	21.15	287.445	24.59	30	PASS
165	5825	MCS0	full	21.5	21.40	21.57	281.323	24.49	30	PASS
		MCS0	26/8	11.75	12.79	12.15	35.378	15.49	30	PASS
		MCS0	52/40	14.5	15.49	14.96	66.659	18.24	30	PASS
		MCS0	106/54	17.75	18.22	18.00	129.342	21.12	30	PASS
		MCS0	52+26 MRU3	16.5	17.02	17.14	102.040	20.09	30	PASS
		MCS0	106+26 MRU2	18.75	18.99	18.93	157.335	21.97	30	PASS
169	5845(U-NII 3)	MCS0	full	21	20.40	20.76	228.697	23.59	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
					CH 0	CH 1				
169	5845(U-NII 4)	MCS0	full	21	15.34	15.72	27.158	14.34	30	PASS
173	5865	MCS0	full	21	21.51	21.98	113.471	20.55	30	PASS
		MCS0	26/0	10.5	12.43	12.40	13.218	11.21	30	PASS
		MCS0	52/37	13.25	14.72	14.98	23.167	13.65	30	PASS
		MCS0	106/53	16.5	17.74	18.41	48.811	16.89	30	PASS
		MCS0	52+26 MRU1	15.5	16.73	17.35	38.455	15.85	30	PASS
		MCS0	106+26 MRU1	17.75	18.70	19.23	59.875	17.77	30	PASS
177	5885	MCS0	full	10.5	11.83	11.81	11.528	10.62	30	PASS
		MCS0	26/8	0.25	-6.32	-7.33	0.159	-8.00	30	PASS
		MCS0	52/40	3.5	5.48	5.25	2.608	4.16	30	PASS
		MCS0	106/54	6.5	8.07	8.66	5.215	7.17	30	PASS
		MCS0	52+26 MRU3	5.5	7.44	7.32	4.149	6.18	30	PASS
		MCS0	106+26 MRU2	7.75	9.07	9.27	6.267	7.97	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11be_EHT40_Ch0

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	full	12.5	18.597	12.69	23.98	PASS
46	5230	MCS0	full	20.5	94.283	19.74	23.98	PASS
54	5270	MCS0	full	20	85.592	19.32	23.98	PASS
62	5310	MCS0	full	14.5	27.254	14.35	23.98	PASS
102	5510	MCS0	full	15	31.947	15.04	23.98	PASS
110	5550	MCS0	full	20.5	31.947	20.42	23.98	PASS
134	5670	MCS0	full	17.5	54.130	17.33	23.98	PASS
142	5710(U-NII 2C)	MCS0	full	19.5	69.652	18.43	23.98	PASS
142	5710 (U-NII 3)	MCS0	full	19.5	12.088	10.82	30	PASS
151	5755	MCS0	full	18.5	67.832	18.31	30	PASS
159	5795	MCS0	full	20.5	109.254	20.38	30	PASS
167	5835 (U-NII 3)	MCS0	full	21	123.219	20.91	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
167	5835 (U-NII 4)	MCS0	full	21	6.361	8.04	30	PASS
175	5875	MCS0	full	19.5	41.251	16.15	30	PASS
		MCS0	242/61	0	0.435	-3.62	30	PASS
		MCS0	242/62	0	0.435	-3.62	30	PASS

802.11be_EHT40_Ch1

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	full	12.5	22.669	13.55	23.98	PASS
46	5230	MCS0	full	20.5	150.119	21.76	23.98	PASS
54	5270	MCS0	full	20	148.059	21.70	23.98	PASS
62	5310	MCS0	full	14.5	43.897	16.42	23.98	PASS
102	5510	MCS0	full	15	42.407	16.27	23.98	PASS
110	5550	MCS0	full	20.5	42.407	21.34	23.98	PASS
134	5670	MCS0	full	17.5	54.631	17.37	23.98	PASS
142	5710(U-NII 2C)	MCS0	full	19.5	72.468	18.60	23.98	PASS
142	5710 (U-NII 3)	MCS0	full	19.5	12.536	10.98	30	PASS
151	5755	MCS0	full	18.5	68.618	18.36	30	PASS
159	5795	MCS0	full	20.5	110.773	20.44	30	PASS
167	5835 (U-NII 3)	MCS0	full	21	138.844	21.43	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
167	5835 (U-NII 4)	MCS0	full	21	5.368	7.30	30	PASS
175	5875	MCS0	full	19.5	37.882	15.78	30	PASS
		MCS0	242/61	0	0.324	-4.89	30	PASS
		MCS0	242/62	0	0.324	-4.89	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11be_EHT40_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
38	5190	MCS0	full	12.5	12.73	13.63	41.859	16.22	23.98	PASS
46	5230	MCS0	full	20.5	19.76	21.85	247.981	23.94	23.98	PASS
54	5270	MCS0	full	20	19.40	21.78	237.996	23.77	23.98	PASS
62	5310	MCS0	full	14.5	14.44	16.48	72.333	18.59	23.98	PASS
102	5510	MCS0	full	15	15.08	16.35	75.438	18.78	23.98	PASS
110	5550	MCS0	full	20.5	20.47	21.38	75.438	23.96	23.98	PASS
134	5670	MCS0	full	17.5	17.42	17.39	110.146	20.42	23.98	PASS
142	5710(U-NII 2C)	MCS0	full	19.5	18.53	18.71	145.601	21.63	23.98	PASS
142	5710 (U-NII 3)	MCS0	full	19.5	10.92	11.09	25.227	14.02	30	PASS
151	5755	MCS0	full	18.5	18.37	18.40	138.028	21.40	30	PASS
159	5795	MCS0	full	20.5	20.42	20.51	222.838	23.48	30	PASS
167	5835 (U-NII 3)	MCS0	full	21	20.93	21.46	263.594	24.21	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
					CH 0	CH 1				
167	5835 (U-NII 4)	MCS0	full	21	11.68	12.22	11.904	10.76	30	PASS
175	5875	MCS0	full	19.5	19.80	20.69	80.792	19.07	30	PASS
		MCS0	242/61	0	0.00	0.00	0.379	-4.21	30	PASS
		MCS0	242/62	0	0.00	0.00	0.379	-4.21	30	PASS

802.11be_EHT80_Ch0

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
42	5210	MCS0	full	15	30.230	14.80	23.98	PASS
		MCS0	SU_Punct20_Mid2	14	25.318	14.03	23.98	PASS
		MCS0	RU484+242_Punc20	14	25.407	14.05	23.98	PASS
58	5290	MCS0	full	15.5	34.549	15.38	23.98	PASS
		MCS0	SU_Punct20_Mid2	13.75	22.721	13.56	23.98	PASS
		MCS0	RU484+242_Punc20	14	25.643	14.09	23.98	PASS
106	5530	MCS0	full	17	50.169	17.00	23.98	PASS
		MCS0	SU_Punct20_Mid2	13.5	24.742	13.93	23.98	PASS
		MCS0	RU484+242_Punc20	13.5	24.772	13.94	23.98	PASS
122	5610	MCS0	full	18.5	68.145	18.33	23.98	PASS
138	5690(U-NII 2C)	MCS0	full	19	65.389	18.16	23.98	PASS
138	5690 (U-NII 3)	MCS0	full	19	6.297	7.99	30	PASS
155	5775	MCS0	full	18.5	69.893	18.44	30	PASS
		MCS0	SU_Punct20_Mid2	13.5	25.908	14.13	30	PASS
		MCS0	RU484+242_Punc20	14.5	31.801	15.02	30	PASS
171	5855 (U-NII 3)	MCS0	full	20	45.909	16.62	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
171	5855 (U-NII 4)	MCS0	full	20	25.807	14.12	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11be_EHT80_Ch1

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
42	5210	MCS0	full	15	42.603	16.29	23.98	PASS
		MCS0	SU_Punct20_Mid2	14	34.311	15.35	23.98	PASS
		MCS0	RU484+242_Punc20	14	34.911	15.43	23.98	PASS
58	5290	MCS0	full	15.5	54.005	17.32	23.98	PASS
		MCS0	SU_Punct20_Mid2	13.75	22.051	13.43	23.98	PASS
		MCS0	RU484+242_Punc20	14	29.714	14.73	23.98	PASS
106	5530	MCS0	full	17	63.451	18.02	23.98	PASS
		MCS0	SU_Punct20_Mid2	13.5	25.494	14.06	23.98	PASS
		MCS0	RU484+242_Punc20	13.5	25.349	14.04	23.98	PASS
122	5610	MCS0	full	18.5	75.411	18.77	23.98	PASS
138	5690(U-NII 2C)	MCS0	full	19	68.550	18.36	23.98	PASS
138	5690 (U-NII 3)	MCS0	full	19	7.384	8.68	30	PASS
155	5775	MCS0	full	18.5	66.594	18.23	30	PASS
		MCS0	SU_Punct20_Mid2	13.5	18.215	12.60	30	PASS
		MCS0	RU484+242_Punc20	14.5	22.826	13.58	30	PASS
171	5855 (U-NII 3)	MCS0	full	20	54.711	17.38	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
171	5855 (U-NII 4)	MCS0	full	20	22.940	13.61	30	PASS

802.11be_EHT80_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
42	5210	MCS0	full	15	14.84	16.38	74.004	18.69	23.98	PASS
		MCS0	SU_Punct20_Mid2	14	14.09	15.47	60.943	17.85	23.98	PASS
		MCS0	RU484+242_Punc20	14	14.13	15.49	61.276	17.87	23.98	PASS
58	5290	MCS0	full	15.5	15.45	17.43	90.501	19.57	23.98	PASS
		MCS0	SU_Punct20_Mid2	13.75	13.60	13.47	45.187	16.55	23.98	PASS
		MCS0	RU484+242_Punc20	14	14.08	14.76	55.503	17.44	23.98	PASS
106	5530	MCS0	full	17	17.04	18.09	115.115	20.61	23.98	PASS
		MCS0	SU_Punct20_Mid2	13.5	14.00	14.11	50.933	17.07	23.98	PASS
		MCS0	RU484+242_Punc20	13.5	13.96	14.05	50.294	17.02	23.98	PASS
122	5610	MCS0	full	18.5	18.38	18.80	144.868	21.61	23.98	PASS
138	5690	MCS0	full	19	18.23	18.42	135.955	21.33	23.98	PASS
138	5690 (U-NII 3)	MCS0	full	19	8.06	8.74	13.886	11.43	30	PASS
155	5775	MCS0	full	18.5	18.50	18.30	138.542	21.42	30	PASS
		MCS0	SU_Punct20_Mid2	13.5	14.17	12.64	44.508	16.48	30	PASS
		MCS0	RU484+242_Punc20	14.5	15.08	13.64	55.326	17.43	30	PASS
171	5855 (U-NII 3)	MCS0	full	20	16.66	17.41	101.424	20.06	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
171	5855 (U-NII 4)	MCS0	full	20	CH 0	CH 1	49.766	16.97	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11be_EHT160_Ch0

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
50	5250	MCS0	full	16	31.364	14.96	23.98	PASS
		MCS0	996/67	13	20.500	13.12	23.98	PASS
		MCS0	SU_Punct20_Mid3	12.75	17.196	12.35	23.98	PASS
		MCS0	SU_Punct40_Mid2	12.75	17.801	12.50	23.98	PASS
		MCS0	RU996+484_Punc40	13.25	19.558	12.91	23.98	PASS
		MCS0	996+484 MRU4	12.75	17.755	12.49	23.98	PASS
114	5570	MCS0	full	15.5	31.509	14.98	23.98	PASS
		MCS0	996/67	12	17.691	12.48	23.98	PASS
		MCS0	SU_Punct20_High	12.25	17.436	12.41	23.98	PASS
		MCS0	SU_Punct40_High	13	21.749	13.37	23.98	PASS
		MCS0	RU996+484_Punc40	12.75	19.785	12.96	23.98	PASS
		MCS0	996+484 MRU4	13.25	21.894	13.40	23.98	PASS
163	5815 (U-NII 3)	MCS0	full	16.5	33.003	15.19	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
163	5815 (U-NII 4)	MCS0	full	16.5	5.541	7.44	30	PASS

802.11be_EHT160_Ch1

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
50	5250	MCS0	full	16	53.019	17.24	23.98	PASS
		MCS0	996/67	13	27.025	14.32	23.98	PASS
		MCS0	SU_Punct20_Mid3	12.75	20.157	13.04	23.98	PASS
		MCS0	SU_Punct40_Mid2	12.75	19.973	13.00	23.98	PASS
		MCS0	RU996+484_Punc40	13.25	22.301	13.48	23.98	PASS
		MCS0	996+484 MRU4	12.75	19.922	12.99	23.98	PASS
114	5570	MCS0	full	15.5	38.854	15.89	23.98	PASS
		MCS0	996/67	12	20.930	13.21	23.98	PASS
		MCS0	SU_Punct20_High	12.25	16.651	12.21	23.98	PASS
		MCS0	SU_Punct40_High	13	21.254	13.27	23.98	PASS
		MCS0	RU996+484_Punc40	12.75	18.764	12.73	23.98	PASS
		MCS0	996+484 MRU4	13.25	21.200	13.26	23.98	PASS
163	5815 (U-NII 3)	MCS0	full	16.5	38.657	15.87	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
163	5815 (U-NII 4)	MCS0	full	16.5	4.830	6.84	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11be_EHT160_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
50	5250	MCS0	full	16	15.02	17.28	85.311	19.31	23.98	PASS
		MCS0	996/67	13	13.17	14.39	48.201	16.83	23.98	PASS
		MCS0	SU_Punct20_Mid3	12.75	12.50	13.12	38.316	15.83	23.98	PASS
		MCS0	SU_Punct40_Mid2	12.75	12.57	13.11	38.575	15.86	23.98	PASS
		MCS0	RU996+484_Punc40	13.25	12.93	13.55	42.312	16.26	23.98	PASS
		MCS0	996+484 MRU4	12.75	12.55	13.02	38.062	15.80	23.98	PASS
114	5570	MCS0	full	15.5	15.04	15.96	71.433	18.54	23.98	PASS
		MCS0	996/67	12	12.58	13.29	39.422	15.96	23.98	PASS
		MCS0	SU_Punct20_High	12.25	12.51	12.32	34.920	15.43	23.98	PASS
		MCS0	SU_Punct40_High	13	13.48	13.36	43.986	16.43	23.98	PASS
		MCS0	RU996+484_Punc40	12.75	12.99	12.78	38.903	15.90	23.98	PASS
		MCS0	996+484 MRU4	13.25	13.42	13.30	43.391	16.37	23.98	PASS
163	5815 (U-NII 3)	MCS0	full	16.5	15.24	15.90	72.335	18.59	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (dBm)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
					CH 0	CH 1				
163	5815 (U-NII 4)	MCS0	full	16.5	11.11	11.76	10.588	10.25	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


10 MAXIMUM POWER SPECTRAL DENSITY

10.1 FCC Standard

Operation Bands	EUT CATEGORY		e-CRF Title 47 §15.407 Power Spectral Density	Antenna Directional Gain Requirements
U-NII-1		Outdoor Access Point (Master)	1. 17dBm/ MHz 2. EIRP<=125mW(21dBm) at any elevation angle > 30°	6dBi
		Indoor Access Point (Master)	17dBm / MHz	6dBi
		Fixed point-to-point Access Ponit	17dBm / MHz	23dBi
	V	Client device	11dBm / MHz	6dBi
U-NII-2A	V	All	11dBm / MHz	6dBi
U-NII-2C	V	All	11dBm / MHz	6dBi
U-NII-3	V	All	30dBm / 500kHz	6dBi
U-NII-4		Indoor AP	20dBm / MHz e.i.r.p.	Not required
	V	Indoor client	14dBm / MHz e.i.r.p.	Not required
		Subordinate device	20dBm / MHz e.i.r.p.	Not required

If transmitting antennas of directional gain greater than the antenna requirements column, the Maximum transmit power shall be reduced by the amount in dB that the direction-al gain of the antenna.

10.2 Test Setup



10.3 Measurement Procedure

1. Place the EUT on the table and set it in transmitting mode.
2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.
4. **For U-NII1, U-NII-2A, U-NII-2C Band:**
Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (1001 pts), Detector = power averaging (rms), if available. Otherwise, use sample detector mode, traces

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:

Set RBW=300kHz, VBW=1MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto, detector = RMS or sample, traces 100 sweeps of video averaging.

In addition, measurement bandwidth of Maximum PSD is specified in 500 kHz, add 10 log (500 kHz/RBW) to the measured result.

5. Use the cursor on spectrum to peak search the highest level of trace
6. (1)Duty cycle ≥ 98% : Record the max. reading.
(2)Duty cycle < 98% : Record the max. reading and add 10 log(1/duty cycle).
7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome.

Note:

For U-NII1, 2A, 2C and 3 Bands, when the antenna gain is greater than 6 dBi, the power spectral density limit attenuated accordingly.

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

$$\bullet \quad \text{DirectionalGain} = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

$g_{j,k}$ = / 20 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not;

G_k is the gain in dBi of the kth antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.4 Measurement Result

POWER DENSITY 802.11a MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	7.248	7.393	0.00	10.33		11.00 dBm/MHz	-0.67
5220	7.351	8.246	0.00	10.83		11.00 dBm/MHz	-0.17
5240	6.719	8.596	0.00	10.77		11.00 dBm/MHz	-0.23
5260	6.164	8.422	0.00	10.45		11.00 dBm/MHz	-0.55
5300	7.205	8.565	0.00	10.95		11.00 dBm/MHz	-0.05
5320	3.881	5.359	0.00	7.69		11.00 dBm/MHz	-3.31
5500	5.709	6.225	0.00	8.98		11.00 dBm/MHz	-2.02
5580	7.336	7.636	0.00	10.50		11.00 dBm/MHz	-0.50
5700	6.554	5.912	0.00	9.26		11.00 dBm/MHz	-1.74
5720 (U-NII 2C)	7.860	7.190	0.00	10.55		11.00 dBm/MHz	-0.45
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	2.600	2.280	0.00	2.22	7.67	30.00 dBm/500kHz	-22.33
5745	6.501	6.171	0.00	2.22	11.57	30.00 dBm/500kHz	-18.43
5785	6.165	5.741	0.00	2.22	11.19	30.00 dBm/500kHz	-18.81
5825	6.518	5.701	0.00	2.22	11.36	30.00 dBm/500kHz	-18.64
5845 (U-NII 3)	3.950	4.190	0.00	2.22	9.30	30.00 dBm/500kHz	-20.70
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	7.950	7.970	0.00	10.97	9.75	14.00 dBm/MHz	-3.03
5865	-27.220	-24.820	0.00	-22.85	-24.07	14.00 dBm/MHz	-36.85
5885	7.830	8.160	0.00	11.01	9.79	14.00 dBm/MHz	-2.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11be EHT20 MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	full	5.075	5.974	0.00	8.56		11.00 dBm/MHz	-2.44
	26/0	4.393	5.388	0.00	7.93		11.00 dBm/MHz	-3.07
	52/37	4.996	5.872	0.00	8.47		11.00 dBm/MHz	-2.53
	106/53	4.788	5.324	0.00	8.07		11.00 dBm/MHz	-2.93
	52+26 MRU1	5.061	5.632	0.00	8.37		11.00 dBm/MHz	-2.63
	106+26 MRU1	4.862	5.406	0.00	8.15		11.00 dBm/MHz	-2.85
5220	full	6.956	8.135	0.00	10.60		11.00 dBm/MHz	-0.40
5240	full	6.715	8.297	0.00	10.59		11.00 dBm/MHz	-0.41
5260	full	6.803	8.623	0.00	10.82		11.00 dBm/MHz	-0.18
5300	full	6.753	8.123	0.00	10.50		11.00 dBm/MHz	-0.50
5320	full	3.288	4.501	0.00	6.95		11.00 dBm/MHz	-4.05
	26/8	2.978	3.930	0.00	6.49		11.00 dBm/MHz	-4.51
	52/40	3.294	4.175	0.00	6.77		11.00 dBm/MHz	-4.23
	106/54	2.919	4.180	0.00	6.61		11.00 dBm/MHz	-4.39
	52+26 MRU3	3.159	4.083	0.00	6.66		11.00 dBm/MHz	-4.34
	106+26 MRU2	3.142	3.892	0.00	6.54		11.00 dBm/MHz	-4.46
5500	full	5.573	6.065	0.00	8.84		11.00 dBm/MHz	-2.16
	26/0	4.842	4.956	0.00	7.91		11.00 dBm/MHz	-3.09
	52/37	5.405	5.488	0.00	8.46		11.00 dBm/MHz	-2.54
	106/53	5.427	5.628	0.00	8.54		11.00 dBm/MHz	-2.46
	52+26 MRU1	5.295	5.144	0.00	8.23		11.00 dBm/MHz	-2.77
	106+26 MRU1	5.501	5.250	0.00	8.39		11.00 dBm/MHz	-2.61
5580	full	7.604	7.746	0.00	10.69		11.00 dBm/MHz	-0.31
5700	full	5.801	5.596	0.00	8.71		11.00 dBm/MHz	-2.29
	26/8	5.783	4.417	0.00	8.16		11.00 dBm/MHz	-2.84
	52/40	5.433	4.991	0.00	8.23		11.00 dBm/MHz	-2.77
	106/54	5.982	5.150	0.00	8.60		11.00 dBm/MHz	-2.40
	52+26 MRU3	5.715	5.106	0.00	8.43		11.00 dBm/MHz	-2.57
	106+26 MRU2	5.362	4.962	0.00	8.18		11.00 dBm/MHz	-2.82
5720 (U-NII 2C)	full	7.830	7.150	0.00	10.51		11.00 dBm/MHz	-0.49
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	full	2.790	2.390	0.00	2.22	7.82	30.00 dBm/500kHz	-22.18
5745	full	6.919	6.144	0.00	2.22	11.78	30.00 dBm/500kHz	-18.22
	26/0	7.113	5.438	0.00	2.22	11.59	30.00 dBm/500kHz	-18.41
	52/37	6.851	6.033	0.00	2.22	11.69	30.00 dBm/500kHz	-18.31
	106/53	6.577	5.849	0.00	2.22	11.46	30.00 dBm/500kHz	-18.54
	52+26 MRU1	6.658	5.724	0.00	2.22	11.45	30.00 dBm/500kHz	-18.55
	106+26 MRU1	6.408	5.310	0.00	2.22	11.12	30.00 dBm/500kHz	-18.88
5785	full	6.708	6.345	0.00	2.22	11.76	30.00 dBm/500kHz	-18.24
5825	full	5.799	5.062	0.00	2.22	10.68	30.00 dBm/500kHz	-19.32
	26/8	6.084	4.191	0.00	2.22	10.47	30.00 dBm/500kHz	-19.53
	52/40	6.115	4.300	0.00	2.22	10.53	30.00 dBm/500kHz	-19.47
	106/54	5.643	5.080	0.00	2.22	10.60	30.00 dBm/500kHz	-19.40
	52+26 MRU3	5.538	4.511	0.00	2.22	10.29	30.00 dBm/500kHz	-19.71
	106+26 MRU2	5.645	4.474	0.00	2.22	10.33	30.00 dBm/500kHz	-19.67
5845 (U-NII 3)	full	2.540	2.230	0.00	2.22	7.62	30.00 dBm/508kHz	-22.38
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	full	7.510	7.180	0.00	10.36	9.14	14.00 dBm/MHz	-3.64
5865	full	7.675	7.021	0.00	10.37	9.15	14.00 dBm/MHz	-3.63
	26/0	7.378	7.015	0.00	10.21	8.99	14.00 dBm/MHz	-3.79
	52/37	7.140	6.735	0.00	9.95	8.73	14.00 dBm/MHz	-4.05
	106/53	6.858	7.525	0.00	10.21	8.99	14.00 dBm/MHz	-3.79
	52+26 MRU1	6.835	7.499	0.00	10.19	8.97	14.00 dBm/MHz	-3.81
	106+26 MRU1	6.939	7.362	0.00	10.17	8.95	14.00 dBm/MHz	-3.83
5885	full	-2.194	-2.576	0.00	0.63	-0.59	14.00 dBm/MHz	-13.37
	26/8	-12.290	-12.150	0.00	-9.21	-10.43	14.00 dBm/MHz	-23.21
	52/40	-2.331	-2.725	0.00	0.49	-0.73	14.00 dBm/MHz	-13.51
	106/54	-2.686	-2.457	0.00	0.44	-0.78	14.00 dBm/MHz	-13.56
	52+26 MRU3	-2.215	-2.648	0.00	0.58	-0.64	14.00 dBm/MHz	-13.42
	106+26 MRU2	-2.465	-2.489	0.00	0.53	-0.69	14.00 dBm/MHz	-13.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11be EHT40 MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	full	-0.664	-0.627	0.00	2.36		11.00 dBm/MHz	-8.64
5230	full	5.837	7.754	0.00	9.91		11.00 dBm/MHz	-1.09
5270	full	4.727	6.725	0.00	8.85		11.00 dBm/MHz	-2.15
5310	full	-0.074	0.709	0.00	3.35		11.00 dBm/MHz	-7.65
5510	full	1.051	1.306	0.00	4.19		11.00 dBm/MHz	-6.81
5550	full	6.572	7.001	0.00	9.80		11.00 dBm/MHz	-1.20
5670	full	4.227	3.513	0.00	6.89		11.00 dBm/MHz	-4.11
5710 (U-NII 2C)	full	5.790	5.320	0.00	8.57		11.00 dBm/MHz	-2.43
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	full	0.170	-0.030	0.00	2.22	5.30	30.00 dBm/500kHz	-24.70
5755	full	-0.231	-0.319	0.00	2.22	4.96	30.00 dBm/500kHz	-25.04
5795	full	2.067	2.190	0.00	2.22	7.36	30.00 dBm/500kHz	-22.64
5835 (U-NII 3)	full	-0.660	-1.100	0.00	2.22	4.36	30.00 dBm/502kHz	-25.64
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	Limit	Margin (dB)
5835 (U-NII4)	full	4.140	3.480	0.00	6.83	5.61	14.00 dBm/MHz	-7.17
5875	full	-39.680	-34.930	0.00	-33.68	-34.90	14.00 dBm/MHz	-47.68
	242/61	0.000	0.000	0.00	3.01	1.79	14.00 dBm/MHz	-10.99
	242/62	0.000	0.000	0.00	3.01	1.79	14.00 dBm/MHz	-10.99
POWER DENSITY 802.11be EHT80 MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	full	-1.325	-0.311	0.00	2.22		11.00 dBm/MHz	-8.78
	SU_Punc20_Mid2	-0.711	-1.103	0.00	2.11		11.00 dBm/MHz	-8.89
	RU484+242_Punc20	-0.658	-1.080	0.00	2.15		11.00 dBm/MHz	-8.85
5290	full	-2.088	-0.686	0.00	1.68		11.00 dBm/MHz	-9.32
	SU_Punc20_Mid2	-2.442	-1.172	0.00	1.25		11.00 dBm/MHz	-9.75
	RU484+242_Punc20	-2.315	-0.899	0.00	1.46		11.00 dBm/MHz	-9.54
5530	full	0.360	0.511	0.00	3.45		11.00 dBm/MHz	-7.55
	SU_Punc20_Mid2	-0.177	0.376	0.00	3.12		11.00 dBm/MHz	-7.88
	RU484+242_Punc20	-0.257	0.735	0.00	3.28		11.00 dBm/MHz	-7.72
5610	full	2.521	2.079	0.00	5.32		11.00 dBm/MHz	-5.68
5690 (U-NII 2C)	full	2.534	1.906	0.00	5.24		11.00 dBm/MHz	-5.76
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	full	-3.372	-3.690	0.00	2.22	1.70	30.00 dBm/500kHz	-28.30
5775	full	-2.890	-3.284	0.00	2.22	2.15	30.00 dBm/500kHz	-27.85
	SU_Punc20_Mid2	-2.958	-3.620	0.00	2.22	1.95	30.00 dBm/500kHz	-28.05
	RU484+242_Punc20	-3.023	-3.493	0.00	2.22	1.98	30.00 dBm/500kHz	-28.02
5855 (U-NII 3)	full	-5.040	-4.480	0.00	2.22	0.48	30.00 dBm/500kHz	-29.52
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	Limit	Margin (dB)
5855 (U-NII4)	full	0.760	1.490	0.00	4.15	2.93	14.00 dBm/MHz	-9.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11be EHT160 MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5250	full	-3.546	-2.347	0.00	0.11		11.00 dBm/MHz	-10.89
	996/67	-2.930	-3.167	0.00	-0.04		11.00 dBm/MHz	-11.04
	SU_Punct20_Mid3	-3.486	-3.093	0.00	-0.27		11.00 dBm/MHz	-11.27
	SU_Punct40_Mid2	-3.436	-3.027	0.00	-0.22		11.00 dBm/MHz	-11.22
	RU996+484_Punc40	-3.569	-2.904	0.00	-0.21		11.00 dBm/MHz	-11.21
	996+484 MRU4	-3.191	-2.761	0.00	0.04		11.00 dBm/MHz	-10.96
5570	full	-4.465	-4.257	0.00	-1.35		11.00 dBm/MHz	-12.35
	996/67	-4.550	-4.314	0.00	-1.42		11.00 dBm/MHz	-12.42
	SU_Punct20_High	-4.616	-4.769	0.00	-1.68		11.00 dBm/MHz	-12.68
	SU_Punct40_High	-4.479	-4.664	0.00	-1.56		11.00 dBm/MHz	-12.56
	RU996+484_Punc40	-4.321	-4.500	0.00	-1.40		11.00 dBm/MHz	-12.40
	996+484 MRU4	-4.160	-4.685	0.00	-1.40		11.00 dBm/MHz	-12.40
Frequency (MHz)		ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5815 (U-NII 3)	full	-11.670	-10.690	0.00	2.22	-5.92	30.00 dBm/500kHz	-35.92
Frequency (MHz)		ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	Limit	Margin (dB)
5815 (U-NII4)	full	-6.110	-6.090	0.00	-3.09	-4.31	14.00 dBm/MHz	-17.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11a_20MHz_Chain0_5180MHz




802.11a_20MHz_Chain0_5260MHz




802.11a_20MHz_Chain0_5220MHz




802.11a_20MHz_Chain0_5300MHz



802.11a_20MHz_Chain0_5240MHz



802.11a_20MHz_Chain0_5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11a_20MHz_Chain0_5500MHz




802.11a_20MHz_Chain0_5720MHz_UNII 2C



802.11a_20MHz_Chain0_5580MHz



802.11a_20MHz_Chain0_5720MHz_UNII 3



802.11a_20MHz_Chain0_5700MHz



802.11a_20MHz_Chain0_5745MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11a_20MHz_Chain0_5785MHz



802.11a_20MHz_Chain0_5865MHz




802.11a_20MHz_Chain0_5825MHz



802.11a_20MHz_Chain0_5885MHz



802.11a_20MHz_Chain0_5845MHz_UNII 2C



802.11a_20MHz_Chain1_5180MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11a_20MHz_Chain1_5220MHz



802.11a_20MHz_Chain1_5300MHz



802.11a_20MHz_Chain1_5240MHz



802.11a_20MHz_Chain1_5320MHz



802.11a_20MHz_Chain1_5260MHz



802.11a_20MHz_Chain1_5500MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11a_20MHz_Chain1_5580MHz




802.11a_20MHz_Chain1_5720MHz_UNII 3




802.11a_20MHz_Chain1_5700MHz



802.11a_20MHz_Chain1_5745MHz



802.11a_20MHz_Chain1_5720MHz_UNII 2C



802.11a_20MHz_Chain1_5785MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11a_20MHz_Chain1_5825MHz




802.11a_20MHz_Chain1_5885MHz



802.11a_20MHz_Chain1_5845MHz_UNII 2C




802.11be_20MHz_Chain0_5180MHz



802.11a_20MHz_Chain1_5865MHz



802.11be_20MHz_Chain0_5180MHz_106+26_MRU1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11be_20MHz_Chain0_5180MHz_52+26_MRU1




802.11be_20MHz_Chain0_5180MHz_RU52_37



802.11be_20MHz_Chain0_5180MHz_RU106_53



802.11be_20MHz_Chain0_5220MHz



802.11be_20MHz_Chain0_5180MHz_RU26_0



802.11be_20MHz_Chain0_5240MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11be_20MHz_Chain0_5260MHz




802.11be_20MHz_Chain0_5320MHz_106+26_MRU2



802.11be_20MHz_Chain0_5300MHz



802.11be_20MHz_Chain0_5320MHz_52+26_MRU3



802.11be_20MHz_Chain0_5320MHz



802.11be_20MHz_Chain0_5320MHz_RU106_54



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11be_20MHz_Chain0_5320MHz_RU26_8




802.11be_20MHz_Chain0_5500MHz_106+26_MRUI



802.11be_20MHz_Chain0_5320MHz_RU52_40



802.11be_20MHz_Chain0_5500MHz_52+26_MRUI1



802.11be_20MHz_Chain0_5500MHz



802.11be_20MHz_Chain0_5500MHz_RU106_53



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11be_20MHz_Chain0_5500MHz_RU26_0




802.11be_20MHz_Chain0_5700MHz




802.11be_20MHz_Chain0_5500MHz_RU52_37



802.11be_20MHz_Chain0_5700MHz_106+26_MRU2



802.11be_20MHz_Chain0_5580MHz



802.11be_20MHz_Chain0_5700MHz_52+26_MRU3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.