Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_50_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5420 GHz	2.5630 GHz	1.000 MHz	2.560050000 GHz	-48.14 dBm	-23.14 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.575140000 GHz	-47.63 dBm	-34.63 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.581190000 GHz	-47.83 dBm	-37.83 dB
4	4	2.5820 GHz	2.5830 GHz	30.00 kHz	2.582650000 GHz	-62.01 dBm	-52.01 dB
5	5	2.5830 GHz	2.6030 GHz	200.0 kHz	2.601984975 GHz	-19.65 dBm	-10.35 dB
6	6	2.6030 GHz	2.6040 GHz	30.00 kHz	2.602990000 GHz	-29.70 dBm	-19.70 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.603990000 GHz	-37.08 dBm	-27.08 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.609790000 GHz	-41.83 dBm	-28.83 dB
9	9	2.6230 GHz	2.6440 GHz	1.000 MHz	2.628870000 GHz	-47.88 dBm	-22.88 dB

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_50_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6290 GHz	2.6500 GHz	1.000 MHz	2.637390000 GHz	-48.23 dBm	-23.23 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.661990000 GHz	-47.36 dBm	-34.36 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.667990000 GHz	-47.76 dBm	-37.76 dB
4	4	2.6690 GHz	2.6700 GHz	30.00 kHz	2.669990000 GHz	-62.09 dBm	-52.09 dB
5	5	2.6700 GHz	2.6900 GHz	200.0 kHz	2.688984975 GHz	-20.34 dBm	-9.660 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.689990000 GHz	-30.28 dBm	-20.28 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-37.63 dBm	-27.63 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.706990000 GHz	-42.70 dBm	-29.70 dB
9	9	2.7100 GHz	2.7310 GHz	1.000 MHz	2.710620000 GHz	-48.11 dBm	-23.11 dB

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB50_0_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5420 GHz	2.5630 GHz	1.000 MHz	2.558790000 GHz	-42.49 dBm	-17.49 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.577090000 GHz	-34.51 dBm	-21.51 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.581990000 GHz	-30.07 dBm	-20.07 dB
4	4	2.5820 GHz	2.5830 GHz	200.0 kHz	2.582990000 GHz	-32.65 dBm	-22.65 dB
5	5	2.5830 GHz	2.6030 GHz	200.0 kHz	2.586909598 GHz	5.423 dBm	-24.58 dB
6	6	2.6030 GHz	2.6040 GHz	200.0 kHz	2.603040000 GHz	-33.84 dBm	-23.84 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.603990000 GHz	-31.37 dBm	-21.37 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.607990000 GHz	-34.08 dBm	-21.08 dB
9	9	2.6230 GHz	2.6440 GHz	1.000 MHz	2.627610000 GHz	-41.18 dBm	-16.18 dB

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB50_0_CH535998

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6290 GHz	2.6500 GHz	1.000 MHz	2.644740000 GHz	-44.28 dBm	-19.28 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.662440000 GHz	-34.98 dBm	-21.98 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668990000 GHz	-34.19 dBm	-24.19 dB
4	4	2.6690 GHz	2.6700 GHz	200.0 kHz	2.669990000 GHz	-36.12 dBm	-26.12 dB
5	5	2.6700 GHz	2.6900 GHz	200.0 kHz	2.672703568 GHz	2.800 dBm	-27.20 dB
6	6	2.6900 GHz	2.6910 GHz	200.0 kHz	2.689990000 GHz	-38.05 dBm	-28.05 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691030000 GHz	-33.29 dBm	-23.29 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.697240000 GHz	-35.02 dBm	-22.02 dB
9	9	2.7100 GHz	2.7310 GHz	1.000 MHz	2.714610000 GHz	-44.93 dBm	-19.93 dB

Band41_20MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6290 GHz	2.6500 GHz	1.000 MHz	2.643690000 GHz	-48.15 dBm	-23.15 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.663490000 GHz	-44.73 dBm	-31.73 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668990000 GHz	-36.96 dBm	-26.96 dB
4	4	2.6690 GHz	2.6700 GHz	30.00 kHz	2.669990000 GHz	-29.79 dBm	-19.79 dB
5	5	2.6700 GHz	2.6900 GHz	200.0 kHz	2.670995025 GHz	20.22 dBm	-9.781 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690880000 GHz	-62.50 dBm	-52.50 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.692630000 GHz	-48.03 dBm	-38.03 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.697840000 GHz	-47.82 dBm	-34.82 dB
9	9	2.7100 GHz	2.7310 GHz	1.000 MHz	2.717340000 GHz	-48.28 dBm	-23.28 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH501204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4550 GHz	2.4905 GHz	1.000 MHz	2.489080800 GHz	-46.04 dBm	-21.04 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-39.70 dBm	-26.70 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.496000000 GHz	-29.93 dBm	-16.93 dB
4	4	2.4960 GHz	2.5160 GHz	200.0 kHz	2.497025025 GHz	18.72 dBm	-11.28 dB
5	5	2.5160 GHz	2.5170 GHz	30.00 kHz	2.516650000 GHz	-61.86 dBm	-51.86 dB
6	6	2.5170 GHz	2.5210 GHz	1.000 MHz	2.517460000 GHz	-47.57 dBm	-37.57 dB
7	7	2.5210 GHz	2.5360 GHz	1.000 MHz	2.523870000 GHz	-47.24 dBm	-34.24 dB
8	8	2.5360 GHz	2.5570 GHz	1.000 MHz	2.548830000 GHz	-47.98 dBm	-22.98 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_50_CH501204



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4550 GHz	2.4905 GHz	1.000 MHz	2.488371200 GHz	-47.91 dBm	-22.91 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.492075000 GHz	-47.87 dBm	-34.87 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.495310000 GHz	-62.24 dBm	-49.24 dB
4	4	2.4960 GHz	2.5160 GHz	200.0 kHz	2.515014975 GHz	18.51 dBm	-11.49 dB
5	5	2.5160 GHz	2.5170 GHz	30.00 kHz	2.516020000 GHz	-29.76 dBm	-19.76 dB
6	6	2.5170 GHz	2.5210 GHz	1.000 MHz	2.517020000 GHz	-39.32 dBm	-29.32 dB
7	7	2.5210 GHz	2.5360 GHz	1.000 MHz	2.533020000 GHz	-42.53 dBm	-29.53 dB
8	8	2.5360 GHz	2.5570 GHz	1.000 MHz	2.541900000 GHz	-47.84 dBm	-22.84 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_50_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5420 GHz	2.5630 GHz	1.000 MHz	2.549550000 GHz	-48.16 dBm	-23.16 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.575140000 GHz	-47.57 dBm	-34.57 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.578910000 GHz	-47.70 dBm	-37.70 dB
4	4	2.5820 GHz	2.5830 GHz	30.00 kHz	2.582990000 GHz	-61.50 dBm	-51.50 dB
5	5	2.5830 GHz	2.6030 GHz	200.0 kHz	2.601984975 GHz	18.24 dBm	-11.76 dB
6	6	2.6030 GHz	2.6040 GHz	30.00 kHz	2.602990000 GHz	-30.38 dBm	-20.38 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.603990000 GHz	-37.68 dBm	-27.68 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.619840000 GHz	-43.83 dBm	-30.83 dB
9	9	2.6230 GHz	2.6440 GHz	1.000 MHz	2.628660000 GHz	-47.86 dBm	-22.86 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB51_0_CH501204

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4550 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-31.59 dBm	-6.589 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-27.30 dBm	-14.30 dB
3	3	2.4950 GHz	2.4960 GHz	200.0 kHz	2.495890000 GHz	-31.11 dBm	-18.11 dB
4	4	2.4960 GHz	2.5160 GHz	200.0 kHz	2.509085327 GHz	3.143 dBm	-26.86 dB
5	5	2.5160 GHz	2.5170 GHz	200.0 kHz	2.516030000 GHz	-30.38 dBm	-20.38 dB
6	6	2.5170 GHz	2.5210 GHz	1.000 MHz	2.517020000 GHz	-28.26 dBm	-18.26 dB
7	7	2.5210 GHz	2.5360 GHz	1.000 MHz	2.521020000 GHz	-31.89 dBm	-18.89 dB
8	8	2.5360 GHz	2.5570 GHz	1.000 MHz	2.545690000 GHz	-38.53 dBm	-13.53 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB51_0_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5420 GHz	2.5630 GHz	1.000 MHz	2.562780000 GHz	-42.67 dBm	-17.67 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.577990000 GHz	-37.10 dBm	-24.10 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.581990000 GHz	-32.25 dBm	-22.25 dB
4	4	2.5820 GHz	2.5830 GHz	200.0 kHz	2.582990000 GHz	-32.92 dBm	-22.92 dB
5	5	2.5830 GHz	2.6030 GHz	200.0 kHz	2.589020151 GHz	2.656 dBm	-27.34 dB
6	6	2.6030 GHz	2.6040 GHz	200.0 kHz	2.602990000 GHz	-33.03 dBm	-23.03 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.603990000 GHz	-31.26 dBm	-21.26 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.607990000 GHz	-34.77 dBm	-21.77 dB
9	9	2.6230 GHz	2.6440 GHz	1.000 MHz	2.625530000 GHz	-40.86 dBm	-15.86 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5420 GHz	2.5630 GHz	1.000 MHz	2.562780000 GHz	-42.68 dBm	-17.68 dB
2	2	2.5630 GHz	2.5780 GHz	1.000 MHz	2.577840000 GHz	-37.12 dBm	-24.12 dB
3	3	2.5780 GHz	2.5820 GHz	1.000 MHz	2.581990000 GHz	-32.20 dBm	-22.20 dB
4	4	2.5820 GHz	2.5830 GHz	30.00 kHz	2.582970000 GHz	-36.69 dBm	-26.69 dB
5	5	2.5830 GHz	2.6030 GHz	200.0 kHz	2.589020151 GHz	2.663 dBm	-27.34 dB
6	6	2.6030 GHz	2.6040 GHz	30.00 kHz	2.603000000 GHz	-38.24 dBm	-28.24 dB
7	7	2.6040 GHz	2.6080 GHz	1.000 MHz	2.603990000 GHz	-31.12 dBm	-21.12 dB
8	8	2.6080 GHz	2.6230 GHz	1.000 MHz	2.607990000 GHz	-34.91 dBm	-21.91 dB
9	9	2.6230 GHz	2.6440 GHz	1.000 MHz	2.624460000 GHz	-40.92 dBm	-15.92 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6290 GHz	2.6500 GHz	1.000 MHz	2.643690000 GHz	-48.10 dBm	-23.10 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.663340000 GHz	-45.21 dBm	-32.21 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668990000 GHz	-37.67 dBm	-27.67 dB
4	4	2.6690 GHz	2.6700 GHz	30.00 kHz	2.669990000 GHz	-28.72 dBm	-18.72 dB
5	5	2.6700 GHz	2.6900 GHz	200.0 kHz	2.670995025 GHz	19.14 dBm	-10.86 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690190000 GHz	-62.14 dBm	-52.14 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691550000 GHz	-47.93 dBm	-37.93 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.697990000 GHz	-47.90 dBm	-34.90 dB
9	9	2.7100 GHz	2.7310 GHz	1.000 MHz	2.723220000 GHz	-48.25 dBm	-23.25 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB1_50_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6290 GHz	2.6500 GHz	1.000 MHz	2.637180000 GHz	-48.23 dBm	-23.23 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.662140000 GHz	-47.49 dBm	-34.49 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.667670000 GHz	-47.70 dBm	-37.70 dB
4	4	2.6690 GHz	2.6700 GHz	30.00 kHz	2.669800000 GHz	-62.13 dBm	-52.13 dB
5	5	2.6700 GHz	2.6900 GHz	200.0 kHz	2.688984975 GHz	18.92 dBm	-11.08 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.689990000 GHz	-29.12 dBm	-19.12 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-38.49 dBm	-28.49 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.706990000 GHz	-43.30 dBm	-30.30 dB
9	9	2.7100 GHz	2.7310 GHz	1.000 MHz	2.716290000 GHz	-48.18 dBm	-23.18 dB

Band41_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_64_CH501702



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4450 GHz	2.4905 GHz	1.000 MHz	2.485496100 GHz	-47.93 dBm	-22.93 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.493837400 GHz	-48.10 dBm	-35.10 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.495550000 GHz	-62.63 dBm	-49.63 dB
4	4	2.4960 GHz	2.5210 GHz	300.0 kHz	2.519955783 GHz	21.42 dBm	-8.576 dB
5	5	2.5210 GHz	2.5220 GHz	30.00 kHz	2.521020000 GHz	-29.80 dBm	-19.80 dB
6	6	2.5220 GHz	2.5260 GHz	1.000 MHz	2.522010000 GHz	-38.74 dBm	-28.74 dB
7	7	2.5260 GHz	2.5460 GHz	1.000 MHz	2.543010000 GHz	-41.19 dBm	-28.19 dB
8	8	2.5460 GHz	2.5720 GHz	1.000 MHz	2.554590000 GHz	-48.02 dBm	-23.02 dB

Band41_20MHz_CP_OFDM_SCS30kHz_QPSK_RB51_0_CH535998



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6290 GHz	2.6500 GHz	1.000 MHz	2.649990000 GHz	-40.96 dBm	-15.96 dB
2	2	2.6500 GHz	2.6650 GHz	1.000 MHz	2.664840000 GHz	-36.19 dBm	-23.19 dB
3	3	2.6650 GHz	2.6690 GHz	1.000 MHz	2.668990000 GHz	-32.43 dBm	-22.43 dB
4	4	2.6690 GHz	2.6700 GHz	200.0 kHz	2.669990000 GHz	-33.26 dBm	-23.26 dB
5	5	2.6700 GHz	2.6900 GHz	200.0 kHz	2.672100553 GHz	2.772 dBm	-27.23 dB
6	6	2.6900 GHz	2.6910 GHz	200.0 kHz	2.690050000 GHz	-33.91 dBm	-23.91 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-31.76 dBm	-21.76 dB
8	8	2.6950 GHz	2.7100 GHz	1.000 MHz	2.694990000 GHz	-35.40 dBm	-22.40 dB
9	9	2.7100 GHz	2.7310 GHz	1.000 MHz	2.709990000 GHz	-41.98 dBm	-16.98 dB

Band41_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB64_0_CH501702



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4450 GHz	2.4905 GHz	1.000 MHz	2.486405900 GHz	-28.79 dBm	-3.791 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495010000 GHz	-28.62 dBm	-15.62 dB
3	3	2.4950 GHz	2.4960 GHz	300.0 kHz	2.495970000 GHz	-29.76 dBm	-16.76 dB
4	4	2.4960 GHz	2.5210 GHz	300.0 kHz	2.502034096 GHz	6.665 dBm	-23.33 dB
5	5	2.5210 GHz	2.5220 GHz	300.0 kHz	2.521010000 GHz	-29.90 dBm	-19.90 dB
6	6	2.5220 GHz	2.5260 GHz	1.000 MHz	2.522010000 GHz	-26.53 dBm	-16.53 dB
7	7	2.5260 GHz	2.5460 GHz	1.000 MHz	2.530810000 GHz	-24.18 dBm	-11.18 dB
8	8	2.5460 GHz	2.5720 GHz	1.000 MHz	2.560570000 GHz	-36.42 dBm	-11.42 dB

Band41_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH501702



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4450 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-46.07 dBm	-21.07 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495010000 GHz	-38.26 dBm	-25.26 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.496000000 GHz	-28.19 dBm	-15.19 dB
4	4	2.4960 GHz	2.5210 GHz	300.0 kHz	2.496913614 GHz	21.61 dBm	-8.389 dB
5	5	2.5210 GHz	2.5220 GHz	30.00 kHz	2.521060000 GHz	-62.37 dBm	-52.37 dB
6	6	2.5220 GHz	2.5260 GHz	1.000 MHz	2.523290000 GHz	-47.87 dBm	-37.87 dB
7	7	2.5260 GHz	2.5460 GHz	1.000 MHz	2.531810000 GHz	-47.66 dBm	-34.66 dB
8	8	2.5460 GHz	2.5720 GHz	1.000 MHz	2.548870000 GHz	-48.29 dBm	-23.29 dB

Band41_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5295 GHz	2.5555 GHz	1.000 MHz	2.554740000 GHz	-48.32 dBm	-23.32 dB
2	2	2.5555 GHz	2.5755 GHz	1.000 MHz	2.574320000 GHz	-44.05 dBm	-31.05 dB
3	3	2.5755 GHz	2.5795 GHz	1.000 MHz	2.579520000 GHz	-36.01 dBm	-26.01 dB
4	4	2.5795 GHz	2.5805 GHz	30.00 kHz	2.580520000 GHz	-28.06 dBm	-18.06 dB
5	5	2.5805 GHz	2.6055 GHz	300.0 kHz	2.581574217 GHz	20.99 dBm	-9.013 dB
6	6	2.6055 GHz	2.6065 GHz	30.00 kHz	2.605780000 GHz	-62.63 dBm	-52.63 dB
7	7	2.6065 GHz	2.6105 GHz	1.000 MHz	2.606840000 GHz	-47.94 dBm	-37.94 dB
8	8	2.6105 GHz	2.6305 GHz	1.000 MHz	2.615920000 GHz	-47.77 dBm	-34.77 dB
9	9	2.6305 GHz	2.6565 GHz	1.000 MHz	2.633380000 GHz	-48.22 dBm	-23.22 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_64_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5295 GHz	2.5555 GHz	1.000 MHz	2.555000000 GHz	-48.36 dBm	-23.36 dB
2	2	2.5555 GHz	2.5755 GHz	1.000 MHz	2.570120000 GHz	-47.28 dBm	-34.28 dB
3	3	2.5755 GHz	2.5795 GHz	1.000 MHz	2.579040000 GHz	-47.88 dBm	-37.88 dB
4	4	2.5795 GHz	2.5805 GHz	30.00 kHz	2.580990000 GHz	-62.62 dBm	-52.62 dB
5	5	2.5805 GHz	2.6055 GHz	300.0 kHz	2.604616386 GHz	21.15 dBm	-8.849 dB
6	6	2.6055 GHz	2.6065 GHz	30.00 kHz	2.605520000 GHz	-29.33 dBm	-19.33 dB
7	7	2.6065 GHz	2.6105 GHz	1.000 MHz	2.606520000 GHz	-36.41 dBm	-26.41 dB
8	8	2.6105 GHz	2.6305 GHz	1.000 MHz	2.627520000 GHz	-43.30 dBm	-30.30 dB
9	9	2.6305 GHz	2.6565 GHz	1.000 MHz	2.638840000 GHz	-48.05 dBm	-23.05 dB

Band41_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_64_CH535500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6140 GHz	2.6400 GHz	1.000 MHz	2.626220000 GHz	-48.00 dBm	-23.00 dB
2	2	2.6400 GHz	2.6600 GHz	1.000 MHz	2.654400000 GHz	-46.75 dBm	-33.75 dB
3	3	2.6600 GHz	2.6640 GHz	1.000 MHz	2.662640000 GHz	-47.81 dBm	-37.81 dB
4	4	2.6640 GHz	2.6650 GHz	30.00 kHz	2.664940000 GHz	-62.14 dBm	-52.14 dB
5	5	2.6650 GHz	2.6900 GHz	300.0 kHz	2.668945783 GHz	21.76 dBm	-8.240 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690000000 GHz	-26.91 dBm	-16.91 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691000000 GHz	-37.45 dBm	-27.45 dB
8	8	2.6950 GHz	2.7150 GHz	1.000 MHz	2.712000000 GHz	-43.14 dBm	-30.14 dB
9	9	2.7150 GHz	2.7410 GHz	1.000 MHz	2.723580000 GHz	-48.00 dBm	-23.00 dB

Band41_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB64_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5295 GHz	2.5555 GHz	1.000 MHz	2.549280000 GHz	-44.11 dBm	-19.11 dB
2	2	2.5555 GHz	2.5755 GHz	1.000 MHz	2.569920000 GHz	-36.49 dBm	-23.49 dB
3	3	2.5755 GHz	2.5795 GHz	1.000 MHz	2.579520000 GHz	-33.52 dBm	-23.52 dB
4	4	2.5795 GHz	2.5805 GHz	300.0 kHz	2.580520000 GHz	-34.25 dBm	-24.25 dB
5	5	2.5805 GHz	2.6055 GHz	300.0 kHz	2.582176627 GHz	6.988 dBm	-23.01 dB
6	6	2.6055 GHz	2.6065 GHz	300.0 kHz	2.605630000 GHz	-36.05 dBm	-26.05 dB
7	7	2.6065 GHz	2.6105 GHz	1.000 MHz	2.606520000 GHz	-33.73 dBm	-23.73 dB
8	8	2.6105 GHz	2.6305 GHz	1.000 MHz	2.615920000 GHz	-34.18 dBm	-21.18 dB
9	9	2.6305 GHz	2.6565 GHz	1.000 MHz	2.633900000 GHz	-41.38 dBm	-16.38 dB

Band41_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB64_0_CH535500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6140 GHz	2.6400 GHz	1.000 MHz	2.621280000 GHz	-43.92 dBm	-18.92 dB
2	2	2.6400 GHz	2.6600 GHz	1.000 MHz	2.654800000 GHz	-32.34 dBm	-19.34 dB
3	3	2.6600 GHz	2.6640 GHz	1.000 MHz	2.664000000 GHz	-30.97 dBm	-20.97 dB
4	4	2.6640 GHz	2.6650 GHz	300.0 kHz	2.664900000 GHz	-32.66 dBm	-22.66 dB
5	5	2.6650 GHz	2.6900 GHz	300.0 kHz	2.666204819 GHz	6.961 dBm	-23.04 dB
6	6	2.6900 GHz	2.6910 GHz	300.0 kHz	2.690000000 GHz	-35.31 dBm	-25.31 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691320000 GHz	-33.88 dBm	-23.88 dB
8	8	2.6950 GHz	2.7150 GHz	1.000 MHz	2.696800000 GHz	-37.54 dBm	-24.54 dB
9	9	2.7150 GHz	2.7410 GHz	1.000 MHz	2.715780000 GHz	-45.37 dBm	-20.37 dB

Band41_25MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH535500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6140 GHz	2.6400 GHz	1.000 MHz	2.631420000 GHz	-47.80 dBm	-22.80 dB
2	2	2.6400 GHz	2.6600 GHz	1.000 MHz	2.660000000 GHz	-45.04 dBm	-32.04 dB
3	3	2.6600 GHz	2.6640 GHz	1.000 MHz	2.664000000 GHz	-36.94 dBm	-26.94 dB
4	4	2.6640 GHz	2.6650 GHz	30.00 kHz	2.665000000 GHz	-28.09 dBm	-18.09 dB
5	5	2.6650 GHz	2.6900 GHz	300.0 kHz	2.665903614 GHz	21.96 dBm	-8.043 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690610000 GHz	-62.19 dBm	-52.19 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.692520000 GHz	-47.83 dBm	-37.83 dB
8	8	2.6950 GHz	2.7150 GHz	1.000 MHz	2.700400000 GHz	-47.67 dBm	-34.67 dB
9	9	2.7150 GHz	2.7410 GHz	1.000 MHz	2.726520000 GHz	-47.92 dBm	-22.92 dB

Band41_25MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH501702



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4450 GHz	2.4905 GHz	1.000 MHz	2.489590200 GHz	-46.04 dBm	-21.04 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495010000 GHz	-38.64 dBm	-25.64 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.496010000 GHz	-26.83 dBm	-13.83 dB
4	4	2.4960 GHz	2.5210 GHz	300.0 kHz	2.496913614 GHz	20.53 dBm	-9.467 dB
5	5	2.5210 GHz	2.5220 GHz	30.00 kHz	2.521330000 GHz	-62.22 dBm	-52.22 dB
6	6	2.5220 GHz	2.5260 GHz	1.000 MHz	2.522210000 GHz	-47.84 dBm	-37.84 dB
7	7	2.5260 GHz	2.5460 GHz	1.000 MHz	2.531610000 GHz	-47.75 dBm	-34.75 dB
8	8	2.5460 GHz	2.5720 GHz	1.000 MHz	2.549130000 GHz	-48.30 dBm	-23.30 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_25MHz_CP_OFDM_SCS30kHz_QPSK_RB1_64_CH501702



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4450 GHz	2.4905 GHz	1.000 MHz	2.485496100 GHz	-48.08 dBm	-23.08 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494513900 GHz	-48.00 dBm	-35.00 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.495990000 GHz	-62.41 dBm	-49.41 dB
4	4	2.4960 GHz	2.5210 GHz	300.0 kHz	2.519955783 GHz	20.20 dBm	-9.803 dB
5	5	2.5210 GHz	2.5220 GHz	30.00 kHz	2.521010000 GHz	-29.17 dBm	-19.17 dB
6	6	2.5220 GHz	2.5260 GHz	1.000 MHz	2.522010000 GHz	-39.01 dBm	-29.01 dB
7	7	2.5260 GHz	2.5460 GHz	1.000 MHz	2.543010000 GHz	-42.38 dBm	-29.38 dB
8	8	2.5460 GHz	2.5720 GHz	1.000 MHz	2.554330000 GHz	-47.99 dBm	-22.99 dB

Band41_25MHz_CP_OFDM_SCS30kHz_QPSK_RB1_64_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5295 GHz	2.5555 GHz	1.000 MHz	2.550580000 GHz	-48.38 dBm	-23.38 dB
2	2	2.5555 GHz	2.5755 GHz	1.000 MHz	2.570120000 GHz	-47.31 dBm	-34.31 dB
3	3	2.5755 GHz	2.5795 GHz	1.000 MHz	2.578080000 GHz	-47.67 dBm	-37.67 dB
4	4	2.5795 GHz	2.5805 GHz	30.00 kHz	2.580480000 GHz	-61.61 dBm	-51.61 dB
5	5	2.5805 GHz	2.6055 GHz	300.0 kHz	2.604465783 GHz	20.28 dBm	-9.725 dB
6	6	2.6055 GHz	2.6065 GHz	30.00 kHz	2.605520000 GHz	-28.13 dBm	-18.13 dB
7	7	2.6065 GHz	2.6105 GHz	1.000 MHz	2.606520000 GHz	-37.04 dBm	-27.04 dB
8	8	2.6105 GHz	2.6305 GHz	1.000 MHz	2.627520000 GHz	-43.19 dBm	-30.19 dB
9	9	2.6305 GHz	2.6565 GHz	1.000 MHz	2.638840000 GHz	-47.97 dBm	-22.97 dB

Band41_25MHz_CP_OFDM_SCS30kHz_QPSK_RB65_0_CH501702

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4450 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-34.22 dBm	-9.221 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495010000 GHz	-29.79 dBm	-16.79 dB
3	3	2.4950 GHz	2.4960 GHz	300.0 kHz	2.496010000 GHz	-32.02 dBm	-19.02 dB
4	4	2.4960 GHz	2.5210 GHz	300.0 kHz	2.503088313 GHz	3.623 dBm	-26.38 dB
5	5	2.5210 GHz	2.5220 GHz	300.0 kHz	2.521010000 GHz	-30.31 dBm	-20.31 dB
6	6	2.5220 GHz	2.5260 GHz	1.000 MHz	2.522010000 GHz	-27.51 dBm	-17.51 dB
7	7	2.5260 GHz	2.5460 GHz	1.000 MHz	2.526010000 GHz	-29.91 dBm	-16.91 dB
8	8	2.5460 GHz	2.5720 GHz	1.000 MHz	2.554070000 GHz	-37.70 dBm	-12.70 dB

Band41_25MHz_CP_OFDM_SCS30kHz_QPSK_RB65_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5295 GHz	2.5555 GHz	1.000 MHz	2.555520000 GHz	-44.49 dBm	-19.49 dB
2	2	2.5555 GHz	2.5755 GHz	1.000 MHz	2.575520000 GHz	-39.19 dBm	-26.19 dB
3	3	2.5755 GHz	2.5795 GHz	1.000 MHz	2.579520000 GHz	-34.58 dBm	-24.58 dB
4	4	2.5795 GHz	2.5805 GHz	300.0 kHz	2.580520000 GHz	-34.94 dBm	-24.94 dB
5	5	2.5805 GHz	2.6055 GHz	300.0 kHz	2.582929639 GHz	3.779 dBm	-26.22 dB
6	6	2.6055 GHz	2.6065 GHz	300.0 kHz	2.605520000 GHz	-33.09 dBm	-23.09 dB
7	7	2.6065 GHz	2.6105 GHz	1.000 MHz	2.606520000 GHz	-31.74 dBm	-21.74 dB
8	8	2.6105 GHz	2.6305 GHz	1.000 MHz	2.610920000 GHz	-33.90 dBm	-20.90 dB
9	9	2.6305 GHz	2.6565 GHz	1.000 MHz	2.630780000 GHz	-40.55 dBm	-15.55 dB

Band41_25MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5295 GHz	2.5555 GHz	1.000 MHz	2.546680000 GHz	-48.25 dBm	-23.25 dB
2	2	2.5555 GHz	2.5755 GHz	1.000 MHz	2.574120000 GHz	-44.71 dBm	-31.71 dB
3	3	2.5755 GHz	2.5795 GHz	1.000 MHz	2.579520000 GHz	-36.66 dBm	-26.66 dB
4	4	2.5795 GHz	2.5805 GHz	30.00 kHz	2.580520000 GHz	-29.12 dBm	-19.12 dB
5	5	2.5805 GHz	2.6055 GHz	300.0 kHz	2.581423614 GHz	20.29 dBm	-9.706 dB
6	6	2.6055 GHz	2.6065 GHz	30.00 kHz	2.605590000 GHz	-62.63 dBm	-52.63 dB
7	7	2.6065 GHz	2.6105 GHz	1.000 MHz	2.607400000 GHz	-47.88 dBm	-37.88 dB
8	8	2.6105 GHz	2.6305 GHz	1.000 MHz	2.615920000 GHz	-47.71 dBm	-34.71 dB
9	9	2.6305 GHz	2.6565 GHz	1.000 MHz	2.633120000 GHz	-48.10 dBm	-23.10 dB

Band41_25MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH535500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6140 GHz	2.6400 GHz	1.000 MHz	2.631680000 GHz	-47.74 dBm	-22.74 dB
2	2	2.6400 GHz	2.6600 GHz	1.000 MHz	2.659600000 GHz	-45.10 dBm	-32.10 dB
3	3	2.6600 GHz	2.6640 GHz	1.000 MHz	2.664000000 GHz	-37.00 dBm	-27.00 dB
4	4	2.6640 GHz	2.6650 GHz	30.00 kHz	2.665000000 GHz	-28.40 dBm	-18.40 dB
5	5	2.6650 GHz	2.6900 GHz	300.0 kHz	2.665903614 GHz	20.88 dBm	-9.118 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690170000 GHz	-62.21 dBm	-52.21 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691280000 GHz	-47.76 dBm	-37.76 dB
8	8	2.6950 GHz	2.7150 GHz	1.000 MHz	2.700400000 GHz	-47.66 dBm	-34.66 dB
9	9	2.7150 GHz	2.7410 GHz	1.000 MHz	2.717860000 GHz	-48.03 dBm	-23.03 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_25MHz_CP_OFDM_SCS30kHz_QPSK_RB1_64_CH535500



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6140 GHz	2.6400 GHz	1.000 MHz	2.623620000 GHz	-48.03 dBm	-23.03 dB
2	2	2.6400 GHz	2.6600 GHz	1.000 MHz	2.654400000 GHz	-46.93 dBm	-33.93 dB
3	3	2.6600 GHz	2.6640 GHz	1.000 MHz	2.663400000 GHz	-47.68 dBm	-37.68 dB
4	4	2.6640 GHz	2.6650 GHz	30.00 kHz	2.665000000 GHz	-61.69 dBm	-51.69 dB
5	5	2.6650 GHz	2.6900 GHz	300.0 kHz	2.688945783 GHz	-20.51 dBm	-9.493 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690000000 GHz	-29.33 dBm	-19.33 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691000000 GHz	-38.18 dBm	-28.18 dB
8	8	2.6950 GHz	2.7150 GHz	1.000 MHz	2.712000000 GHz	-43.36 dBm	-30.36 dB
9	9	2.7150 GHz	2.7410 GHz	1.000 MHz	2.723320000 GHz	-47.98 dBm	-22.98 dB

Band41_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_77_CH502200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4350 GHz	2.4905 GHz	1.000 MHz	2.482931818 GHz	-47.76 dBm	-22.76 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494370000 GHz	-47.85 dBm	-34.85 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.495370000 GHz	-62.12 dBm	-49.12 dB
4	4	2.4960 GHz	2.5260 GHz	300.0 kHz	2.524793970 GHz	-20.55 dBm	-9.449 dB
5	5	2.5260 GHz	2.5270 GHz	30.00 kHz	2.526010000 GHz	-34.05 dBm	-24.05 dB
6	6	2.5270 GHz	2.5310 GHz	1.000 MHz	2.527000000 GHz	-40.31 dBm	-30.31 dB
7	7	2.5310 GHz	2.5560 GHz	1.000 MHz	2.552500000 GHz	-41.34 dBm	-28.34 dB
8	8	2.5560 GHz	2.5870 GHz	1.000 MHz	2.566540000 GHz	-47.93 dBm	-22.93 dB

Band41_25MHz_CP_OFDM_SCS30kHz_QPSK_RB65_0_CH535500

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6140 GHz	2.6400 GHz	1.000 MHz	2.627780000 GHz	-43.20 dBm	-18.20 dB
2	2	2.6400 GHz	2.6600 GHz	1.000 MHz	2.660000000 GHz	-34.41 dBm	-21.41 dB
3	3	2.6600 GHz	2.6640 GHz	1.000 MHz	2.664000000 GHz	-30.96 dBm	-20.96 dB
4	4	2.6640 GHz	2.6650 GHz	300.0 kHz	2.664990000 GHz	-32.71 dBm	-22.71 dB
5	5	2.6650 GHz	2.6900 GHz	300.0 kHz	2.666355422 GHz	-4.366 dBm	-25.63 dB
6	6	2.6900 GHz	2.6910 GHz	300.0 kHz	2.690000000 GHz	-32.66 dBm	-22.66 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691040000 GHz	-31.83 dBm	-21.83 dB
8	8	2.6950 GHz	2.7150 GHz	1.000 MHz	2.695000000 GHz	-35.06 dBm	-22.06 dB
9	9	2.7150 GHz	2.7410 GHz	1.000 MHz	2.715260000 GHz	-44.19 dBm	-19.19 dB

Band41_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB75_0_CH502200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4350 GHz	2.4905 GHz	1.000 MHz	2.484445455 GHz	-31.97 dBm	-6.972 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-29.37 dBm	-16.37 dB
3	3	2.4950 GHz	2.4960 GHz	300.0 kHz	2.496000000 GHz	-33.19 dBm	-20.19 dB
4	4	2.4960 GHz	2.5260 GHz	300.0 kHz	2.505497487 GHz	3.095 dBm	-26.90 dB
5	5	2.5260 GHz	2.5270 GHz	300.0 kHz	2.526330000 GHz	-33.66 dBm	-23.66 dB
6	6	2.5270 GHz	2.5310 GHz	1.000 MHz	2.527000000 GHz	-29.54 dBm	-19.54 dB
7	7	2.5310 GHz	2.5560 GHz	1.000 MHz	2.537000000 GHz	-29.75 dBm	-16.75 dB
8	8	2.5560 GHz	2.5870 GHz	1.000 MHz	2.561580000 GHz	-43.11 dBm	-18.11 dB

Band41_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH502200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4350 GHz	2.4905 GHz	1.000 MHz	2.489490909 GHz	-45.28 dBm	-20.28 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-39.91 dBm	-26.91 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.496000000 GHz	-35.36 dBm	-22.36 dB
4	4	2.4960 GHz	2.5260 GHz	300.0 kHz	2.497206030 GHz	20.72 dBm	-9.283 dB
5	5	2.5260 GHz	2.5270 GHz	30.00 kHz	2.526770000 GHz	-62.12 dBm	-52.12 dB
6	6	2.5270 GHz	2.5310 GHz	1.000 MHz	2.527320000 GHz	-47.75 dBm	-37.75 dB
7	7	2.5310 GHz	2.5560 GHz	1.000 MHz	2.538500000 GHz	-47.43 dBm	-34.43 dB
8	8	2.5560 GHz	2.5870 GHz	1.000 MHz	2.583590000 GHz	-47.95 dBm	-22.95 dB

Band41_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH503004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4390 GHz	2.4905 GHz	1.000 MHz	2.486967059 GHz	-47.71 dBm	-22.71 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.493470000 GHz	-45.30 dBm	-32.30 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499020000 GHz	-39.93 dBm	-29.93 dB
4	4	2.4990 GHz	2.5000 GHz	30.00 kHz	2.500020000 GHz	-31.91 dBm	-21.91 dB
5	5	2.5000 GHz	2.5300 GHz	300.0 kHz	2.501226030 GHz	20.42 dBm	-9.579 dB
6	6	2.5300 GHz	2.5310 GHz	30.00 kHz	2.530180000 GHz	-62.27 dBm	-52.27 dB
7	7	2.5310 GHz	2.5350 GHz	1.000 MHz	2.531580000 GHz	-47.66 dBm	-37.66 dB
8	8	2.5350 GHz	2.5600 GHz	1.000 MHz	2.542520000 GHz	-47.43 dBm	-34.43 dB
9	9	2.5600 GHz	2.5910 GHz	1.000 MHz	2.579860000 GHz	-48.02 dBm	-23.02 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_77_CH503004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4390 GHz	2.4905 GHz	1.000 MHz	2.487471765 GHz	-47.81 dBm	-22.81 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.490995000 GHz	-47.96 dBm	-34.96 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.496083800 GHz	-47.58 dBm	-37.58 dB
4	4	2.4990 GHz	2.5000 GHz	30.00 kHz	2.499470000 GHz	-62.28 dBm	-52.28 dB
5	5	2.5000 GHz	2.5300 GHz	300.0 kHz	2.528813970 GHz	20.44 dBm	-9.558 dB
6	6	2.5300 GHz	2.5310 GHz	30.00 kHz	2.530020000 GHz	-34.36 dBm	-24.36 dB
7	7	2.5310 GHz	2.5350 GHz	1.000 MHz	2.531020000 GHz	-40.36 dBm	-30.36 dB
8	8	2.5350 GHz	2.5600 GHz	1.000 MHz	2.556520000 GHz	-43.19 dBm	-30.19 dB
9	9	2.5600 GHz	2.5910 GHz	1.000 MHz	2.570250000 GHz	-47.93 dBm	-22.93 dB

Band41_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_77_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5170 GHz	2.5480 GHz	1.000 MHz	2.527530000 GHz	-48.18 dBm	-23.18 dB
2	2	2.5480 GHz	2.5730 GHz	1.000 MHz	2.565240000 GHz	-47.39 dBm	-34.39 dB
3	3	2.5730 GHz	2.5770 GHz	1.000 MHz	2.576150000 GHz	-47.61 dBm	-37.61 dB
4	4	2.5770 GHz	2.5780 GHz	30.00 kHz	2.577470000 GHz	-62.38 dBm	-52.38 dB
5	5	2.5780 GHz	2.6080 GHz	300.0 kHz	2.606783970 GHz	20.24 dBm	-9.763 dB
6	6	2.6080 GHz	2.6090 GHz	30.00 kHz	2.608000000 GHz	-35.70 dBm	-25.70 dB
7	7	2.6090 GHz	2.6130 GHz	1.000 MHz	2.608990000 GHz	-38.27 dBm	-28.27 dB
8	8	2.6130 GHz	2.6380 GHz	1.000 MHz	2.614740000 GHz	-42.52 dBm	-29.52 dB
9	9	2.6380 GHz	2.6690 GHz	1.000 MHz	2.648220000 GHz	-47.90 dBm	-22.90 dB

Band41_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB75_0_CH503004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4390 GHz	2.4905 GHz	1.000 MHz	2.487471765 GHz	-36.39 dBm	-11.39 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495835000 GHz	-33.52 dBm	-20.52 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499020000 GHz	-29.26 dBm	-19.26 dB
4	4	2.4990 GHz	2.5000 GHz	300.0 kHz	2.499930000 GHz	-33.36 dBm	-23.36 dB
5	5	2.5000 GHz	2.5300 GHz	300.0 kHz	2.506502412 GHz	4.149 dBm	-25.85 dB
6	6	2.5300 GHz	2.5310 GHz	300.0 kHz	2.530140000 GHz	-29.56 dBm	-19.56 dB
7	7	2.5310 GHz	2.5350 GHz	1.000 MHz	2.531020000 GHz	-25.77 dBm	-15.77 dB
8	8	2.5350 GHz	2.5600 GHz	1.000 MHz	2.541270000 GHz	-24.77 dBm	-11.77 dB
9	9	2.5600 GHz	2.5910 GHz	1.000 MHz	2.563430000 GHz	-37.86 dBm	-12.86 dB

Band41_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB75_0_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5170 GHz	2.5480 GHz	1.000 MHz	2.543650000 GHz	-44.54 dBm	-19.54 dB
2	2	2.5480 GHz	2.5730 GHz	1.000 MHz	2.572990000 GHz	-38.11 dBm	-25.11 dB
3	3	2.5730 GHz	2.5770 GHz	1.000 MHz	2.576990000 GHz	-32.34 dBm	-22.34 dB
4	4	2.5770 GHz	2.5780 GHz	300.0 kHz	2.577990000 GHz	-34.02 dBm	-24.02 dB
5	5	2.5780 GHz	2.6080 GHz	300.0 kHz	2.582512613 GHz	5.163 dBm	-24.84 dB
6	6	2.6080 GHz	2.6090 GHz	300.0 kHz	2.608490000 GHz	-35.90 dBm	-25.90 dB
7	7	2.6090 GHz	2.6130 GHz	1.000 MHz	2.608990000 GHz	-33.24 dBm	-23.24 dB
8	8	2.6130 GHz	2.6380 GHz	1.000 MHz	2.614740000 GHz	-35.30 dBm	-22.30 dB
9	9	2.6380 GHz	2.6690 GHz	1.000 MHz	2.641090000 GHz	-42.17 dBm	-17.17 dB

Band41_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5170 GHz	2.5480 GHz	1.000 MHz	2.541170000 GHz	-48.14 dBm	-23.14 dB
2	2	2.5480 GHz	2.5730 GHz	1.000 MHz	2.571240000 GHz	-42.82 dBm	-29.82 dB
3	3	2.5730 GHz	2.5770 GHz	1.000 MHz	2.576990000 GHz	-38.09 dBm	-28.09 dB
4	4	2.5770 GHz	2.5780 GHz	30.00 kHz	2.577990000 GHz	-31.76 dBm	-21.76 dB
5	5	2.5780 GHz	2.6080 GHz	300.0 kHz	2.579196030 GHz	20.13 dBm	-9.874 dB
6	6	2.6080 GHz	2.6090 GHz	30.00 kHz	2.608020000 GHz	-62.36 dBm	-52.36 dB
7	7	2.6090 GHz	2.6130 GHz	1.000 MHz	2.609870000 GHz	-47.86 dBm	-37.86 dB
8	8	2.6130 GHz	2.6380 GHz	1.000 MHz	2.620740000 GHz	-47.68 dBm	-34.68 dB
9	9	2.6380 GHz	2.6690 GHz	1.000 MHz	2.648840000 GHz	-48.08 dBm	-23.08 dB

Band41_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH534996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5990 GHz	2.6300 GHz	1.000 MHz	2.619130000 GHz	-47.83 dBm	-22.83 dB
2	2	2.6300 GHz	2.6550 GHz	1.000 MHz	2.653230000 GHz	-42.95 dBm	-29.95 dB
3	3	2.6550 GHz	2.6590 GHz	1.000 MHz	2.658980000 GHz	-38.20 dBm	-28.20 dB
4	4	2.6590 GHz	2.6600 GHz	30.00 kHz	2.659980000 GHz	-30.32 dBm	-20.32 dB
5	5	2.6600 GHz	2.6900 GHz	300.0 kHz	2.661186030 GHz	21.56 dBm	-8.443 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690060000 GHz	-61.83 dBm	-51.83 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691860000 GHz	-47.72 dBm	-37.72 dB
8	8	2.6950 GHz	2.7200 GHz	1.000 MHz	2.702730000 GHz	-47.52 dBm	-34.52 dB
9	9	2.7200 GHz	2.7510 GHz	1.000 MHz	2.731760000 GHz	-47.95 dBm	-22.95 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_77_CH534996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5990 GHz	2.6300 GHz	1.000 MHz	2.628430000 GHz	-47.92 dBm	-22.92 dB
2	2	2.6300 GHz	2.6550 GHz	1.000 MHz	2.647230000 GHz	-46.80 dBm	-33.80 dB
3	3	2.6550 GHz	2.6590 GHz	1.000 MHz	2.658340000 GHz	-47.46 dBm	-37.46 dB
4	4	2.6590 GHz	2.6600 GHz	30.00 kHz	2.659220000 GHz	-62.13 dBm	-52.13 dB
5	5	2.6600 GHz	2.6900 GHz	300.0 kHz	2.688773970 GHz	21.66 dBm	-8.342 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.689980000 GHz	-34.80 dBm	-24.80 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-39.05 dBm	-29.05 dB
8	8	2.6950 GHz	2.7200 GHz	1.000 MHz	2.716480000 GHz	-43.37 dBm	-30.37 dB
9	9	2.7200 GHz	2.7510 GHz	1.000 MHz	2.739200000 GHz	-47.96 dBm	-22.96 dB

Band41_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_77_CH502200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4350 GHz	2.4905 GHz	1.000 MHz	2.483436364 GHz	-47.87 dBm	-22.87 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.493875000 GHz	-47.82 dBm	-34.82 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.495930000 GHz	-62.36 dBm	-49.36 dB
4	4	2.4960 GHz	2.5260 GHz	300.0 kHz	2.524793970 GHz	19.86 dBm	-10.14 dB
5	5	2.5260 GHz	2.5270 GHz	30.00 kHz	2.526000000 GHz	-33.22 dBm	-23.22 dB
6	6	2.5270 GHz	2.5310 GHz	1.000 MHz	2.527000000 GHz	-40.80 dBm	-30.80 dB
7	7	2.5310 GHz	2.5560 GHz	1.000 MHz	2.552500000 GHz	-42.37 dBm	-29.37 dB
8	8	2.5560 GHz	2.5870 GHz	1.000 MHz	2.566540000 GHz	-47.83 dBm	-22.83 dB

Band41_30MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB75_0_CH534996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5990 GHz	2.6300 GHz	1.000 MHz	2.629670000 GHz	-44.63 dBm	-19.63 dB
2	2	2.6300 GHz	2.6550 GHz	1.000 MHz	2.651980000 GHz	-35.43 dBm	-22.43 dB
3	3	2.6550 GHz	2.6590 GHz	1.000 MHz	2.658980000 GHz	-32.22 dBm	-22.22 dB
4	4	2.6590 GHz	2.6600 GHz	300.0 kHz	2.659900000 GHz	-33.23 dBm	-23.23 dB
5	5	2.6600 GHz	2.6900 GHz	300.0 kHz	2.665557889 GHz	5.793 dBm	-24.21 dB
6	6	2.6900 GHz	2.6910 GHz	300.0 kHz	2.690170000 GHz	-36.34 dBm	-26.34 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-33.13 dBm	-23.13 dB
8	8	2.6950 GHz	2.7200 GHz	1.000 MHz	2.698480000 GHz	-36.49 dBm	-23.49 dB
9	9	2.7200 GHz	2.7510 GHz	1.000 MHz	2.722150000 GHz	-40.60 dBm	-21.60 dB

Band41_30MHz_CP_OFDM_SCS30kHz_QPSK_RB78_0_CH502200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4350 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-33.82 dBm	-8.817 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-29.49 dBm	-16.49 dB
3	3	2.4950 GHz	2.4960 GHz	300.0 kHz	2.496000000 GHz	-31.97 dBm	-18.97 dB
4	4	2.4960 GHz	2.5260 GHz	300.0 kHz	2.517557789 GHz	2.373 dBm	-27.63 dB
5	5	2.5260 GHz	2.5270 GHz	300.0 kHz	2.526000000 GHz	-30.42 dBm	-20.42 dB
6	6	2.5270 GHz	2.5310 GHz	1.000 MHz	2.527000000 GHz	-27.53 dBm	-17.53 dB
7	7	2.5310 GHz	2.5560 GHz	1.000 MHz	2.531250000 GHz	-29.70 dBm	-16.70 dB
8	8	2.5560 GHz	2.5870 GHz	1.000 MHz	2.557550000 GHz	-37.75 dBm	-12.75 dB

Band41_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH502200



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4350 GHz	2.4905 GHz	1.000 MHz	2.489490909 GHz	-45.73 dBm	-20.73 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-40.46 dBm	-27.46 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.496000000 GHz	-32.38 dBm	-19.38 dB
4	4	2.4960 GHz	2.5260 GHz	300.0 kHz	2.497055276 GHz	19.36 dBm	-10.64 dB
5	5	2.5260 GHz	2.5270 GHz	30.00 kHz	2.526900000 GHz	-61.65 dBm	-51.65 dB
6	6	2.5270 GHz	2.5310 GHz	1.000 MHz	2.527640000 GHz	-47.56 dBm	-37.56 dB
7	7	2.5310 GHz	2.5560 GHz	1.000 MHz	2.539000000 GHz	-47.45 dBm	-34.45 dB
8	8	2.5560 GHz	2.5870 GHz	1.000 MHz	2.587000000 GHz	-47.99 dBm	-22.99 dB

Band41_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH503004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4390 GHz	2.4905 GHz	1.000 MHz	2.487471765 GHz	-47.37 dBm	-22.37 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.493250000 GHz	-45.13 dBm	-32.13 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499020000 GHz	-40.48 dBm	-30.48 dB
4	4	2.4990 GHz	2.5000 GHz	30.00 kHz	2.500020000 GHz	-32.97 dBm	-22.97 dB
5	5	2.5000 GHz	2.5300 GHz	300.0 kHz	2.501075276 GHz	19.70 dBm	-10.30 dB
6	6	2.5300 GHz	2.5310 GHz	30.00 kHz	2.530850000 GHz	-62.19 dBm	-52.19 dB
7	7	2.5310 GHz	2.5350 GHz	1.000 MHz	2.532100000 GHz	-47.69 dBm	-37.69 dB
8	8	2.5350 GHz	2.5600 GHz	1.000 MHz	2.542520000 GHz	-47.61 dBm	-34.61 dB
9	9	2.5600 GHz	2.5910 GHz	1.000 MHz	2.590400000 GHz	-48.01 dBm	-23.01 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_77_CH503004



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4390 GHz	2.4905 GHz	1.000 MHz	2.487471765 GHz	-47.71 dBm	-22.71 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.493965000 GHz	-47.96 dBm	-34.96 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498204600 GHz	-47.76 dBm	-37.76 dB
4	4	2.4990 GHz	2.5000 GHz	30.00 kHz	2.499080000 GHz	-62.22 dBm	-52.22 dB
5	5	2.5000 GHz	2.5300 GHz	300.0 kHz	2.528813970 GHz	-19.84 dBm	-10.16 dB
6	6	2.5300 GHz	2.5310 GHz	30.00 kHz	2.530020000 GHz	-35.04 dBm	-25.04 dB
7	7	2.5310 GHz	2.5350 GHz	1.000 MHz	2.531020000 GHz	-40.92 dBm	-30.92 dB
8	8	2.5350 GHz	2.5600 GHz	1.000 MHz	2.556520000 GHz	-42.57 dBm	-29.57 dB
9	9	2.5600 GHz	2.5910 GHz	1.000 MHz	2.570560000 GHz	-47.86 dBm	-22.86 dB

Band41_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_77_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5170 GHz	2.5480 GHz	1.000 MHz	2.521020000 GHz	-48.08 dBm	-23.08 dB
2	2	2.5480 GHz	2.5730 GHz	1.000 MHz	2.565490000 GHz	-47.29 dBm	-34.29 dB
3	3	2.5730 GHz	2.5770 GHz	1.000 MHz	2.576670000 GHz	-47.51 dBm	-37.51 dB
4	4	2.5770 GHz	2.5780 GHz	30.00 kHz	2.577350000 GHz	-61.90 dBm	-51.90 dB
5	5	2.5780 GHz	2.6080 GHz	300.0 kHz	2.606783970 GHz	-19.52 dBm	-10.48 dB
6	6	2.6080 GHz	2.6090 GHz	30.00 kHz	2.607990000 GHz	-34.17 dBm	-24.17 dB
7	7	2.6090 GHz	2.6130 GHz	1.000 MHz	2.608990000 GHz	-39.07 dBm	-29.07 dB
8	8	2.6130 GHz	2.6380 GHz	1.000 MHz	2.634490000 GHz	-42.90 dBm	-29.90 dB
9	9	2.6380 GHz	2.6690 GHz	1.000 MHz	2.647600000 GHz	-47.84 dBm	-22.84 dB

Band41_30MHz_CP_OFDM_SCS30kHz_QPSK_RB78_0_CH503004

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4390 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-37.54 dBm	-12.54 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.496000000 GHz	-35.29 dBm	-22.29 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.499020000 GHz	-32.02 dBm	-22.02 dB
4	4	2.4990 GHz	2.5000 GHz	300.0 kHz	2.499980000 GHz	-32.88 dBm	-22.88 dB
5	5	2.5000 GHz	2.5300 GHz	300.0 kHz	2.516301407 GHz	2.248 dBm	-27.75 dB
6	6	2.5300 GHz	2.5310 GHz	300.0 kHz	2.530140000 GHz	-31.45 dBm	-21.45 dB
7	7	2.5310 GHz	2.5350 GHz	1.000 MHz	2.531020000 GHz	-28.91 dBm	-18.91 dB
8	8	2.5350 GHz	2.5600 GHz	1.000 MHz	2.535770000 GHz	-30.79 dBm	-17.79 dB
9	9	2.5600 GHz	2.5910 GHz	1.000 MHz	2.560020000 GHz	-37.67 dBm	-12.67 dB

Band41_30MHz_CP_OFDM_SCS30kHz_QPSK_RB78_0_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5170 GHz	2.5480 GHz	1.000 MHz	2.547990000 GHz	-44.42 dBm	-19.42 dB
2	2	2.5480 GHz	2.5730 GHz	1.000 MHz	2.572990000 GHz	-38.81 dBm	-25.81 dB
3	3	2.5730 GHz	2.5770 GHz	1.000 MHz	2.576950000 GHz	-34.49 dBm	-24.49 dB
4	4	2.5770 GHz	2.5780 GHz	300.0 kHz	2.577990000 GHz	-34.60 dBm	-24.60 dB
5	5	2.5780 GHz	2.6080 GHz	300.0 kHz	2.582663367 GHz	2.202 dBm	-27.80 dB
6	6	2.6080 GHz	2.6090 GHz	300.0 kHz	2.607990000 GHz	-33.51 dBm	-23.51 dB
7	7	2.6090 GHz	2.6130 GHz	1.000 MHz	2.608990000 GHz	-31.71 dBm	-21.71 dB
8	8	2.6130 GHz	2.6380 GHz	1.000 MHz	2.613990000 GHz	-35.02 dBm	-22.02 dB
9	9	2.6380 GHz	2.6690 GHz	1.000 MHz	2.638520000 GHz	-40.10 dBm	-15.10 dB

Band41_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5170 GHz	2.5480 GHz	1.000 MHz	2.537450000 GHz	-47.90 dBm	-22.90 dB
2	2	2.5480 GHz	2.5730 GHz	1.000 MHz	2.571240000 GHz	-44.46 dBm	-31.46 dB
3	3	2.5730 GHz	2.5770 GHz	1.000 MHz	2.576990000 GHz	-38.92 dBm	-28.92 dB
4	4	2.5770 GHz	2.5780 GHz	30.00 kHz	2.577970000 GHz	-33.98 dBm	-23.98 dB
5	5	2.5780 GHz	2.6080 GHz	300.0 kHz	2.579045276 GHz	18.43 dBm	-11.57 dB
6	6	2.6080 GHz	2.6090 GHz	30.00 kHz	2.608450000 GHz	-62.24 dBm	-52.24 dB
7	7	2.6090 GHz	2.6130 GHz	1.000 MHz	2.610070000 GHz	-47.65 dBm	-37.65 dB
8	8	2.6130 GHz	2.6380 GHz	1.000 MHz	2.620990000 GHz	-47.55 dBm	-34.55 dB
9	9	2.6380 GHz	2.6690 GHz	1.000 MHz	2.638610000 GHz	-48.06 dBm	-23.06 dB

Band41_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH534996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5990 GHz	2.6300 GHz	1.000 MHz	2.619440000 GHz	-47.69 dBm	-22.69 dB
2	2	2.6300 GHz	2.6550 GHz	1.000 MHz	2.653230000 GHz	-43.85 dBm	-30.85 dB
3	3	2.6550 GHz	2.6590 GHz	1.000 MHz	2.658980000 GHz	-38.63 dBm	-28.63 dB
4	4	2.6590 GHz	2.6600 GHz	30.00 kHz	2.659980000 GHz	-31.29 dBm	-21.29 dB
5	5	2.6600 GHz	2.6900 GHz	300.0 kHz	2.661035276 GHz	21.07 dBm	-8.927 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690100000 GHz	-62.13 dBm	-52.13 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691500000 GHz	-47.69 dBm	-37.69 dB
8	8	2.6950 GHz	2.7200 GHz	1.000 MHz	2.702980000 GHz	-47.60 dBm	-34.60 dB
9	9	2.7200 GHz	2.7510 GHz	1.000 MHz	2.729590000 GHz	-47.95 dBm	-22.95 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_30MHz_CP_OFDM_SCS30kHz_QPSK_RB1_77_CH534996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5990 GHz	2.6300 GHz	1.000 MHz	2.616650000 GHz	-47.95 dBm	-22.95 dB
2	2	2.6300 GHz	2.6550 GHz	1.000 MHz	2.647230000 GHz	-47.20 dBm	-34.20 dB
3	3	2.6550 GHz	2.6590 GHz	1.000 MHz	2.657820000 GHz	-47.47 dBm	-37.47 dB
4	4	2.6590 GHz	2.6600 GHz	30.00 kHz	2.659090000 GHz	-61.43 dBm	-51.43 dB
5	5	2.6600 GHz	2.6900 GHz	300.0 kHz	2.688773970 GHz	-19.11 dBm	-10.89 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.689980000 GHz	-33.19 dBm	-23.19 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-40.00 dBm	-30.00 dB
8	8	2.6950 GHz	2.7200 GHz	1.000 MHz	2.716480000 GHz	-44.48 dBm	-31.48 dB
9	9	2.7200 GHz	2.7510 GHz	1.000 MHz	2.743850000 GHz	-47.95 dBm	-22.95 dB

Band41_35MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_91_CH502704



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4250 GHz	2.4905 GHz	1.000 MHz	2.480929846 GHz	-48.22 dBm	-23.22 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.492986000 GHz	-48.24 dBm	-35.24 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.495730000 GHz	-62.90 dBm	-49.90 dB
4	4	2.4960 GHz	2.5310 GHz	430.0 kHz	2.529939753 GHz	22.34 dBm	-7.657 dB
5	5	2.5310 GHz	2.5320 GHz	30.00 kHz	2.531020000 GHz	-31.36 dBm	-21.36 dB
6	6	2.5320 GHz	2.5360 GHz	1.000 MHz	2.532020000 GHz	-40.14 dBm	-30.14 dB
7	7	2.5360 GHz	2.5660 GHz	1.000 MHz	2.562720000 GHz	-43.05 dBm	-30.05 dB
8	8	2.5660 GHz	2.6020 GHz	1.000 MHz	2.598060000 GHz	-48.12 dBm	-23.12 dB

Band41_30MHz_CP_OFDM_SCS30kHz_QPSK_RB78_0_CH534996



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5990 GHz	2.6300 GHz	1.000 MHz	2.612620000 GHz	-43.44 dBm	-18.44 dB
2	2	2.6300 GHz	2.6550 GHz	1.000 MHz	2.654980000 GHz	-35.01 dBm	-22.01 dB
3	3	2.6550 GHz	2.6590 GHz	1.000 MHz	2.658980000 GHz	-31.99 dBm	-21.99 dB
4	4	2.6590 GHz	2.6600 GHz	300.0 kHz	2.659980000 GHz	-32.99 dBm	-22.99 dB
5	5	2.6600 GHz	2.6900 GHz	300.0 kHz	2.662241307 GHz	2.683 dBm	-27.32 dB
6	6	2.6900 GHz	2.6910 GHz	300.0 kHz	2.689980000 GHz	-32.25 dBm	-22.25 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-30.04 dBm	-20.04 dB
8	8	2.6950 GHz	2.7200 GHz	1.000 MHz	2.694980000 GHz	-32.48 dBm	-19.48 dB
9	9	2.7200 GHz	2.7510 GHz	1.000 MHz	2.719980000 GHz	-44.45 dBm	-19.45 dB

Band41_35MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB90_0_CH502704



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4250 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-30.70 dBm	-5.700 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495020000 GHz	-29.36 dBm	-16.36 dB
3	3	2.4950 GHz	2.4960 GHz	430.0 kHz	2.495920000 GHz	-31.92 dBm	-18.92 dB
4	4	2.4960 GHz	2.5310 GHz	430.0 kHz	2.515032346 GHz	6.338 dBm	-23.66 dB
5	5	2.5310 GHz	2.5320 GHz	430.0 kHz	2.531020000 GHz	-29.41 dBm	-19.41 dB
6	6	2.5320 GHz	2.5360 GHz	1.000 MHz	2.533220000 GHz	-25.86 dBm	-15.86 dB
7	7	2.5360 GHz	2.5660 GHz	1.000 MHz	2.543820000 GHz	-26.64 dBm	-13.64 dB
8	8	2.5660 GHz	2.6020 GHz	1.000 MHz	2.573940000 GHz	-39.64 dBm	-14.64 dB

Band41_35MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH502704



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4250 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-46.80 dBm	-21.80 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495020000 GHz	-39.95 dBm	-26.95 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.496020000 GHz	-33.92 dBm	-20.92 dB
4	4	2.4960 GHz	2.5310 GHz	430.0 kHz	2.497100247 GHz	22.72 dBm	-7.278 dB
5	5	2.5310 GHz	2.5320 GHz	30.00 kHz	2.531130000 GHz	-62.59 dBm	-52.59 dB
6	6	2.5320 GHz	2.5360 GHz	1.000 MHz	2.535420000 GHz	-48.16 dBm	-38.16 dB
7	7	2.5360 GHz	2.5660 GHz	1.000 MHz	2.546520000 GHz	-47.84 dBm	-34.84 dB
8	8	2.5660 GHz	2.6020 GHz	1.000 MHz	2.597340000 GHz	-48.12 dBm	-23.12 dB

Band41_35MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5045 GHz	2.5405 GHz	1.000 MHz	2.507400000 GHz	-48.43 dBm	-23.43 dB
2	2	2.5405 GHz	2.5705 GHz	1.000 MHz	2.570220000 GHz	-45.06 dBm	-32.06 dB
3	3	2.5705 GHz	2.5745 GHz	1.000 MHz	2.574520000 GHz	-37.78 dBm	-27.78 dB
4	4	2.5745 GHz	2.5755 GHz	30.00 kHz	2.575520000 GHz	-31.86 dBm	-21.86 dB
5	5	2.5755 GHz	2.6105 GHz	430.0 kHz	2.576600247 GHz	22.02 dBm	-7.982 dB
6	6	2.6105 GHz	2.6115 GHz	30.00 kHz	2.610640000 GHz	-62.69 dBm	-52.69 dB
7	7	2.6115 GHz	2.6155 GHz	1.000 MHz	2.615320000 GHz	-48.16 dBm	-38.16 dB
8	8	2.6155 GHz	2.6455 GHz	1.000 MHz	2.625720000 GHz	-47.96 dBm	-34.96 dB
9	9	2.6455 GHz	2.6815 GHz	1.000 MHz	2.650560000 GHz	-48.08 dBm	-23.08 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_35MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_91_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5045 GHz	2.5405 GHz	1.000 MHz	2.511000000 GHz	-48.44 dBm	-23.44 dB
2	2	2.5405 GHz	2.5705 GHz	1.000 MHz	2.560320000 GHz	-47.61 dBm	-34.61 dB
3	3	2.5705 GHz	2.5745 GHz	1.000 MHz	2.572760000 GHz	-48.23 dBm	-38.23 dB
4	4	2.5745 GHz	2.5755 GHz	30.00 kHz	2.574720000 GHz	-62.77 dBm	-52.77 dB
5	5	2.5755 GHz	2.6105 GHz	430.0 kHz	2.609439753 GHz	21.87 dBm	-8.126 dB
6	6	2.6105 GHz	2.6115 GHz	30.00 kHz	2.610520000 GHz	-33.16 dBm	-23.16 dB
7	7	2.6115 GHz	2.6155 GHz	1.000 MHz	2.611520000 GHz	-38.22 dBm	-28.22 dB
8	8	2.6155 GHz	2.6455 GHz	1.000 MHz	2.642220000 GHz	-43.75 dBm	-30.75 dB
9	9	2.6455 GHz	2.6815 GHz	1.000 MHz	2.650560000 GHz	-48.03 dBm	-23.03 dB

Band41_35MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_91_CH533496



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5790 GHz	2.6150 GHz	1.000 MHz	2.613180000 GHz	-47.94 dBm	-22.94 dB
2	2	2.6150 GHz	2.6450 GHz	1.000 MHz	2.634780000 GHz	-47.16 dBm	-34.16 dB
3	3	2.6450 GHz	2.6490 GHz	1.000 MHz	2.647300000 GHz	-48.06 dBm	-38.06 dB
4	4	2.6490 GHz	2.6500 GHz	30.00 kHz	2.649790000 GHz	-62.25 dBm	-52.25 dB
5	5	2.6500 GHz	2.6850 GHz	430.0 kHz	2.683899753 GHz	23.04 dBm	-6.959 dB
6	6	2.6850 GHz	2.6860 GHz	30.00 kHz	2.684980000 GHz	-33.94 dBm	-23.94 dB
7	7	2.6860 GHz	2.6900 GHz	1.000 MHz	2.685980000 GHz	-38.54 dBm	-28.54 dB
8	8	2.6900 GHz	2.7200 GHz	1.000 MHz	2.716680000 GHz	-44.67 dBm	-31.67 dB
9	9	2.7200 GHz	2.7560 GHz	1.000 MHz	2.742300000 GHz	-48.17 dBm	-23.17 dB

Band41_35MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB90_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5045 GHz	2.5405 GHz	1.000 MHz	2.514240000 GHz	-45.07 dBm	-20.07 dB
2	2	2.5405 GHz	2.5705 GHz	1.000 MHz	2.570220000 GHz	-39.00 dBm	-26.00 dB
3	3	2.5705 GHz	2.5745 GHz	1.000 MHz	2.574520000 GHz	-34.04 dBm	-24.04 dB
4	4	2.5745 GHz	2.5755 GHz	430.0 kHz	2.574830000 GHz	-35.42 dBm	-25.42 dB
5	5	2.5755 GHz	2.6105 GHz	430.0 kHz	2.577680494 GHz	6.065 dBm	-23.94 dB
6	6	2.6105 GHz	2.6115 GHz	430.0 kHz	2.610550000 GHz	-34.54 dBm	-24.54 dB
7	7	2.6115 GHz	2.6155 GHz	1.000 MHz	2.611520000 GHz	-32.31 dBm	-22.31 dB
8	8	2.6155 GHz	2.6455 GHz	1.000 MHz	2.623620000 GHz	-33.82 dBm	-20.82 dB
9	9	2.6455 GHz	2.6815 GHz	1.000 MHz	2.650560000 GHz	-41.66 dBm	-16.66 dB

Band41_35MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB90_0_CH533496



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5790 GHz	2.6150 GHz	1.000 MHz	2.614260000 GHz	-40.45 dBm	-15.45 dB
2	2	2.6150 GHz	2.6450 GHz	1.000 MHz	2.635080000 GHz	-30.33 dBm	-17.33 dB
3	3	2.6450 GHz	2.6490 GHz	1.000 MHz	2.647620000 GHz	-27.64 dBm	-17.64 dB
4	4	2.6490 GHz	2.6500 GHz	430.0 kHz	2.649910000 GHz	-28.79 dBm	-18.79 dB
5	5	2.6500 GHz	2.6850 GHz	430.0 kHz	2.651492346 GHz	6.735 dBm	-23.26 dB
6	6	2.6850 GHz	2.6860 GHz	430.0 kHz	2.684980000 GHz	-33.00 dBm	-23.00 dB
7	7	2.6860 GHz	2.6900 GHz	1.000 MHz	2.686060000 GHz	-30.09 dBm	-20.09 dB
8	8	2.6900 GHz	2.7200 GHz	1.000 MHz	2.696980000 GHz	-34.71 dBm	-21.71 dB
9	9	2.7200 GHz	2.7560 GHz	1.000 MHz	2.720700000 GHz	-45.37 dBm	-20.37 dB

Band41_35MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH533496



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5790 GHz	2.6150 GHz	1.000 MHz	2.613900000 GHz	-47.94 dBm	-22.94 dB
2	2	2.6150 GHz	2.6450 GHz	1.000 MHz	2.644380000 GHz	-45.07 dBm	-32.07 dB
3	3	2.6450 GHz	2.6490 GHz	1.000 MHz	2.648980000 GHz	-38.01 dBm	-28.01 dB
4	4	2.6490 GHz	2.6500 GHz	30.00 kHz	2.649980000 GHz	-31.51 dBm	-21.51 dB
5	5	2.6500 GHz	2.6850 GHz	430.0 kHz	2.651060247 GHz	23.24 dBm	-6.763 dB
6	6	2.6850 GHz	2.6860 GHz	30.00 kHz	2.685780000 GHz	-62.63 dBm	-52.63 dB
7	7	2.6860 GHz	2.6900 GHz	1.000 MHz	2.686300000 GHz	-48.06 dBm	-38.06 dB
8	8	2.6900 GHz	2.7200 GHz	1.000 MHz	2.700180000 GHz	-47.86 dBm	-34.86 dB
9	9	2.7200 GHz	2.7560 GHz	1.000 MHz	2.754540000 GHz	-48.17 dBm	-23.17 dB

Band41_35MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH534498



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5840 GHz	2.6200 GHz	1.000 MHz	2.618190000 GHz	-47.62 dBm	-22.62 dB
2	2	2.6200 GHz	2.6500 GHz	1.000 MHz	2.648790000 GHz	-43.09 dBm	-30.09 dB
3	3	2.6500 GHz	2.6540 GHz	1.000 MHz	2.653990000 GHz	-38.22 dBm	-28.22 dB
4	4	2.6540 GHz	2.6550 GHz	30.00 kHz	2.654990000 GHz	-31.00 dBm	-21.00 dB
5	5	2.6550 GHz	2.6900 GHz	430.0 kHz	2.656070247 GHz	22.66 dBm	-7.343 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690870000 GHz	-62.20 dBm	-52.20 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.692070000 GHz	-47.82 dBm	-37.82 dB
8	8	2.6950 GHz	2.7250 GHz	1.000 MHz	2.705190000 GHz	-47.82 dBm	-34.82 dB
9	9	2.7250 GHz	2.7610 GHz	1.000 MHz	2.752710000 GHz	-48.17 dBm	-23.17 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_35MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_91_CH534498



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5840 GHz	2.6200 GHz	1.000 MHz	2.618550000 GHz	-47.67 dBm	-22.67 dB
2	2	2.6200 GHz	2.6500 GHz	1.000 MHz	2.639790000 GHz	-46.86 dBm	-33.86 dB
3	3	2.6500 GHz	2.6540 GHz	1.000 MHz	2.650910000 GHz	-47.86 dBm	-37.86 dB
4	4	2.6540 GHz	2.6550 GHz	30.00 kHz	2.654820000 GHz	-62.44 dBm	-52.44 dB
5	5	2.6550 GHz	2.6900 GHz	430.0 kHz	2.688909753 GHz	-22.45 dBm	-7.552 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.689990000 GHz	-32.38 dBm	-22.38 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-39.06 dBm	-29.06 dB
8	8	2.6950 GHz	2.7250 GHz	1.000 MHz	2.721690000 GHz	-44.27 dBm	-31.27 dB
9	9	2.7250 GHz	2.7610 GHz	1.000 MHz	2.740830000 GHz	-48.17 dBm	-23.17 dB

Band41_35MHz_CP_OFDM_SCS30kHz_QPSK_RB1_91_CH502704



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4250 GHz	2.4905 GHz	1.000 MHz	2.480426154 GHz	-48.24 dBm	-23.24 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.493709200 GHz	-48.19 dBm	-35.19 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.495710000 GHz	-62.71 dBm	-49.71 dB
4	4	2.4960 GHz	2.5310 GHz	430.0 kHz	2.529939753 GHz	-20.97 dBm	-9.031 dB
5	5	2.5310 GHz	2.5320 GHz	30.00 kHz	2.531020000 GHz	-32.82 dBm	-22.82 dB
6	6	2.5320 GHz	2.5360 GHz	1.000 MHz	2.532020000 GHz	-40.68 dBm	-30.68 dB
7	7	2.5360 GHz	2.5660 GHz	1.000 MHz	2.562720000 GHz	-42.95 dBm	-29.95 dB
8	8	2.5660 GHz	2.6020 GHz	1.000 MHz	2.601660000 GHz	-48.12 dBm	-23.12 dB

Band41_35MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB90_0_CH534498



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5840 GHz	2.6200 GHz	1.000 MHz	2.619270000 GHz	-43.22 dBm	-18.22 dB
2	2	2.6200 GHz	2.6500 GHz	1.000 MHz	2.640390000 GHz	-32.04 dBm	-19.04 dB
3	3	2.6500 GHz	2.6540 GHz	1.000 MHz	2.653990000 GHz	-30.15 dBm	-20.15 dB
4	4	2.6540 GHz	2.6550 GHz	430.0 kHz	2.654990000 GHz	-31.10 dBm	-21.10 dB
5	5	2.6550 GHz	2.6900 GHz	430.0 kHz	2.675082593 GHz	5.433 dBm	-24.57 dB
6	6	2.6900 GHz	2.6910 GHz	430.0 kHz	2.689990000 GHz	-33.62 dBm	-23.62 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-31.84 dBm	-21.84 dB
8	8	2.6950 GHz	2.7250 GHz	1.000 MHz	2.696190000 GHz	-35.51 dBm	-22.51 dB
9	9	2.7250 GHz	2.7610 GHz	1.000 MHz	2.725350000 GHz	-46.89 dBm	-21.89 dB

Band41_35MHz_CP_OFDM_SCS30kHz_QPSK_RB92_0_CH502704



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4250 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-33.24 dBm	-8.238 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495020000 GHz	-30.04 dBm	-17.04 dB
3	3	2.4950 GHz	2.4960 GHz	430.0 kHz	2.495970000 GHz	-30.99 dBm	-17.99 dB
4	4	2.4960 GHz	2.5310 GHz	430.0 kHz	2.510063210 GHz	3.548 dBm	-26.45 dB
5	5	2.5310 GHz	2.5320 GHz	430.0 kHz	2.531020000 GHz	-29.45 dBm	-19.45 dB
6	6	2.5320 GHz	2.5360 GHz	1.000 MHz	2.532060000 GHz	-27.67 dBm	-17.67 dB
7	7	2.5360 GHz	2.5660 GHz	1.000 MHz	2.536020000 GHz	-29.22 dBm	-16.22 dB
8	8	2.5660 GHz	2.6020 GHz	1.000 MHz	2.566020000 GHz	-37.08 dBm	-12.08 dB

Band41_35MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH502704



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4250 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-46.58 dBm	-21.58 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495020000 GHz	-40.21 dBm	-27.21 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.496020000 GHz	-31.97 dBm	-18.97 dB
4	4	2.4960 GHz	2.5310 GHz	430.0 kHz	2.497100247 GHz	20.97 dBm	-9.033 dB
5	5	2.5310 GHz	2.5320 GHz	30.00 kHz	2.531140000 GHz	-62.52 dBm	-52.52 dB
6	6	2.5320 GHz	2.5360 GHz	1.000 MHz	2.535260000 GHz	-48.04 dBm	-38.04 dB
7	7	2.5360 GHz	2.5660 GHz	1.000 MHz	2.546520000 GHz	-47.91 dBm	-34.91 dB
8	8	2.5660 GHz	2.6020 GHz	1.000 MHz	2.596620000 GHz	-48.21 dBm	-23.21 dB

Band41_35MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5045 GHz	2.5405 GHz	1.000 MHz	2.511360000 GHz	-48.45 dBm	-23.45 dB
2	2	2.5405 GHz	2.5705 GHz	1.000 MHz	2.569920000 GHz	-45.87 dBm	-32.87 dB
3	3	2.5705 GHz	2.5745 GHz	1.000 MHz	2.574520000 GHz	-38.59 dBm	-28.59 dB
4	4	2.5745 GHz	2.5755 GHz	30.00 kHz	2.575520000 GHz	-34.28 dBm	-24.28 dB
5	5	2.5755 GHz	2.6105 GHz	430.0 kHz	2.576600247 GHz	20.03 dBm	-9.972 dB
6	6	2.6105 GHz	2.6115 GHz	30.00 kHz	2.611430000 GHz	-62.86 dBm	-52.86 dB
7	7	2.6115 GHz	2.6155 GHz	1.000 MHz	2.611520000 GHz	-48.06 dBm	-38.06 dB
8	8	2.6155 GHz	2.6455 GHz	1.000 MHz	2.626020000 GHz	-47.94 dBm	-34.94 dB
9	9	2.6455 GHz	2.6815 GHz	1.000 MHz	2.650200000 GHz	-48.06 dBm	-23.06 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_35MHz_CP_OFDM_SCS30kHz_QPSK_RB1_91_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5045 GHz	2.5405 GHz	1.000 MHz	2.518920000 GHz	-48.45 dBm	-23.45 dB
2	2	2.5405 GHz	2.5705 GHz	1.000 MHz	2.560020000 GHz	-47.79 dBm	-34.79 dB
3	3	2.5705 GHz	2.5745 GHz	1.000 MHz	2.570680000 GHz	-48.05 dBm	-38.05 dB
4	4	2.5745 GHz	2.5755 GHz	30.00 kHz	2.574830000 GHz	-62.71 dBm	-52.71 dB
5	5	2.5755 GHz	2.6105 GHz	430.0 kHz	2.609439753 GHz	-20.23 dBm	-9.773 dB
6	6	2.6105 GHz	2.6115 GHz	30.00 kHz	2.610520000 GHz	-33.31 dBm	-23.31 dB
7	7	2.6115 GHz	2.6155 GHz	1.000 MHz	2.611520000 GHz	-38.83 dBm	-28.83 dB
8	8	2.6155 GHz	2.6455 GHz	1.000 MHz	2.641920000 GHz	-43.78 dBm	-30.78 dB
9	9	2.6455 GHz	2.6815 GHz	1.000 MHz	2.658480000 GHz	-47.92 dBm	-22.92 dB

Band41_35MHz_CP_OFDM_SCS30kHz_QPSK_RB1_91_CH533496



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5790 GHz	2.6150 GHz	1.000 MHz	2.611020000 GHz	-48.00 dBm	-23.00 dB
2	2	2.6150 GHz	2.6450 GHz	1.000 MHz	2.634780000 GHz	-47.45 dBm	-34.45 dB
3	3	2.6450 GHz	2.6490 GHz	1.000 MHz	2.645340000 GHz	-47.91 dBm	-37.91 dB
4	4	2.6490 GHz	2.6500 GHz	30.00 kHz	2.649880000 GHz	-62.46 dBm	-52.46 dB
5	5	2.6500 GHz	2.6850 GHz	430.0 kHz	2.663899753 GHz	-20.82 dBm	-9.176 dB
6	6	2.6850 GHz	2.6860 GHz	30.00 kHz	2.684980000 GHz	-35.36 dBm	-25.36 dB
7	7	2.6860 GHz	2.6900 GHz	1.000 MHz	2.685980000 GHz	-39.97 dBm	-29.97 dB
8	8	2.6900 GHz	2.7200 GHz	1.000 MHz	2.716680000 GHz	-44.59 dBm	-31.59 dB
9	9	2.7200 GHz	2.7560 GHz	1.000 MHz	2.750220000 GHz	-48.17 dBm	-23.17 dB

Band41_35MHz_CP_OFDM_SCS30kHz_QPSK_RB92_0_CH518604

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5045 GHz	2.5405 GHz	1.000 MHz	2.540520000 GHz	-45.09 dBm	-20.09 dB
2	2	2.5405 GHz	2.5705 GHz	1.000 MHz	2.570520000 GHz	-39.62 dBm	-26.62 dB
3	3	2.5705 GHz	2.5745 GHz	1.000 MHz	2.574520000 GHz	-34.89 dBm	-24.89 dB
4	4	2.5745 GHz	2.5755 GHz	430.0 kHz	2.575510000 GHz	-34.41 dBm	-24.41 dB
5	5	2.5755 GHz	2.6105 GHz	430.0 kHz	2.578112593 GHz	3.320 dBm	-26.68 dB
6	6	2.6105 GHz	2.6115 GHz	430.0 kHz	2.610530000 GHz	-33.06 dBm	-23.06 dB
7	7	2.6115 GHz	2.6155 GHz	1.000 MHz	2.611520000 GHz	-32.29 dBm	-22.29 dB
8	8	2.6155 GHz	2.6455 GHz	1.000 MHz	2.615520000 GHz	-35.20 dBm	-22.20 dB
9	9	2.6455 GHz	2.6815 GHz	1.000 MHz	2.645880000 GHz	-40.26 dBm	-15.26 dB

Band41_35MHz_CP_OFDM_SCS30kHz_QPSK_RB92_0_CH533496



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5790 GHz	2.6150 GHz	1.000 MHz	2.614980000 GHz	-42.85 dBm	-17.85 dB
2	2	2.6150 GHz	2.6450 GHz	1.000 MHz	2.644980000 GHz	-32.34 dBm	-19.34 dB
3	3	2.6450 GHz	2.6490 GHz	1.000 MHz	2.648980000 GHz	-29.49 dBm	-19.49 dB
4	4	2.6490 GHz	2.6500 GHz	430.0 kHz	2.649970000 GHz	-30.92 dBm	-20.92 dB
5	5	2.6500 GHz	2.6850 GHz	430.0 kHz	2.657757778 GHz	3.986 dBm	-26.01 dB
6	6	2.6850 GHz	2.6860 GHz	430.0 kHz	2.684980000 GHz	-32.68 dBm	-22.68 dB
7	7	2.6860 GHz	2.6900 GHz	1.000 MHz	2.685980000 GHz	-30.24 dBm	-20.24 dB
8	8	2.6900 GHz	2.7200 GHz	1.000 MHz	2.689980000 GHz	-35.01 dBm	-22.01 dB
9	9	2.7200 GHz	2.7560 GHz	1.000 MHz	2.719980000 GHz	-45.85 dBm	-20.85 dB

Band41_35MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH533496



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5790 GHz	2.6150 GHz	1.000 MHz	2.602020000 GHz	-47.75 dBm	-22.75 dB
2	2	2.6150 GHz	2.6450 GHz	1.000 MHz	2.644080000 GHz	-45.14 dBm	-32.14 dB
3	3	2.6450 GHz	2.6490 GHz	1.000 MHz	2.648980000 GHz	-38.49 dBm	-28.49 dB
4	4	2.6490 GHz	2.6500 GHz	30.00 kHz	2.649980000 GHz	-31.50 dBm	-21.50 dB
5	5	2.6500 GHz	2.6850 GHz	430.0 kHz	2.651060247 GHz	21.96 dBm	-8.035 dB
6	6	2.6850 GHz	2.6860 GHz	30.00 kHz	2.685600000 GHz	-62.59 dBm	-52.59 dB
7	7	2.6860 GHz	2.6900 GHz	1.000 MHz	2.686540000 GHz	-47.98 dBm	-37.98 dB
8	8	2.6900 GHz	2.7200 GHz	1.000 MHz	2.700480000 GHz	-48.06 dBm	-35.06 dB
9	9	2.7200 GHz	2.7560 GHz	1.000 MHz	2.720340000 GHz	-48.19 dBm	-23.19 dB

Band41_35MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH534498



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5840 GHz	2.6200 GHz	1.000 MHz	2.607030000 GHz	-47.59 dBm	-22.59 dB
2	2	2.6200 GHz	2.6500 GHz	1.000 MHz	2.648790000 GHz	-43.90 dBm	-30.90 dB
3	3	2.6500 GHz	2.6540 GHz	1.000 MHz	2.653990000 GHz	-38.71 dBm	-28.71 dB
4	4	2.6540 GHz	2.6550 GHz	30.00 kHz	2.654990000 GHz	-29.23 dBm	-19.23 dB
5	5	2.6550 GHz	2.6900 GHz	430.0 kHz	2.656070247 GHz	21.52 dBm	-8.485 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690740000 GHz	-62.08 dBm	-52.08 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.693550000 GHz	-48.00 dBm	-38.00 dB
8	8	2.6950 GHz	2.7250 GHz	1.000 MHz	2.705190000 GHz	-48.05 dBm	-35.05 dB
9	9	2.7250 GHz	2.7610 GHz	1.000 MHz	2.747310000 GHz	-48.15 dBm	-23.15 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_35MHz_CP_OFDM_SCS30kHz_QPSK_RB1_91_CH534498



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5840 GHz	2.6200 GHz	1.000 MHz	2.609910000 GHz	-47.77 dBm	-22.77 dB
2	2	2.6200 GHz	2.6500 GHz	1.000 MHz	2.639790000 GHz	-46.85 dBm	-33.85 dB
3	3	2.6500 GHz	2.6540 GHz	1.000 MHz	2.650590000 GHz	-47.68 dBm	-37.68 dB
4	4	2.6540 GHz	2.6550 GHz	30.00 kHz	2.654270000 GHz	-62.07 dBm	-52.07 dB
5	5	2.6550 GHz	2.6900 GHz	430.0 kHz	2.688909753 GHz	-20.47 dBm	-9.532 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.689990000 GHz	-32.96 dBm	-22.96 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-39.80 dBm	-29.80 dB
8	8	2.6950 GHz	2.7250 GHz	1.000 MHz	2.721390000 GHz	-44.71 dBm	-31.71 dB
9	9	2.7250 GHz	2.7610 GHz	1.000 MHz	2.748030000 GHz	-48.21 dBm	-23.21 dB

Band41_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH503202



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4150 GHz	2.4905 GHz	1.000 MHz	2.489493467 GHz	-44.89 dBm	-19.89 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-39.98 dBm	-26.98 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.496000000 GHz	-30.29 dBm	-17.29 dB
4	4	2.4960 GHz	2.5360 GHz	430.0 kHz	2.497091081 GHz	-21.86 dBm	-8.140 dB
5	5	2.5360 GHz	2.5370 GHz	30.00 kHz	2.536450000 GHz	-60.52 dBm	-50.52 dB
6	6	2.5370 GHz	2.5410 GHz	1.000 MHz	2.538090000 GHz	-47.86 dBm	-37.86 dB
7	7	2.5410 GHz	2.5760 GHz	1.000 MHz	2.553960000 GHz	-47.78 dBm	-34.78 dB
8	8	2.5760 GHz	2.6170 GHz	1.000 MHz	2.609220000 GHz	-47.75 dBm	-22.75 dB

Band41_35MHz_CP_OFDM_SCS30kHz_QPSK_RB92_0_CH534498

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5840 GHz	2.6200 GHz	1.000 MHz	2.618550000 GHz	-43.23 dBm	-18.23 dB
2	2	2.6200 GHz	2.6500 GHz	1.000 MHz	2.646990000 GHz	-35.84 dBm	-22.84 dB
3	3	2.6500 GHz	2.6540 GHz	1.000 MHz	2.653990000 GHz	-32.78 dBm	-22.78 dB
4	4	2.6540 GHz	2.6550 GHz	430.0 kHz	2.654980000 GHz	-32.80 dBm	-22.80 dB
5	5	2.6550 GHz	2.6900 GHz	430.0 kHz	2.656502346 GHz	3.921 dBm	-26.08 dB
6	6	2.6900 GHz	2.6910 GHz	430.0 kHz	2.690000000 GHz	-31.59 dBm	-21.59 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690990000 GHz	-31.24 dBm	-21.24 dB
8	8	2.6950 GHz	2.7250 GHz	1.000 MHz	2.694990000 GHz	-34.67 dBm	-21.67 dB
9	9	2.7250 GHz	2.7610 GHz	1.000 MHz	2.724990000 GHz	-46.84 dBm	-21.84 dB

Band41_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_105_CH503202



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4150 GHz	2.4905 GHz	1.000 MHz	2.478421600 GHz	-48.01 dBm	-23.01 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494685000 GHz	-48.05 dBm	-35.05 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.495510000 GHz	-62.82 dBm	-49.82 dB
4	4	2.4960 GHz	2.5360 GHz	430.0 kHz	2.534928919 GHz	-21.79 dBm	-8.206 dB
5	5	2.5360 GHz	2.5370 GHz	30.00 kHz	2.536010000 GHz	-34.88 dBm	-24.88 dB
6	6	2.5370 GHz	2.5410 GHz	1.000 MHz	2.537010000 GHz	-40.20 dBm	-30.20 dB
7	7	2.5410 GHz	2.5760 GHz	1.000 MHz	2.542760000 GHz	-43.49 dBm	-30.49 dB
8	8	2.5760 GHz	2.6170 GHz	1.000 MHz	2.608400000 GHz	-47.70 dBm	-22.70 dB

Band41_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB100_0_CH503202



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4150 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-31.88 dBm	-6.884 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.493155000 GHz	-29.02 dBm	-16.02 dB
3	3	2.4950 GHz	2.4960 GHz	430.0 kHz	2.495980000 GHz	-31.80 dBm	-18.80 dB
4	4	2.4960 GHz	2.5360 GHz	430.0 kHz	2.503361351 GHz	5.476 dBm	-24.52 dB
5	5	2.5360 GHz	2.5370 GHz	430.0 kHz	2.536020000 GHz	-29.30 dBm	-19.30 dB
6	6	2.5370 GHz	2.5410 GHz	1.000 MHz	2.537570000 GHz	-26.61 dBm	-16.61 dB
7	7	2.5410 GHz	2.5760 GHz	1.000 MHz	2.550460000 GHz	-25.32 dBm	-12.32 dB
8	8	2.5760 GHz	2.6170 GHz	1.000 MHz	2.586670000 GHz	-39.86 dBm	-14.86 dB

Band41_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB100_0_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4920 GHz	2.5330 GHz	1.000 MHz	2.506750000 GHz	-45.85 dBm	-20.85 dB
2	2	2.5330 GHz	2.5680 GHz	1.000 MHz	2.567990000 GHz	-35.00 dBm	-22.00 dB
3	3	2.5680 GHz	2.5720 GHz	1.000 MHz	2.571990000 GHz	-31.11 dBm	-21.11 dB
4	4	2.5720 GHz	2.5730 GHz	430.0 kHz	2.572990000 GHz	-33.17 dBm	-23.17 dB
5	5	2.5730 GHz	2.6130 GHz	430.0 kHz	2.578395405 GHz	4.406 dBm	-25.59 dB
6	6	2.6130 GHz	2.6140 GHz	430.0 kHz	2.613390000 GHz	-33.47 dBm	-23.47 dB
7	7	2.6140 GHz	2.6180 GHz	1.000 MHz	2.614030000 GHz	-31.17 dBm	-21.17 dB
8	8	2.6180 GHz	2.6530 GHz	1.000 MHz	2.628490000 GHz	-33.10 dBm	-20.10 dB
9	9	2.6530 GHz	2.6940 GHz	1.000 MHz	2.664470000 GHz	-42.63 dBm	-17.63 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4920 GHz	2.5330 GHz	1.000 MHz	2.525200000 GHz	-48.10 dBm	-23.10 dB
2	2	2.5330 GHz	2.5680 GHz	1.000 MHz	2.566240000 GHz	-43.11 dBm	-30.11 dB
3	3	2.5680 GHz	2.5720 GHz	1.000 MHz	2.571990000 GHz	-37.85 dBm	-27.85 dB
4	4	2.5720 GHz	2.5730 GHz	30.00 kHz	2.572990000 GHz	-32.10 dBm	-22.10 dB
5	5	2.5730 GHz	2.6130 GHz	430.0 kHz	2.574071081 GHz	20.93 dBm	-9.067 dB
6	6	2.6130 GHz	2.6140 GHz	30.00 kHz	2.613380000 GHz	-62.28 dBm	-52.28 dB
7	7	2.6140 GHz	2.6180 GHz	1.000 MHz	2.617670000 GHz	-47.85 dBm	-37.85 dB
8	8	2.6180 GHz	2.6530 GHz	1.000 MHz	2.630590000 GHz	-47.81 dBm	-34.81 dB
9	9	2.6530 GHz	2.6940 GHz	1.000 MHz	2.661190000 GHz	-47.81 dBm	-22.81 dB

Band41_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH534000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5690 GHz	2.6100 GHz	1.000 MHz	2.594420000 GHz	-47.65 dBm	-22.65 dB
2	2	2.6100 GHz	2.6450 GHz	1.000 MHz	2.643250000 GHz	-43.05 dBm	-30.05 dB
3	3	2.6450 GHz	2.6490 GHz	1.000 MHz	2.649000000 GHz	-38.60 dBm	-28.60 dB
4	4	2.6490 GHz	2.6500 GHz	30.00 kHz	2.650000000 GHz	-33.52 dBm	-23.52 dB
5	5	2.6500 GHz	2.6900 GHz	430.0 kHz	2.651081081 GHz	-22.00 dBm	-8.000 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690620000 GHz	-62.67 dBm	-52.67 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.692520000 GHz	-47.84 dBm	-37.84 dB
8	8	2.6950 GHz	2.7300 GHz	1.000 MHz	2.707950000 GHz	-47.69 dBm	-34.69 dB
9	9	2.7300 GHz	2.7710 GHz	1.000 MHz	2.756650000 GHz	-48.17 dBm	-23.17 dB

Band41_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_105_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4920 GHz	2.5330 GHz	1.000 MHz	2.517410000 GHz	-48.10 dBm	-23.10 dB
2	2	2.5330 GHz	2.5680 GHz	1.000 MHz	2.555040000 GHz	-47.71 dBm	-34.71 dB
3	3	2.5680 GHz	2.5720 GHz	1.000 MHz	2.571150000 GHz	-47.95 dBm	-37.95 dB
4	4	2.5720 GHz	2.5730 GHz	30.00 kHz	2.572870000 GHz	-62.13 dBm	-52.13 dB
5	5	2.5730 GHz	2.6130 GHz	430.0 kHz	2.611908919 GHz	21.28 dBm	-8.716 dB
6	6	2.6130 GHz	2.6140 GHz	30.00 kHz	2.612990000 GHz	-29.87 dBm	-19.87 dB
7	7	2.6140 GHz	2.6180 GHz	1.000 MHz	2.613990000 GHz	-38.04 dBm	-28.04 dB
8	8	2.6180 GHz	2.6530 GHz	1.000 MHz	2.619740000 GHz	-43.08 dBm	-30.08 dB
9	9	2.6530 GHz	2.6940 GHz	1.000 MHz	2.653610000 GHz	-47.77 dBm	-22.77 dB

Band41_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_105_CH534000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5690 GHz	2.6100 GHz	1.000 MHz	2.605490000 GHz	-47.80 dBm	-22.80 dB
2	2	2.6100 GHz	2.6450 GHz	1.000 MHz	2.632050000 GHz	-46.97 dBm	-33.97 dB
3	3	2.6450 GHz	2.6490 GHz	1.000 MHz	2.648400000 GHz	-47.76 dBm	-37.76 dB
4	4	2.6490 GHz	2.6500 GHz	30.00 kHz	2.649630000 GHz	-62.20 dBm	-52.20 dB
5	5	2.6500 GHz	2.6900 GHz	430.0 kHz	2.688918919 GHz	21.92 dBm	-8.081 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690000000 GHz	-31.08 dBm	-21.08 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691000000 GHz	-38.59 dBm	-28.59 dB
8	8	2.6950 GHz	2.7300 GHz	1.000 MHz	2.696400000 GHz	-44.32 dBm	-31.32 dB
9	9	2.7300 GHz	2.7710 GHz	1.000 MHz	2.730550000 GHz	-48.16 dBm	-23.16 dB

Band41_40MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB100_0_CH534000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5690 GHz	2.6100 GHz	1.000 MHz	2.608360000 GHz	-41.78 dBm	-16.78 dB
2	2	2.6100 GHz	2.6450 GHz	1.000 MHz	2.633450000 GHz	-30.94 dBm	-17.94 dB
3	3	2.6450 GHz	2.6490 GHz	1.000 MHz	2.648720000 GHz	-27.77 dBm	-17.77 dB
4	4	2.6490 GHz	2.6500 GHz	430.0 kHz	2.650000000 GHz	-30.13 dBm	-20.13 dB
5	5	2.6500 GHz	2.6900 GHz	430.0 kHz	2.651729730 GHz	5.091 dBm	-24.91 dB
6	6	2.6900 GHz	2.6910 GHz	430.0 kHz	2.690010000 GHz	-32.45 dBm	-22.45 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691000000 GHz	-30.62 dBm	-20.62 dB
8	8	2.6950 GHz	2.7300 GHz	1.000 MHz	2.695000000 GHz	-33.88 dBm	-20.88 dB
9	9	2.7300 GHz	2.7710 GHz	1.000 MHz	2.730000000 GHz	-47.61 dBm	-22.61 dB

Band41_40MHz_CP_OFDM_SCS30kHz_QPSK_RB106_0_CH503202



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4150 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-31.80 dBm	-6.804 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494820000 GHz	-29.26 dBm	-16.26 dB
3	3	2.4950 GHz	2.4960 GHz	430.0 kHz	2.496000000 GHz	-30.45 dBm	-17.45 dB
4	4	2.4960 GHz	2.5360 GHz	430.0 kHz	2.528658649 GHz	2.460 dBm	-27.54 dB
5	5	2.5360 GHz	2.5370 GHz	430.0 kHz	2.536110000 GHz	-29.30 dBm	-19.30 dB
6	6	2.5370 GHz	2.5410 GHz	1.000 MHz	2.537010000 GHz	-27.14 dBm	-17.14 dB
7	7	2.5410 GHz	2.5760 GHz	1.000 MHz	2.541360000 GHz	-28.42 dBm	-15.42 dB
8	8	2.5760 GHz	2.6170 GHz	1.000 MHz	2.576830000 GHz	-36.50 dBm	-11.50 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH503202



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4150 GHz	2.4905 GHz	1.000 MHz	2.489493467 GHz	-45.79 dBm	-20.79 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-40.24 dBm	-27.24 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.496000000 GHz	-32.23 dBm	-19.23 dB
4	4	2.4960 GHz	2.5360 GHz	430.0 kHz	2.497091081 GHz	19.85 dBm	-10.15 dB
5	5	2.5360 GHz	2.5370 GHz	30.00 kHz	2.536540000 GHz	-61.15 dBm	-51.15 dB
6	6	2.5370 GHz	2.5410 GHz	1.000 MHz	2.537050000 GHz	-47.74 dBm	-37.74 dB
7	7	2.5410 GHz	2.5760 GHz	1.000 MHz	2.553960000 GHz	-47.81 dBm	-34.81 dB
8	8	2.5760 GHz	2.6170 GHz	1.000 MHz	2.613320000 GHz	-47.79 dBm	-22.79 dB

Band41_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4920 GHz	2.5330 GHz	1.000 MHz	2.522330000 GHz	-48.12 dBm	-23.12 dB
2	2	2.5330 GHz	2.5680 GHz	1.000 MHz	2.566240000 GHz	-44.54 dBm	-31.54 dB
3	3	2.5680 GHz	2.5720 GHz	1.000 MHz	2.571990000 GHz	-38.35 dBm	-28.35 dB
4	4	2.5720 GHz	2.5730 GHz	30.00 kHz	2.572990000 GHz	-31.89 dBm	-21.89 dB
5	5	2.5730 GHz	2.6130 GHz	430.0 kHz	2.574071081 GHz	18.93 dBm	-11.07 dB
6	6	2.6130 GHz	2.6140 GHz	30.00 kHz	2.613880000 GHz	-62.04 dBm	-52.04 dB
7	7	2.6140 GHz	2.6180 GHz	1.000 MHz	2.617870000 GHz	-47.72 dBm	-37.72 dB
8	8	2.6180 GHz	2.6530 GHz	1.000 MHz	2.630940000 GHz	-47.65 dBm	-34.65 dB
9	9	2.6530 GHz	2.6940 GHz	1.000 MHz	2.660370000 GHz	-47.80 dBm	-22.80 dB

Band41_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_105_CH503202

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4150 GHz	2.4905 GHz	1.000 MHz	2.478421600 GHz	-47.90 dBm	-22.90 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.493785000 GHz	-47.97 dBm	-34.97 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.495270000 GHz	-62.41 dBm	-49.41 dB
4	4	2.4960 GHz	2.5360 GHz	430.0 kHz	2.534928919 GHz	19.81 dBm	-10.19 dB
5	5	2.5360 GHz	2.5370 GHz	30.00 kHz	2.536010000 GHz	-32.31 dBm	-22.31 dB
6	6	2.5370 GHz	2.5410 GHz	1.000 MHz	2.537010000 GHz	-40.45 dBm	-30.45 dB
7	7	2.5410 GHz	2.5760 GHz	1.000 MHz	2.572860000 GHz	-43.47 dBm	-30.47 dB
8	8	2.5760 GHz	2.6170 GHz	1.000 MHz	2.605530000 GHz	-47.78 dBm	-22.78 dB

Band41_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_105_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4920 GHz	2.5330 GHz	1.000 MHz	2.491990000 GHz	-48.09 dBm	-23.09 dB
2	2	2.5330 GHz	2.5680 GHz	1.000 MHz	2.555390000 GHz	-47.49 dBm	-34.49 dB
3	3	2.5680 GHz	2.5720 GHz	1.000 MHz	2.571910000 GHz	-47.71 dBm	-37.71 dB
4	4	2.5720 GHz	2.5730 GHz	30.00 kHz	2.572410000 GHz	-62.15 dBm	-52.15 dB
5	5	2.5730 GHz	2.6130 GHz	430.0 kHz	2.611908919 GHz	19.34 dBm	-10.66 dB
6	6	2.6130 GHz	2.6140 GHz	30.00 kHz	2.613000000 GHz	-34.30 dBm	-24.30 dB
7	7	2.6140 GHz	2.6180 GHz	1.000 MHz	2.613990000 GHz	-38.96 dBm	-28.96 dB
8	8	2.6180 GHz	2.6530 GHz	1.000 MHz	2.649840000 GHz	-43.79 dBm	-30.79 dB
9	9	2.6530 GHz	2.6940 GHz	1.000 MHz	2.654220000 GHz	-47.78 dBm	-22.78 dB

Band41_40MHz_CP_OFDM_SCS30kHz_QPSK_RB106_0_CH518598



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4920 GHz	2.5330 GHz	1.000 MHz	2.531760000 GHz	-44.52 dBm	-19.52 dB
2	2	2.5330 GHz	2.5680 GHz	1.000 MHz	2.567990000 GHz	-38.75 dBm	-25.75 dB
3	3	2.5680 GHz	2.5720 GHz	1.000 MHz	2.571990000 GHz	-34.12 dBm	-24.12 dB
4	4	2.5720 GHz	2.5730 GHz	430.0 kHz	2.572990000 GHz	-34.20 dBm	-24.20 dB
5	5	2.5730 GHz	2.6130 GHz	430.0 kHz	2.578611622 GHz	2.376 dBm	-27.62 dB
6	6	2.6130 GHz	2.6140 GHz	430.0 kHz	2.613020000 GHz	-33.30 dBm	-23.30 dB
7	7	2.6140 GHz	2.6180 GHz	1.000 MHz	2.613990000 GHz	-31.83 dBm	-21.83 dB
8	8	2.6180 GHz	2.6530 GHz	1.000 MHz	2.619040000 GHz	-34.48 dBm	-21.48 dB
9	9	2.6530 GHz	2.6940 GHz	1.000 MHz	2.657910000 GHz	-39.90 dBm	-14.90 dB

Band41_40MHz_CP_OFDM_SCS30kHz_QPSK_RB106_0_CH534000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5690 GHz	2.6100 GHz	1.000 MHz	2.608360000 GHz	-42.28 dBm	-17.28 dB
2	2	2.6100 GHz	2.6450 GHz	1.000 MHz	2.645000000 GHz	-32.69 dBm	-19.69 dB
3	3	2.6450 GHz	2.6490 GHz	1.000 MHz	2.648920000 GHz	-30.31 dBm	-20.31 dB
4	4	2.6490 GHz	2.6500 GHz	430.0 kHz	2.649950000 GHz	-30.99 dBm	-20.99 dB
5	5	2.6500 GHz	2.6900 GHz	430.0 kHz	2.656270270 GHz	3.135 dBm	-26.86 dB
6	6	2.6900 GHz	2.6910 GHz	430.0 kHz	2.690080000 GHz	-31.35 dBm	-21.35 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691000000 GHz	-30.49 dBm	-20.49 dB
8	8	2.6950 GHz	2.7300 GHz	1.000 MHz	2.695000000 GHz	-32.54 dBm	-19.54 dB
9	9	2.7300 GHz	2.7710 GHz	1.000 MHz	2.730000000 GHz	-47.40 dBm	-22.40 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH534000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5690 GHz	2.6100 GHz	1.000 MHz	2.594420000 GHz	-47.65 dBm	-22.65 dB
2	2	2.6100 GHz	2.6450 GHz	1.000 MHz	2.643250000 GHz	-44.35 dBm	-31.35 dB
3	3	2.6450 GHz	2.6490 GHz	1.000 MHz	2.649000000 GHz	-38.71 dBm	-28.71 dB
4	4	2.6490 GHz	2.6500 GHz	30.00 kHz	2.650000000 GHz	-31.92 dBm	-21.92 dB
5	5	2.6500 GHz	2.6900 GHz	430.0 kHz	2.651081081 GHz	20.10 dBm	-9.897 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690160000 GHz	-62.22 dBm	-52.22 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.692920000 GHz	-47.82 dBm	-37.82 dB
8	8	2.6950 GHz	2.7300 GHz	1.000 MHz	2.707600000 GHz	-47.76 dBm	-34.76 dB
9	9	2.7300 GHz	2.7710 GHz	1.000 MHz	2.759520000 GHz	-47.95 dBm	-22.95 dB

Band41_45MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH503700



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4050 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-46.61 dBm	-21.61 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-40.69 dBm	-27.69 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.496000000 GHz	-35.67 dBm	-22.67 dB
4	4	2.4960 GHz	2.5410 GHz	510.0 kHz	2.497285714 GHz	22.85 dBm	-7.151 dB
5	5	2.5410 GHz	2.5420 GHz	30.00 kHz	2.541520000 GHz	-62.41 dBm	-52.41 dB
6	6	2.5420 GHz	2.5460 GHz	1.000 MHz	2.543280000 GHz	-48.08 dBm	-38.08 dB
7	7	2.5460 GHz	2.5860 GHz	1.000 MHz	2.560800000 GHz	-47.84 dBm	-34.84 dB
8	8	2.5860 GHz	2.6320 GHz	1.000 MHz	2.608540000 GHz	-47.95 dBm	-22.95 dB

Band41_40MHz_CP_OFDM_SCS30kHz_QPSK_RB1_105_CH534000



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5690 GHz	2.6100 GHz	1.000 MHz	2.610000000 GHz	-47.72 dBm	-22.72 dB
2	2	2.6100 GHz	2.6450 GHz	1.000 MHz	2.632050000 GHz	-47.12 dBm	-34.12 dB
3	3	2.6450 GHz	2.6490 GHz	1.000 MHz	2.647800000 GHz	-47.80 dBm	-37.80 dB
4	4	2.6490 GHz	2.6500 GHz	30.00 kHz	2.649800000 GHz	-62.17 dBm	-52.17 dB
5	5	2.6500 GHz	2.6900 GHz	430.0 kHz	2.688918919 GHz	19.97 dBm	-10.03 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690000000 GHz	-33.71 dBm	-23.71 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691000000 GHz	-39.60 dBm	-29.60 dB
8	8	2.6950 GHz	2.7300 GHz	1.000 MHz	2.696750000 GHz	-44.99 dBm	-31.99 dB
9	9	2.7300 GHz	2.7710 GHz	1.000 MHz	2.744350000 GHz	-47.89 dBm	-22.89 dB

Band41_45MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_118_CH503700



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4050 GHz	2.4905 GHz	1.000 MHz	2.475914706 GHz	-48.29 dBm	-23.29 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.493605000 GHz	-48.26 dBm	-35.26 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.495260000 GHz	-62.94 dBm	-49.94 dB
4	4	2.4960 GHz	2.5410 GHz	510.0 kHz	2.539714286 GHz	22.43 dBm	-7.570 dB
5	5	2.5410 GHz	2.5420 GHz	30.00 kHz	2.541000000 GHz	-37.21 dBm	-27.21 dB
6	6	2.5420 GHz	2.5460 GHz	1.000 MHz	2.542000000 GHz	-41.15 dBm	-31.15 dB
7	7	2.5460 GHz	2.5860 GHz	1.000 MHz	2.582000000 GHz	-43.84 dBm	-30.84 dB
8	8	2.5860 GHz	2.6320 GHz	1.000 MHz	2.629700000 GHz	-47.95 dBm	-22.95 dB

Band41_45MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB119_0_CH503700



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4050 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-32.26 dBm	-7.259 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-27.73 dBm	-14.73 dB
3	3	2.4950 GHz	2.4960 GHz	510.0 kHz	2.496000000 GHz	-29.21 dBm	-16.21 dB
4	4	2.4960 GHz	2.5410 GHz	510.0 kHz	2.509114286 GHz	3.913 dBm	-26.09 dB
5	5	2.5410 GHz	2.5420 GHz	510.0 kHz	2.541340000 GHz	-28.82 dBm	-18.82 dB
6	6	2.5420 GHz	2.5460 GHz	1.000 MHz	2.542120000 GHz	-25.32 dBm	-15.32 dB
7	7	2.5460 GHz	2.5860 GHz	1.000 MHz	2.554800000 GHz	-22.97 dBm	-9.971 dB
8	8	2.5860 GHz	2.6320 GHz	1.000 MHz	2.580000000 GHz	-38.19 dBm	-13.19 dB

Band41_45MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB119_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4795 GHz	2.5255 GHz	1.000 MHz	2.524140000 GHz	-44.72 dBm	-19.72 dB
2	2	2.5255 GHz	2.5655 GHz	1.000 MHz	2.563920000 GHz	-37.30 dBm	-24.30 dB
3	3	2.5655 GHz	2.5695 GHz	1.000 MHz	2.566600000 GHz	-35.99 dBm	-25.99 dB
4	4	2.5695 GHz	2.5705 GHz	510.0 kHz	2.570510000 GHz	-36.02 dBm	-26.02 dB
5	5	2.5705 GHz	2.6155 GHz	510.0 kHz	2.572320000 GHz	5.742 dBm	-24.26 dB
6	6	2.6155 GHz	2.6165 GHz	510.0 kHz	2.615730000 GHz	-35.66 dBm	-25.66 dB
7	7	2.6165 GHz	2.6205 GHz	1.000 MHz	2.616520000 GHz	-34.41 dBm	-24.41 dB
8	8	2.6205 GHz	2.6605 GHz	1.000 MHz	2.629320000 GHz	-34.79 dBm	-21.79 dB
9	9	2.6605 GHz	2.7065 GHz	1.000 MHz	2.662300000 GHz	-42.87 dBm	-17.87 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_45MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4795 GHz	2.5255 GHz	1.000 MHz	2.520000000 GHz	-48.39 dBm	-23.39 dB
2	2	2.5255 GHz	2.5655 GHz	1.000 MHz	2.565120000 GHz	-44.47 dBm	-31.47 dB
3	3	2.5655 GHz	2.5695 GHz	1.000 MHz	2.569520000 GHz	-39.01 dBm	-29.01 dB
4	4	2.5695 GHz	2.5705 GHz	30.00 kHz	2.570520000 GHz	-35.89 dBm	-25.89 dB
5	5	2.5705 GHz	2.6155 GHz	510.0 kHz	2.571805714 GHz	22.44 dBm	-7.565 dB
6	6	2.6155 GHz	2.6165 GHz	30.00 kHz	2.615750000 GHz	-62.78 dBm	-52.78 dB
7	7	2.6165 GHz	2.6205 GHz	1.000 MHz	2.620200000 GHz	-48.10 dBm	-38.10 dB
8	8	2.6205 GHz	2.6605 GHz	1.000 MHz	2.635320000 GHz	-48.04 dBm	-35.04 dB
9	9	2.6605 GHz	2.7065 GHz	1.000 MHz	2.668340000 GHz	-48.13 dBm	-23.13 dB

Band41_45MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_0_CH533496



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5540 GHz	2.6000 GHz	1.000 MHz	2.594460000 GHz	-47.97 dBm	-22.97 dB
2	2	2.6000 GHz	2.6400 GHz	1.000 MHz	2.639980000 GHz	-45.49 dBm	-32.49 dB
3	3	2.6400 GHz	2.6440 GHz	1.000 MHz	2.643980000 GHz	-39.77 dBm	-29.77 dB
4	4	2.6440 GHz	2.6450 GHz	30.00 kHz	2.644980000 GHz	-37.12 dBm	-27.12 dB
5	5	2.6450 GHz	2.6900 GHz	510.0 kHz	2.646265714 GHz	23.02 dBm	-6.976 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.690560000 GHz	-62.17 dBm	-52.17 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.692260000 GHz	-48.08 dBm	-38.08 dB
8	8	2.6950 GHz	2.7350 GHz	1.000 MHz	2.709780000 GHz	-47.95 dBm	-34.95 dB
9	9	2.7350 GHz	2.7810 GHz	1.000 MHz	2.771320000 GHz	-48.20 dBm	-23.20 dB

Band41_45MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_118_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4795 GHz	2.5255 GHz	1.000 MHz	2.493320000 GHz	-48.40 dBm	-23.40 dB
2	2	2.5255 GHz	2.5655 GHz	1.000 MHz	2.550720000 GHz	-47.64 dBm	-34.64 dB
3	3	2.5655 GHz	2.5695 GHz	1.000 MHz	2.567960000 GHz	-48.20 dBm	-38.20 dB
4	4	2.5695 GHz	2.5705 GHz	30.00 kHz	2.570120000 GHz	-62.33 dBm	-52.33 dB
5	5	2.5705 GHz	2.6155 GHz	510.0 kHz	2.614234286 GHz	22.66 dBm	-7.335 dB
6	6	2.6155 GHz	2.6165 GHz	30.00 kHz	2.615520000 GHz	-39.10 dBm	-29.10 dB
7	7	2.6165 GHz	2.6205 GHz	1.000 MHz	2.616520000 GHz	-38.87 dBm	-28.87 dB
8	8	2.6205 GHz	2.6605 GHz	1.000 MHz	2.656520000 GHz	-43.42 dBm	-30.42 dB
9	9	2.6605 GHz	2.7065 GHz	1.000 MHz	2.663740000 GHz	-48.08 dBm	-23.08 dB

Band41_45MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_118_CH533496



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5540 GHz	2.6000 GHz	1.000 MHz	2.599060000 GHz	-48.13 dBm	-23.13 dB
2	2	2.6000 GHz	2.6400 GHz	1.000 MHz	2.625180000 GHz	-46.76 dBm	-33.76 dB
3	3	2.6400 GHz	2.6440 GHz	1.000 MHz	2.642580000 GHz	-48.00 dBm	-38.00 dB
4	4	2.6440 GHz	2.6450 GHz	30.00 kHz	2.644340000 GHz	-62.33 dBm	-52.33 dB
5	5	2.6450 GHz	2.6900 GHz	510.0 kHz	2.688694286 GHz	22.96 dBm	-7.043 dB
6	6	2.6900 GHz	2.6910 GHz	30.00 kHz	2.689980000 GHz	-39.56 dBm	-29.56 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-40.25 dBm	-30.25 dB
8	8	2.6950 GHz	2.7350 GHz	1.000 MHz	2.709780000 GHz	-45.95 dBm	-32.95 dB
9	9	2.7350 GHz	2.7810 GHz	1.000 MHz	2.773620000 GHz	-48.19 dBm	-23.19 dB

Band41_45MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB119_0_CH533496



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5540 GHz	2.6000 GHz	1.000 MHz	2.594460000 GHz	-42.21 dBm	-17.21 dB
2	2	2.6000 GHz	2.6400 GHz	1.000 MHz	2.639980000 GHz	-31.38 dBm	-18.38 dB
3	3	2.6400 GHz	2.6440 GHz	1.000 MHz	2.643980000 GHz	-26.54 dBm	-16.54 dB
4	4	2.6440 GHz	2.6450 GHz	510.0 kHz	2.644960000 GHz	-28.42 dBm	-18.42 dB
5	5	2.6450 GHz	2.6900 GHz	510.0 kHz	2.651665714 GHz	6.584 dBm	-23.42 dB
6	6	2.6900 GHz	2.6910 GHz	510.0 kHz	2.690070000 GHz	-36.34 dBm	-26.34 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.690980000 GHz	-34.70 dBm	-24.70 dB
8	8	2.6950 GHz	2.7350 GHz	1.000 MHz	2.697380000 GHz	-36.48 dBm	-23.48 dB
9	9	2.7350 GHz	2.7810 GHz	1.000 MHz	2.739120000 GHz	-48.16 dBm	-23.16 dB

Band41_45MHz_CP_OFDM_SCS30kHz_QPSK_RB119_0_CH503700



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4050 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-31.31 dBm	-6.309 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-28.63 dBm	-15.63 dB
3	3	2.4950 GHz	2.4960 GHz	510.0 kHz	2.495990000 GHz	-29.56 dBm	-16.56 dB
4	4	2.4960 GHz	2.5410 GHz	510.0 kHz	2.534828571 GHz	3.389 dBm	-26.61 dB
5	5	2.5410 GHz	2.5420 GHz	510.0 kHz	2.541000000 GHz	-28.28 dBm	-18.28 dB
6	6	2.5420 GHz	2.5460 GHz	1.000 MHz	2.542440000 GHz	-25.93 dBm	-15.93 dB
7	7	2.5460 GHz	2.5860 GHz	1.000 MHz	2.547200000 GHz	-26.82 dBm	-13.82 dB
8	8	2.5860 GHz	2.6320 GHz	1.000 MHz	2.586460000 GHz	-34.34 dBm	-9.337 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band41_45MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH503700



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4050 GHz	2.4905 GHz	1.000 MHz	2.490500000 GHz	-46.27 dBm	-21.27 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.495000000 GHz	-41.02 dBm	-28.02 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.496000000 GHz	-36.14 dBm	-23.14 dB
4	4	2.4960 GHz	2.5410 GHz	510.0 kHz	2.497285714 GHz	21.01 dBm	-8.993 dB
5	5	2.5410 GHz	2.5420 GHz	30.00 kHz	2.541350000 GHz	-62.36 dBm	-52.36 dB
6	6	2.5420 GHz	2.5460 GHz	1.000 MHz	2.543600000 GHz	-48.00 dBm	-38.00 dB
7	7	2.5460 GHz	2.5860 GHz	1.000 MHz	2.561200000 GHz	-47.82 dBm	-34.82 dB
8	8	2.5860 GHz	2.6320 GHz	1.000 MHz	2.603940000 GHz	-48.04 dBm	-23.04 dB

Band41_45MHz_CP_OFDM_SCS30kHz_QPSK_RB1_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4795 GHz	2.5255 GHz	1.000 MHz	2.507580000 GHz	-48.37 dBm	-23.37 dB
2	2	2.5255 GHz	2.5655 GHz	1.000 MHz	2.565120000 GHz	-45.67 dBm	-32.67 dB
3	3	2.5655 GHz	2.5695 GHz	1.000 MHz	2.569520000 GHz	-39.57 dBm	-29.57 dB
4	4	2.5695 GHz	2.5705 GHz	30.00 kHz	2.570520000 GHz	-38.02 dBm	-28.02 dB
5	5	2.5705 GHz	2.6155 GHz	510.0 kHz	2.571805714 GHz	20.20 dBm	-9.800 dB
6	6	2.6155 GHz	2.6165 GHz	30.00 kHz	2.615590000 GHz	-62.53 dBm	-52.53 dB
7	7	2.6165 GHz	2.6205 GHz	1.000 MHz	2.618400000 GHz	-47.96 dBm	-37.96 dB
8	8	2.6205 GHz	2.6605 GHz	1.000 MHz	2.635720000 GHz	-47.98 dBm	-34.98 dB
9	9	2.6605 GHz	2.7065 GHz	1.000 MHz	2.660520000 GHz	-48.13 dBm	-23.13 dB

Band41_45MHz_CP_OFDM_SCS30kHz_QPSK_RB1_118_CH503700



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4050 GHz	2.4905 GHz	1.000 MHz	2.487985294 GHz	-48.19 dBm	-23.19 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.494955000 GHz	-48.12 dBm	-35.12 dB
3	3	2.4950 GHz	2.4960 GHz	30.00 kHz	2.495750000 GHz	-62.94 dBm	-49.94 dB
4	4	2.4960 GHz	2.5410 GHz	510.0 kHz	2.539714286 GHz	21.05 dBm	-8.946 dB
5	5	2.5410 GHz	2.5420 GHz	30.00 kHz	2.541000000 GHz	-37.12 dBm	-27.12 dB
6	6	2.5420 GHz	2.5460 GHz	1.000 MHz	2.542000000 GHz	-41.42 dBm	-31.42 dB
7	7	2.5460 GHz	2.5860 GHz	1.000 MHz	2.582000000 GHz	-43.80 dBm	-30.80 dB
8	8	2.5860 GHz	2.6320 GHz	1.000 MHz	2.603480000 GHz	-47.86 dBm	-22.86 dB

Band41_45MHz_CP_OFDM_SCS30kHz_QPSK_RB1_118_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4795 GHz	2.5255 GHz	1.000 MHz	2.518620000 GHz	-48.44 dBm	-23.44 dB
2	2	2.5255 GHz	2.5655 GHz	1.000 MHz	2.550320000 GHz	-47.59 dBm	-34.59 dB
3	3	2.5655 GHz	2.5695 GHz	1.000 MHz	2.568280000 GHz	-47.95 dBm	-37.95 dB
4	4	2.5695 GHz	2.5705 GHz	30.00 kHz	2.569660000 GHz	-62.24 dBm	-52.24 dB
5	5	2.5705 GHz	2.6155 GHz	510.0 kHz	2.614234286 GHz	20.37 dBm	-9.635 dB
6	6	2.6155 GHz	2.6165 GHz	30.00 kHz	2.615520000 GHz	-37.81 dBm	-27.81 dB
7	7	2.6165 GHz	2.6205 GHz	1.000 MHz	2.616520000 GHz	-39.86 dBm	-29.86 dB
8	8	2.6205 GHz	2.6605 GHz	1.000 MHz	2.656520000 GHz	-44.05 dBm	-31.05 dB
9	9	2.6605 GHz	2.7065 GHz	1.000 MHz	2.678000000 GHz	-47.92 dBm	-22.92 dB

Band41_45MHz_CP_OFDM_SCS30kHz_QPSK_RB119_0_CH518604



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4795 GHz	2.5255 GHz	1.000 MHz	2.522760000 GHz	-42.67 dBm	-17.67 dB
2	2	2.5255 GHz	2.5655 GHz	1.000 MHz	2.565520000 GHz	-36.24 dBm	-23.24 dB
3	3	2.5655 GHz	2.5695 GHz	1.000 MHz	2.569520000 GHz	-32.68 dBm	-22.68 dB
4	4	2.5695 GHz	2.5705 GHz	510.0 kHz	2.570520000 GHz	-33.40 dBm	-23.40 dB
5	5	2.5705 GHz	2.6155 GHz	510.0 kHz	2.575920000 GHz	3.113 dBm	-26.89 dB
6	6	2.6155 GHz	2.6165 GHz	510.0 kHz	2.615530000 GHz	-32.65 dBm	-22.65 dB
7	7	2.6165 GHz	2.6205 GHz	1.000 MHz	2.617400000 GHz	-31.67 dBm	-21.67 dB
8	8	2.6205 GHz	2.6605 GHz	1.000 MHz	2.620520000 GHz	-33.25 dBm	-20.25 dB
9	9	2.6605 GHz	2.7065 GHz	1.000 MHz	2.661440000 GHz	-37.84 dBm	-12.84 dB

Band41_45MHz_CP_OFDM_SCS30kHz_QPSK_RB119_0_CH533496



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5540 GHz	2.6000 GHz	1.000 MHz	2.595380000 GHz	-39.44 dBm	-14.44 dB
2	2	2.6000 GHz	2.6400 GHz	1.000 MHz	2.639980000 GHz	-33.18 dBm	-20.18 dB
3	3	2.6400 GHz	2.6440 GHz	1.000 MHz	2.643980000 GHz	-29.95 dBm	-19.95 dB
4	4	2.6440 GHz	2.6450 GHz	510.0 kHz	2.644980000 GHz	-30.92 dBm	-20.92 dB
5	5	2.6450 GHz	2.6900 GHz	510.0 kHz	2.656808571 GHz	4.066 dBm	-25.93 dB
6	6	2.6900 GHz	2.6910 GHz	510.0 kHz	2.690050000 GHz	-32.62 dBm	-22.62 dB
7	7	2.6910 GHz	2.6950 GHz	1.000 MHz	2.691020000 GHz	-32.00 dBm	-22.00 dB
8	8	2.6950 GHz	2.7350 GHz	1.000 MHz	2.694980000 GHz	-35.50 dBm	-22.50 dB
9	9	2.7350 GHz	2.7810 GHz	1.000 MHz	2.735440000 GHz	-48.13 dBm	-23.13 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.