



15100-23579000

背噴條碼

藍色框線不印出



客戶名稱	英業達					序號		設計製作單號		圖面修改信息		簽章		客戶簽名
料號	15100-23579000 6060B3261701					4								
材質	25#白色PET+霧PP					3								
顏色	黑底白字					2								
版本	3A	加工方式	輪轉	出貨方式	卷裝	1	20070000619	初始版本				徐彥 20210707	請校對稿件後簽名傳真回本公司	

4

3

2


1

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF INVENTEC CORPORATION AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION, COPYRIGHT © 2022 INVENTEC CORPORATION.


LEGEND		
PART NO	REV	VARIATION
6060B3470202	A01	As Shown

NOTE:

- (1) THE CIRCLE MARK DIMENSION IS THE KEY DIMENSION FOR REFERENCE.
- (2) PART TO BE PACKAGED TO PREVENT DAMAGED IN SHIPPING AND HANDLING.
- (3) OTHERS: ACCORDING TO IQC INSPECTION STANDARD OF INVENTEC (IF NOT SPECIFIED).
- (4) MATERIAL:
 - A: 1.面材 (Code): Lexan 8010 polycarbonate film(PC G11)
 - 2.表面處理 (Code):霧油
 - 3.膠性: 平膠
 - or equivalent material.(the material spec as same as Q-Form spec)
 - B.ADHESIVE: 3M-SP7533
 - C.THICKNESS: 0.125mm
 - D. RAW MATERIAL COLOR: Transparent
- (5) INK COLOR: Black, Pantone Cool Gray 7U
- (6) THERMAL TRANSFER RIBBON:N/A
- (7) MATERIAL AND RIBBON NEED UL CERTIFICATION: Yes, 正永-Material UL Code :CM-100-011
- (8) HSF PROPERTY: COMPLY iSupplier SYSTEM HSF PROPERTY ATTRIBUTE UP-TO-DATE VALUE.
- (9) MUST CHECK WITH INVENTEC TO UPDATE "MANUFACTURE YEAR" AT LEAST 3 MONTHS BEFORE THE NEXT ANNUAL.(內文有製造年份時需定義年份轉換規則)



出標樣式



Output direction

測試規範

勾選	Label Criteria	Paste Location	Glue method	Paste method	Peel off method	Test Criteria	Remark
		Carton	一般膠	食指推平	No	1. 不脫落 2. 不龜裂 3. 氣泡在5*5cm 或以下面積範圍內, 不超過兩個<5mm 直徑	環測結束需靜置12hr
V			一般膠	食指推平	No	1. 不脫落 2. 不龜裂 3. 氣泡在5*5cm 或以下面積範圍內, 不超過兩個<5mm 直徑	環測結束需靜置12hr
		Cover	R膠	食指推平	在一角以90° (慢慢擲下)	1. 不脫落 2. 不可殘膠 (輕微可用3M棉拭布擦拭後無殘膠) 3. 氣泡在5*5cm 或以下面積範圍內, 不超過兩個<5mm 直徑 4. 如呈浮貼狀態可再貼回則為接受 5. 呈摺、曲、龜裂則不予接受	

橡皮擦型號	次數	重量	長度	清潔	測試標準
CS-10F rubber	1.2 cycles /sec 300cycles	500g	5 cm		1. Outline of printing is intact and not damaged and the substrate is not visible. 2. The substrate or Undercoat is not visible

公差	
材料	Dimension
Label長寬	-0.4mm
Label面材+膠材	±0.02mm

REVISION HISTORY		DOC NO	DATE
DESIGNER	CHANGE NO.	REV	dd/mm/yyyy
		A	

卷芯要有以下資訊



IEC料號 ← 6060BXXXXXX-V0-XX → Vendor name

離型紙後請印刷以下資訊



Barcode內容 → ASUS料號

ASUS料號 + IEC料號

MODEL GV601V		Inventec CORPORATION		CONFIDENTIAL	
DESIGNER Jane Chien		D:12 M:09 Y:22		TITLE GV601V RATING LABEL (WO/3C) V1.0 240W+100W(GV601VI/VV/VU/VJ/VF)	
MANAGER Jane Lee		D:12 M:09 Y:22		DOCUMENT NUMBER	
SIZE	CODE	NUMBER	REV	VER	
B	PS	6060-B34702-02-AI	A	0	
SCALE: 1:1		UNIT:mm		SHEET:10F1	
FILE NAME GV601V-I-rating_WO 3C_15105-0978R000_6060B3470202					

4

3

2

1