


Appendix A – DUT Antenna Illustration and Test Setup Photographs

Illustration of Antenna Locations


<CR1104FG, CR1104CG>

<Front Face View> Tablet



Antenna	To Top Side (mm)	To Bottom Side (mm)	To Left Side (mm)	To Right Side (mm)
WLAN Main Ant 0	57.00	114.00	1.79	286.50
WWAN Aux Ant 1	56.22	5.00	244.50	17.60


<Right Side View> Convertible PC Tablet Mode



Antenna	To Front Side (mm)	To Rear Side (mm)
WLAN Main Ant 0	6.20	18.51
WLAN/BT Aux Ant 1	20.15	5.45

Note. This rear side is equal to rear face test position in test plan.


<Front Face View> Laptop Mode (180°)



Antenna	To Top/Bottom Side (mm)	To Baseline (mm)	To Left Side (mm)	To Right Side (mm)
WLAN Main Ant 0	57.00	114.00	1.79	286.50
WLAN/BT Aux Ant 1	5.00	201.00	244.50	17.60

Note. This bottom side is equal to front side of laptop test position in test plan.

<Right Side View> Laptop Mode(90°)




Antenna	Rear Face (mm)
WLAN Main Ant 0	125.00
WLAN/BT Aux Ant 1	10.85

Note. This rear face is equal to bottom side of laptop test position in test plan.


<CR1204FG, CR1204CG>

<Front Face View> Tablet



Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WLAN Main Ant 0	57.00	114.00	1.79	286.50
WWAN Aux Ant 1	56.22	5.00	244.50	17.60


<Right Side View> Convertible PC Tablet Mode



Antenna	To Front Side	To Rear Side
	(mm)	(mm)
WLAN Main Ant 0	6.20	18.51
WLAN/BT Aux Ant 1	20.15	5.45
WLAN/BT Aux Ant 1	20.15	5.45

Note. This rear side is equal to rear face test position in test plan.


<Front Face View> Laptop Mode (180°)



Antenna	To Top/Bottom Side	To Baseline	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WLAN Main Ant 0	57.00	114.00	1.79	286.50
WLAN/BT Aux Ant 1	5.00	201.00	244.50	17.60

Note. This bottom side is equal to front side of laptop test position in test plan.

<Right Side View> Laptop Mode(90°)



Antenna	Rear Face
	(mm)
WLAN Main Ant 0	125.00
WLAN/BT Aux Ant 1	10.85

Note. This rear face is equal to bottom side of laptop test position in test plan.

<CR1104FG, CR1104CG>

Testing Setup for Body, Back of Display Screen at 25 mm



Testing Setup for Body, Bottom of Laptop at 0 mm



Testing Setup for Body, Front Side of Laptop at 0 mm



Testing Setup for Body, Rear Face at 0 mm



Testing Setup for Body, Top Side at 0 mm



Testing Setup for Body, Right Side at 0 mm




Testing Setup for Body, Bottom Side at 0 mm



Testing Setup for Body, Left Side at 0 mm




Testing Setup for Power Density, Bottom of Laptop at 2 mm



Testing Setup for Power Density, Front Side of Laptop at 2 mm




Testing Setup for Power Density, Front Face at 2 mm




Testing Setup for Power Density, Rear Face at 2 mm




Testing Setup for Power Density, Top Side at 2 mm




Testing Setup for Power Density, Right Side at 2 mm



Testing Setup for Power Density, Bottom Side at 2 mm



Testing Setup for Power Density, Left Side at 2 mm



<CR1204FG, CR1204CG>

Testing Setup for Body, Back of Display Screen at 25 mm



Testing Setup for Body, Bottom of Laptop at 0 mm



Testing Setup for Body, Front Side of Laptop at 0 mm



Testing Setup for Body, Rear Face at 0 mm



Testing Setup for Body, Top Side at 0 mm



Testing Setup for Body, Right Side at 0 mm




Testing Setup for Body, Bottom Side at 0 mm




Testing Setup for Body, Left Side at 0 mm




Testing Setup for Power Density, Bottom of Laptop at 2 mm



Testing Setup for Power Density, Front Side of Laptop at 2 mm




Testing Setup for Power Density, Front Face at 2 mm




Testing Setup for Power Density, Rear Face at 2 mm




Testing Setup for Power Density, Top Side at 2 mm



Testing Setup for Power Density, Right Side at 2 mm



Testing Setup for Power Density, Bottom Side at 2 mm



Testing Setup for Power Density, Left Side at 2 mm

