


Photographs of EUT Setup and Antenna Location


The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Tablet




Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WLAN Main	1.70	229.20	40.00	264.50
WLAN/BT AUX	1.70	229.20	264.50	40.00
5G Main	19.90	141.70	322.40	4.40
5G MIMO2	24.90	156.70	4.40	322.40

<Right Side View> Convertible PC Tablet Mode




Antenna	To Front Side	To Rear Side
	(mm)	(mm)
WLAN Main	3.60	17.20
WLAN/BT AUX	3.60	17.20
5G Main	18.95	1.80
5G MIMO2	18.95	1.80

<Front Face View> Laptop Mode



Antenna	To Top Side	To Bottom Side	To Baseline	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)	(mm)
WLAN Main	1.70	470.80	229.20	40.00	264.50
WLAN/BT AUX	1.70	470.80	229.20	264.50	40.00
5G Main	381.60	19.90	141.70	322.40	4.40
5G MIMO2	396.60	24.90	156.70	4.40	322.40

<Right Side View> Laptop Mode(90°)



Antenna	Rear Face
	(mm)
WLAN Main	238.80
WLAN/BT AUX	238.80
5G Main	13.20
5G MIMO2	13.20

<Photographs of Body SAR Test Setup>



Rear Face of Tablet Mode Tested at 0 mm



Left Side of Tablet Mode Tested at 0 mm



Right Side of Tablet Mode Tested at 0 mm



Top Side of Tablet Mode Tested at 0 mm



Bottom Side of Tablet Mode Tested at 0 mm



Rear Face of Tablet Mode Tested at 20 mm



Left Side of Tablet Mode Tested at 15 mm



Right Side of Tablet Mode Tested at 15 mm

<Photographs of Bottom Body SAR Test Setup>



Bottom of EUT Tested at 0 mm



Lid Closed Mode of EUT Tested at 0 mm

<Photographs of Power Density Test in Tablet Mode Setup>



Top Side of EUT Tested at 0 mm