

n261: 2CC

Band	n261	Beam ID	159
EUT position	Y-plane	Receive Antenna polarization	Vertical

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail	
BPSK	50	2071249+ 2072803	27550.02	1RB0	230	22.16	43.00	PASS	
				1RB16	230	22.20	43.00	PASS	
				1RB31	230	22.21	43.00	PASS	
				Full RB	230	23.07	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	22.04	43.00	PASS
					1RB16	230	22.31	43.00	PASS
					1RB31	230	22.16	43.00	PASS
					Full RB	230	22.14	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	21.33	43.00	PASS
					1RB16	230	21.65	43.00	PASS
					1RB31	230	21.60	43.00	PASS
					Full RB	230	22.76	43.00	PASS
QPSK	50	2071249+ 2072803	27550.02	1RB0	230	20.77	43.00	PASS	
				1RB16	230	20.82	43.00	PASS	
				1RB31	230	20.64	43.00	PASS	
				Full RB	230	21.80	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	20.58	43.00	PASS
					1RB16	230	20.71	43.00	PASS
					1RB31	230	20.48	43.00	PASS
					Full RB	230	20.77	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	20.05	43.00	PASS
					1RB16	230	20.35	43.00	PASS
					1RB31	230	20.16	43.00	PASS
					Full RB	230	21.48	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	50	2071249+ 2072803	27550.02	1RB0	230	19.90	43.00	PASS
				1RB16	230	19.91	43.00	PASS
				1RB31	230	20.16	43.00	PASS
				Full RB	230	20.94	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	19.89	43.00	PASS
				1RB16	230	19.97	43.00	PASS
				1RB31	230	19.67	43.00	PASS
				Full RB	230	20.11	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	19.37	43.00	PASS
				1RB16	230	19.51	43.00	PASS
				1RB31	230	19.48	43.00	PASS
				Full RB	230	20.50	43.00	PASS
64QAM	50	2071249+ 2072803	27550.02	1RB0	230	17.41	43.00	PASS
				1RB16	230	18.13	43.00	PASS
				1RB31	230	17.55	43.00	PASS
				Full RB	230	18.82	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	17.73	43.00	PASS
				1RB16	230	17.63	43.00	PASS
				1RB31	230	17.77	43.00	PASS
				Full RB	230	17.83	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	17.04	43.00	PASS
				1RB16	230	17.68	43.00	PASS
				1RB31	230	17.07	43.00	PASS
				Full RB	230	18.42	43.00	PASS

n261: 2CC

Band	n261	Beam ID	41
EUT position	Y-plane	Receive Antenna polarization	Horizontal

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail	
BPSK	50	2071249+ 2072803	27550.02	1RB0	230	18.71	43.00	PASS	
				1RB16	230	18.78	43.00	PASS	
				1RB31	230	18.84	43.00	PASS	
				Full RB	230	19.89	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	17.68	43.00	PASS
					1RB16	230	18.14	43.00	PASS
					1RB31	230	18.02	43.00	PASS
					Full RB	230	19.32	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	17.88	43.00	PASS
					1RB16	230	18.22	43.00	PASS
					1RB31	230	18.00	43.00	PASS
					Full RB	230	19.35	43.00	PASS
QPSK	50	2071249+ 2072803	27550.02	1RB0	230	17.52	43.00	PASS	
				1RB16	230	17.47	43.00	PASS	
				1RB31	230	17.53	43.00	PASS	
				Full RB	230	18.62	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	16.50	43.00	PASS
					1RB16	230	16.82	43.00	PASS
					1RB31	230	16.52	43.00	PASS
					Full RB	230	17.94	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	16.65	43.00	PASS
					1RB16	230	16.92	43.00	PASS
					1RB31	230	16.68	43.00	PASS
					Full RB	230	17.93	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail	
16QAM	50	2071249+ 2072803	27550.02	1RB0	230	16.24	43.00	PASS	
				1RB16	230	16.62	43.00	PASS	
				1RB31	230	16.59	43.00	PASS	
				Full RB	230	18.13	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	15.77	43.00	PASS
					1RB16	230	16.14	43.00	PASS
					1RB31	230	15.80	43.00	PASS
					Full RB	230	16.79	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	15.58	43.00	PASS
					1RB16	230	15.87	43.00	PASS
					1RB31	230	15.73	43.00	PASS
					Full RB	230	17.28	43.00	PASS
64QAM	50	2071249+ 2072803	27550.02	1RB0	230	14.12	43.00	PASS	
				1RB16	230	14.41	43.00	PASS	
				1RB31	230	14.26	43.00	PASS	
				Full RB	230	15.92	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	13.22	43.00	PASS
					1RB16	230	13.76	43.00	PASS
					1RB31	230	13.69	43.00	PASS
					Full RB	230	14.70	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	13.30	43.00	PASS
					1RB16	230	14.10	43.00	PASS
					1RB31	230	13.18	43.00	PASS
					Full RB	230	14.83	43.00	PASS

n261: 2CC

Band	n261	Beam ID	31
EUT position	Y-plane	Receive Antenna polarization	Vertical

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail	
BPSK	50	2071249+ 2072803	27550.02	1RB0	230	19.20	43.00	PASS	
				1RB16	230	18.98	43.00	PASS	
				1RB31	230	19.26	43.00	PASS	
				Full RB	230	20.25	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	17.79	43.00	PASS
					1RB16	230	18.29	43.00	PASS
					1RB31	230	17.99	43.00	PASS
					Full RB	230	19.32	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	17.84	43.00	PASS
					1RB16	230	18.39	43.00	PASS
					1RB31	230	18.06	43.00	PASS
					Full RB	230	19.43	43.00	PASS
QPSK	50	2071249+ 2072803	27550.02	1RB0	230	17.78	43.00	PASS	
				1RB16	230	17.93	43.00	PASS	
				1RB31	230	17.79	43.00	PASS	
				Full RB	230	18.98	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	16.75	43.00	PASS
					1RB16	230	16.90	43.00	PASS
					1RB31	230	16.88	43.00	PASS
					Full RB	230	17.99	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	16.50	43.00	PASS
					1RB16	230	17.05	43.00	PASS
					1RB31	230	16.80	43.00	PASS
					Full RB	230	17.97	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	50	2071249+ 2072803	27550.02	1RB0	230	16.82	43.00	PASS
				1RB16	230	17.15	43.00	PASS
				1RB31	230	16.81	43.00	PASS
				Full RB	230	18.13	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	15.78	43.00	PASS
				1RB16	230	15.85	43.00	PASS
				1RB31	230	15.83	43.00	PASS
				Full RB	230	17.17	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	15.68	43.00	PASS
				1RB16	230	15.93	43.00	PASS
				1RB31	230	15.79	43.00	PASS
				Full RB	230	17.00	43.00	PASS
64QAM	50	2071249+ 2072803	27550.02	1RB0	230	14.15	43.00	PASS
				1RB16	230	14.98	43.00	PASS
				1RB31	230	14.81	43.00	PASS
				Full RB	230	16.22	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	13.79	43.00	PASS
				1RB16	230	13.84	43.00	PASS
				1RB31	230	13.24	43.00	PASS
				Full RB	230	15.16	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	13.47	43.00	PASS
				1RB16	230	13.75	43.00	PASS
				1RB31	230	13.54	43.00	PASS
				Full RB	230	14.71	43.00	PASS

n261: 2CC

Band	n261	Beam ID	165
EUT position	Z-plane	Receive Antenna polarization	Horizontal

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail	
BPSK	50	2071249+ 2072803	27550.02	1RB0	230	17.85	43.00	PASS	
				1RB16	230	18.21	43.00	PASS	
				1RB31	230	17.92	43.00	PASS	
				Full RB	230	19.57	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	17.19	43.00	PASS
					1RB16	230	17.37	43.00	PASS
					1RB31	230	17.56	43.00	PASS
					Full RB	230	18.62	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	17.12	43.00	PASS
					1RB16	230	17.18	43.00	PASS
					1RB31	230	17.14	43.00	PASS
					Full RB	230	18.12	43.00	PASS
QPSK	50	2071249+ 2072803	27550.02	1RB0	230	16.42	43.00	PASS	
				1RB16	230	16.87	43.00	PASS	
				1RB31	230	16.63	43.00	PASS	
				Full RB	230	17.92	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	16.09	43.00	PASS
					1RB16	230	16.35	43.00	PASS
					1RB31	230	16.10	43.00	PASS
					Full RB	230	17.35	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	15.64	43.00	PASS
					1RB16	230	15.90	43.00	PASS
					1RB31	230	15.98	43.00	PASS
					Full RB	230	16.98	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	50	2071249+ 2072803	27550.02	1RB0	230	15.27	43.00	PASS
				1RB16	230	16.28	43.00	PASS
				1RB31	230	15.62	43.00	PASS
				Full RB	230	16.81	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	15.07	43.00	PASS
				1RB16	230	15.51	43.00	PASS
				1RB31	230	15.35	43.00	PASS
				Full RB	230	16.68	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	14.70	43.00	PASS
				1RB16	230	14.98	43.00	PASS
				1RB31	230	14.74	43.00	PASS
				Full RB	230	15.88	43.00	PASS
64QAM	50	2071249+ 2072803	27550.02	1RB0	230	13.40	43.00	PASS
				1RB16	230	13.77	43.00	PASS
				1RB31	230	13.29	43.00	PASS
				Full RB	230	14.62	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	12.62	43.00	PASS
				1RB16	230	13.02	43.00	PASS
				1RB31	230	13.23	43.00	PASS
				Full RB	230	14.41	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	12.21	43.00	PASS
				1RB16	230	12.69	43.00	PASS
				1RB31	230	12.36	43.00	PASS
				Full RB	230	13.70	43.00	PASS

n261: 2CC

Band	n261	Beam ID	26
EUT position	Z-plane	Receive Antenna polarization	Vertical

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail	
BPSK	50	2071249+ 2072803	27550.02	1RB0	230	19.45	43.00	PASS	
				1RB16	230	19.49	43.00	PASS	
				1RB31	230	19.44	43.00	PASS	
				Full RB	230	20.65	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	18.57	43.00	PASS
					1RB16	230	18.76	43.00	PASS
					1RB31	230	18.77	43.00	PASS
					Full RB	230	19.88	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	19.19	43.00	PASS
					1RB16	230	19.24	43.00	PASS
					1RB31	230	19.12	43.00	PASS
					Full RB	230	19.40	43.00	PASS
QPSK	50	2071249+ 2072803	27550.02	1RB0	230	17.83	43.00	PASS	
				1RB16	230	18.34	43.00	PASS	
				1RB31	230	18.05	43.00	PASS	
				Full RB	230	19.25	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	17.53	43.00	PASS
					1RB16	230	17.56	43.00	PASS
					1RB31	230	17.42	43.00	PASS
					Full RB	230	18.53	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	17.66	43.00	PASS
					1RB16	230	17.96	43.00	PASS
					1RB31	230	18.04	43.00	PASS
					Full RB	230	18.16	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	50	2071249+ 2072803	27550.02	1RB0	230	17.41	43.00	PASS
				1RB16	230	17.15	43.00	PASS
				1RB31	230	17.33	43.00	PASS
				Full RB	230	18.42	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	16.43	43.00	PASS
				1RB16	230	16.70	43.00	PASS
				1RB31	230	16.78	43.00	PASS
				Full RB	230	17.70	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	17.05	43.00	PASS
				1RB16	230	17.36	43.00	PASS
				1RB31	230	17.09	43.00	PASS
				Full RB	230	16.95	43.00	PASS
64QAM	50	2071249+ 2072803	27550.02	1RB0	230	14.95	43.00	PASS
				1RB16	230	14.93	43.00	PASS
				1RB31	230	14.89	43.00	PASS
				Full RB	230	16.62	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	14.62	43.00	PASS
				1RB16	230	14.88	43.00	PASS
				1RB31	230	14.11	43.00	PASS
				Full RB	230	15.90	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	14.63	43.00	PASS
				1RB16	230	15.16	43.00	PASS
				1RB31	230	14.89	43.00	PASS
				Full RB	230	15.16	43.00	PASS

n261: 2CC

Band	n261	Beam ID	154
EUT position	Y-plane	Receive Antenna polarization	Horizontal

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail	
BPSK	50	2071249+ 2072803	27550.02	1RB0	230	17.20	43.00	PASS	
				1RB16	230	17.28	43.00	PASS	
				1RB31	230	17.10	43.00	PASS	
				Full RB	230	18.31	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	16.18	43.00	PASS
					1RB16	230	16.10	43.00	PASS
					1RB31	230	16.27	43.00	PASS
					Full RB	230	17.53	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	15.87	43.00	PASS
					1RB16	230	16.40	43.00	PASS
					1RB31	230	15.99	43.00	PASS
					Full RB	230	17.27	43.00	PASS
QPSK	50	2071249+ 2072803	27550.02	1RB0	230	15.87	43.00	PASS	
				1RB16	230	16.15	43.00	PASS	
				1RB31	230	15.73	43.00	PASS	
				Full RB	230	16.87	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	14.88	43.00	PASS
					1RB16	230	15.18	43.00	PASS
					1RB31	230	14.92	43.00	PASS
					Full RB	230	15.93	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	14.70	43.00	PASS
					1RB16	230	14.89	43.00	PASS
					1RB31	230	14.72	43.00	PASS
					Full RB	230	16.05	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	50	2071249+ 2072803	27550.02	1RB0	230	14.57	43.00	PASS
				1RB16	230	14.85	43.00	PASS
				1RB31	230	15.02	43.00	PASS
				Full RB	230	15.99	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	14.12	43.00	PASS
				1RB16	230	13.91	43.00	PASS
				1RB31	230	13.90	43.00	PASS
				Full RB	230	15.28	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	13.65	43.00	PASS
				1RB16	230	14.23	43.00	PASS
				1RB31	230	14.00	43.00	PASS
				Full RB	230	15.11	43.00	PASS
64QAM	50	2071249+ 2072803	27550.02	1RB0	230	12.29	43.00	PASS
				1RB16	230	12.94	43.00	PASS
				1RB31	230	12.52	43.00	PASS
				Full RB	230	13.95	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	11.48	43.00	PASS
				1RB16	230	11.59	43.00	PASS
				1RB31	230	12.20	43.00	PASS
				Full RB	230	13.06	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	11.31	43.00	PASS
				1RB16	230	11.79	43.00	PASS
				1RB31	230	11.90	43.00	PASS
				Full RB	230	12.80	43.00	PASS

n261: 2CC

Band	n261	Beam ID	163
EUT position	X-plane	Receive Antenna polarization	Horizontal

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail	
BPSK	50	2071249+ 2072803	27550.02	1RB0	230	18.68	43.00	PASS	
				1RB16	230	19.00	43.00	PASS	
				1RB31	230	18.73	43.00	PASS	
				Full RB	230	20.11	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	18.48	43.00	PASS
					1RB16	230	18.45	43.00	PASS
					1RB31	230	18.40	43.00	PASS
					Full RB	230	19.57	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	17.79	43.00	PASS
					1RB16	230	17.86	43.00	PASS
					1RB31	230	17.61	43.00	PASS
					Full RB	230	18.83	43.00	PASS
QPSK	50	2071249+ 2072803	27550.02	1RB0	230	17.62	43.00	PASS	
				1RB16	230	17.67	43.00	PASS	
				1RB31	230	17.45	43.00	PASS	
				Full RB	230	18.58	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	17.13	43.00	PASS
					1RB16	230	17.04	43.00	PASS
					1RB31	230	17.10	43.00	PASS
					Full RB	230	18.32	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	16.46	43.00	PASS
					1RB16	230	16.67	43.00	PASS
					1RB31	230	16.39	43.00	PASS
					Full RB	230	17.49	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	50	2071249+ 2072803	27550.02	1RB0	230	16.37	43.00	PASS
				1RB16	230	16.91	43.00	PASS
				1RB31	230	16.33	43.00	PASS
				Full RB	230	17.67	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	16.26	43.00	PASS
				1RB16	230	16.33	43.00	PASS
				1RB31	230	16.07	43.00	PASS
				Full RB	230	17.19	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	15.65	43.00	PASS
				1RB16	230	15.50	43.00	PASS
				1RB31	230	15.40	43.00	PASS
				Full RB	230	16.41	43.00	PASS
64QAM	50	2071249+ 2072803	27550.02	1RB0	230	14.47	43.00	PASS
				1RB16	230	15.14	43.00	PASS
				1RB31	230	13.80	43.00	PASS
				Full RB	230	15.75	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	13.69	43.00	PASS
				1RB16	230	14.12	43.00	PASS
				1RB31	230	13.71	43.00	PASS
				Full RB	230	14.84	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	13.41	43.00	PASS
				1RB16	230	13.54	43.00	PASS
				1RB31	230	13.46	43.00	PASS
				Full RB	230	14.72	43.00	PASS

n261: 2CC

Band	n261	Beam ID	23
EUT position	X-plane	Receive Antenna polarization	Vertical

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail	
BPSK	50	2071249+ 2072803	27550.02	1RB0	230	18.34	43.00	PASS	
				1RB16	230	18.40	43.00	PASS	
				1RB31	230	18.05	43.00	PASS	
				Full RB	230	19.38	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	17.77	43.00	PASS
					1RB16	230	17.70	43.00	PASS
					1RB31	230	17.69	43.00	PASS
					Full RB	230	18.74	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	17.72	43.00	PASS
					1RB16	230	17.93	43.00	PASS
					1RB31	230	17.80	43.00	PASS
					Full RB	230	18.82	43.00	PASS
QPSK	50	2071249+ 2072803	27550.02	1RB0	230	17.03	43.00	PASS	
				1RB16	230	17.06	43.00	PASS	
				1RB31	230	17.10	43.00	PASS	
				Full RB	230	18.18	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	16.16	43.00	PASS
					1RB16	230	16.37	43.00	PASS
					1RB31	230	16.36	43.00	PASS
					Full RB	230	17.55	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	16.41	43.00	PASS
					1RB16	230	16.46	43.00	PASS
					1RB31	230	16.40	43.00	PASS
					Full RB	230	17.47	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	50	2071249+ 2072803	27550.02	1RB0	230	15.90	43.00	PASS
				1RB16	230	16.14	43.00	PASS
				1RB31	230	16.12	43.00	PASS
				Full RB	230	17.47	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	15.70	43.00	PASS
				1RB16	230	15.90	43.00	PASS
				1RB31	230	15.72	43.00	PASS
				Full RB	230	16.36	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	15.23	43.00	PASS
				1RB16	230	15.49	43.00	PASS
				1RB31	230	15.19	43.00	PASS
				Full RB	230	16.20	43.00	PASS
64QAM	50	2071249+ 2072803	27550.02	1RB0	230	13.82	43.00	PASS
				1RB16	230	13.60	43.00	PASS
				1RB31	230	13.79	43.00	PASS
				Full RB	230	15.14	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	13.22	43.00	PASS
				1RB16	230	13.36	43.00	PASS
				1RB31	230	13.31	43.00	PASS
				Full RB	230	14.17	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	13.00	43.00	PASS
				1RB16	230	12.94	43.00	PASS
				1RB31	230	13.25	43.00	PASS
				Full RB	230	14.26	43.00	PASS

n261: 2CC

Band	n261	Beam ID	151
EUT position	X-plane	Receive Antenna polarization	Horizontal

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail		
BPSK	50	2071249+ 2072803	27550.02	1RB0	230	18.05	43.00	PASS		
				1RB16	230	18.50	43.00	PASS		
				1RB31	230	18.29	43.00	PASS		
				Full RB	230	19.54	43.00	PASS		
		2077499+ 2078333	27925.02	2077499+ 2078333	27925.02	1RB0	230	17.60	43.00	PASS
						1RB16	230	17.65	43.00	PASS
						1RB31	230	17.75	43.00	PASS
						Full RB	230	18.99	43.00	PASS
		2083747+ 2084581	28299.9	2083747+ 2084581	28299.9	1RB0	230	17.60	43.00	PASS
						1RB16	230	17.60	43.00	PASS
						1RB31	230	17.58	43.00	PASS
						Full RB	230	18.50	43.00	PASS
QPSK	50	2071249+ 2072803	27550.02	1RB0	230	16.73	43.00	PASS		
				1RB16	230	17.15	43.00	PASS		
				1RB31	230	16.89	43.00	PASS		
				Full RB	230	18.13	43.00	PASS		
		2077499+ 2078333	27925.02	2077499+ 2078333	27925.02	1RB0	230	16.27	43.00	PASS
						1RB16	230	16.45	43.00	PASS
						1RB31	230	16.20	43.00	PASS
						Full RB	230	17.27	43.00	PASS
		2083747+ 2084581	28299.9	2083747+ 2084581	28299.9	1RB0	230	16.40	43.00	PASS
						1RB16	230	16.56	43.00	PASS
						1RB31	230	16.39	43.00	PASS
						Full RB	230	17.52	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail	
16QAM	50	2071249+ 2072803	27550.02	1RB0	230	15.85	43.00	PASS	
				1RB16	230	16.28	43.00	PASS	
				1RB31	230	15.85	43.00	PASS	
				Full RB	230	17.15	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	15.64	43.00	PASS
					1RB16	230	15.65	43.00	PASS
					1RB31	230	15.82	43.00	PASS
					Full RB	230	16.22	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	15.47	43.00	PASS
					1RB16	230	15.28	43.00	PASS
					1RB31	230	15.51	43.00	PASS
					Full RB	230	16.33	43.00	PASS
64QAM	50	2071249+ 2072803	27550.02	1RB0	230	13.71	43.00	PASS	
				1RB16	230	13.62	43.00	PASS	
				1RB31	230	13.79	43.00	PASS	
				Full RB	230	15.17	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	13.06	43.00	PASS
					1RB16	230	13.08	43.00	PASS
					1RB31	230	13.33	43.00	PASS
					Full RB	230	14.04	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	12.87	43.00	PASS
					1RB16	230	13.08	43.00	PASS
					1RB31	230	13.24	43.00	PASS
					Full RB	230	14.44	43.00	PASS

n261: 2CC

Band	n261	Beam ID	159+31
Receive Antenna polarization	H+V		

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail	
BPSK	50	2071249+ 2072803	27550.02	1RB0	230	23.94	43.00	PASS	
				1RB32	230	23.89	43.00	PASS	
				1RB65	230	23.99	43.00	PASS	
				Full RB	230	24.90	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	23.43	43.00	PASS
					1RB32	230	23.76	43.00	PASS
					1RB65	230	23.57	43.00	PASS
					Full RB	230	23.97	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	22.94	43.00	PASS
					1RB32	230	23.33	43.00	PASS
					1RB65	230	23.19	43.00	PASS
					Full RB	230	24.42	43.00	PASS
QPSK	50	2071249+ 2072803	27550.02	1RB0	230	22.54	43.00	PASS	
				1RB32	230	22.62	43.00	PASS	
				1RB65	230	22.46	43.00	PASS	
				Full RB	230	23.63	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	22.08	43.00	PASS
					1RB32	230	22.22	43.00	PASS
					1RB65	230	22.05	43.00	PASS
					Full RB	230	22.61	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	21.64	43.00	PASS
					1RB32	230	22.02	43.00	PASS
					1RB65	230	21.81	43.00	PASS
					Full RB	230	23.08	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	50	2071249+ 2072803	27550.02	1RB0	230	21.64	43.00	PASS
				1RB32	230	21.76	43.00	PASS
				1RB65	230	21.81	43.00	PASS
				Full RB	230	22.77	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	21.31	43.00	PASS
				1RB32	230	21.39	43.00	PASS
				1RB65	230	21.17	43.00	PASS
				Full RB	230	21.89	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	20.92	43.00	PASS
				1RB32	230	21.09	43.00	PASS
				1RB65	230	21.03	43.00	PASS
				Full RB	230	22.10	43.00	PASS
64QAM	50	2071249+ 2072803	27550.02	1RB0	230	19.09	43.00	PASS
				1RB32	230	19.84	43.00	PASS
				1RB65	230	19.40	43.00	PASS
				Full RB	230	20.72	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	19.20	43.00	PASS
				1RB32	230	19.15	43.00	PASS
				1RB65	230	19.08	43.00	PASS
				Full RB	230	19.71	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	18.62	43.00	PASS
				1RB32	230	19.16	43.00	PASS
				1RB65	230	18.66	43.00	PASS
				Full RB	230	19.96	43.00	PASS

n261: 2CC

Band	n261	Beam ID	154+26
Receive Antenna polarization	H+V		

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail	
BPSK	50	2071249+ 2072803	27550.02	1RB0	230	21.48	43.00	PASS	
				1RB32	230	21.53	43.00	PASS	
				1RB65	230	21.44	43.00	PASS	
				Full RB	230	22.65	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	20.55	43.00	PASS
					1RB32	230	20.64	43.00	PASS
					1RB65	230	20.71	43.00	PASS
					Full RB	230	21.87	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	20.85	43.00	PASS
					1RB32	230	21.06	43.00	PASS
					1RB65	230	20.84	43.00	PASS
					Full RB	230	21.47	43.00	PASS
QPSK	50	2071249+ 2072803	27550.02	1RB0	230	19.97	43.00	PASS	
				1RB32	230	20.39	43.00	PASS	
				1RB65	230	20.05	43.00	PASS	
				Full RB	230	21.23	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	19.41	43.00	PASS
					1RB32	230	19.54	43.00	PASS
					1RB65	230	19.36	43.00	PASS
					Full RB	230	20.43	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	19.44	43.00	PASS
					1RB32	230	19.70	43.00	PASS
					1RB65	230	19.70	43.00	PASS
					Full RB	230	20.24	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	50	2071249+ 2072803	27550.02	1RB0	230	19.23	43.00	PASS
				1RB32	230	19.16	43.00	PASS
				1RB65	230	19.34	43.00	PASS
				Full RB	230	20.38	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	18.44	43.00	PASS
				1RB32	230	18.54	43.00	PASS
				1RB65	230	18.58	43.00	PASS
				Full RB	230	19.67	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	18.68	43.00	PASS
				1RB32	230	19.08	43.00	PASS
				1RB65	230	18.82	43.00	PASS
				Full RB	230	19.14	43.00	PASS
64QAM	50	2071249+ 2072803	27550.02	1RB0	230	16.83	43.00	PASS
				1RB32	230	17.06	43.00	PASS
				1RB65	230	16.88	43.00	PASS
				Full RB	230	18.50	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	16.34	43.00	PASS
				1RB32	230	16.55	43.00	PASS
				1RB65	230	16.27	43.00	PASS
				Full RB	230	17.72	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	16.29	43.00	PASS
				1RB32	230	16.80	43.00	PASS
				1RB65	230	16.66	43.00	PASS
				Full RB	230	17.15	43.00	PASS

n261: 2CC

Band	n261	Beam ID	151+23
Receive Antenna polarization	H+V		

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail	
BPSK	50	2071249+ 2072803	27550.02	1RB0	230	21.21	43.00	PASS	
				1RB32	230	21.46	43.00	PASS	
				1RB65	230	21.18	43.00	PASS	
				Full RB	230	22.47	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	20.70	43.00	PASS
					1RB32	230	20.69	43.00	PASS
					1RB65	230	20.73	43.00	PASS
					Full RB	230	21.88	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	20.67	43.00	PASS
					1RB32	230	20.78	43.00	PASS
					1RB65	230	20.70	43.00	PASS
					Full RB	230	21.67	43.00	PASS
QPSK	50	2071249+ 2072803	27550.02	1RB0	230	19.89	43.00	PASS	
				1RB32	230	20.12	43.00	PASS	
				1RB65	230	20.01	43.00	PASS	
				Full RB	230	21.17	43.00	PASS	
		2077499+ 2078333	27925.02	27925.02	1RB0	230	19.23	43.00	PASS
					1RB32	230	19.42	43.00	PASS
					1RB65	230	19.29	43.00	PASS
					Full RB	230	20.42	43.00	PASS
		2083747+ 2084581	28299.9	28299.9	1RB0	230	19.42	43.00	PASS
					1RB32	230	19.52	43.00	PASS
					1RB65	230	19.41	43.00	PASS
					Full RB	230	20.51	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	50	2071249+ 2072803	27550.02	1RB0	230	18.89	43.00	PASS
				1RB32	230	19.22	43.00	PASS
				1RB65	230	19.00	43.00	PASS
				Full RB	230	20.32	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	18.68	43.00	PASS
				1RB32	230	18.79	43.00	PASS
				1RB65	230	18.78	43.00	PASS
				Full RB	230	19.30	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	18.36	43.00	PASS
				1RB32	230	18.40	43.00	PASS
				1RB65	230	18.36	43.00	PASS
				Full RB	230	19.28	43.00	PASS
64QAM	50	2071249+ 2072803	27550.02	1RB0	230	16.78	43.00	PASS
				1RB32	230	16.62	43.00	PASS
				1RB65	230	16.80	43.00	PASS
				Full RB	230	18.17	43.00	PASS
		2077499+ 2078333	27925.02	1RB0	230	16.15	43.00	PASS
				1RB32	230	16.23	43.00	PASS
				1RB65	230	16.33	43.00	PASS
				Full RB	230	17.12	43.00	PASS
		2083747+ 2084581	28299.9	1RB0	230	15.95	43.00	PASS
				1RB32	230	16.02	43.00	PASS
				1RB65	230	16.26	43.00	PASS
				Full RB	230	17.36	43.00	PASS

n261: 2CC

Band	n261	Beam ID	159
EUT position	Y-plane	Receive Antenna polarization	Vertical

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
BPSK	100	2071831+ 2073489	27610	1RB0	230	22.74	43.00	PASS
				1RB32	230	22.83	43.00	PASS
				1RB65	230	22.76	43.00	PASS
				Full RB	230	23.93	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	22.65	43.00	PASS
				1RB32	230	22.83	43.00	PASS
				1RB65	230	22.72	43.00	PASS
				Full RB	230	22.84	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	22.12	43.00	PASS
				1RB32	230	22.34	43.00	PASS
				1RB65	230	22.17	43.00	PASS
				Full RB	230	23.45	43.00	PASS
QPSK	100	2071831+ 2073489	27610	1RB0	230	21.38	43.00	PASS
				1RB32	230	21.52	43.00	PASS
				1RB65	230	21.42	43.00	PASS
				Full RB	230	22.58	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	21.28	43.00	PASS
				1RB32	230	21.49	43.00	PASS
				1RB65	230	21.35	43.00	PASS
				Full RB	230	21.56	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	20.85	43.00	PASS
				1RB32	230	21.04	43.00	PASS
				1RB65	230	20.91	43.00	PASS
				Full RB	230	22.10	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	100	2071831+ 2073489	27610	1RB0	230	20.45	43.00	PASS
				1RB32	230	20.67	43.00	PASS
				1RB65	230	20.67	43.00	PASS
				Full RB	230	21.77	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	20.61	43.00	PASS
				1RB32	230	20.55	43.00	PASS
				1RB65	230	20.47	43.00	PASS
				Full RB	230	20.82	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	20.08	43.00	PASS
				1RB32	230	20.36	43.00	PASS
				1RB65	230	20.05	43.00	PASS
				Full RB	230	21.19	43.00	PASS
64QAM	100	2071831+ 2073489	27610	1RB0	230	18.19	43.00	PASS
				1RB32	230	18.67	43.00	PASS
				1RB65	230	18.35	43.00	PASS
				Full RB	230	19.40	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	18.37	43.00	PASS
				1RB32	230	18.18	43.00	PASS
				1RB65	230	18.40	43.00	PASS
				Full RB	230	18.59	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	17.69	43.00	PASS
				1RB32	230	18.21	43.00	PASS
				1RB65	230	17.79	43.00	PASS
				Full RB	230	19.10	43.00	PASS

n261: 2CC

Band	n261	Beam ID	41
EUT position	Y-plane	Receive Antenna polarization	Horizontal

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
BPSK	100	2071831+ 2073489	27610	1RB0	230	19.49	43.00	PASS
				1RB32	230	19.54	43.00	PASS
				1RB65	230	19.52	43.00	PASS
				Full RB	230	20.76	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	18.50	43.00	PASS
				1RB32	230	18.84	43.00	PASS
				1RB65	230	18.70	43.00	PASS
				Full RB	230	19.87	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	18.56	43.00	PASS
				1RB32	230	18.88	43.00	PASS
				1RB65	230	18.68	43.00	PASS
				Full RB	230	19.92	43.00	PASS
QPSK	100	2071831+ 2073489	27610	1RB0	230	18.14	43.00	PASS
				1RB32	230	18.33	43.00	PASS
				1RB65	230	18.18	43.00	PASS
				Full RB	230	19.42	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	17.29	43.00	PASS
				1RB32	230	17.51	43.00	PASS
				1RB65	230	17.32	43.00	PASS
				Full RB	230	18.56	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	17.25	43.00	PASS
				1RB32	230	17.62	43.00	PASS
				1RB65	230	17.43	43.00	PASS
				Full RB	230	18.71	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	100	2071831+ 2073489	27610	1RB0	230	17.05	43.00	PASS
				1RB32	230	17.46	43.00	PASS
				1RB65	230	17.37	43.00	PASS
				Full RB	230	18.70	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	16.53	43.00	PASS
				1RB32	230	16.73	43.00	PASS
				1RB65	230	16.41	43.00	PASS
				Full RB	230	17.56	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	16.21	43.00	PASS
				1RB32	230	16.64	43.00	PASS
				1RB65	230	16.33	43.00	PASS
				Full RB	230	17.96	43.00	PASS
64QAM	100	2071831+ 2073489	27610	1RB0	230	14.74	43.00	PASS
				1RB32	230	15.03	43.00	PASS
				1RB65	230	14.98	43.00	PASS
				Full RB	230	16.78	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	14.05	43.00	PASS
				1RB32	230	14.34	43.00	PASS
				1RB65	230	14.23	43.00	PASS
				Full RB	230	15.27	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	13.81	43.00	PASS
				1RB32	230	14.73	43.00	PASS
				1RB65	230	13.94	43.00	PASS
				Full RB	230	15.56	43.00	PASS

n261: 2CC

Band	n261	Beam ID	31
EUT position	Y-plane	Receive Antenna polarization	Vertical

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
BPSK	100	2071831+ 2073489	27610	1RB0	230	19.71	43.00	PASS
				1RB32	230	19.83	43.00	PASS
				1RB65	230	19.86	43.00	PASS
				Full RB	230	20.97	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	18.62	43.00	PASS
				1RB32	230	18.80	43.00	PASS
				1RB65	230	18.79	43.00	PASS
				Full RB	230	19.97	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	18.72	43.00	PASS
				1RB32	230	19.02	43.00	PASS
				1RB65	230	18.83	43.00	PASS
				Full RB	230	20.02	43.00	PASS
QPSK	100	2071831+ 2073489	27610	1RB0	230	18.42	43.00	PASS
				1RB32	230	18.59	43.00	PASS
				1RB65	230	18.49	43.00	PASS
				Full RB	230	19.58	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	17.38	43.00	PASS
				1RB32	230	17.53	43.00	PASS
				1RB65	230	17.42	43.00	PASS
				Full RB	230	18.59	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	17.37	43.00	PASS
				1RB32	230	17.64	43.00	PASS
				1RB65	230	17.48	43.00	PASS
				Full RB	230	18.70	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	100	2071831+ 2073489	27610	1RB0	230	17.36	43.00	PASS
				1RB32	230	17.80	43.00	PASS
				1RB65	230	17.57	43.00	PASS
				Full RB	230	18.85	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	16.60	43.00	PASS
				1RB32	230	16.63	43.00	PASS
				1RB65	230	16.51	43.00	PASS
				Full RB	230	17.74	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	16.35	43.00	PASS
				1RB32	230	16.73	43.00	PASS
				1RB65	230	16.50	43.00	PASS
				Full RB	230	17.73	43.00	PASS
64QAM	100	2071831+ 2073489	27610	1RB0	230	14.90	43.00	PASS
				1RB32	230	15.66	43.00	PASS
				1RB65	230	15.62	43.00	PASS
				Full RB	230	16.86	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	14.42	43.00	PASS
				1RB32	230	14.66	43.00	PASS
				1RB65	230	14.07	43.00	PASS
				Full RB	230	15.70	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	14.07	43.00	PASS
				1RB32	230	14.35	43.00	PASS
				1RB65	230	14.39	43.00	PASS
				Full RB	230	15.54	43.00	PASS

n261: 2CC

Band	n261	Beam ID	165
EUT position	Z-plane	Receive Antenna polarization	Horizontal

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
BPSK	100	2071831+ 2073489	27610	1RB0	230	18.53	43.00	PASS
				1RB32	230	18.89	43.00	PASS
				1RB65	230	18.70	43.00	PASS
				Full RB	230	20.11	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	18.02	43.00	PASS
				1RB32	230	18.21	43.00	PASS
				1RB65	230	18.15	43.00	PASS
				Full RB	230	19.26	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	17.69	43.00	PASS
				1RB32	230	17.80	43.00	PASS
				1RB65	230	17.81	43.00	PASS
				Full RB	230	18.94	43.00	PASS
QPSK	100	2071831+ 2073489	27610	1RB0	230	17.23	43.00	PASS
				1RB32	230	17.65	43.00	PASS
				1RB65	230	17.32	43.00	PASS
				Full RB	230	18.72	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	16.75	43.00	PASS
				1RB32	230	17.00	43.00	PASS
				1RB65	230	16.81	43.00	PASS
				Full RB	230	18.02	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	16.37	43.00	PASS
				1RB32	230	16.58	43.00	PASS
				1RB65	230	16.49	43.00	PASS
				Full RB	230	17.56	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	100	2071831+ 2073489	27610	1RB0	230	16.13	43.00	PASS
				1RB32	230	16.82	43.00	PASS
				1RB65	230	16.40	43.00	PASS
				Full RB	230	17.69	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	15.94	43.00	PASS
				1RB32	230	16.18	43.00	PASS
				1RB65	230	15.99	43.00	PASS
				Full RB	230	17.24	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	15.53	43.00	PASS
				1RB32	230	15.62	43.00	PASS
				1RB65	230	15.39	43.00	PASS
				Full RB	230	16.73	43.00	PASS
64QAM	100	2071831+ 2073489	27610	1RB0	230	14.06	43.00	PASS
				1RB32	230	14.59	43.00	PASS
				1RB65	230	14.06	43.00	PASS
				Full RB	230	15.19	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	13.43	43.00	PASS
				1RB32	230	13.73	43.00	PASS
				1RB65	230	13.74	43.00	PASS
				Full RB	230	15.07	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	13.06	43.00	PASS
				1RB32	230	13.46	43.00	PASS
				1RB65	230	13.18	43.00	PASS
				Full RB	230	14.36	43.00	PASS

n261: 2CC

Band	n261	Beam ID	26
EUT position	Z-plane	Receive Antenna polarization	Vertical

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
BPSK	100	2071831+ 2073489	27610	1RB0	230	19.99	43.00	PASS
				1RB32	230	20.32	43.00	PASS
				1RB65	230	19.97	43.00	PASS
				Full RB	230	21.34	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	19.43	43.00	PASS
				1RB32	230	19.48	43.00	PASS
				1RB65	230	19.38	43.00	PASS
				Full RB	230	20.53	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	19.78	43.00	PASS
				1RB32	230	20.00	43.00	PASS
				1RB65	230	19.94	43.00	PASS
				Full RB	230	19.98	43.00	PASS
QPSK	100	2071831+ 2073489	27610	1RB0	230	18.71	43.00	PASS
				1RB32	230	19.00	43.00	PASS
				1RB65	230	18.73	43.00	PASS
				Full RB	230	20.01	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	18.06	43.00	PASS
				1RB32	230	18.20	43.00	PASS
				1RB65	230	18.11	43.00	PASS
				Full RB	230	19.22	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	18.52	43.00	PASS
				1RB32	230	18.69	43.00	PASS
				1RB65	230	18.55	43.00	PASS
				Full RB	230	18.71	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	100	2071831+ 2073489	27610	1RB0	230	17.98	43.00	PASS
				1RB32	230	17.94	43.00	PASS
				1RB65	230	18.07	43.00	PASS
				Full RB	230	19.27	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	17.24	43.00	PASS
				1RB32	230	17.35	43.00	PASS
				1RB65	230	17.32	43.00	PASS
				Full RB	230	18.56	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	17.67	43.00	PASS
				1RB32	230	17.92	43.00	PASS
				1RB65	230	17.76	43.00	PASS
				Full RB	230	17.78	43.00	PASS
64QAM	100	2071831+ 2073489	27610	1RB0	230	15.63	43.00	PASS
				1RB32	230	15.77	43.00	PASS
				1RB65	230	15.75	43.00	PASS
				Full RB	230	17.26	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	15.14	43.00	PASS
				1RB32	230	15.43	43.00	PASS
				1RB65	230	14.93	43.00	PASS
				Full RB	230	16.68	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	15.27	43.00	PASS
				1RB32	230	15.86	43.00	PASS
				1RB65	230	15.47	43.00	PASS
				Full RB	230	15.74	43.00	PASS

n261: 2CC

Band	n261	Beam ID	154
EUT position	Z-plane	Receive Antenna polarization	Horizontal

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
BPSK	100	2071831+ 2073489	27610	1RB0	230	17.74	43.00	PASS
				1RB32	230	17.94	43.00	PASS
				1RB65	230	17.98	43.00	PASS
				Full RB	230	18.94	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	16.87	43.00	PASS
				1RB32	230	16.93	43.00	PASS
				1RB65	230	16.89	43.00	PASS
				Full RB	230	18.14	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	16.68	43.00	PASS
				1RB32	230	16.98	43.00	PASS
				1RB65	230	16.81	43.00	PASS
				Full RB	230	17.98	43.00	PASS
QPSK	100	2071831+ 2073489	27610	1RB0	230	16.45	43.00	PASS
				1RB32	230	16.68	43.00	PASS
				1RB65	230	16.59	43.00	PASS
				Full RB	230	17.69	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	15.48	43.00	PASS
				1RB32	230	15.70	43.00	PASS
				1RB65	230	15.53	43.00	PASS
				Full RB	230	16.80	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	15.42	43.00	PASS
				1RB32	230	15.62	43.00	PASS
				1RB65	230	15.49	43.00	PASS
				Full RB	230	16.69	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	100	2071831+ 2073489	27610	1RB0	230	15.37	43.00	PASS
				1RB32	230	15.61	43.00	PASS
				1RB65	230	15.84	43.00	PASS
				Full RB	230	16.69	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	14.65	43.00	PASS
				1RB32	230	14.70	43.00	PASS
				1RB65	230	14.74	43.00	PASS
				Full RB	230	16.00	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	14.41	43.00	PASS
				1RB32	230	14.85	43.00	PASS
				1RB65	230	14.67	43.00	PASS
				Full RB	230	15.91	43.00	PASS
64QAM	100	2071831+ 2073489	27610	1RB0	230	13.15	43.00	PASS
				1RB32	230	13.68	43.00	PASS
				1RB65	230	13.34	43.00	PASS
				Full RB	230	14.56	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	12.22	43.00	PASS
				1RB32	230	12.18	43.00	PASS
				1RB65	230	12.73	43.00	PASS
				Full RB	230	13.58	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	11.89	43.00	PASS
				1RB32	230	12.39	43.00	PASS
				1RB65	230	12.45	43.00	PASS
				Full RB	230	13.65	43.00	PASS

n261: 2CC

Band	n261	Beam ID	163
EUT position	X-plane	Receive Antenna polarization	Horizontal

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
BPSK	100	2071831+ 2073489	27610	1RB0	230	19.51	43.00	PASS
				1RB32	230	19.67	43.00	PASS
				1RB65	230	19.41	43.00	PASS
				Full RB	230	20.65	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	19.08	43.00	PASS
				1RB32	230	19.06	43.00	PASS
				1RB65	230	19.05	43.00	PASS
				Full RB	230	20.11	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	18.35	43.00	PASS
				1RB32	230	18.44	43.00	PASS
				1RB65	230	18.31	43.00	PASS
				Full RB	230	19.55	43.00	PASS
QPSK	100	2071831+ 2073489	27610	1RB0	230	18.14	43.00	PASS
				1RB32	230	18.34	43.00	PASS
				1RB65	230	18.17	43.00	PASS
				Full RB	230	19.41	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	17.79	43.00	PASS
				1RB32	230	17.85	43.00	PASS
				1RB65	230	17.77	43.00	PASS
				Full RB	230	18.83	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	17.09	43.00	PASS
				1RB32	230	17.21	43.00	PASS
				1RB65	230	17.08	43.00	PASS
				Full RB	230	18.24	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	100	2071831+ 2073489	27610	1RB0	230	17.14	43.00	PASS
				1RB32	230	17.59	43.00	PASS
				1RB65	230	17.10	43.00	PASS
				Full RB	230	18.47	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	16.78	43.00	PASS
				1RB32	230	16.91	43.00	PASS
				1RB65	230	16.78	43.00	PASS
				Full RB	230	17.73	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	16.34	43.00	PASS
				1RB32	230	16.30	43.00	PASS
				1RB65	230	15.99	43.00	PASS
				Full RB	230	17.27	43.00	PASS
64QAM	100	2071831+ 2073489	27610	1RB0	230	15.08	43.00	PASS
				1RB32	230	15.68	43.00	PASS
				1RB65	230	14.68	43.00	PASS
				Full RB	230	16.34	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	14.38	43.00	PASS
				1RB32	230	14.69	43.00	PASS
				1RB65	230	14.49	43.00	PASS
				Full RB	230	15.43	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	13.94	43.00	PASS
				1RB32	230	14.13	43.00	PASS
				1RB65	230	14.08	43.00	PASS
				Full RB	230	15.28	43.00	PASS

n261: 2CC

Band	n261	Beam ID	23
EUT position	X-plane	Receive Antenna polarization	Vertical

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
BPSK	100	2071831+ 2073489	27610	1RB0	230	18.96	43.00	PASS
				1RB32	230	19.14	43.00	PASS
				1RB65	230	18.87	43.00	PASS
				Full RB	230	20.24	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	18.35	43.00	PASS
				1RB32	230	18.41	43.00	PASS
				1RB65	230	18.43	43.00	PASS
				Full RB	230	19.42	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	18.29	43.00	PASS
				1RB32	230	18.44	43.00	PASS
				1RB65	230	18.31	43.00	PASS
				Full RB	230	19.35	43.00	PASS
QPSK	100	2071831+ 2073489	27610	1RB0	230	17.60	43.00	PASS
				1RB32	230	17.82	43.00	PASS
				1RB65	230	17.63	43.00	PASS
				Full RB	230	18.89	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	17.01	43.00	PASS
				1RB32	230	17.19	43.00	PASS
				1RB65	230	17.06	43.00	PASS
				Full RB	230	18.11	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	17.00	43.00	PASS
				1RB32	230	17.12	43.00	PASS
				1RB65	230	17.01	43.00	PASS
				Full RB	230	18.03	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	100	2071831+ 2073489	27610	1RB0	230	16.54	43.00	PASS
				1RB32	230	16.85	43.00	PASS
				1RB65	230	16.67	43.00	PASS
				Full RB	230	18.01	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	16.34	43.00	PASS
				1RB32	230	16.48	43.00	PASS
				1RB65	230	16.33	43.00	PASS
				Full RB	230	17.07	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	16.01	43.00	PASS
				1RB32	230	16.04	43.00	PASS
				1RB65	230	16.02	43.00	PASS
				Full RB	230	16.93	43.00	PASS
64QAM	100	2071831+ 2073489	27610	1RB0	230	14.47	43.00	PASS
				1RB32	230	14.47	43.00	PASS
				1RB65	230	14.38	43.00	PASS
				Full RB	230	15.74	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	13.84	43.00	PASS
				1RB32	230	13.96	43.00	PASS
				1RB65	230	13.87	43.00	PASS
				Full RB	230	14.69	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	13.63	43.00	PASS
				1RB32	230	13.77	43.00	PASS
				1RB65	230	13.95	43.00	PASS
				Full RB	230	15.04	43.00	PASS

n261: 2CC

Band	n261	Beam ID	151
EUT position	X-plane	Receive Antenna polarization	Horizontal

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
BPSK	100	2071831+ 2073489	27610	1RB0	230	18.89	43.00	PASS
				1RB32	230	19.20	43.00	PASS
				1RB65	230	18.86	43.00	PASS
				Full RB	230	20.10	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	18.33	43.00	PASS
				1RB32	230	18.47	43.00	PASS
				1RB65	230	18.38	43.00	PASS
				Full RB	230	19.50	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	18.36	43.00	PASS
				1RB32	230	18.39	43.00	PASS
				1RB65	230	18.27	43.00	PASS
				Full RB	230	19.28	43.00	PASS
QPSK	100	2071831+ 2073489	27610	1RB0	230	17.47	43.00	PASS
				1RB32	230	17.70	43.00	PASS
				1RB65	230	17.33	43.00	PASS
				Full RB	230	18.69	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	16.75	43.00	PASS
				1RB32	230	17.05	43.00	PASS
				1RB65	230	16.93	43.00	PASS
				Full RB	230	17.83	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	16.87	43.00	PASS
				1RB32	230	16.89	43.00	PASS
				1RB65	230	16.76	43.00	PASS
				Full RB	230	17.82	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	100	2071831+ 2073489	27610	1RB0	230	16.24	43.00	PASS
				1RB32	230	16.63	43.00	PASS
				1RB65	230	16.48	43.00	PASS
				Full RB	230	17.73	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	16.23	43.00	PASS
				1RB32	230	16.18	43.00	PASS
				1RB65	230	16.12	43.00	PASS
				Full RB	230	16.85	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	15.84	43.00	PASS
				1RB32	230	15.86	43.00	PASS
				1RB65	230	15.90	43.00	PASS
				Full RB	230	16.81	43.00	PASS
64QAM	100	2071831+ 2073489	27610	1RB0	230	14.27	43.00	PASS
				1RB32	230	14.21	43.00	PASS
				1RB65	230	14.07	43.00	PASS
				Full RB	230	15.50	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	13.57	43.00	PASS
				1RB32	230	13.67	43.00	PASS
				1RB65	230	13.76	43.00	PASS
				Full RB	230	14.58	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	13.31	43.00	PASS
				1RB32	230	13.49	43.00	PASS
				1RB65	230	13.66	43.00	PASS
				Full RB	230	14.87	43.00	PASS

n261: 2CC

Band	n261	Beam ID	159+31
Receive Antenna polarization	H+V		

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
BPSK	100	2071831+ 2073489	27610	1RB0	230	24.49	43.00	PASS
				1RB32	230	24.59	43.00	PASS
				1RB65	230	24.56	43.00	PASS
				Full RB	230	25.71	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	24.10	43.00	PASS
				1RB32	230	24.28	43.00	PASS
				1RB65	230	24.20	43.00	PASS
				Full RB	230	24.65	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	23.75	43.00	PASS
				1RB32	230	24.00	43.00	PASS
				1RB65	230	23.82	43.00	PASS
				Full RB	230	25.08	43.00	PASS
QPSK	100	2071831+ 2073489	27610	1RB0	230	23.16	43.00	PASS
				1RB32	230	23.31	43.00	PASS
				1RB65	230	23.21	43.00	PASS
				Full RB	230	24.34	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	22.76	43.00	PASS
				1RB32	230	22.96	43.00	PASS
				1RB65	230	22.83	43.00	PASS
				Full RB	230	23.33	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	22.46	43.00	PASS
				1RB32	230	22.67	43.00	PASS
				1RB65	230	22.54	43.00	PASS
				Full RB	230	23.73	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	100	2071831+ 2073489	27610	1RB0	230	22.18	43.00	PASS
				1RB32	230	22.48	43.00	PASS
				1RB65	230	22.40	43.00	PASS
				Full RB	230	23.56	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	22.06	43.00	PASS
				1RB32	230	22.03	43.00	PASS
				1RB65	230	21.94	43.00	PASS
				Full RB	230	22.56	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	21.61	43.00	PASS
				1RB32	230	21.92	43.00	PASS
				1RB65	230	21.64	43.00	PASS
				Full RB	230	22.81	43.00	PASS
64QAM	100	2071831+ 2073489	27610	1RB0	230	19.86	43.00	PASS
				1RB32	230	20.43	43.00	PASS
				1RB65	230	20.21	43.00	PASS
				Full RB	230	21.32	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	19.84	43.00	PASS
				1RB32	230	19.78	43.00	PASS
				1RB65	230	19.76	43.00	PASS
				Full RB	230	20.39	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	19.26	43.00	PASS
				1RB32	230	19.71	43.00	PASS
				1RB65	230	19.42	43.00	PASS
				Full RB	230	20.69	43.00	PASS

n261: 2CC

Band	n261	Beam ID	154+26
Receive Antenna polarization	H+V		

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
BPSK	100	2071831+ 2073489	27610	1RB0	230	22.02	43.00	PASS
				1RB32	230	22.30	43.00	PASS
				1RB65	230	22.10	43.00	PASS
				Full RB	230	23.31	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	21.35	43.00	PASS
				1RB32	230	21.40	43.00	PASS
				1RB65	230	21.32	43.00	PASS
				Full RB	230	22.51	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	21.51	43.00	PASS
				1RB32	230	21.76	43.00	PASS
				1RB65	230	21.66	43.00	PASS
				Full RB	230	22.10	43.00	PASS
QPSK	100	2071831+ 2073489	27610	1RB0	230	20.74	43.00	PASS
				1RB32	230	21.00	43.00	PASS
				1RB65	230	20.80	43.00	PASS
				Full RB	230	22.01	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	19.97	43.00	PASS
				1RB32	230	20.14	43.00	PASS
				1RB65	230	20.02	43.00	PASS
				Full RB	230	21.19	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	20.25	43.00	PASS
				1RB32	230	20.43	43.00	PASS
				1RB65	230	20.29	43.00	PASS
				Full RB	230	20.83	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	100	2071831+ 2073489	27610	1RB0	230	19.88	43.00	PASS
				1RB32	230	19.94	43.00	PASS
				1RB65	230	20.11	43.00	PASS
				Full RB	230	21.18	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	19.15	43.00	PASS
				1RB32	230	19.23	43.00	PASS
				1RB65	230	19.23	43.00	PASS
				Full RB	230	20.48	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	19.35	43.00	PASS
				1RB32	230	19.66	43.00	PASS
				1RB65	230	19.49	43.00	PASS
				Full RB	230	19.96	43.00	PASS
64QAM	100	2071831+ 2073489	27610	1RB0	230	17.57	43.00	PASS
				1RB32	230	17.86	43.00	PASS
				1RB65	230	17.72	43.00	PASS
				Full RB	230	19.13	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	16.93	43.00	PASS
				1RB32	230	17.11	43.00	PASS
				1RB65	230	16.98	43.00	PASS
				Full RB	230	18.41	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	16.91	43.00	PASS
				1RB32	230	17.47	43.00	PASS
				1RB65	230	17.23	43.00	PASS
				Full RB	230	17.83	43.00	PASS

n261: 2CC

Band	n261	Beam ID	151+23
Receive Antenna polarization	H+V		

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
BPSK	100	2071831+ 2073489	27610	1RB0	230	21.94	43.00	PASS
				1RB32	230	22.18	43.00	PASS
				1RB65	230	21.88	43.00	PASS
				Full RB	230	23.18	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	21.35	43.00	PASS
				1RB32	230	21.45	43.00	PASS
				1RB65	230	21.42	43.00	PASS
				Full RB	230	22.47	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	21.34	43.00	PASS
				1RB32	230	21.43	43.00	PASS
				1RB65	230	21.30	43.00	PASS
				Full RB	230	22.33	43.00	PASS
QPSK	100	2071831+ 2073489	27610	1RB0	230	20.61	43.00	PASS
				1RB32	230	20.83	43.00	PASS
				1RB65	230	20.64	43.00	PASS
				Full RB	230	21.90	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	20.02	43.00	PASS
				1RB32	230	20.20	43.00	PASS
				1RB65	230	20.07	43.00	PASS
				Full RB	230	21.12	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	20.01	43.00	PASS
				1RB32	230	20.13	43.00	PASS
				1RB65	230	20.02	43.00	PASS
				Full RB	230	21.04	43.00	PASS

Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	RB Condition	Power Setting	EIRP Avg. (dBm)	Limit Avg. (dBm)	Pass / Fail
16QAM	100	2071831+ 2073489	27610	1RB0	230	19.55	43.00	PASS
				1RB32	230	19.86	43.00	PASS
				1RB65	230	19.68	43.00	PASS
				Full RB	230	21.02	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	19.35	43.00	PASS
				1RB32	230	19.49	43.00	PASS
				1RB65	230	19.34	43.00	PASS
				Full RB	230	20.08	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	19.02	43.00	PASS
				1RB32	230	19.05	43.00	PASS
				1RB65	230	19.03	43.00	PASS
				Full RB	230	19.94	43.00	PASS
64QAM	100	2071831+ 2073489	27610	1RB0	230	17.48	43.00	PASS
				1RB32	230	17.48	43.00	PASS
				1RB65	230	17.39	43.00	PASS
				Full RB	230	18.75	43.00	PASS
		2077833+ 2079500	27970	1RB0	230	16.85	43.00	PASS
				1RB32	230	16.97	43.00	PASS
				1RB65	230	16.88	43.00	PASS
				Full RB	230	17.70	43.00	PASS
		2082333+ 2084001	28240	1RB0	230	16.64	43.00	PASS
				1RB32	230	16.78	43.00	PASS
				1RB65	230	16.96	43.00	PASS
				Full RB	230	18.05	43.00	PASS

## **4.2 Emission Bandwidth Measurement**

### **4.2.1 Limit of Emission Bandwidth Measurement**

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

### **4.2.2 Test Setup**

Refer to section 4.2.2

### **4.2.3 Test Instruments**

Refer to section 4.2.3 to get information of above instrument.

### **4.2.4 Test Procedure**

1. The spectrum analyzer's automatic bandwidth measurement function was used to perform the 99% occupied bandwidth and the 26 dB bandwidth measurement.
2. Set the RBW = 1~5% of the anticipated OBW, and the VBW  $\geq 3 \times$  RBW.
3. Set spectrum analyzer detection mode to peak, and the trace mode to max hold
4. Sweep = auto couple
5. Record the test plots and test results.

### **4.2.5 Deviation from Test Standard**

No deviation.

### **4.2.6 EUT Operating Conditions**

The software provided by client to enable the EUT under transmission condition continuously at lowest channel frequencies individually.


#### 4.2.7 Test Result

n258A: Channel Bandwidth: 50MHz


Band	Component Carriers	Modulation	RB	Occupied Bandwidth (MHz)		
				Low channel	Middle channel	High Channel
n258A	1CC	BPSK	Full RB	45.951	45.992	46.006
		QPSK	Full RB	46.106	46.154	46.079
		16QAM	Full RB	45.904	46.068	45.978
		64QAM	Full RB	46.109	45.909	45.953
	2CC	BPSK	Full RB	95.329	95.223	95.403
		QPSK	Full RB	95.354	95.362	95.396
		16QAM	Full RB	95.529	95.230	95.348
		64QAM	Full RB	95.323	95.326	95.292

### Spectrum Plot of Worst Value


#### BPSK-1CC




#### QPSK-1CC




#### 16QAM-1CC




#### 64QAM-1CC



#### BPSK-2CC




#### QPSK-2CC



#### 16QAM-2CC



#### 64QAM-2CC




n258A: Channel Bandwidth: 100MHz

Band	Component Carriers	Modulation	RB	Occupied Bandwidth (MHz)		
				Low channel	Middle channel	High Channel
n258A	1CC	BPSK	Full RB	91.445	91.489	91.435
		QPSK	Full RB	94.703	94.632	94.654
		16QAM	Full RB	94.496	94.375	94.388
		64QAM	Full RB	94.486	94.662	94.577
	2CC	BPSK	Full RB	NA	190.94	NA
		QPSK	Full RB	NA	193.89	NA
		16QAM	Full RB	NA	193.20	NA
		64QAM	Full RB	NA	193.79	NA

## Spectrum Plot of Worst Value


### BPSK-1CC




### QPSK-1CC




### 16QAM-1CC



### 64QAM-1CC




### BPSK-2CC




### QPSK-2CC



### 16QAM-2CC



### 64QAM-2CC




n258B: Channel Bandwidth: 50MHz


Band	Component Carriers	Modulation	RB	Occupied Bandwidth (MHz)		
				Low channel	Middle channel	High Channel
n258B	1CC	BPSK	Full RB	45.943	45.930	45.964
		QPSK	Full RB	46.059	45.943	46.007
		16QAM	Full RB	46.000	46.029	45.997
		64QAM	Full RB	46.055	45.950	46.033
	2CC	BPSK	Full RB	95.417	95.316	95.367
		QPSK	Full RB	95.395	95.472	95.366
		16QAM	Full RB	95.566	95.479	95.629
		64QAM	Full RB	95.580	95.568	95.623

## Spectrum Plot of Worst Value


### BPSK-1CC



### QPSK-1CC




### 16QAM-1CC




### 64QAM-1CC




### BPSK-2CC




### QPSK-2CC



### 16QAM-2CC



### 64QAM-2CC




n258B: Channel Bandwidth: 100MHz


Band	Component Carriers	Modulation	RB	Occupied Bandwidth (MHz)		
				Low channel	Middle channel	High Channel
n258B	1CC	BPSK	Full RB	91.626	91.216	91.353
		QPSK	Full RB	94.571	94.294	94.331
		16QAM	Full RB	94.407	94.359	94.424
		64QAM	Full RB	94.778	94.529	94.551
	2CC	BPSK	Full RB	190.620	190.260	190.960
		QPSK	Full RB	193.270	193.540	193.770
		16QAM	Full RB	193.540	193.640	194.180
		64QAM	Full RB	193.680	194.130	194.670

### Spectrum Plot of Worst Value


#### BPSK-1CC




#### QPSK-1CC




#### 16QAM-1CC




#### 64QAM-1CC



#### BPSK-2CC




#### QPSK-2CC



#### 16QAM-2CC



#### 64QAM-2CC



n260: Channel Bandwidth: 50MHz

Band	Component Carriers	Modulation	RB	Occupied Bandwidth (MHz)		
				Low channel	Middle channel	High Channel
n260	1CC	BPSK	Full RB	46.294	46.550	46.786
		QPSK	Full RB	46.301	46.693	46.780
		16QAM	Full RB	46.142	48.198	46.854
		64QAM	Full RB	47.267	46.925	47.541
	2CC	BPSK	Full RB	96.488	95.886	96.725
		QPSK	Full RB	96.605	96.308	98.690
		16QAM	Full RB	97.206	96.665	96.979
		64QAM	Full RB	96.553	96.652	97.133