

CONSTRUCTION PHOTOS OF EUT

Brand : ASUS / Model : ASUS_I01WDX



The EUT contains following accessory devices.

Product	Brand	Model	Description
AC Adapter (18W) US-1	ASUS	AD2068320	I/P: 100-240 Vac, 50/60 Hz, 0.5 A O/P: 5 Vdc, 2 A or 9 Vdc, 2 A Manufacturer: Pi Electronics Ltd BSMI: R33164
AC Adapter (18W) US-2	ASUS	A222-090200U-US1	I/P: 100-240 Vac, 50/60 Hz, 0.5 A O/P: 5 Vdc, 2 A or 9 Vdc, 2 A Manufacturer: Gleam BSMI: R32385
AC Adapter (18W) EU-1 Variable	ASUS	AD2068M20	I/P: 100-240 Vac, 50/60 Hz, 0.5 A O/P: 5 Vdc, 2 A or 9 Vdc, 2 A Manufacturer: Pi Electronics Ltd
AC Adapter (18W) EU-2 EU type	ASUS	A222-090200U-EU1	I/P: 100-240 Vac, 50/60 Hz, 0.5 A O/P: 5 Vdc, 2 A or 9 Vdc, 2 A Manufacturer: AOHA1
AC Adapter (18W) EU-3 EU type	ASUS	AD2068020	I/P: 100-240 Vac, 50/60 Hz, 0.5 A O/P: 5 Vdc, 2 A or 9 Vdc, 2 A Manufacturer: Pi Electronics Ltd
AC Adapter (18W) EU-4 IN type	ASUS	AD2068N20	I/P: 100-240 Vac, 50/60 Hz, 0.5 A O/P: 5 Vdc, 2 A or 9 Vdc, 2 A Manufacturer: Pi Electronics Ltd
Battery	CosMX	C11P1806	3.85 Vdc, 19.2 W
Earphone	1MORE	EA010	1.15 m non-shielded cable w/o core
USB Cable 1	ASAP	LA9U2016-CS-R	0.8 m shielded cable w/o core TYPE C CABLE USB 2.0 C TO A
USB Cable 2	Liqi	LQ109002	0.8 m shielded cable w/o core TYPE C CABLE USB 2.0 C TO A
LCD Panel	BOE	U6407G6F1	LCD TP 6.39' 2340*1080 GL
Camera	PRIMAX	50-7EJ01AST8	48M+13M
CPU	QUALCOMM	SM-8150	893 pins
UFS 1	SAMSUNG	KLUEG8U1EA-B0C1	256G
UFS 2	HYNIX	H28S9Q302BMR	256G
UFS 3	SAMSUNG	KLUDG4U1EA-B0C1	128G
UFS 4	HYNIX	H28S8Q302CMR	128G
UFS 5	SAMSUNG	KLUCG2K1EA-B0C1	64G
UFS 6	HYNIX	H28S7Q302BMR	64G
UFS 7	SAMSUNG	KLUFG8R1EM-B0C1	512G



Product	Brand	Model	Description
DDR 1	SAMSUNG	K3UH7H70AM-AGCL	8G
DDR 2	Micron	MT53D1G64D8SQ-04 6 WT:E	8G
DDR 3	SAMSUNG	K3UH6H60BM-AGCL	6G
DDR 4	HYNIX	H9HKNNNEBMAVAR- NEH	6G
DDR 5	Micron	MT53D768M64D4SQ- 046 WT:A	6G
DDR 6	SAMSUNG	K3UHAHA0AM-AGCL	12G
Main Board	ASUS	ZS630KL MAIN BOARD	--
BT/WLAN Module	QUALCOMM	WCN-3998	--
WWAN Module	QUALCOMM	SDR-8150	--











