



E26091

First Edition / March 2025

IN SEARCH OF INCREDIBLE

User Guide

MyASUS FAQ




Front View

NOTE:


- The keyboard's layout may vary per region or country. The front view may also vary in appearance depending on the Notebook PC model.
- ¹Feature availability varies by market, see aka.ms/WindowsAIFeatures.

14" model



* On selected models

16" model




* On selected models

I/O ports and slots

Thunderbolt™ 4 model



USB Type-C® model



microSD card slot



USB 3.2 Gen 1 port



LAN port



Kensington® security slot



Thunderbolt™ 4/
Power Delivery combo port

HDMI

HDMI output port



USB 3.2 Gen 1 port with
charging function



Headphone/Headset/
Microphone jack



Smart card reader*



USB 3.2 Gen 2 Type-C® /
DisplayPort/Power Delivery
combo port

* On selected models

IMPORTANT! To prevent any damage, use only power sources rated 20V/3.25A to charge your Notebook PC with the USB Power Delivery combo port. For more information, consult an ASUS service center for assistance.



The USB 5Gbps Port Logo is a trademark of the USB Implementers Forum, Inc.



The USB 10Gbps Port Logo is a trademark of the USB Implementers Forum, Inc.



The USB 20Gbps Port Logo is a trademark of the USB Implementers Forum, Inc.




The USB 40Gbps Port Logo is a trademark of the USB Implementers Forum, Inc.

Using the SIM card tray (on selected models)


Remove the SIM card

- A. Insert a pin into the hole of the tray and gently push inwards to release the tray, then remove the tray in the orientation as shown in the illustration below.
- B. Remove the SIM card from the tray, then insert the tray back into the tray slot.



Install the SIM card

- A. Insert a pin into the hole of the tray and gently push inwards to release the tray, then remove the tray in the orientation as shown in the illustration below.
- B. Align and place the SIM card into the tray, then insert the tray back into the tray slot.



Getting started

IMPORTANT!

Do not use this Notebook PC for cryptocurrency mining (consuming a vast amount of electricity and time to gain convertible virtual currency) and/or related activities.

NOTE:


This Notebook PC supports wide-range 5-20V charging. External devices connected to a USB Type-C® port may charge your Notebook PC when your Notebook PC is on battery power while turned off, in hibernate mode, or after resuming from hibernate mode.

1. Charge your Notebook PC

- A. Connect the AC power cord to the AC/DC adapter.
- B. Connect the DC power connector into your Notebook PC's power (DC) input port.
- C. Plug the AC power adapter into a 100V~240V power source.

IMPORTANT! Use only the bundled power adapter to charge the battery pack and supply power to your Notebook PC.

NOTE: The power adapter may vary in appearance, depending on model and your region.



2. Lift to open the display panel

3. Press the power button



Charge the Notebook PC for **3 hours** before using it in battery mode for the first time.

Safety notices for your Notebook PC

WARNING!

Your Notebook PC can get warm to hot while in use or while charging the battery pack. Do not leave your Notebook PC on your lap or near any part of your body to prevent injury from heat. When working on your Notebook PC, do not place it on surfaces that can block the vents.

CAUTION!

- This Notebook PC should only be used in environments with ambient temperatures between 5°C (41°F) and 35°C (95°F).
- Refer to the rating label on the bottom of your Notebook PC and ensure that your power adapter complies with this rating.
- The power adapter may become warm to hot while in use. Do not cover the adapter and keep it away from your body while it is connected to a power source.

IMPORTANT!

- Ensure that your Notebook PC is connected to the power adapter before turning it on for the first time. Always plug the power cord into a wall socket without using any extension cords. For your safety, connect this device to a properly grounded electrical outlet only.
- When using your Notebook PC on power adapter mode, the socket outlet must be near to the unit and easily accessible.
- Locate the input/output rating label on your Notebook PC and ensure that it matches the input/output rating information on your power adapter. Some Notebook PC models may have multiple rating output currents based on the available SKU.
- Power adapter information:
 - Input voltage: 100-240Vac
 - Input frequency: 50-60Hz
 - Rating output current: 3.25A (65W)
 - Rating output voltage: 20V

WARNING!

Read the following precautions for your Notebook PC's battery:

- Only ASUS-authorized technicians should remove the battery inside the device (for non-removable battery only).
- The battery used in this device may present a risk of fire or chemical burn if removed or disassembled.
- Follow the warning labels for your personal safety.
- Risk of explosion if battery is replaced by an incorrect type.
- Do not dispose of in fire.
- Never attempt to short-circuit your Notebook PC's battery.
- Never attempt to disassemble and reassemble the battery (for non-removable battery only).
- Discontinue usage if leakage is found.
- This battery and its components must be recycled or disposed of properly.
- Keep the battery and other small components away from children.

Avis concernant les batteries remplaçables

- La batterie de l'appareil peut présenter un risque d'incendie ou de brûlure si celle-ci est retirée ou désassemblée.
- La batterie et ses composants doivent être recyclés de façon appropriée.

Copyright Information

You acknowledge that all rights of this Manual remain with ASUS. Any and all rights, including without limitation, in the Manual or website, are and shall remain the exclusive property of ASUS and/or its licensors. Nothing in this Manual intends to transfer any such rights, or to vest any such rights to you.

ASUS PROVIDES THIS MANUAL "AS IS" WITHOUT WARRANTY OF ANY KIND. SPECIFICATIONS AND INFORMATION CONTAINED IN THIS MANUAL ARE FURNISHED FOR INFORMATIONAL USE ONLY, AND ARE SUBJECT TO CHANGE AT ANY TIME WITHOUT NOTICE, AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY ASUS.

Copyright © 2025 ASUSTeK COMPUTER INC. All Rights Reserved.

Limitation of Liability

Circumstances may arise where because of a default on ASUS' part or other liability, you are entitled to recover damages from ASUS. In each such instance, regardless of the basis on which you are entitled to claim damages from ASUS, ASUS is liable for no more than damages for bodily injury (including death) and damage to real property and tangible personal property, or any other actual and direct damages resulted from omission or failure of performing legal duties under this Warranty Statement, up to the listed contract price of each product.

ASUS will only be responsible for or indemnify you for loss, damages or claims based in contract, tort or infringement under this Warranty Statement.

This limit also applies to ASUS' suppliers and its reseller. It is the maximum for which ASUS, its suppliers, and your reseller are collectively responsible.

UNDER NO CIRCUMSTANCES IS ASUS LIABLE FOR ANY OF THE FOLLOWING: (1) THIRD-PARTY CLAIMS AGAINST YOU FOR DAMAGES; (2) LOSS OF, OR DAMAGE TO, YOUR RECORDS OR DATA; OR (3) SPECIAL, INCIDENTAL, OR INDIRECT DAMAGES OR FOR ANY ECONOMIC CONSEQUENTIAL DAMAGES (INCLUDING LOST PROFITS OR SAVINGS), EVEN IF ASUS, ITS SUPPLIERS OR YOUR RESELLER IS INFORMED OF THEIR POSSIBILITY.

Service and Support

For complete E-Manual version, refer to our multi-language website at:
<https://www.asus.com/support/>

If you have any problems with your Notebook PC, please visit our website for troubleshooting.



MyASUS offers a variety of support features including troubleshooting, products performance optimization, ASUS software integration, and helps you to organize personal desktop and increase storage space. For more details, please visit <https://www.asus.com/support/FAQ/1038301/>.

FCC RF Exposure Information

This device meets the government's requirements for exposure to radio waves. This device is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the Federal Communications Commission of the U.S. Government. The exposure standard employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6 W/kg. Tests for SAR are conducted using standard operating positions accepted by the FCC with the EUT transmitting at the specified power level in different channels. The FCC has granted an Equipment Authorization for this device with all reported SAR levels evaluated as in compliance with the FCC RF exposure guidelines. SAR information on this device is on file with the FCC and can be found under the Display Grant section of www.fcc.gov/oet/ea/fccid.

FCC RF Caution Statement

IMPORTANT! Outdoor operations in the 5.15-5.25 GHz band are prohibited. This device has no ad-hoc capability for 5250-5350 and 5470-5725 MHz.

WARNING! Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

FCC 5.925-7.125 GHz Caution Statement

Operation of transmitters in the 5.925-7.125 GHz band is prohibited for control of or communications with unmanned aircraft systems.

ISED 5.925-7.125 GHz Caution Statement

RLAN devices:

Devices shall not be used for control of or communications with unmanned aircraft systems.

Les dispositifs ne doivent pas être utilisés pour commander des systèmes d'aéronef sans pilote ni pour communiquer avec de tels systèmes.

Prevention of Hearing Loss

To prevent possible hearing damage, do not listen at high volume levels for long periods.



UL Safety Notices

- DO NOT use the Notebook PC near water, for example, near a bath tub, wash bowl, kitchen sink or laundry tub, in a wet basement or near a swimming pool.
- DO NOT use the Notebook PC during an electrical storm. There may be a remote risk of electric shock from lightning.
- DO NOT use the Notebook PC in the vicinity of a gas leak.
- DO NOT dispose the Notebook PC battery pack in a fire, as they may explode. Check with local codes for possible special disposal instructions to reduce the risk of injury to persons due to fire or explosion.
- DO NOT use power adapters or batteries from other devices to reduce the risk of injury to persons due to fire or explosion. Use only UL certified power adapters or batteries supplied by the manufacturer or authorized retailers.

Coating Notice

IMPORTANT! To provide electrical insulation and maintain electrical safety, a coating is applied to insulate the device except on the areas where the I/O ports are located.

Power Safety Requirement

Products with electrical current ratings up to 6A and weighing more than 3Kg must use approved power cords greater than or equal to: H05VV-F, 3G, 0.75mm² or H05VV-F, 2G, 0.75mm².

ASUS Recycling/Takeback Services

ASUS recycling and takeback programs come from our commitment to the highest standards for protecting our environment. We believe in providing solutions for you to be able to responsibly recycle our products, batteries, other components as well as the packaging materials. Please go to <https://esg.asus.com/en/Takeback.htm> for detailed recycling information in different regions.

Ecodesign Directive

The European Union announced a framework for the setting of ecodesign requirements for energy-related products (2009/125/EC). Specific implementing measures are aimed at improving environmental performance of specific products or across multiple product types. ASUS provides product information at <https://esg.asus.com/Compliance.htm>.

EPEAT Registered Products

The public disclosure of key environmental information for ASUS EPEAT (Electronic Product Environmental Assessment Tool) registered products is available at <https://esg.asus.com/en/Ecolabel.htm>. More information about EPEAT program and purchase guidance can be found at www.epeat.net.

Regional notice for Singapore

Complies with IMDA Standards DB103778

This ASUS product complies with IMDA Standards.

Declaration of Compliance for Product Environmental Regulation

ASUS follows the green design concept to design and manufacture our products, and makes sure that each stage of the product life cycle of ASUS product is in line with global environmental regulations. In addition, ASUS disclose the relevant information based on regulation requirements. Please refer to <https://esg.asus.com/Compliance.htm> for information disclosure based on regulation requirements ASUS is complied with.

EU REACH and Article 33

Complying with the REACH (Registration, Evaluation, Authorization, and Restriction of Chemicals) regulatory framework, we publish the chemical substances in our products at ASUS REACH website at <https://esg.asus.com/Compliance.htm>.

EU RoHS

This product complies with the EU RoHS Directive. For more details, see <https://esg.asus.com/Compliance.htm>.

Japan JIS-C-0950 Material Declarations

Information on Japan RoHS (JIS-C-0950) chemical disclosures is available on <https://esg.asus.com/Compliance.htm>.

India RoHS

This product complies with the "India E-Waste (Management) Rules, 2016" and prohibits use of lead, mercury, hexavalent chromium, polybrominated biphenyls (PBBs) and polybrominated diphenyl ethers (PBDEs) in concentrations exceeding 0.1% by weight in homogenous materials and 0.01% by weight in homogenous materials for cadmium, except for the exemptions listed in Schedule II of the Rule.

Vietnam RoHS

ASUS products sold in Vietnam, on or after September 23, 2011, meet the requirements of the Vietnam Circular 30/2011/TT-BCT.

Các sản phẩm ASUS bán tại Việt Nam, vào ngày 23 tháng 9 năm 2011 trở về sau, đều phải đáp ứng các yêu cầu của Thông tư 30/2011/TT-BCT của Việt Nam.

Access Advance Patent Notice



Compliance Statement of Innovation, Science and Economic Development Canada (ISED)

This device complies with *Innovation, Science and Economic Development Canada* license exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems.

CAN ICES(B)/NMB(B)

Déclaration de conformité de Innovation, Sciences et Développement économique Canada (ISED)

Le présent appareil est conforme aux CNR d'*Innovation, Sciences et Développement économique Canada* applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

La bande 5150-5250 MHz est réservée uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux.

CAN ICES(B)/NMB(B)

Radio Frequency (RF) Exposure Information

The radiated output power of the Wireless Device is below the Innovation, Science and Economic Development Canada (ISED) radio frequency exposure limits. The Wireless Device should be used in such a manner such that the potential for human contact during normal operation is minimized.

This device has been evaluated for and shown compliant with the ISED Specific Absorption Rate ("SAR") limits when operated in portable exposure conditions.

Informations concernant l'exposition aux fréquences radio (RF)

La puissance de sortie rayonnée du dispositif sans fil est inférieure aux limites d'exposition aux radiofréquences d'Innovation, Sciences et Développement économique Canada (ISED). Le dispositif sans fil doit être utilisé de manière à minimiser le potentiel de contact humain pendant le fonctionnement normal.

Cet appareil a été évalué et montré conforme aux limites de DAS (Débit d'Absorption Spécifique) de l'ISED lorsqu'il est utilisé dans des conditions d'exposition portables.

Radiation Exposure Statement

The product comply with the Canada portable RF exposure limit set forth for an uncontrolled environment and are safe for intended operation as described in this manual. The further RF exposure reduction can be achieved if the product can be kept as far as possible from the user body or set the device to lower output power if such function is available.

Déclaration d'exposition aux radiations

Le produit est conforme aux limites d'exposition pour les appareils portables RF pour les États-Unis et le Canada établies pour un environnement non contrôlé.

Le produit est sûr pour une utilisation telle que décrite dans ce manuel. Le niveau d'exposition aux ondes radio peut être réduit en plaçant l'appareil aussi loin que possible du corps de l'utilisateur ou que le dispositif est réglé sur la puissance de sortie la plus faible si une telle fonction est disponible.

Simplified EU Declaration of Conformity

ASUSTek Computer Inc. hereby declares that this device is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU. Full text of EU declaration of conformity is available at <https://www.asus.com/support/>.

The WiFi operating in the band 5150-5350 MHz shall be restricted to indoor use for countries listed in the table below:

AT	BE	BG	CZ	DK	EE	FR
DE	IS	IE	IT	EL	ES	CY
LV	LI	LT	LU	HU	MT	NL
NO	PL	PT	RO	SI	SK	TR
FI	SE	CH	HR	UK(NI)		



a. Low Power Indoor (LPI) Wi-Fi 5.945-6.425 GHz devices:

The device is restricted to indoor use only when operating in the 5945 to 6425 MHz frequency range in Austria (AT), Belgium (BE), Bulgaria (BG), Cyprus (CY), Czech Republic (CZ), Estonia (EE), France (FR), Germany (DE), Iceland (IS), Ireland (IE), Latvia (LV), Luxembourg (LU), Netherlands (NL), Norway (NO), Romania (RO), Slovakia (SK), Slovenia (SI), Spain (ES), Switzerland (CH).

b. Very Low Power (VLP) Wi-Fi 5.945-6.425 GHz devices (portable devices):

The device is not permitted to be used on Unmanned Aircraft Systems (UAS) when operating in the 5945 to 6425 MHz frequency range in Austria (AT), Belgium (BE), Bulgaria (BG), Cyprus (CY), Czech Republic (CZ), Estonia (EE), France (FR), Germany (DE), Iceland (IS), Ireland (IE), Latvia (LV), Luxembourg (LU), Netherlands (NL), Norway (NO), Romania (RO), Slovakia (SK), Slovenia (SI), Spain (ES), Switzerland (CH).

Simplified UKCA Declaration of Conformity

ASUSTek Computer Inc. hereby declares that this device is in compliance with the essential requirements and other relevant provisions of The Radio Equipment Regulations 2017 (S.I. 2017/1206). Full text of UKCA declaration of conformity is available at <https://www.asus.com/support/>.

The WiFi operating in the band 5150-5350 MHz shall be restricted to indoor use for the country listed below:

UK

a. Low Power Indoor (LPI) Wi-Fi 5.945-6.425 GHz devices:

The device is restricted to indoor use only when operating in the 5925 to 6425 MHz frequency range in the UK.

b. Very Low Power (VLP) Wi-Fi 5.945-6.425 GHz devices (portable devices):

The device is not permitted to be used on Unmanned Aircraft Systems (UAS) when operating in the 5925 to 6425 MHz frequency range in the UK.

Wi-Fi Network Notice

IMPORTANT! Wi-Fi 6E network card is available on selected models. The connectivity of Wi-Fi 6E band may vary according to the regulation and certification of each country/region.

Federal Communications Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC COMPLIANCE INFORMATION

Per FCC Part 2 Section 2.1077



Responsible Party: Asus Computer International

Address: 48720 Kato Rd., Fremont, CA 94538

Phone/Fax No: (510)739-3777/(510)608-4555

hereby declares that the product

Product Name : Notebook PC/ExpertBook

Model Number : B3405CVA, B3605CVA, B3405CCA, B3605CCA

compliance statement:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Ver. 180125

CE RED RF Output table (Directive 2014/53/EU)

B3405CVA/B3605CVA/B3405CCA/B3605CCA

Intel AX211NGW

Function	Frequency	Maximum Output Power EIRP (mW)
WiFi	2.4 – 2.4835 GHz	<100
	5.15 – 5.35 GHz	<200
	5.47 – 5.725 GHz	<200
	5.725 – 5.875 GHz*	<25
	5.925 – 6.425 GHz	<200
Bluetooth	2.4 – 2.4835 GHz	<100

Receiver category 1

* Non-Intel modules: 5.725 - 5.85 GHz

RTL8852BE

Function	Frequency	Maximum Output Power EIRP (mW)
WiFi	2.4 – 2.4835 GHz	<100
	5.15 – 5.35 GHz	<200
	5.47 – 5.725 GHz	<200
	5.725 – 5.875 GHz*	<25
Bluetooth	2.4 – 2.4835 GHz	<100

Receiver category 1

* Non-Intel modules: 5.725 - 5.85 GHz

RW101R-GL

Radio Type	Description	Frequency	Maximum Output Power
WCDMA	WCDMA I	1920 - 1980 MHz	24.5 dBm
	WCDMA VIII	880 - 915 MHz	24.5 dBm
LTE	LTE1	1920 - 1980 MHz	24 dBm
	LTE3	1710 - 1785 MHz	24 dBm
	LTE7	2500 - 2570 MHz	24 dBm
	LTE8	880 - 915 MHz	25 dBm
	LTE20	832 - 862 MHz	25 dBm
	LTE28	703 - 748 MHz	25 dBm
	LTE38	2570 - 2620 MHz	24 dBm
	LTE40	2300 - 2400 MHz	24 dBm
	LTE41	2496 - 2690 MHz	24 dBm
	LTE42	3400 - 3600 MHz	24 dBm
	LTE43	3600 - 3800 MHz	24 dBm

Radio Type	Description	Frequency	Maximum Output Power
WCDMA	Band I	1920 - 1980 MHz	24.5 dBm
	Band VIII	880 - 915 MHz	24.5 dBm
LTE	B1	1920 - 1980 MHz	24 dBm
	B3	1710 - 1785 MHz	24 dBm
	B7	2500 - 2570 MHz	24 dBm
	B8	880 - 915 MHz	25 dBm
	B20	832 - 862 MHz	25 dBm
	B28	703 - 748 MHz	25 dBm
	B34	2010 - 2025 MHz	24 dBm
	B38	2570 - 2620 MHz	24 dBm
	B40	2300 - 2400 MHz	24 dBm
	B41	2496 - 2690 MHz	24 dBm
	B41 HPUE	2496 - 2690 MHz	27 dBm
	B42	3400 - 3600 MHz	24 dBm
	B43	3600 - 3800 MHz	24 dBm
5G NR	n1	1920 - 1980 MHz	24 dBm
	n3	1710 - 1785 MHz	24 dBm
	n7	2500 - 2570 MHz	24 dBm
	n8	880 - 915 MHz	25 dBm
	n20	832 - 862 MHz	25 dBm
	n28	703 - 748 MHz	25 dBm
	n38	2570 - 2620 MHz	24 dBm
	n40	2300 - 2400 MHz	24 dBm
	n41 HPUE	2496 - 2690 MHz	27 dBm
	n77 HPUE	3300 - 4200 MHz	27 dBm
	n78 HPUE	3300 - 3800 MHz	27 dBm

RW350R-GL

Radio Type	Description	Frequency	Maximum Output Power
WCDMA	Band I	1920 - 1980 MHz	24.5 dBm
	Band VIII	880 - 915 MHz	24.5 dBm
LTE	B1	1920 - 1980 MHz	24 dBm
	B3	1710 - 1785 MHz	24 dBm
	B7	2500 - 2570 MHz	24 dBm
	B8	880 - 915 MHz	24 dBm
	B20	832 - 862 MHz	24 dBm
	B28	703 - 748 MHz	24 dBm
	B34	2010 - 2025 MHz	24 dBm
	B38	2570 - 2620 MHz	24 dBm
	B40	2300 - 2400 MHz	24 dBm
	B41	2496 - 2690 MHz	24 dBm
	B42	3400 - 3600 MHz	24 dBm
	B43	3600 - 3800 MHz	24 dBm
5G NR	n1	1920 - 1980 MHz	24 dBm
	n3	1710 - 1785 MHz	24 dBm
	n7	2500 - 2570 MHz	24 dBm
	n8	880 - 915 MHz	24 dBm
	n20	832 - 862 MHz	24 dBm
	n28	703 - 748 MHz	24 dBm
	n38	2570 - 2620 MHz	24 dBm
	n40	2300 - 2400 MHz	24 dBm
	n41 HPUE	2496 - 2690 MHz	27 dBm
	n77 HPUE	3300 - 4200 MHz	27 dBm
	n78 HPUE	3300 - 3800 MHz	27 dBm

UKCA RF Output table (The Radio Equipment Regulations 2017)

B3405CVA/B3605CVA/B3405CCA/B3605CCA

Intel AX211NGW

Function	Frequency	Maximum Output Power EIRP (mW)
WiFi	2.4 – 2.4835 GHz	<100
	5.15 – 5.35 GHz	<200
	5.47 – 5.725 GHz	<200
	5.725 – 5.875 GHz*	<25
	5.925 – 6.425 GHz	<200
Bluetooth	2.4 – 2.4835 GHz	<100

Receiver category 1

* Non-Intel modules: 5.725 - 5.85 GHz

RTL8852BE

Function	Frequency	Maximum Output Power EIRP (mW)
WiFi	2.4 – 2.4835 GHz	<100
	5.15 – 5.35 GHz	<200
	5.47 – 5.725 GHz	<200
	5.725 – 5.875 GHz*	<1000
Bluetooth	2.4 – 2.4835 GHz	<100

Receiver category 1

* Non-Intel modules: 5.725 - 5.85 GHz

RW101R-GL

Radio Type	Description	Frequency	Maximum Output Power
WCDMA	WCDMA I	1920 - 1980 MHz	24.5 dBm
	WCDMA VIII	880 - 915 MHz	24.5 dBm
LTE	LTE1	1920 - 1980 MHz	24 dBm
	LTE3	1710 - 1785 MHz	24 dBm
	LTE7	2500 - 2570 MHz	24 dBm
	LTE8	880 - 915 MHz	25 dBm
	LTE20	832 - 862 MHz	25 dBm
	LTE28	703 - 748 MHz	25 dBm
	LTE38	2570 - 2620 MHz	24 dBm
	LTE40	2300 - 2400 MHz	24 dBm
	LTE41	2496 - 2690 MHz	24 dBm
	LTE42	3400 - 3600 MHz	24 dBm
	LTE43	3600 - 3800 MHz	24 dBm

FM350-GL

Radio Type	Description	Frequency	Maximum Output Power
WCDMA	Band I	1920 - 1980 MHz	24.5 dBm
	Band VIII	880 - 915 MHz	24.5 dBm
LTE	B1	1920 - 1980 MHz	24 dBm
	B3	1710 - 1785 MHz	24 dBm
	B7	2500 - 2570 MHz	24 dBm
	B8	880 - 915 MHz	25 dBm
	B20	832 - 862 MHz	25 dBm
	B28	703 - 748 MHz	25 dBm
	B34	2010 - 2025 MHz	24 dBm
	B38	2570 - 2620 MHz	24 dBm
	B40	2300 - 2400 MHz	24 dBm
	B41	2496 - 2690 MHz	24 dBm
	B41 HPUE	2496 - 2690 MHz	27 dBm
	B42	3400 - 3600 MHz	24 dBm
	B43	3600 - 3800 MHz	24 dBm
5G NR	n1	1920 - 1980 MHz	24 dBm
	n3	1710 - 1785 MHz	24 dBm
	n7	2500 - 2570 MHz	24 dBm
	n8	880 - 915 MHz	25 dBm
	n20	832 - 862 MHz	25 dBm
	n28	703 - 748 MHz	25 dBm
	n38	2570 - 2620 MHz	24 dBm
	n40	2300 - 2400 MHz	24 dBm
	n41 HPUE	2496 - 2690 MHz	27 dBm
	n77 HPUE	3300 - 4200 MHz	27 dBm
	n78 HPUE	3300 - 3800 MHz	27 dBm

RW350R-GL

Radio Type	Description	Frequency	Maximum Output Power
WCDMA	Band I	1920 - 1980 MHz	24.5 dBm
	Band VIII	880 - 915 MHz	24.5 dBm
LTE	B1	1920 - 1980 MHz	24 dBm
	B3	1710 - 1785 MHz	24 dBm
	B7	2500 - 2570 MHz	24 dBm
	B8	880 - 915 MHz	24 dBm
	B20	832 - 862 MHz	24 dBm
	B28	703 - 748 MHz	24 dBm
	B34	2010 - 2025 MHz	24 dBm
	B38	2570 - 2620 MHz	24 dBm
	B40	2300 - 2400 MHz	24 dBm
	B41	2496 - 2690 MHz	24 dBm
	B42	3400 - 3600 MHz	24 dBm
	B43	3600 - 3800 MHz	24 dBm
5G NR	n1	1920 - 1980 MHz	24 dBm
	n3	1710 - 1785 MHz	24 dBm
	n7	2500 - 2570 MHz	24 dBm
	n8	880 - 915 MHz	24 dBm
	n20	832 - 862 MHz	24 dBm
	n28	703 - 748 MHz	24 dBm
	n38	2570 - 2620 MHz	24 dBm
	n40	2300 - 2400 MHz	24 dBm
	n41 HPUE	2496 - 2690 MHz	27 dBm
	n77 HPUE	3300 - 4200 MHz	27 dBm
	n78 HPUE	3300 - 3800 MHz	27 dBm

[illegible]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

