

RF Exposure report



The following samples were submitted and identified on behalf of the client as:

EUT Description	Wireless module installed in Notebook PC
Brand Name	ASUS
Model No.	RW101R-GL
Host Model Number:	B3605CCA
Applicant	ASUSTeK Computer Inc. 1F., No. 15, Lide Rd., Beitou Dist., Taipei City 112, Taiwan
Standards	IEEE/ANSI C95.1-1992, IEEE 1528-2013
FCC ID	MSQRW101RGL
Date of EUT Receipt	Jan. 14, 2025
Date of Test(s)	Feb. 22, 2025 ~ Feb. 26, 2025
Date of Issue	Mar. 24, 2025

In the configuration tested, the EUT complied with the standards specified above.

Remarks:

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Taiwan Ltd. Central RF Lab or testing done by SGS Taiwan Ltd. Central RF Lab in connection with distribution or use of the product described in this report must be approved by SGS Taiwan Ltd. Central RF Lab in writing.

Signed on behalf of SGS

Clerk / Kimmy Chiou	PM / Tom Chiang	Approved By / John Yeh

Date: Mar. 24, 2025

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Revision History

Report Number	Revision	Description	Issue Date	Revised By	Remark
TESA2501000101ES	00	Initial creation of document	Mar. 10, 2025	Kimmy Chiou	
TESA2501000101ES	01	Modify comment	Mar. 24, 2025	Kimmy Chiou	*

Note:

- The mark " * " is the revised version of the report due to comments submitted by the certification.
- Since the separation distance between WLAN and WWAN is greater than 20 cm, it is not required for simultaneous transmission evaluation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Contents

1	GENERAL INFORMATION	4
1.1	Test Methodology	4
1.2	Description of EUT.....	5
1.3	Maximum value	6
1.4	Antenna Information.....	6
2	MEASUREMENT SYSTEM	7
2.1	Test Facility	7
2.2	SAR System	8
3	SAR SYSTEM VERIFICATION.....	11
3.1	Tissue Simulating Liquid.....	11
3.2	Tissue Simulant Liquid measurement	11
3.3	Measurement results of Tissue Simulant Liquid.....	11
3.4	The composition of the tissue simulating liquid:.....	13
3.5	System check.....	13
3.6	System check results	14
4	TEST CONFIGURATIONS	15
4.1	Test Environment.....	15
4.2	Test Note.....	15
4.3	Test position.....	18
4.4	Proximity sensor operation description	19
4.5	Test limit	27
5	MAXIMUM OUTPUT POWER	30
5.1	WCDMA.....	30
5.2	FDD LTE	33
5.3	TDD LTE	80
6	SUMMARY OF RESULTS	86
6.1	Decision rules	86
6.2	Summary of SAR Results.....	86
6.3	Reporting statements of conformity	89
6.4	Conclusion	89
7	INSTRUMENTS LIST	90
8	UNCERTAINTY BUDGET	91
9	SAR MEASUREMENT RESULTS	93
10	SAR SYSTEM CHECK RESULTS.....	141
11	APPENDIXES	149
11.1	SAR_Appendix A Photographs	149
11.2	SAR_Appendix B DAE & Probe Cal. Certificate	149
11.3	SAR_Appendix C Phantom Description & Dipole Cal. Certificate	149

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1 GENERAL INFORMATION

1.1 Test Methodology

The SAR testing method and procedure for this device is in accordance with the following standards:

IEEE/ANSI C95.1-1992

IEEE 1528-2013

KDB447498D01v06

KDB865664D01v01r04

KDB865664D02v01r02

KDB616217D04v01r02

KDB941225D01v03r01

KDB941225D05v02r05

KDB941225D05Av01r02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.2 Description of EUT

EUT Description	Wireless module installed in Notebook PC	
Brand Name	ASUS	
Model No.	RW101R-GL	
Host Model Number:	B3605CCA	
Duty Cycle	WCDMA	1
	LTE FDD	1
	LTE TDD	0.633
Supported radios (TX Frequency Range, MHz)	WCDMA Band II	1850-1910
	WCDMA Band IV	1710-1755
	WCDMA Band V	824-849
	LTE FDD Band 2	1850-1910
	LTE FDD Band 4	1710-1755
	LTE FDD Band 5	824-849
	LTE FDD Band 7	2500-2570
	LTE FDD Band 12	699-716
	LTE FDD Band 13	777-787
	LTE FDD Band 14	788-798
	LTE FDD Band 17	704-716
	LTE FDD Band 25	1850-1915
	LTE FDD Band 26	814-849
	LTE FDD Band 30	2305-2315
	LTE TDD Band 38	2570-2620
LTE TDD Band 41	2496-2690	
LTE TDD Band 48	3550-3700	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Supported radios (TX Frequency Range, MHz)	LTE FDD Band 66	1710-1780
	LTE FDD Band 71	663-698

This device has WWAN RW101R-GL module integrated into the device. WLAN transmit antennas located at the top of panel which the distance of antenna to human body is over 20cm (refer to Appendix A) and according to FCC regulation, it is SAR exclusion.

1.3 Maximum value

Summary of Maximum SAR Value	
Mode	Highest SAR 1g (W/kg)
LTE Band 12	1.18

1.4 Antenna Information

Vendor	INPAQ									
Antenna	Main									
Part Number	WA-P-S6G1-02-040									
Frequency(MHz)	71	12	17	13	14	26	5	4	66	2
	663~698	699~716	704~716	777~787	788~798	814~849	824~849	1710~1755	1710~1780	1850~1910
Gain (dBi)	-1.46	-1.61	-1.56	0.19	0.29	0.42	0.18	-2.03	-1.46	-0.12
Frequency(MHz)	25	30	41	7	38	48				
	1850~1915	2305~2315	2496~2690	2500~2570	2570~2620	3550~3700				
Gain (dBi)	-0.30	0.30	0.26	0.45	0.45	0.74				

Vendor	INNOWAVE									
Antenna	Main									
Part Number	F001G9713111000									
Frequency(MHz)	71	12	17	13	14	26	5	4	66	2
	663~698	699~716	704~716	777~787	788~798	814~849	824~849	1710~1755	1710~1780	1850~1910
Gain (dBi)	0.05	0.15	0.38	-1.10	-1.52	-1.01	-1.01	-0.31	-0.26	2.93
Frequency(MHz)	25	30	41	7	38	48				
	1850~1915	2305~2315	2496~2690	2500~2570	2570~2620	3550~3700				
Gain (dBi)	2.93	1.14	0.51	0.51	0.16	2.28				

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2 MEASUREMENT SYSTEM

2.1 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designation number	IC CAB identifier
SGS Taiwan Ltd. Central RF Lab. (TAF code 3702)	1F, No. 8, Alley 15, Lane 120, Sec. 1, NeiHu Road, NeiHu District, Taipei City, 11493, Taiwan.	SAR 2	TW0029	TW3702
		SAR 6		
		SAR 8		
	No. 2, Keji 1st Rd., Guishan Township, Taoyuan County, 33383, Taiwan	SAR 1	TW0028	
		SAR 4		
	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan	SAR 3	TW0027	
SAR 7				

Note: Test site name is remarked on a bolded mark as an indication where measurements occurred in specific test site and address.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.2 SAR System

Block Diagram (DASY8)

The DASY system used for performing compliance tests consists of the following items:



- A standard high precision 6-axis robot with controller, teach pendant and software. An arm extension for accommodating the data acquisition electronics (DAE).
- An isotropic field probe optimized and calibrated for the targeted measurement.
- A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.
- The Electro-optical converter (EOC) performs the conversion from optical to electrical signals for the digital communication to the DAE. To use optical surface detection, a special version of the EOC is required. The EOC signal is transmitted to the measurement server.
- The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- The Light Beam used is for probe alignment. This improves the (absolute) accuracy of the probe positioning.
- A computer running Windows and the DASY software.
- Remote control and teach pendant as well as additional circuitry for robot safety such as warning lamps, etc.
- The phantom, the device holder and other accessories according to the targeted measurement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EX3DV4 E-Field Probe

Construction	Symmetrical design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)	
Calibration	Basic Broad Band Calibration in air Conversion Factors (CF) for HSL 750/835/1750/1900/2300/2600/3500/3700 MHz Additional CF for other liquids and frequencies upon request	
Frequency	10 MHz to > 6 GHz	
Directivity	± 0.3 dB in HSL (rotation around probe axis) ± 0.5 dB in tissue material (rotation normal to probe axis)	
Dynamic Range	10 µW/g to > 100 mW/g Linearity: ± 0.2 dB (noise: typically < 1 µW/g)	
Dimensions	Tip diameter: 2.5 mm	
Application	High precision dosimetric measurements in any exposure scenario (e.g., very strong gradient fields). Only probe which enables compliance testing for frequencies up to 6 GHz with precision of better 30%.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

PHANTOM (ELI)

Model	ELI	
Construction	The ELI phantom is used for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI is fully compatible with the IEC 62209-2 standard and all known tissue simulating liquids. ELI has been optimized regarding its performance and can be integrated into our standard phantom tables. A cover prevents evaporation of the liquid. Reference markings on the phantom allow installation of the complete setup, including all predefined phantom positions and measurement grids, by teaching three points. The phantom is compatible with all SPEAG dosimetric probes and dipoles.	
Shell Thickness	2 ± 0.2 mm	
Filling Volume	Approx. 30 liters	
Dimensions	Major axis: 600 mm Minor axis: 400 mm	

DEVICE HOLDER

Construction	The device holder (Supporter) for Notebook is made by POM (polyoxymethylene resin) , which is non-metal and non-conductive. The height can be adjusted to fit varies kind of notebooks.	
		Device Holder

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3 SAR SYSTEM VERIFICATION

3.1 Tissue Simulating Liquid

For the measurement of the field distribution inside the SAM phantom with DASY, the phantom must be filled with homogeneous tissue simulating liquid. For head SAR testing, the liquid height from the ear rint (ERP) of the phantom to the liquid top surface is larger than 15cm. For body SAR testing, the liquid height from the center of the flat phantom to the liquid top surface is larger than 15cm.

3.2 Tissue Simulant Liquid measurement

The dielectric properties for this Head-simulant fluid were measured by using the SPEAG Dielectric Assessment Kit (DAK-3.5)

All dielectric parameters of tissue simulates were measured within 24 hours of SAR measurements. The measured conductivity and permittivity are all within $\pm 5\%$ of the target values.

3.3 Measurement results of Tissue Simulant Liquid

Measured Frequency (MHz)	Target Dielectric Constant, ϵ_r	Target Conductivity, σ (S/m)	Measured Dielectric Constant, ϵ_r	Measured Conductivity, σ (S/m)	% dev ϵ_r	% dev σ	Limit	Measurement Date
673	42.311	0.885	41.268	0.854	-2.46%	-3.49%	$\pm 5\%$	Feb. 23, 2025
680.5	42.271	0.885	41.242	0.860	-2.43%	-2.87%	$\pm 5\%$	
688	42.231	0.886	41.222	0.869	-2.39%	-1.90%	$\pm 5\%$	
704	42.145	0.887	41.201	0.869	-2.24%	-2.02%	$\pm 5\%$	
707.5	42.127	0.887	41.180	0.870	-2.25%	-1.93%	$\pm 5\%$	
709	42.119	0.887	41.175	0.870	-2.24%	-1.95%	$\pm 5\%$	
710	42.113	0.887	41.169	0.870	-2.24%	-1.95%	$\pm 5\%$	
711	42.108	0.887	41.164	0.870	-2.24%	-1.96%	$\pm 5\%$	
750	41.900	0.890	40.962	0.871	-2.24%	-2.13%	$\pm 5\%$	
782	41.749	0.894	40.795	0.874	-2.29%	-2.21%	$\pm 5\%$	
793	41.698	0.895	40.738	0.874	-2.30%	-2.35%	$\pm 5\%$	
821.5	41.564	0.898	40.622	0.882	-2.27%	-1.83%	$\pm 5\%$	
822.5	41.559	0.899	40.618	0.882	-2.26%	-1.84%	$\pm 5\%$	
826.4	41.540	0.899	40.607	0.883	-2.25%	-1.78%	$\pm 5\%$	
829	41.528	0.899	40.596	0.884	-2.24%	-1.70%	$\pm 5\%$	
831.5	41.516	0.900	40.586	0.885	-2.24%	-1.62%	$\pm 5\%$	
835	41.500	0.900	40.575	0.886	-2.23%	-1.56%	$\pm 5\%$	
836.5	41.500	0.902	40.567	0.887	-2.25%	-1.62%	$\pm 5\%$	
836.6	41.500	0.902	40.567	0.887	-2.25%	-1.63%	$\pm 5\%$	
841.5	41.500	0.907	40.549	0.889	-2.29%	-1.98%	$\pm 5\%$	
844	41.500	0.910	40.542	0.889	-2.31%	-2.27%	$\pm 5\%$	
846.6	41.500	0.912	40.531	0.890	-2.33%	-2.46%	$\pm 5\%$	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Measured Frequency (MHz)	Target Dielectric Constant, ϵ_r	Target Conductivity, σ (S/m)	Measured Dielectric Constant, ϵ_r	Measured Conductivity, σ (S/m)	% dev ϵ_r	% dev σ	Limit	Measurement Date
1712.4	40.134	1.349	39.159	1.333	-2.43%	-1.22%	± 5%	Feb. 24, 2025
1720	40.127	1.354	39.146	1.338	-2.45%	-1.16%	± 5%	
1732.4	40.116	1.360	39.127	1.345	-2.47%	-1.13%	± 5%	
1732.5	40.116	1.360	39.126	1.345	-2.47%	-1.14%	± 5%	
1745	40.105	1.367	39.107	1.352	-2.49%	-1.12%	± 5%	
1750	40.100	1.370	39.099	1.355	-2.50%	-1.09%	± 5%	
1752.6	40.095	1.372	39.094	1.357	-2.50%	-1.06%	± 5%	
1770	40.060	1.382	39.067	1.366	-2.48%	-1.16%	± 5%	
1852.4	40.000	1.400	39.020	1.386	-2.45%	-1.00%	± 5%	
1860	40.000	1.400	39.020	1.386	-2.45%	-1.00%	± 5%	
1880	40.000	1.400	39.020	1.386	-2.45%	-1.00%	± 5%	
1882.5	40.000	1.400	39.020	1.386	-2.45%	-1.00%	± 5%	
1900	40.000	1.400	39.020	1.386	-2.45%	-1.00%	± 5%	
1905	40.000	1.400	39.020	1.386	-2.45%	-1.00%	± 5%	
1907.6	40.000	1.400	39.020	1.386	-2.45%	-1.00%	± 5%	
2300	39.500	1.670	38.487	1.670	-2.56%	0.00%	± 5%	Feb. 25, 2025
2310	39.480	1.679	38.469	1.679	-2.56%	0.02%	± 5%	
2506	39.125	1.860	38.149	1.847	-2.50%	-0.68%	± 5%	
2510	39.120	1.864	38.144	1.851	-2.49%	-0.70%	± 5%	
2535	39.087	1.891	38.112	1.873	-2.49%	-0.93%	± 5%	
2549.5	39.067	1.906	38.093	1.886	-2.49%	-1.06%	± 5%	
2560	39.053	1.917	38.080	1.895	-2.49%	-1.16%	± 5%	
2580	39.027	1.939	38.055	1.913	-2.49%	-1.32%	± 5%	
2593	39.009	1.953	38.038	1.925	-2.49%	-1.41%	± 5%	
2600	39.000	1.960	38.029	1.931	-2.49%	-1.48%	± 5%	
2610	38.988	1.971	38.016	1.940	-2.49%	-1.57%	± 5%	
2636.5	38.954	2.000	37.982	1.965	-2.50%	-1.76%	± 5%	
2680	38.900	2.048	37.927	1.994	-2.50%	-2.64%	± 5%	
3500	37.900	2.910	36.949	2.844	-2.51%	-2.27%	± 5%	Feb. 26, 2025
3560	37.840	2.972	36.880	2.904	-2.54%	-2.30%	± 5%	
3609	37.791	3.023	36.824	2.953	-2.56%	-2.33%	± 5%	
3690	37.710	3.108	36.731	3.035	-2.60%	-2.34%	± 5%	
3700	37.700	3.118	36.720	3.045	-2.60%	-2.34%	± 5%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3.4 The composition of the tissue simulating liquid:

Simulating Liquids for 600 MHz -10 GHz, Manufactured by SPEAG:


Broad-band head tissue simulating liquids	SPEAG Product	Frequency range (MHz)	Main Ingredients
	HBBL600-10000V6	600 - 10000	Water, Oil

3.5 System check

The microwave circuit arrangement for system check is sketched in below. The daily system accuracy verification occurs within the flat section of the SAM phantom and ELI phantom. A SAR measurement was performed to see if the measured SAR was within +/- 10% from the target SAR values.

The tests were conducted on the same days as the measurement of the DUT. The obtained results from the system accuracy verification are displayed with SAR values normalized to 1W forward power delivered to the dipole.

During the tests, the liquid depth from the center of the flat phantom to the liquid top surface was 15 cm above in all the cases. It is seen that the system is operating within its specification, as the results are within acceptable tolerance of the reference values.



The block diagram of system check

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3.6 System check results

Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=250mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D750V3	1015	750	8.51	2.2	8.8	3.41	± 10%	Feb.23,2025
D835V2	4d063	835	9.4	2.45	9.8	4.26	± 10%	Feb.23,2025
D1750V2	1008	1750	36.3	8.87	35.48	-2.26	± 10%	Feb.24,2025
D1900V2	5d173	1900	39.9	9.86	39.44	-1.15	± 10%	Feb.24,2025
D2300V2	1023	2300	49.3	11.9	47.6	-3.45	± 10%	Feb.25,2025
D2600V2	1005	2600	55.3	13.9	55.6	0.54	± 10%	Feb.25,2025
Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=100mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D3500V2	1009	3500	66	6.65	66.5	0.76	± 10%	Feb.26,2025
D3700V2	1057	3700	67.5	6.54	65.4	-3.11	± 10%	Feb.26,2025

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4 TEST CONFIGURATIONS

4.1 Test Environment

Ambient Temperature: $22\pm 2^{\circ}\text{C}$

Tissue Simulating Liquid: $22\pm 2^{\circ}\text{C}$

4.2 Test Note

- **General:** Measurements are performed respectively on the lowest, middle and highest channels of the operating band(s).
 - **General:** The EUT is set to maximum power level during all tests, and at the beginning of each test the battery is fully charged.
 - **General:** During the SAR testing, the DASY system checks power drift by comparing the e-field strength of one specific location measured at the beginning with that measured at the end of the SAR testing.
 - **General:** According to KDB447498D01v06, testing of other required channels is not required when the reported 1-g SAR for the highest output channel is $\leq 0.8\text{ W/kg}$, when the transmission band is $\leq 100\text{ MHz}$.
 - **General:** According to KDB865664D01v01r04, SAR measurement variability must be assessed for each frequency band. When the original highest measured SAR is $\geq 0.8\text{ W/kg}$, repeated that measurement once. Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is > 1.20 or when the original or repeated measurement is $\geq 1.45\text{ W/kg}$ ($\sim 10\%$ from the 1-g SAR limit).
 - **LTE:** LTE modes test according to **KDB 941225D05v02r05**.
- a. Per Section 5.2.1, the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation.
- Using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel.
 - When the reported SAR is $\leq 0.8\text{ W/kg}$, testing of the remaining RB offset configurations and required test channels is not required for 1 RB allocation; otherwise, SAR is required for the remaining required test channels and only for the RB offset configuration with the highest output power for that channel.
 - When the reported SAR of a required test channel is $> 1.45\text{ W/kg}$, SAR is required for all three RB offset configurations for that required test channel.
- b. Per Section 5.2.2, the largest channel bandwidth and measure SAR for QPSK with 50% RB allocation
- The procedures required for 1 RB allocation in 5.2.1 are applied to measure the SAR for QPSK with 50% RB allocation.
- c. Per Section 5.2.3, the largest channel bandwidth and measure SAR for QPSK with 100% RB allocation
- For QPSK with 100% RB allocation, SAR is not required when the highest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation in 5.2.1 and 5.2.2 are ≤ 0.8 W/kg.

- Otherwise, SAR is measured for the highest output power channel and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.

d. Per Section 5.2.4, Higher order modulations

- For each modulation besides QPSK; e.g., 16-QAM, 64-QAM, apply the QPSK procedures in sections 5.2.1, 5.2.2 and 5.2.3 to determine the QAM configurations that may need SAR measurement. For each configuration identified as required for testing, SAR is required only when the highest maximum output power for the configuration in the higher order modulation is $> \frac{1}{2}$ dB higher than the same configuration in QPSK or when the reported SAR for the QPSK configuration is > 1.45 W/kg.

e. Per Section 5.3, other channel bandwidth standalone SAR test requirements

- For the other channel bandwidths used by the device in a frequency band, apply all the procedures required for the largest channel bandwidth in section 5.2 to determine the channels and RB configurations that need SAR testing and only measure SAR when the highest maximum output power of a configuration requiring testing in the smaller channel bandwidth is $> \frac{1}{2}$ dB higher than the equivalent channel configurations in the largest channel bandwidth configuration or the reported SAR of a configuration for the largest channel bandwidth is > 1.45 W/kg. The equivalent channel configuration for the RB allocation, RB offset and modulation etc. is determined for the smaller channel bandwidth according to the same number of RB allocated in the largest channel bandwidth.

- TDD LTE was tested at highest duty factor using UL-DL configuration 0 with 6 UL subframes and 2 special subframes using extended cyclic prefix only and special subframe configuration 6. SAR tests were performed at maximum output power and worst-case transmission duty factor in extended cyclic prefix. Per 3GPP 36.211 Section 4.2, the duty factor for UL-DL configuration 0/special subframe configuration 6 using extended cyclic prefix is 0.633.

According to KDB 941225 D05, SAR testing for TDD LTE must be tested using a fixed periodic duty factor according to the highest transmission duty factor implemented for the device and supported by the defined 3GPP TDD LTE configurations. The TDD-LTE of this device supports frame structure type 2 defined in 3GPP TS 36.211 section 4.2, and the frame structure configuration can be tabulated as below.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Figure 4.2-1: Frame structure type 2 (for 5 ms switch-point periodicity)

Table 4.2-1: Configuration of special subframe (lengths of DwPTS/GP/UpPTS)

Special subframe configuration n	Normal cyclic prefix in downlink		Extended cyclic prefix in downlink		
	DwPTS	UpPTS	DwPTS	UpPTS	
0	$6592 \cdot T_s$	$(1+X) \cdot 2192 \cdot T_s$	$(1+X) \cdot 2560 \cdot T_s$	$(1+X) \cdot 2192 \cdot T_s$	$(1+X) \cdot 2560 \cdot T_s$
1	$19760 \cdot T_s$				
2	$21952 \cdot T_s$				
3	$24144 \cdot T_s$				
4	$26336 \cdot T_s$	$(2+X) \cdot 2192 \cdot T_s$	$(2+X) \cdot 2560 \cdot T_s$	$(2+X) \cdot 2192 \cdot T_s$	$(2+X) \cdot 2560 \cdot T_s$
5	$6592 \cdot T_s$				
6	$19760 \cdot T_s$				
7	$21952 \cdot T_s$				
8	$24144 \cdot T_s$				
9	$13168 \cdot T_s$	-	-	-	-

Table 4.2-2: Uplink-downlink configurations

Uplink-downlink configuration	Downlink-to-Uplink Switch-point periodicity	Subframe number										
		0	1	2	3	4	5	6	7	8	9	
0	5 ms	D	S	U	U	U	U	D	S	U	U	U
1	5 ms	D	S	U	U	D	D	S	U	U	D	D
2	5 ms	D	S	U	D	D	D	S	U	D	D	D
3	10 ms	D	S	U	U	U	D	D	D	D	D	D
4	10 ms	D	S	U	U	D	D	D	D	D	D	D
5	10 ms	D	S	U	D	D	D	D	D	D	D	D
6	5 ms	D	S	U	U	U	D	S	U	U	D	D

Considering the highest transmission duty cycle, TDD LTE was tested using Uplink-Downlink configuration 0 with 6 uplink subframe and 2 special subframe. The special subframe was set to special subframe configuration 6 using extended cyclic prefix uplink. Therefore, SAR testing for TDD LTE was measured at the maximum output power with highest transmission duty cycle of 63.33%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4.3 Test position

Laptop mode SAR test position (0mm)

For laptop PC, according to KDB 616217 D04, SAR evaluation is required for the bottom surface of the keyboard. This EUT was tested in the base of EUT directly against the flat phantom. The required minimum test separation distance for incorporating transmitters and antennas into laptop computer display is determined with the display screen opened at an angle of 90° to the keyboard compartment.




Illustration for Laptop Setup

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4.4 Proximity sensor operation description

The P-sensor being used to reduce output power is capacitive in which when the object such as human body, metal or plastic is being approached, the sensing capacitance would be increased with the antenna pad. Once the capacitance is accumulated, and reached over the threshold as set in MCU of the microchip, the interruption signal is pulled low (High state without trigger) and further inform modem module of the transmitter to make power reduction.

4.4.1 Proximity sensor measurement procedure

1. The proximity sensor is collocated with WWAN antenna.
2. Output power is measured, and monitored by using the base station simulator. A RF cables with sufficient length was being attached from the antenna port of the module, and used for the measurement. The appropriate loss attenuated from cable is compensated in the test setup.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4.4.2 Trigger distances

Test procedure:

1. The entire bottom surface of the laptop is positioned below a flat phantom filled with the required tissue equivalent medium and positioned at least 20 mm further than the distance that triggers power reduction.
2. The bottom surface is moved toward the phantom in 3 mm steps until the sensor triggers.
3. The bottom surface is again moved toward the phantom, but in 1 mm steps, until it is at least 5 mm past the triggering point or touching the phantom
4. If the bottom surface is not touching the phantom, it is moved in 3 mm steps until it touches the phantom to confirm that the sensor remains triggered and the maximum power stays reduced.
5. The bottom surface is then moved back (further away) from the phantom until maximum output power is returned to the normal maximum level.
6. The process is then reversed by moving the bottom surface away from the phantom to determine triggering release, until it is at least 10 mm beyond the point that triggers the return of normal maximum power.
7. The measured output power within ± 5 mm of the triggering points, or until the bottom surface is touching the phantom, for movements to and from the phantom should be tabulated.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

8. To ensure all production units are compliant, it is generally necessary to reduce the triggering distance determined from the triggering tests by 1 mm, or more if it is necessary, and use the smallest distance for movements to and from the phantom, minus 1 mm, as the sensor triggering distance for determining the SAR measurement distance.
9. For bottom surface, the trigger distance of proximity sensor is tabulated below.

Trigger distance (mm)	Bottom surface
WWAN Main Antenna	20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4.4.3 Tilt angle testing

Test procedure:

1. The influence of tablet tilt angles to proximity sensor triggering is determined by positioning each tablet edge that contains a transmitting antenna, perpendicular to the flat phantom, at the smallest sensor triggering test distance determined in sections 1.6.2 by rotating the tablet around the edge next to the phantom in ≤ 10 deg increments until the tablet is ± 45 deg or more from the vertical position at 0 deg.
2. If sensor triggering is released and normal maximum output power is restored within the ± 45 deg range, the procedures in step 1) should be repeated by reducing the tablet to phantom separation distance by 1 mm until the proximity sensor no longer releases triggering, and maximum output power remains in the reduced mode.
3. The smallest separation distance determined in steps 1) and 2), minus 1 mm, is the sensor triggering distance for tablet tilt coverage. The smallest separation distance determined in sections 1.6.2, 1.6.3 minus 1 mm should be used in the SAR measurements.
4. The influence of tablet tilt angles to proximity sensor triggering is determined by positioning the edges, please refer to table 1.6.5 and 1.6.6.
5. The tilt angle testing is not required for front edge because there is no power reduction for front edge which has been tested with full power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4.4.4 Proximity sensor coverage

The following procedures do not apply and are not required because the antenna and sensor are collocated and the peak SAR location is overlapping with the sensor.

Test procedure:

1. The back surface or edges of the tablet is positioned at a test separation distance less than or equal to the distance required for back surface or edge triggering, with both the antenna and sensor pad located at least 20 mm laterally outside the edge (boundary) of the phantom, along the direction of maximum antenna and sensor offset.
2. The similar sequence of steps applied to determine sensor triggering distance in section 1.6.2 are used to verify back surface and edge sensor coverage by moving the tablet (sensor and antenna) horizontally toward the phantom while maintaining the same vertical separation between the back surface or edge and the phantom.
3. After the exact location where triggering of power reduction is determined, with respect to the sensor and antenna, the tablet movement should be continued, in 3 mm increments, until both the sensor and antenna(s) are fully under the phantom and at least 20 mm inside the phantom edge.
4. The process is then repeated from the other direction, at the opposite end of maximum antenna and sensor offset, by rotating the tablet 180 degrees.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4.4.5 Results

The measured output power within ± 5 mm of the triggering points, or until the bottom surface of the laptop is touching the phantom, for movements to and from the phantom is tabulated in the following.

Bottom of Laptop


Moving device toward the phantom



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Note:

1. The triggering variations and hysteresis effect has been evaluated separately according to the tissue-equivalent medium required for each frequency band, and sensor triggering does not change with different tissue-equivalent media.
2. Conducted power is monitored qualitatively to identify the general triggering characteristics and recorded quantitatively, versus spacing.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4.4.6 Operation description for P-sensor

Power Reduction Design Specification (for P-sensor)

With P-sensor mechanism, the maximum reduced power table in chapter 5 would be the default power when P-sensor failure or malfunction.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

4.5 Test limit

[§ 2.1093\(d\)\(1\)](#)

Applications for equipment authorization of portable RF sources subject to routine environmental evaluation must contain a statement confirming compliance with the limits specified in [§ 1.1310](#) as part of their application. Technical information showing the basis for this statement must be submitted to the Commission upon request. The SAR limits specified in [§ 1.1310\(a\)](#) through [\(c\) of this chapter](#) shall be used for evaluation of portable devices transmitting in the frequency range from 100 kHz to 6 GHz. Portable devices that transmit at frequencies above 6 GHz shall be evaluated in terms of the MPE limits specified in Table 1 to [§ 1.1310\(e\)\(1\)](#). A minimum separation distance applicable to the operating configurations and exposure conditions of the device shall be used for the evaluation. In general, maximum time-averaged power levels must be used for evaluation. All unlicensed personal communications service (PCS) devices and unlicensed NII devices shall be subject to the limits for general population/uncontrolled exposure.

Radiofrequency radiation exposure limits.

[§ 1.1310\(a\)](#)

Specific absorption rate (SAR) shall be used to evaluate the environmental impact of human exposure to radiofrequency (RF) radiation as specified in § 1.1307(b) within the frequency range of 100 kHz to 6 GHz (inclusive).

[§ 1.1310\(b\)](#)

The SAR limits for occupational/controlled exposure are 0.4 W/kg, as averaged over the whole body, and a peak spatial-average SAR of 8 W/kg, averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the parts of the human body treated as extremities, such as hands, wrists, feet, ankles, and pinnae, where the peak spatial-average SAR limit for occupational/controlled exposure is 20 W/kg, averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). Exposure may be averaged over a time period not to exceed 6 minutes to determine compliance with occupational/controlled SAR limits.

[§ 1.1310\(c\)](#)

The SAR limits for general population/uncontrolled exposure are 0.08 W/kg, as averaged over the whole body, and a peak spatial-average SAR of 1.6 W/kg, averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the parts of the human body treated as extremities, such as hands, wrists, feet, ankles, and pinnae, where the peak spatial-average SAR limit is 4 W/kg, averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). Exposure may be averaged over a time period not to exceed 30 minutes to determine compliance with general population/uncontrolled SAR limits.

Note to paragraphs (a) through (c):

SAR is a measure of the rate of energy absorption due to exposure to RF electromagnetic energy. These SAR limits to be used for evaluation are based generally on criteria published by the American National Standards Institute (ANSI) for localized SAR in [Section 4.2](#) of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE Std C95.1-1992, copyright 1992 by the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017. These criteria for SAR evaluation are similar to those recommended by the National Council on Radiation Protection and Measurements (NCRP) in "Biological Effects and Exposure Criteria for Radiofrequency Electromagnetic Fields," NCRP Report No. 86, [Section 17.4.5](#), copyright 1986 by NCRP, Bethesda, Maryland 20814. Limits for whole body SAR and peak spatial-average SAR are based

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

on recommendations made in both of these documents. The MPE limits in Table 1 are based generally on criteria published by the NCRP in "Biological Effects and Exposure Criteria for Radiofrequency Electromagnetic Fields," NCRP Report No. 86, Sections 17.4.1, 17.4.1.1, 17.4.2 and 17.4.3, copyright 1986 by NCRP, Bethesda, Maryland 20814. In the frequency range from 100 MHz to 1500 MHz, these MPE exposure limits for field strength and power density are also generally based on criteria recommended by the ANSI in [Section 4.1](#) of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE Std C95.1-1992, copyright 1992 by the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017.

Portable devices that transmit at frequencies above 6 GHz shall be evaluated in terms of the MPE limits specified in Table 1 to [§ 1.1310\(e\)\(1\)](#).

According to ANSI/IEEE C95.1-1992, the criteria listed in the following Table shall be used to evaluate the environmental impact of human exposure to radio frequency (RF) radiation as specified in §1.1310.

Peak Spatially Averaged Power Density was evaluated over a circular area of 4cm² per interim FCC Guidance for near-field power density evaluations per October 2018 TCB Workshop notes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
(i) Limits for Occupational/Controlled Exposure				
0.3-3.0	614	1.63	*(100)	≤6
3.0-30	1842/f	4.89/f	*(900/f ²)	<6
30-300	61.4	0.163	1.0	<6
300-1,500			f/300	<6
1,500-100,000			5	<6
(ii) Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	<30
1.34-30	824/f	2.19/f	*(180/f ²)	<30
30-300	27.5	0.073	0.2	<30
300-1,500			f/1500	<30
1,500-100,000			1.0	<30

f = frequency in MHz. * = Plane-wave equivalent power density.

Table 1 to § 1.1310(e)(1) - Limits for Maximum Permissible Exposure (MPE)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5 MAXIMUM OUTPUT POWER

5.1 WCDMA

Full

Band		WCDMA II		
TX Channel		9262	9400	9538
Frequency (MHz)		1852.4	1880	1907.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		24.50		
3GPP Rel 99	RMC 12.2Kbps	23.91	23.82	23.96
3GPP Rel 5	HSDPA Subtest-1	23.80	23.91	23.84
	HSDPA Subtest-2	23.88	23.92	23.87
	HSDPA Subtest-3	22.33	22.39	22.39
	HSDPA Subtest-4	22.49	22.42	22.39
3GPP Rel 6	HSUPA Subtest-1	23.83	23.85	23.86
	HSUPA Subtest-2	22.00	21.85	21.94
	HSUPA Subtest-3	22.92	22.90	22.97
	HSUPA Subtest-4	21.97	21.92	21.95
	HSUPA Subtest-5	23.91	23.84	23.95
3GPP Rel 7	HSPA+	21.40	21.45	21.33
3GPP Rel 8	DC-HSDPA Subtest-1	23.87	23.91	23.85
	DC-HSDPA Subtest-2	23.87	23.81	23.89
	DC-HSDPA Subtest-3	22.47	22.47	22.42
	DC-HSDPA Subtest-4	22.48	22.47	22.47
Band		WCDMA IV		
TX Channel		1312	1413	1513
Frequency (MHz)		1712.4	1732.6	1752.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		24.50		
3GPP Rel 99	RMC 12.2Kbps	23.45	23.75	23.49
3GPP Rel 5	HSDPA Subtest-1	23.56	23.63	23.61
	HSDPA Subtest-2	23.64	23.49	23.56
	HSDPA Subtest-3	22.05	22.01	22.07
	HSDPA Subtest-4	22.12	22.05	22.08
3GPP Rel 6	HSUPA Subtest-1	23.58	23.54	23.57
	HSUPA Subtest-2	21.65	21.67	21.54
	HSUPA Subtest-3	22.51	22.59	22.55
	HSUPA Subtest-4	21.63	21.52	21.60
	HSUPA Subtest-5	23.65	23.66	23.53
3GPP Rel 7	HSPA+	21.16	21.14	21.11
3GPP Rel 8	DC-HSDPA Subtest-1	23.65	23.55	23.49
	DC-HSDPA Subtest-2	23.67	23.56	23.57
	DC-HSDPA Subtest-3	22.12	22.00	22.17
	DC-HSDPA Subtest-4	22.12	22.10	22.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band		WCDMA V		
TX Channel		4132	4183	4233
Frequency (MHz)		826.4	836.6	846.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		24.50		
3GPP Rel 99	RMC 12.2Kbps	23.75	23.62	23.66
3GPP Rel 5	HSDPA Subtest-1	23.57	23.59	23.54
	HSDPA Subtest-2	23.65	23.54	23.57
	HSDPA Subtest-3	22.10	22.03	22.14
	HSDPA Subtest-4	22.04	22.09	22.03
3GPP Rel 6	HSUPA Subtest-1	23.59	23.67	23.50
	HSUPA Subtest-2	21.68	21.50	21.56
	HSUPA Subtest-3	22.63	22.67	22.51
	HSUPA Subtest-4	21.56	21.57	21.53
	HSUPA Subtest-5	23.57	23.68	23.63
3GPP Rel 7	HSPA+	21.16	21.11	21.12
3GPP Rel 8	DC-HSDPA Subtest-1	23.61	23.51	23.67
	DC-HSDPA Subtest-2	23.60	23.50	23.51
	DC-HSDPA Subtest-3	22.14	22.03	22.12
	DC-HSDPA Subtest-4	22.16	22.17	22.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reduced

Band		WCDMA II		
TX Channel		9262	9400	9538
Frequency (MHz)		1852.4	1880	1907.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		21.00		
3GPP Rel 99	RMC 12.2Kbps	20.85	20.92	20.74
3GPP Rel 5	HSDPA Subtest-1	20.83	20.79	20.87
	HSDPA Subtest-2	20.83	20.87	20.77
	HSDPA Subtest-3	19.37	19.38	19.40
	HSDPA Subtest-4	19.36	19.29	19.25
3GPP Rel 6	HSUPA Subtest-1	20.43	20.65	20.77
	HSUPA Subtest-2	18.80	18.87	18.84
	HSUPA Subtest-3	19.79	19.75	19.88
	HSUPA Subtest-4	18.78	18.82	18.87
	HSUPA Subtest-5	20.75	20.71	20.72
3GPP Rel 7	HSPA+	18.24	18.30	18.27
3GPP Rel 8	DC-HSDPA Subtest-1	20.81	20.87	20.89
	DC-HSDPA Subtest-2	20.81	20.81	20.91
	DC-HSDPA Subtest-3	19.30	19.36	19.25
	DC-HSDPA Subtest-4	19.37	19.23	19.32
Band		WCDMA IV		
TX Channel		1312	1413	1513
Frequency (MHz)		1712.4	1732.6	1752.6
Max. Rated Avg. Power+Max. Tolerance (dBm)		21.00		
3GPP Rel 99	RMC 12.2Kbps	20.95	20.97	20.94
3GPP Rel 5	HSDPA Subtest-1	20.90	20.75	20.74
	HSDPA Subtest-2	20.89	20.91	20.81
	HSDPA Subtest-3	19.34	19.35	19.34
	HSDPA Subtest-4	19.30	19.31	19.37
3GPP Rel 6	HSUPA Subtest-1	20.91	20.80	20.85
	HSUPA Subtest-2	18.76	18.76	18.77
	HSUPA Subtest-3	19.88	19.91	19.78
	HSUPA Subtest-4	18.77	18.76	18.86
	HSUPA Subtest-5	20.73	20.76	20.85
3GPP Rel 7	HSPA+	18.40	18.34	18.27
3GPP Rel 8	DC-HSDPA Subtest-1	20.80	20.80	20.87
	DC-HSDPA Subtest-2	20.82	20.81	20.80
	DC-HSDPA Subtest-3	19.39	19.39	19.37
	DC-HSDPA Subtest-4	19.37	19.38	19.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5.2 FDD LTE

Full

LTE Band 2								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1880	1900		
Channel				18700	18900	19100		
20	QPSK	1	0	23.46	23.40	23.32	24.00	0
		1	50	23.39	23.31	23.19	24.00	0
		1	99	23.37	23.20	23.19	24.00	0
		50	0	22.28	22.24	22.29	23.00	1
		50	25	22.39	22.24	22.31	23.00	1
		50	50	22.28	22.30	22.26	23.00	1
		100	0	22.26	22.35	22.18	23.00	1
20	16-QAM	1	0	22.32	22.34	22.29	23.00	1
		1	50	22.42	22.29	22.13	23.00	1
		1	99	22.27	22.25	22.24	23.00	1
		50	0	21.32	21.34	21.17	22.00	2
		50	25	21.37	21.31	21.25	22.00	2
		50	50	21.35	21.39	21.15	22.00	2
		100	0	21.29	21.25	21.13	22.00	2
LTE Band 2								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1880	1902.5		
Channel				18675	18900	19125		
15	QPSK	1	0	23.36	23.30	23.23	24.00	0
		1	36	23.29	23.39	23.23	24.00	0
		1	74	23.42	23.25	23.16	24.00	0
		36	0	22.42	22.37	22.13	23.00	1
		36	18	22.37	22.39	22.30	23.00	1
		36	37	22.38	22.28	22.28	23.00	1
		75	0	22.44	22.31	22.11	23.00	1
15	16-QAM	1	0	22.27	22.23	22.13	23.00	1
		1	36	22.43	22.32	22.25	23.00	1
		1	74	22.40	22.37	22.21	23.00	1
		36	0	21.28	21.31	21.26	22.00	2
		36	18	21.44	21.30	21.12	22.00	2
		36	37	21.33	21.31	21.29	22.00	2
		75	0	21.39	21.27	21.24	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 2								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1880	1905		
Channel				18650	18900	19150		
10	QPSK	1	0	23.33	23.37	23.17	24.00	0
		1	25	23.31	23.38	23.26	24.00	0
		1	49	23.35	23.24	23.17	24.00	0
		25	0	22.44	22.24	22.14	23.00	1
		25	12	22.39	22.36	22.24	23.00	1
		25	25	22.32	22.23	22.30	23.00	1
		50	0	22.25	22.24	22.22	23.00	1
10	16-QAM	1	0	22.36	22.21	22.30	23.00	1
		1	25	22.41	22.23	22.15	23.00	1
		1	49	22.41	22.33	22.24	23.00	1
		25	0	21.38	21.37	21.29	22.00	2
		25	12	21.38	21.37	21.16	22.00	2
		25	25	21.35	21.26	21.24	22.00	2
		50	0	21.26	21.22	21.21	22.00	2
LTE Band 2								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1880	1907.5		
Channel				18625	18900	19175		
5	QPSK	1	0	23.36	23.36	23.26	24.00	0
		1	12	23.38	23.32	23.20	24.00	0
		1	24	23.43	23.37	23.13	24.00	0
		12	0	22.31	22.19	22.30	23.00	1
		12	6	22.35	22.24	22.15	23.00	1
		12	13	22.35	22.22	22.31	23.00	1
		25	0	22.40	22.20	22.18	23.00	1
5	16-QAM	1	0	22.40	22.31	22.11	23.00	1
		1	12	22.26	22.23	22.22	23.00	1
		1	24	22.31	22.22	22.29	23.00	1
		12	0	21.41	21.22	21.13	22.00	2
		12	6	21.34	21.25	21.16	22.00	2
		12	13	21.44	21.37	21.25	22.00	2
		25	0	21.36	21.23	21.12	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 2								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1851.5	1880	1908.5		
Channel				18615	18900	19185		
3	QPSK	1	0	23.34	23.33	23.30	24.00	0
		1	7	23.35	23.22	23.20	24.00	0
		1	14	23.30	23.37	23.28	24.00	0
		8	0	22.31	22.34	22.18	23.00	1
		8	4	22.28	22.34	22.20	23.00	1
		8	7	22.33	22.22	22.29	23.00	1
		15	0	22.28	22.27	22.20	23.00	1
3	16-QAM	1	0	22.27	22.34	22.19	23.00	1
		1	7	22.41	22.21	22.28	23.00	1
		1	14	22.30	22.33	22.17	23.00	1
		8	0	21.42	21.34	21.16	22.00	2
		8	4	21.39	21.31	21.15	22.00	2
		8	7	21.44	21.36	21.20	22.00	2
		15	0	21.40	21.34	21.12	22.00	2
LTE Band 2								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1850.7	1880	1909.3		
Channel				18607	18900	19193		
1.4	QPSK	1	0	23.28	23.37	23.13	24.00	0
		1	2	23.29	23.37	23.16	24.00	0
		1	5	23.28	23.33	23.23	24.00	0
		3	0	23.39	23.32	23.28	24.00	0
		3	2	23.44	23.24	23.18	24.00	0
		3	3	23.35	23.38	23.12	24.00	0
		6	0	22.31	22.39	22.14	23.00	1
1.4	16-QAM	1	0	22.37	22.20	22.15	23.00	1
		1	2	22.40	22.24	22.26	23.00	1
		1	5	22.29	22.19	22.18	23.00	1
		3	0	22.33	22.24	22.29	23.00	1
		3	2	22.40	22.31	22.13	23.00	1
		3	3	22.44	22.36	22.20	23.00	1
		6	0	21.33	21.20	21.16	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 4								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1720	1732.5	1745		
Channel				20050	20175	20300		
20	QPSK	1	0	23.38	23.57	23.64	24.00	0
		1	50	23.23	23.40	23.47	24.00	0
		1	99	23.19	23.50	23.60	24.00	0
		50	0	22.35	22.41	22.50	23.00	1
		50	25	22.34	22.49	22.58	23.00	1
		50	50	22.36	22.43	22.53	23.00	1
		100	0	22.28	22.41	22.54	23.00	1
20	16-QAM	1	0	22.35	22.53	22.49	23.00	1
		1	50	22.34	22.46	22.49	23.00	1
		1	99	22.27	22.37	22.57	23.00	1
		50	0	21.20	21.52	21.51	22.00	2
		50	25	21.25	21.46	21.55	22.00	2
		50	50	21.28	21.52	21.50	22.00	2
		100	0	21.29	21.39	21.50	22.00	2
LTE Band 4								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1717.5	1732.5	1747.5		
Channel				20025	20175	20325		
15	QPSK	1	0	23.28	23.49	23.52	24.00	0
		1	36	23.35	23.41	23.57	24.00	0
		1	74	23.19	23.41	23.50	24.00	0
		36	0	22.38	22.51	22.59	23.00	1
		36	18	22.33	22.49	22.57	23.00	1
		36	37	22.25	22.49	22.63	23.00	1
		75	0	22.32	22.48	22.63	23.00	1
15	16-QAM	1	0	22.25	22.42	22.47	23.00	1
		1	36	22.25	22.43	22.63	23.00	1
		1	74	22.30	22.51	22.60	23.00	1
		36	0	21.31	21.49	21.54	22.00	2
		36	18	21.32	21.53	21.56	22.00	2
		36	37	21.34	21.52	21.57	22.00	2
		75	0	21.19	21.51	21.60	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 4								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1715	1732.5	1750		
Channel				20000	20175	20350		
10	QPSK	1	0	23.36	23.43	23.56	24.00	0
		1	25	23.23	23.46	23.57	24.00	0
		1	49	23.18	23.47	23.53	24.00	0
		25	0	22.28	22.40	22.54	23.00	1
		25	12	22.36	22.55	22.57	23.00	1
		25	25	22.18	22.55	22.54	23.00	1
		50	0	22.21	22.44	22.47	23.00	1
10	16-QAM	1	0	22.22	22.37	22.51	23.00	1
		1	25	22.33	22.39	22.46	23.00	1
		1	49	22.37	22.42	22.62	23.00	1
		25	0	21.32	21.50	21.50	22.00	2
		25	12	21.27	21.56	21.59	22.00	2
		25	25	21.31	21.44	21.50	22.00	2
		50	0	21.27	21.39	21.49	22.00	2
LTE Band 4								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1712.5	1732.5	1752.5		
Channel				19975	20175	20375		
5	QPSK	1	0	23.23	23.49	23.59	24.00	0
		1	12	23.27	23.51	23.60	24.00	0
		1	24	23.28	23.48	23.55	24.00	0
		12	0	22.32	22.39	22.53	23.00	1
		12	6	22.24	22.54	22.46	23.00	1
		12	13	22.30	22.50	22.63	23.00	1
		25	0	22.18	22.40	22.55	23.00	1
5	16-QAM	1	0	22.19	22.51	22.50	23.00	1
		1	12	22.27	22.51	22.48	23.00	1
		1	24	22.25	22.41	22.45	23.00	1
		12	0	21.25	21.43	21.58	22.00	2
		12	6	21.31	21.48	21.53	22.00	2
		12	13	21.21	21.41	21.53	22.00	2
		25	0	21.20	21.49	21.53	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 4								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1711.5	1732.5	1753.5		
Channel				19965	20175	20385		
3	QPSK	1	0	23.30	23.52	23.48	24.00	0
		1	7	23.20	23.42	23.56	24.00	0
		1	14	23.21	23.44	23.46	24.00	0
		8	0	22.37	22.53	22.45	23.00	1
		8	4	22.23	22.54	22.60	23.00	1
		8	7	22.34	22.46	22.46	23.00	1
		15	0	22.21	22.54	22.59	23.00	1
3	16-QAM	1	0	22.37	22.46	22.64	23.00	1
		1	7	22.21	22.43	22.57	23.00	1
		1	14	22.28	22.41	22.63	23.00	1
		8	0	21.36	21.48	21.46	22.00	2
		8	4	21.27	21.54	21.52	22.00	2
		8	7	21.33	21.39	21.47	22.00	2
		15	0	21.19	21.49	21.63	22.00	2
LTE Band 4								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1710.7	1732.5	1754.3		
Channel				19957	20175	20393		
1.4	QPSK	1	0	23.22	23.47	23.44	24.00	0
		1	2	23.34	23.43	23.48	24.00	0
		1	5	23.24	23.38	23.48	24.00	0
		3	0	23.36	23.44	23.62	24.00	0
		3	2	23.26	23.51	23.53	24.00	0
		3	3	23.30	23.46	23.52	24.00	0
		6	0	22.28	22.38	22.50	23.00	1
1.4	16-QAM	1	0	22.29	22.41	22.46	23.00	1
		1	2	22.36	22.52	22.53	23.00	1
		1	5	22.34	22.54	22.56	23.00	1
		3	0	22.20	22.47	22.48	23.00	1
		3	2	22.32	22.49	22.45	23.00	1
		3	3	22.22	22.40	22.45	23.00	1
		6	0	21.34	21.46	21.47	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 5								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				829	836.5	844		
Channel				20450	20525	20600		
10	QPSK	1	0	23.35	24.25	24.38	25.00	0
		1	25	23.23	24.23	24.22	25.00	0
		1	49	23.17	24.20	24.25	25.00	0
		25	0	22.25	23.18	23.28	24.00	1
		25	12	22.21	23.08	23.25	24.00	1
		25	25	22.19	23.08	23.39	24.00	1
		50	0	22.23	23.07	23.24	24.00	1
10	16-QAM	1	0	22.16	23.22	23.29	24.00	1
		1	25	22.31	23.25	23.26	24.00	1
		1	49	22.22	23.16	23.30	24.00	1
		25	0	21.25	22.15	22.28	23.00	2
		25	12	21.22	22.21	22.24	23.00	2
		25	25	21.29	22.20	22.23	23.00	2
		50	0	21.32	22.16	22.30	23.00	2
LTE Band 5								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				826.5	836.5	846.5		
Channel				20425	20525	20625		
5	QPSK	1	0	23.23	24.06	24.38	25.00	0
		1	12	23.27	24.10	24.29	25.00	0
		1	24	23.18	24.12	24.22	25.00	0
		12	0	22.31	23.23	23.24	24.00	1
		12	6	22.20	23.20	23.21	24.00	1
		12	13	22.19	23.09	23.26	24.00	1
		25	0	22.28	23.11	23.23	24.00	1
5	16-QAM	1	0	22.27	23.18	23.37	24.00	1
		1	12	22.16	23.11	23.28	24.00	1
		1	24	22.32	23.13	23.30	24.00	1
		12	0	21.29	22.21	22.33	23.00	2
		12	6	21.32	22.15	22.27	23.00	2
		12	13	21.34	22.07	22.27	23.00	2
		25	0	21.19	22.09	22.37	23.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 5								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				825.5	836.5	847.5		
Channel				20415	20525	20635		
3	QPSK	1	0	23.29	24.22	24.28	25.00	0
		1	7	23.22	24.24	24.23	25.00	0
		1	14	23.22	24.10	24.34	25.00	0
		8	0	22.25	23.06	23.21	24.00	1
		8	4	22.19	23.14	23.20	24.00	1
		8	7	22.24	23.16	23.31	24.00	1
		15	0	22.19	23.23	23.21	24.00	1
3	16-QAM	1	0	22.20	23.20	23.28	24.00	1
		1	7	22.16	23.07	23.35	24.00	1
		1	14	22.25	23.08	23.35	24.00	1
		8	0	21.19	22.17	22.23	23.00	2
		8	4	21.27	22.07	22.23	23.00	2
		8	7	21.30	22.05	22.28	23.00	2
		15	0	21.25	22.12	22.22	23.00	2
LTE Band 5								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				824.7	836.5	848.3		
Channel				20407	20525	20643		
1.4	QPSK	1	0	23.24	24.23	24.22	25.00	0
		1	2	23.16	24.07	24.32	25.00	0
		1	5	23.31	24.23	24.24	25.00	0
		3	0	23.30	24.14	24.24	25.00	0
		3	2	23.20	24.25	24.21	25.00	0
		3	3	23.23	24.20	24.36	25.00	0
		6	0	22.21	23.15	23.25	24.00	1
1.4	16-QAM	1	0	22.21	23.17	23.22	24.00	1
		1	2	22.20	23.18	23.38	24.00	1
		1	5	22.29	23.24	23.36	24.00	1
		3	0	22.34	23.19	23.38	24.00	1
		3	2	22.28	23.24	23.30	24.00	1
		3	3	22.31	23.18	23.27	24.00	1
		6	0	21.33	22.15	22.38	23.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 7								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2510	2535	2560		
Channel				20850	21100	21350		
20	QPSK	1	0	23.46	23.59	23.65	24.00	0
		1	50	23.28	23.52	23.44	24.00	0
		1	99	23.45	23.39	23.51	24.00	0
		50	0	22.25	22.41	22.50	23.00	1
		50	25	22.37	22.44	22.59	23.00	1
		50	50	22.40	22.45	22.58	23.00	1
		100	0	22.34	22.50	22.49	23.00	1
20	16-QAM	1	0	22.40	22.55	22.55	23.00	1
		1	50	22.30	22.39	22.58	23.00	1
		1	99	22.41	22.48	22.55	23.00	1
		50	0	21.45	21.54	21.59	22.00	2
		50	25	21.37	21.58	21.49	22.00	2
		50	50	21.44	21.41	21.57	22.00	2
		100	0	21.26	21.54	21.40	22.00	2
LTE Band 7								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2507.5	2535	2562.5		
Channel				20825	21100	21375		
15	QPSK	1	0	23.36	23.44	23.44	24.00	0
		1	36	23.41	23.51	23.57	24.00	0
		1	74	23.29	23.44	23.42	24.00	0
		36	0	22.38	22.38	22.44	23.00	1
		36	18	22.29	22.40	22.55	23.00	1
		36	37	22.40	22.45	22.54	23.00	1
		75	0	22.40	22.55	22.55	23.00	1
15	16-QAM	1	0	22.32	22.43	22.53	23.00	1
		1	36	22.36	22.49	22.57	23.00	1
		1	74	22.33	22.56	22.50	23.00	1
		36	0	21.39	21.55	21.47	22.00	2
		36	18	21.27	21.39	21.50	22.00	2
		36	37	21.43	21.57	21.59	22.00	2
		75	0	21.36	21.49	21.52	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 7								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2505	2535	2565		
Channel				20800	21100	21400		
10	QPSK	1	0	23.42	23.39	23.52	24.00	0
		1	25	23.33	23.55	23.56	24.00	0
		1	49	23.35	23.54	23.39	24.00	0
		25	0	22.45	22.39	22.55	23.00	1
		25	12	22.27	22.52	22.53	23.00	1
		25	25	22.40	22.55	22.53	23.00	1
		50	0	22.35	22.50	22.43	23.00	1
10	16-QAM	1	0	22.28	22.48	22.55	23.00	1
		1	25	22.39	22.52	22.42	23.00	1
		1	49	22.30	22.51	22.57	23.00	1
		25	0	21.38	21.52	21.55	22.00	2
		25	12	21.26	21.48	21.50	22.00	2
		25	25	21.42	21.39	21.53	22.00	2
		50	0	21.25	21.48	21.49	22.00	2
LTE Band 7								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2502.5	2535	2567.5		
Channel				20775	21100	21425		
5	QPSK	1	0	23.30	23.42	23.48	24.00	0
		1	12	23.35	23.55	23.46	24.00	0
		1	24	23.44	23.44	23.43	24.00	0
		12	0	22.37	22.42	22.44	23.00	1
		12	6	22.44	22.48	22.47	23.00	1
		12	13	22.37	22.53	22.41	23.00	1
		25	0	22.42	22.53	22.50	23.00	1
5	16-QAM	1	0	22.41	22.58	22.55	23.00	1
		1	12	22.39	22.50	22.41	23.00	1
		1	24	22.39	22.39	22.48	23.00	1
		12	0	21.38	21.54	21.57	22.00	2
		12	6	21.38	21.52	21.59	22.00	2
		12	13	21.41	21.56	21.47	22.00	2
		25	0	21.41	21.39	21.39	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 12								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				704	707.5	711		
Channel				23060	23095	23130		
10	QPSK	1	0	23.97	23.99	24.15	25.00	0
		1	25	23.80	23.88	23.99	25.00	0
		1	49	23.89	23.81	24.01	25.00	0
		25	0	22.81	22.94	23.04	24.00	1
		25	12	22.82	22.93	23.01	24.00	1
		25	25	22.84	22.84	22.94	24.00	1
		50	0	22.92	22.87	23.02	24.00	1
10	16-QAM	1	0	22.95	22.93	23.06	24.00	1
		1	25	22.80	22.96	22.95	24.00	1
		1	49	22.80	22.85	22.93	24.00	1
		25	0	21.89	21.92	22.06	23.00	2
		25	12	21.77	21.82	22.01	23.00	2
		25	25	21.89	21.97	22.11	23.00	2
		50	0	21.89	21.84	21.94	23.00	2
LTE Band 12								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				701.5	707.5	713.5		
Channel				23035	23095	23155		
5	QPSK	1	0	23.96	23.88	24.12	25.00	0
		1	12	23.95	23.97	24.09	25.00	0
		1	24	23.96	23.81	23.96	25.00	0
		12	0	22.87	22.98	23.07	24.00	1
		12	6	22.79	22.85	23.11	24.00	1
		12	13	22.78	22.81	23.03	24.00	1
		25	0	22.84	22.95	23.03	24.00	1
5	16-QAM	1	0	22.82	22.91	22.95	24.00	1
		1	12	22.92	22.87	23.01	24.00	1
		1	24	22.78	22.79	23.03	24.00	1
		12	0	21.77	21.97	22.01	23.00	2
		12	6	21.89	21.88	21.98	23.00	2
		12	13	21.93	21.94	22.10	23.00	2
		25	0	21.83	21.91	22.03	23.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 12								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				700.5	707.5	714.5		
Channel				23025	23095	23165		
3	QPSK	1	0	23.89	23.95	24.05	25.00	0
		1	7	23.80	23.94	23.96	25.00	0
		1	14	23.89	23.82	24.01	25.00	0
		8	0	22.89	22.90	23.02	24.00	1
		8	4	22.88	22.88	23.09	24.00	1
		8	7	22.77	22.82	23.00	24.00	1
		15	0	22.85	22.99	22.96	24.00	1
3	16-QAM	1	0	22.88	22.94	22.98	24.00	1
		1	7	22.76	22.89	23.08	24.00	1
		1	14	22.79	22.90	22.94	24.00	1
		8	0	21.93	21.89	22.08	23.00	2
		8	4	21.79	21.82	22.03	23.00	2
		8	7	21.77	21.83	21.98	23.00	2
		15	0	21.84	21.92	22.06	23.00	2
LTE Band 12								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				699.7	707.5	715.3		
Channel				23017	23095	23173		
1.4	QPSK	1	0	23.80	23.97	24.07	25.00	0
		1	2	23.79	23.80	23.95	25.00	0
		1	5	23.86	23.87	23.94	25.00	0
		3	0	23.80	23.82	24.01	25.00	0
		3	2	23.86	23.99	24.03	25.00	0
		3	3	23.82	23.98	24.07	25.00	0
		6	0	22.96	22.88	23.04	24.00	1
1.4	16-QAM	1	0	22.80	22.86	23.09	24.00	1
		1	2	22.91	22.90	23.06	24.00	1
		1	5	22.81	22.91	23.08	24.00	1
		3	0	22.81	22.88	23.07	24.00	1
		3	2	22.78	22.85	23.03	24.00	1
		3	3	22.96	22.84	22.96	24.00	1
		6	0	21.92	21.84	22.05	23.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 13								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				782				
Channel				23230				
10	QPSK	1	0	24.42			25.00	0
		1	25	24.39			25.00	0
		1	49	24.34			25.00	0
		25	0	23.24			24.00	1
		25	12	23.25			24.00	1
		25	25	23.30			24.00	1
		50	0	23.36			24.00	1
10	16-QAM	1	0	23.24			24.00	1
		1	25	23.39			24.00	1
		1	49	23.34			24.00	1
		25	0	22.23			23.00	2
		25	12	22.39			23.00	2
		25	25	22.31			23.00	2
		50	0	22.22			23.00	2
LTE Band 13								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				779.5	782	784.5		
Channel				23205	23230	23255		
5	QPSK	1	0	24.31	24.35	24.22	25.00	0
		1	12	24.29	24.37	24.28	25.00	0
		1	24	24.28	24.39	24.27	25.00	0
		12	0	23.27	23.31	23.35	24.00	1
		12	6	23.35	23.37	23.36	24.00	1
		12	13	23.27	23.20	23.19	24.00	1
		25	0	23.29	23.20	23.21	24.00	1
5	16-QAM	1	0	23.26	23.26	23.22	24.00	1
		1	12	23.30	23.35	23.19	24.00	1
		1	24	23.26	23.36	23.29	24.00	1
		12	0	22.32	22.31	22.27	23.00	2
		12	6	22.27	22.38	22.31	23.00	2
		12	13	22.36	22.20	22.30	23.00	2
		25	0	22.39	22.35	22.33	23.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 14								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				793				
Channel				23330				
10	QPSK	1	0	24.29			25.00	0
		1	25	24.17			25.00	0
		1	49	24.16			25.00	0
		25	0	23.10			24.00	1
		25	12	23.19			24.00	1
		25	25	23.23			24.00	1
		50	0	23.27			24.00	1
10	16-QAM	1	0	23.20			24.00	1
		1	25	23.16			24.00	1
		1	49	23.20			24.00	1
		25	0	22.24			23.00	2
		25	12	22.11			23.00	2
		25	25	22.21			23.00	2
		50	0	22.21			23.00	2
LTE Band 14								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				790.5	793	795.5		
Channel				23305	23330	23355		
5	QPSK	1	0	23.99	23.83	23.89	25.00	0
		1	12	23.97	23.93	23.95	25.00	0
		1	24	23.94	23.92	23.87	25.00	0
		12	0	23.00	22.95	22.81	24.00	1
		12	6	22.99	22.92	22.83	24.00	1
		12	13	22.98	22.94	22.89	24.00	1
		25	0	22.88	22.80	22.88	24.00	1
5	16-QAM	1	0	23.00	22.90	22.81	24.00	1
		1	12	22.95	22.99	22.89	24.00	1
		1	24	22.88	22.96	22.92	24.00	1
		12	0	21.86	21.92	21.84	23.00	2
		12	6	22.01	21.80	21.80	23.00	2
		12	13	21.87	21.80	21.94	23.00	2
		25	0	22.02	21.97	21.95	23.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 17								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				709	710	711		
Channel				23780	23790	23800		
10	QPSK	1	0	23.96	23.91	23.95	25.00	0
		1	25	23.85	23.74	23.78	25.00	0
		1	49	23.91	23.88	23.76	25.00	0
		25	0	22.95	22.78	22.87	24.00	1
		25	12	22.93	22.81	22.84	24.00	1
		25	25	22.96	22.74	22.84	24.00	1
		50	0	22.86	22.78	22.90	24.00	1
10	16-QAM	1	0	22.89	22.74	22.75	24.00	1
		1	25	22.79	22.78	22.77	24.00	1
		1	49	22.93	22.89	22.86	24.00	1
		25	0	21.93	21.78	21.89	23.00	2
		25	12	21.82	21.77	21.90	23.00	2
		25	25	21.87	21.71	21.78	23.00	2
		50	0	21.77	21.72	21.88	23.00	2
LTE Band 17								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				706.5	710	713.5		
Channel				23755	23790	23825		
5	QPSK	1	0	23.79	23.76	23.88	25.00	0
		1	12	23.86	23.90	23.83	25.00	0
		1	24	23.94	23.71	23.94	25.00	0
		12	0	22.86	22.77	22.91	24.00	1
		12	6	22.91	22.78	22.77	24.00	1
		12	13	22.85	22.83	22.84	24.00	1
		25	0	22.90	22.84	22.78	24.00	1
5	16-QAM	1	0	22.76	22.77	22.85	24.00	1
		1	12	22.78	22.75	22.86	24.00	1
		1	24	22.78	22.70	22.84	24.00	1
		12	0	21.85	21.83	21.86	23.00	2
		12	6	21.87	21.74	21.84	23.00	2
		12	13	21.85	21.89	21.87	23.00	2
		25	0	21.83	21.82	21.79	23.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 25								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1882.5	1905		
Channel				26140	26365	26590		
20	QPSK	1	0	23.56	23.52	23.39	24.00	0
		1	50	23.42	23.36	23.31	24.00	0
		1	99	23.38	23.39	23.34	24.00	0
		50	0	22.44	22.47	22.28	23.00	1
		50	25	22.35	22.33	22.29	23.00	1
		50	50	22.41	22.39	22.31	23.00	1
		100	0	22.39	22.37	22.34	23.00	1
20	16-QAM	1	0	22.52	22.34	22.32	23.00	1
		1	50	22.43	22.39	22.25	23.00	1
		1	99	22.48	22.49	22.20	23.00	1
		50	0	21.34	21.49	21.26	22.00	2
		50	25	21.37	21.44	21.36	22.00	2
		50	50	21.43	21.51	21.37	22.00	2
		100	0	21.36	21.50	21.23	22.00	2
LTE Band 25								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1882.5	1907.5		
Channel				26115	26365	26615		
15	QPSK	1	0	23.52	23.46	23.29	24.00	0
		1	36	23.40	23.51	23.35	24.00	0
		1	74	23.49	23.43	23.39	24.00	0
		36	0	22.46	22.42	22.23	23.00	1
		36	18	22.53	22.42	22.34	23.00	1
		36	37	22.36	22.49	22.25	23.00	1
		75	0	22.49	22.49	22.31	23.00	1
15	16-QAM	1	0	22.52	22.45	22.31	23.00	1
		1	36	22.42	22.47	22.21	23.00	1
		1	74	22.45	22.38	22.37	23.00	1
		36	0	21.46	21.47	21.32	22.00	2
		36	18	21.42	21.33	21.20	22.00	2
		36	37	21.36	21.51	21.24	22.00	2
		75	0	21.45	21.40	21.26	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 25								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1882.5	1910		
Channel				26090	26365	26640		
10	QPSK	1	0	23.52	23.32	23.20	24.00	0
		1	25	23.49	23.33	23.22	24.00	0
		1	49	23.35	23.49	23.21	24.00	0
		25	0	22.53	22.42	22.28	23.00	1
		25	12	22.52	22.39	22.33	23.00	1
		25	25	22.45	22.36	22.27	23.00	1
		50	0	22.40	22.41	22.23	23.00	1
10	16-QAM	1	0	22.41	22.34	22.21	23.00	1
		1	25	22.41	22.41	22.36	23.00	1
		1	49	22.42	22.34	22.32	23.00	1
		25	0	21.37	21.39	21.35	22.00	2
		25	12	21.41	21.32	21.38	22.00	2
		25	25	21.52	21.37	21.22	22.00	2
		50	0	21.44	21.45	21.26	22.00	2
LTE Band 25								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1882.5	1912.5		
Channel				26065	26365	26665		
5	QPSK	1	0	23.38	23.39	23.31	24.00	0
		1	12	23.52	23.32	23.32	24.00	0
		1	24	23.40	23.35	23.38	24.00	0
		12	0	22.48	22.37	22.26	23.00	1
		12	6	22.44	22.40	22.20	23.00	1
		12	13	22.46	22.41	22.36	23.00	1
		25	0	22.53	22.31	22.31	23.00	1
5	16-QAM	1	0	22.42	22.44	22.26	23.00	1
		1	12	22.49	22.36	22.28	23.00	1
		1	24	22.41	22.45	22.34	23.00	1
		12	0	21.39	21.41	21.33	22.00	2
		12	6	21.44	21.41	21.26	22.00	2
		12	13	21.45	21.31	21.31	22.00	2
		25	0	21.37	21.35	21.35	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 25								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1851.5	1882.5	1913.5		
Channel				26055	26365	26675		
3	QPSK	1	0	23.43	23.39	23.33	24.00	0
		1	7	23.43	23.37	23.39	24.00	0
		1	14	23.52	23.44	23.20	24.00	0
		8	0	22.52	22.48	22.21	23.00	1
		8	4	22.46	22.40	22.36	23.00	1
		8	7	22.53	22.40	22.22	23.00	1
		15	0	22.48	22.42	22.36	23.00	1
3	16-QAM	1	0	22.49	22.33	22.33	23.00	1
		1	7	22.44	22.46	22.21	23.00	1
		1	14	22.40	22.45	22.35	23.00	1
		8	0	21.40	21.34	21.36	22.00	2
		8	4	21.44	21.33	21.32	22.00	2
		8	7	21.41	21.42	21.33	22.00	2
		15	0	21.37	21.34	21.36	22.00	2
LTE Band 25								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1850.7	1882.5	1914.3		
Channel				26047	26365	26683		
1.4	QPSK	1	0	23.43	23.33	23.34	24.00	0
		1	2	23.47	23.46	23.20	24.00	0
		1	5	23.47	23.46	23.26	24.00	0
		3	0	23.51	23.37	23.31	24.00	0
		3	2	23.39	23.39	23.29	24.00	0
		3	3	23.50	23.49	23.26	24.00	0
		6	0	22.35	22.50	22.20	23.00	1
1.4	16-QAM	1	0	22.44	22.38	22.27	23.00	1
		1	2	22.38	22.32	22.27	23.00	1
		1	5	22.52	22.47	22.23	23.00	1
		3	0	22.43	22.34	22.34	23.00	1
		3	2	22.47	22.49	22.34	23.00	1
		3	3	22.34	22.36	22.23	23.00	1
		6	0	21.46	21.46	21.37	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 26_FCC								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				821.5	831.5	841.5		
Channel				26765	26865	26965		
15	QPSK	1	0	24.41	24.35	24.26	25.00	0
		1	36	24.34	24.32	24.23	25.00	0
		1	74	24.36	24.25	24.18	25.00	0
		36	0	23.37	23.29	23.21	24.00	1
		36	18	23.30	23.29	23.22	24.00	1
		36	37	23.30	23.18	23.25	24.00	1
		75	0	23.24	23.33	23.15	24.00	1
15	16-QAM	1	0	23.32	23.18	23.21	24.00	1
		1	36	23.23	23.21	23.23	24.00	1
		1	74	23.24	23.22	23.09	24.00	1
		36	0	22.39	22.25	22.11	23.00	2
		36	18	22.26	22.25	22.22	23.00	2
		36	37	22.25	22.20	22.13	23.00	2
		75	0	22.37	22.15	22.22	23.00	2
LTE Band 26_FCC								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				819	831.5	844		
Channel				26740	26865	26990		
10	QPSK	1	0	24.33	24.27	24.13	25.00	0
		1	25	24.28	24.27	24.16	25.00	0
		1	49	24.23	24.31	24.18	25.00	0
		25	0	23.30	23.21	23.19	24.00	1
		25	12	23.24	23.22	23.10	24.00	1
		25	25	23.27	23.27	23.17	24.00	1
		50	0	23.28	23.28	23.25	24.00	1
10	16-QAM	1	0	23.23	23.25	23.18	24.00	1
		1	25	23.21	23.28	23.22	24.00	1
		1	49	23.38	23.28	23.22	24.00	1
		25	0	22.26	22.34	22.13	23.00	2
		25	12	22.27	22.34	22.13	23.00	2
		25	25	22.37	22.31	22.07	23.00	2
		50	0	22.23	22.29	22.14	23.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 26_FCC								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				816.5	831.5	846.5		
Channel				26715	26865	27015		
5	QPSK	1	0	24.22	24.27	24.17	25.00	0
		1	12	24.27	24.20	24.21	25.00	0
		1	24	24.21	24.28	24.23	25.00	0
		12	0	23.40	23.22	23.23	24.00	1
		12	6	23.25	23.28	23.24	24.00	1
		12	13	23.24	23.27	23.12	24.00	1
		25	0	23.38	23.19	23.07	24.00	1
5	16-QAM	1	0	23.31	23.26	23.07	24.00	1
		1	12	23.39	23.30	23.19	24.00	1
		1	24	23.25	23.15	23.13	24.00	1
		12	0	22.32	22.26	22.14	23.00	2
		12	6	22.35	22.28	22.17	23.00	2
		12	13	22.38	22.26	22.15	23.00	2
		25	0	22.27	22.33	22.17	23.00	2
LTE Band 26_FCC								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				815.5	831.5	847.5		
Channel				26705	26865	27025		
3	QPSK	1	0	24.20	24.21	24.26	25.00	0
		1	7	24.31	24.33	24.15	25.00	0
		1	14	24.39	24.16	24.09	25.00	0
		8	0	23.28	23.21	23.23	24.00	1
		8	4	23.33	23.34	23.16	24.00	1
		8	7	23.39	23.22	23.25	24.00	1
		15	0	23.36	23.32	23.16	24.00	1
3	16-QAM	1	0	23.29	23.15	23.07	24.00	1
		1	7	23.32	23.32	23.18	24.00	1
		1	14	23.31	23.19	23.08	24.00	1
		8	0	22.35	22.27	22.20	23.00	2
		8	4	22.27	22.33	22.26	23.00	2
		8	7	22.21	22.17	22.08	23.00	2
		15	0	22.35	22.27	22.17	23.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 26_FCC								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				814.7	831.5	848.3		
Channel				26697	26865	27033		
1.4	QPSK	1	0	24.35	24.31	24.13	25.00	0
		1	2	24.38	24.32	24.07	25.00	0
		1	5	24.31	24.27	24.10	25.00	0
		3	0	24.25	24.21	24.10	25.00	0
		3	2	24.28	24.23	24.25	25.00	0
		3	3	24.28	24.18	24.08	25.00	0
		6	0	23.29	23.31	23.21	24.00	1
1.4	16-QAM	1	0	23.33	23.16	23.12	24.00	1
		1	2	23.34	23.15	23.20	24.00	1
		1	5	23.25	23.35	23.10	24.00	1
		3	0	23.27	23.19	23.26	24.00	1
		3	2	23.28	23.18	23.25	24.00	1
		3	3	23.24	23.16	23.18	24.00	1
		6	0	22.24	22.24	22.13	23.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 30								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2310				
Channel				27710				
10	QPSK	1	0	22.42			23.00	0
		1	25	22.32			23.00	0
		1	49	22.41			23.00	0
		25	0	21.28			22.00	1
		25	12	21.21			22.00	1
		25	25	21.25			22.00	1
		50	0	21.31			22.00	1
10	16-QAM	1	0	21.36			22.00	1
		1	25	21.25			22.00	1
		1	49	21.35			22.00	1
		25	0	20.35			21.00	2
		25	12	20.38			21.00	2
		25	25	20.23			21.00	2
		50	0	20.31			21.00	2
LTE Band 30								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2307.5	2310	2312.5		
Channel				27685	27710	27735		
5	QPSK	1	0	22.25	22.07	22.07	23.00	0
		1	12	22.07	22.11	22.11	23.00	0
		1	24	22.13	21.95	22.07	23.00	0
		12	0	21.10	20.98	21.10	22.00	1
		12	6	21.21	21.09	21.16	22.00	1
		12	13	21.07	21.07	21.22	22.00	1
		25	0	21.16	20.97	21.22	22.00	1
5	16-QAM	1	0	21.25	21.03	21.12	22.00	1
		1	12	21.13	20.96	21.17	22.00	1
		1	24	21.12	21.03	21.23	22.00	1
		12	0	20.22	19.94	20.13	21.00	2
		12	6	20.23	19.98	20.14	21.00	2
		12	13	20.21	19.97	20.09	21.00	2
		25	0	20.07	20.10	20.14	21.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 66								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1720	1745	1770		
Channel				132072	132322	132572		
20	QPSK	1	0	22.95	23.05	22.97	24.00	0
		1	50	22.93	22.87	22.83	24.00	0
		1	99	22.94	22.99	22.88	24.00	0
		50	0	21.76	21.93	21.95	23.00	1
		50	25	21.81	21.96	21.89	23.00	1
		50	50	21.88	21.92	21.79	23.00	1
		100	0	21.79	21.96	21.87	23.00	1
20	16-QAM	1	0	21.79	21.97	21.90	23.00	1
		1	50	21.77	21.87	21.81	23.00	1
		1	99	21.87	21.91	21.94	23.00	1
		50	0	20.91	21.00	20.94	22.00	2
		50	25	20.80	20.88	20.83	22.00	2
		50	50	20.86	20.97	20.89	22.00	2
		100	0	20.76	20.89	20.96	22.00	2
LTE Band 66								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1717.5	1745	1772.5		
Channel				132047	132322	132597		
15	QPSK	1	0	22.81	23.01	22.95	24.00	0
		1	36	22.86	22.88	22.91	24.00	0
		1	74	22.85	22.96	22.80	24.00	0
		36	0	21.80	21.91	21.86	23.00	1
		36	18	21.76	21.91	21.88	23.00	1
		36	37	21.75	21.86	21.88	23.00	1
		75	0	21.95	21.93	21.81	23.00	1
15	16-QAM	1	0	21.90	22.04	21.76	23.00	1
		1	36	21.86	21.97	21.93	23.00	1
		1	74	21.81	22.01	21.90	23.00	1
		36	0	20.83	20.85	20.92	22.00	2
		36	18	20.88	20.91	20.89	22.00	2
		36	37	20.86	20.92	20.87	22.00	2
		75	0	20.76	21.02	20.84	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 66								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1715	1745	1775		
Channel				132022	132322	132622		
10	QPSK	1	0	22.83	22.86	22.94	24.00	0
		1	25	22.91	22.98	22.81	24.00	0
		1	49	22.79	22.92	22.80	24.00	0
		25	0	21.89	22.04	21.82	23.00	1
		25	12	21.84	22.01	21.91	23.00	1
		25	25	21.89	21.94	21.85	23.00	1
		50	0	21.87	22.03	21.87	23.00	1
10	16-QAM	1	0	21.86	21.98	21.80	23.00	1
		1	25	21.81	22.00	21.77	23.00	1
		1	49	21.80	22.04	21.86	23.00	1
		25	0	20.93	20.91	20.82	22.00	2
		25	12	20.95	21.01	20.91	22.00	2
		25	25	20.91	20.98	20.95	22.00	2
		50	0	20.81	20.88	20.88	22.00	2
LTE Band 66								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1712.5	1745	1777.5		
Channel				131997	132322	132647		
5	QPSK	1	0	22.79	22.97	22.81	24.00	0
		1	12	22.84	23.01	22.91	24.00	0
		1	24	22.86	22.93	22.78	24.00	0
		12	0	21.84	22.04	21.85	23.00	1
		12	6	21.94	21.99	21.89	23.00	1
		12	13	21.86	21.88	21.86	23.00	1
		25	0	21.81	21.98	21.95	23.00	1
5	16-QAM	1	0	21.85	21.94	21.86	23.00	1
		1	12	21.87	21.92	21.82	23.00	1
		1	24	21.84	22.03	21.91	23.00	1
		12	0	20.86	20.86	20.77	22.00	2
		12	6	20.76	20.94	20.76	22.00	2
		12	13	20.87	21.00	20.93	22.00	2
		25	0	20.77	20.98	20.86	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 66								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1711.5	1745	1778.5		
Channel				131987	132322	132657		
3	QPSK	1	0	22.85	23.04	22.95	24.00	0
		1	7	22.87	22.96	22.95	24.00	0
		1	14	22.87	22.94	22.82	24.00	0
		8	0	21.77	22.00	21.83	23.00	1
		8	4	21.88	21.91	21.77	23.00	1
		8	7	21.93	21.85	21.87	23.00	1
		15	0	21.87	21.89	21.78	23.00	1
3	16-QAM	1	0	21.95	22.03	21.86	23.00	1
		1	7	21.77	22.00	21.79	23.00	1
		1	14	21.88	21.85	21.89	23.00	1
		8	0	20.78	20.95	20.87	22.00	2
		8	4	20.87	20.98	20.87	22.00	2
		8	7	20.79	20.96	20.88	22.00	2
		15	0	20.77	20.88	20.77	22.00	2
LTE Band 66								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1710.7	1745	1779.3		
Channel				131979	132322	132665		
1.4	QPSK	1	0	22.88	22.96	22.82	24.00	0
		1	2	22.93	22.86	22.82	24.00	0
		1	5	22.93	23.00	22.82	24.00	0
		3	0	22.84	22.96	22.83	24.00	0
		3	2	22.85	22.86	22.83	24.00	0
		3	3	22.75	23.04	22.93	24.00	0
		6	0	21.76	21.87	21.83	23.00	1
1.4	16-QAM	1	0	21.90	22.04	21.88	23.00	1
		1	2	21.76	21.89	21.85	23.00	1
		1	5	21.92	21.88	21.81	23.00	1
		3	0	21.80	21.96	21.83	23.00	1
		3	2	21.84	22.00	21.92	23.00	1
		3	3	21.90	21.86	21.86	23.00	1
		6	0	20.76	20.89	20.94	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 71								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				673	680.5	688		
Channel				133222	133297	133372		
20	QPSK	1	0	24.15	24.05	24.09	25.00	0
		1	50	24.08	23.98	24.04	25.00	0
		1	99	24.03	24.00	24.07	25.00	0
		50	0	23.02	22.89	23.06	24.00	1
		50	25	23.06	22.99	22.90	24.00	1
		50	50	22.96	23.02	23.08	24.00	1
		100	0	22.95	23.01	23.03	24.00	1
20	16-QAM	1	0	23.06	23.00	22.93	24.00	1
		1	50	23.08	22.95	22.93	24.00	1
		1	99	23.05	23.05	23.05	24.00	1
		50	0	22.00	21.96	21.99	23.00	2
		50	25	22.13	21.89	21.93	23.00	2
		50	50	22.04	22.01	22.02	23.00	2
		100	0	22.13	21.92	21.97	23.00	2
LTE Band 71								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				670.5	680.5	690.5		
Channel				133197	133297	133397		
15	QPSK	1	0	24.03	24.00	23.90	25.00	0
		1	36	23.96	24.04	23.96	25.00	0
		1	74	24.12	23.99	23.90	25.00	0
		36	0	23.11	22.88	23.04	24.00	1
		36	18	23.08	22.87	22.96	24.00	1
		36	37	23.14	23.02	23.01	24.00	1
		75	0	22.96	22.89	23.09	24.00	1
15	16-QAM	1	0	23.10	22.97	23.07	24.00	1
		1	36	23.08	23.01	22.89	24.00	1
		1	74	22.96	23.04	22.93	24.00	1
		36	0	22.13	21.98	22.03	23.00	2
		36	18	21.97	21.86	22.05	23.00	2
		36	37	22.01	21.92	22.03	23.00	2
		75	0	22.10	21.86	21.98	23.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 71								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				668	680.5	693		
Channel				133172	133297	133422		
10	QPSK	1	0	23.97	23.97	23.95	25.00	0
		1	25	24.12	23.98	23.92	25.00	0
		1	49	24.01	23.99	24.02	25.00	0
		25	0	23.09	22.86	22.99	24.00	1
		25	12	22.96	22.92	23.00	24.00	1
		25	25	23.02	22.86	22.93	24.00	1
		50	0	23.12	22.93	23.03	24.00	1
10	16-QAM	1	0	23.04	22.97	22.98	24.00	1
		1	25	23.03	22.89	23.05	24.00	1
		1	49	23.04	22.94	22.95	24.00	1
		25	0	21.96	22.01	22.03	23.00	2
		25	12	21.98	22.03	21.96	23.00	2
		25	25	22.12	21.88	21.99	23.00	2
		50	0	22.03	21.97	21.91	23.00	2
LTE Band 71								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				665.5	680.5	695.5		
Channel				133147	133297	133447		
5	QPSK	1	0	24.13	24.01	24.02	25.00	0
		1	12	23.99	23.89	24.04	25.00	0
		1	24	24.00	23.96	23.93	25.00	0
		12	0	23.03	22.91	23.04	24.00	1
		12	6	23.01	22.94	22.95	24.00	1
		12	13	22.97	22.87	22.94	24.00	1
		25	0	23.09	23.02	22.93	24.00	1
5	16-QAM	1	0	23.06	22.94	22.95	24.00	1
		1	12	23.12	22.96	22.89	24.00	1
		1	24	23.05	22.95	22.94	24.00	1
		12	0	22.01	21.94	22.05	23.00	2
		12	6	21.98	21.85	21.92	23.00	2
		12	13	22.07	21.98	21.98	23.00	2
		25	0	22.05	21.97	22.05	23.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reduced

LTE Band 2								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1880	1900		
Channel				18700	18900	19100		
20	QPSK	1	0	21.49	21.39	21.45	21.50	0
		1	50	21.41	21.35	21.36	21.50	0
		1	99	21.32	21.23	21.34	21.50	0
		50	0	20.36	20.37	20.31	20.50	1
		50	25	20.34	20.22	20.39	20.50	1
		50	50	20.40	20.31	20.35	20.50	1
		100	0	20.39	20.36	20.37	20.50	1
20	16-QAM	1	0	20.44	20.36	20.41	20.50	1
		1	50	20.41	20.26	20.29	20.50	1
		1	99	20.43	20.29	20.38	20.50	1
		50	0	19.45	19.31	19.31	19.50	2
		50	25	19.49	19.38	19.41	19.50	2
		50	50	19.40	19.34	19.44	19.50	2
		100	0	19.31	19.25	19.28	19.50	2
LTE Band 2								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1880	1902.5		
Channel				18675	18900	19125		
15	QPSK	1	0	21.34	21.27	21.27	21.50	0
		1	36	21.36	21.34	21.27	21.50	0
		1	74	21.49	21.29	21.26	21.50	0
		36	0	20.34	20.36	20.45	20.50	1
		36	18	20.38	20.32	20.26	20.50	1
		36	37	20.39	20.21	20.29	20.50	1
		75	0	20.41	20.23	20.38	20.50	1
15	16-QAM	1	0	20.38	20.35	20.38	20.50	1
		1	36	20.32	20.32	20.27	20.50	1
		1	74	20.43	20.22	20.34	20.50	1
		36	0	19.29	19.33	19.43	19.50	2
		36	18	19.43	19.38	19.29	19.50	2
		36	37	19.47	19.23	19.27	19.50	2
		75	0	19.44	19.38	19.38	19.50	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 2								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1880	1905		
Channel				18650	18900	19150		
10	QPSK	1	0	21.39	21.21	21.35	21.50	0
		1	25	21.41	21.35	21.39	21.50	0
		1	49	21.42	21.35	21.36	21.50	0
		25	0	20.42	20.37	20.33	20.50	1
		25	12	20.30	20.32	20.25	20.50	1
		25	25	20.39	20.27	20.32	20.50	1
		50	0	20.39	20.34	20.32	20.50	1
10	16-QAM	1	0	20.41	20.30	20.36	20.50	1
		1	25	20.29	20.19	20.31	20.50	1
		1	49	20.46	20.25	20.40	20.50	1
		25	0	19.44	19.24	19.36	19.50	2
		25	12	19.43	19.33	19.37	19.50	2
		25	25	19.47	19.31	19.33	19.50	2
		50	0	19.47	19.26	19.28	19.50	2
LTE Band 2								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1880	1907.5		
Channel				18625	18900	19175		
5	QPSK	1	0	21.40	21.29	21.27	21.50	0
		1	12	21.45	21.33	21.29	21.50	0
		1	24	21.47	21.28	21.30	21.50	0
		12	0	20.35	20.20	20.29	20.50	1
		12	6	20.33	20.39	20.43	20.50	1
		12	13	20.46	20.21	20.34	20.50	1
		25	0	20.44	20.27	20.31	20.50	1
5	16-QAM	1	0	20.30	20.31	20.34	20.50	1
		1	12	20.46	20.30	20.31	20.50	1
		1	24	20.33	20.19	20.41	20.50	1
		12	0	19.43	19.38	19.27	19.50	2
		12	6	19.34	19.30	19.39	19.50	2
		12	13	19.43	19.31	19.37	19.50	2
		25	0	19.32	19.25	19.36	19.50	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 2								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1851.5	1880	1908.5		
Channel				18615	18900	19185		
3	QPSK	1	0	21.32	21.32	21.38	21.50	0
		1	7	21.45	21.34	21.26	21.50	0
		1	14	21.45	21.30	21.38	21.50	0
		8	0	20.45	20.29	20.38	20.50	1
		8	4	20.41	20.26	20.28	20.50	1
		8	7	20.36	20.21	20.25	20.50	1
		15	0	20.36	20.22	20.38	20.50	1
3	16-QAM	1	0	20.47	20.31	20.42	20.50	1
		1	7	20.47	20.28	20.30	20.50	1
		1	14	20.30	20.36	20.40	20.50	1
		8	0	19.31	19.22	19.30	19.50	2
		8	4	19.32	19.36	19.31	19.50	2
		8	7	19.35	19.30	19.28	19.50	2
		15	0	19.33	19.35	19.29	19.50	2
LTE Band 2								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1850.7	1880	1909.3		
Channel				18607	18900	19193		
1.4	QPSK	1	0	21.40	21.33	21.44	21.50	0
		1	2	21.31	21.20	21.34	21.50	0
		1	5	21.44	21.22	21.44	21.50	0
		3	0	21.32	21.37	21.41	21.50	0
		3	2	21.39	21.29	21.39	21.50	0
		3	3	21.46	21.24	21.41	21.50	0
		6	0	20.43	20.34	20.34	20.50	1
1.4	16-QAM	1	0	20.31	20.23	20.34	20.50	1
		1	2	20.41	20.22	20.40	20.50	1
		1	5	20.34	20.36	20.25	20.50	1
		3	0	20.36	20.38	20.25	20.50	1
		3	2	20.31	20.25	20.37	20.50	1
		3	3	20.34	20.23	20.29	20.50	1
		6	0	19.32	19.33	19.32	19.50	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 4								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1720	1732.5	1745		
Channel				20050	20175	20300		
20	QPSK	1	0	20.96	20.95	20.99	21.00	0
		1	50	20.91	20.76	20.80	21.00	0
		1	99	20.87	20.84	20.81	21.00	0
		50	0	19.80	19.81	19.96	20.00	1
		50	25	19.80	19.93	19.93	20.00	1
		50	50	19.80	19.93	19.99	20.00	1
		100	0	19.86	19.80	19.83	20.00	1
20	16-QAM	1	0	19.87	19.91	19.94	20.00	1
		1	50	19.76	19.77	19.80	20.00	1
		1	99	19.81	19.80	19.92	20.00	1
		50	0	18.93	18.87	18.94	19.00	2
		50	25	18.78	18.92	18.83	19.00	2
		50	50	18.84	18.84	18.80	19.00	2
		100	0	18.92	18.85	18.97	19.00	2
LTE Band 4								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1717.5	1732.5	1747.5		
Channel				20025	20175	20325		
15	QPSK	1	0	20.76	20.79	20.92	21.00	0
		1	36	20.79	20.80	20.92	21.00	0
		1	74	20.86	20.92	20.86	21.00	0
		36	0	19.79	19.91	19.99	20.00	1
		36	18	19.89	19.78	19.85	20.00	1
		36	37	19.87	19.87	19.82	20.00	1
		75	0	19.95	19.93	19.80	20.00	1
15	16-QAM	1	0	19.90	19.93	19.89	20.00	1
		1	36	19.87	19.85	19.96	20.00	1
		1	74	19.87	19.78	19.92	20.00	1
		36	0	18.80	18.85	18.80	19.00	2
		36	18	18.86	18.94	18.79	19.00	2
		36	37	18.80	18.84	18.85	19.00	2
		75	0	18.75	18.79	18.84	19.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 4								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1715	1732.5	1750		
Channel				20000	20175	20350		
10	QPSK	1	0	20.91	20.79	20.98	21.00	0
		1	25	20.91	20.76	20.85	21.00	0
		1	49	20.87	20.90	20.88	21.00	0
		25	0	19.80	19.93	19.85	20.00	1
		25	12	19.78	19.84	19.80	20.00	1
		25	25	19.91	19.76	19.84	20.00	1
		50	0	19.89	19.77	19.89	20.00	1
10	16-QAM	1	0	19.93	19.86	19.90	20.00	1
		1	25	19.77	19.85	19.83	20.00	1
		1	49	19.83	19.89	19.93	20.00	1
		25	0	18.89	18.92	18.81	19.00	2
		25	12	18.93	18.81	18.82	19.00	2
		25	25	18.94	18.83	18.96	19.00	2
		50	0	18.86	18.82	18.87	19.00	2
LTE Band 4								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1712.5	1732.5	1752.5		
Channel				19975	20175	20375		
5	QPSK	1	0	20.77	20.85	20.89	21.00	0
		1	12	20.91	20.81	20.84	21.00	0
		1	24	20.77	20.90	20.95	21.00	0
		12	0	19.91	19.75	19.94	20.00	1
		12	6	19.77	19.85	19.86	20.00	1
		12	13	19.77	19.78	19.84	20.00	1
		25	0	19.87	19.80	19.92	20.00	1
5	16-QAM	1	0	19.89	19.79	19.94	20.00	1
		1	12	19.85	19.84	19.98	20.00	1
		1	24	19.93	19.77	19.98	20.00	1
		12	0	18.94	18.77	18.81	19.00	2
		12	6	18.82	18.91	18.99	19.00	2
		12	13	18.95	18.77	18.95	19.00	2
		25	0	18.91	18.76	18.94	19.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 4								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1711.5	1732.5	1753.5		
Channel				19965	20175	20385		
3	QPSK	1	0	20.91	20.85	20.90	21.00	0
		1	7	20.89	20.88	20.88	21.00	0
		1	14	20.83	20.83	20.91	21.00	0
		8	0	19.94	19.90	19.79	20.00	1
		8	4	19.84	19.79	19.86	20.00	1
		8	7	19.91	19.83	19.83	20.00	1
		15	0	19.89	19.92	19.92	20.00	1
3	16-QAM	1	0	19.78	19.88	19.85	20.00	1
		1	7	19.93	19.76	19.98	20.00	1
		1	14	19.85	19.83	19.92	20.00	1
		8	0	18.88	18.93	18.88	19.00	2
		8	4	18.83	18.91	18.96	19.00	2
		8	7	18.77	18.79	18.88	19.00	2
		15	0	18.89	18.74	18.80	19.00	2
LTE Band 4								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1710.7	1732.5	1754.3		
Channel				19957	20175	20393		
1.4	QPSK	1	0	20.81	20.82	20.94	21.00	0
		1	2	20.75	20.90	20.81	21.00	0
		1	5	20.85	20.79	20.80	21.00	0
		3	0	20.86	20.88	20.96	21.00	0
		3	2	20.91	20.94	20.83	21.00	0
		3	3	20.91	20.84	20.97	21.00	0
		6	0	19.78	19.86	19.91	20.00	1
1.4	16-QAM	1	0	19.84	19.74	19.94	20.00	1
		1	2	19.95	19.94	19.88	20.00	1
		1	5	19.78	19.80	19.97	20.00	1
		3	0	19.81	19.76	19.94	20.00	1
		3	2	19.94	19.78	19.85	20.00	1
		3	3	19.83	19.78	19.93	20.00	1
		6	0	18.86	18.76	18.86	19.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 5								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				829	836.5	844		
Channel				20450	20525	20600		
10	QPSK	1	0	23.91	23.89	23.96	24.00	0
		1	25	23.78	23.72	23.76	24.00	0
		1	49	23.76	23.70	23.95	24.00	0
		25	0	22.79	22.77	22.79	23.00	1
		25	12	22.86	22.73	22.91	23.00	1
		25	25	22.74	22.72	22.79	23.00	1
		50	0	22.83	22.82	22.91	23.00	1
10	16-QAM	1	0	22.89	22.74	22.92	23.00	1
		1	25	22.87	22.86	22.81	23.00	1
		1	49	22.90	22.75	22.81	23.00	1
		25	0	21.78	21.87	21.80	22.00	2
		25	12	21.73	21.70	21.79	22.00	2
		25	25	21.79	21.87	21.87	22.00	2
		50	0	21.84	21.70	21.91	22.00	2
LTE Band 5								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				826.5	836.5	846.5		
Channel				20425	20525	20625		
5	QPSK	1	0	23.85	23.88	23.88	24.00	0
		1	12	23.88	23.80	23.76	24.00	0
		1	24	23.75	23.87	23.96	24.00	0
		12	0	22.83	22.73	22.77	23.00	1
		12	6	22.78	22.81	22.93	23.00	1
		12	13	22.72	22.75	22.92	23.00	1
		25	0	22.89	22.82	22.85	23.00	1
5	16-QAM	1	0	22.80	22.70	22.83	23.00	1
		1	12	22.85	22.88	22.87	23.00	1
		1	24	22.89	22.75	22.80	23.00	1
		12	0	21.83	21.80	21.79	22.00	2
		12	6	21.74	21.70	21.78	22.00	2
		12	13	21.77	21.72	21.91	22.00	2
		25	0	21.82	21.82	21.86	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 5								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				825.5	836.5	847.5		
Channel				20415	20525	20635		
3	QPSK	1	0	23.76	23.79	23.84	24.00	0
		1	7	23.74	23.78	23.84	24.00	0
		1	14	23.78	23.85	23.90	24.00	0
		8	0	22.86	22.74	22.85	23.00	1
		8	4	22.78	22.84	22.95	23.00	1
		8	7	22.78	22.86	22.77	23.00	1
		15	0	22.89	22.84	22.77	23.00	1
3	16-QAM	1	0	22.73	22.74	22.92	23.00	1
		1	7	22.73	22.81	22.92	23.00	1
		1	14	22.87	22.82	22.78	23.00	1
		8	0	21.87	21.81	21.91	22.00	2
		8	4	21.83	21.81	21.78	22.00	2
		8	7	21.81	21.87	21.93	22.00	2
		15	0	21.79	21.78	21.95	22.00	2
LTE Band 5								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				824.7	836.5	848.3		
Channel				20407	20525	20643		
1.4	QPSK	1	0	23.78	23.81	23.84	24.00	0
		1	2	23.89	23.79	23.90	24.00	0
		1	5	23.71	23.75	23.86	24.00	0
		3	0	23.78	23.69	23.78	24.00	0
		3	2	23.90	23.69	23.79	24.00	0
		3	3	23.71	23.88	23.78	24.00	0
		6	0	22.85	22.69	22.87	23.00	1
1.4	16-QAM	1	0	22.80	22.71	22.84	23.00	1
		1	2	22.87	22.83	22.83	23.00	1
		1	5	22.88	22.69	22.83	23.00	1
		3	0	22.82	22.86	22.77	23.00	1
		3	2	22.75	22.70	22.91	23.00	1
		3	3	22.71	22.77	22.78	23.00	1
		6	0	21.74	21.71	21.92	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 7								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2510	2535	2560		
Channel				20850	21100	21350		
20	QPSK	1	0	21.92	21.93	21.96	22.00	0
		1	50	21.78	21.80	21.90	22.00	0
		1	99	21.86	21.93	21.92	22.00	0
		50	0	20.73	20.90	20.79	21.00	1
		50	25	20.77	20.87	20.95	21.00	1
		50	50	20.73	20.91	20.90	21.00	1
		100	0	20.88	20.92	20.78	21.00	1
20	16-QAM	1	0	20.79	20.82	20.91	21.00	1
		1	50	20.89	20.91	20.79	21.00	1
		1	99	20.89	20.92	20.92	21.00	1
		50	0	19.90	19.83	19.86	20.00	2
		50	25	19.81	19.78	19.78	20.00	2
		50	50	19.86	19.79	19.95	20.00	2
		100	0	19.85	19.81	19.80	20.00	2
LTE Band 7								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2507.5	2535	2562.5		
Channel				20825	21100	21375		
15	QPSK	1	0	21.78	21.76	21.90	22.00	0
		1	36	21.73	21.74	21.89	22.00	0
		1	74	21.76	21.88	21.85	22.00	0
		36	0	20.89	20.84	20.85	21.00	1
		36	18	20.90	20.88	20.90	21.00	1
		36	37	20.72	20.86	20.83	21.00	1
		75	0	20.79	20.79	20.94	21.00	1
15	16-QAM	1	0	20.81	20.86	20.90	21.00	1
		1	36	20.90	20.82	20.95	21.00	1
		1	74	20.79	20.88	20.81	21.00	1
		36	0	19.78	19.83	19.93	20.00	2
		36	18	19.77	19.87	19.96	20.00	2
		36	37	19.88	19.91	19.87	20.00	2
		75	0	19.73	19.91	19.88	20.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 7								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2505	2535	2565		
Channel				20800	21100	21400		
10	QPSK	1	0	21.80	21.78	21.90	22.00	0
		1	25	21.75	21.85	21.76	22.00	0
		1	49	21.86	21.90	21.89	22.00	0
		25	0	20.75	20.85	20.77	21.00	1
		25	12	20.79	20.90	20.84	21.00	1
		25	25	20.74	20.74	20.82	21.00	1
		50	0	20.74	20.78	20.92	21.00	1
10	16-QAM	1	0	20.90	20.86	20.88	21.00	1
		1	25	20.80	20.81	20.94	21.00	1
		1	49	20.89	20.86	20.84	21.00	1
		25	0	19.91	19.91	19.87	20.00	2
		25	12	19.91	19.75	19.94	20.00	2
		25	25	19.90	19.88	19.92	20.00	2
		50	0	19.82	19.92	19.78	20.00	2
LTE Band 7								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2502.5	2535	2567.5		
Channel				20775	21100	21425		
5	QPSK	1	0	21.78	21.86	21.78	22.00	0
		1	12	21.86	21.77	21.82	22.00	0
		1	24	21.87	21.84	21.81	22.00	0
		12	0	20.81	20.83	20.89	21.00	1
		12	6	20.88	20.79	20.93	21.00	1
		12	13	20.74	20.93	20.85	21.00	1
		25	0	20.81	20.73	20.86	21.00	1
5	16-QAM	1	0	20.88	20.87	20.77	21.00	1
		1	12	20.78	20.76	20.93	21.00	1
		1	24	20.74	20.75	20.88	21.00	1
		12	0	19.74	19.87	19.91	20.00	2
		12	6	19.91	19.86	19.83	20.00	2
		12	13	19.81	19.87	19.91	20.00	2
		25	0	19.79	19.92	19.90	20.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 25								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1882.5	1905		
Channel				26140	26365	26590		
20	QPSK	1	0	21.96	21.94	21.88	22.00	0
		1	50	21.87	21.92	21.70	22.00	0
		1	99	21.94	21.78	21.72	22.00	0
		50	0	20.95	20.91	20.87	21.00	1
		50	25	20.91	20.93	20.83	21.00	1
		50	50	20.77	20.93	20.85	21.00	1
		100	0	20.79	20.93	20.75	21.00	1
20	16-QAM	1	0	20.95	20.86	20.84	21.00	1
		1	50	20.78	20.81	20.86	21.00	1
		1	99	20.80	20.81	20.69	21.00	1
		50	0	19.84	19.84	19.84	20.00	2
		50	25	19.90	19.78	19.73	20.00	2
		50	50	19.87	19.90	19.74	20.00	2
		100	0	19.78	19.92	19.83	20.00	2
LTE Band 25								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1882.5	1907.5		
Channel				26115	26365	26615		
15	QPSK	1	0	21.95	21.76	21.71	22.00	0
		1	36	21.80	21.94	21.85	22.00	0
		1	74	21.89	21.77	21.68	22.00	0
		36	0	20.96	20.82	20.80	21.00	1
		36	18	20.84	20.77	20.83	21.00	1
		36	37	20.90	20.81	20.75	21.00	1
		75	0	20.87	20.92	20.75	21.00	1
15	16-QAM	1	0	20.89	20.93	20.78	21.00	1
		1	36	20.87	20.84	20.76	21.00	1
		1	74	20.84	20.83	20.87	21.00	1
		36	0	19.84	19.94	19.78	20.00	2
		36	18	19.80	19.92	19.69	20.00	2
		36	37	19.93	19.76	19.87	20.00	2
		75	0	19.79	19.79	19.77	20.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 25								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1882.5	1910		
Channel				26090	26365	26640		
10	QPSK	1	0	21.92	21.75	21.76	22.00	0
		1	25	21.95	21.90	21.70	22.00	0
		1	49	21.94	21.81	21.83	22.00	0
		25	0	20.95	20.77	20.70	21.00	1
		25	12	20.92	20.93	20.73	21.00	1
		25	25	20.83	20.79	20.78	21.00	1
		50	0	20.92	20.83	20.81	21.00	1
10	16-QAM	1	0	20.94	20.76	20.75	21.00	1
		1	25	20.95	20.83	20.74	21.00	1
		1	49	20.84	20.85	20.75	21.00	1
		25	0	19.93	19.77	19.71	20.00	2
		25	12	19.87	19.87	19.69	20.00	2
		25	25	19.93	19.80	19.77	20.00	2
		50	0	19.90	19.86	19.86	20.00	2
LTE Band 25								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1882.5	1912.5		
Channel				26065	26365	26665		
5	QPSK	1	0	21.73	21.81	21.85	22.00	0
		1	12	21.89	21.90	21.77	22.00	0
		1	24	21.75	21.87	21.74	22.00	0
		12	0	20.86	20.76	20.85	21.00	1
		12	6	20.84	20.84	20.78	21.00	1
		12	13	20.88	20.86	20.81	21.00	1
		25	0	20.74	20.78	20.78	21.00	1
5	16-QAM	1	0	20.83	20.82	20.69	21.00	1
		1	12	20.82	20.77	20.85	21.00	1
		1	24	20.74	20.75	20.87	21.00	1
		12	0	19.79	19.86	19.69	20.00	2
		12	6	19.74	19.82	19.74	20.00	2
		12	13	19.76	19.77	19.80	20.00	2
		25	0	19.72	19.89	19.74	20.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 25								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1851.5	1882.5	1913.5		
Channel				26055	26365	26675		
3	QPSK	1	0	21.94	21.75	21.78	22.00	0
		1	7	21.78	21.85	21.79	22.00	0
		1	14	21.84	21.86	21.69	22.00	0
		8	0	20.89	20.79	20.81	21.00	1
		8	4	20.93	20.75	20.70	21.00	1
		8	7	20.80	20.87	20.70	21.00	1
		15	0	20.92	20.78	20.79	21.00	1
3	16-QAM	1	0	20.89	20.89	20.79	21.00	1
		1	7	20.82	20.76	20.74	21.00	1
		1	14	20.80	20.80	20.77	21.00	1
		8	0	19.84	19.94	19.69	20.00	2
		8	4	19.83	19.92	19.81	20.00	2
		8	7	19.92	19.80	19.71	20.00	2
		15	0	19.84	19.77	19.77	20.00	2
LTE Band 25								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1850.7	1882.5	1914.3		
Channel				26047	26365	26683		
1.4	QPSK	1	0	21.85	21.91	21.78	22.00	0
		1	2	21.84	21.86	21.88	22.00	0
		1	5	21.81	21.80	21.83	22.00	0
		3	0	21.77	21.87	21.74	22.00	0
		3	2	21.87	21.94	21.71	22.00	0
		3	3	21.83	21.77	21.73	22.00	0
		6	0	20.79	20.76	20.79	21.00	1
1.4	16-QAM	1	0	20.81	20.91	20.88	21.00	1
		1	2	20.95	20.80	20.71	21.00	1
		1	5	20.80	20.85	20.83	21.00	1
		3	0	20.78	20.94	20.76	21.00	1
		3	2	20.84	20.93	20.73	21.00	1
		3	3	20.92	20.92	20.82	21.00	1
		6	0	19.91	19.87	19.72	20.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 26_FCC								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				821.5	831.5	841.5		
Channel				26765	26865	26965		
15	QPSK	1	0	23.96	23.91	23.85	24.00	0
		1	36	23.78	23.86	23.68	24.00	0
		1	74	23.77	23.85	23.75	24.00	0
		36	0	22.84	22.73	22.70	23.00	1
		36	18	22.83	22.89	22.68	23.00	1
		36	37	22.84	22.72	22.80	23.00	1
		75	0	22.82	22.76	22.71	23.00	1
15	16-QAM	1	0	22.79	22.75	22.79	23.00	1
		1	36	22.85	22.80	22.77	23.00	1
		1	74	22.91	22.85	22.80	23.00	1
		36	0	21.82	21.78	21.77	22.00	2
		36	18	21.81	21.86	21.69	22.00	2
		36	37	21.88	21.83	21.72	22.00	2
		75	0	21.77	21.90	21.68	22.00	2
LTE Band 26_FCC								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				819	831.5	844		
Channel				26740	26865	26990		
10	QPSK	1	0	23.88	23.83	23.75	24.00	0
		1	25	23.77	23.91	23.83	24.00	0
		1	49	23.93	23.74	23.72	24.00	0
		25	0	22.78	22.87	22.76	23.00	1
		25	12	22.91	22.85	22.82	23.00	1
		25	25	22.92	22.88	22.71	23.00	1
		50	0	22.95	22.80	22.74	23.00	1
10	16-QAM	1	0	22.77	22.79	22.82	23.00	1
		1	25	22.77	22.77	22.80	23.00	1
		1	49	22.93	22.73	22.69	23.00	1
		25	0	21.93	21.84	21.71	22.00	2
		25	12	21.84	21.78	21.67	22.00	2
		25	25	21.88	21.82	21.83	22.00	2
		50	0	21.77	21.76	21.81	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 26_FCC								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				816.5	831.5	846.5		
Channel				26715	26865	27015		
5	QPSK	1	0	23.91	23.90	23.74	24.00	0
		1	12	23.87	23.86	23.71	24.00	0
		1	24	23.76	23.82	23.79	24.00	0
		12	0	22.85	22.79	22.67	23.00	1
		12	6	22.90	22.86	22.74	23.00	1
		12	13	22.79	22.73	22.76	23.00	1
		25	0	22.89	22.75	22.71	23.00	1
5	16-QAM	1	0	22.93	22.78	22.75	23.00	1
		1	12	22.79	22.90	22.81	23.00	1
		1	24	22.81	22.80	22.70	23.00	1
		12	0	21.89	21.78	21.70	22.00	2
		12	6	21.95	21.83	21.79	22.00	2
		12	13	21.86	21.90	21.83	22.00	2
		25	0	21.84	21.81	21.71	22.00	2
LTE Band 26_FCC								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				815.5	831.5	847.5		
Channel				26705	26865	27025		
3	QPSK	1	0	23.86	23.87	23.70	24.00	0
		1	7	23.87	23.73	23.84	24.00	0
		1	14	23.85	23.88	23.79	24.00	0
		8	0	22.87	22.73	22.74	23.00	1
		8	4	22.85	22.86	22.66	23.00	1
		8	7	22.79	22.87	22.68	23.00	1
		15	0	22.78	22.86	22.76	23.00	1
3	16-QAM	1	0	22.93	22.90	22.77	23.00	1
		1	7	22.89	22.89	22.74	23.00	1
		1	14	22.80	22.75	22.68	23.00	1
		8	0	21.86	21.79	21.66	22.00	2
		8	4	21.86	21.86	21.80	22.00	2
		8	7	21.91	21.80	21.77	22.00	2
		15	0	21.80	21.90	21.70	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 26_FCC								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				814.7	831.5	848.3		
Channel				26697	26865	27033		
1.4	QPSK	1	0	23.84	23.85	23.68	24.00	0
		1	2	23.93	23.80	23.79	24.00	0
		1	5	23.82	23.84	23.66	24.00	0
		3	0	23.94	23.83	23.80	24.00	0
		3	2	23.91	23.82	23.72	24.00	0
		3	3	23.81	23.88	23.83	24.00	0
		6	0	22.89	22.79	22.84	23.00	1
1.4	16-QAM	1	0	22.80	22.81	22.71	23.00	1
		1	2	22.90	22.72	22.69	23.00	1
		1	5	22.78	22.76	22.71	23.00	1
		3	0	22.87	22.78	22.77	23.00	1
		3	2	22.87	22.90	22.67	23.00	1
		3	3	22.92	22.81	22.73	23.00	1
		6	0	21.82	21.84	21.68	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 30								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2310				
Channel				27710				
10	QPSK	1	0	19.91			20.00	0
		1	25	19.75			20.00	0
		1	49	19.80			20.00	0
		25	0	18.77			19.00	1
		25	12	18.85			19.00	1
		25	25	18.75			19.00	1
		50	0	18.82			19.00	1
10	16-QAM	1	0	18.90			19.00	1
		1	25	18.81			19.00	1
		1	49	18.84			19.00	1
		25	0	17.89			18.00	2
		25	12	17.88			18.00	2
		25	25	17.78			18.00	2
		50	0	17.91			18.00	2
LTE Band 30								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2307.5	2310	2312.5		
Channel				27685	27710	27735		
5	QPSK	1	0	19.72	19.70	19.70	20.00	0
		1	12	19.85	19.59	19.62	20.00	0
		1	24	19.75	19.67	19.58	20.00	0
		12	0	18.84	18.68	18.58	19.00	1
		12	6	18.72	18.70	18.71	19.00	1
		12	13	18.88	18.72	18.63	19.00	1
		25	0	18.81	18.56	18.67	19.00	1
5	16-QAM	1	0	18.78	18.75	18.62	19.00	1
		1	12	18.79	18.73	18.70	19.00	1
		1	24	18.87	18.65	18.58	19.00	1
		12	0	17.81	17.60	17.67	18.00	2
		12	6	17.85	17.62	17.77	18.00	2
		12	13	17.73	17.69	17.74	18.00	2
		25	0	17.89	17.74	17.67	18.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 66								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1720	1745	1770		
Channel				132072	132322	132572		
20	QPSK	1	0	20.79	20.88	20.48	21.00	0
		1	50	20.85	20.70	20.44	21.00	0
		1	99	20.80	20.89	20.46	21.00	0
		50	0	19.74	19.78	19.46	20.00	1
		50	25	19.76	19.71	19.33	20.00	1
		50	50	19.87	19.84	19.50	20.00	1
		100	0	19.74	19.78	19.42	20.00	1
20	16-QAM	1	0	19.71	19.74	19.34	20.00	1
		1	50	19.77	19.89	19.51	20.00	1
		1	99	19.69	19.88	19.48	20.00	1
		50	0	18.72	18.72	18.48	19.00	2
		50	25	18.87	18.77	18.46	19.00	2
		50	50	18.84	18.81	18.44	19.00	2
		100	0	18.71	18.70	18.49	19.00	2
LTE Band 66								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1717.5	1745	1772.5		
Channel				132047	132322	132597		
15	QPSK	1	0	20.84	20.73	20.45	21.00	0
		1	36	20.71	20.85	20.44	21.00	0
		1	74	20.87	20.85	20.35	21.00	0
		36	0	19.76	19.70	19.33	20.00	1
		36	18	19.85	19.84	19.36	20.00	1
		36	37	19.78	19.76	19.37	20.00	1
		75	0	19.69	19.83	19.36	20.00	1
15	16-QAM	1	0	19.76	19.83	19.51	20.00	1
		1	36	19.88	19.88	19.51	20.00	1
		1	74	19.86	19.69	19.45	20.00	1
		36	0	18.68	18.76	18.46	19.00	2
		36	18	18.71	18.86	18.41	19.00	2
		36	37	18.81	18.79	18.51	19.00	2
		75	0	18.76	18.71	18.37	19.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 66								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1715	1745	1775		
Channel				132022	132322	132622		
10	QPSK	1	0	20.85	20.72	20.50	21.00	0
		1	25	20.76	20.82	20.48	21.00	0
		1	49	20.87	20.70	20.42	21.00	0
		25	0	19.79	19.87	19.52	20.00	1
		25	12	19.73	19.71	19.45	20.00	1
		25	25	19.70	19.71	19.36	20.00	1
		50	0	19.75	19.81	19.40	20.00	1
10	16-QAM	1	0	19.86	19.85	19.47	20.00	1
		1	25	19.70	19.76	19.47	20.00	1
		1	49	19.81	19.88	19.46	20.00	1
		25	0	18.80	18.80	18.35	19.00	2
		25	12	18.80	18.79	18.48	19.00	2
		25	25	18.79	18.84	18.40	19.00	2
		50	0	18.82	18.70	18.49	19.00	2
LTE Band 66								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1712.5	1745	1777.5		
Channel				131997	132322	132647		
5	QPSK	1	0	20.74	20.76	20.46	21.00	0
		1	12	20.83	20.85	20.49	21.00	0
		1	24	20.73	20.83	20.33	21.00	0
		12	0	19.76	19.70	19.47	20.00	1
		12	6	19.70	19.70	19.40	20.00	1
		12	13	19.87	19.75	19.34	20.00	1
		25	0	19.83	19.83	19.47	20.00	1
5	16-QAM	1	0	19.75	19.73	19.36	20.00	1
		1	12	19.69	19.85	19.40	20.00	1
		1	24	19.82	19.89	19.33	20.00	1
		12	0	18.78	18.74	18.36	19.00	2
		12	6	18.83	18.84	18.37	19.00	2
		12	13	18.77	18.86	18.46	19.00	2
		25	0	18.86	18.87	18.47	19.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 66								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1711.5	1745	1778.5		
Channel				131987	132322	132657		
3	QPSK	1	0	20.80	20.77	20.44	21.00	0
		1	7	20.87	20.84	20.47	21.00	0
		1	14	20.73	20.86	20.48	21.00	0
		8	0	19.71	19.87	19.38	20.00	1
		8	4	19.71	19.79	19.51	20.00	1
		8	7	19.71	19.79	19.37	20.00	1
		15	0	19.85	19.87	19.52	20.00	1
3	16-QAM	1	0	19.82	19.72	19.36	20.00	1
		1	7	19.75	19.86	19.50	20.00	1
		1	14	19.85	19.85	19.44	20.00	1
		8	0	18.79	18.70	18.36	19.00	2
		8	4	18.82	18.74	18.48	19.00	2
		8	7	18.79	18.84	18.45	19.00	2
		15	0	18.74	18.77	18.46	19.00	2
LTE Band 66								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1710.7	1745	1779.3		
Channel				131979	132322	132665		
1.4	QPSK	1	0	20.79	20.71	20.38	21.00	0
		1	2	20.73	20.76	20.44	21.00	0
		1	5	20.71	20.83	20.38	21.00	0
		3	0	20.74	20.85	20.39	21.00	0
		3	2	20.82	20.79	20.51	21.00	0
		3	3	20.82	20.79	20.45	21.00	0
		6	0	19.82	19.77	19.51	20.00	1
1.4	16-QAM	1	0	19.86	19.79	19.51	20.00	1
		1	2	19.70	19.84	19.36	20.00	1
		1	5	19.78	19.85	19.50	20.00	1
		3	0	19.84	19.78	19.44	20.00	1
		3	2	19.77	19.71	19.45	20.00	1
		3	3	19.69	19.78	19.44	20.00	1
		6	0	18.84	18.72	18.40	19.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5.3 TDD LTE

LTE Band 38								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2580	2595	2610		
Channel				37850	38000	38150		
20	QPSK	1	0	23.04	23.02	23.07	24.00	0
		1	50	22.98	22.92	22.95	24.00	0
		1	99	23.02	22.95	23.00	24.00	0
		50	0	21.92	21.92	21.92	23.00	1
		50	25	21.87	21.85	22.01	23.00	1
		50	50	21.97	21.88	22.03	23.00	1
		100	0	22.02	21.90	22.00	23.00	1
20	16-QAM	1	0	22.02	21.86	21.90	23.00	1
		1	50	21.93	21.93	22.05	23.00	1
		1	99	22.04	22.01	21.92	23.00	1
		50	0	20.89	20.89	21.04	22.00	2
		50	25	21.03	20.86	20.98	22.00	2
		50	50	21.05	20.95	20.87	22.00	2
		100	0	20.99	20.98	21.03	22.00	2
LTE Band 38								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2577.5	2595	2612.5		
Channel				37825	38000	38175		
15	QPSK	1	0	22.93	22.95	22.89	24.00	0
		1	36	22.93	22.89	22.91	24.00	0
		1	74	23.02	22.94	22.96	24.00	0
		36	0	21.91	21.94	21.99	23.00	1
		36	18	22.00	21.92	21.96	23.00	1
		36	37	21.87	21.89	21.85	23.00	1
		75	0	21.87	21.98	21.89	23.00	1
15	16-QAM	1	0	21.90	21.83	22.05	23.00	1
		1	36	22.05	21.84	21.95	23.00	1
		1	74	22.04	22.01	21.85	23.00	1
		36	0	21.00	20.83	20.97	22.00	2
		36	18	21.01	21.02	21.02	22.00	2
		36	37	20.87	20.89	21.04	22.00	2
		75	0	20.99	21.01	20.92	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 38								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2575	2595	2615		
Channel				37800	38000	38200		
10	QPSK	1	0	22.91	23.00	22.96	24.00	0
		1	25	23.02	22.99	23.02	24.00	0
		1	49	22.91	23.02	23.03	24.00	0
		25	0	21.87	22.01	21.95	23.00	1
		25	12	22.02	21.84	21.89	23.00	1
		25	25	22.00	22.00	21.91	23.00	1
		50	0	21.85	21.93	21.92	23.00	1
10	16-QAM	1	0	21.94	22.01	22.00	23.00	1
		1	25	21.96	21.94	22.03	23.00	1
		1	49	22.00	21.85	21.97	23.00	1
		25	0	21.01	20.83	20.91	22.00	2
		25	12	20.87	20.96	20.97	22.00	2
		25	25	21.00	20.96	20.93	22.00	2
		50	0	20.88	20.91	20.87	22.00	2
LTE Band 38								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2572.5	2595	2617.5		
Channel				37775	38000	38225		
5	QPSK	1	0	23.01	22.91	22.95	24.00	0
		1	12	22.89	22.90	22.86	24.00	0
		1	24	22.90	22.83	22.94	24.00	0
		12	0	21.97	21.91	22.00	23.00	1
		12	6	21.90	21.85	22.04	23.00	1
		12	13	21.85	21.98	21.86	23.00	1
		25	0	21.98	21.87	22.03	23.00	1
5	16-QAM	1	0	22.05	22.01	21.93	23.00	1
		1	12	22.03	21.84	21.89	23.00	1
		1	24	22.01	21.87	22.02	23.00	1
		12	0	20.92	20.89	20.98	22.00	2
		12	6	20.94	20.98	20.96	22.00	2
		12	13	20.85	20.96	20.89	22.00	2
		25	0	20.86	20.83	21.03	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 41_PC3										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506	2549.5	2593	2636.5	2680		
Channel				39750	40185	40620	41055	41490		
20	QPSK	1	0	22.91	22.90	22.84	22.99	23.09	24.00	0
		1	50	22.78	22.75	22.64	22.86	22.90	24.00	0
		1	99	22.85	22.83	22.74	22.83	23.03	24.00	0
		50	0	21.78	21.86	21.66	21.82	21.93	23.00	1
		50	25	21.89	21.86	21.65	21.96	21.97	23.00	1
		50	50	21.74	21.71	21.72	21.82	22.02	23.00	1
20	16-QAM	100	0	21.90	21.74	21.84	21.94	21.94	23.00	1
		1	0	21.88	21.89	21.70	21.87	21.92	23.00	1
		1	50	21.74	21.70	21.77	21.86	21.96	23.00	1
		1	99	21.77	21.77	21.74	21.85	21.98	23.00	1
		50	0	20.91	20.79	20.79	20.82	20.89	22.00	2
		50	25	20.79	20.86	20.68	20.98	21.06	22.00	2
20	16-QAM	50	50	20.81	20.85	20.78	20.91	20.92	22.00	2
		100	0	20.72	20.72	20.68	20.96	20.94	22.00	2

LTE Band 41_PC3										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2548.3	2593	2637.8	2682.5		
Channel				39725	40173	40620	41068	41515		
15	QPSK	1	0	22.85	22.85	22.83	22.81	22.88	24.00	0
		1	36	22.72	22.85	22.74	22.79	23.02	24.00	0
		1	74	22.84	22.72	22.76	22.87	22.92	24.00	0
		36	0	21.81	21.83	21.83	21.94	21.90	23.00	1
		36	18	21.90	21.90	21.81	21.93	21.99	23.00	1
		36	37	21.87	21.87	21.75	21.95	21.93	23.00	1
		75	0	21.73	21.75	21.75	21.83	22.00	23.00	1
15	16-QAM	1	0	21.74	21.77	21.76	21.87	21.93	23.00	1
		1	36	21.88	21.74	21.77	21.94	21.93	23.00	1
		1	74	21.74	21.81	21.74	21.90	22.06	23.00	1
		36	0	20.83	20.89	20.66	20.96	20.96	22.00	2
		36	18	20.85	20.74	20.82	20.89	21.00	22.00	2
		36	37	20.79	20.83	20.78	20.86	21.00	22.00	2
15	16-QAM	75	0	20.78	20.76	20.72	20.79	21.05	22.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 41_PC3										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501	2547	2593	2639	2685		
Channel				39700	40160	40620	41080	41540		
10	QPSK	1	0	22.83	22.79	22.72	22.91	22.89	24.00	0
		1	25	22.71	22.78	22.83	22.79	22.93	24.00	0
		1	49	22.89	22.78	22.68	22.99	22.99	24.00	0
		25	0	21.72	21.83	21.67	21.92	22.04	23.00	1
		25	12	21.73	21.87	21.77	21.98	22.06	23.00	1
		25	25	21.75	21.82	21.76	21.85	22.07	23.00	1
10	16-QAM	50	0	21.74	21.88	21.78	21.82	21.90	23.00	1
		1	0	21.82	21.73	21.81	21.98	21.95	23.00	1
		1	25	21.80	21.85	21.67	21.85	22.06	23.00	1
		1	49	21.84	21.84	21.75	21.94	21.90	23.00	1
		25	0	20.82	20.71	20.69	20.92	20.91	22.00	2
		25	12	20.74	20.80	20.83	20.89	21.06	22.00	2
25	25	20.83	20.85	20.74	20.92	20.99	22.00	2		
50	0	20.86	20.73	20.74	20.82	21.03	22.00	2		
LTE Band 41_PC3										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2498.5	2545.8	2593	2640.3	2687.5		
Channel				39675	40148	40620	41093	41565		
5	QPSK	1	0	22.84	22.80	22.64	22.94	23.08	24.00	0
		1	12	22.88	22.87	22.83	22.84	22.98	24.00	0
		1	24	22.87	22.85	22.75	22.88	23.00	24.00	0
		12	0	21.83	21.79	21.67	21.95	22.01	23.00	1
		12	6	21.82	21.70	21.83	21.86	22.08	23.00	1
		12	13	21.73	21.78	21.66	21.91	22.01	23.00	1
5	16-QAM	25	0	21.83	21.71	21.75	21.92	21.89	23.00	1
		1	0	21.88	21.78	21.74	21.79	21.97	23.00	1
		1	12	21.90	21.83	21.77	21.98	22.02	23.00	1
		1	24	21.88	21.81	21.78	21.99	21.91	23.00	1
		12	0	20.78	20.88	20.82	20.93	20.94	22.00	2
		12	6	20.88	20.88	20.82	20.83	21.02	22.00	2
12	13	20.86	20.80	20.83	20.88	20.99	22.00	2		
25	0	20.75	20.90	20.66	20.95	21.03	22.00	2		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 48									
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)				Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)			3560	3609	3641	3690			
Channel			55340	55830	56150	56640			
20	QPSK	1	0	21.26	21.52	21.25	21.29	22.00	0
		1	50	21.19	21.40	21.13	21.09	22.00	0
		1	99	21.25	21.51	21.05	21.26	22.00	0
		50	0	20.15	20.43	20.09	20.08	21.00	1
		50	25	20.24	20.43	20.08	20.15	21.00	1
		50	50	20.09	20.35	20.25	20.19	21.00	1
20	16-QAM	1	0	20.09	20.46	20.06	20.15	21.00	1
		1	50	20.10	20.51	20.24	20.14	21.00	1
		1	99	20.13	20.46	20.12	20.13	21.00	1
		50	0	19.18	19.50	19.23	19.11	20.00	2
		50	25	19.24	19.36	19.11	19.24	20.00	2
		50	50	19.17	19.46	19.13	19.17	20.00	2
		100	0	19.13	19.38	19.22	19.12	20.00	2
LTE Band 48									
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)				Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)			3557.5	3608	3642	3692.5			
Channel			55315	55820	56160	56665			
15	QPSK	1	0	21.20	21.45	21.19	21.12	22.00	0
		1	36	21.16	21.36	21.07	21.15	22.00	0
		1	74	21.23	21.50	21.12	21.12	22.00	0
		36	0	20.26	20.51	20.18	20.21	21.00	1
		36	18	20.13	20.41	20.14	20.25	21.00	1
		36	37	20.24	20.49	20.23	20.18	21.00	1
15	16-QAM	1	0	20.12	20.33	20.20	20.08	21.00	1
		1	36	20.17	20.43	20.06	20.10	21.00	1
		1	74	20.06	20.38	20.09	20.15	21.00	1
		36	0	19.10	19.41	19.15	19.11	20.00	2
		36	18	19.18	19.36	19.13	19.22	20.00	2
		36	37	19.22	19.38	19.06	19.20	20.00	2
		75	0	19.10	19.34	19.16	19.16	20.00	2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 48									
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)				Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)			3555	3607.5	3642.5	3695			
Channel			55290	55815	56165	56690			
10	QPSK	1	0	21.16	21.46	21.11	21.16	22.00	0
		1	25	21.06	21.49	21.10	21.09	22.00	0
		1	49	21.23	21.42	21.12	21.17	22.00	0
		25	0	20.09	20.46	20.23	20.24	21.00	1
		25	12	20.20	20.50	20.07	20.27	21.00	1
		25	25	20.10	20.51	20.07	20.23	21.00	1
10	16-QAM	1	0	20.18	20.45	20.07	20.12	21.00	1
		1	25	20.19	20.48	20.09	20.14	21.00	1
		1	49	20.14	20.34	20.24	20.26	21.00	1
		25	0	19.24	19.51	19.12	19.15	20.00	2
		25	12	19.08	19.49	19.18	19.20	20.00	2
		25	25	19.10	19.34	19.06	19.19	20.00	2
10	16-QAM	50	0	20.13	20.45	20.07	20.10	21.00	1
		1	0	20.18	20.45	20.07	20.12	21.00	1
		1	25	20.19	20.48	20.09	20.14	21.00	1
		1	49	20.14	20.34	20.24	20.26	21.00	1
		25	0	19.24	19.51	19.12	19.15	20.00	2
		25	12	19.08	19.49	19.18	19.20	20.00	2
5	QPSK	1	0	21.22	21.34	21.18	21.10	22.00	0
		1	12	21.22	21.44	21.22	21.18	22.00	0
		1	24	21.16	21.47	21.16	21.24	22.00	0
		12	0	20.23	20.38	20.07	20.21	21.00	1
		12	6	20.20	20.49	20.19	20.19	21.00	1
		12	13	20.13	20.35	20.24	20.25	21.00	1
5	16-QAM	25	0	20.14	20.47	20.22	20.17	21.00	1
		1	0	20.17	20.44	20.19	20.15	21.00	1
		1	12	20.20	20.50	20.22	20.26	21.00	1
		1	24	20.18	20.46	20.17	20.08	21.00	1
		12	0	19.25	19.46	19.14	19.23	20.00	2
		12	6	19.12	19.46	19.15	19.12	20.00	2
5	16-QAM	12	13	19.15	19.37	19.13	19.24	20.00	2
		25	0	19.24	19.34	19.06	19.25	20.00	2

LTE Band 48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6 SUMMARY OF RESULTS

6.1 Decision rules

Reported measurement data comply with Test Methodology in section 1.1.

Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

6.2 Summary of SAR Results

Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
WCDMA Band II	Bottom of Laptop	0	9262	1852.4	21.0	20.85	103.51%	0.987	1.022	-
WCDMA Band II	Bottom of Laptop	0	9400	1880	21.0	20.92	101.86%	1.070	1.090	001
WCDMA Band II	Bottom of Laptop	0	9538	1907.6	21.0	20.74	106.17%	0.913	0.969	-
WCDMA Band II	Front Edge of Laptop	0	9400	1880	24.5	23.82	116.95%	0.286	0.334	004
WCDMA Band II	Bottom of Laptop*	0	9400	1880	21.0	20.92	101.86%	0.994	1.012	-
WCDMA Band II	Bottom of Laptop**	0	9400	1880	21.0	20.92	101.86%	0.928	0.945	-
WCDMA Band IV	Bottom of Laptop	0	1312	1712.4	21.0	20.95	101.16%	0.923	0.934	-
WCDMA Band IV	Bottom of Laptop	0	1412	1732.4	21.0	20.97	100.69%	0.997	1.004	002
WCDMA Band IV	Bottom of Laptop	0	1513	1752.6	21.0	20.94	101.39%	0.886	0.898	-
WCDMA Band IV	Front Edge of Laptop	0	1412	1732.4	24.5	23.75	118.85%	0.271	0.322	005
WCDMA Band IV	Bottom of Laptop*	0	1412	1732.4	21.0	20.97	100.69%	0.964	0.971	-
WCDMA Band IV	Bottom of Laptop**	0	1412	1732.4	21.0	20.97	100.69%	0.902	0.908	-
WCDMA Band V	Bottom of Laptop	0	4132	826.4	24.5	23.75	118.85%	0.840	0.998	003
WCDMA Band V	Bottom of Laptop	0	4183	836.6	24.5	23.62	122.46%	0.796	0.975	-
WCDMA Band V	Bottom of Laptop	0	4233	846.6	24.5	23.66	121.34%	0.749	0.909	-
WCDMA Band V	Front Edge of Laptop	0	4132	826.4	24.5	23.75	118.85%	0.363	0.431	006
WCDMA Band V	Bottom of Laptop*	0	4132	826.4	24.5	23.75	118.85%	0.822	0.977	-
WCDMA Band V	Bottom of Laptop**	0	4132	826.4	24.5	23.75	118.85%	0.776	0.922	-

Note: * - repeated at the highest SAR measurement according to the KDB 865664 D01

Note: ** - INPAQ Spot check

Band	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
								Measured	Reported	
WCDMA Band II	Bottom of Laptop	19	9262	1852.4	24.5	23.91	114.55%	0.501	0.574	-
WCDMA Band II	Bottom of Laptop	19	9400	1880	24.5	23.82	116.95%	0.540	0.632	007
WCDMA Band II	Bottom of Laptop	19	9538	1907.6	24.5	23.96	113.24%	0.522	0.591	-
WCDMA Band II	Bottom of Laptop**	19	9400	1880	24.5	23.48	126.47%	0.478	0.605	-
WCDMA Band IV	Bottom of Laptop	19	1312	1712.4	24.5	23.45	127.35%	0.365	0.465	-
WCDMA Band IV	Bottom of Laptop	19	1412	1732.4	24.5	23.75	118.85%	0.421	0.500	008
WCDMA Band IV	Bottom of Laptop	19	1513	1752.6	24.5	23.49	126.18%	0.387	0.488	-
WCDMA Band IV	Bottom of Laptop**	19	1412	1732.4	24.5	23.57	123.88%	0.372	0.461	-

Note: ** - INPAQ Spot check

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID		
												Measured	Reported			
LTE Band 2	20MHz	QPSK	1	0	Bottom of Laptop	0	18700	1860	21.50	21.49	100.23%	0.954	0.956	012		
LTE Band 2			1	0	Bottom of Laptop	0	18900	1880	21.50	21.39	102.57%	0.903	0.926	-		
LTE Band 2			1	0	Bottom of Laptop	0	19100	1900	21.50	21.45	101.16%	0.845	0.855	-		
LTE Band 2			50	25	Bottom of Laptop	0	19100	1860	20.50	20.39	102.57%	0.727	0.746	-		
LTE Band 2			100RB		Bottom of Laptop	0	18700	1860	20.50	20.39	102.57%	0.723	0.742	-		
LTE Band 2			1	0	Front Edge of Laptop	0	18700	1860	24.00	23.46	113.24%	0.338	0.383	029		
LTE Band 2			50	50	Front Edge of Laptop	0	18900	1860	23.00	22.30	117.49%	0.321	0.377	-		
LTE Band 2			1	0	Bottom of Laptop*	0	18700	1860	21.50	21.49	100.23%	0.931	0.933	-		
LTE Band 2			1	0	Bottom of Laptop**	0	18700	1860	21.50	21.49	100.23%	0.873	0.875	-		
LTE Band 4			20MHz	QPSK	1	0	Bottom of Laptop	0	20050	1720	21.00	20.96	100.93%	0.821	0.829	-
LTE Band 4					1	0	Bottom of Laptop	0	20175	1732.5	21.00	20.95	101.16%	0.768	0.777	-
LTE Band 4					1	0	Bottom of Laptop	0	20300	1745	21.00	20.99	100.23%	0.861	0.863	013
LTE Band 4	50	0			Bottom of Laptop	0	20050	1720	20.00	19.80	104.71%	0.753	0.788	-		
LTE Band 4	100RB				Bottom of Laptop	0	20300	1745	20.00	19.86	103.28%	0.720	0.744	-		
LTE Band 4	1	0			Front Edge of Laptop	0	20300	1745	24.00	23.64	108.64%	0.273	0.297	030		
LTE Band 4	50	50			Front Edge of Laptop	0	20050	1720	23.00	22.36	115.88%	0.251	0.291	-		
LTE Band 4	1	0			Bottom of Laptop*	0	20300	1745	21.00	20.99	100.23%	0.824	0.826	-		
LTE Band 4	1	0			Bottom of Laptop**	0	20300	1745	21.00	20.99	100.23%	0.774	0.776	-		
LTE Band 5	10MHz	QPSK			1	0	Bottom of Laptop	0	20450	829	24.00	23.91	102.09%	0.818	0.835	-
LTE Band 5					1	0	Bottom of Laptop	0	20525	836.5	24.00	23.89	102.57%	0.802	0.823	-
LTE Band 5					1	0	Bottom of Laptop	0	20600	844	24.00	23.96	100.93%	0.865	0.873	014
LTE Band 5			25	12	Bottom of Laptop	0	20450	829	23.00	22.86	103.28%	0.791	0.817	-		
LTE Band 5			25	0	Bottom of Laptop	0	20525	836.5	23.00	22.77	105.44%	0.728	0.768	-		
LTE Band 5			25	12	Bottom of Laptop	0	20600	844	23.00	22.91	102.09%	0.734	0.749	-		
LTE Band 5			50RB		Bottom of Laptop	0	20600	844	23.00	22.91	102.09%	0.711	0.726	-		
LTE Band 5			1	0	Front Edge of Laptop	0	20600	844	25.00	24.38	115.35%	0.342	0.394	031		
LTE Band 5			25	25	Front Edge of Laptop	0	20600	844	24.00	23.39	115.08%	0.329	0.379	-		
LTE Band 5			1	0	Bottom of Laptop*	0	20600	844	24.00	23.96	100.93%	0.857	0.865	-		
LTE Band 5			1	0	Bottom of Laptop**	0	20600	844	24.00	23.96	100.93%	0.818	0.826	-		
LTE Band 7			20MHz	QPSK	1	0	Bottom of Laptop	0	20850	2510	22.00	21.92	101.86%	0.871	0.887	-
LTE Band 7	1	0			Bottom of Laptop	0	21100	2535	22.00	21.93	101.62%	0.877	0.891	-		
LTE Band 7	1	0			Bottom of Laptop	0	21350	2560	22.00	21.96	100.93%	0.944	0.953	015		
LTE Band 7	50	25			Bottom of Laptop	0	20850	2510	21.00	20.77	105.44%	0.728	0.768	-		
LTE Band 7	50	50			Bottom of Laptop	0	21100	2535	21.00	20.91	102.09%	0.774	0.790	-		
LTE Band 7	50	25			Bottom of Laptop	0	21350	2560	21.00	20.95	101.16%	0.720	0.728	-		
LTE Band 7	100RB				Bottom of Laptop	0	21100	2535	21.00	20.92	101.86%	0.716	0.729	-		
LTE Band 7	1	0			Front Edge of Laptop	0	21350	2560	24.00	23.65	108.39%	0.578	0.627	032		
LTE Band 7	50	25			Front Edge of Laptop	0	21350	2560	23.00	22.59	109.90%	0.548	0.602	-		
LTE Band 7	1	0			Bottom of Laptop*	0	21350	2560	22.00	21.96	100.93%	0.928	0.937	-		
LTE Band 7	1	0			Bottom of Laptop**	0	21350	2560	22.00	21.96	100.93%	0.912	0.920	-		
LTE Band 12	10MHz	QPSK			1	0	Bottom of Laptop	0	23060	704	25.00	23.97	126.77%	0.870	1.103	-
LTE Band 12			1	0	Bottom of Laptop	0	23095	707.5	25.00	23.99	126.18%	0.932	1.176	-		
LTE Band 12			1	0	Bottom of Laptop	0	23130	711	25.00	24.15	121.62%	0.955	1.161	016		
LTE Band 12			25	25	Bottom of Laptop	0	23060	704	24.00	22.84	130.62%	0.631	0.824	-		
LTE Band 12			25	0	Bottom of Laptop	0	23095	707.5	24.00	22.94	127.64%	0.652	0.832	-		
LTE Band 12			25	0	Bottom of Laptop	0	23130	711	24.00	23.04	124.74%	0.686	0.856	-		
LTE Band 12			50RB		Bottom of Laptop	0	23130	711	24.00	23.02	125.31%	0.628	0.787	-		
LTE Band 12			1	0	Front Edge of Laptop	0	23130	711	25.00	24.15	121.62%	0.285	0.347	033		
LTE Band 12			25	0	Front Edge of Laptop	0	23130	711	24.00	23.04	124.74%	0.273	0.341	-		
LTE Band 12			1	0	Bottom of Laptop*	0	23130	711	25.00	24.15	121.62%	0.921	1.120	-		
LTE Band 12			1	0	Bottom of Laptop**	0	23130	711	25.00	24.15	121.62%	0.882	1.073	-		
LTE Band 13			10MHz	QPSK	1	0	Bottom of Laptop	0	23230	782	25.00	24.42	114.29%	0.849	0.970	017
LTE Band 13	25	25			Bottom of Laptop	0	23230	782	24.00	23.30	117.49%	0.799	0.927	-		
LTE Band 13	50RB				Bottom of Laptop	0	23230	782	24.00	23.36	115.88%	0.799	0.926	-		
LTE Band 13	1	0			Front Edge of Laptop	0	23230	782	25.00	24.42	114.29%	0.345	0.394	034		
LTE Band 13	25	25			Front Edge of Laptop	0	23230	782	24.00	23.30	117.49%	0.330	0.388	-		
LTE Band 13	1	0			Bottom of Laptop*	0	23230	782	25.00	24.42	114.29%	0.832	0.951	-		
LTE Band 13	1	0			Bottom of Laptop**	0	23230	782	25.00	24.42	114.29%	0.801	0.915	-		
LTE Band 14	10MHz	QPSK			1	0	Bottom of Laptop	0	23330	793	25.00	24.29	117.76%	0.992	1.168	018
LTE Band 14			25	25	Bottom of Laptop	0	23330	793	24.00	23.23	119.40%	0.833	0.995	-		
LTE Band 14			50RB		Bottom of Laptop	0	23330	793	24.00	23.27	118.30%	0.845	1.000	-		
LTE Band 14			1	0	Front Edge of Laptop	0	23330	793	25.00	24.29	117.76%	0.406	0.478	035		
LTE Band 14			25	25	Front Edge of Laptop	0	23330	793	24.00	23.23	119.40%	0.359	0.429	-		
LTE Band 14			1	0	Bottom of Laptop*	0	23330	793	25.00	24.29	117.76%	0.971	1.143	-		
LTE Band 14			1	0	Bottom of Laptop**	0	23330	793	25.00	24.29	117.76%	0.952	1.121	-		
LTE Band 17			10MHz	QPSK	1	0	Bottom of Laptop	0	23780	709	25.00	23.96	127.06%	0.852	1.083	019
LTE Band 17	1	0			Bottom of Laptop	0	23790	710	25.00	23.91	128.53%	0.811	1.042	-		
LTE Band 17	1	0			Bottom of Laptop	0	23800	711	25.00	23.95	127.35%	0.822	1.047	-		
LTE Band 17	25	25			Bottom of Laptop	0	23780	709	24.00	22.96	127.06%	0.689	0.875	-		
LTE Band 17	25	12			Bottom of Laptop	0	23790	710	24.00	22.81	131.52%	0.678	0.892	-		
LTE Band 17	25	0			Bottom of Laptop	0	23800	711	24.00	22.87	129.72%	0.682	0.885	-		
LTE Band 17	50RB				Bottom of Laptop	0	23800	711	24.00	22.90	128.82%	0.669	0.862	-		
LTE Band 17	1	0			Front Edge of Laptop	0	23780	709	25.00	23.96	127.06%	0.399	0.507	036		
LTE Band 17	25	12			Front Edge of Laptop	0	23790	710	24.00	22.81	131.52%	0.303	0.399	-		
LTE Band 17	1	0			Bottom of Laptop*	0	23780	709	25.00	23.96	127.06%	0.835	1.061	-		
LTE Band 17	1	0			Bottom of Laptop**	0	23780	709	25.00	23.96	127.06%	0.809	1.028	-		
LTE Band 25	20MHz	QPSK			1	0	Bottom of Laptop	0	26140	1860	22.00	21.96	100.93%	1.030	1.040	020
LTE Band 25			1	0	Bottom of Laptop	0	26365	1882.5	22.00	21.94	101.39%	0.972	0.986	-		
LTE Band 25			1	0	Bottom of Laptop	0	26590	1905	22.00	21.88	102.80%	0.995	1.023	-		
LTE Band 25			50	0	Bottom of Laptop	0	26140	1860	21.00	20.95	101.16%	0.824	0.834	-		
LTE Band 25			50	25	Bottom of Laptop	0	26365	1882.5	21.00	20.93	101.62%	0.856	0.870	-		
LTE Band 25			100RB		Bottom of Laptop	0	26590	1905	21.00	20.87	103.04%	0.826	0.851	-		
LTE Band 25			100RB		Bottom of Laptop	0	26365	1882.5	21.00	20.93	101.62%	0.808	0.821	-		
LTE Band 25			1	0	Front Edge of Laptop	0	26140	1860	24.00	23.56	110.66%	0.370	0.409	037		
LTE Band 25			50	50	Front Edge of Laptop	0	26590	1905	23.00	22.31	117.22%	0.315	0.369	-		
LTE Band 25			1	0	Bottom of Laptop*	0	26140	1860	22.00	21.96	100.93%	1.010	1.019	-		
LTE Band 25			1	0	Bottom of Laptop**	0	26140	1860	22.00	21.96	100.93%	0.986	0.995	-		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued

LTE Band 26_FCC	15MHz	QPSK	1	0	Bottom of Laptop	0	26765	821.5	24.00	23.96	100.93%	0.947	0.956	021		
LTE Band 26_FCC			1	0	Bottom of Laptop	0	26865	831.5	24.00	23.91	102.09%	0.922	0.941	-		
LTE Band 26_FCC			1	0	Bottom of Laptop	0	26965	841.5	24.00	23.85	103.51%	0.909	0.941	-		
LTE Band 26_FCC			36	0	Bottom of Laptop	0	26765	821.5	23.00	22.84	103.75%	0.854	0.886	-		
LTE Band 26_FCC			36	18	Bottom of Laptop	0	26865	831.5	23.00	22.89	102.57%	0.863	0.885	-		
LTE Band 26_FCC			36	37	Bottom of Laptop	0	26965	841.5	23.00	22.80	104.71%	0.829	0.868	-		
LTE Band 26_FCC			75RB		Bottom of Laptop	0	26765	821.5	23.00	22.82	104.23%	0.822	0.857	-		
LTE Band 26_FCC			1	0	Front Edge of Laptop	0	26765	821.5	25.00	24.41	114.55%	0.370	0.424	038		
LTE Band 26_FCC			36	0	Front Edge of Laptop	0	26765	821.5	24.00	23.37	115.61%	0.336	0.388	-		
LTE Band 26_FCC			1	0	Bottom of Laptop*	0	26765	821.5	24.00	23.96	100.93%	0.926	0.935	-		
LTE Band 26_FCC			1	0	Bottom of Laptop**	0	26765	821.5	24.00	23.96	100.93%	0.901	0.909	-		
LTE Band 30			10MHz	QPSK	1	0	Bottom of Laptop	0	27710	2310	20.00	19.91	102.09%	0.906	0.925	023
LTE Band 30	25	12			Bottom of Laptop	0	27710	2310	19.00	18.85	103.51%	0.811	0.840	-		
LTE Band 30	50RB				Bottom of Laptop	0	27710	2310	19.00	18.82	104.23%	0.792	0.826	-		
LTE Band 30	1	0			Front Edge of Laptop	0	27710	2310	23.00	22.42	114.20%	0.656	0.750	040		
LTE Band 30	25	0			Front Edge of Laptop	0	27710	2310	22.00	21.28	118.03%	0.598	0.706	-		
LTE Band 30	50RB				Front Edge of Laptop	0	27710	2310	22.00	21.31	117.22%	0.592	0.694	-		
LTE Band 30	1	0			Bottom of Laptop*	0	27710	2310	20.00	19.91	102.09%	0.888	0.907	-		
LTE Band 30	1	0			Bottom of Laptop**	0	27710	2310	20.00	19.91	102.09%	0.872	0.890	-		
LTE Band 66	20MHz	QPSK			1	50	Bottom of Laptop	0	132072	1720	21.00	20.85	103.51%	0.958	0.992	-
LTE Band 66					1	99	Bottom of Laptop	0	132322	1745	21.00	20.89	102.57%	1.010	1.036	024
LTE Band 66			1	0	Bottom of Laptop	0	132572	1770	21.00	20.48	112.72%	0.933	1.052	-		
LTE Band 66			50	50	Bottom of Laptop	0	132072	1720	20.00	19.87	103.04%	0.825	0.850	-		
LTE Band 66			50	50	Bottom of Laptop	0	132322	1745	20.00	19.84	103.75%	0.833	0.864	-		
LTE Band 66			50	50	Bottom of Laptop	0	132572	1770	20.00	19.50	112.20%	0.805	0.903	-		
LTE Band 66			100RB		Bottom of Laptop	0	132572	1770	20.00	19.78	105.20%	0.826	0.869	-		
LTE Band 66			1	0	Front Edge of Laptop	0	132322	1745	24.00	23.05	124.45%	0.316	0.393	041		
LTE Band 66			50	0	Front Edge of Laptop	0	132572	1770	23.00	21.95	127.35%	0.224	0.285	-		
LTE Band 66			1	0	Bottom of Laptop*	0	132322	1745	21.00	20.89	102.57%	0.986	1.011	-		
LTE Band 66			1	0	Bottom of Laptop**	0	132322	1745	21.00	20.89	102.57%	0.854	0.876	-		
LTE Band 71			20MHz	QPSK	1	0	Bottom of Laptop	0	133222	673	25.00	24.15	121.62%	0.404	0.491	025
LTE Band 71	50	50			Bottom of Laptop	0	133372	688	24.00	23.08	123.59%	0.377	0.466	-		
LTE Band 71	1	0			Front Edge of Laptop	0	133222	673	25.00	24.15	121.62%	0.312	0.379	042		
LTE Band 71	50	50			Front Edge of Laptop	0	133372	688	24.00	23.08	123.59%	0.255	0.315	-		
LTE Band 71	1	0			Bottom of Laptop**	0	133222	673	25.00	24.15	121.62%	0.105	0.128	-		
LTE Band 38			1	0	Bottom of Laptop	0	38150	2610	24.00	23.07	123.88%	0.589	0.730	026		
LTE Band 38			50	50	Bottom of Laptop	0	37850	2580	23.00	21.97	126.77%	0.488	0.619	-		
LTE Band 38			1	0	Front Edge of Laptop	0	38150	2610	24.00	23.07	123.88%	0.468	0.580	043		
LTE Band 38			50	50	Front Edge of Laptop	0	37850	2580	23.00	21.97	126.77%	0.088	0.112	-		
LTE Band 38			1	0	Bottom of Laptop**	0	38150	2610	24.00	23.07	123.88%	0.119	0.147	-		
LTE Band 41_PC3	20MHz	QPSK	1	0	Bottom of Laptop	0	39750	2506	24.00	22.91	128.53%	0.668	0.859	-		
LTE Band 41_PC3			1	0	Bottom of Laptop	0	40185	2549.5	24.00	22.90	128.82%	0.677	0.872	-		
LTE Band 41_PC3			1	0	Bottom of Laptop	0	40620	2593	24.00	22.84	130.62%	0.618	0.807	-		
LTE Band 41_PC3			1	0	Bottom of Laptop	0	41055	2636.5	24.00	22.99	126.18%	0.669	0.844	-		
LTE Band 41_PC3			1	0	Bottom of Laptop	0	41490	2680	24.00	23.09	123.31%	0.746	0.920	027		
LTE Band 41_PC3			50	50	Bottom of Laptop	0	41490	2680	23.00	22.02	125.31%	0.614	0.769	-		
LTE Band 41_PC3			100RB		Bottom of Laptop	0	41055	2636.5	23.00	21.94	127.64%	0.596	0.761	-		
LTE Band 41_PC3			1	0	Front Edge of Laptop	0	39750	2506	24.00	22.91	128.53%	0.898	1.154	-		
LTE Band 41_PC3			1	0	Front Edge of Laptop	0	40185	2549.5	24.00	22.90	128.82%	0.884	1.139	-		
LTE Band 41_PC3			1	0	Front Edge of Laptop	0	40620	2593	24.00	22.84	130.62%	0.848	1.108	-		
LTE Band 41_PC3			1	0	Front Edge of Laptop	0	41055	2636.5	24.00	22.99	126.18%	0.834	1.052	-		
LTE Band 41_PC3			1	0	Front Edge of Laptop	0	41490	2680	24.00	23.09	123.31%	0.921	1.136	044		
LTE Band 41_PC3			50	25	Front Edge of Laptop	0	39750	2506	23.00	21.89	129.12%	0.701	0.905	-		
LTE Band 41_PC3			50	0	Front Edge of Laptop	0	40185	2549.5	23.00	21.86	130.02%	0.795	1.034	-		
LTE Band 41_PC3			50	50	Front Edge of Laptop	0	40620	2593	23.00	21.72	134.28%	0.723	0.971	-		
LTE Band 41_PC3			50	25	Front Edge of Laptop	0	41055	2636.5	23.00	21.96	127.06%	0.754	0.958	-		
LTE Band 41_PC3			50	50	Front Edge of Laptop	0	41490	2680	23.00	22.02	125.31%	0.791	0.991	-		
LTE Band 41_PC3			100RB		Front Edge of Laptop	0	41055	2636.5	23.00	21.94	127.64%	0.735	0.938	-		
LTE Band 41_PC3			1	0	Front Edge of Laptop*	0	41490	2680	24.00	23.09	123.31%	0.899	1.109	-		
LTE Band 41_PC3			1	0	Front Edge of Laptop**	0	41490	2680	24.00	23.09	123.31%	0.879	1.084	-		
LTE Band 48			20MHz	QPSK	1	0	Bottom of Laptop	0	55830	3609	22.00	21.52	111.69%	0.767	0.857	055
LTE Band 48					1	0	Bottom of Laptop	0	56150	3641	22.00	21.25	118.85%	0.711	0.845	-
LTE Band 48	1	0			Bottom of Laptop	0	56640	3690	22.00	21.29	117.76%	0.715	0.842	-		
LTE Band 48	50	0			Bottom of Laptop	0	55830	3609	21.00	20.43	114.02%	0.590	0.673	-		
LTE Band 48	100RB				Bottom of Laptop	0	55830	3609	21.00	20.49	112.46%	0.594	0.668	-		
LTE Band 48	1	0			Front Edge of Laptop	0	55340	3560	22.00	21.26	118.58%	0.901	1.068	-		
LTE Band 48	1	0			Front Edge of Laptop	0	55830	3609	22.00	21.52	111.69%	0.989	1.105	056		
LTE Band 48	1	0			Front Edge of Laptop	0	56150	3641	22.00	21.25	118.85%	0.921	1.095	-		
LTE Band 48	1	0			Front Edge of Laptop	0	56640	3690	22.00	21.29	117.76%	0.933	1.099	-		
LTE Band 48	50	25			Front Edge of Laptop	0	55340	3560	21.00	20.24	119.12%	0.769	0.916	-		
LTE Band 48	50	0			Front Edge of Laptop	0	55830	3609	21.00	20.43	114.02%	0.740	0.844	-		
LTE Band 48	50	50			Front Edge of Laptop	0	56150	3641	21.00	20.25	118.85%	0.775	0.921	-		
LTE Band 48	50	50			Front Edge of Laptop	0	56640	3690	21.00	20.19	120.50%	0.797	0.960	-		
LTE Band 48	100RB				Front Edge of Laptop	0	56150	3641	21.00	20.49	112.46%	0.766	0.861	-		
LTE Band 48	1	0			Front Edge of Laptop*	0	55830	3609	22.00	21.52	111.69%	0.928	1.036	-		
LTE Band 48	1	0			Front Edge of Laptop**	0	55830	3609	22.00	21.52	111.69%	0.893	0.997	-		

Note: * - repeated at the highest SAR measurement according to the KDB 865664 D01

Note: ** - INPAQ Spot check

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Scaling	Averaged SAR over 1g (W/kg)		ID
												Measured	Reported	
LTE Band 2	20MHz	QPSK	1	0	Bottom of Laptop	19	18700	1860	24.00	23.46	113.24%	0.302	0.342	046
LTE Band 2			1	0	Bottom of Laptop	19	18900	1880	24.00	23.40	114.82%	0.281	0.323	-
LTE Band 2			1	0	Bottom of Laptop	19	19100	1900	24.00	23.32	116.95%	0.278	0.325	-
LTE Band 2			50	50	Bottom of Laptop	19	18900	1860	23.00	22.30	117.49%	0.271	0.318	-
LTE Band 2			1	0	Bottom of Laptop**	19	18700	1860	24.00	23.46	113.24%	0.282	0.319	-
LTE Band 4	20MHz	QPSK	1	0	Bottom of Laptop	19	20050	1720	24.00	23.38	115.35%	0.252	0.291	-
LTE Band 4			1	0	Bottom of Laptop	19	20175	1732.5	24.00	23.57	110.41%	0.215	0.237	-
LTE Band 4			1	0	Bottom of Laptop	19	20300	1745	24.00	23.64	108.64%	0.321	0.349	047
LTE Band 4			50	50	Bottom of Laptop	19	20050	1720	23.00	22.36	115.88%	0.198	0.229	-
LTE Band 4			1	0	Bottom of Laptop**	19	20300	1745	24.00	23.64	108.64%	0.259	0.281	-
LTE Band 5	10MHz	QPSK	1	0	Bottom of Laptop	19	20450	829	25.00	23.35	146.22%	0.294	0.430	-
LTE Band 5			1	0	Bottom of Laptop	19	20525	836.5	25.00	24.25	118.85%	0.255	0.303	-
LTE Band 5			1	0	Bottom of Laptop	19	20600	844	25.00	24.38	115.35%	0.314	0.362	048
LTE Band 5			25	25	Bottom of Laptop	19	20600	844	24.00	23.39	115.08%	0.265	0.305	-
LTE Band 5			1	0	Bottom of Laptop**	19	20600	844	25.00	24.38	115.35%	0.279	0.322	-
LTE Band 7	20MHz	QPSK	1	0	Bottom of Laptop	19	20850	2510	24.00	23.46	113.24%	0.266	0.301	-
LTE Band 7			1	0	Bottom of Laptop	19	21100	2535	24.00	23.59	109.90%	0.274	0.301	-
LTE Band 7			1	0	Bottom of Laptop	19	21350	2560	24.00	23.65	108.39%	0.315	0.341	049
LTE Band 7			50	25	Bottom of Laptop	19	21350	2560	23.00	22.59	109.90%	0.222	0.244	-
LTE Band 7			1	0	Bottom of Laptop**	19	21350	2560	24.00	23.65	108.39%	0.243	0.264	-
LTE Band 25	20MHz	QPSK	1	0	Bottom of Laptop	19	26140	1860	24.00	23.56	110.66%	0.159	0.176	050
LTE Band 25			1	0	Bottom of Laptop	19	26365	1882.5	24.00	23.52	111.69%	0.133	0.149	-
LTE Band 25			1	0	Bottom of Laptop	19	26590	1905	24.00	23.39	115.08%	0.114	0.131	-
LTE Band 25			50	50	Bottom of Laptop	19	26590	1905	23.00	22.31	117.22%	0.118	0.138	-
LTE Band 25			1	0	Bottom of Laptop**	19	26140	1860	24.00	23.56	110.66%	0.125	0.138	-
LTE Band 26_FCC	15MHz	QPSK	1	0	Bottom of Laptop	19	26765	821.5	25.00	24.41	114.55%	0.024	0.027	051
LTE Band 26_FCC			1	0	Bottom of Laptop	19	26865	831.5	25.00	24.35	116.14%	0.015	0.017	-
LTE Band 26_FCC			1	0	Bottom of Laptop	19	26965	841.5	25.00	24.26	118.58%	0.011	0.013	-
LTE Band 26_FCC			36	0	Bottom of Laptop	19	26765	821.5	24.00	23.37	115.61%	0.016	0.018	-
LTE Band 26_FCC			1	0	Bottom of Laptop**	19	26765	821.5	25.00	24.41	114.55%	0.019	0.022	-
LTE Band 30	10MHz	QPSK	1	0	Bottom of Laptop	19	27710	2310	23.00	22.42	114.29%	0.184	0.210	053
LTE Band 30			25	0	Bottom of Laptop	19	27710	2310	22.00	21.28	118.03%	0.135	0.159	-
LTE Band 30			1	0	Bottom of Laptop**	19	27710	2310	23.00	22.42	114.29%	0.166	0.190	-
LTE Band 66	20MHz	QPSK	1	0	Bottom of Laptop	19	132072	1720	24.00	22.95	127.35%	0.254	0.323	-
LTE Band 66			1	0	Bottom of Laptop	19	132322	1745	24.00	23.05	124.45%	0.276	0.343	054
LTE Band 66			1	0	Bottom of Laptop	19	132572	1770	24.00	22.97	126.77%	0.248	0.314	-
LTE Band 66			50	0	Bottom of Laptop	19	132572	1770	23.00	21.95	127.35%	0.213	0.271	-
LTE Band 66			1	0	Bottom of Laptop**	19	132322	1745	24.00	23.05	124.45%	0.222	0.276	-

Note: ** - INPAQ Spot check

Note:

Reported SAR = measured SAR * Power scaling * Duty cycle scaling

Reported APD = measured APD * Power scaling * Duty cycle scaling

6.3 Reporting statements of conformity

The conformity statement in this report is based solely on the test results, measurement uncertainty is excluded.

6.4 Conclusion

The device is compliant because all the standalone results are less than their corresponding criteria.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7 INSTRUMENTS LIST

Equipment List					
Manufacturer	Device	Type	Serial number	Date of last calibration	Date of next calibration
SPEAG	Data acquisition Electronics	DAE4	1260	Sep/19/2024	Sep/18/2025
SPEAG	Dosimetric E-Field Probe	EX3DV4	3665	Sep/04/2024	Sep/03/2025
SPEAG	System Validation Dipole	D750V3	1015	Sep/27/2024	Sep/26/2025
SPEAG	System Validation Dipole	D835V2	4d063	Sep/16/2024	Sep/15/2025
SPEAG	System Validation Dipole	D1750V2	1008	Sep/27/2024	Sep/26/2025
SPEAG	System Validation Dipole	D1900V2	5d173	Apr/25/2024	Apr/24/2025
SPEAG	System Validation Dipole	D2300V2	1023	Sep/27/2024	Sep/26/2025
SPEAG	System Validation Dipole	D2600V2	1005	Jan/14/2025	Jan/13/2026
SPEAG	System Validation Dipole	D3500V2	1009	Sep/26/2024	Sep/25/2025
SPEAG	System Validation Dipole	D3700V2	1057	Nov/21/2024	Nov/20/2025
SPEAG	Dielectric Assessment Kit	DAK-3.5	1342	May/21/2024	May/20/2025
Keysight	EXA Signal Analyzer	N9010B	MY59071573	May/24/2024	May/23/2025
R&S	MXG Analog Signal Generator	SMB100A03	182012	May/21/2024	May/20/2025
Agilent	Dual-directional coupler	772D	MY46151258	Sep/30/2024	Sep/29/2025
Agilent	Dual-directional coupler	778D	MY46151242	Sep/03/2024	Sep/02/2025
EMCI	Amplifier	ZHL-42	980189	Calibration not required	Calibration not required
EMCI	Amplifier	ZVE-8G	980190	Calibration not required	Calibration not required
R&S	Power Meter	NRX	105651	Nov/11/2024	Nov/10/2025
R&S	Power Sensor	NRP6A	104247	Nov/11/2024	Nov/10/2025
R&S	Power Sensor	NRP6A	104246	Nov/11/2024	Nov/10/2025
Agilent	Network Analyzer	E5071C	MY46107530	May/03/2024	May/02/2025
SPEAG	Software	DASY 8 V16.0.2.83	N/A	Calibration not required	Calibration not required
SPEAG	Phantom	ELI	N/A	Calibration not required	Calibration not required
Anritsu	Radio Communication Test	MT8820C	6201061049	Nov/11/2024	Nov/10/2025
LKM	Digital thermometer	DTM3000	EC14010603	Nov/11/2024	Nov/10/2025
TECPEL	Digital thermometer	DTM-303A	TP130077	Oct/14/2024	Oct/13/2025

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

8 UNCERTAINTY BUDGET

Measurement Uncertainty evaluation template for DUT SAR test (3-6G)

A	c	D	e		f	g	$h=c * f / e$	$i=c * g / e$	k
Source of Uncertainty	Tolerance/ Uncertainty	Probability Distributio	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	v_i , or V_{eff}
Measurement system									
Probe calibration	6.55%	N	1	1	1	1	6.55%	6.55%	∞
<i>Isotropy, Axial</i>	3.50%	R	$\sqrt{3}$	1.732	1	1	2.02%	2.02%	∞
<i>Isotropy, Hemispherical</i>	9.60%	R	$\sqrt{3}$	1.732	1	1	5.54%	5.54%	∞
Modulation Response	2.40%	R	$\sqrt{3}$	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	$\sqrt{3}$	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	∞
Response time	0.80%	R	$\sqrt{3}$	1.732	1	1	0.46%	0.46%	∞
Integration Time	2.60%	R	$\sqrt{3}$	1.732	1	1	1.50%	1.50%	∞
Measurement drift (class A evaluation)	1.75%	R	$\sqrt{3}$	1.732	1	1	1.01%	1.01%	∞
RF ambient condition - noise	3.00%	R	$\sqrt{3}$	1.732	1	1	1.73%	1.73%	∞
RF ambient conditions - reflections	3.00%	R	$\sqrt{3}$	1.732	1	1	1.73%	1.73%	∞
Probe positioner Mechanical restrictions	0.40%	R	$\sqrt{3}$	1.732	1	1	0.23%	0.23%	∞
Probe Positioning with respect to phantom shell	2.90%	R	$\sqrt{3}$	1.732	1	1	1.67%	1.67%	∞
Post-processing	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Max SAR Eval	1.00%	R	$\sqrt{3}$	1.732	1	1	0.58%	0.58%	∞
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	$\sqrt{3}$	1.732	1	1	2.89%	2.89%	∞
Phantom and Setup									
Phantom Uncertainty	4.00%	R	$\sqrt{3}$	1.732	1	1	2.31%	2.31%	∞
Liquid permittivity (mea.)	2.60%	N	1	1	0.64	0.43	1.66%	1.12%	M
Liquid Conductivity (mea.)	2.34%	N	1	1	0.6	0.49	1.40%	1.15%	M
Combined standard uncertainty		RSS					11.92%	11.82%	
Expant uncertainty (95% confidence interval), $K=2$							23.83%	23.63%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Measurement Uncertainty evaluation template for DUT SAR test (0.3-3G)

A	c	D	e		f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probability Distributio	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.00%	N	1	1	1	1	6.00%	6.00%	∞
<i>Isotropy, Axial</i>	3.50%	R	√3	1.732	1	1	2.02%	2.02%	∞
<i>Isotropy, Hemispherical</i>	9.60%	R	√3	1.732	1	1	5.54%	5.54%	∞
Modulation Response	2.40%	R	√3	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	√3	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	∞
Response time	0.80%	R	√3	1.732	1	1	0.46%	0.46%	∞
Integration Time	2.60%	R	√3	1.732	1	1	1.50%	1.50%	∞
Measurement drift (class A evaluation)	1.75%	R	√3	1.732	1	1	1.01%	1.01%	∞
RF ambient condition - noise	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
RF ambient conditions - reflections	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
Probe positioner Mechanical restrictions	0.40%	R	√3	1.732	1	1	0.23%	0.23%	∞
Probe Positioning with respect to phantom shell	2.90%	R	√3	1.732	1	1	1.67%	1.67%	∞
Post-processing	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Max SAR Eval	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	√3	1.732	1	1	2.89%	2.89%	∞
Phantom and Setup									
Phantom Uncertainty	4.00%	R	√3	1.732	1	1	2.31%	2.31%	∞
Liquid permittivity (mea.)	2.56%	N	1	1	0.64	0.43	1.64%	1.10%	M
Liquid Conductivity (mea.)	3.49%	N	1	1	0.6	0.49	2.09%	1.71%	M
Combined standard uncertainty		RSS					11.72%	11.59%	
Expant uncertainty (95% confidence interval), K=2							23.45%	23.18%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9 SAR MEASUREMENT RESULTS

ID: 001

Report No. :TESA2501000101ES

Measurement Report_WCDMA Band II_Body_Bottom of Laptop_CH 9400_0mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	1880.0, 9400	7.81	1.386	39.020

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	1.05	1.07
psSAR8g [W/kg]	0.626	0.653
psSAR10g [W/kg]	0.584	0.606
Power Drift [dB]	0.05	0.02
M2/M1 [%]		52.4
Dist 3dB Peak [mm]		8.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

ID: 002

Report No. :TESA2501000101ES

Measurement Report_WCDMA Band IV_Body_Bottom of Laptop_CH 1412_0mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	1732.4, 1412	8.03	1.345	39.127

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.963	0.997
psSAR8g [W/kg]	0.607	0.622
psSAR10g [W/kg]	0.552	0.578
Power Drift [dB]	0.02	0.04
M2/M1 [%]		52.4
Dist 3dB Peak [mm]		8.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 003

Report No. :TESA2501000101ES

Measurement Report_WCDMA Band V_Body_Bottom of Laptop_CH 4132_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	826.4, 4132	9.05	0.883	40.607

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.821	0.840
psSAR8g [W/kg]	0.571	0.594
psSAR10g [W/kg]	0.555	0.563
Power Drift [dB]	0.02	0.01
M2/M1 [%]		55.6
Dist 3dB Peak [mm]		8.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 004

Report No. :TESA2501000101ES

Measurement Report_WCDMA Band II_Body_Front Edge of Laptop_CH 9400_0mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	1880.0, 9400	7.81	1.386	39.020

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.258	0.286
psSAR8g [W/kg]	0.124	0.144
psSAR10g [W/kg]	0.105	0.129
Power Drift [dB]	0.03	0.01
M2/M1 [%]		52.4
Dist 3dB Peak [mm]		9.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 005

Report No. :TESA2501000101ES

Measurement Report_WCDMA Band IV_Body_Front Edge of Laptop_CH 1412_0mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	1732.4, 1412	8.03	1.345	39.127

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.253	0.271
psSAR8g [W/kg]	0.112	0.138
psSAR10g [W/kg]	0.109	0.124
Power Drift [dB]	0.01	0.02
M2/M1 [%]		55.6
Dist 3dB Peak [mm]		8.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 006

Report No. :TESA2501000101ES

Measurement Report_WCDMA Band V_Body_Front Edge of Laptop_CH 4132_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	826.4, 4132	9.05	0.883	40.607

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.333	0.363
psSAR8g [W/kg]	0.254	0.290
psSAR10g [W/kg]	0.251	0.282
Power Drift [dB]	0.03	0.02
M2/M1 [%]		52.8
Dist 3dB Peak [mm]		8.9



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 007

Report No. :TESA2501000101ES

Measurement Report_WCDMA Band II_Body_Bottom of Laptop_CH 9400_19mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 19.00	1880.0, 9400	7.81	1.386	39.020

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.509	0.540
psSAR8g [W/kg]	0.315	0.330
psSAR10g [W/kg]	0.292	0.306
Power Drift [dB]	0.04	0.01
M2/M1 [%]		52.1
Dist 3dB Peak [mm]		8.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 008

Report No. :TESA2501000101ES

Measurement Report_WCDMA Band IV_Body_Bottom of Laptop_CH 1412_19mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 19.00	1732.4, 1412	8.03	1.345	39.127

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.385	0.421
psSAR8g [W/kg]	0.272	0.294
psSAR10g [W/kg]	0.258	0.283
Power Drift [dB]	0.04	0.02
M2/M1 [%]		52.3
Dist 3dB Peak [mm]		8.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 012

Report No. :TESA2501000101ES

Measurement Report_LTE Band 2 (20MHz)_Body_Bottom of Laptop_CH 18700_QPSK_1-0_0mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	1860.0, 18700	7.81	1.386	39.020

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.904	0.954
psSAR8g [W/kg]	0.545	0.585
psSAR10g [W/kg]	0.503	0.543
Power Drift [dB]	0.05	0.04
M2/M1 [%]		52.4
Dist 3dB Peak [mm]		9.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 013

Report No. :TESA2501000101ES

Measurement Report_LTE Band 4 (20MHz)_Body_Bottom of Laptop_CH 20300_QPSK_1-0_0mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	1745.0, 20300	8.03	1.352	39.107

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.842	0.861
psSAR8g [W/kg]	0.511	0.539
psSAR10g [W/kg]	0.486	0.502
Power Drift [dB]	0.05	0.04
M2/M1 [%]		52.4
Dist 3dB Peak [mm]		8.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 014

Report No. :TESA2501000101ES

Measurement Report_LTE Band 5 (10MHz)_Body_Bottom of Laptop_CH 20600_QPSK_1-0_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	844.0, 20600	9.05	0.889	40.542

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.844	0.865
psSAR8g [W/kg]	0.577	0.607
psSAR10g [W/kg]	0.519	0.575
Power Drift [dB]	0.01	0.04
M2/M1 [%]		50.6
Dist 3dB Peak [mm]		8.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 015

Report No. :TESA2501000101ES

Measurement Report_LTE Band 7 (20MHz)_Body_Bottom of Laptop_CH 21350_QPSK_1-0_0mm

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	2560.0, 21350	7.55	1.895	38.080

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-25	2025-02-25
psSAR1g [W/kg]	0.922	0.944
psSAR8g [W/kg]	0.535	0.566
psSAR10g [W/kg]	0.501	0.528
Power Drift [dB]	0.02	0.04
M2/M1 [%]		52.6
Dist 3dB Peak [mm]		5.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 016

Report No. :TESA2501000101ES

Measurement Report_LTE Band 12 (10MHz)_Body_Bottom of Laptop_CH 23130_QPSK_1-0_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	711.0, 23130	9.27	0.870	41.164

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.914	0.955
psSAR8g [W/kg]	0.695	0.721
psSAR10g [W/kg]	0.655	0.687
Power Drift [dB]	0.04	0.02
M2/M1 [%]		52.4
Dist 3dB Peak [mm]		8.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 017

Report No. :TESA2501000101ES

Measurement Report_LTE Band 13 (10MHz)_Body_Bottom of Laptop_CH 23230_QPSK_1-0_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	782.0, 23230	9.27	0.874	40.795

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.816	0.849
psSAR8g [W/kg]	0.581	0.606
psSAR10g [W/kg]	0.543	0.576
Power Drift [dB]	-0.04	-0.02
M2/M1 [%]		52.5
Dist 3dB Peak [mm]		8.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 018

Report No. :TESA2501000101ES

Measurement Report_LTE Band 14 (10MHz)_Body_Bottom of Laptop_CH 23330_QPSK_1-0_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	793.0, 23330	9.27	0.874	40.738

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.971	0.992
psSAR8g [W/kg]	0.548	0.576
psSAR10g [W/kg]	0.511	0.548
Power Drift [dB]	-0.04	-0.01
M2/M1 [%]		55.5
Dist 3dB Peak [mm]		8.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 019

Report No. :TESA2501000101ES

Measurement Report_LTE Band 17 (10MHz)_Body_Bottom of Laptop_CH 23780_QPSK_1-0_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	709.0, 23780	9.27	0.870	41.175

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.818	0.852
psSAR8g [W/kg]	0.620	0.649
psSAR10g [W/kg]	0.608	0.624
Power Drift [dB]	0.03	0.05
M2/M1 [%]		55.9
Dist 3dB Peak [mm]		8.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 020

Report No. :TESA2501000101ES

Measurement Report_LTE Band 25 (20MHz)_Body_Bottom of Laptop_CH 26140_QPSK_1-0_0mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	1860.0, 26140	7.81	1.386	39.020

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.991	1.03
psSAR8g [W/kg]	0.646	0.678
psSAR10g [W/kg]	0.603	0.618
Power Drift [dB]	0.04	0.02
M2/M1 [%]		55.1
Dist 3dB Peak [mm]		8.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 021

Report No. :TESA2501000101ES

Measurement Report_LTE Band 26 (20MHz)_Body_Bottom of Laptop_CH 26765_QPSK_1-0_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	821.5, 26765	9.05	0.882	40.622

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.933	0.947
psSAR8g [W/kg]	0.624	0.676
psSAR10g [W/kg]	0.609	0.641
Power Drift [dB]	0.03	0.01
M2/M1 [%]		52.6
Dist 3dB Peak [mm]		8.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 023

Report No. :TESA2501000101ES

Measurement Report_LTE Band 30 (10MHz)_Body_Bottom of Laptop_CH 27710_QPSK_1-0_0mm

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	2310.0, 27710	7.71	1.679	38.469

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 120.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-25	2025-02-25
psSAR1g [W/kg]	0.834	0.906
psSAR8g [W/kg]	0.502	0.546
psSAR10g [W/kg]	0.506	0.506
Power Drift [dB]	0.03	0.02
M2/M1 [%]		55.1
Dist 3dB Peak [mm]		5.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 024

Report No. :TESA2501000101ES

Measurement Report_LTE Band 66 (20MHz)_Body_Bottom of Laptop_CH 132322_QPSK_1-99_0mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	1745.0, 132322	8.03	1.352	39.107

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	1.08	1.01
psSAR8g [W/kg]	0.810	0.833
psSAR10g [W/kg]	0.754	0.779
Power Drift [dB]	0.03	0.03
M2/M1 [%]		52.4
Dist 3dB Peak [mm]		8.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 025

Report No. :TESA2501000101ES

Measurement Report_LTE Band 71 (20MHz)_Body_Bottom of Laptop_CH 133222_QPSK_1-0_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	673.0, 133222	9.27	0.854	41.268

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.380	0.404
psSAR8g [W/kg]	0.223	0.256
psSAR10g [W/kg]	0.215	0.238
Power Drift [dB]	0.02	0.01
M2/M1 [%]		51.3
Dist 3dB Peak [mm]		8.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 026

Report No. :TESA2501000101ES

Measurement Report_LTE Band 38 (20MHz)_Body_Bottom of Laptop_CH 38150_QPSK_1-0_0mm

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	2610.0, 38150	7.55	1.940	38.016

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 120.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-25	2025-02-25
psSAR1g [W/kg]	0.575	0.589
psSAR8g [W/kg]	0.399	0.429
psSAR10g [W/kg]	0.368	0.412
Power Drift [dB]	0.02	0.01
M2/M1 [%]		55.6
Dist 3dB Peak [mm]		5.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 027

Report No. :TESA2501000101ES

Measurement Report_LTE Band 41 (20MHz)_Body_Bottom of Laptop_CH 41490_QPSK_1-0_0mm

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	2680.0, 41490	7.55	1.994	37.927

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 120.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-25	2025-02-25
psSAR1g [W/kg]	0.726	0.746
psSAR8g [W/kg]	0.515	0.559
psSAR10g [W/kg]	0.522	0.540
Power Drift [dB]	0.03	0.02
M2/M1 [%]		52.4
Dist 3dB Peak [mm]		5.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 029

Report No. :TESA2501000101ES

Measurement Report_LTE Band 2 (20MHz)_Body_Front Edge of Laptop_CH 18700_QPSK_1-0_0mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	1860.0, 18700	7.81	1.386	39.020

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.329	0.338
psSAR8g [W/kg]	0.181	0.199
psSAR10g [W/kg]	0.179	0.185
Power Drift [dB]	-0.02	-0.01
M2/M1 [%]		52.3
Dist 3dB Peak [mm]		8.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 030

Report No. :TESA2501000101ES

Measurement Report_LTE Band 4 (20MHz)_Body_Front Edge of Laptop_CH 20300_QPSK_1-0_0mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	1745.0, 20300	8.03	1.352	39.107

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.265	0.273
psSAR8g [W/kg]	0.191	0.201
psSAR10g [W/kg]	0.182	0.184
Power Drift [dB]	-0.04	0.01
M2/M1 [%]		52.4
Dist 3dB Peak [mm]		8.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 031

Report No. :TESA2501000101ES

Measurement Report_LTE Band 5 (10MHz)_Body_Front Edge of Laptop_CH 20600_QPSK_1-0_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	844.0, 20600	9.05	0.889	40.542

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.299	0.342
psSAR8g [W/kg]	0.189	0.209
psSAR10g [W/kg]	0.177	0.193
Power Drift [dB]	-0.02	0.05
M2/M1 [%]		56.6
Dist 3dB Peak [mm]		8.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 032

Report No. :TESA2501000101ES

Measurement Report_LTE Band 7 (20MHz)_Body_Front Edge of Laptop_CH 21350_QPSK_1-0_0mm

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	2560.0, 21350	7.55	1.895	38.080

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-25	2025-02-25
psSAR1g [W/kg]	0.566	0.578
psSAR8g [W/kg]	0.309	0.315
psSAR10g [W/kg]	0.272	0.290
Power Drift [dB]	-0.02	-0.04
M2/M1 [%]		52.4
Dist 3dB Peak [mm]		5.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 033

Report No. :TESA2501000101ES

Measurement Report_LTE Band 12 (10MHz)_Body_Front Edge of Laptop_CH 23130_QPSK_1-0_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	711.0, 23130	9.27	0.870	41.164

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.261	0.285
psSAR8g [W/kg]	0.172	0.182
psSAR10g [W/kg]	0.150	0.171
Power Drift [dB]	-0.02	-0.01
M2/M1 [%]		51.4
Dist 3dB Peak [mm]		8.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 034

Report No. :TESA2501000101ES

Measurement Report_LTE Band 13 (10MHz)_Body_Front Edge of Laptop_CH 23230_QPSK_1-0_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	782.0, 23230	9.27	0.874	40.795

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.302	0.345
psSAR8g [W/kg]	0.205	0.217
psSAR10g [W/kg]	0.193	0.201
Power Drift [dB]	-0.01	-0.03
M2/M1 [%]		52.6
Dist 3dB Peak [mm]		8.9



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 035

Report No. :TESA2501000101ES

Measurement Report_LTE Band 14 (10MHz)_Body_Front Edge of Laptop_CH 23330_QPSK_1-0_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	793.0, 23330	9.27	0.874	40.738

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.386	0.406
psSAR8g [W/kg]	0.232	0.255
psSAR10g [W/kg]	0.225	0.236
Power Drift [dB]	-0.03	-0.02
M2/M1 [%]		52.3
Dist 3dB Peak [mm]		8.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 036

Report No. :TESA2501000101ES

Measurement Report_LTE Band 17 (10MHz)_Body_Front Edge of Laptop_CH 23780_QPSK_1-0_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	709.0, 23780	9.27	0.870	41.175

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.365	0.399
psSAR8g [W/kg]	0.238	0.252
psSAR10g [W/kg]	0.218	0.234
Power Drift [dB]	-0.02	-0.01
M2/M1 [%]		50.4
Dist 3dB Peak [mm]		8.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 037

Report No. :TESA2501000101ES

Measurement Report_LTE Band 25 (20MHz)_Body_Front Edge of Laptop_CH 26140_QPSK_1-0_0mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	1860.0, 26140	7.81	1.386	39.020

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.361	0.370
psSAR8g [W/kg]	0.204	0.212
psSAR10g [W/kg]	0.184	0.195
Power Drift [dB]	-0.04	-0.02
M2/M1 [%]		52.6
Dist 3dB Peak [mm]		8.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 038

Report No. :TESA2501000101ES

Measurement Report_LTE Band 26 (20MHz)_Body_Front Edge of Laptop_CH 26765_QPSK_1-0_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	821.5, 26765	9.05	0.882	40.622

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.354	0.370
psSAR8g [W/kg]	0.218	0.231
psSAR10g [W/kg]	0.202	0.214
Power Drift [dB]	-0.01	-0.02
M2/M1 [%]		50.1
Dist 3dB Peak [mm]		8.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 040

Report No. :TESA2501000101ES

Measurement Report_LTE Band 30 (10MHz)_Body_Front Edge of Laptop_CH 27710_QPSK_1-0_0mm

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	2310.0, 27710	7.71	1.679	38.469

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 120.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-25	2025-02-25
psSAR1g [W/kg]	0.615	0.656
psSAR8g [W/kg]	0.301	0.332
psSAR10g [W/kg]	0.258	0.299
Power Drift [dB]	0.01	0.04
M2/M1 [%]		50.9
Dist 3dB Peak [mm]		5.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 041

Report No. :TESA2501000101ES

Measurement Report_LTE Band 66 (20MHz)_Body_Front Edge of Laptop_CH 132322_QPSK_1-99_0mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	1745.0, 132322	8.03	1.352	39.107

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.303	0.316
psSAR8g [W/kg]	0.158	0.183
psSAR10g [W/kg]	0.148	0.169
Power Drift [dB]	-0.04	-0.04
M2/M1 [%]		52.3
Dist 3dB Peak [mm]		8.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 042

Report No. :TESA2501000101ES

Measurement Report_LTE Band 71 (20MHz)_Body_Front Edge of Laptop_CH 133222_QPSK_1-0_0mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	673.0, 133222	9.27	0.854	41.268

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.305	0.312
psSAR8g [W/kg]	0.178	0.199
psSAR10g [W/kg]	0.169	0.185
Power Drift [dB]	-0.04	-0.03
M2/M1 [%]		52.1
Dist 3dB Peak [mm]		8.7



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 043

Report No. :TESA2501000101ES

Measurement Report_LTE Band 38 (20MHz)_Body_Front Edge of Laptop_CH 38150_QPSK_1-0_0mm

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	2610.0, 38150	7.55	1.940	38.016

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 120.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-25	2025-02-25
psSAR1g [W/kg]	0.428	0.468
psSAR8g [W/kg]	0.205	0.216
psSAR10g [W/kg]	0.184	0.197
Power Drift [dB]	0.04	0.02
M2/M1 [%]		50.1
Dist 3dB Peak [mm]		5.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 044

Report No. :TESA2501000101ES

Measurement Report_LTE Band 41 (20MHz)_Body_Front Edge of Laptop_CH 41490_QPSK_1-0_0mm

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	2680.0, 41490	7.55	1.994	37.927

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 120.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-25	2025-02-25
psSAR1g [W/kg]	0.911	0.921
psSAR8g [W/kg]	0.502	0.518
psSAR10g [W/kg]	0.451	0.481
Power Drift [dB]	0.02	0.01
M2/M1 [%]		52.3
Dist 3dB Peak [mm]		5.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 046

Report No. :TESA2501000101ES

Measurement Report_LTE Band 2 (20MHz)_Body_Bottom of Laptop_CH 18700_QPSK_1-0_19mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 19.00	1860.0, 18700	7.81	1.386	39.020

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.251	0.302
psSAR8g [W/kg]	0.143	0.186
psSAR10g [W/kg]	0.121	0.174
Power Drift [dB]	0.02	0.05
M2/M1 [%]		52.5
Dist 3dB Peak [mm]		8.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 047

Report No. :TESA2501000101ES

Measurement Report_LTE Band 4 (20MHz)_Body_Bottom of Laptop_CH 20300_QPSK_1-0_19mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 19.00	1745.0, 20300	8.03	1.352	39.107

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.308	0.321
psSAR8g [W/kg]	0.192	0.205
psSAR10g [W/kg]	0.168	0.192
Power Drift [dB]	0.02	0.04
M2/M1 [%]		52.8
Dist 3dB Peak [mm]		8.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 048

Report No. :TESA2501000101ES

Measurement Report_LTE Band 5 (10MHz)_Body_Bottom of Laptop_CH 20600_QPSK_1-0_19mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 19.00	844.0, 20600	9.05	0.889	40.542

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.258	0.314
psSAR8g [W/kg]	0.208	0.222
psSAR10g [W/kg]	0.193	0.211
Power Drift [dB]	0.04	0.02
M2/M1 [%]		52.4
Dist 3dB Peak [mm]		8.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 049

Report No. :TESA2501000101ES

Measurement Report_LTE Band 7 (20MHz)_Body_Bottom of Laptop_CH 21350_QPSK_1-0_19mm

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 19.00	2560.0, 21350	7.55	1.895	38.080

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 120.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-25	2025-02-25
psSAR1g [W/kg]	0.284	0.315
psSAR8g [W/kg]	0.165	0.187
psSAR10g [W/kg]	0.148	0.173
Power Drift [dB]	0.01	0.05
M2/M1 [%]		55.6
Dist 3dB Peak [mm]		6.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 050

Report No. :TESA2501000101ES

Measurement Report_LTE Band 25 (20MHz)_Body_Bottom of Laptop_CH 26140_QPSK_1-0_19mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 19.00	1860.0, 26140	7.81	1.386	39.020

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.133	0.159
psSAR8g [W/kg]	0.085	0.093
psSAR10g [W/kg]	0.071	0.088
Power Drift [dB]	0.04	0.02
M2/M1 [%]		52.5
Dist 3dB Peak [mm]		8.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 051

Report No. : TESA2501000101ES

Measurement Report_LTE Band 26 (15MHz)_Body_Bottom of Laptop_CH 26765_QPSK_1-0_19mm

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 19.00	821.5, 26765	9.05	0.882	40.622

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	0.020	0.024
psSAR8g [W/kg]	0.013	0.016
psSAR10g [W/kg]	0.015	0.017
Power Drift [dB]	0.02	0.04
M2/M1 [%]		50.4
Dist 3dB Peak [mm]		8.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 053

Report No. :TESA2501000101ES

Measurement Report_LTE Band 30 (10MHz)_Body_Bottom of Laptop_CH 27710_QPSK_1-0_19mm

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 19.00	2310.0, 27710	7.71	1.679	38.469

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	108.0 x 144.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-25	2025-02-25
psSAR1g [W/kg]	0.166	0.184
psSAR8g [W/kg]	0.105	0.113
psSAR10g [W/kg]	0.094	0.106
Power Drift [dB]	0.01	0.03
M2/M1 [%]		52.8
Dist 3dB Peak [mm]		6.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 054

Report No. :TESA2501000101ES

Measurement Report_LTE Band 66 (20MHz)_Body_Bottom of Laptop_CH 132322_QPSK_1-0_19mm

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 19.00	1745.0, 132322	8.03	1.352	39.107

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 120.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	0.266	0.276
psSAR8g [W/kg]	0.164	0.181
psSAR10g [W/kg]	0.156	0.170
Power Drift [dB]	-0.04	-0.03
M2/M1 [%]		55.6
Dist 3dB Peak [mm]		8.9



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 055

Report No. :TESA2501000101ES

Measurement Report_LTE Band 48 (20MHz)_Body_Bottom of Laptop_CH 55830_QPSK_1-0_0mm

Ambient temperature: 22.0°C; Liquid temperature: 21.4°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom of Laptop, 0.00	3609.0, 55830	6.68	2.953	36.824

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 120.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 4.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-26	2025-02-26
psSAR1g [W/kg]	0.729	0.767
psSAR8g [W/kg]	0.518	0.572
psSAR10g [W/kg]	0.525	0.553
Power Drift [dB]	0.01	0.02
M2/M1 [%]		54.5
Dist 3dB Peak [mm]		8.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ID: 056

Report No. :TESA2501000101ES

Measurement Report_LTE Band 48 (20MHz)_Body_Front Edge of Laptop_CH 55830_QPSK_1-0_0mm

Ambient temperature: 22.0°C; Liquid temperature: 21.4°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Front Edge of Laptop, 0.00	3609.0, 55830	6.68	2.953	36.824

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 120.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 4.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-26	2025-02-26
psSAR1g [W/kg]	0.939	0.989
psSAR8g [W/kg]	0.528	0.581
psSAR10g [W/kg]	0.477	0.517
Power Drift [dB]	0.05	-0.03
M2/M1 [%]		58.4
Dist 3dB Peak [mm]		9.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10 SAR SYSTEM CHECK RESULTS

Report No. :TESA2501000101ES

Measurement Report

Dipole_D750-SN:1015

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, Head Simulating Liquid	FRONT, 15.00	9.27	0.871	40.962

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	105.0 x 165.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	2.20	2.20
psSAR8g [W/kg]	1.54	1.53
psSAR10g [W/kg]	1.46	1.46
Power Drift [dB]	0.01	0.04
M2/M1 [%]		66.3
Dist 3dB Peak [mm]		24.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :TESA2501000101ES

Measurement Report

Dipole_D835-SN:4d063

Ambient temperature: 22.6°C; Liquid temperature: 21.8°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, Head Simulating Liquid	FRONT, 15.00	9.05	0.886	40.575

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	160.0 x 160.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	10.0 x 10.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-23	2025-02-23
psSAR1g [W/kg]	2.44	2.45
psSAR8g [W/kg]	1.70	1.72
psSAR10g [W/kg]	1.51	1.53
Power Drift [dB]	-0.01	0.02
M2/M1 [%]		67.3
Dist 3dB Peak [mm]		19.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :TESA2501000101ES

Measurement Report

Dipole_D1750-SN:1008

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, Head Simulating Liquid	FRONT, 10.00	8.03	1.355	39.099

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 180.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	8.30	8.87
psSAR8g [W/kg]	4.89	5.26
psSAR10g [W/kg]	4.50	4.87
Power Drift [dB]	-0.03	-0.05
M2/M1 [%]		57.9
Dist 3dB Peak [mm]		10.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :TESA2501000101ES

Measurement Report

Dipole_D1900-SN:5d173

Ambient temperature: 22.3°C; Liquid temperature: 21.1°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, Head Simulating Liquid	FRONT, 10.00	7.81	1.386	39.020

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	90.0 x 180.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-24	2025-02-24
psSAR1g [W/kg]	9.85	9.86
psSAR8g [W/kg]	5.56	5.60
psSAR10g [W/kg]	5.08	5.15
Power Drift [dB]	-0.02	-0.04
M2/M1 [%]		55.6
Dist 3dB Peak [mm]		10.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :TESA2501000101ES

Measurement Report

Dipole_D2300-SN:1023

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, Head Simulating Liquid	FRONT, 10.00	7.71	1.670	38.487

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 144.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-25	2025-02-25
psSAR1g [W/kg]	11.2	11.9
psSAR8g [W/kg]	5.89	6.48
psSAR10g [W/kg]	5.34	5.91
Power Drift [dB]	-0.04	-0.01
M2/M1 [%]		53.9
Dist 3dB Peak [mm]		9.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :TESA2501000101ES

Measurement Report

Dipole_D2600-SN:1005

Ambient temperature: 22.5°C; Liquid temperature: 21.3°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, Head Simulating Liquid	BACK, 10.00	7.55	1.931	38.029

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 120.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-25	2025-02-25
psSAR1g [W/kg]	13.5	13.9
psSAR8g [W/kg]	6.84	6.96
psSAR10g [W/kg]	6.16	6.28
Power Drift [dB]	-0.04	-0.01
M2/M1 [%]		56.5
Dist 3dB Peak [mm]		9.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :TESA2501000101ES

Measurement Report

Dipole_D3500-SN:1009

Ambient temperature: 22.0°C; Liquid temperature: 21.4°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, Head Simulating Liquid	FRONT, 10.00	6.80	2.844	36.949

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-26	2025-02-26
psSAR1g [W/kg]	6.54	6.65
psSAR8g [W/kg]	2.94	2.90
psSAR10g [W/kg]	2.60	2.57
Power Drift [dB]	-0.02	-0.03
M2/M1 [%]		70.2
Dist 3dB Peak [mm]		8.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No. :TESA2501000101ES

Measurement Report

Dipole_D3700-SN:1057

Ambient temperature: 22.0°C; Liquid temperature: 21.4°C

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, Head Simulating Liquid	FRONT, 10.00	6.68	3.045	36.720

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN3665, 2024-09-04	DAE4 Sn1260, 2024-09-19

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-02-26	2025-02-26
psSAR1g [W/kg]	6.47	6.54
psSAR8g [W/kg]	2.74	2.74
psSAR10g [W/kg]	2.41	2.42
Power Drift [dB]	-0.02	-0.05
M2/M1 [%]		67.4
Dist 3dB Peak [mm]		8.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Refer to separated files for the following appendixes.

- 11.1 SAR_Appendix A Photographs**
- 11.2 SAR_Appendix B DAE & Probe Cal. Certificate**
- 11.3 SAR_Appendix C Phantom Description & Dipole Cal. Certificate**

- End of report -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.