Product : ASUS Tablet
Test Item : Power Density Data
Test Site : No.3OATS
Test Mode : Mode 1: Transmit - 802.11b 1Mbps (2437MHz)

| Channel No.	Frequency (MHz)	Measurement Level (dBm)	Required Limit (dBm)	Result
6	2437.000	-10.828	< 8dBm	Pass

Figure Channel 6:

Product : ASUS Tablet
Test Item : Power Density Data
Test Site : No.3 OATS
Test Mode : Mode 1: Transmit - 802.11b 1Mbps (2462MHz)

Channel No.	Frequency (MHz)	Measurement Level (dBm)	Required Limit (dBm)	Result
11	2462.00	-11.649	< 8dBm	Pass

Figure Channel 11:

Product	: ASUS Tablet
Test Item	: Power Density Data
Test Site	: No.3 OATS
Test Mode	: Mode 2: Transmit - 802.11g 6Mbps (2412MHz)

| Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
1	2412.00	-13.570	< 8dBm	Pass

Figure Channel 1:

Product   :   ASUS Tablet
Test Item   :   Power Density Data
Test Site   :   No.3OATS
Test Mode   :   Mode 2: Transmit - 802.11g 6Mbps (2437MHz)

| Channel No.	Frequency (MHz)	Measurement Level (dBm)	Required Limit (dBm)	Result
6	2437.000	-13.655	< 8dBm	Pass

Figure Channel 6:

Product : ASUS Tablet

Test Item : Power Density Data

Test Site : No.3 OATS

Test Mode : Mode 2: Transmit - 802.11g 6Mbps (2462MHz)

| Channel No.	Frequency (MHz)	Measurement Level (dBm)	Required Limit (dBm)	Result
11	2462.00	-13.884	< 8dBm	Pass

Figure Channel 11:

Product : ASUS Tablet

Test Item : Power Density Data

Test Site : No.3 OATS

Test Mode : Mode 3: Transmit - 802.11a 6Mbps (5745MHz)

| Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
149	5745.000	-16.217	< 8dBm	Pass

Figure Channel 149:

Product : ASUS Tablet

Test Item : Power Density Data

Test Site : No.3 OATS

Test Mode : Mode 3: Transmit - 802.11a 6Mbps (5785MHz)

| Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
157	5785.000	-16.209	< 8dBm	Pass

Figure Channel 157:

Product : ASUS Tablet

Test Item : Power Density Data

Test Site : No.3 OATS

Test Mode : Mode 3: Transmit - 802.11a 6Mbps (5825MHz)

| Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
165	5825.000	-16.348	< 8dBm	Pass

Figure Channel 165:

Product : ASUS Tablet

Test Item : Power Density Data

Test Site : No.3 OATS

Test Mode : Mode 4: Transmit - 802.11n-20BW_14.4Mbps(2.4G Band) (2412MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain A+B Power (dBm)	Limit (dBm)	Result
1	2412.00	-14.862	-14.334	-11.580	< 8dBm	Pass

Note: Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW))

**Figure Channel 1:   (Chain A)**

Figure Channel 1:   (Chain B)

Product : ASUS Tablet
Test Item : Power Density Data
Test Site : No.3OATS
Test Mode : Mode 4: Transmit - 802.11n-20BW_14.4Mbps(2.4G Band) (2437MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain A+B Power (dBm)	Limit (dBm)	Result
6	2437.00	-14.525	-14.391	-11.447	< 8dBm	Pass

Note: Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW))

Figure Channel 6:   (Chain A)

Figure Channel 6:   (Chain B)

Product　　　　:　　ASUS Tablet

Test Item　　　:　　Power Density Data

Test Site　　　:　　No.3 OATS

Test Mode　　　:　　Mode 4: Transmit - 802.11n-20BW_14.4Mbps(2.4G Band) (2462MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain A+B Power (dBm)	Limit (dBm)	Result
11	2462.00	-14.600	-14.672	-11.626	< 8dBm	Pass

Note: Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW))

**Figure Channel 11:　　(Chain A)**

Figure Channel 11:   (Chain B)

Product : ASUS Tablet
Test Item : Power Density Data
Test Site : No.3 OATS
Test Mode : Mode 5: Transmit - 802.11n-40BW_30Mbps(2.4G Band) (2422MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain A+B Power (dBm)	Limit (dBm)	Result
3	2422.00	-18.415	-17.964	-15.173	< 8dBm	Pass

Note: Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW))

Figure Channel 3:   (Chain A)

Figure Channel 3: (Chain B)

Product : ASUS Tablet
Test Item : Power Density Data
Test Site : No.3OATS
Test Mode : Mode 5: Transmit - 802.11n-40BW_30Mbps(2.4G Band) (2437MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain A+B Power (dBm)	Limit (dBm)	Result
6	2437.00	-18.442	-18.154	-15.285	< 8dBm	Pass

Note: Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW))

Figure Channel 6:   (Chain A)

Figure Channel 6:   (Chain B)

Product : ASUS Tablet
Test Item : Power Density Data
Test Site : No.3 OATS
Test Mode : Mode 5: Transmit - 802.11n-40BW_30Mbps(2.4G Band) (2452MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain A+B Power (dBm)	Limit (dBm)	Result
9	2452.00	-18.434	-18.416	-15.415	< 8dBm	Pass

Note: Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW))

Figure Channel 9:   (Chain A)

Figure Channel 9:   (Chain B)

Product : ASUS Tablet
Test Item : Power Density Data
Test Site : No.3 OATS
Test Mode : Mode 6: Transmit - 802.11n-20BW_14.4Mbps(5G Band) (5745MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain A+B Power (dBm)	Limit (dBm)	Result
149	5745.00	-16.652	-19.610	-14.874	< 8dBm	Pass

Note: Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW))

Figure Channel 149:　(Chain A)

Figure Channel 149:   (Chain B)

Product : ASUS Tablet

Test Item : Power Density Data

Test Site : No.3OATS

Test Mode : Mode 6: Transmit - 802.11n-20BW_14.4Mbps(5G Band) (5785MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain A+B Power (dBm)	Limit (dBm)	Result
157	5785.00	-16.670	-19.227	-14.753	< 8dBm	Pass

Note: Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW))

Figure Channel 157: (Chain A)

Figure Channel 157:   (Chain B)

Product   :   ASUS Tablet
Test Item   :   Power Density Data
Test Site   :   No.3 OATS
Test Mode   :   Mode 6: Transmit - 802.11n-20BW_14.4Mbps(5G Band) (5825MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain A+B Power (dBm)	Limit (dBm)	Result
165	5825.00	-17.040	-19.772	-15.184	< 8dBm	Pass

Note: Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW))

Figure Channel 165:   (Chain A)

Figure Channel 165:   (Chain B)

Product : ASUS Tablet

Test Item : Power Density Data

Test Site : No.3 OATS

Test Mode : Mode 7: Transmit - 802.11n-40BW_30Mbps(5G Band) (5755MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain A+B Power (dBm)	Limit (dBm)	Result
151	5755.00	-20.572	-23.141	-18.659	< 8dBm	Pass

Note: Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW))

Figure Channel 151:   (Chain A)

Figure Channel 151:   (Chain B)

Product : ASUS Tablet
Test Item : Power Density Data
Test Site : No.3OATS
Test Mode : Mode 7: Transmit - 802.11n-40BW_30Mbps(5G Band) (5795MHz)

Channel No.	Frequency (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain A+B Power (dBm)	Limit (dBm)	Result
159	5795.00	-20.865	-23.291	-18.900	< 8dBm	Pass

Note: Power Density Value (dBm) = 10*LOG (Chain A (mW)+ Chain B (mW))

Figure Channel 159:   (Chain A)

Figure Channel 159:   (Chain B)

9. EMI Reduction Method During Compliance Testing

No modification was made during testing.

Attachment 1: EUT Test Photographs

Attachment 2: EUT Detailed Photographs