





LTE Band 26 / 5MHz / 64QAM


Lowest Band Edge / 1RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 26 / 10MHz / QPSK


Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB




Band Edge / Full RB






LTE Band 26 / 10MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 12 SEP 2017 23:14:05

Highest Band Edge / 1 RB



Date: 12 SEP 2017 23:16:22

Band Edge / Full RB




Date: 12 SEP 2017 23:18:40




LTE Band 26 / 10MHz / 64QAM


Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB




Band Edge / Full RB






LTE Band 26 / 15MHz QPSK

Lowest Band Edge / 1 RB



Date: 12 SEP 2017 23:19:49


Lowest Band Edge / Full RB



Date: 12 SEP 2017 23:24:25


LTE Band 26 / 15MHz 16QAM

Lowest Band Edge / 1 RB



Date: 12 SEP 2017 23:20:58

Lowest Band Edge / Full RB




Date: 12 SEP 2017 23:25:34




LTE Band 26 / 15MHz / 64QAM

Lowest Band Edge / 1 RB



Date: 29.SEP.2017 09:56:24

Lowest Band Edge / Full RB




Date: 29.SEP.2017 09:58:40



Conducted Spurious Emission


LTE Band 26 / 1.4MHz

Lowest Channel / QPSK




Date: 12 SEP. 2017 23:51:16

Lowest Channel / 16QAM




Date: 12 SEP. 2017 23:52:11

Middle Channel / QPSK



Date: 12 SEP. 2017 23:53:46

Middle Channel / 16QAM




Date: 12 SEP. 2017 23:54:41




LTE Band 26 / 1.4MHz

Highest Channel / QPSK



Date: 12 SEP.2017 23:56:17


Highest Channel / 16QAM



Date: 12 SEP.2017 23:57:12


LTE Band 26 / 3MHz

Lowest Channel / QPSK



Date: 12 SEP.2017 23:27:10

Lowest Channel / 16QAM




Date: 12 SEP.2017 23:28:05




LTE Band 26 / 3MHz

Middle Channel / QPSK




Date: 12 SEP. 2017 23:29:40

Middle Channel / 16QAM




Date: 12 SEP. 2017 23:30:35

Highest Channel / QPSK



Date: 12 SEP. 2017 23:32:11

Highest Channel / 16QAM




Date: 12 SEP. 2017 23:33:06




LTE Band 26 / 5MHz

Lowest Channel / QPSK




Date: 12 SEP. 2017 23:34:41

Lowest Channel / 16QAM




Date: 12 SEP. 2017 23:35:36

Middle Channel / QPSK



Date: 12 SEP. 2017 23:37:11

Middle Channel / 16QAM




Date: 12 SEP. 2017 23:38:07




LTE Band 26 / 5MHz

Highest Channel / QPSK



Date: 12 SEP 2017 23:39:42


Highest Channel / 16QAM



Date: 12 SEP 2017 23:40:37


LTE Band 26 / 10MHz

Middle Channel / QPSK



Date: 12 SEP 2017 23:42:12

Middle Channel / 16QAM




Date: 12 SEP 2017 23:43:07




LTE Band 26 / 15MHz

Lowest Channel / QPSK



Date: 12 SEP. 2017 23:44:42

Lowest Channel / 16QAM




Date: 12 SEP. 2017 23:45:37




LTE Band 26 / 1.4MHz

Lowest Channel / 64QAM




Date: 29.SEP.2017 10:11:38

Middle Channel / 64QAM



Date: 29.SEP.2017 10:12:52

Highest Channel / 64QAM




Date: 29.SEP.2017 10:14:06




LTE Band 26 / 3MHz

Lowest Channel / 64QAM




Date: 29.SEP.2017 09:59:55

Middle Channel / 64QAM



Date: 29.SEP.2017 10:01:09

Highest Channel / 64QAM




Date: 29.SEP.2017 10:02:23




LTE Band 26 / 5MHz

Lowest Channel / 64QAM




Date: 29.SEP.2017 10:03:38

Middle Channel / 64QAM



Date: 29.SEP.2017 10:04:52

Highest Channel / 64QAM




Date: 29.SEP.2017 10:06:06



LTE Band 26 / 10MHz


Middle Channel / 64QAM





LTE Band 26 / 15MHz

Lowest Channel / 64QAM



Frequency Stability

Test Conditions		LTE Band 26 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0026	PASS
40	Normal Voltage	0.0085	
30	Normal Voltage	0.0005	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0001	
0	Normal Voltage	0.0079	
-10	Normal Voltage	0.0092	
-20	Normal Voltage	0.0088	
-30	Normal Voltage	0.0081	
20	Maximum Voltage	0.0089	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0010	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.6 V. ; Maximum Voltage =4.2 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.

Test Conditions		LTE Band 26 (QPSK) / Low Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 15MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0012	PASS
40	Normal Voltage	0.0013	
30	Normal Voltage	0.0007	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0004	
0	Normal Voltage	0.0019	
-10	Normal Voltage	0.0001	
-20	Normal Voltage	0.0019	
-30	Normal Voltage	0.0100	
20	Maximum Voltage	0.0023	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0090	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.6 V. ; Maximum Voltage =4.2 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of ERP and Radiated Test

ERP

LTE Band 26 / 1.4MHz (Average) (GT - LC = -2.6 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	3	1	22.50	0.1778	17.75	0.0596
Middle		3	1	22.50	0.1778	17.75	0.0596
Highest		3	1	22.59	0.1816	17.84	0.0608
Lowest	16QAM	1	3	21.99	0.1581	17.24	0.0530
Middle		1	3	21.39	0.1377	16.64	0.0461
Highest		1	3	21.58	0.1439	16.83	0.0482
Lowest	64QAM	1	3	20.72	0.1180	15.97	0.0395
Middle		1	3	20.81	0.1205	16.06	0.0404
Highest		1	3	20.79	0.1199	16.04	0.0402
Limit	ERP < 7W			Result		PASS	

LTE Band 26 / 3MHz (Average) (GT - LC = -2.6 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	22.48	0.1770	17.73	0.0593
Middle		1	0	22.55	0.1799	17.80	0.0603
Highest		1	0	22.68	0.1854	17.93	0.0621
Lowest	16QAM	1	0	21.87	0.1538	17.12	0.0515
Middle		1	0	21.98	0.1578	17.23	0.0528
Highest		1	0	21.49	0.1409	16.74	0.0472
Lowest	64QAM	1	8	20.90	0.1230	16.15	0.0412
Middle		1	8	20.77	0.1194	16.02	0.0400
Highest		1	8	20.58	0.1143	15.83	0.0383
Limit	ERP < 7W			Result		PASS	

LTE Band 26 / 5MHz (Average) (GT - LC = -2.6 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	22.51	0.1782	17.76	0.0597
Middle		1	0	22.56	0.1803	17.81	0.0604
Highest		1	0	22.66	0.1845	17.91	0.0618
Lowest	16QAM	1	0	21.75	0.1496	17.00	0.0501
Middle		1	0	21.87	0.1538	17.12	0.0515
Highest		1	0	21.75	0.1496	17.00	0.0501
Lowest	64QAM	1	0	20.69	0.1172	15.94	0.0393
Middle		1	0	20.77	0.1194	16.02	0.0400
Highest		1	0	20.91	0.1233	16.16	0.0413
Limit	ERP < 7W			Result		PASS	



LTE Band 26 / 10MHz (Average) (GT - LC = -2.6 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	-	-	-	-	-	-
Middle		1	25	22.61	0.1824	17.86	0.0611
Highest		-	-	-	-	-	-
Lowest	16QAM	-	-	-	-	-	-
Middle		1	49	21.66	0.1466	16.91	0.0491
Highest		-	-	-	-	-	-
Lowest	64QAM	-	-	-	-	-	-
Middle		1	49	20.90	0.1230	16.15	0.0412
Highest		-	-	-	-	-	-
Limit	ERP < 7W			Result		PASS	

LTE Band 26 / 15MHz (Average) (GT - LC = -2.6 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	22.62	0.1828	17.87	0.0612
Middle		-	-	-	-	-	-
Highest		-	-	-	-	-	-
Lowest	16QAM	1	74	21.95	0.1567	17.20	0.0525
Middle		-	-	-	-	-	-
Highest		-	-	-	-	-	-
Lowest	64QAM	1	37	20.74	0.1186	15.99	0.0397
Middle		-	-	-	-	-	-
Highest		-	-	-	-	-	-
Limit	ERP < 7W			Result		PASS	

**Radiated Spurious Emission****<Down Antenna>****Part 90S LTE Band 26**

Part 90S LTE Band 26 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1648	-37.48	-13	-24.48	-24.16	-39.24	0.98	4.89	H
	2464	-38.01	-13	-25.01	-28.43	-39.87	1.28	5.29	H
	3288	-50.45	-13	-37.45	-43.39	-53.83	1.54	7.07	H
	4112	-55.61	-13	-42.61	-50.18	-60.26	1.83	8.62	H
	4936	-56.78	-13	-43.78	-55.56	-61.90	2.30	9.57	H
	5760	-49.98	-13	-36.98	-51.01	-54.86	2.77	9.80	H
	6584	-59.98	-13	-46.98	-63.26	-65.41	2.72	10.30	H
	7408	-58.52	-13	-45.52	-64.5	-65.53	2.46	11.62	H
	1648	-33.90	-13	-20.90	-20.75	-35.66	0.98	4.89	V
	2464	-35.70	-13	-22.70	-26.13	-37.56	1.28	5.29	V
	3288	-47.52	-13	-34.52	-40.24	-50.90	1.54	7.07	V
	4112	-56.91	-13	-43.91	-51.29	-61.56	1.83	8.62	V
	4936	-61.13	-13	-48.13	-59.68	-66.25	2.30	9.57	V
	5760	-56.14	-13	-43.14	-57.1	-61.02	2.77	9.80	V
	6584	-53.86	-13	-40.86	-57.32	-59.29	2.72	10.30	V
	7408	-58.92	-13	-45.92	-65.2	-65.93	2.46	11.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Part 90S LTE Band 26 / 3MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1640	-35.34	-13	-22.34	-22.02	-37.12	0.97	4.91	H
	2464	-37.78	-13	-24.78	-28.2	-39.64	1.28	5.29	H
	3288	-48.55	-13	-35.55	-41.49	-51.93	1.54	7.07	H
	4104	-54.10	-13	-41.10	-48.67	-58.75	1.82	8.62	H
	4928	-58.41	-13	-45.41	-57.1	-63.52	2.30	9.56	H
	5752	-52.67	-13	-39.67	-53.7	-57.55	2.77	9.80	H
	6568	-60.23	-13	-47.23	-63.51	-65.63	2.73	10.28	H
	1640	-32.99	-13	-19.99	-19.84	-34.77	0.97	4.91	V
	2464	-35.78	-13	-22.78	-26.21	-37.64	1.28	5.29	V
	3288	-48.12	-13	-35.12	-40.84	-51.50	1.54	7.07	V
	4104	-56.68	-13	-43.68	-51.06	-61.33	1.82	8.62	V
	4928	-62.57	-13	-49.57	-61.01	-67.68	2.30	9.56	V
	5752	-56.48	-13	-43.48	-57.44	-61.36	2.77	9.80	V
	6568	-58.08	-13	-45.08	-61.54	-63.48	2.73	10.28	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Part 90S LTE Band 26 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1640	-35.73	-13	-22.73	-22.41	-37.51	0.97	4.91	H
	2456	-35.67	-13	-22.67	-26.09	-37.51	1.28	5.27	H
	3280	-50.96	-13	-37.96	-43.87	-54.31	1.54	7.03	H
	4096	-55.65	-13	-42.65	-50.15	-60.30	1.82	8.62	H
	4912	-57.85	-13	-44.85	-56.44	-62.94	2.29	9.52	H
	5736	-55.03	-13	-42.03	-56.02	-59.91	2.76	9.79	H
	6552	-60.73	-13	-47.73	-63.96	-66.11	2.73	10.26	H
	7376	-59.52	-13	-46.52	-65.41	-66.45	2.47	11.55	H
	1640	-33.58	-13	-20.58	-20.43	-35.36	0.97	4.91	V
	2456	-35.10	-13	-22.10	-25.53	-36.94	1.28	5.27	V
	3280	-49.10	-13	-36.10	-41.8	-52.45	1.54	7.03	V
	4096	-56.63	-13	-43.63	-50.94	-61.28	1.82	8.62	V
	4912	-61.76	-13	-48.76	-60.1	-66.85	2.29	9.52	V
	5736	-56.57	-13	-43.57	-57.48	-61.45	2.76	9.79	V
	6552	-56.08	-13	-43.08	-59.48	-61.46	2.73	10.26	V
	7376	-58.40	-13	-45.40	-64.59	-65.33	2.47	11.55	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Part 90S LTE Band 26 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1632	-36.34	-13	-23.34	-22.94	-38.15	0.97	4.93	H
	2440	-37.83	-13	-24.83	-28.18	-39.63	1.27	5.22	H
	3256	-52.22	-13	-39.22	-45.09	-55.47	1.53	6.93	H
	4072	-53.11	-13	-40.11	-47.53	-57.77	1.80	8.61	H
	4888	-59.97	-13	-46.97	-58.46	-65.02	2.27	9.48	H
	5704	-54.63	-13	-41.63	-55.54	-59.52	2.74	9.78	H
	6520	-60.38	-13	-47.38	-63.48	-65.71	2.75	10.22	H
	7328	-58.94	-13	-45.94	-64.69	-65.76	2.48	11.46	H
	1632	-32.98	-13	-19.98	-19.77	-34.79	0.97	4.93	V
	2440	-36.64	-13	-23.64	-26.97	-38.44	1.27	5.22	V
	3256	-49.69	-13	-36.69	-42.36	-52.94	1.53	6.93	V
	4072	-54.73	-13	-41.73	-48.97	-59.39	1.80	8.61	V
	4888	-62.87	-13	-49.87	-61.11	-67.92	2.27	9.48	V
	5704	-55.72	-13	-42.72	-56.57	-60.61	2.74	9.78	V
	6520	-54.80	-13	-41.80	-58.06	-60.13	2.75	10.22	V
	7328	-59.22	-13	-46.22	-65.27	-66.04	2.48	11.46	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Part 90S LTE Band 26 / 15MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1632	-35.72	-13	-22.72	-22.32	-37.53	0.97	4.93	H
	2440	-35.13	-13	-22.13	-25.48	-36.93	1.27	5.22	H
	3256	-49.07	-13	-36.07	-41.94	-52.32	1.53	6.93	H
	4072	-54.07	-13	-41.07	-48.49	-58.73	1.80	8.61	H
	4888	-57.06	-13	-44.06	-55.55	-62.11	2.27	9.48	H
	5704	-50.89	-13	-37.89	-51.8	-55.78	2.74	9.78	H
	6520	-59.85	-13	-46.85	-62.95	-65.18	2.75	10.22	H
	7336	-58.22	-13	-45.22	-64.02	-65.06	2.48	11.47	H
	1632	-33.10	-13	-20.10	-19.89	-34.91	0.97	4.93	V
	2440	-34.44	-13	-21.44	-24.77	-36.24	1.27	5.22	V
	3256	-49.12	-13	-36.12	-41.79	-52.37	1.53	6.93	V
	4072	-54.35	-13	-41.35	-48.59	-59.01	1.80	8.61	V
	4888	-61.21	-13	-48.21	-59.45	-66.26	2.27	9.48	V
	5704	-56.07	-13	-43.07	-56.92	-60.96	2.74	9.78	V
	6520	-55.33	-13	-42.33	-58.59	-60.66	2.75	10.22	V
	7336	-58.56	-13	-45.56	-64.66	-65.40	2.48	11.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**<Up Antenna>****Part 90S LTE Band 26**

Part 90S LTE Band 26 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1648	-62.89	-13	-49.89	-49.57	-64.65	0.98	4.89	H
	2464	-68.15	-13	-55.15	-58.57	-70.01	1.28	5.29	H
	3291	-68.62	-13	-55.62	-61.56	-72.01	1.54	7.08	H
									H
									H
									H
									H
	1648	-62.71	-13	-49.71	-49.56	-64.47	0.98	4.89	V
	2464	-67.54	-13	-54.54	-57.97	-69.40	1.28	5.29	V
	3291	-68.45	-13	-55.45	-61.17	-71.84	1.54	7.08	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Part 90S LTE Band 26 / 3MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1640	-62.18	-13	-49.18	-48.86	-63.96	0.97	4.91	H
	2464	-67.62	-13	-54.62	-58.04	-69.48	1.28	5.29	H
	3285	-68.58	-13	-55.58	-61.49	-71.95	1.54	7.05	H
									H
									H
									H
									H
	1640	-62.67	-13	-49.67	-49.52	-64.45	0.97	4.91	V
	2464	-66.94	-13	-53.94	-57.37	-68.80	1.28	5.29	V
	3285	-68.96	-13	-55.96	-61.66	-72.33	1.54	7.05	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Part 90S LTE Band 26 / 5MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1640	-60.72	-13	-47.72	-47.4	-62.50	0.97	4.91	H
	2456	-67.63	-13	-54.63	-58.05	-69.47	1.28	5.27	H
	3277	-68.48	-13	-55.48	-61.39	-71.81	1.53	7.02	H
									H
									H
									H
									H
	1640	-61.59	-13	-48.59	-48.44	-63.37	0.97	4.91	V
	2456	-67.62	-13	-54.62	-58.05	-69.46	1.28	5.27	V
	3277	-68.82	-13	-55.82	-61.52	-72.15	1.53	7.02	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Part 90S LTE Band 26 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1632	-60.73	-13	-47.73	-47.33	-62.54	0.97	4.93	H
	2440	-67.57	-13	-54.57	-57.92	-69.37	1.27	5.22	H
	3256	-68.82	-13	-55.82	-61.69	-72.07	1.53	6.93	H
									H
									H
									H
									H
	1632	-61.90	-13	-48.90	-48.69	-63.71	0.97	4.93	V
	2440	-67.75	-13	-54.75	-58.08	-69.55	1.27	5.22	V
	3256	-69.08	-13	-56.08	-61.75	-72.33	1.53	6.93	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Part 90S LTE Band 26 / 15MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1632	-60.83	-13	-47.83	-47.43	-62.64	0.97	4.93	H
	2440	-67.06	-13	-54.06	-57.41	-68.86	1.27	5.22	H
	3259	-68.28	-13	-55.28	-61.15	-71.54	1.53	6.94	H
									H
									H
									H
									H
	1632	-59.55	-13	-46.55	-46.34	-61.36	0.97	4.93	V
	2440	-67.04	-13	-54.04	-57.37	-68.84	1.27	5.22	V
	3259	-68.49	-13	-55.49	-61.16	-71.75	1.53	6.94	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.