

Report No.: 9901759

Mode: Charging

Tested By: Hong, Report ID: 9901759

Scan Settings: 1 Range

Frequency: 1000 Hz, Step: 100 Hz, IF BW: 100 Hz, Detector: 100 Hz, Auto: 100 Hz, Presamp: 100 Hz, OpRng: 100 Hz

Start: 100 Hz, Stop: 100 Hz, IF BW: 100 Hz, Detector: 100 Hz, Auto: 100 Hz, Presamp: 100 Hz, OpRng: 100 Hz

Unit ID: 100 Hz, Transducer: 100 Hz, Start: 100 Hz, Stop: 100 Hz, Name: 100 Hz

Unit ID: 100 Hz, Transducer: 100 Hz, Start: 100 Hz, Stop: 100 Hz, Name: 100 Hz

Unit ID: 100 Hz, Transducer: 100 Hz, Start: 100 Hz, Stop: 100 Hz, Name: 100 Hz

Unit ID: 100 Hz, Transducer: 100 Hz, Start: 100 Hz, Stop: 100 Hz, Name: 100 Hz

1500

1000

750

500

250


0

-250

-500

-750

-1000



0

10

80

100

PAGE 1

Ctrl. No.: N/A

Report No.: 9901759

Mode: Charging

Tested By: Hong, Report No.: 9901759

Scan Settings (1 Range)

| ----- Frequencies ----- |      |      | ----- Receiver Settings ----- |          |        |       |        |       |
|-------------------------|------|------|-------------------------------|----------|--------|-------|--------|-------|
| Start                   | Stop | Step | IF BW                         | Detector | M-Time | Atten | Preamp | OpRge |
| 450k                    | 30M  | 5k   | 10k                           | PK       | 20ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:

no Results


Ctrl. No.: N/A

Mode : Standby

[illegible]

| Group | Group | Group | HF-Mk | Ext-10.1 | Ext-10.2 | Att-10 | Pre-amp | OpRge |
|-------|-------|-------|-------|----------|----------|--------|---------|-------|
| 0000  | 0000  | 00    | 000   | 00       | 00       | AUTO   | LM OFF  | code  |

|                     |       |  |    |     |       |
|---------------------|-------|--|----|-----|-------|
| Final FBI Comments: | 06/08 |  | 9K | 004 | EI078 |
| Notes:              | 1     |  |    |     |       |
| Subsequent:         | 1     |  |    |     |       |
| Air Handling:       | Code  |  |    |     |       |



Report No.: 9901759

Mode: Standby

Tested By: Hong, Report No.: 9901759

Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |       |        |       |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten | Preamp | OpRge |
| 450k        | 30M  | 5k   | 10k               | PK       | 20ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:

no Results

Ctrl. No.: N/A

Report No.: 9901759

Mode: Transmission

Tested By: Hong, Report No.: 9901759


Scan Settings: 11 Range

Frequency: 100.000000 MHz IF BW: 100.000000 Hz Detector: PK Video BW: 100.000000 Hz

Start: 100.000000 Stop: 100.000000 Step: 100.000000 IF BW: 100.000000 Detector: PK Video BW: 100.000000 Hz

Final Measurements: 11 dBm Transceiver: Hec Start: 100.000000 Stop: 100.000000 Name: E1078

Mean: 100.000000  
RMS: 100.000000  
A: 100.000000



Ctrl. No.: N/A

Report No.: 9901759

Mode : Transmission

Tested By: Hong, Report No.: 9901759

Scan Settings (1 Range)

| ----- Frequencies ----- |      |      | ----- Receiver Settings ----- |          |        |       |        |       |
|-------------------------|------|------|-------------------------------|----------|--------|-------|--------|-------|
| Start                   | Stop | Step | IF BW                         | Detector | M-Time | Atten | Preamp | OpRge |
| 450k                    | 30M  | 5k   | 10k                           | PK       | 20ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:

no Results

Ctrl. No.: N/A