



Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.925-6.425GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	18.546M	16.439M	16M4D1D	18.282M	16.333M
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	19.932M	18.951M	19M0D1D	19.734M	18.861M
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	39.468M	37.841M	37M8D1D	39.204M	37.721M
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	80.256M	77.601M	77M6D1D	80.256M	77.001M
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	162.624M	156.882M	157MD1D	162.096M	156.402M
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	325.248M	315.025M	315MD1D	325.248M	314.144M
6.425-6.525GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	18.546M	16.624M	16M6D1D	18.216M	16.307M
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	19.932M	18.921M	18M9D1D	19.8M	18.861M
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	39.48M	37.841M	37M8D1D	39.204M	37.601M
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	80.4M	77.481M	77M5D1D	80.256M	77.241M
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	162.48M	156.642M	157MD1D	162.24M	156.402M
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	326.304M	315.737M	316MD1D	325.248M	314.003M
6.525-6.875GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	18.546M	16.439M	16M4D1D	18.15M	16.36M
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	19.932M	18.921M	18M9D1D	19.8M	18.861M
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	39.6M	37.841M	37M8D1D	39.204M	37.661M
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	80.52M	77.721M	77M7D1D	80.16M	77.121M
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	162.624M	157.601M	158MD1D	162M	156.162M
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	326.304M	316.178M	316MD1D	325.248M	313.736M
6.875-7.125GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	18.546M	16.439M	16M4D1D	18.282M	16.36M
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	19.932M	18.921M	18M9D1D	19.8M	18.861M
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	39.732M	37.841M	37M8D1D	39.204M	37.721M
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	80.52M	77.721M	77M7D1D	80.256M	77.241M
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	162.624M	156.882M	157MD1D	162.096M	156.402M

Max-N dB = Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11a_Nss1,(6Mbps)_4TX										
5955MHz	Pass	Inf	18.48M	16.413M	18.282M	16.386M	18.348M	16.36M	18.282M	16.36M
6175MHz	Pass	Inf	18.48M	16.413M	18.414M	16.386M	18.348M	16.36M	18.414M	16.36M
6415MHz	Pass	Inf	18.546M	16.439M	18.48M	16.36M	18.48M	16.333M	18.282M	16.333M
6435MHz	Pass	Inf	18.414M	16.413M	18.414M	16.386M	18.216M	16.333M	18.216M	16.307M
6475MHz	Pass	Inf	18.414M	16.413M	18.48M	16.465M	18.282M	16.386M	18.282M	16.624M
6515MHz	Pass	Inf	18.546M	16.439M	18.414M	16.386M	18.414M	16.413M	18.282M	16.413M
6535MHz	Pass	Inf	18.546M	16.439M	18.414M	16.413M	18.414M	16.413M	18.282M	16.413M
6715MHz	Pass	Inf	18.348M	16.413M	18.348M	16.386M	18.15M	16.36M	18.348M	16.386M
6855MHz	Pass	Inf	18.48M	16.413M	18.48M	16.386M	18.414M	16.386M	18.414M	16.36M
6875MHz Straddles UNII-7 and UNII-8	Pass	Inf	18.51M	16.402M	18.42M	16.402M	18.42M	16.432M	18.42M	16.402M
6895MHz	Pass	Inf	18.546M	16.413M	18.48M	16.413M	18.414M	16.413M	18.348M	16.386M
7015MHz	Pass	Inf	18.48M	16.413M	18.48M	16.386M	18.414M	16.386M	18.348M	16.36M
7095MHz	Pass	Inf	18.48M	16.439M	18.48M	16.413M	18.48M	16.386M	18.414M	16.413M
7115MHz	Pass	Inf	18.348M	16.386M	18.414M	16.36M	18.348M	16.36M	18.282M	16.36M
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA										
5955MHz	Pass	Inf	19.734M	18.891M	19.932M	18.921M	19.932M	18.891M	19.866M	18.861M
6175MHz	Pass	Inf	19.866M	18.861M	19.932M	18.891M	19.932M	18.921M	19.866M	18.861M
6415MHz	Pass	Inf	19.8M	18.891M	19.866M	18.951M	19.866M	18.861M	19.866M	18.861M
6435MHz	Pass	Inf	19.866M	18.861M	19.8M	18.861M	19.8M	18.861M	19.866M	18.891M
6475MHz	Pass	Inf	19.866M	18.891M	19.932M	18.861M	19.8M	18.861M	19.932M	18.861M
6515MHz	Pass	Inf	19.866M	18.861M	19.932M	18.921M	19.866M	18.861M	19.866M	18.921M
6535MHz	Pass	Inf	19.8M	18.891M	19.932M	18.921M	19.866M	18.921M	19.866M	18.861M
6715MHz	Pass	Inf	19.866M	18.891M	19.866M	18.891M	19.8M	18.891M	19.932M	18.891M
6855MHz	Pass	Inf	19.8M	18.891M	19.866M	18.891M	19.866M	18.891M	19.8M	18.891M
6875MHz Straddles UNII-7 and UNII-8	Pass	Inf	19.89M	18.891M	19.86M	18.891M	19.92M	18.891M	19.89M	18.891M
6895MHz	Pass	Inf	19.866M	18.891M	19.8M	18.921M	19.866M	18.891M	19.866M	18.891M
7015MHz	Pass	Inf	19.866M	18.891M	19.866M	18.921M	19.866M	18.891M	19.866M	18.891M
7095MHz	Pass	Inf	19.866M	18.891M	19.866M	18.921M	19.866M	18.891M	19.866M	18.891M
7115MHz	Pass	Inf	19.8M	18.861M	19.932M	18.861M	19.866M	18.891M	19.866M	18.861M
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA										
5965MHz	Pass	Inf	39.468M	37.781M	39.336M	37.781M	39.468M	37.781M	39.204M	37.781M
6165MHz	Pass	Inf	39.336M	37.841M	39.336M	37.841M	39.336M	37.721M	39.336M	37.721M
6405MHz	Pass	Inf	39.468M	37.841M	39.468M	37.841M	39.204M	37.841M	39.468M	37.781M
6445MHz	Pass	Inf	39.336M	37.781M	39.468M	37.781M	39.336M	37.781M	39.336M	37.841M
6485MHz	Pass	Inf	39.468M	37.781M	39.204M	37.721M	39.204M	37.721M	39.336M	37.601M
6525MHz Straddles UNII-6 and UNII-7	Pass	Inf	39.36M	37.841M	39.42M	37.841M	39.48M	37.841M	39.36M	37.661M
6565MHz	Pass	Inf	39.336M	37.781M	39.468M	37.721M	39.204M	37.721M	39.336M	37.841M
6725MHz	Pass	Inf	39.336M	37.781M	39.6M	37.781M	39.336M	37.841M	39.336M	37.841M
6845MHz	Pass	Inf	39.336M	37.781M	39.336M	37.661M	39.336M	37.721M	39.468M	37.721M
6885MHz Straddles UNII-7 and UNII-8	Pass	Inf	39.42M	37.841M	39.36M	37.841M	39.42M	37.841M	39.42M	37.841M



Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
6925MHz	Pass	Inf	39.336M	37.781M	39.732M	37.781M	39.468M	37.841M	39.336M	37.841M
7005MHz	Pass	Inf	39.204M	37.781M	39.468M	37.781M	39.468M	37.781M	39.336M	37.781M
7085MHz	Pass	Inf	39.468M	37.781M	39.468M	37.721M	39.468M	37.781M	39.468M	37.721M
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA										
5985MHz	Pass	Inf	80.256M	77.361M	80.256M	77.481M	80.256M	77.481M	80.256M	77.241M
6145MHz	Pass	Inf	80.256M	77.361M	80.256M	77.241M	80.256M	77.241M	80.256M	77.001M
6385MHz	Pass	Inf	80.256M	77.481M	80.256M	77.481M	80.256M	77.601M	80.256M	77.241M
6465MHz	Pass	Inf	80.256M	77.481M	80.256M	77.481M	80.256M	77.481M	80.256M	77.241M
6545MHz Straddles UNII-6 and UNII-7	Pass	Inf	80.4M	77.481M	80.4M	77.481M	80.28M	77.481M	80.28M	77.361M
6625MHz	Pass	Inf	80.256M	77.481M	80.256M	77.361M	80.256M	77.241M	80.256M	77.121M
6705MHz	Pass	Inf	80.256M	77.721M	80.52M	77.721M	80.256M	77.721M	80.256M	77.601M
6785MHz	Pass	Inf	80.256M	77.481M	80.256M	77.481M	80.256M	77.361M	80.256M	77.121M
6865MHz Straddles UNII-7 and UNII-8	Pass	Inf	80.52M	77.361M	80.4M	77.361M	80.4M	77.361M	80.16M	77.361M
6945MHz	Pass	Inf	80.256M	77.481M	80.256M	77.481M	80.256M	77.481M	80.256M	77.241M
7025MHz	Pass	Inf	80.256M	77.721M	80.256M	77.601M	80.256M	77.601M	80.52M	77.601M
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA										
6025MHz	Pass	Inf	162.096M	156.642M	162.624M	156.882M	162.624M	156.882M	162.096M	156.642M
6185MHz	Pass	Inf	162.624M	156.642M	162.624M	156.642M	162.624M	156.642M	162.624M	156.402M
6345MHz	Pass	Inf	162.624M	156.882M	162.624M	156.642M	162.624M	156.882M	162.624M	156.882M
6505MHz Straddles UNII-6 and UNII-7	Pass	Inf	162.24M	156.642M	162.24M	156.402M	162.48M	156.402M	162.24M	156.402M
6665MHz	Pass	Inf	162.624M	157.361M	162.624M	157.601M	162.624M	157.361M	162.096M	157.361M
6825MHz Straddles UNII-7 and UNII-8	Pass	Inf	162.24M	156.402M	162.24M	156.402M	162.24M	156.402M	162M	156.162M
6985MHz	Pass	Inf	162.096M	156.402M	162.624M	156.882M	162.624M	156.642M	162.096M	156.402M
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA										
6105MHz	Pass	Inf	325.248M	314.671M	325.248M	314.924M	325.248M	315.025M	325.248M	314.549M
6265MHz	Pass	Inf	325.248M	314.264M	325.248M	314.343M	325.248M	314.77M	325.248M	314.144M
6425MHz Straddles UNII-5, UNII 6 and UNII-7	Pass	Inf	325.248M	315.015M	326.304M	314.971M	325.248M	315.202M	325.248M	314.426M
6585MHz Straddles UNII-6 and UNII-7	Pass	Inf	325.248M	315.595M	326.304M	315.737M	326.304M	315.225M	326.304M	314.003M
6745MHz Straddles UNII-7 and UNII-8	Pass	Inf	325.248M	314.896M	325.248M	315.2M	325.248M	314.602M	325.248M	313.736M
6905MHz Straddles UNII-7 and UNII-8	Pass	Inf	325.248M	315.544M	326.304M	316.178M	326.304M	315.395M	325.248M	315.372M

Port X-N dB = 26dB down bandwidth
 Port X-OBW = Port X 99% occupied bandwidth




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5955MHz

CF
5.955GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.955GHz
Span
52.8MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.48M	5.94576G	5.96424G	16.413M	5.946767G	5.96318G	Inf	1
18.282M	5.945826G	5.964108G	16.386M	5.946794G	5.96318G	Inf	2
18.348M	5.94576G	5.964108G	16.36M	5.946794G	5.963154G	Inf	3
18.282M	5.945892G	5.964174G	16.36M	5.94682G	5.96318G	Inf	4

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

6175MHz

CF
6.175GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.175GHz
Span
52.8MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.48M	6.16576G	6.18424G	16.413M	6.166767G	6.18318G	Inf	1
18.414M	6.16576G	6.184174G	16.386M	6.166794G	6.18318G	Inf	2
18.348M	6.165826G	6.184174G	16.36M	6.166794G	6.183154G	Inf	3
18.414M	6.16576G	6.184174G	16.36M	6.166794G	6.183154G	Inf	4




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

6415MHz

CF
6.415GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.415GHz
Span
52.8MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.546M	6.405694G	6.42424G	16.439M	6.406767G	6.423206G	Inf	1
18.48M	6.405694G	6.424174G	16.36M	6.40682G	6.42318G	Inf	2
18.48M	6.405694G	6.424174G	16.333M	6.40682G	6.423154G	Inf	3
18.282M	6.405826G	6.424108G	16.333M	6.40682G	6.423154G	Inf	4

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

6435MHz

CF
6.435GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.435GHz
Span
52.8MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.414M	6.42576G	6.444174G	16.413M	6.426767G	6.44318G	Inf	1
18.414M	6.42576G	6.444174G	16.386M	6.426794G	6.44318G	Inf	2
18.216M	6.425892G	6.444108G	16.333M	6.42682G	6.443154G	Inf	3
18.216M	6.425958G	6.444174G	16.307M	6.426873G	6.44318G	Inf	4




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

6475MHz

CF
6.475GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.475GHz
Span
52.8MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.414M	6.465826G	6.48424G	16.413M	6.466794G	6.483206G	Inf	1
18.48M	6.465694G	6.484174G	16.465M	6.466741G	6.483206G	Inf	2
18.282M	6.465892G	6.484174G	16.386M	6.466794G	6.48318G	Inf	3
18.282M	6.465562G	6.483844G	16.624M	6.46653G	6.483154G	Inf	4

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

6515MHz

CF
6.515GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.515GHz
Span
52.8MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.546M	6.505694G	6.52424G	16.439M	6.506767G	6.523206G	Inf	1
18.414M	6.50576G	6.524174G	16.386M	6.506794G	6.52318G	Inf	2
18.414M	6.50576G	6.524174G	16.413M	6.506767G	6.52318G	Inf	3
18.282M	6.505694G	6.523976G	16.413M	6.506715G	6.523127G	Inf	4




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

6535MHz

CF
6.535GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.535GHz
Span
52.8MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.546M	6.525694G	6.54424G	16.439M	6.526767G	6.543206G	Inf	1
18.414M	6.52576G	6.544174G	16.413M	6.526767G	6.54318G	Inf	2
18.414M	6.52576G	6.544174G	16.413M	6.526767G	6.54318G	Inf	3
18.282M	6.525826G	6.544108G	16.413M	6.526794G	6.543206G	Inf	4

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

6715MHz

CF
6.715GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.715GHz
Span
52.8MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.348M	6.70576G	6.724108G	16.413M	6.706767G	6.72318G	Inf	1
18.348M	6.70576G	6.724108G	16.386M	6.706794G	6.72318G	Inf	2
18.15M	6.705892G	6.724042G	16.36M	6.706794G	6.723154G	Inf	3
18.348M	6.705826G	6.724174G	16.386M	6.706794G	6.72318G	Inf	4




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

6855MHz

CF
6.855GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.855GHz
Span
52.8MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.48M	6.845694G	6.864174G	16.413M	6.846767G	6.86318G	Inf	1
18.48M	6.84576G	6.86424G	16.386M	6.846794G	6.86318G	Inf	2
18.414M	6.84576G	6.864174G	16.386M	6.846794G	6.86318G	Inf	3
18.414M	6.84576G	6.864174G	16.36M	6.846794G	6.863154G	Inf	4

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

6875MHz Straddle 6.525-6.875GHz

CF
6.875GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.875GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.51M	6.86573G	6.88424G	16.402M	6.866784G	6.883186G	Inf	1
18.42M	6.86579G	6.88421G	16.402M	6.866784G	6.883186G	Inf	2
18.42M	6.86573G	6.88415G	16.432M	6.866754G	6.883186G	Inf	3
18.42M	6.86579G	6.88421G	16.402M	6.866784G	6.883186G	Inf	4




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

6895MHz

CF: 6.895GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.895GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.546M	6.885694G	6.90424G	16.413M	6.886767G	6.90318G	Inf	1
18.48M	6.88576G	6.90424G	16.413M	6.886767G	6.90318G	Inf	2
18.414M	6.88576G	6.904174G	16.413M	6.886767G	6.90318G	Inf	3
18.348M	6.885826G	6.904174G	16.386M	6.886794G	6.90318G	Inf	4

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

7015MHz

CF: 7.015GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 7.015GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.48M	7.005694G	7.024174G	16.413M	7.006767G	7.02318G	Inf	1
18.48M	7.00576G	7.02424G	16.386M	7.006794G	7.02318G	Inf	2
18.414M	7.00576G	7.024174G	16.386M	7.006794G	7.02318G	Inf	3
18.348M	7.00576G	7.024108G	16.36M	7.006794G	7.023154G	Inf	4




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

7095MHz

CF: 7.095GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 7.095GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.48M	7.08576G	7.10424G	16.439M	7.086767G	7.103206G	Inf	1
18.48M	7.085694G	7.104174G	16.413M	7.086767G	7.10318G	Inf	2
18.48M	7.08576G	7.10424G	16.386M	7.086794G	7.10318G	Inf	3
18.414M	7.08576G	7.104174G	16.413M	7.086767G	7.10318G	Inf	4

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

7115MHz

CF: 7.115GHz
 Span: 132MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 7.115GHz
 Span: 52.8MHz
 RBW: 200kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.348M	7.105826G	7.124174G	16.386M	7.106794G	7.12318G	Inf	1
18.414M	7.10576G	7.124174G	16.36M	7.106794G	7.123154G	Inf	2
18.348M	7.105826G	7.124174G	16.36M	7.106794G	7.123154G	Inf	3
18.282M	7.105826G	7.124108G	16.36M	7.106794G	7.123154G	Inf	4




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5955MHz

CF
5.955GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.955GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.734M	5.945166G	5.9649G	18.891M	5.945555G	5.964445G	Inf	1
19.932M	5.945034G	5.964966G	18.921M	5.945525G	5.964445G	Inf	2
19.932M	5.945034G	5.964966G	18.891M	5.945555G	5.964445G	Inf	3
19.866M	5.9451G	5.964966G	18.861M	5.945585G	5.964445G	Inf	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6175MHz

CF
6.175GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.175GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	6.165034G	6.1849G	18.861M	6.165555G	6.184415G	Inf	1
19.932M	6.165034G	6.184966G	18.891M	6.165555G	6.184445G	Inf	2
19.932M	6.165034G	6.184966G	18.921M	6.165525G	6.184445G	Inf	3
19.866M	6.165034G	6.1849G	18.861M	6.165555G	6.184415G	Inf	4




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6415MHz

CF
6.415GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.415GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.8M	6.4051G	6.4249G	18.891M	6.405555G	6.424445G	Inf	1
19.866M	6.4051G	6.424966G	18.951M	6.405495G	6.424445G	Inf	2
19.866M	6.405034G	6.4249G	18.861M	6.405555G	6.424415G	Inf	3
19.866M	6.405034G	6.4249G	18.861M	6.405525G	6.424385G	Inf	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6435MHz

CF
6.435GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.435GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	6.425034G	6.4449G	18.861M	6.425555G	6.444415G	Inf	1
19.8M	6.4251G	6.4449G	18.861M	6.425555G	6.444415G	Inf	2
19.8M	6.4251G	6.4449G	18.861M	6.425555G	6.444415G	Inf	3
19.866M	6.425034G	6.4449G	18.891M	6.425525G	6.444415G	Inf	4




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6475MHz

CF
6.475GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.475GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	6.465034G	6.4849G	18.891M	6.465555G	6.484445G	Inf	1
19.932M	6.465034G	6.484966G	18.861M	6.465555G	6.484415G	Inf	2
19.8M	6.4651G	6.4849G	18.861M	6.465555G	6.484415G	Inf	3
19.932M	6.464968G	6.4849G	18.861M	6.465525G	6.484385G	Inf	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6515MHz

CF
6.515GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.515GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	6.505034G	6.5249G	18.861M	6.505555G	6.524415G	Inf	1
19.932M	6.505034G	6.524966G	18.921M	6.505525G	6.524445G	Inf	2
19.866M	6.505034G	6.5249G	18.861M	6.505555G	6.524415G	Inf	3
19.866M	6.505034G	6.5249G	18.921M	6.505495G	6.524415G	Inf	4




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6535MHz

CF
6.535GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.535GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.8M	6.5251G	6.5449G	18.891M	6.525555G	6.544445G	Inf	1
19.932M	6.525034G	6.544966G	18.921M	6.525525G	6.544445G	Inf	2
19.866M	6.525034G	6.5449G	18.921M	6.525525G	6.544445G	Inf	3
19.866M	6.525034G	6.5449G	18.861M	6.525525G	6.544385G	Inf	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6715MHz

CF
6.715GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.715GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	6.705034G	6.7249G	18.891M	6.705525G	6.724415G	Inf	1
19.866M	6.705034G	6.7249G	18.891M	6.705555G	6.724445G	Inf	2
19.8M	6.7051G	6.7249G	18.891M	6.705525G	6.724415G	Inf	3
19.932M	6.705034G	6.724966G	18.891M	6.705555G	6.724445G	Inf	4




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6855MHz

CF
6.855GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.855GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.8M	6.8451G	6.8649G	18.891M	6.845525G	6.864415G	Inf	1
19.866M	6.845034G	6.8649G	18.891M	6.845525G	6.864415G	Inf	2
19.866M	6.845034G	6.8649G	18.891M	6.845525G	6.864415G	Inf	3
19.8M	6.8451G	6.8649G	18.891M	6.845525G	6.864415G	Inf	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6875MHz Straddle 6.525-6.875GHz

CF
6.875GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.875GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.89M	6.86501G	6.8849G	18.891M	6.865525G	6.884415G	Inf	1
19.86M	6.86504G	6.8849G	18.891M	6.865525G	6.884415G	Inf	2
19.92M	6.86498G	6.8849G	18.891M	6.865525G	6.884415G	Inf	3
19.89M	6.86501G	6.8849G	18.891M	6.865525G	6.884415G	Inf	4




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

6895MHz

CF
6.895GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.895GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	6.885034G	6.9049G	18.891M	6.885525G	6.904415G	Inf	1
19.8M	6.8851G	6.9049G	18.921M	6.885525G	6.904445G	Inf	2
19.866M	6.885034G	6.9049G	18.891M	6.885525G	6.904415G	Inf	3
19.866M	6.885034G	6.9049G	18.891M	6.885525G	6.904415G	Inf	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

7015MHz

CF
7.015GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
7.015GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	7.005034G	7.0249G	18.891M	7.005525G	7.024415G	Inf	1
19.866M	7.005034G	7.0249G	18.921M	7.005525G	7.024445G	Inf	2
19.866M	7.005034G	7.0249G	18.891M	7.005525G	7.024415G	Inf	3
19.866M	7.005034G	7.0249G	18.891M	7.005525G	7.024415G	Inf	4




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

7095MHz

CF
7.095GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
7.095GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	7.085034G	7.1049G	18.891M	7.085525G	7.104415G	Inf	1
19.866M	7.085034G	7.1049G	18.921M	7.085525G	7.104445G	Inf	2
19.866M	7.085034G	7.1049G	18.891M	7.085525G	7.104415G	Inf	3
19.866M	7.0851G	7.104966G	18.891M	7.085525G	7.104415G	Inf	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

7115MHz

CF
7.115GHz
Span
132MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
7.115GHz
Span
60MHz
RBW
200kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.8M	7.1051G	7.1249G	18.861M	7.105555G	7.124415G	Inf	1
19.932M	7.105034G	7.124966G	18.861M	7.105555G	7.124415G	Inf	2
19.866M	7.1051G	7.124966G	18.891M	7.105555G	7.124445G	Inf	3
19.866M	7.105034G	7.1249G	18.861M	7.105555G	7.124415G	Inf	4




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5965MHz

CF
5.965GHz
Span
264MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.965GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.468M	5.9452G	5.984668G	37.781M	5.946109G	5.983891G	Inf	1
39.336M	5.945332G	5.984668G	37.781M	5.946109G	5.983891G	Inf	2
39.468M	5.9452G	5.984668G	37.781M	5.946109G	5.983891G	Inf	3
39.204M	5.945332G	5.984536G	37.781M	5.946109G	5.983891G	Inf	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6165MHz

CF
6.165GHz
Span
264MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.165GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.336M	6.145332G	6.184668G	37.841M	6.146049G	6.183891G	Inf	1
39.336M	6.145332G	6.184668G	37.841M	6.146049G	6.183891G	Inf	2
39.336M	6.145332G	6.184668G	37.721M	6.146169G	6.183891G	Inf	3
39.336M	6.145332G	6.184668G	37.721M	6.146109G	6.183831G	Inf	4




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6405MHz

CF: 6.405GHz
 Span: 264MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.405GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.468M	6.3852G	6.424668G	37.841M	6.386109G	6.423951G	Inf	1
39.468M	6.3852G	6.424668G	37.841M	6.386049G	6.423891G	Inf	2
39.204M	6.385332G	6.424536G	37.841M	6.386049G	6.423891G	Inf	3
39.468M	6.3852G	6.424668G	37.781M	6.386049G	6.423831G	Inf	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6445MHz

CF: 6.445GHz
 Span: 264MHz
 RBW: 300kHz
 VBW: 1MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.445GHz
 Span: 120MHz
 RBW: 500kHz
 VBW: 2MHz
 Sweep Time: 100ms
 Detector Type: Peak



Port 1
 Port 2
 Port 3
 Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.336M	6.425332G	6.464668G	37.781M	6.426109G	6.463891G	Inf	1
39.468M	6.4252G	6.464668G	37.781M	6.426109G	6.463891G	Inf	2
39.336M	6.425332G	6.464668G	37.781M	6.426109G	6.463891G	Inf	3
39.336M	6.425332G	6.464668G	37.841M	6.426049G	6.463891G	Inf	4




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6485MHz

CF
6.485GHz
Span
264MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.485GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.468M	6.465332G	6.5048G	37.781M	6.466109G	6.503891G	Inf	1
39.204M	6.465332G	6.504536G	37.721M	6.466109G	6.503831G	Inf	2
39.204M	6.465332G	6.504536G	37.721M	6.466109G	6.503831G	Inf	3
39.336M	6.465332G	6.504668G	37.601M	6.466169G	6.503771G	Inf	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6525MHz Straddle 6.425-6.525GHz

CF
6.525GHz
Span
120MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.525GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.36M	6.50532G	6.54468G	37.841M	6.506049G	6.543891G	Inf	1
39.42M	6.50526G	6.54468G	37.841M	6.506049G	6.543891G	Inf	2
39.48M	6.50526G	6.54474G	37.841M	6.506049G	6.543891G	Inf	3
39.36M	6.50532G	6.54468G	37.661M	6.506169G	6.543831G	Inf	4




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6565MHz

CF
6.565GHz
Span
264MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.565GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.336M	6.545332G	6.584668G	37.781M	6.546109G	6.583891G	Inf	1
39.468M	6.545332G	6.5848G	37.721M	6.546169G	6.583891G	Inf	2
39.204M	6.545332G	6.584536G	37.721M	6.546109G	6.583831G	Inf	3
39.336M	6.545332G	6.584668G	37.841M	6.546109G	6.583951G	Inf	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6725MHz

CF
6.725GHz
Span
264MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.725GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.336M	6.705332G	6.744668G	37.781M	6.706109G	6.743891G	Inf	1
39.6M	6.7052G	6.7448G	37.781M	6.706109G	6.743891G	Inf	2
39.336M	6.705332G	6.744668G	37.841M	6.706049G	6.743891G	Inf	3
39.336M	6.705332G	6.744668G	37.841M	6.706049G	6.743891G	Inf	4




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6845MHz

CF
6.845GHz
Span
264MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.845GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.336M	6.825332G	6.864668G	37.781M	6.826049G	6.863831G	Inf	1
39.336M	6.825332G	6.864668G	37.661M	6.826109G	6.863771G	Inf	2
39.336M	6.8252G	6.864536G	37.721M	6.826049G	6.863771G	Inf	3
39.468M	6.8252G	6.864668G	37.721M	6.826049G	6.863771G	Inf	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6885MHz Straddle 6.525-6.875GHz

CF
6.885GHz
Span
120MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.885GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.42M	6.86526G	6.90468G	37.841M	6.866049G	6.903891G	Inf	1
39.36M	6.86526G	6.90462G	37.841M	6.866049G	6.903891G	Inf	2
39.42M	6.86526G	6.90468G	37.841M	6.866049G	6.903891G	Inf	3
39.42M	6.8652G	6.90462G	37.841M	6.866049G	6.903891G	Inf	4




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

6925MHz

CF
6.925GHz
Span
264MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.925GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.336M	6.905332G	6.944668G	37.781M	6.906109G	6.943891G	Inf	1
39.732M	6.905068G	6.9448G	37.781M	6.906109G	6.943891G	Inf	2
39.468M	6.905332G	6.9448G	37.841M	6.906049G	6.943891G	Inf	3
39.336M	6.9052G	6.944536G	37.841M	6.906049G	6.943891G	Inf	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

7005MHz

CF
7.005GHz
Span
264MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
7.005GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.204M	6.985332G	7.024536G	37.781M	6.986049G	7.023831G	Inf	1
39.468M	6.9852G	7.024668G	37.781M	6.986049G	7.023831G	Inf	2
39.468M	6.9852G	7.024668G	37.781M	6.986049G	7.023831G	Inf	3
39.336M	6.9852G	7.024536G	37.781M	6.986049G	7.023831G	Inf	4




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

7085MHz

CF
7.085GHz
Span
264MHz
RBW
300kHz
VBW
1MHz
Sweep Time
100ms
Detector Type
Peak



CF
7.085GHz
Span
120MHz
RBW
500kHz
VBW
2MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.468M	7.0652G	7.104668G	37.781M	7.066049G	7.103831G	Inf	1
39.468M	7.0652G	7.104668G	37.721M	7.066109G	7.103831G	Inf	2
39.468M	7.0652G	7.104668G	37.781M	7.066049G	7.103831G	Inf	3
39.468M	7.0652G	7.104668G	37.721M	7.066109G	7.103831G	Inf	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

5985MHz

CF
5.985GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
5.985GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.256M	5.944872G	6.025128G	77.361M	5.946379G	6.023741G	Inf	1
80.256M	5.944872G	6.025128G	77.481M	5.946259G	6.023741G	Inf	2
80.256M	5.944872G	6.025128G	77.481M	5.946379G	6.023861G	Inf	3
80.256M	5.944872G	6.025128G	77.241M	5.946379G	6.023621G	Inf	4




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

6145MHz

CF
6.145GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.145GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.256M	6.104872G	6.185128G	77.361M	6.106379G	6.183741G	Inf	1
80.256M	6.104872G	6.185128G	77.241M	6.106499G	6.183741G	Inf	2
80.256M	6.104872G	6.185128G	77.241M	6.106379G	6.183621G	Inf	3
80.256M	6.104872G	6.185128G	77.001M	6.106499G	6.183501G	Inf	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

6385MHz

CF
6.385GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.385GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.256M	6.344872G	6.425128G	77.481M	6.346259G	6.423741G	Inf	1
80.256M	6.344872G	6.425128G	77.481M	6.346259G	6.423741G	Inf	2
80.256M	6.344872G	6.425128G	77.601M	6.346259G	6.423861G	Inf	3
80.256M	6.344872G	6.425128G	77.241M	6.346259G	6.423501G	Inf	4




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

6465MHz

CF: 6.465GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.465GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.256M	6.424872G	6.505128G	77.481M	6.426259G	6.503741G	Inf	1
80.256M	6.424872G	6.505128G	77.481M	6.426259G	6.503741G	Inf	2
80.256M	6.424872G	6.505128G	77.481M	6.426259G	6.503741G	Inf	3
80.256M	6.424872G	6.505128G	77.241M	6.426379G	6.503621G	Inf	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

6545MHz Straddle 6.425-6.525GHz

CF: 6.545GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.545GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.4M	6.5048G	6.5852G	77.481M	6.506139G	6.583621G	Inf	1
80.4M	6.5048G	6.5852G	77.481M	6.506139G	6.583621G	Inf	2
80.28M	6.50492G	6.5852G	77.481M	6.506139G	6.583621G	Inf	3
80.28M	6.50492G	6.5852G	77.361M	6.506139G	6.583501G	Inf	4




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

6625MHz

CF
6.625GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.625GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.256M	6.584872G	6.665128G	77.481M	6.586259G	6.663741G	Inf	1
80.256M	6.584872G	6.665128G	77.361M	6.586379G	6.663741G	Inf	2
80.256M	6.584872G	6.665128G	77.241M	6.586379G	6.663621G	Inf	3
80.256M	6.584872G	6.665128G	77.121M	6.586259G	6.663381G	Inf	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

6705MHz

CF
6.705GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.705GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.256M	6.664872G	6.745128G	77.721M	6.666139G	6.743861G	Inf	1
80.52M	6.664872G	6.745392G	77.721M	6.666139G	6.743861G	Inf	2
80.256M	6.664872G	6.745128G	77.721M	6.666139G	6.743861G	Inf	3
80.256M	6.664872G	6.745128G	77.601M	6.666139G	6.743741G	Inf	4




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

6785MHz

CF
6.785GHz
Span
528MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.785GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.256M	6.744872G	6.825128G	77.481M	6.746259G	6.823741G	Inf	1
80.256M	6.744872G	6.825128G	77.481M	6.746379G	6.823861G	Inf	2
80.256M	6.744872G	6.825128G	77.361M	6.746379G	6.823741G	Inf	3
80.256M	6.744872G	6.825128G	77.121M	6.746379G	6.823501G	Inf	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

6865MHz Straddle 6.525-6.875GHz

CF
6.865GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.865GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.52M	6.82468G	6.9052G	77.361M	6.826379G	6.903741G	Inf	1
80.4M	6.8248G	6.9052G	77.361M	6.826379G	6.903741G	Inf	2
80.4M	6.8248G	6.9052G	77.361M	6.826379G	6.903741G	Inf	3
80.16M	6.82492G	6.90508G	77.361M	6.826379G	6.903741G	Inf	4




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

6945MHz

CF: 6.945GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 6.945GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.256M	6.904872G	6.985128G	77.481M	6.906139G	6.983621G	Inf	1
80.256M	6.904872G	6.985128G	77.481M	6.906259G	6.983741G	Inf	2
80.256M	6.904872G	6.985128G	77.481M	6.906259G	6.983741G	Inf	3
80.256M	6.904872G	6.985128G	77.241M	6.906259G	6.983501G	Inf	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

7025MHz

CF: 7.025GHz
 Span: 528MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



CF: 7.025GHz
 Span: 240MHz
 RBW: 1MHz
 VBW: 3MHz
 Sweep Time: 100ms
 Detector Type: Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.256M	6.984872G	7.065128G	77.721M	6.986019G	7.063741G	Inf	1
80.256M	6.984872G	7.065128G	77.601M	6.986139G	7.063741G	Inf	2
80.256M	6.984872G	7.065128G	77.601M	6.986019G	7.063621G	Inf	3
80.52M	6.984608G	7.065128G	77.601M	6.986019G	7.063621G	Inf	4




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


EBW

6025MHz

CF
6.025GHz
Span
1.056GHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.025GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
162.096M	5.944216G	6.106312G	156.642M	5.946799G	6.103441G	Inf	1
162.624M	5.943688G	6.106312G	156.882M	5.946799G	6.103681G	Inf	2
162.624M	5.943688G	6.106312G	156.882M	5.946559G	6.103441G	Inf	3
162.096M	5.944216G	6.106312G	156.642M	5.946799G	6.103441G	Inf	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


EBW

6185MHz

CF
6.185GHz
Span
1.056GHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.185GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
162.624M	6.103688G	6.266312G	156.642M	6.106799G	6.263441G	Inf	1
162.624M	6.103688G	6.266312G	156.642M	6.106799G	6.263441G	Inf	2
162.624M	6.103688G	6.266312G	156.642M	6.106799G	6.263441G	Inf	3
162.624M	6.103688G	6.266312G	156.402M	6.106799G	6.263201G	Inf	4




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


EBW

6345MHz

CF
6.345GHz
Span
1.056GHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.345GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
162.624M	6.263688G	6.426312G	156.882M	6.266799G	6.423681G	Inf	1
162.624M	6.263688G	6.426312G	156.642M	6.266799G	6.423441G	Inf	2
162.624M	6.263688G	6.426312G	156.882M	6.266799G	6.423681G	Inf	3
162.624M	6.263688G	6.426312G	156.882M	6.266559G	6.423441G	Inf	4

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


EBW

6505MHz Straddle 6.425-6.525GHz

CF
6.505GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.505GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
162.24M	6.42388G	6.58612G	156.642M	6.426799G	6.583441G	Inf	1
162.24M	6.42388G	6.58612G	156.402M	6.426799G	6.583201G	Inf	2
162.48M	6.42364G	6.58612G	156.402M	6.426799G	6.583201G	Inf	3
162.24M	6.42388G	6.58612G	156.402M	6.426559G	6.582961G	Inf	4




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


EBW

6665MHz

CF
6.665GHz
Span
1.056GHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.665GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
162.624M	6.583688G	6.746312G	157.361M	6.586079G	6.743441G	Inf	1
162.624M	6.583688G	6.746312G	157.601M	6.586079G	6.743681G	Inf	2
162.624M	6.583688G	6.746312G	157.361M	6.586079G	6.743441G	Inf	3
162.096M	6.583688G	6.745784G	157.361M	6.586079G	6.743441G	Inf	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


EBW

6825MHz Straddle 6.525-6.875GHz

CF
6.825GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.825GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
162.24M	6.74388G	6.90612G	156.402M	6.746559G	6.902961G	Inf	1
162.24M	6.74388G	6.90612G	156.402M	6.746799G	6.903201G	Inf	2
162.24M	6.74388G	6.90612G	156.402M	6.746559G	6.902961G	Inf	3
162M	6.74388G	6.90588G	156.162M	6.746559G	6.902721G	Inf	4




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


EBW

6985MHz

CF
6.985GHz
Span
1.056GHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.985GHz
Span
480MHz
RBW
2MHz
VBW
10MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
162.096M	6.903688G	7.065784G	156.402M	6.906559G	7.062961G	Inf	1
162.624M	6.903688G	7.066312G	156.882M	6.906319G	7.063201G	Inf	2
162.624M	6.903688G	7.066312G	156.642M	6.906319G	7.062961G	Inf	3
162.096M	6.903688G	7.065784G	156.402M	6.906319G	7.062721G	Inf	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


EBW

6105MHz

CF
6.105GHz
Span
2.112GHz
RBW
4MHz
VBW
50MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.105GHz
Span
960MHz
RBW
5MHz
VBW
50MHz
Sweep Time
100ms
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
325.248M	5.942376G	6.267624G	314.671M	5.948002G	6.262673G	Inf	1
325.248M	5.942376G	6.267624G	314.924M	5.947689G	6.262612G	Inf	2
325.248M	5.942376G	6.267624G	315.025M	5.947701G	6.262726G	Inf	3
325.248M	5.942376G	6.267624G	314.549M	5.94795G	6.262499G	Inf	4




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


EBW

6265MHz

CF
6.265GHz
Span
2.112GHz
RBW
4MHz
VBW
50MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.265GHz
Span
960MHz
RBW
5MHz
VBW
50MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
325.248M	6.102376G	6.427624G	314.264M	6.107913G	6.422177G	Inf	1
325.248M	6.102376G	6.427624G	314.343M	6.107907G	6.42225G	Inf	2
325.248M	6.102376G	6.427624G	314.77M	6.107839G	6.422609G	Inf	3
325.248M	6.102376G	6.427624G	314.144M	6.108269G	6.422413G	Inf	4

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX


EBW

6425MHz Straddle 6.425-6.525GHz

CF
6.425GHz
Span
2.112GHz
RBW
4MHz
VBW
50MHz
Sweep Time
100ms
Detector Type
Peak



CF
6.425GHz
Span
2.112GHz
RBW
5MHz
VBW
50MHz
Sweep Time
100ms
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
325.248M	6.262376G	6.587624G	315.015M	6.267459G	6.582474G	Inf	1
326.304M	6.26132G	6.587624G	314.971M	6.267451G	6.582422G	Inf	2
325.248M	6.262376G	6.587624G	315.202M	6.267249G	6.582451G	Inf	3
325.248M	6.262376G	6.587624G	314.426M	6.267242G	6.581668G	Inf	4



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

EBW


6585MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

EBW

6745MHz Straddle 6.525-6.875GHz






6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

EBW

6905MHz Straddle 6.525-6.875GHz





Non-beamforming mode

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	11.93	0.01560	14.83	0.03041
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	12.52	0.01786	15.42	0.03483
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	15.72	0.03733	18.62	0.07278
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	18.79	0.07568	21.69	0.14757
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	21.60	0.14454	24.50	0.28184
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	23.71	0.23496	26.61	0.45814
6.425-6.525GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	11.75	0.01496	14.44	0.02780
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	12.47	0.01766	15.16	0.03281
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	15.56	0.03597	18.25	0.06683
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	18.36	0.06855	21.05	0.12735
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	21.03	0.12677	23.72	0.23550
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	23.46	0.22182	26.15	0.41210
6.525-6.875GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	11.83	0.01524	15.13	0.03258
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	12.46	0.01762	15.76	0.03767
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	15.79	0.03793	19.09	0.08110
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	18.48	0.07047	21.78	0.15066
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	21.16	0.13062	24.46	0.27925
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	23.37	0.21727	26.67	0.46452
6.875-7.125GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	12.21	0.01663	14.92	0.03105
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	12.82	0.01914	15.53	0.03573
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	15.69	0.03707	18.40	0.06918
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	18.67	0.07362	21.38	0.13740
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	21.57	0.14355	24.28	0.26792



Conducted Output Power(Average)

Appendix B

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	2.90	5.35	6.12	5.95	5.71	11.81	Inf	14.71	30.00
6175MHz	Pass	2.90	6.01	5.45	6.32	5.68	11.90	Inf	14.80	30.00
6415MHz	Pass	2.90	6.04	5.53	6.01	6.03	11.93	Inf	14.83	30.00
6435MHz	Pass	2.69	5.47	6.03	4.82	6.03	11.64	Inf	14.33	30.00
6475MHz	Pass	2.69	5.55	5.71	5.62	6.01	11.75	Inf	14.44	30.00
6515MHz	Pass	2.69	5.82	5.92	5.12	6.02	11.75	Inf	14.44	30.00
6535MHz	Pass	3.30	5.81	6.05	5.24	6.07	11.83	Inf	15.13	30.00
6715MHz	Pass	3.30	5.07	5.53	5.16	5.65	11.38	Inf	14.68	30.00
6855MHz	Pass	3.30	4.91	5.25	5.47	5.82	11.40	Inf	14.70	30.00
6875MHz Straddles UNII-7 and UNII-8	Pass	3.30	5.21	5.54	5.42	5.85	11.53	Inf	14.83	30.00
6895MHz	Pass	2.71	5.24	5.97	5.66	5.53	11.63	Inf	14.34	30.00
7015MHz	Pass	2.71	5.87	5.73	5.85	4.85	11.62	Inf	14.33	30.00
7095MHz	Pass	2.71	5.65	6.16	6.04	5.84	11.95	Inf	14.66	30.00
7115MHz	Pass	2.71	5.67	6.71	5.85	6.45	12.21	Inf	14.92	30.00
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	2.90	5.93	6.18	5.62	6.42	12.07	Inf	14.97	30.00
6175MHz	Pass	2.90	6.56	5.76	6.95	6.35	12.45	Inf	15.35	30.00
6415MHz	Pass	2.90	6.72	6.23	6.37	6.64	12.52	Inf	15.42	30.00
6435MHz	Pass	2.69	6.28	6.73	5.78	6.35	12.32	Inf	15.01	30.00
6475MHz	Pass	2.69	6.49	6.01	6.52	6.73	12.47	Inf	15.16	30.00
6515MHz	Pass	2.69	6.48	6.36	5.81	6.74	12.38	Inf	15.07	30.00
6535MHz	Pass	3.30	6.61	6.73	5.72	6.62	12.46	Inf	15.76	30.00
6715MHz	Pass	3.30	5.86	6.67	5.83	6.95	12.38	Inf	15.68	30.00
6855MHz	Pass	3.30	5.71	6.42	6.12	6.75	12.29	Inf	15.59	30.00
6875MHz Straddles UNII-7 and UNII-8	Pass	3.30	5.76	6.27	5.84	6.36	12.09	Inf	15.39	30.00
6895MHz	Pass	2.71	6.02	6.71	6.25	6.53	12.41	Inf	15.12	30.00
7015MHz	Pass	2.71	7.15	7.07	6.83	6.05	12.82	Inf	15.53	30.00
7095MHz	Pass	2.71	6.42	6.67	6.72	6.34	12.56	Inf	15.27	30.00
7115MHz	Pass	2.71	6.36	7.32	6.48	6.88	12.80	Inf	15.51	30.00
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	2.90	9.25	9.46	9.02	9.67	15.38	Inf	18.28	30.00
6165MHz	Pass	2.90	9.53	9.32	10.19	9.71	15.72	Inf	18.62	30.00
6405MHz	Pass	2.90	9.87	9.52	9.45	9.82	15.69	Inf	18.59	30.00
6445MHz	Pass	2.69	9.21	9.27	8.68	9.63	15.23	Inf	17.92	30.00
6485MHz	Pass	2.69	9.55	9.23	9.52	9.85	15.56	Inf	18.25	30.00
6525MHz Straddles UNII-6 and UNII-7	Pass	2.69	8.93	8.92	9.03	9.18	15.04	Inf	17.73	30.00
6565MHz	Pass	3.30	9.48	9.47	9.53	9.65	15.55	Inf	18.85	30.00
6725MHz	Pass	3.30	8.72	9.72	9.09	9.57	15.31	Inf	18.61	30.00
6845MHz	Pass	3.30	9.41	10.05	9.63	9.87	15.77	Inf	19.07	30.00



Conducted Output Power(Average)

Appendix B

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6885MHz Straddles UNII-7 and UNII-8	Pass	3.30	9.27	10.35	9.56	9.84	15.79	Inf	19.09	30.00
6925MHz	Pass	2.71	9.55	9.98	9.79	9.33	15.69	Inf	18.40	30.00
7005MHz	Pass	2.71	9.66	9.25	9.73	8.56	15.34	Inf	18.05	30.00
7085MHz	Pass	2.71	9.73	9.22	9.56	9.21	15.46	Inf	18.17	30.00
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	2.90	12.13	12.26	12.25	12.22	18.24	Inf	21.14	30.00
6145MHz	Pass	2.90	12.87	12.33	13.12	12.71	18.79	Inf	21.69	30.00
6385MHz	Pass	2.90	12.64	12.37	13.14	12.32	18.65	Inf	21.55	30.00
6465MHz	Pass	2.69	12.37	12.14	12.05	12.33	18.25	Inf	20.94	30.00
6545MHz Straddles UNII-6 and UNII-7	Pass	2.69	12.47	12.58	12.15	12.13	18.36	Inf	21.05	30.00
6625MHz	Pass	3.30	12.26	12.66	12.49	12.37	18.47	Inf	21.77	30.00
6705MHz	Pass	3.30	12.03	12.42	12.19	12.56	18.33	Inf	21.63	30.00
6785MHz	Pass	3.30	12.15	12.78	12.49	12.19	18.43	Inf	21.73	30.00
6865MHz Straddles UNII-7 and UNII-8	Pass	3.30	12.06	12.73	12.64	12.38	18.48	Inf	21.78	30.00
6945MHz	Pass	2.71	12.02	12.75	12.39	12.08	18.34	Inf	21.05	30.00
7025MHz	Pass	2.71	13.03	12.68	12.91	11.87	18.67	Inf	21.38	30.00
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	2.90	14.65	15.19	15.71	15.89	21.41	Inf	24.31	30.00
6185MHz	Pass	2.90	15.24	15.25	15.61	15.34	21.38	Inf	24.28	30.00
6345MHz	Pass	2.90	15.95	15.38	15.55	15.41	21.60	Inf	24.50	30.00
6505MHz Straddles UNII-6 and UNII-7	Pass	2.69	15.14	15.21	14.85	14.82	21.03	Inf	23.72	30.00
6665MHz	Pass	3.30	14.76	15.23	14.93	15.03	21.01	Inf	24.31	30.00
6825MHz Straddles UNII-7and UNII-8	Pass	3.30	14.68	15.46	15.25	15.13	21.16	Inf	24.46	30.00
6985MHz	Pass	2.71	15.15	16.07	15.59	15.34	21.57	Inf	24.28	30.00
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	2.90	17.66	17.73	17.67	17.69	23.71	Inf	26.61	30.00
6265MHz	Pass	2.90	17.46	17.08	18.03	17.51	23.55	Inf	26.45	30.00
6425MHz Straddles UNII-5, UNII 6 and UNII-7	Pass	2.69	17.34	17.01	18.01	17.35	23.46	Inf	26.15	30.00
6585MHz Straddles UNII-6 and UNII-7	Pass	2.69	17.13	17.22	17.11	17.43	23.24	Inf	25.93	30.00
6745MHz Straddles UNII-7and UNII-8	Pass	3.30	16.72	17.53	17.03	17.43	23.21	Inf	26.51	30.00
6905MHz Straddles UNII-7and UNII-8	Pass	3.30	16.92	17.82	17.15	17.45	23.37	Inf	26.67	30.00

DG = Directional Gain; Port X = Port X output power



Beamforming mode

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX-OFDMA	12.50	0.01778	17.86	0.06109
802.11be EHT40-BF_Nss1,(MCS0)_4TX-OFDMA	15.68	0.03698	21.04	0.12706
802.11be EHT80-BF_Nss1,(MCS0)_4TX-OFDMA	18.43	0.06966	23.79	0.23933
802.11be EHT160-BF_Nss1,(MCS0)_4TX-OFDMA	21.47	0.14028	26.83	0.48195
802.11be EHT320-BF_Nss1,(MCS0)_4TX-OFDMA	23.62	0.23014	28.98	0.79068
6.425-6.525GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX-OFDMA	12.12	0.01629	17.83	0.06067
802.11be EHT40-BF_Nss1,(MCS0)_4TX-OFDMA	15.34	0.03420	21.05	0.12735
802.11be EHT80-BF_Nss1,(MCS0)_4TX-OFDMA	18.08	0.06427	23.79	0.23933
802.11be EHT160-BF_Nss1,(MCS0)_4TX-OFDMA	20.87	0.12218	26.58	0.45499
802.11be EHT320-BF_Nss1,(MCS0)_4TX-OFDMA	23.14	0.20606	28.85	0.76736
6.525-6.875GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX-OFDMA	12.26	0.01683	17.87	0.06124
802.11be EHT40-BF_Nss1,(MCS0)_4TX-OFDMA	15.51	0.03556	21.12	0.12942
802.11be EHT80-BF_Nss1,(MCS0)_4TX-OFDMA	18.36	0.06855	23.97	0.24946
802.11be EHT160-BF_Nss1,(MCS0)_4TX-OFDMA	21.07	0.12794	26.68	0.46559
802.11be EHT320-BF_Nss1,(MCS0)_4TX-OFDMA	23.05	0.20184	28.66	0.73451
6.875-7.125GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX-OFDMA	12.76	0.01888	18.20	0.06607
802.11be EHT40-BF_Nss1,(MCS0)_4TX-OFDMA	15.43	0.03491	20.87	0.12218
802.11be EHT80-BF_Nss1,(MCS0)_4TX-OFDMA	18.22	0.06637	23.66	0.23227
802.11be EHT160-BF_Nss1,(MCS0)_4TX-OFDMA	21.52	0.14191	26.96	0.49659



Conducted Output Power(Average)

Appendix B

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.36	5.92	5.37	6.28	6.32	12.01	Inf	17.37	30.00
6175MHz	Pass	5.36	5.81	5.27	7.19	5.84	12.11	Inf	17.47	30.00
6415MHz	Pass	5.36	6.21	5.31	7.02	7.13	12.50	Inf	17.86	30.00
6435MHz	Pass	5.71	5.75	5.43	5.09	7.43	12.04	Inf	17.75	30.00
6475MHz	Pass	5.71	5.28	6.02	5.21	7.48	12.12	Inf	17.83	30.00
6515MHz	Pass	5.71	5.66	5.21	5.32	7.56	12.07	Inf	17.78	30.00
6535MHz	Pass	5.61	5.61	5.19	5.73	7.61	12.16	Inf	17.77	30.00
6715MHz	Pass	5.61	5.07	5.93	5.25	7.42	12.04	Inf	17.65	30.00
6855MHz	Pass	5.61	5.05	7.18	5.39	6.95	12.26	Inf	17.87	30.00
6875MHz Straddles UNII-7 and UNII-8	Pass	5.61	5.37	6.32	5.36	6.74	12.01	Inf	17.62	30.00
6895MHz	Pass	5.44	5.53	6.45	5.62	6.97	12.20	Inf	17.64	30.00
7015MHz	Pass	5.44	6.16	8.12	5.77	6.53	12.76	Inf	18.20	30.00
7095MHz	Pass	5.44	5.27	7.65	5.57	6.17	12.29	Inf	17.73	30.00
7115MHz	Pass	5.44	5.38	7.82	5.76	6.32	12.44	Inf	17.88	30.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.36	8.43	8.87	9.62	9.45	15.14	Inf	20.50	30.00
6165MHz	Pass	5.36	9.24	8.65	10.36	9.48	15.50	Inf	20.86	30.00
6405MHz	Pass	5.36	9.01	8.9	10.31	10.23	15.68	Inf	21.04	30.00
6445MHz	Pass	5.71	8.44	8.47	8.02	10.25	14.91	Inf	20.62	30.00
6485MHz	Pass	5.71	8.65	8.84	8.54	10.81	15.34	Inf	21.05	30.00
6525MHz Straddles UNII-6 and UNII-7	Pass	5.71	8.01	8.23	8.43	10.15	14.81	Inf	20.52	30.00
6565MHz	Pass	5.61	8.29	9.05	8.98	10.48	15.30	Inf	20.91	30.00
6725MHz	Pass	5.61	8.06	9.61	8.02	10.31	15.13	Inf	20.74	30.00
6845MHz	Pass	5.61	8.53	9.91	8.76	9.76	15.30	Inf	20.91	30.00
6885MHz Straddles UNII-7 and UNII-8	Pass	5.61	8.05	10.22	8.77	10.45	15.51	Inf	21.12	30.00
6925MHz	Pass	5.44	8.22	10.45	8.02	10.35	15.43	Inf	20.87	30.00
7005MHz	Pass	5.44	8.02	10.25	7.85	9.26	14.98	Inf	20.42	30.00
7085MHz	Pass	5.44	8.11	10.31	8.25	9.23	15.09	Inf	20.53	30.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.36	11.92	11.63	11.93	12.01	17.90	Inf	23.26	30.00
6145MHz	Pass	5.36	11.87	11.49	13.37	12.65	18.43	Inf	23.79	30.00
6385MHz	Pass	5.36	12.02	11.62	12.98	12.51	18.33	Inf	23.69	30.00
6465MHz	Pass	5.71	11.56	11.74	11.23	13.33	18.07	Inf	23.78	30.00
6545MHz Straddles UNII-6 and UNII-7	Pass	5.71	11.45	11.13	11.65	13.56	18.08	Inf	23.79	30.00
6625MHz	Pass	5.61	11.75	12.56	10.91	13.02	18.15	Inf	23.76	30.00



Conducted Output Power(Average)

Appendix B

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6705MHz	Pass	5.61	11.65	12.73	11.04	13.31	18.29	Inf	23.90	30.00
6785MHz	Pass	5.61	11.05	13.14	11.22	13.41	18.36	Inf	23.97	30.00
6865MHz Straddles UNII-7 and UNII-8	Pass	5.61	10.85	12.52	11.24	13.06	18.03	Inf	23.64	30.00
6945MHz	Pass	5.44	10.54	12.95	10.78	12.83	17.94	Inf	23.38	30.00
7025MHz	Pass	5.44	11.08	13.41	11.25	12.63	18.22	Inf	23.66	30.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.36	14.65	15.15	15.46	16.04	21.37	Inf	26.73	30.00
6185MHz	Pass	5.36	14.92	14.79	16.01	15.41	21.33	Inf	26.69	30.00
6345MHz	Pass	5.36	15.23	14.94	16.02	15.54	21.47	Inf	26.83	30.00
6505MHz Straddles UNII-6 and UNII-7	Pass	5.71	14.46	14.13	14.53	16.02	20.87	Inf	26.58	30.00
6665MHz	Pass	5.61	13.92	15.19	13.81	16.16	20.90	Inf	26.51	30.00
6825MHz Straddles UNII-7and UNII-8	Pass	5.61	13.75	15.74	14.02	16.17	21.07	Inf	26.68	30.00
6985MHz	Pass	5.44	14.47	16.88	14.44	15.72	21.52	Inf	26.96	30.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.36	17.23	17.45	17.76	17.91	23.62	Inf	28.98	30.00
6265MHz	Pass	5.36	17.13	17.36	17.64	17.8	23.51	Inf	28.87	30.00
6425MHz Straddles UNII-5, UNII 6 and UNII-7	Pass	5.71	16.66	16.98	16.62	18.05	23.14	Inf	28.85	30.00
6585MHz Straddles UNII-6 and UNII-7	Pass	5.71	16.21	16.85	16.49	18.35	23.08	Inf	28.79	30.00
6745MHz Straddles UNII-7and UNII-8	Pass	5.61	15.79	17.62	16.38	17.68	22.96	Inf	28.57	30.00
6905MHz Straddles UNII-7and UNII-8	Pass	5.61	15.72	17.81	16.42	17.8	23.05	Inf	28.66	30.00

DG = Directional Gain; Port X = Port X output power
 DG gain is measured. Please refer to antenna test report.



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	-0.62	4.74
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	-0.74	4.62
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	-0.69	4.67
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	-0.49	4.87
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	-0.50	4.86
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	-0.55	4.81
6.425-6.525GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	-0.89	4.82
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	-0.83	4.88
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	-1.03	4.68
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	-0.97	4.74
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	-1.14	4.57
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	-1.09	4.62
6.525-6.875GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	-0.80	4.81
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	-0.72	4.89
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	-0.71	4.90
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	-0.95	4.66
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	-0.87	4.74
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	-0.78	4.83
6.875-7.125GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	-0.58	4.86
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	-0.69	4.75
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	-0.70	4.74
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	-0.60	4.84
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	-0.56	4.88

RBW = 1MHz



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX										
5955MHz	Pass	5.36	-7.05	-6.51	-6.37	-6.13	-0.75	Inf	4.61	5.00
6175MHz	Pass	5.36	-7.07	-6.96	-5.32	-6.28	-0.68	Inf	4.68	5.00
6415MHz	Pass	5.36	-5.97	-6.81	-6.37	-5.81	-0.62	Inf	4.74	5.00
6435MHz	Pass	5.71	-6.64	-6.38	-7.34	-6.01	-0.95	Inf	4.76	5.00
6475MHz	Pass	5.71	-6.49	-6.76	-6.77	-5.96	-0.89	Inf	4.82	5.00
6515MHz	Pass	5.71	-6.41	-6.68	-7.10	-5.85	-0.96	Inf	4.75	5.00
6535MHz	Pass	5.61	-6.36	-6.45	-7.03	-5.88	-0.80	Inf	4.81	5.00
6715MHz	Pass	5.61	-7.35	-6.40	-7.01	-5.91	-1.21	Inf	4.40	5.00
6855MHz	Pass	5.61	-7.22	-6.91	-6.70	-6.66	-1.11	Inf	4.50	5.00
6875MHz Straddles UNII-7 and UNII-8	Pass	5.61	-7.12	-6.66	-7.25	-6.40	-1.12	Inf	4.49	5.00
6895MHz	Pass	5.44	-7.85	-6.44	-6.23	-6.42	-0.92	Inf	4.52	5.00
7015MHz	Pass	5.44	-6.48	-6.32	-6.33	-7.34	-0.83	Inf	4.61	5.00
7095MHz	Pass	5.44	-6.55	-6.19	-6.11	-6.43	-0.58	Inf	4.86	5.00
7115MHz	Pass	5.44	-6.78	-6.21	-6.39	-6.21	-0.59	Inf	4.85	5.00
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA										
5955MHz	Pass	5.36	-6.84	-6.27	-6.61	-6.29	-0.89	Inf	4.47	5.00
6175MHz	Pass	5.36	-6.86	-6.78	-6.00	-6.47	-0.79	Inf	4.57	5.00
6415MHz	Pass	5.36	-6.08	-6.57	-6.57	-5.83	-0.74	Inf	4.62	5.00
6435MHz	Pass	5.71	-6.49	-6.21	-7.49	-5.91	-0.87	Inf	4.84	5.00
6475MHz	Pass	5.71	-6.83	-6.80	-6.47	-5.58	-0.83	Inf	4.88	5.00
6515MHz	Pass	5.71	-6.51	-6.53	-7.07	-6.01	-0.91	Inf	4.80	5.00
6535MHz	Pass	5.61	-6.21	-6.46	-7.02	-5.55	-0.72	Inf	4.89	5.00
6715MHz	Pass	5.61	-6.94	-5.92	-6.85	-6.03	-0.85	Inf	4.76	5.00
6855MHz	Pass	5.61	-7.14	-6.50	-6.77	-6.24	-0.95	Inf	4.66	5.00
6875MHz Straddles UNII-7 and UNII-8	Pass	5.61	-7.15	-6.33	-6.81	-6.21	-1.05	Inf	4.56	5.00
6895MHz	Pass	5.44	-7.74	-5.67	-6.37	-6.25	-0.76	Inf	4.68	5.00
7015MHz	Pass	5.44	-6.32	-6.34	-6.37	-7.71	-1.00	Inf	4.44	5.00
7095MHz	Pass	5.44	-7.19	-6.30	-6.59	-6.92	-0.91	Inf	4.53	5.00
7115MHz	Pass	5.44	-7.10	-5.90	-6.56	-6.41	-0.69	Inf	4.75	5.00
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA										
5965MHz	Pass	5.36	-7.06	-6.41	-6.93	-6.14	-0.93	Inf	4.43	5.00
6165MHz	Pass	5.36	-6.36	-6.65	-5.61	-6.31	-0.69	Inf	4.67	5.00
6405MHz	Pass	5.36	-6.01	-6.26	-6.35	-5.99	-0.69	Inf	4.67	5.00
6445MHz	Pass	5.71	-6.98	-6.73	-7.48	-5.51	-1.22	Inf	4.49	5.00
6485MHz	Pass	5.71	-6.83	-6.79	-7.03	-5.62	-1.03	Inf	4.68	5.00
6525MHz Straddles UNII-6 and UNII-7	Pass	5.71	-7.12	-6.99	-7.26	-5.73	-1.28	Inf	4.43	5.00
6565MHz	Pass	5.61	-6.83	-6.54	-6.29	-5.97	-0.71	Inf	4.90	5.00
6725MHz	Pass	5.61	-7.51	-6.76	-7.16	-5.62	-1.04	Inf	4.57	5.00
6845MHz	Pass	5.61	-6.93	-6.42	-6.21	-6.72	-0.82	Inf	4.79	5.00
6885MHz Straddles UNII-7 and UNII-8	Pass	5.61	-7.00	-6.29	-6.60	-6.10	-0.73	Inf	4.88	5.00





Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6925MHz	Pass	5.44	-6.86	-5.96	-6.40	-6.57	-0.78	Inf	4.66	5.00
7005MHz	Pass	5.44	-6.53	-6.87	-6.44	-7.49	-0.93	Inf	4.51	5.00
7085MHz	Pass	5.44	-5.98	-6.69	-6.32	-6.52	-0.70	Inf	4.74	5.00
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA										
5985MHz	Pass	5.36	-7.09	-6.72	-6.36	-6.17	-0.90	Inf	4.46	5.00
6145MHz	Pass	5.36	-6.36	-6.68	-5.62	-5.75	-0.49	Inf	4.87	5.00
6385MHz	Pass	5.36	-6.35	-6.90	-5.75	-6.27	-0.78	Inf	4.58	5.00
6465MHz	Pass	5.71	-6.90	-6.82	-6.60	-6.18	-0.97	Inf	4.74	5.00
6545MHz Straddles UNII-6 and UNII-7	Pass	5.71	-6.56	-6.46	-6.76	-6.55	-1.09	Inf	4.62	5.00
6625MHz	Pass	5.61	-6.95	-6.77	-6.78	-6.67	-0.95	Inf	4.66	5.00
6705MHz	Pass	5.61	-7.06	-6.62	-6.93	-5.78	-1.01	Inf	4.60	5.00
6785MHz	Pass	5.61	-6.96	-6.42	-6.46	-6.64	-1.03	Inf	4.58	5.00
6865MHz Straddles UNII-7 and UNII-8	Pass	5.61	-7.32	-6.52	-6.40	-6.51	-1.02	Inf	4.59	5.00
6945MHz	Pass	5.44	-6.92	-5.99	-6.63	-6.76	-1.05	Inf	4.39	5.00
7025MHz	Pass	5.44	-5.85	-6.36	-5.88	-7.04	-0.60	Inf	4.84	5.00
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA										
6025MHz	Pass	5.36	-7.04	-6.43	-5.74	-6.25	-0.77	Inf	4.59	5.00
6185MHz	Pass	5.36	-6.40	-6.41	-5.66	-6.35	-0.53	Inf	4.83	5.00
6345MHz	Pass	5.36	-5.81	-5.95	-5.89	-6.10	-0.50	Inf	4.86	5.00
6505MHz Straddles UNII-6 and UNII-7	Pass	5.71	-7.03	-6.79	-6.53	-6.68	-1.14	Inf	4.57	5.00
6665MHz	Pass	5.61	-7.02	-6.68	-6.75	-6.03	-0.87	Inf	4.74	5.00
6825MHz Straddles UNII-7and UNII-8	Pass	5.61	-7.17	-6.59	-6.73	-6.13	-0.94	Inf	4.67	5.00
6985MHz	Pass	5.44	-6.90	-5.84	-6.26	-6.26	-0.56	Inf	4.88	5.00
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA										
6105MHz	Pass	5.36	-5.98	-5.65	-6.33	-5.78	-0.55	Inf	4.81	5.00
6265MHz	Pass	5.36	-6.68	-7.00	-5.81	-5.06	-0.70	Inf	4.66	5.00
6425MHz Straddles UNII-5, UNII 6 and UNII-7	Pass	5.71	-6.95	-7.38	-6.09	-6.58	-1.09	Inf	4.62	5.00
6585MHz Straddles UNII-6 and UNII-7	Pass	5.71	-6.90	-6.88	-7.08	-6.06	-1.20	Inf	4.51	5.00
6745MHz Straddles UNII-7and UNII-8	Pass	5.61	-7.58	-6.61	-7.28	-6.16	-1.04	Inf	4.57	5.00
6905MHz Straddles UNII-7and UNII-8	Pass	5.61	-7.74	-6.06	-7.08	-4.77	-0.78	Inf	4.83	5.00


DG = Directional Gain; RBW = 1MHz


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


DG gain is measured. Please refer to antenna test report.






















































































Unwanted Emissions (Below 1GHz)

Modulation	be EHT320-OFDMA	Test Freq. (MHz)	6105
Polarization	Horizontal		

Test By :Paul Lin Temperature(°C):24 Humidity(%):62



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	34.62	25.61	40.00	-14.39	34.84	-9.23	Peak	---	---
2	68.74	27.56	40.00	-12.44	38.49	-10.93	Peak	---	---
3	104.55	27.77	43.50	-15.73	40.20	-12.43	Peak	---	---
4	250.25	36.97	46.00	-9.03	46.97	-10.00	Peak	---	---
5	432.28	28.46	46.00	-17.54	33.11	-4.65	Peak	---	---
6	500.29	33.72	46.00	-12.28	36.92	-3.20	Peak	---	---

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: All spurious emissions below 30MHz are more than 20 dB below the limit.



Modulation	be EHT320-OFDMA	Test Freq. (MHz)	6105
Polarization	Vertical		

Test By :Paul Lin Temperature(°C):24 Humidity(%):62



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	31.85	36.18	40.00	-3.82	45.68	-9.50	Peak	---	---
2	48.64	31.79	40.00	-8.21	39.92	-8.13	QP	100	172
3	95.16	32.28	43.50	-11.22	46.46	-14.18	Peak	---	---
4	173.48	33.55	43.50	-9.95	43.24	-9.69	Peak	---	---
5	250.37	33.76	46.00	-12.24	43.76	-10.00	Peak	---	---
6	500.36	36.44	46.00	-9.56	39.64	-3.20	Peak	---	---

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: All spurious emissions below 30MHz are more than 20 dB below the limit.



Unwanted Emissions (Above 1GHz) for 11a

Modulation	11a	Test Freq. (MHz)	5955						
Polarization	Horizontal								
<p>Test By :Paul Lin Temperature(°C):25 Humidity(%):64</p>									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5925.00	43.97	68.20	-24.23	42.78	1.19	Average	153	34
2	5925.00	55.74	88.20	-32.46	54.55	1.19	Peak	153	34
3	11910.00	42.23	54.00	-11.77	36.12	6.11	Average	100	67
4	11910.00	55.63	74.00	-18.37	49.52	6.11	Peak	100	67
5	17865.00	40.27	54.00	-13.73	30.66	9.61	Average	100	152
6	17865.00	52.50	74.00	-21.50	42.89	9.61	Peak	100	152

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	5955
Polarization	Vertical		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5925.00	44.28	68.20	-23.92	43.09	1.19	Average	331	332
2	5925.00	56.68	88.20	-31.52	55.49	1.19	Peak	331	332
3	11910.00	42.45	54.00	-11.55	36.34	6.11	Average	100	117
4	11910.00	55.69	74.00	-18.31	49.58	6.11	Peak	100	117
5	17865.00	39.28	54.00	-14.72	29.67	9.61	Average	100	82
6	17865.00	53.35	74.00	-20.65	43.74	9.61	Peak	100	82

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6175
Polarization	Horizontal		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12350.00	42.56	54.00	-11.44	36.38	6.18	Average	100	44
2	12350.00	55.23	74.00	-18.77	49.05	6.18	Peak	100	44
3	18525.00	40.08	54.00	-13.92	39.48	0.60	Average	100	142
4	18525.00	52.77	74.00	-21.23	52.17	0.60	Peak	100	142
5	24700.00	42.16	68.20	-26.04	34.59	7.57	Average	100	183
6	24700.00	55.49	88.20	-32.71	47.92	7.57	Peak	100	183

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6175
Polarization	Vertical		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12350.00	42.46	54.00	-11.54	36.28	6.18	Average	100	69
2	12350.00	56.00	74.00	-18.00	49.82	6.18	Peak	100	69
3	18525.00	39.82	54.00	-14.18	39.22	0.60	Average	100	76
4	18525.00	52.93	74.00	-21.07	52.33	0.60	Peak	100	76
5	24700.00	42.04	68.20	-26.16	34.47	7.57	Average	100	183
6	24700.00	55.54	88.20	-32.66	47.97	7.57	Peak	100	183

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6415
Polarization	Horizontal		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12830.00	42.91	68.20	-25.29	36.58	6.33	Average	100	113
2	12830.00	56.84	88.20	-31.36	50.51	6.33	Peak	100	113
3	19245.00	39.74	54.00	-14.26	38.88	0.86	Average	100	108
4	19245.00	53.20	74.00	-20.80	52.34	0.86	Peak	100	108
5	25660.00	42.29	68.20	-25.91	34.88	7.41	Average	100	205
6	25660.00	54.96	88.20	-33.24	47.55	7.41	Peak	100	205

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6415
Polarization	Vertical		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12830.00	42.58	68.20	-25.62	36.25	6.33	Average	100	25
2	12830.00	57.04	88.20	-31.16	50.71	6.33	Peak	100	25
3	19245.00	39.54	54.00	-14.46	38.68	0.86	Average	100	77
4	19245.00	53.34	74.00	-20.66	52.48	0.86	Peak	100	77
5	25660.00	42.01	68.20	-26.19	34.60	7.41	Average	100	178
6	25660.00	55.04	88.20	-33.16	47.63	7.41	Peak	100	178

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6435
Polarization	Horizontal		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12870.00	43.00	68.20	-25.20	36.61	6.39	Average	100	34
2	12870.00	56.36	88.20	-31.84	49.97	6.39	Peak	100	34
3	19305.00	39.98	54.00	-14.02	39.06	0.92	Average	100	172
4	19305.00	52.99	74.00	-21.01	52.07	0.92	Peak	100	172
5	25740.00	42.33	68.20	-25.87	34.94	7.39	Average	100	158
6	25740.00	55.07	88.20	-33.13	47.68	7.39	Peak	100	158

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6435
Polarization	Vertical		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12870.00	42.97	68.20	-25.23	36.58	6.39	Average	100	84
2	12870.00	56.67	88.20	-31.53	50.28	6.39	Peak	100	84
3	19305.00	40.17	54.00	-13.83	39.25	0.92	Average	100	42
4	19305.00	53.11	74.00	-20.89	52.19	0.92	Peak	100	42
5	25740.00	42.25	68.20	-25.95	34.86	7.39	Average	100	108
6	25740.00	54.58	88.20	-33.62	47.19	7.39	Peak	100	108

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6475
Polarization	Horizontal		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12950.00	42.80	68.20	-25.40	36.34	6.46	Average	100	46
2	12950.00	56.07	88.20	-32.13	49.61	6.46	Peak	100	46
3	19425.00	40.30	54.00	-13.70	39.26	1.04	Average	100	114
4	19425.00	52.96	74.00	-21.04	51.92	1.04	Peak	100	114
5	25900.00	42.19	68.20	-26.01	34.77	7.42	Average	100	155
6	25900.00	54.96	88.20	-33.24	47.54	7.42	Peak	100	155

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6475
Polarization	Vertical		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12950.00	42.95	68.20	-25.25	36.49	6.46	Average	100	71
2	12950.00	56.12	88.20	-32.08	49.66	6.46	Peak	100	71
3	19425.00	40.40	54.00	-13.60	39.36	1.04	Average	100	103
4	19425.00	53.22	74.00	-20.78	52.18	1.04	Peak	100	103
5	25900.00	42.25	68.20	-25.95	34.83	7.42	Average	100	225
6	25900.00	54.41	88.20	-33.79	46.99	7.42	Peak	100	225

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6515
Polarization	Horizontal		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13030.00	42.62	68.20	-25.58	36.29	6.33	Average	100	45
2	13030.00	55.88	88.20	-32.32	49.55	6.33	Peak	100	45
3	19545.00	40.22	54.00	-13.78	39.09	1.13	Average	100	147
4	19545.00	53.71	74.00	-20.29	52.58	1.13	Peak	100	147
5	26060.00	42.40	68.20	-25.80	34.91	7.49	Average	100	251
6	26060.00	54.86	88.20	-33.34	47.37	7.49	Peak	100	251

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6515
Polarization	Vertical		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13030.00	42.71	68.20	-25.49	36.38	6.33	Average	100	86
2	13030.00	56.38	88.20	-31.82	50.05	6.33	Peak	100	86
3	19545.00	40.50	54.00	-13.50	39.37	1.13	Average	100	98
4	19545.00	53.79	74.00	-20.21	52.66	1.13	Peak	100	98
5	26060.00	42.14	68.20	-26.06	34.65	7.49	Average	100	115
6	26060.00	56.05	88.20	-32.15	48.56	7.49	Peak	100	115

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6535
Polarization	Horizontal		

Test By : Paul Lin Temperature(°C): 25 Humidity(%): 64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13070.00	42.76	68.20	-25.44	36.64	6.12	Average	100	57
2	13070.00	56.61	88.20	-31.59	50.49	6.12	Peak	100	57
3	19605.00	40.00	54.00	-14.00	38.85	1.15	Average	100	132
4	19605.00	53.82	74.00	-20.18	52.67	1.15	Peak	100	132
5	26140.00	42.66	68.20	-25.54	35.11	7.55	Average	100	178
6	26140.00	55.41	88.20	-32.79	47.86	7.55	Peak	100	178

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6535
Polarization	Vertical		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13070.00	42.84	68.20	-25.36	36.72	6.12	Average	100	66
2	13070.00	56.93	88.20	-31.27	50.81	6.12	Peak	100	66
3	19605.00	40.26	54.00	-13.74	39.11	1.15	Average	100	49
4	19605.00	53.91	74.00	-20.09	52.76	1.15	Peak	100	49
5	26140.00	42.52	68.20	-25.68	34.97	7.55	Average	100	178
6	26140.00	54.85	88.20	-33.35	47.30	7.55	Peak	100	178

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6715
Polarization	Horizontal		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13430.00	43.92	68.20	-24.28	37.71	6.21	Average	100	58
2	13430.00	58.36	88.20	-29.84	52.15	6.21	Peak	100	58
3	20145.00	39.91	54.00	-14.09	38.41	1.50	Average	100	81
4	20145.00	53.29	74.00	-20.71	51.79	1.50	Peak	100	81
5	26860.00	42.78	68.20	-25.42	34.70	8.08	Average	100	221
6	26860.00	55.34	88.20	-32.86	47.26	8.08	Peak	100	221

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6715
Polarization	Vertical		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13430.00	43.77	68.20	-24.43	37.56	6.21	Average	100	124
2	13430.00	58.50	88.20	-29.70	52.29	6.21	Peak	100	124
3	20145.00	39.89	54.00	-14.11	38.39	1.50	Average	100	58
4	20145.00	53.38	74.00	-20.62	51.88	1.50	Peak	100	58
5	26860.00	42.81	68.20	-25.39	34.73	8.08	Average	100	176
6	26860.00	55.68	88.20	-32.52	47.60	8.08	Peak	100	176

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6855
Polarization	Horizontal		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13710.00	44.11	68.20	-24.09	37.86	6.25	Average	100	109
2	13710.00	57.73	88.20	-30.47	51.48	6.25	Peak	100	109
3	20565.00	40.08	54.00	-13.92	38.02	2.06	Average	100	127
4	20565.00	52.57	74.00	-21.43	50.51	2.06	Peak	100	127
5	27420.00	42.78	68.20	-25.42	34.84	7.94	Average	100	158
6	27420.00	56.90	88.20	-31.30	48.96	7.94	Peak	100	158

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6855
Polarization	Vertical		

Test By : Paul Lin Temperature(°C): 25 Humidity(%): 64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13710.00	44.10	68.20	-24.10	37.85	6.25	Average	100	57
2	13710.00	57.96	88.20	-30.24	51.71	6.25	Peak	100	57
3	20565.00	40.16	54.00	-13.84	38.10	2.06	Average	100	88
4	20565.00	53.23	74.00	-20.77	51.17	2.06	Peak	100	88
5	27420.00	42.80	68.20	-25.40	34.86	7.94	Average	100	176
6	27420.00	55.17	88.20	-33.03	47.23	7.94	Peak	100	176

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6875
Polarization	Horizontal		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13750.00	44.35	68.20	-23.85	38.09	6.26	Average	100	146
2	13750.00	57.67	88.20	-30.53	51.41	6.26	Peak	100	146
3	20625.00	40.39	54.00	-13.61	38.25	2.14	Average	100	131
4	20625.00	53.59	74.00	-20.41	51.45	2.14	Peak	100	131
5	27500.00	42.79	68.20	-25.41	34.86	7.93	Average	100	208
6	27500.00	55.76	88.20	-32.44	47.83	7.93	Peak	100	208

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6875
Polarization	Vertical		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13750.00	44.38	68.20	-23.82	38.12	6.26	Average	100	79
2	13750.00	58.44	88.20	-29.76	52.18	6.26	Peak	100	79
3	20625.00	40.31	54.00	-13.69	38.17	2.14	Average	100	95
4	20625.00	53.86	74.00	-20.14	51.72	2.14	Peak	100	95
5	27500.00	42.75	68.20	-25.45	34.82	7.93	Average	100	116
6	27500.00	55.96	88.20	-32.24	48.03	7.93	Peak	100	116

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6895
Polarization	Horizontal		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13790.00	44.34	68.20	-23.86	38.07	6.27	Average	100	122
2	13790.00	57.73	88.20	-30.47	51.46	6.27	Peak	100	122
3	20685.00	40.38	54.00	-13.62	38.16	2.22	Average	100	71
4	20685.00	52.58	74.00	-21.42	50.36	2.22	Peak	100	71
5	27580.00	42.28	68.20	-25.92	34.25	8.03	Average	100	145
6	27580.00	56.29	88.20	-31.91	48.26	8.03	Peak	100	145

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	6895
Polarization	Vertical		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13790.00	44.38	68.20	-23.82	38.11	6.27	Average	100	85
2	13790.00	58.44	88.20	-29.76	52.17	6.27	Peak	100	85
3	20685.00	40.41	54.00	-13.59	38.19	2.22	Average	100	19
4	20685.00	53.59	74.00	-20.41	51.37	2.22	Peak	100	19
5	27580.00	42.41	68.20	-25.79	34.38	8.03	Average	100	102
6	27580.00	56.27	88.20	-31.93	48.24	8.03	Peak	100	102

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	7015
Polarization	Horizontal		

Test By : Paul Lin Temperature(°C): 25 Humidity(%): 64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	14030.00	45.11	68.20	-23.09	38.31	6.80	Average	100	56
2	14030.00	57.69	88.20	-30.51	50.89	6.80	Peak	100	56
3	21045.00	40.42	54.00	-13.58	37.40	3.02	Average	100	138
4	21045.00	53.40	74.00	-20.60	50.38	3.02	Peak	100	138
5	28060.00	44.01	68.20	-24.19	35.45	8.56	Average	100	158
6	28060.00	58.18	88.20	-30.02	49.62	8.56	Peak	100	158

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	7015
Polarization	Vertical		

Test By : Paul Lin Temperature(°C): 25 Humidity(%): 64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	14030.00	45.19	68.20	-23.01	38.39	6.80	Average	100	75
2	14030.00	57.98	88.20	-30.22	51.18	6.80	Peak	100	75
3	21045.00	40.44	54.00	-13.56	37.42	3.02	Average	100	161
4	21045.00	53.74	74.00	-20.26	50.72	3.02	Peak	100	161
5	28060.00	43.87	68.20	-24.33	35.31	8.56	Average	100	175
6	28060.00	58.03	88.20	-30.17	49.47	8.56	Peak	100	175

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	7095
Polarization	Horizontal		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	14190.00	45.46	68.20	-22.74	38.31	7.15	Average	100	28
2	14190.00	58.64	88.20	-29.56	51.49	7.15	Peak	100	28
3	21285.00	41.01	54.00	-12.99	37.68	3.33	Average	100	131
4	21285.00	53.96	74.00	-20.04	50.63	3.33	Peak	100	131
5	28380.00	43.47	68.20	-24.73	34.67	8.80	Average	100	151
6	28380.00	56.49	88.20	-31.71	47.69	8.80	Peak	100	151

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	7095
Polarization	Vertical		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	14190.00	45.37	68.20	-22.83	38.22	7.15	Average	100	61
2	14190.00	59.01	88.20	-29.19	51.86	7.15	Peak	100	61
3	21285.00	40.82	54.00	-13.18	37.49	3.33	Average	100	104
4	21285.00	54.67	74.00	-19.33	51.34	3.33	Peak	100	104
5	28380.00	43.55	68.20	-24.65	34.75	8.80	Average	100	102
6	28380.00	56.64	88.20	-31.56	47.84	8.80	Peak	100	102

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	7115
Polarization	Horizontal		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7125.00	52.00	68.20	-16.20	47.22	4.78	Average	349	310
2	7125.00	71.36	88.20	-16.84	66.58	4.78	Peak	349	310
3	14230.00	45.60	68.20	-22.60	38.42	7.18	Average	100	174
4	14230.00	60.57	88.20	-27.63	53.39	7.18	Peak	100	174
5	21345.00	40.79	54.00	-13.21	37.39	3.40	Average	100	76
6	21345.00	53.85	74.00	-20.15	50.45	3.40	Peak	100	76

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	11a	Test Freq. (MHz)	7115
Polarization	Vertical		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7125.00	49.27	68.20	-18.93	44.49	4.78	Average	330	288
2	7125.00	63.73	88.20	-24.47	58.95	4.78	Peak	330	288
3	14230.00	45.86	68.20	-22.34	38.68	7.18	Average	100	202
4	14230.00	60.63	88.20	-27.57	53.45	7.18	Peak	100	202
5	21345.00	40.76	54.00	-13.24	37.36	3.40	Average	100	109
6	21345.00	54.23	74.00	-19.77	50.83	3.40	Peak	100	109

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Unwanted Emissions (Above 1GHz) for be EHT20-OFDMA


Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5955						
Polarization	Horizontal								
<p>Test By :Paul Lin Temperature(°C):25 Humidity(%):64</p>									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5925.00	43.33	68.20	-24.87	42.14	1.19	Average	168	317
2	5925.00	56.37	88.20	-31.83	55.18	1.19	Peak	168	317
3	11910.00	41.59	54.00	-12.41	35.48	6.11	Average	100	216
4	11910.00	54.44	74.00	-19.56	48.33	6.11	Peak	100	216
5	17865.00	41.51	54.00	-12.49	31.90	9.61	Average	100	155
6	17865.00	53.32	74.00	-20.68	43.71	9.61	Peak	100	155
7	23820.00	41.69	54.00	-12.31	35.10	6.59	Average	100	176
8	23820.00	54.23	74.00	-19.77	47.64	6.59	Peak	100	176

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)
 *Factor includes antenna factor , cable loss and amplifier gain
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5955
Polarization	Vertical		

Test By :Paul Lin Temperature(°C):25 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5925.00	43.31	68.20	-24.89	42.12	1.19	Average	140	359
2	5925.00	56.77	88.20	-31.43	55.58	1.19	Peak	140	359
3	11910.00	41.58	54.00	-12.42	35.47	6.11	Average	100	255
4	11910.00	54.73	74.00	-19.27	48.62	6.11	Peak	100	255
5	17865.00	41.27	54.00	-12.73	31.66	9.61	Average	100	178
6	17865.00	53.23	74.00	-20.77	43.62	9.61	Peak	100	178
7	23820.00	41.60	54.00	-12.40	35.01	6.59	Average	100	165
8	23820.00	54.81	74.00	-19.19	48.22	6.59	Peak	100	165

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6175
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12350.00	41.76	54.00	-12.24	35.58	6.18	Average	100	127
2	12350.00	54.89	74.00	-19.11	48.71	6.18	Peak	100	127
3	18525.00	39.83	54.00	-14.17	39.23	0.60	Average	100	124
4	18525.00	52.41	74.00	-21.59	51.81	0.60	Peak	100	124
5	24700.00	42.00	68.20	-26.20	34.43	7.57	Average	100	208
6	24700.00	54.85	88.20	-33.35	47.28	7.57	Peak	100	208

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6175
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12350.00	41.42	54.00	-12.58	35.24	6.18	Average	100	251
2	12350.00	54.83	74.00	-19.17	48.65	6.18	Peak	100	251
3	18525.00	39.23	54.00	-14.77	38.63	0.60	Average	100	185
4	18525.00	52.54	74.00	-21.46	51.94	0.60	Peak	100	185
5	24700.00	42.01	68.20	-26.19	34.44	7.57	Average	100	210
6	24700.00	55.43	88.20	-32.77	47.86	7.57	Peak	100	210

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6415
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12830.00	41.86	68.20	-26.34	35.53	6.33	Average	100	177
2	12830.00	55.12	88.20	-33.08	48.79	6.33	Peak	100	177
3	19245.00	39.50	54.00	-14.50	38.64	0.86	Average	100	222
4	19245.00	52.01	74.00	-21.99	51.15	0.86	Peak	100	222
5	25660.00	42.11	68.20	-26.09	34.70	7.41	Average	100	157
6	25660.00	55.07	88.20	-33.13	47.66	7.41	Peak	100	157

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6415
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12830.00	42.05	68.20	-26.15	35.72	6.33	Average	100	164
2	12830.00	54.93	88.20	-33.27	48.60	6.33	Peak	100	164
3	19245.00	39.42	54.00	-14.58	38.56	0.86	Average	100	121
4	19245.00	52.46	74.00	-21.54	51.60	0.86	Peak	100	121
5	25660.00	41.98	68.20	-26.22	34.57	7.41	Average	100	208
6	25660.00	55.44	88.20	-32.76	48.03	7.41	Peak	100	208

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6435
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12870.00	42.30	68.20	-25.90	35.91	6.39	Average	100	188
2	12870.00	55.21	88.20	-32.99	48.82	6.39	Peak	100	188
3	19305.00	39.58	54.00	-14.42	38.66	0.92	Average	100	177
4	19305.00	52.64	74.00	-21.36	51.72	0.92	Peak	100	177
5	25740.00	42.23	68.20	-25.97	34.84	7.39	Average	100	205
6	25740.00	55.17	88.20	-33.03	47.78	7.39	Peak	100	205

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6435
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12870.00	42.16	68.20	-26.04	35.77	6.39	Average	100	176
2	12870.00	55.21	88.20	-32.99	48.82	6.39	Peak	100	176
3	19305.00	39.29	54.00	-14.71	38.37	0.92	Average	100	157
4	19305.00	52.86	74.00	-21.14	51.94	0.92	Peak	100	157
5	25740.00	42.37	68.20	-25.83	34.98	7.39	Average	100	183
6	25740.00	55.35	88.20	-32.85	47.96	7.39	Peak	100	183

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6475
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12950.00	42.04	68.20	-26.16	35.58	6.46	Average	100	178
2	12950.00	55.14	88.20	-33.06	48.68	6.46	Peak	100	178
3	19425.00	40.29	54.00	-13.71	39.25	1.04	Average	100	111
4	19425.00	52.50	74.00	-21.50	51.46	1.04	Peak	100	111
5	25900.00	42.35	68.20	-25.85	34.93	7.42	Average	100	200
6	25900.00	56.06	88.20	-32.14	48.64	7.42	Peak	100	200

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6475
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12950.00	42.11	68.20	-26.09	35.65	6.46	Average	100	215
2	12950.00	55.19	88.20	-33.01	48.73	6.46	Peak	100	215
3	19425.00	40.34	54.00	-13.66	39.30	1.04	Average	100	178
4	19425.00	53.08	74.00	-20.92	52.04	1.04	Peak	100	178
5	25900.00	42.21	68.20	-25.99	34.79	7.42	Average	100	221
6	25900.00	54.71	88.20	-33.49	47.29	7.42	Peak	100	221

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6515
Polarization	Horizontal		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13030.00	41.97	68.20	-26.23	35.64	6.33	Average	100	176
2	13030.00	55.25	88.20	-32.95	48.92	6.33	Peak	100	176
3	19545.00	40.10	54.00	-13.90	38.97	1.13	Average	100	201
4	19545.00	52.77	74.00	-21.23	51.64	1.13	Peak	100	201
5	26060.00	42.21	68.20	-25.99	34.72	7.49	Average	100	113
6	26060.00	54.82	88.20	-33.38	47.33	7.49	Peak	100	113

Note 1: Emission Level (dBUV/m) = SA Reading (dBUV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBUV/m) – Limit (dBUV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6515
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13030.00	41.94	68.20	-26.26	35.61	6.33	Average	100	218
2	13030.00	55.45	88.20	-32.75	49.12	6.33	Peak	100	218
3	19545.00	39.94	54.00	-14.06	38.81	1.13	Average	100	116
4	19545.00	53.01	74.00	-20.99	51.88	1.13	Peak	100	116
5	26060.00	42.46	68.20	-25.74	34.97	7.49	Average	100	205
6	26060.00	55.19	88.20	-33.01	47.70	7.49	Peak	100	205

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6535
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13070.00	41.68	68.20	-26.52	35.56	6.12	Average	100	182
2	13070.00	54.69	88.20	-33.51	48.57	6.12	Peak	100	182
3	19605.00	39.96	54.00	-14.04	38.81	1.15	Average	100	172
4	19605.00	52.82	74.00	-21.18	51.67	1.15	Peak	100	172
5	26140.00	42.74	68.20	-25.46	35.19	7.55	Average	100	223
6	26140.00	54.82	88.20	-33.38	47.27	7.55	Peak	100	223

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6535
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13070.00	41.67	68.20	-26.53	35.55	6.12	Average	100	261
2	13070.00	54.69	88.20	-33.51	48.57	6.12	Peak	100	261
3	19605.00	40.17	54.00	-13.83	39.02	1.15	Average	100	148
4	19605.00	52.46	74.00	-21.54	51.31	1.15	Peak	100	148
5	26140.00	42.57	68.20	-25.63	35.02	7.55	Average	100	221
6	26140.00	55.21	88.20	-32.99	47.66	7.55	Peak	100	221

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6715
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13230.00	42.00	68.20	-26.20	36.12	5.88	Average	100	152
2	13230.00	54.91	88.20	-33.29	49.03	5.88	Peak	100	152
3	20145.00	39.06	54.00	-14.94	37.56	1.50	Average	100	283
4	20145.00	51.84	74.00	-22.16	50.34	1.50	Peak	100	283
5	26860.00	42.77	68.20	-25.43	34.69	8.08	Average	100	223
6	26860.00	55.06	88.20	-33.14	46.98	8.08	Peak	100	223

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6715
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13230.00	42.03	68.20	-26.17	36.15	5.88	Average	100	281
2	13230.00	54.99	88.20	-33.21	49.11	5.88	Peak	100	281
3	20145.00	39.67	54.00	-14.33	38.17	1.50	Average	100	117
4	20145.00	52.20	74.00	-21.80	50.70	1.50	Peak	100	117
5	26860.00	42.94	68.20	-25.26	34.86	8.08	Average	100	241
6	26860.00	56.03	88.20	-32.17	47.95	8.08	Peak	100	241

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6855
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13710.00	42.93	68.20	-25.27	36.68	6.25	Average	100	251
2	13710.00	55.59	88.20	-32.61	49.34	6.25	Peak	100	251
3	20565.00	39.58	54.00	-14.42	37.52	2.06	Average	100	310
4	20565.00	52.57	74.00	-21.43	50.51	2.06	Peak	100	310
5	27420.00	42.69	68.20	-25.51	34.75	7.94	Average	100	204
6	27420.00	55.83	88.20	-32.37	47.89	7.94	Peak	100	204

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6855
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13710.00	42.83	68.20	-25.37	36.58	6.25	Average	100	271
2	13710.00	56.01	88.20	-32.19	49.76	6.25	Peak	100	271
3	20565.00	39.75	54.00	-14.25	37.69	2.06	Average	100	108
4	20565.00	52.07	74.00	-21.93	50.01	2.06	Peak	100	108
5	27420.00	42.61	68.20	-25.59	34.67	7.94	Average	100	235
6	27420.00	56.19	88.20	-32.01	48.25	7.94	Peak	100	235

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6875
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13750.00	42.84	68.20	-25.36	36.58	6.26	Average	100	251
2	13750.00	55.98	88.20	-32.22	49.72	6.26	Peak	100	251
3	20625.00	40.13	54.00	-13.87	37.99	2.14	Average	100	111
4	20625.00	52.68	74.00	-21.32	50.54	2.14	Peak	100	111
5	27500.00	42.83	68.20	-25.37	34.90	7.93	Average	100	218
6	27500.00	55.27	88.20	-32.93	47.34	7.93	Peak	100	218

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6875
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13750.00	42.75	68.20	-25.45	36.49	6.26	Average	100	178
2	13750.00	55.95	88.20	-32.25	49.69	6.26	Peak	100	178
3	20625.00	40.38	54.00	-13.62	38.24	2.14	Average	100	108
4	20625.00	52.89	74.00	-21.11	50.75	2.14	Peak	100	108
5	27500.00	42.83	68.20	-25.37	34.90	7.93	Average	100	113
6	27500.00	55.59	88.20	-32.61	47.66	7.93	Peak	100	113

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6895
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13790.00	42.65	68.20	-25.55	36.38	6.27	Average	100	172
2	13790.00	56.49	88.20	-31.71	50.22	6.27	Peak	100	172
3	20685.00	39.94	54.00	-14.06	37.72	2.22	Average	100	102
4	20685.00	52.71	74.00	-21.29	50.49	2.22	Peak	100	102
5	27580.00	42.33	68.20	-25.87	34.30	8.03	Average	100	222
6	27580.00	54.83	88.20	-33.37	46.80	8.03	Peak	100	222

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	6895
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13790.00	42.99	68.20	-25.21	36.72	6.27	Average	100	281
2	13790.00	56.60	88.20	-31.60	50.33	6.27	Peak	100	281
3	20685.00	39.90	54.00	-14.10	37.68	2.22	Average	100	178
4	20685.00	53.00	74.00	-21.00	50.78	2.22	Peak	100	178
5	27580.00	42.39	68.20	-25.81	34.36	8.03	Average	100	202
6	27580.00	54.87	88.20	-33.33	46.84	8.03	Peak	100	202

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	7015
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	14030.00	43.92	68.20	-24.28	37.12	6.80	Average	100	215
2	14030.00	57.21	88.20	-30.99	50.41	6.80	Peak	100	215
3	21045.00	40.45	54.00	-13.55	37.43	3.02	Average	100	224
4	21045.00	52.50	74.00	-21.50	49.48	3.02	Peak	100	224
5	28060.00	43.91	68.20	-24.29	35.35	8.56	Average	100	205
6	28060.00	56.78	88.20	-31.42	48.22	8.56	Peak	100	205

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	7015
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	14030.00	44.28	68.20	-23.92	37.48	6.80	Average	100	176
2	14030.00	57.17	88.20	-31.03	50.37	6.80	Peak	100	176
3	21045.00	40.24	54.00	-13.76	37.22	3.02	Average	100	156
4	21045.00	52.37	74.00	-21.63	49.35	3.02	Peak	100	156
5	28060.00	44.01	68.20	-24.19	35.45	8.56	Average	100	123
6	28060.00	57.78	88.20	-30.42	49.22	8.56	Peak	100	123

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	7095
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	14190.00	44.66	68.20	-23.54	37.51	7.15	Average	100	218
2	14190.00	57.41	88.20	-30.79	50.26	7.15	Peak	100	218
3	21285.00	40.49	54.00	-13.51	37.16	3.33	Average	100	105
4	21285.00	53.47	74.00	-20.53	50.14	3.33	Peak	100	105
5	28380.00	43.61	68.20	-24.59	34.81	8.80	Average	100	221
6	28380.00	56.39	88.20	-31.81	47.59	8.80	Peak	100	221

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	7095
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	14190.00	44.37	68.20	-23.83	37.22	7.15	Average	100	218
2	14190.00	57.48	88.20	-30.72	50.33	7.15	Peak	100	218
3	21285.00	40.57	54.00	-13.43	37.24	3.33	Average	100	176
4	21285.00	54.02	74.00	-19.98	50.69	3.33	Peak	100	176
5	28380.00	43.62	68.20	-24.58	34.82	8.80	Average	100	111
6	28380.00	56.26	88.20	-31.94	47.46	8.80	Peak	100	111

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	7115
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7125.00	53.27	68.20	-14.93	48.49	4.78	Average	121	16
2	7125.00	58.66	88.20	-29.54	53.88	4.78	Peak	121	16
3	14230.00	44.65	68.20	-23.55	37.47	7.18	Average	100	221
4	14230.00	58.49	88.20	-29.71	51.31	7.18	Peak	100	221
5	21345.00	40.66	54.00	-13.34	37.26	3.40	Average	100	117
6	21345.00	53.09	74.00	-20.91	49.69	3.40	Peak	100	117

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	7115
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7125.00	50.19	68.20	-18.01	45.41	4.78	Average	242	283
2	7125.00	57.45	88.20	-30.75	52.67	4.78	Peak	242	283
3	14230.00	44.77	68.20	-23.43	37.59	7.18	Average	100	106
4	14230.00	58.05	88.20	-30.15	50.87	7.18	Peak	100	106
5	21345.00	40.54	54.00	-13.46	37.14	3.40	Average	100	176
6	21345.00	53.09	74.00	-20.91	49.69	3.40	Peak	100	176

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain


Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Unwanted Emissions (Above 1GHz) for be EHT40-OFDMA

Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5965
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5925.00	43.50	68.20	-24.70	42.31	1.19	Average	146	315
2	5925.00	56.05	88.20	-32.15	54.86	1.19	Peak	146	315
3	11930.00	41.53	54.00	-12.47	35.41	6.12	Average	100	221
4	11930.00	54.79	74.00	-19.21	48.67	6.12	Peak	100	221
5	17895.00	42.68	54.00	-11.32	32.61	10.07	Average	100	108
6	17895.00	54.43	74.00	-19.57	44.36	10.07	Peak	100	108

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5965
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5925.00	43.22	68.20	-24.98	42.03	1.19	Average	123	7
2	5925.00	55.57	88.20	-32.63	54.38	1.19	Peak	123	7
3	11930.00	41.90	54.00	-12.10	35.78	6.12	Average	100	162
4	11930.00	54.65	74.00	-19.35	48.53	6.12	Peak	100	162
5	17895.00	42.75	54.00	-11.25	32.68	10.07	Average	100	218
6	17895.00	54.27	74.00	-19.73	44.20	10.07	Peak	100	218

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	6165
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12330.00	41.67	54.00	-12.33	35.48	6.19	Average	100	176
2	12330.00	54.84	74.00	-19.16	48.65	6.19	Peak	100	176
3	18495.00	39.60	54.00	-14.40	39.02	0.58	Average	100	205
4	18495.00	52.94	74.00	-21.06	52.36	0.58	Peak	100	205
5	24660.00	42.11	68.20	-26.09	34.57	7.54	Average	100	147
6	24660.00	55.74	88.20	-32.46	48.20	7.54	Peak	100	147

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	6165
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12330.00	41.80	54.00	-12.20	35.61	6.19	Average	100	158
2	12330.00	54.77	74.00	-19.23	48.58	6.19	Peak	100	158
3	18495.00	39.76	54.00	-14.24	39.18	0.58	Average	100	173
4	18495.00	52.50	74.00	-21.50	51.92	0.58	Peak	100	173
5	24660.00	42.14	68.20	-26.06	34.60	7.54	Average	100	222
6	24660.00	55.20	88.20	-33.00	47.66	7.54	Peak	100	222

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	6405
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12810.00	41.67	68.20	-26.53	35.37	6.30	Average	100	176
2	12810.00	55.13	88.20	-33.07	48.83	6.30	Peak	100	176
3	19215.00	39.65	54.00	-14.35	38.77	0.88	Average	100	205
4	19215.00	52.72	74.00	-21.28	51.84	0.88	Peak	100	205
5	25620.00	42.20	68.20	-26.00	34.79	7.41	Average	100	154
6	25620.00	55.14	88.20	-33.06	47.73	7.41	Peak	100	154

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	6405
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12810.00	41.59	68.20	-26.61	35.29	6.30	Average	100	147
2	12810.00	55.06	88.20	-33.14	48.76	6.30	Peak	100	147
3	19215.00	39.58	54.00	-14.42	38.70	0.88	Average	100	218
4	19215.00	52.91	74.00	-21.09	52.03	0.88	Peak	100	218
5	25620.00	42.12	68.20	-26.08	34.71	7.41	Average	100	113
6	25620.00	54.98	88.20	-33.22	47.57	7.41	Peak	100	113

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	6445
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12890.00	42.64	68.20	-25.56	36.22	6.42	Average	100	213
2	12890.00	56.21	88.20	-31.99	49.79	6.42	Peak	100	213
3	19335.00	40.00	54.00	-14.00	39.06	0.94	Average	100	105
4	19335.00	52.71	74.00	-21.29	51.77	0.94	Peak	100	105
5	25780.00	42.36	68.20	-25.84	34.97	7.39	Average	100	131
6	25780.00	54.62	88.20	-33.58	47.23	7.39	Peak	100	131

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	6445
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12890.00	42.55	68.20	-25.65	36.13	6.42	Average	100	117
2	12890.00	55.84	88.20	-32.36	49.42	6.42	Peak	100	117
3	19335.00	39.37	54.00	-14.63	38.43	0.94	Average	100	182
4	19335.00	53.07	74.00	-20.93	52.13	0.94	Peak	100	182
5	25780.00	42.21	68.20	-25.99	34.82	7.39	Average	100	204
6	25780.00	54.98	88.20	-33.22	47.59	7.39	Peak	100	204

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	6485
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12970.00	41.69	68.20	-26.51	35.22	6.47	Average	100	210
2	12970.00	55.11	88.20	-33.09	48.64	6.47	Peak	100	210
3	19455.00	40.44	54.00	-13.56	39.38	1.06	Average	100	111
4	19455.00	52.47	74.00	-21.53	51.41	1.06	Peak	100	111
5	25940.00	42.33	68.20	-25.87	34.89	7.44	Average	100	45
6	25940.00	54.60	88.20	-33.60	47.16	7.44	Peak	100	45

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	6485
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	12970.00	41.89	68.20	-26.31	35.42	6.47	Average	100	148
2	12970.00	55.04	88.20	-33.16	48.57	6.47	Peak	100	148
3	19455.00	40.16	54.00	-13.84	39.10	1.06	Average	100	187
4	19455.00	52.89	74.00	-21.11	51.83	1.06	Peak	100	187
5	25940.00	42.32	68.20	-25.88	34.88	7.44	Average	100	200
6	25940.00	54.89	88.20	-33.31	47.45	7.44	Peak	100	200

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	6525
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13050.00	41.45	68.20	-26.75	35.23	6.22	Average	100	128
2	13050.00	54.49	88.20	-33.71	48.27	6.22	Peak	100	128
3	19575.00	39.63	54.00	-14.37	38.50	1.13	Average	100	117
4	19575.00	52.69	74.00	-21.31	51.56	1.13	Peak	100	117
5	26100.00	42.37	68.20	-25.83	34.84	7.53	Average	100	227
6	26100.00	55.14	88.20	-33.06	47.61	7.53	Peak	100	227

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	6525
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13050.00	41.69	68.20	-26.51	35.47	6.22	Average	100	113
2	13050.00	54.65	88.20	-33.55	48.43	6.22	Peak	100	113
3	19575.00	39.72	54.00	-14.28	38.59	1.13	Average	100	102
4	19575.00	52.68	74.00	-21.32	51.55	1.13	Peak	100	102
5	26100.00	42.60	68.20	-25.60	35.07	7.53	Average	100	158
6	26100.00	55.69	88.20	-32.51	48.16	7.53	Peak	100	158

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	6565
Polarization	Horizontal		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13130.00	41.23	68.20	-26.97	35.27	5.96	Average	100	108
2	13130.00	55.19	88.20	-33.01	49.23	5.96	Peak	100	108
3	19695.00	39.47	54.00	-14.53	38.29	1.18	Average	100	184
4	19695.00	52.55	74.00	-21.45	51.37	1.18	Peak	100	184
5	26260.00	42.14	68.20	-26.06	34.49	7.65	Average	100	222
6	26260.00	55.17	88.20	-33.03	47.52	7.65	Peak	100	222

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)


*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	6565
Polarization	Vertical		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	13130.00	41.20	68.20	-27.00	35.24	5.96	Average	100	143
2	13130.00	55.47	88.20	-32.73	49.51	5.96	Peak	100	143
3	19695.00	39.76	54.00	-14.24	38.58	1.18	Average	100	172
4	19695.00	52.88	74.00	-21.12	51.70	1.18	Peak	100	172
5	26260.00	42.26	68.20	-25.94	34.61	7.65	Average	100	208
6	26260.00	53.50	88.20	-34.70	45.85	7.65	Peak	100	208

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m)

*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).