




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	45.72M	36.44	40.00	-3.56	Vertical




Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
PK	97.52M	27.88	43.50	-15.62	-13.56	3	Horizontal	-	-	-	41.44	13.65	1.02	28.23
PK	148.42M	28.69	43.50	-14.81	-8.79	3	Horizontal	-	-	-	37.48	18.26	1.20	28.25
PK	168.95M	29.58	43.50	-13.92	-9.06	3	Horizontal	-	-	-	38.64	17.91	1.29	28.26
PK	196.53M	29.46	43.50	-14.04	-11.43	3	Horizontal	-	-	-	40.89	15.45	1.40	28.28
PK	250.22M	39.35	46.00	-6.65	-9.77	3	Horizontal	-	-	-	49.12	16.91	1.57	28.25
PK	499.62M	33.51	46.00	-12.49	-3.36	3	Horizontal	-	-	-	36.87	22.80	2.04	28.20



Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
QP	45.72M	36.44	40.00	-3.56	-8.44	3	Vertical	238	1.00	-	44.88	19.07	0.62	28.13
PK	98.41M	29.53	43.50	-13.97	-13.47	3	Vertical	-	-	-	43.00	13.74	1.02	28.23
PK	143.69M	30.12	43.50	-13.38	-8.90	3	Vertical	-	-	-	39.02	18.17	1.18	28.25
PK	208.62M	29.24	43.50	-14.26	-11.78	3	Vertical	-	-	-	41.02	15.06	1.44	28.28
PK	250.71M	36.58	46.00	-9.42	-9.75	3	Vertical	-	-	-	46.33	16.93	1.57	28.25
PK	282.61M	28.44	46.00	-17.56	-8.28	3	Vertical	-	-	-	36.72	18.25	1.71	28.24




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	3.999G	48.44	54.00	-5.56	3	Vertical	211	1.20	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.41	54.00	-5.59	3	Vertical	211	1.20	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.36	54.00	-5.64	3	Vertical	214	1.15	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.45	54.00	-5.55	3	Vertical	213	1.20	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.44	54.00	-5.56	3	Vertical	212	1.13	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.50	54.00	-5.50	3	Vertical	210	1.13	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	3.999G	48.63	54.00	-5.37	3	Horizontal	203	1.00	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.52	54.00	-5.48	3	Horizontal	201	1.00	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.45	54.00	-5.55	3	Vertical	210	1.16	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.47	54.00	-5.53	3	Vertical	210	1.13	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.37	54.00	-5.63	3	Vertical	214	1.14	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.45	54.00	-5.55	3	Vertical	213	1.15	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	3.999G	48.42	54.00	-5.58	3	Vertical	202	1.13	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.56	54.00	-5.44	3	Horizontal	212	1.00	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.39	54.00	-5.61	3	Vertical	206	1.13	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.49	54.00	-5.51	3	Vertical	209	1.12	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.47	54.00	-5.53	3	Vertical	215	1.15	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	7.25G	48.92	54.00	-5.08	3	Horizontal	309	3.68	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	3.999G	48.39	54.00	-5.61	3	Vertical	224	1.13	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.48	54.00	-5.52	3	Vertical	230	1.19	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.41	54.00	-5.59	3	Horizontal	194	1.00	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.29	54.00	-5.71	3	Vertical	205	1.19	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	3.999G	48.42	54.00	-5.58	3	Vertical	231	1.00	-



5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.72	54.00	-6.28	49.89	3	Horizontal	211	1.00	-	29.80	6.02	37.99
PK	3.999G	55.69	74.00	-18.31	57.86	3	Horizontal	211	1.00	-	29.80	6.02	37.99
AV	11.91G	42.14	54.00	-11.86	35.71	3	Horizontal	49	1.00	-	39.10	10.22	42.89
PK	11.91G	54.48	74.00	-19.52	48.05	3	Horizontal	49	1.00	-	39.10	10.22	42.89



5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.20	54.00	-5.80	50.37	3	Vertical	212	1.23	-	29.80	6.02	37.99
PK	3.999G	56.42	74.00	-17.58	58.59	3	Vertical	212	1.23	-	29.80	6.02	37.99
AV	11.91G	42.15	54.00	-11.85	35.72	3	Vertical	103	1.00	-	39.10	10.22	42.89
PK	11.91G	54.87	74.00	-19.13	48.44	3	Vertical	103	1.00	-	39.10	10.22	42.89



5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.99	54.00	-6.01	50.16	3	Horizontal	206	1.00	-	29.80	6.02	37.99
PK	3.999G	55.93	74.00	-18.07	58.10	3	Horizontal	206	1.00	-	29.80	6.02	37.99
AV	10.312G	43.15	68.20	-25.05	35.66	3	Horizontal	127	1.00	-	39.55	9.99	42.05
PK	10.312G	55.68	88.20	-32.52	48.19	3	Horizontal	127	1.00	-	39.55	9.99	42.05
AV	12.35G	42.75	54.00	-11.25	35.65	3	Horizontal	50	1.00	-	39.30	10.31	42.51
PK	12.35G	55.31	74.00	-18.69	48.21	3	Horizontal	50	1.00	-	39.30	10.31	42.51



5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.41	54.00	-5.59	50.58	3	Vertical	210	1.20	-	29.80	6.02	37.99
PK	3.999G	56.29	74.00	-17.71	58.46	3	Vertical	210	1.20	-	29.80	6.02	37.99
AV	10.312G	43.28	68.20	-24.92	35.79	3	Vertical	156	1.00	-	39.55	9.99	42.05
PK	10.312G	56.27	88.20	-31.93	48.78	3	Vertical	156	1.00	-	39.55	9.99	42.05
AV	12.35G	42.93	54.00	-11.07	35.83	3	Vertical	100	1.00	-	39.30	10.31	42.51
PK	12.35G	55.49	74.00	-18.51	48.39	3	Vertical	100	1.00	-	39.30	10.31	42.51



5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.39	54.00	-5.61	50.56	3	Horizontal	216	1.19	-	29.80	6.02	37.99
PK	3.999G	56.28	74.00	-17.72	58.45	3	Horizontal	216	1.19	-	29.80	6.02	37.99
AV	10.312G	43.27	68.20	-24.93	35.78	3	Horizontal	162	1.00	-	39.55	9.99	42.05
PK	10.312G	56.13	88.20	-32.07	48.64	3	Horizontal	162	1.00	-	39.55	9.99	42.05
AV	12.83G	42.79	68.20	-25.41	35.96	3	Horizontal	77	1.00	-	39.66	10.45	43.28
PK	12.83G	56.23	88.20	-31.97	49.40	3	Horizontal	77	1.00	-	39.66	10.45	43.28



5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.44	54.00	-5.56	50.61	3	Vertical	211	1.20	-	29.80	6.02	37.99
PK	3.999G	56.34	74.00	-17.66	58.51	3	Vertical	211	1.20	-	29.80	6.02	37.99
AV	10.312G	43.34	68.20	-24.86	35.85	3	Vertical	158	1.00	-	39.55	9.99	42.05
PK	10.312G	56.31	88.20	-31.89	48.82	3	Vertical	158	1.00	-	39.55	9.99	42.05
AV	12.83G	42.85	68.20	-25.35	36.02	3	Vertical	60	1.00	-	39.66	10.45	43.28
PK	12.83G	56.32	88.20	-31.88	49.49	3	Vertical	60	1.00	-	39.66	10.45	43.28



6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.63	54.00	-5.37	50.80	3	Horizontal	203	1.00	-	29.80	6.02	37.99
PK	3.999G	56.53	74.00	-17.47	58.70	3	Horizontal	203	1.00	-	29.80	6.02	37.99
AV	10.312G	43.44	68.20	-24.76	35.95	3	Horizontal	120	1.00	-	39.55	9.99	42.05
PK	10.312G	56.59	88.20	-31.61	49.10	3	Horizontal	120	1.00	-	39.55	9.99	42.05
AV	12.87G	42.75	68.20	-25.45	35.97	3	Horizontal	46	1.00	-	39.70	10.47	43.39
PK	12.87G	56.07	88.20	-32.13	49.29	3	Horizontal	46	1.00	-	39.70	10.47	43.39



6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.36	54.00	-5.64	50.53	3	Vertical	211	1.16	-	29.80	6.02	37.99
PK	3.999G	56.25	74.00	-17.75	58.42	3	Vertical	211	1.16	-	29.80	6.02	37.99
AV	10.312G	43.37	68.20	-24.83	35.88	3	Vertical	155	1.00	-	39.55	9.99	42.05
PK	10.312G	56.37	88.20	-31.83	48.88	3	Vertical	155	1.00	-	39.55	9.99	42.05
AV	12.87G	42.83	68.20	-25.37	36.05	3	Vertical	40	1.00	-	39.70	10.47	43.39
PK	12.87G	56.17	88.20	-32.03	49.39	3	Vertical	40	1.00	-	39.70	10.47	43.39



6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.89	54.00	-6.11	50.06	3	Horizontal	202	1.00	-	29.80	6.02	37.99
PK	3.999G	55.87	74.00	-18.13	58.04	3	Horizontal	202	1.00	-	29.80	6.02	37.99
AV	10.312G	43.07	68.20	-25.13	35.58	3	Horizontal	125	1.00	-	39.55	9.99	42.05
PK	10.312G	55.50	88.20	-32.70	48.01	3	Horizontal	125	1.00	-	39.55	9.99	42.05
AV	12.95G	42.57	68.20	-25.63	35.90	3	Horizontal	40	1.00	-	39.80	10.49	43.62
PK	12.95G	54.90	88.20	-33.30	48.23	3	Horizontal	40	1.00	-	39.80	10.49	43.62



6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.32	54.00	-5.68	50.49	3	Vertical	210	1.18	-	29.80	6.02	37.99
PK	3.999G	56.21	74.00	-17.79	58.38	3	Vertical	210	1.18	-	29.80	6.02	37.99
AV	10.312G	43.33	68.20	-24.87	35.84	3	Vertical	155	1.00	-	39.55	9.99	42.05
PK	10.312G	56.31	88.20	-31.89	48.82	3	Vertical	155	1.00	-	39.55	9.99	42.05
AV	12.95G	42.83	68.20	-25.37	36.16	3	Vertical	30	1.00	-	39.80	10.49	43.62
PK	12.95G	55.10	88.20	-33.10	48.43	3	Vertical	30	1.00	-	39.80	10.49	43.62



6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.22	54.00	-5.78	50.39	3	Horizontal	198	1.00	-	29.80	6.02	37.99
PK	3.999G	56.13	74.00	-17.87	58.30	3	Horizontal	198	1.00	-	29.80	6.02	37.99
AV	10.312G	43.11	68.20	-25.09	35.62	3	Horizontal	124	1.00	-	39.55	9.99	42.05
PK	10.312G	56.11	88.20	-32.09	48.62	3	Horizontal	124	1.00	-	39.55	9.99	42.05
AV	13.03G	41.93	68.20	-26.27	35.63	3	Horizontal	42	1.00	-	39.58	10.52	43.80
PK	13.03G	54.89	88.20	-33.31	48.59	3	Horizontal	42	1.00	-	39.58	10.52	43.80



6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.35	54.00	-5.65	50.52	3	Vertical	210	1.18	-	29.80	6.02	37.99
PK	3.999G	56.29	74.00	-17.71	58.46	3	Vertical	210	1.18	-	29.80	6.02	37.99
AV	10.312G	43.24	68.20	-24.96	35.75	3	Vertical	152	1.00	-	39.55	9.99	42.05
PK	10.312G	56.23	88.20	-31.97	48.74	3	Vertical	152	1.00	-	39.55	9.99	42.05
AV	13.03G	41.91	68.20	-26.29	35.61	3	Vertical	40	1.00	-	39.58	10.52	43.80
PK	13.03G	54.94	88.20	-33.26	48.64	3	Vertical	40	1.00	-	39.58	10.52	43.80



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.34	54.00	-5.66	50.51	3	Horizontal	203	1.00	-	29.80	6.02	37.99
PK	3.999G	56.12	74.00	-17.88	58.29	3	Horizontal	203	1.00	-	29.80	6.02	37.99
AV	10.312G	43.19	68.20	-25.01	35.70	3	Horizontal	122	1.00	-	39.55	9.99	42.05
PK	10.312G	56.19	88.20	-32.01	48.70	3	Horizontal	122	1.00	-	39.55	9.99	42.05
AV	13.07G	41.97	68.20	-26.23	35.84	3	Horizontal	35	1.00	-	39.46	10.53	43.86
PK	13.07G	55.61	88.20	-32.59	49.48	3	Horizontal	35	1.00	-	39.46	10.53	43.86



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.36	54.00	-5.64	50.53	3	Vertical	208	1.18	-	29.80	6.02	37.99
PK	3.999G	56.28	74.00	-17.72	58.45	3	Vertical	208	1.18	-	29.80	6.02	37.99
AV	10.312G	43.34	68.20	-24.86	35.85	3	Vertical	154	1.00	-	39.55	9.99	42.05
PK	10.312G	56.34	88.20	-31.86	48.85	3	Vertical	154	1.00	-	39.55	9.99	42.05
AV	13.07G	42.00	68.20	-26.20	35.87	3	Vertical	60	1.00	-	39.46	10.53	43.86
PK	13.07G	55.66	88.20	-32.54	49.53	3	Vertical	60	1.00	-	39.46	10.53	43.86



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6715MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.19	54.00	-5.81	50.36	3	Horizontal	208	1.00	-	29.80	6.02	37.99
PK	3.999G	56.09	74.00	-17.91	58.26	3	Horizontal	208	1.00	-	29.80	6.02	37.99
AV	10.312G	43.16	68.20	-25.04	35.67	3	Horizontal	125	1.00	-	39.55	9.99	42.05
PK	10.312G	56.11	88.20	-32.09	48.62	3	Horizontal	125	1.00	-	39.55	9.99	42.05
AV	13.43G	43.11	68.20	-25.09	36.89	3	Horizontal	88	1.00	-	40.02	10.61	44.41
PK	13.43G	57.34	88.20	-30.86	51.12	3	Horizontal	88	1.00	-	40.02	10.61	44.41



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6715MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.26	54.00	-5.74	50.43	3	Vertical	206	1.16	-	29.80	6.02	37.99
PK	3.999G	56.16	74.00	-17.84	58.33	3	Vertical	206	1.16	-	29.80	6.02	37.99
AV	10.312G	43.29	68.20	-24.91	35.80	3	Vertical	153	1.00	-	39.55	9.99	42.05
PK	10.312G	56.25	88.20	-31.95	48.76	3	Vertical	153	1.00	-	39.55	9.99	42.05
AV	13.43G	43.25	68.20	-24.95	37.03	3	Vertical	40	1.00	-	40.02	10.61	44.41
PK	13.43G	57.39	88.20	-30.81	51.17	3	Vertical	40	1.00	-	40.02	10.61	44.41



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.99	54.00	-6.01	50.16	3	Horizontal	203	1.00	-	29.80	6.02	37.99
PK	3.999G	56.19	74.00	-17.81	58.36	3	Horizontal	203	1.00	-	29.80	6.02	37.99
AV	10.312G	42.74	68.20	-25.46	35.25	3	Horizontal	129	1.00	-	39.55	9.99	42.05
PK	10.312G	56.27	88.20	-31.93	48.78	3	Horizontal	129	1.00	-	39.55	9.99	42.05
AV	13.71G	43.25	68.20	-24.95	36.98	3	Horizontal	91	1.00	-	40.30	10.68	44.71
PK	13.71G	57.48	88.20	-30.72	51.21	3	Horizontal	91	1.00	-	40.30	10.68	44.71



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.39	54.00	-5.61	50.56	3	Vertical	206	1.13	-	29.80	6.02	37.99
PK	3.999G	56.28	74.00	-17.72	58.45	3	Vertical	206	1.13	-	29.80	6.02	37.99
AV	10.312G	43.36	68.20	-24.84	35.87	3	Vertical	155	1.00	-	39.55	9.99	42.05
PK	10.312G	56.37	88.20	-31.83	48.88	3	Vertical	155	1.00	-	39.55	9.99	42.05
AV	13.71G	43.33	68.20	-24.87	37.06	3	Vertical	20	1.00	-	40.30	10.68	44.71
PK	13.71G	57.54	88.20	-30.66	51.27	3	Vertical	20	1.00	-	40.30	10.68	44.71



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.24	54.00	-5.76	50.41	3	Horizontal	209	1.00	-	29.80	6.02	37.99
PK	3.999G	56.44	74.00	-17.56	58.61	3	Horizontal	209	1.00	-	29.80	6.02	37.99
AV	10.312G	43.17	68.20	-25.03	35.68	3	Horizontal	130	1.00	-	39.55	9.99	42.05
PK	10.312G	56.19	88.20	-32.01	48.70	3	Horizontal	130	1.00	-	39.55	9.99	42.05
AV	13.75G	43.47	68.20	-24.73	37.21	3	Horizontal	84	1.00	-	40.30	10.70	44.74
PK	13.75G	56.61	88.20	-31.59	50.35	3	Horizontal	84	1.00	-	40.30	10.70	44.74



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.42	54.00	-5.58	50.59	3	Vertical	202	1.13	-	29.80	6.02	37.99
PK	3.999G	56.39	74.00	-17.61	58.56	3	Vertical	202	1.13	-	29.80	6.02	37.99
AV	10.312G	43.26	68.20	-24.94	35.77	3	Vertical	154	1.00	-	39.55	9.99	42.05
PK	10.312G	56.24	88.20	-31.96	48.75	3	Vertical	154	1.00	-	39.55	9.99	42.05
AV	13.75G	43.42	68.20	-24.78	37.16	3	Vertical	40	1.00	-	40.30	10.70	44.74
PK	13.75G	56.68	88.20	-31.52	50.42	3	Vertical	40	1.00	-	40.30	10.70	44.74



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.22	54.00	-5.78	50.39	3	Horizontal	196	1.00	-	29.80	6.02	37.99
PK	3.999G	55.99	74.00	-18.01	58.16	3	Horizontal	196	1.00	-	29.80	6.02	37.99
AV	10.312G	43.36	68.20	-24.84	35.87	3	Horizontal	130	1.00	-	39.55	9.99	42.05
PK	10.312G	56.41	88.20	-31.79	48.92	3	Horizontal	130	1.00	-	39.55	9.99	42.05
AV	13.79G	43.63	68.20	-24.57	37.32	3	Horizontal	79	1.00	-	40.38	10.71	44.78
PK	13.79G	56.56	88.20	-31.64	50.25	3	Horizontal	79	1.00	-	40.38	10.71	44.78



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.31	54.00	-5.69	50.48	3	Vertical	212	1.15	-	29.80	6.02	37.99
PK	3.999G	56.12	74.00	-17.88	58.29	3	Vertical	212	1.15	-	29.80	6.02	37.99
AV	10.312G	43.27	68.20	-24.93	35.78	3	Vertical	155	1.00	-	39.55	9.99	42.05
PK	10.312G	56.37	88.20	-31.83	48.88	3	Vertical	155	1.00	-	39.55	9.99	42.05
AV	13.79G	43.55	68.20	-24.65	37.24	3	Vertical	65	1.00	-	40.38	10.71	44.78
PK	13.79G	56.60	88.20	-31.60	50.29	3	Vertical	65	1.00	-	40.38	10.71	44.78



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7015MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.90	54.00	-6.10	50.07	3	Horizontal	204	1.00	-	29.80	6.02	37.99
PK	3.999G	55.84	74.00	-18.16	58.01	3	Horizontal	204	1.00	-	29.80	6.02	37.99
AV	10.312G	42.87	68.20	-25.33	35.38	3	Horizontal	125	1.00	-	39.55	9.99	42.05
PK	10.312G	55.53	88.20	-32.67	48.04	3	Horizontal	125	1.00	-	39.55	9.99	42.05
AV	14.03G	44.54	68.20	-23.66	37.72	3	Horizontal	90	1.00	-	41.06	10.77	45.01
PK	14.03G	57.24	88.20	-30.96	50.42	3	Horizontal	90	1.00	-	41.06	10.77	45.01



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7015MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.30	54.00	-5.70	50.47	3	Vertical	213	1.16	-	29.80	6.02	37.99
PK	3.999G	56.22	74.00	-17.78	58.39	3	Vertical	213	1.16	-	29.80	6.02	37.99
AV	10.312G	43.23	68.20	-24.97	35.74	3	Vertical	154	1.00	-	39.55	9.99	42.05
PK	10.312G	56.27	88.20	-31.93	48.78	3	Vertical	154	1.00	-	39.55	9.99	42.05
AV	14.03G	44.71	68.20	-23.49	37.89	3	Vertical	80	1.00	-	41.06	10.77	45.01
PK	14.03G	57.41	88.20	-30.79	50.59	3	Vertical	80	1.00	-	41.06	10.77	45.01



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.02	54.00	-5.98	50.19	3	Horizontal	209	1.00	-	29.80	6.02	37.99
PK	3.999G	56.00	74.00	-18.00	58.17	3	Horizontal	209	1.00	-	29.80	6.02	37.99
AV	14.19G	44.61	68.20	-23.59	37.37	3	Horizontal	102	1.00	-	41.56	10.83	45.15
PK	14.19G	57.80	88.20	-30.40	50.56	3	Horizontal	102	1.00	-	41.56	10.83	45.15



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.39	54.00	-5.61	50.56	3	Vertical	224	1.13	-	29.80	6.02	37.99
PK	3.999G	56.52	74.00	-17.48	58.69	3	Vertical	224	1.13	-	29.80	6.02	37.99
AV	14.19G	44.67	68.20	-23.53	37.43	3	Vertical	76	1.00	-	41.56	10.83	45.15
PK	14.19G	57.67	88.20	-30.53	50.43	3	Vertical	76	1.00	-	41.56	10.83	45.15



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.85	54.00	-6.15	50.02	3	Horizontal	205	1.00	-	29.80	6.02	37.99
PK	3.999G	55.96	74.00	-18.04	58.13	3	Horizontal	205	1.00	-	29.80	6.02	37.99
AV	14.23G	45.02	68.20	-23.18	37.76	3	Horizontal	88	1.00	-	41.60	10.84	45.18
PK	14.23G	57.65	88.20	-30.55	50.39	3	Horizontal	88	1.00	-	41.60	10.84	45.18



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.17	54.00	-5.83	50.34	3	Vertical	214	1.15	-	29.80	6.02	37.99
PK	3.999G	56.32	74.00	-17.68	58.49	3	Vertical	214	1.15	-	29.80	6.02	37.99
AV	14.23G	44.77	68.20	-23.43	37.51	3	Vertical	71	1.00	-	41.60	10.84	45.18
PK	14.23G	57.41	88.20	-30.79	50.15	3	Vertical	71	1.00	-	41.60	10.84	45.18



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.68	54.00	-6.32	49.85	3	Horizontal	208	1.00	-	29.80	6.02	37.99
PK	3.999G	55.54	74.00	-18.46	57.71	3	Horizontal	208	1.00	-	29.80	6.02	37.99
AV	11.91G	42.19	54.00	-11.81	35.76	3	Horizontal	38	1.00	-	39.10	10.22	42.89
PK	11.91G	54.36	74.00	-19.64	47.93	3	Horizontal	38	1.00	-	39.10	10.22	42.89



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.22	54.00	-5.78	50.39	3	Vertical	217	1.16	-	29.80	6.02	37.99
PK	3.999G	56.09	74.00	-17.91	58.26	3	Vertical	217	1.16	-	29.80	6.02	37.99
AV	11.91G	41.92	54.00	-12.08	35.49	3	Vertical	102	1.00	-	39.10	10.22	42.89
PK	11.91G	54.25	74.00	-19.75	47.82	3	Vertical	102	1.00	-	39.10	10.22	42.89



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.97	54.00	-6.03	50.14	3	Horizontal	205	1.00	-	29.80	6.02	37.99
PK	3.999G	55.89	74.00	-18.11	58.06	3	Horizontal	205	1.00	-	29.80	6.02	37.99
AV	10.312G	50.69	68.20	-17.51	43.20	3	Horizontal	132	1.00	-	39.55	9.99	42.05
PK	10.312G	55.73	88.20	-32.47	48.24	3	Horizontal	132	1.00	-	39.55	9.99	42.05
AV	12.35G	42.67	54.00	-11.33	35.57	3	Horizontal	49	1.00	-	39.30	10.31	42.51
PK	12.35G	55.62	74.00	-18.38	48.52	3	Horizontal	49	1.00	-	39.30	10.31	42.51



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.32	54.00	-5.68	50.49	3	Vertical	213	1.18	-	29.80	6.02	37.99
PK	3.999G	56.19	74.00	-17.81	58.36	3	Vertical	213	1.18	-	29.80	6.02	37.99
AV	10.312G	43.31	68.20	-24.89	35.82	3	Vertical	153	1.00	-	39.55	9.99	42.05
PK	10.312G	56.43	88.20	-31.77	48.94	3	Vertical	153	1.00	-	39.55	9.99	42.05
AV	12.35G	42.86	54.00	-11.14	35.76	3	Vertical	90	1.00	-	39.30	10.31	42.51
PK	12.35G	55.56	74.00	-18.44	48.46	3	Vertical	90	1.00	-	39.30	10.31	42.51



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.26	54.00	-5.74	50.43	3	Horizontal	205	1.00	-	29.80	6.02	37.99
PK	3.999G	56.20	74.00	-17.80	58.37	3	Horizontal	205	1.00	-	29.80	6.02	37.99
AV	10.312G	43.11	68.20	-25.09	35.62	3	Horizontal	166	1.00	-	39.55	9.99	42.05
PK	10.312G	56.44	88.20	-31.76	48.95	3	Horizontal	166	1.00	-	39.55	9.99	42.05
AV	12.83G	43.09	68.20	-25.11	36.26	3	Horizontal	59	1.00	-	39.66	10.45	43.28
PK	12.83G	56.16	88.20	-32.04	49.33	3	Horizontal	59	1.00	-	39.66	10.45	43.28



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.41	54.00	-5.59	50.58	3	Vertical	211	1.20	-	29.80	6.02	37.99
PK	3.999G	56.29	74.00	-17.71	58.46	3	Vertical	211	1.20	-	29.80	6.02	37.99
AV	10.312G	43.24	68.20	-24.96	35.75	3	Vertical	159	1.00	-	39.55	9.99	42.05
PK	10.312G	56.41	88.20	-31.79	48.92	3	Vertical	159	1.00	-	39.55	9.99	42.05
AV	12.83G	42.99	68.20	-25.21	36.16	3	Vertical	55	1.00	-	39.66	10.45	43.28
PK	12.83G	56.19	88.20	-32.01	49.36	3	Vertical	55	1.00	-	39.66	10.45	43.28



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.52	54.00	-5.48	50.69	3	Horizontal	201	1.00	-	29.80	6.02	37.99
PK	3.999G	56.52	74.00	-17.48	58.69	3	Horizontal	201	1.00	-	29.80	6.02	37.99
AV	10.312G	43.10	68.20	-25.10	35.61	3	Horizontal	124	1.00	-	39.55	9.99	42.05
PK	10.312G	56.21	88.20	-31.99	48.72	3	Horizontal	124	1.00	-	39.55	9.99	42.05
AV	12.87G	42.93	68.20	-25.27	36.15	3	Horizontal	56	1.00	-	39.70	10.47	43.39
PK	12.87G	56.06	88.20	-32.14	49.28	3	Horizontal	56	1.00	-	39.70	10.47	43.39



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.31	54.00	-5.69	50.48	3	Vertical	212	1.15	-	29.80	6.02	37.99
PK	3.999G	56.17	74.00	-17.83	58.34	3	Vertical	212	1.15	-	29.80	6.02	37.99
AV	10.312G	43.24	68.20	-24.96	35.75	3	Vertical	153	1.00	-	39.55	9.99	42.05
PK	10.312G	56.16	88.20	-32.04	48.67	3	Vertical	153	1.00	-	39.55	9.99	42.05
AV	12.87G	42.80	68.20	-25.40	36.02	3	Vertical	30	1.00	-	39.70	10.47	43.39
PK	12.87G	56.00	88.20	-32.20	49.22	3	Vertical	30	1.00	-	39.70	10.47	43.39



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.00	54.00	-6.00	50.17	3	Horizontal	194	1.00	-	29.80	6.02	37.99
PK	3.999G	56.36	74.00	-17.64	58.53	3	Horizontal	194	1.00	-	29.80	6.02	37.99
AV	10.312G	42.92	68.20	-25.28	35.43	3	Horizontal	129	1.00	-	39.55	9.99	42.05
PK	10.312G	56.41	88.20	-31.79	48.92	3	Horizontal	129	1.00	-	39.55	9.99	42.05
AV	12.95G	42.81	68.20	-25.39	36.14	3	Horizontal	64	1.00	-	39.80	10.49	43.62
PK	12.95G	55.33	88.20	-32.87	48.66	3	Horizontal	64	1.00	-	39.80	10.49	43.62



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.37	54.00	-5.63	50.54	3	Vertical	212	1.19	-	29.80	6.02	37.99
PK	3.999G	56.25	74.00	-17.75	58.42	3	Vertical	212	1.19	-	29.80	6.02	37.99
AV	10.312G	43.26	68.20	-24.94	35.77	3	Vertical	155	1.00	-	39.55	9.99	42.05
PK	10.312G	56.25	88.20	-31.95	48.76	3	Vertical	155	1.00	-	39.55	9.99	42.05
AV	12.95G	42.92	68.20	-25.28	36.25	3	Vertical	45	1.00	-	39.80	10.49	43.62
PK	12.95G	55.21	88.20	-32.99	48.54	3	Vertical	45	1.00	-	39.80	10.49	43.62



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.26	54.00	-5.74	50.43	3	Horizontal	199	1.00	-	29.80	6.02	37.99
PK	3.999G	56.43	74.00	-17.57	58.60	3	Horizontal	199	1.00	-	29.80	6.02	37.99
AV	10.312G	43.40	68.20	-24.80	35.91	3	Horizontal	121	1.00	-	39.55	9.99	42.05
PK	10.312G	56.41	88.20	-31.79	48.92	3	Horizontal	121	1.00	-	39.55	9.99	42.05
AV	13.03G	41.97	68.20	-26.23	35.67	3	Horizontal	43	1.00	-	39.58	10.52	43.80
PK	13.03G	55.17	88.20	-33.03	48.87	3	Horizontal	43	1.00	-	39.58	10.52	43.80



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.39	54.00	-5.61	50.56	3	Vertical	210	1.15	-	29.80	6.02	37.99
PK	3.999G	56.39	74.00	-17.61	58.56	3	Vertical	210	1.15	-	29.80	6.02	37.99
AV	10.312G	43.36	68.20	-24.84	35.87	3	Vertical	148	1.00	-	39.55	9.99	42.05
PK	10.312G	56.36	88.20	-31.84	48.87	3	Vertical	148	1.00	-	39.55	9.99	42.05
AV	13.03G	42.05	68.20	-26.15	35.75	3	Vertical	60	1.00	-	39.58	10.52	43.80
PK	13.03G	55.08	88.20	-33.12	48.78	3	Vertical	60	1.00	-	39.58	10.52	43.80



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.15	54.00	-5.85	50.32	3	Horizontal	232	1.00	-	29.80	6.02	37.99
PK	3.999G	56.23	74.00	-17.77	58.40	3	Horizontal	232	1.00	-	29.80	6.02	37.99
AV	10.312G	43.39	68.20	-24.81	35.90	3	Horizontal	138	1.00	-	39.55	9.99	42.05
PK	10.312G	56.28	88.20	-31.92	48.79	3	Horizontal	138	1.00	-	39.55	9.99	42.05
AV	13.07G	41.89	68.20	-26.31	35.76	3	Horizontal	36	1.00	-	39.46	10.53	43.86
PK	13.07G	55.70	88.20	-32.50	49.57	3	Horizontal	36	1.00	-	39.46	10.53	43.86



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.27	54.00	-5.73	50.44	3	Vertical	206	1.15	-	29.80	6.02	37.99
PK	3.999G	56.22	74.00	-17.78	58.39	3	Vertical	206	1.15	-	29.80	6.02	37.99
AV	10.312G	43.24	68.20	-24.96	35.75	3	Vertical	156	1.00	-	39.55	9.99	42.05
PK	10.312G	56.25	88.20	-31.95	48.76	3	Vertical	156	1.00	-	39.55	9.99	42.05
AV	13.07G	41.94	68.20	-26.26	35.81	3	Vertical	55	1.00	-	39.46	10.53	43.86
PK	13.07G	55.60	88.20	-32.60	49.47	3	Vertical	55	1.00	-	39.46	10.53	43.86



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6715MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.10	54.00	-5.90	50.27	3	Horizontal	207	1.00	-	29.80	6.02	37.99
PK	3.999G	56.32	74.00	-17.68	58.49	3	Horizontal	207	1.00	-	29.80	6.02	37.99
AV	10.312G	43.37	68.20	-24.83	35.88	3	Horizontal	127	1.00	-	39.55	9.99	42.05
PK	10.312G	56.03	88.20	-32.17	48.54	3	Horizontal	127	1.00	-	39.55	9.99	42.05
AV	13.43G	43.51	68.20	-24.69	37.29	3	Horizontal	95	1.00	-	40.02	10.61	44.41
PK	13.43G	57.59	88.20	-30.61	51.37	3	Horizontal	95	1.00	-	40.02	10.61	44.41



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6715MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.36	54.00	-5.64	50.53	3	Vertical	204	1.18	-	29.80	6.02	37.99
PK	3.999G	56.36	74.00	-17.64	58.53	3	Vertical	204	1.18	-	29.80	6.02	37.99
AV	10.312G	43.25	68.20	-24.95	35.76	3	Vertical	149	1.00	-	39.55	9.99	42.05
PK	10.312G	56.13	88.20	-32.07	48.64	3	Vertical	149	1.00	-	39.55	9.99	42.05
AV	13.43G	43.34	68.20	-24.86	37.12	3	Vertical	40	1.00	-	40.02	10.61	44.41
PK	13.43G	57.48	88.20	-30.72	51.26	3	Vertical	40	1.00	-	40.02	10.61	44.41



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.89	54.00	-6.11	50.06	3	Horizontal	201	1.00	-	29.80	6.02	37.99
PK	3.999G	55.94	74.00	-18.06	58.11	3	Horizontal	201	1.00	-	29.80	6.02	37.99
AV	10.312G	43.32	68.20	-24.88	35.83	3	Horizontal	128	1.00	-	39.55	9.99	42.05
PK	10.312G	56.24	88.20	-31.96	48.75	3	Horizontal	128	1.00	-	39.55	9.99	42.05
AV	13.71G	43.44	68.20	-24.76	37.17	3	Horizontal	94	1.00	-	40.30	10.68	44.71
PK	13.71G	57.68	88.20	-30.52	51.41	3	Horizontal	94	1.00	-	40.30	10.68	44.71



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.31	54.00	-5.69	50.48	3	Vertical	209	1.15	-	29.80	6.02	37.99
PK	3.999G	56.45	74.00	-17.55	58.62	3	Vertical	209	1.15	-	29.80	6.02	37.99
AV	10.312G	43.40	68.20	-24.80	35.91	3	Vertical	154	1.00	-	39.55	9.99	42.05
PK	10.312G	56.40	88.20	-31.80	48.91	3	Vertical	154	1.00	-	39.55	9.99	42.05
AV	13.71G	43.39	68.20	-24.81	37.12	3	Vertical	30	1.00	-	40.30	10.68	44.71
PK	13.71G	57.61	88.20	-30.59	51.34	3	Vertical	30	1.00	-	40.30	10.68	44.71



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.56	54.00	-5.44	50.73	3	Horizontal	212	1.00	-	29.80	6.02	37.99
PK	3.999G	56.35	74.00	-17.65	58.52	3	Horizontal	212	1.00	-	29.80	6.02	37.99
AV	10.312G	43.25	68.20	-24.95	35.76	3	Horizontal	127	1.00	-	39.55	9.99	42.05
PK	10.312G	56.38	88.20	-31.82	48.89	3	Horizontal	127	1.00	-	39.55	9.99	42.05
AV	13.75G	43.51	68.20	-24.69	37.25	3	Horizontal	86	1.00	-	40.30	10.70	44.74
PK	13.75G	56.66	88.20	-31.54	50.40	3	Horizontal	86	1.00	-	40.30	10.70	44.74



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.45	54.00	-5.55	50.62	3	Vertical	205	1.15	-	29.80	6.02	37.99
PK	3.999G	56.29	74.00	-17.71	58.46	3	Vertical	205	1.15	-	29.80	6.02	37.99
AV	10.312G	43.34	68.20	-24.86	35.85	3	Vertical	156	1.00	-	39.55	9.99	42.05
PK	10.312G	56.43	88.20	-31.77	48.94	3	Vertical	156	1.00	-	39.55	9.99	42.05
AV	13.75G	43.40	68.20	-24.80	37.14	3	Vertical	35	1.00	-	40.30	10.70	44.74
PK	13.75G	56.54	88.20	-31.66	50.28	3	Vertical	35	1.00	-	40.30	10.70	44.74



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.26	54.00	-5.74	50.43	3	Horizontal	199	1.00	-	29.80	6.02	37.99
PK	3.999G	56.06	74.00	-17.94	58.23	3	Horizontal	199	1.00	-	29.80	6.02	37.99
AV	10.312G	42.99	68.20	-25.21	35.50	3	Horizontal	129	1.00	-	39.55	9.99	42.05
PK	10.312G	56.19	88.20	-32.01	48.70	3	Horizontal	129	1.00	-	39.55	9.99	42.05
AV	13.79G	43.52	68.20	-24.68	37.21	3	Horizontal	83	1.00	-	40.38	10.71	44.78
PK	13.79G	56.74	88.20	-31.46	50.43	3	Horizontal	83	1.00	-	40.38	10.71	44.78



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.34	54.00	-5.66	50.51	3	Vertical	213	1.15	-	29.80	6.02	37.99
PK	3.999G	56.15	74.00	-17.85	58.32	3	Vertical	213	1.15	-	29.80	6.02	37.99
AV	10.312G	43.13	68.20	-25.07	35.64	3	Vertical	159	1.00	-	39.55	9.99	42.05
PK	10.312G	56.23	88.20	-31.97	48.74	3	Vertical	159	1.00	-	39.55	9.99	42.05
AV	13.79G	43.46	68.20	-24.74	37.15	3	Vertical	58	1.00	-	40.38	10.71	44.78
PK	13.79G	56.73	88.20	-31.47	50.42	3	Vertical	58	1.00	-	40.38	10.71	44.78

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7015MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.98	54.00	-6.02	50.15	3	Horizontal	215	1.00	-	29.80	6.02	37.99
PK	3.999G	56.20	74.00	-17.80	58.37	3	Horizontal	215	1.00	-	29.80	6.02	37.99
AV	10.312G	43.24	68.20	-24.96	35.75	3	Horizontal	118	1.00	-	39.55	9.99	42.05
PK	10.312G	56.40	88.20	-31.80	48.91	3	Horizontal	118	1.00	-	39.55	9.99	42.05
AV	14.03G	44.63	68.20	-23.57	37.81	3	Horizontal	89	1.00	-	41.06	10.77	45.01
PK	14.03G	56.94	88.20	-31.26	50.12	3	Horizontal	89	1.00	-	41.06	10.77	45.01



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7015MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.38	54.00	-5.62	50.55	3	Vertical	210	1.19	-	29.80	6.02	37.99
PK	3.999G	56.09	74.00	-17.91	58.26	3	Vertical	210	1.19	-	29.80	6.02	37.99
AV	10.312G	43.17	68.20	-25.03	35.68	3	Vertical	158	1.00	-	39.55	9.99	42.05
PK	10.312G	56.34	88.20	-31.86	48.85	3	Vertical	158	1.00	-	39.55	9.99	42.05
AV	14.03G	44.58	68.20	-23.62	37.76	3	Vertical	60	1.00	-	41.06	10.77	45.01
PK	14.03G	57.24	88.20	-30.96	50.42	3	Vertical	60	1.00	-	41.06	10.77	45.01



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.91	54.00	-6.09	50.08	3	Horizontal	215	1.00	-	29.80	6.02	37.99
PK	3.999G	55.99	74.00	-18.01	58.16	3	Horizontal	215	1.00	-	29.80	6.02	37.99
AV	14.19G	44.66	68.20	-23.54	37.42	3	Horizontal	106	1.00	-	41.56	10.83	45.15
PK	14.19G	57.57	88.20	-30.63	50.33	3	Horizontal	106	1.00	-	41.56	10.83	45.15



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.48	54.00	-5.52	50.65	3	Vertical	230	1.19	-	29.80	6.02	37.99
PK	3.999G	56.44	74.00	-17.56	58.61	3	Vertical	230	1.19	-	29.80	6.02	37.99
AV	14.19G	44.74	68.20	-23.46	37.50	3	Vertical	82	1.00	-	41.56	10.83	45.15
PK	14.19G	57.67	88.20	-30.53	50.43	3	Vertical	82	1.00	-	41.56	10.83	45.15



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.99	54.00	-6.01	50.16	3	Horizontal	201	1.00	-	29.80	6.02	37.99
PK	3.999G	56.03	74.00	-17.97	58.20	3	Horizontal	201	1.00	-	29.80	6.02	37.99
AV	14.23G	44.88	68.20	-23.32	37.62	3	Horizontal	90	1.00	-	41.60	10.84	45.18
PK	14.23G	57.62	88.20	-30.58	50.36	3	Horizontal	90	1.00	-	41.60	10.84	45.18



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.26	54.00	-5.74	50.43	3	Vertical	213	1.13	-	29.80	6.02	37.99
PK	3.999G	56.45	74.00	-17.55	58.62	3	Vertical	213	1.13	-	29.80	6.02	37.99
AV	14.23G	44.79	68.20	-23.41	37.53	3	Vertical	80	1.00	-	41.60	10.84	45.18
PK	14.23G	57.48	88.20	-30.72	50.22	3	Vertical	80	1.00	-	41.60	10.84	45.18



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.76	54.00	-6.24	49.93	3	Horizontal	211	1.00	-	29.80	6.02	37.99
PK	3.999G	55.46	74.00	-18.54	57.63	3	Horizontal	211	1.00	-	29.80	6.02	37.99
AV	11.93G	42.25	54.00	-11.75	35.82	3	Horizontal	36	1.00	-	39.10	10.22	42.89
PK	11.93G	54.29	74.00	-19.71	47.86	3	Horizontal	36	1.00	-	39.10	10.22	42.89



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.10	54.00	-5.90	50.27	3	Vertical	219	1.15	-	29.80	6.02	37.99
PK	3.999G	56.19	74.00	-17.81	58.36	3	Vertical	219	1.15	-	29.80	6.02	37.99
AV	11.93G	42.36	54.00	-11.64	35.93	3	Vertical	111	1.00	-	39.10	10.22	42.89
PK	11.93G	54.11	74.00	-19.89	47.68	3	Vertical	111	1.00	-	39.10	10.22	42.89



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.06	54.00	-5.94	50.23	3	Horizontal	198	1.00	-	29.80	6.02	37.99
PK	3.999G	56.14	74.00	-17.86	58.31	3	Horizontal	198	1.00	-	29.80	6.02	37.99
AV	10.312G	42.97	68.20	-25.23	35.48	3	Horizontal	132	1.00	-	39.55	9.99	42.05
PK	10.312G	56.17	88.20	-32.03	48.68	3	Horizontal	132	1.00	-	39.55	9.99	42.05
AV	12.33G	42.36	54.00	-11.64	35.21	3	Horizontal	103	1.00	-	39.38	10.30	42.53
PK	12.33G	55.37	74.00	-18.63	48.22	3	Horizontal	103	1.00	-	39.38	10.30	42.53



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.36	54.00	-5.64	50.53	3	Vertical	214	1.15	-	29.80	6.02	37.99
PK	3.999G	56.26	74.00	-17.74	58.43	3	Vertical	214	1.15	-	29.80	6.02	37.99
AV	10.312G	43.27	68.20	-24.93	35.78	3	Vertical	155	1.00	-	39.55	9.99	42.05
PK	10.312G	56.27	88.20	-31.93	48.78	3	Vertical	155	1.00	-	39.55	9.99	42.05
AV	12.33G	42.43	54.00	-11.57	35.28	3	Vertical	60	1.00	-	39.38	10.30	42.53
PK	12.33G	55.32	74.00	-18.68	48.17	3	Vertical	60	1.00	-	39.38	10.30	42.53



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.15	54.00	-5.85	50.32	3	Horizontal	199	1.00	-	29.80	6.02	37.99
PK	3.999G	56.26	74.00	-17.74	58.43	3	Horizontal	199	1.00	-	29.80	6.02	37.99
AV	10.312G	43.22	68.20	-24.98	35.73	3	Horizontal	126	1.00	-	39.55	9.99	42.05
PK	10.312G	56.24	88.20	-31.96	48.75	3	Horizontal	126	1.00	-	39.55	9.99	42.05
AV	12.81G	42.69	68.20	-25.51	35.84	3	Horizontal	94	1.00	-	39.62	10.45	43.22
PK	12.81G	56.10	88.20	-32.10	49.25	3	Horizontal	94	1.00	-	39.62	10.45	43.22



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.36	54.00	-5.64	50.53	3	Vertical	215	1.20	-	29.80	6.02	37.99
PK	3.999G	56.38	74.00	-17.62	58.55	3	Vertical	215	1.20	-	29.80	6.02	37.99
AV	10.312G	43.30	68.20	-24.90	35.81	3	Vertical	161	1.00	-	39.55	9.99	42.05
PK	10.312G	56.36	88.20	-31.84	48.87	3	Vertical	161	1.00	-	39.55	9.99	42.05
AV	12.81G	42.81	68.20	-25.39	35.96	3	Vertical	40	1.00	-	39.62	10.45	43.22
PK	12.81G	56.06	88.20	-32.14	49.21	3	Vertical	40	1.00	-	39.62	10.45	43.22



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.15	54.00	-5.85	50.32	3	Horizontal	203	1.00	-	29.80	6.02	37.99
PK	3.999G	56.38	74.00	-17.62	58.55	3	Horizontal	203	1.00	-	29.80	6.02	37.99
AV	10.312G	43.22	68.20	-24.98	35.73	3	Horizontal	121	1.00	-	39.55	9.99	42.05
PK	10.312G	56.15	88.20	-32.05	48.66	3	Horizontal	121	1.00	-	39.55	9.99	42.05
AV	12.89G	42.95	68.20	-25.25	36.23	3	Horizontal	88	1.00	-	39.70	10.47	43.45
PK	12.89G	56.34	88.20	-31.86	49.62	3	Horizontal	88	1.00	-	39.70	10.47	43.45



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.37	54.00	-5.63	50.54	3	Vertical	212	1.15	-	29.80	6.02	37.99
PK	3.999G	56.29	74.00	-17.71	58.46	3	Vertical	212	1.15	-	29.80	6.02	37.99
AV	10.312G	43.33	68.20	-24.87	35.84	3	Vertical	150	1.00	-	39.55	9.99	42.05
PK	10.312G	56.24	88.20	-31.96	48.75	3	Vertical	150	1.00	-	39.55	9.99	42.05
AV	12.89G	42.88	68.20	-25.32	36.16	3	Vertical	40	1.00	-	39.70	10.47	43.45
PK	12.89G	56.30	88.20	-31.90	49.58	3	Vertical	40	1.00	-	39.70	10.47	43.45



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.14	54.00	-5.86	50.31	3	Horizontal	202	1.00	-	29.80	6.02	37.99
PK	3.999G	56.26	74.00	-17.74	58.43	3	Horizontal	202	1.00	-	29.80	6.02	37.99
AV	10.312G	43.20	68.20	-25.00	35.71	3	Horizontal	125	1.00	-	39.55	9.99	42.05
PK	10.312G	56.04	88.20	-32.16	48.55	3	Horizontal	125	1.00	-	39.55	9.99	42.05
AV	12.97G	41.86	68.20	-26.34	35.27	3	Horizontal	103	1.00	-	39.76	10.50	43.67
PK	12.97G	55.32	88.20	-32.88	48.73	3	Horizontal	103	1.00	-	39.76	10.50	43.67



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.41	54.00	-5.59	50.58	3	Vertical	213	1.16	-	29.80	6.02	37.99
PK	3.999G	56.39	74.00	-17.61	58.56	3	Vertical	213	1.16	-	29.80	6.02	37.99
AV	10.312G	43.32	68.20	-24.88	35.83	3	Vertical	152	1.00	-	39.55	9.99	42.05
PK	10.312G	56.13	88.20	-32.07	48.64	3	Vertical	152	1.00	-	39.55	9.99	42.05
AV	12.97G	42.31	68.20	-25.89	35.72	3	Vertical	80	1.00	-	39.76	10.50	43.67
PK	12.97G	55.27	88.20	-32.93	48.68	3	Vertical	80	1.00	-	39.76	10.50	43.67



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.04	54.00	-5.96	50.21	3	Horizontal	204	1.00	-	29.80	6.02	37.99
PK	3.999G	56.17	74.00	-17.83	58.34	3	Horizontal	204	1.00	-	29.80	6.02	37.99
AV	10.312G	43.13	68.20	-25.07	35.64	3	Horizontal	124	1.00	-	39.55	9.99	42.05
PK	10.312G	55.84	88.20	-32.36	48.35	3	Horizontal	124	1.00	-	39.55	9.99	42.05
AV	13.05G	41.88	68.20	-26.32	35.70	3	Horizontal	98	1.00	-	39.50	10.52	43.84
PK	13.05G	54.73	88.20	-33.47	48.55	3	Horizontal	98	1.00	-	39.50	10.52	43.84



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.45	54.00	-5.55	50.62	3	Vertical	210	1.16	-	29.80	6.02	37.99
PK	3.999G	56.58	74.00	-17.42	58.75	3	Vertical	210	1.16	-	29.80	6.02	37.99
AV	10.312G	43.20	68.20	-25.00	35.71	3	Vertical	151	1.00	-	39.55	9.99	42.05
PK	10.312G	56.20	88.20	-32.00	48.71	3	Vertical	151	1.00	-	39.55	9.99	42.05
AV	13.05G	41.83	68.20	-26.37	35.65	3	Vertical	70	1.00	-	39.50	10.52	43.84
PK	13.05G	54.64	88.20	-33.56	48.46	3	Vertical	70	1.00	-	39.50	10.52	43.84



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.96	54.00	-6.04	50.13	3	Horizontal	193	1.00	-	29.80	6.02	37.99
PK	3.999G	56.07	74.00	-17.93	58.24	3	Horizontal	193	1.00	-	29.80	6.02	37.99
AV	10.312G	42.74	68.20	-25.46	35.25	3	Horizontal	139	1.00	-	39.55	9.99	42.05
PK	10.312G	56.07	88.20	-32.13	48.58	3	Horizontal	139	1.00	-	39.55	9.99	42.05
AV	13.13G	42.46	68.20	-25.74	36.29	3	Horizontal	46	1.00	-	39.58	10.54	43.95
PK	13.13G	55.52	88.20	-32.68	49.35	3	Horizontal	46	1.00	-	39.58	10.54	43.95



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.38	54.00	-5.62	50.55	3	Vertical	206	1.15	-	29.80	6.02	37.99
PK	3.999G	56.29	74.00	-17.71	58.46	3	Vertical	206	1.15	-	29.80	6.02	37.99
AV	10.312G	43.30	68.20	-24.90	35.81	3	Vertical	152	1.00	-	39.55	9.99	42.05
PK	10.312G	56.13	88.20	-32.07	48.64	3	Vertical	152	1.00	-	39.55	9.99	42.05
AV	13.13G	42.39	68.20	-25.81	36.22	3	Vertical	40	1.00	-	39.58	10.54	43.95
PK	13.13G	55.76	88.20	-32.44	49.59	3	Vertical	40	1.00	-	39.58	10.54	43.95



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6725MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.20	54.00	-5.80	50.37	3	Horizontal	202	1.00	-	29.80	6.02	37.99
PK	3.999G	56.06	74.00	-17.94	58.23	3	Horizontal	202	1.00	-	29.80	6.02	37.99
AV	10.312G	43.20	68.20	-25.00	35.71	3	Horizontal	115	1.00	-	39.55	9.99	42.05
PK	10.312G	56.11	88.20	-32.09	48.62	3	Horizontal	115	1.00	-	39.55	9.99	42.05
AV	13.45G	43.41	68.20	-24.79	37.12	3	Horizontal	84	1.00	-	40.10	10.62	44.43
PK	13.45G	57.01	88.20	-31.19	50.72	3	Horizontal	84	1.00	-	40.10	10.62	44.43



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6725MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.31	54.00	-5.69	50.48	3	Vertical	202	1.16	-	29.80	6.02	37.99
PK	3.999G	56.26	74.00	-17.74	58.43	3	Vertical	202	1.16	-	29.80	6.02	37.99
AV	10.312G	43.15	68.20	-25.05	35.66	3	Vertical	151	1.00	-	39.55	9.99	42.05
PK	10.312G	56.03	88.20	-32.17	48.54	3	Vertical	151	1.00	-	39.55	9.99	42.05
AV	13.45G	43.33	68.20	-24.87	37.04	3	Vertical	50	1.00	-	40.10	10.62	44.43
PK	13.45G	56.66	88.20	-31.54	50.37	3	Vertical	50	1.00	-	40.10	10.62	44.43



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.06	54.00	-5.94	50.23	3	Horizontal	203	1.00	-	29.80	6.02	37.99
PK	3.999G	55.94	74.00	-18.06	58.11	3	Horizontal	203	1.00	-	29.80	6.02	37.99
AV	10.312G	43.27	68.20	-24.93	35.78	3	Horizontal	129	1.00	-	39.55	9.99	42.05
PK	10.312G	56.25	88.20	-31.95	48.76	3	Horizontal	129	1.00	-	39.55	9.99	42.05
AV	13.69G	43.55	68.20	-24.65	37.28	3	Horizontal	106	1.00	-	40.28	10.68	44.69
PK	13.69G	56.36	88.20	-31.84	50.09	3	Horizontal	106	1.00	-	40.28	10.68	44.69



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.39	54.00	-5.61	50.56	3	Vertical	206	1.13	-	29.80	6.02	37.99
PK	3.999G	56.28	74.00	-17.72	58.45	3	Vertical	206	1.13	-	29.80	6.02	37.99
AV	10.312G	43.32	68.20	-24.88	35.83	3	Vertical	159	1.00	-	39.55	9.99	42.05
PK	10.312G	56.34	88.20	-31.86	48.85	3	Vertical	159	1.00	-	39.55	9.99	42.05
AV	13.69G	43.38	68.20	-24.82	37.11	3	Vertical	90	1.00	-	40.28	10.68	44.69
PK	13.69G	56.29	88.20	-31.91	50.02	3	Vertical	90	1.00	-	40.28	10.68	44.69



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.10	54.00	-5.90	50.27	3	Horizontal	199	1.00	-	29.80	6.02	37.99
PK	3.999G	56.18	74.00	-17.82	58.35	3	Horizontal	199	1.00	-	29.80	6.02	37.99
AV	10.312G	42.75	68.20	-25.45	35.26	3	Horizontal	127	1.00	-	39.55	9.99	42.05
PK	10.312G	56.24	88.20	-31.96	48.75	3	Horizontal	127	1.00	-	39.55	9.99	42.05
AV	13.77G	43.39	68.20	-24.81	37.11	3	Horizontal	96	1.00	-	40.34	10.70	44.76
PK	13.77G	57.19	88.20	-31.01	50.91	3	Horizontal	96	1.00	-	40.34	10.70	44.76



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.35	54.00	-5.65	50.52	3	Vertical	203	1.14	-	29.80	6.02	37.99
PK	3.999G	56.36	74.00	-17.64	58.53	3	Vertical	203	1.14	-	29.80	6.02	37.99
AV	10.312G	43.20	68.20	-25.00	35.71	3	Vertical	152	1.00	-	39.55	9.99	42.05
PK	10.312G	56.32	88.20	-31.88	48.83	3	Vertical	152	1.00	-	39.55	9.99	42.05
AV	13.77G	43.52	68.20	-24.68	37.24	3	Vertical	60	1.00	-	40.34	10.70	44.76
PK	13.77G	57.15	88.20	-31.05	50.87	3	Vertical	60	1.00	-	40.34	10.70	44.76



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.03	54.00	-5.97	50.20	3	Horizontal	202	1.00	-	29.80	6.02	37.99
PK	3.999G	55.99	74.00	-18.01	58.16	3	Horizontal	202	1.00	-	29.80	6.02	37.99
AV	10.312G	43.16	68.20	-25.04	35.67	3	Horizontal	126	1.00	-	39.55	9.99	42.05
PK	10.312G	56.40	88.20	-31.80	48.91	3	Horizontal	126	1.00	-	39.55	9.99	42.05
AV	13.85G	43.57	68.20	-24.63	37.29	3	Horizontal	99	1.00	-	40.40	10.72	44.84
PK	13.85G	57.81	88.20	-30.39	51.53	3	Horizontal	99	1.00	-	40.40	10.72	44.84



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.30	54.00	-5.70	50.47	3	Vertical	212	1.21	-	29.80	6.02	37.99
PK	3.999G	56.42	74.00	-17.58	58.59	3	Vertical	212	1.21	-	29.80	6.02	37.99
AV	10.312G	43.23	68.20	-24.97	35.74	3	Vertical	162	1.00	-	39.55	9.99	42.05
PK	10.312G	56.44	88.20	-31.76	48.95	3	Vertical	162	1.00	-	39.55	9.99	42.05
AV	13.85G	43.50	68.20	-24.70	37.22	3	Vertical	70	1.00	-	40.40	10.72	44.84
PK	13.85G	57.77	88.20	-30.43	51.49	3	Vertical	70	1.00	-	40.40	10.72	44.84



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.41	54.00	-5.59	50.58	3	Horizontal	194	1.00	-	29.80	6.02	37.99
PK	3.999G	56.39	74.00	-17.61	58.56	3	Horizontal	194	1.00	-	29.80	6.02	37.99
AV	10.312G	43.34	68.20	-24.86	35.85	3	Horizontal	156	1.00	-	39.55	9.99	42.05
PK	10.312G	56.23	88.20	-31.97	48.74	3	Horizontal	156	1.00	-	39.55	9.99	42.05
AV	14.01G	44.22	68.20	-23.98	37.43	3	Horizontal	69	1.00	-	41.02	10.76	44.99
PK	14.01G	57.38	88.20	-30.82	50.59	3	Horizontal	69	1.00	-	41.02	10.76	44.99



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.30	54.00	-5.70	50.47	3	Vertical	215	1.13	-	29.80	6.02	37.99
PK	3.999G	56.28	74.00	-17.72	58.45	3	Vertical	215	1.13	-	29.80	6.02	37.99
AV	10.312G	43.27	68.20	-24.93	35.78	3	Vertical	162	1.00	-	39.55	9.99	42.05
PK	10.312G	56.30	88.20	-31.90	48.81	3	Vertical	162	1.00	-	39.55	9.99	42.05
AV	14.01G	44.34	68.20	-23.86	37.55	3	Vertical	60	1.00	-	41.02	10.76	44.99
PK	14.01G	57.28	88.20	-30.92	50.49	3	Vertical	60	1.00	-	41.02	10.76	44.99



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.99	54.00	-6.01	50.16	3	Horizontal	219	1.00	-	29.80	6.02	37.99
PK	3.999G	56.06	74.00	-17.94	58.23	3	Horizontal	219	1.00	-	29.80	6.02	37.99
AV	14.17G	44.73	68.20	-23.47	37.56	3	Horizontal	113	1.00	-	41.48	10.82	45.13
PK	14.17G	57.65	88.20	-30.55	50.48	3	Horizontal	113	1.00	-	41.48	10.82	45.13



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.20	54.00	-5.80	50.37	3	Vertical	227	1.06	-	29.80	6.02	37.99
PK	3.999G	56.49	74.00	-17.51	58.66	3	Vertical	227	1.06	-	29.80	6.02	37.99
AV	14.17G	44.54	68.20	-23.66	37.37	3	Vertical	113	1.00	-	41.48	10.82	45.13
PK	14.17G	57.76	88.20	-30.44	50.59	3	Vertical	113	1.00	-	41.48	10.82	45.13



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.80	54.00	-6.20	49.97	3	Horizontal	210	1.00	-	29.80	6.02	37.99
PK	3.999G	55.72	74.00	-18.28	57.89	3	Horizontal	210	1.00	-	29.80	6.02	37.99
AV	11.97G	42.33	54.00	-11.67	35.82	3	Horizontal	41	1.00	-	39.18	10.23	42.90
PK	11.97G	54.46	74.00	-19.54	47.95	3	Horizontal	41	1.00	-	39.18	10.23	42.90



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.17	54.00	-5.83	50.34	3	Vertical	220	1.00	-	29.80	6.02	37.99
PK	3.999G	55.82	74.00	-18.18	57.99	3	Vertical	220	1.00	-	29.80	6.02	37.99
AV	11.97G	42.24	54.00	-11.76	35.73	3	Vertical	99	1.00	-	39.18	10.23	42.90
PK	11.97G	54.55	74.00	-19.45	48.04	3	Vertical	99	1.00	-	39.18	10.23	42.90



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.02	54.00	-5.98	50.19	3	Horizontal	209	1.00	-	29.80	6.02	37.99
PK	3.999G	55.94	74.00	-18.06	58.11	3	Horizontal	209	1.00	-	29.80	6.02	37.99
AV	10.312G	43.19	68.20	-25.01	35.70	3	Horizontal	127	1.00	-	39.55	9.99	42.05
PK	10.312G	56.41	88.20	-31.79	48.92	3	Horizontal	127	1.00	-	39.55	9.99	42.05
AV	12.29G	42.81	54.00	-11.19	35.62	3	Horizontal	97	1.00	-	39.48	10.29	42.58
PK	12.29G	55.52	74.00	-18.48	48.33	3	Horizontal	97	1.00	-	39.48	10.29	42.58



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.42	54.00	-5.58	50.59	3	Vertical	215	1.14	-	29.80	6.02	37.99
PK	3.999G	56.39	74.00	-17.61	58.56	3	Vertical	215	1.14	-	29.80	6.02	37.99
AV	10.312G	43.16	68.20	-25.04	35.67	3	Vertical	152	1.00	-	39.55	9.99	42.05
PK	10.312G	56.40	88.20	-31.80	48.91	3	Vertical	152	1.00	-	39.55	9.99	42.05
AV	12.29G	42.76	54.00	-11.24	35.57	3	Vertical	60	1.00	-	39.48	10.29	42.58
PK	12.29G	55.46	74.00	-18.54	48.27	3	Vertical	60	1.00	-	39.48	10.29	42.58



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.04	54.00	-5.96	50.21	3	Horizontal	200	1.00	-	29.80	6.02	37.99
PK	3.999G	56.07	74.00	-17.93	58.24	3	Horizontal	200	1.00	-	29.80	6.02	37.99
AV	10.312G	43.08	68.20	-25.12	35.59	3	Horizontal	130	1.00	-	39.55	9.99	42.05
PK	10.312G	55.83	88.20	-32.37	48.34	3	Horizontal	130	1.00	-	39.55	9.99	42.05
AV	12.77G	42.49	68.20	-25.71	35.75	3	Horizontal	84	1.00	-	39.42	10.43	43.11
PK	12.77G	55.97	88.20	-32.23	49.23	3	Horizontal	84	1.00	-	39.42	10.43	43.11



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.45	54.00	-5.55	50.62	3	Vertical	213	1.20	-	29.80	6.02	37.99
PK	3.999G	56.45	74.00	-17.55	58.62	3	Vertical	213	1.20	-	29.80	6.02	37.99
AV	10.312G	43.24	68.20	-24.96	35.75	3	Vertical	158	1.00	-	39.55	9.99	42.05
PK	10.312G	56.21	88.20	-31.99	48.72	3	Vertical	158	1.00	-	39.55	9.99	42.05
AV	12.77G	42.69	68.20	-25.51	35.95	3	Vertical	60	1.00	-	39.42	10.43	43.11
PK	12.77G	55.87	88.20	-32.33	49.13	3	Vertical	60	1.00	-	39.42	10.43	43.11



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.97	54.00	-6.03	50.14	3	Horizontal	205	1.00	-	29.80	6.02	37.99
PK	3.999G	56.14	74.00	-17.86	58.31	3	Horizontal	205	1.00	-	29.80	6.02	37.99
AV	10.312G	42.89	68.20	-25.31	35.40	3	Horizontal	122	1.00	-	39.55	9.99	42.05
PK	10.312G	55.81	88.20	-32.39	48.32	3	Horizontal	122	1.00	-	39.55	9.99	42.05
AV	12.93G	42.71	68.20	-25.49	36.02	3	Horizontal	91	1.00	-	39.76	10.49	43.56
PK	12.93G	55.99	88.20	-32.21	49.30	3	Horizontal	91	1.00	-	39.76	10.49	43.56



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.47	54.00	-5.53	50.64	3	Vertical	210	1.13	-	29.80	6.02	37.99
PK	3.999G	56.38	74.00	-17.62	58.55	3	Vertical	210	1.13	-	29.80	6.02	37.99
AV	10.312G	43.22	68.20	-24.98	35.73	3	Vertical	152	1.00	-	39.55	9.99	42.05
PK	10.312G	56.17	88.20	-32.03	48.68	3	Vertical	152	1.00	-	39.55	9.99	42.05
AV	12.93G	42.79	68.20	-25.41	36.10	3	Vertical	100	1.00	-	39.76	10.49	43.56
PK	12.93G	55.94	88.20	-32.26	49.25	3	Vertical	100	1.00	-	39.76	10.49	43.56



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.19	54.00	-5.81	50.36	3	Horizontal	197	1.00	-	29.80	6.02	37.99
PK	3.999G	56.13	74.00	-17.87	58.30	3	Horizontal	197	1.00	-	29.80	6.02	37.99
AV	10.312G	42.95	68.20	-25.25	35.46	3	Horizontal	162	1.00	-	39.55	9.99	42.05
PK	10.312G	56.14	88.20	-32.06	48.65	3	Horizontal	162	1.00	-	39.55	9.99	42.05
AV	13.09G	42.44	68.20	-25.76	36.38	3	Horizontal	99	1.00	-	39.42	10.53	43.89
PK	13.09G	55.30	88.20	-32.90	49.24	3	Horizontal	99	1.00	-	39.42	10.53	43.89



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.37	54.00	-5.63	50.54	3	Vertical	215	1.13	-	29.80	6.02	37.99
PK	3.999G	56.26	74.00	-17.74	58.43	3	Vertical	215	1.13	-	29.80	6.02	37.99
AV	10.312G	43.17	68.20	-25.03	35.68	3	Vertical	148	1.00	-	39.55	9.99	42.05
PK	10.312G	56.03	88.20	-32.17	48.54	3	Vertical	148	1.00	-	39.55	9.99	42.05
AV	13.09G	42.29	68.20	-25.91	36.23	3	Vertical	80	1.00	-	39.42	10.53	43.89
PK	13.09G	55.48	88.20	-32.72	49.42	3	Vertical	80	1.00	-	39.42	10.53	43.89



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.96	54.00	-6.04	50.13	3	Horizontal	193	1.00	-	29.80	6.02	37.99
PK	3.999G	55.93	74.00	-18.07	58.10	3	Horizontal	193	1.00	-	29.80	6.02	37.99
AV	10.312G	43.45	68.20	-24.75	35.96	3	Horizontal	149	1.00	-	39.55	9.99	42.05
PK	10.312G	56.10	88.20	-32.10	48.61	3	Horizontal	149	1.00	-	39.55	9.99	42.05
AV	13.25G	42.62	54.00	-11.38	36.58	3	Horizontal	110	1.00	-	39.60	10.57	44.13
PK	13.25G	55.39	74.00	-18.61	49.35	3	Horizontal	110	1.00	-	39.60	10.57	44.13



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.47	54.00	-5.53	50.64	3	Vertical	212	1.12	-	29.80	6.02	37.99
PK	3.999G	56.43	74.00	-17.57	58.60	3	Vertical	212	1.12	-	29.80	6.02	37.99
AV	10.312G	43.16	68.20	-25.04	35.67	3	Vertical	147	1.00	-	39.55	9.99	42.05
PK	10.312G	56.14	88.20	-32.06	48.65	3	Vertical	147	1.00	-	39.55	9.99	42.05
AV	13.25G	42.55	54.00	-11.45	36.51	3	Vertical	70	1.00	-	39.60	10.57	44.13
PK	13.25G	55.56	74.00	-18.44	49.52	3	Vertical	70	1.00	-	39.60	10.57	44.13



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.05	54.00	-5.95	50.22	3	Horizontal	197	1.00	-	29.80	6.02	37.99
PK	3.999G	56.18	74.00	-17.82	58.35	3	Horizontal	197	1.00	-	29.80	6.02	37.99
AV	10.312G	43.10	68.20	-25.10	35.61	3	Horizontal	153	1.00	-	39.55	9.99	42.05
PK	10.312G	55.83	88.20	-32.37	48.34	3	Horizontal	153	1.00	-	39.55	9.99	42.05
AV	13.41G	43.33	68.20	-24.87	37.15	3	Horizontal	84	1.00	-	39.94	10.61	44.37
PK	13.41G	56.46	88.20	-31.74	50.28	3	Horizontal	84	1.00	-	39.94	10.61	44.37



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.49	54.00	-5.51	50.66	3	Vertical	209	1.12	-	29.80	6.02	37.99
PK	3.999G	56.36	74.00	-17.64	58.53	3	Vertical	209	1.12	-	29.80	6.02	37.99
AV	10.312G	43.22	68.20	-24.98	35.73	3	Vertical	149	1.00	-	39.55	9.99	42.05
PK	10.312G	56.24	88.20	-31.96	48.75	3	Vertical	149	1.00	-	39.55	9.99	42.05
AV	13.41G	43.23	68.20	-24.97	37.05	3	Vertical	60	1.00	-	39.94	10.61	44.37
PK	13.41G	56.38	88.20	-31.82	50.20	3	Vertical	60	1.00	-	39.94	10.61	44.37



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.98	54.00	-6.02	50.15	3	Horizontal	205	1.00	-	29.80	6.02	37.99
PK	3.999G	56.14	74.00	-17.86	58.31	3	Horizontal	205	1.00	-	29.80	6.02	37.99
AV	10.312G	42.80	68.20	-25.40	35.31	3	Horizontal	117	1.00	-	39.55	9.99	42.05
PK	10.312G	55.80	88.20	-32.40	48.31	3	Horizontal	117	1.00	-	39.55	9.99	42.05
AV	13.57G	43.69	68.20	-24.51	37.26	3	Horizontal	88	1.00	-	40.36	10.65	44.58
PK	13.57G	56.92	88.20	-31.28	50.49	3	Horizontal	88	1.00	-	40.36	10.65	44.58



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.34	54.00	-5.66	50.51	3	Vertical	203	1.15	-	29.80	6.02	37.99
PK	3.999G	56.36	74.00	-17.64	58.53	3	Vertical	203	1.15	-	29.80	6.02	37.99
AV	10.312G	43.27	68.20	-24.93	35.78	3	Vertical	147	1.00	-	39.55	9.99	42.05
PK	10.312G	56.16	88.20	-32.04	48.67	3	Vertical	147	1.00	-	39.55	9.99	42.05
AV	13.57G	43.51	68.20	-24.69	37.08	3	Vertical	20	1.00	-	40.36	10.65	44.58
PK	13.57G	56.76	88.20	-31.44	50.33	3	Vertical	20	1.00	-	40.36	10.65	44.58



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.41	54.00	-5.59	50.58	3	Horizontal	200	1.00	-	29.80	6.02	37.99
PK	3.999G	56.27	74.00	-17.73	58.44	3	Horizontal	200	1.00	-	29.80	6.02	37.99
AV	10.312G	43.17	68.20	-25.03	35.68	3	Horizontal	138	1.00	-	39.55	9.99	42.05
PK	10.312G	56.01	88.20	-32.19	48.52	3	Horizontal	138	1.00	-	39.55	9.99	42.05
AV	13.73G	43.71	68.20	-24.49	37.45	3	Horizontal	104	1.00	-	40.30	10.69	44.73
PK	13.73G	56.85	88.20	-31.35	50.59	3	Horizontal	104	1.00	-	40.30	10.69	44.73



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.30	54.00	-5.70	50.47	3	Vertical	206	1.15	-	29.80	6.02	37.99
PK	3.999G	56.39	74.00	-17.61	58.56	3	Vertical	206	1.15	-	29.80	6.02	37.99
AV	10.312G	43.25	68.20	-24.95	35.76	3	Vertical	162	1.00	-	39.55	9.99	42.05
PK	10.312G	56.24	88.20	-31.96	48.75	3	Vertical	162	1.00	-	39.55	9.99	42.05
AV	13.73G	43.64	68.20	-24.56	37.38	3	Vertical	80	1.00	-	40.30	10.69	44.73
PK	13.73G	56.70	88.20	-31.50	50.44	3	Vertical	80	1.00	-	40.30	10.69	44.73



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.99	54.00	-6.01	50.16	3	Horizontal	196	1.00	-	29.80	6.02	37.99
PK	3.999G	56.17	74.00	-17.83	58.34	3	Horizontal	196	1.00	-	29.80	6.02	37.99
AV	10.312G	43.11	68.20	-25.09	35.62	3	Horizontal	116	1.00	-	39.55	9.99	42.05
PK	10.312G	56.19	88.20	-32.01	48.70	3	Horizontal	116	1.00	-	39.55	9.99	42.05
AV	13.89G	43.79	68.20	-24.41	37.38	3	Horizontal	90	1.00	-	40.56	10.73	44.88
PK	13.89G	56.67	88.20	-31.53	50.26	3	Horizontal	90	1.00	-	40.56	10.73	44.88



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.29	54.00	-5.71	50.46	3	Vertical	205	1.19	-	29.80	6.02	37.99
PK	3.999G	56.51	74.00	-17.49	58.68	3	Vertical	205	1.19	-	29.80	6.02	37.99
AV	10.312G	43.26	68.20	-24.94	35.77	3	Vertical	149	1.00	-	39.55	9.99	42.05
PK	10.312G	56.25	88.20	-31.95	48.76	3	Vertical	149	1.00	-	39.55	9.99	42.05
AV	13.89G	43.67	68.20	-24.53	37.26	3	Vertical	60	1.00	-	40.56	10.73	44.88
PK	13.89G	56.60	88.20	-31.60	50.19	3	Vertical	60	1.00	-	40.56	10.73	44.88



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.89	54.00	-6.11	50.06	3	Horizontal	206	1.00	-	29.80	6.02	37.99
PK	3.999G	55.94	74.00	-18.06	58.11	3	Horizontal	206	1.00	-	29.80	6.02	37.99
AV	14.05G	44.71	68.20	-23.49	37.85	3	Horizontal	96	1.00	-	41.10	10.78	45.02
PK	14.05G	57.08	88.20	-31.12	50.22	3	Horizontal	96	1.00	-	41.10	10.78	45.02



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.16	54.00	-5.84	50.33	3	Vertical	219	1.00	-	29.80	6.02	37.99
PK	3.999G	56.44	74.00	-17.56	58.61	3	Vertical	219	1.00	-	29.80	6.02	37.99
AV	14.05G	44.53	68.20	-23.67	37.67	3	Vertical	68	1.00	-	41.10	10.78	45.02
PK	14.05G	57.24	88.20	-30.96	50.38	3	Vertical	68	1.00	-	41.10	10.78	45.02



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.76	54.00	-6.24	49.93	3	Horizontal	211	1.00	-	29.80	6.02	37.99
PK	3.999G	55.51	74.00	-18.49	57.68	3	Horizontal	211	1.00	-	29.80	6.02	37.99
AV	5.925G	47.94	68.20	-20.26	46.77	3	Horizontal	291	2.09	-	32.60	7.42	38.85
PK	5.925G	58.91	88.20	-29.29	57.74	3	Horizontal	291	2.09	-	32.60	7.42	38.85
AV	12.05G	42.71	54.00	-11.29	35.82	3	Horizontal	42	1.00	-	39.50	10.24	42.85
PK	12.05G	54.77	74.00	-19.23	47.88	3	Horizontal	42	1.00	-	39.50	10.24	42.85



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.27	54.00	-5.73	50.44	3	Vertical	214	1.14	-	29.80	6.02	37.99
PK	3.999G	56.16	74.00	-17.84	58.33	3	Vertical	214	1.14	-	29.80	6.02	37.99
AV	5.925G	47.69	68.20	-20.51	46.52	3	Vertical	292	1.86	-	32.60	7.42	38.85
PK	5.925G	58.52	88.20	-29.68	57.35	3	Vertical	292	1.86	-	32.60	7.42	38.85
AV	12.05G	42.68	54.00	-11.32	35.79	3	Vertical	96	1.00	-	39.50	10.24	42.85
PK	12.05G	54.57	74.00	-19.43	47.68	3	Vertical	96	1.00	-	39.50	10.24	42.85



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.09	54.00	-5.91	50.26	3	Horizontal	199	1.00	-	29.80	6.02	37.99
PK	3.999G	56.07	74.00	-17.93	58.24	3	Horizontal	199	1.00	-	29.80	6.02	37.99
AV	10.312G	42.97	68.20	-25.23	35.48	3	Horizontal	124	1.00	-	39.55	9.99	42.05
PK	10.312G	56.21	88.20	-31.99	48.72	3	Horizontal	124	1.00	-	39.55	9.99	42.05
PK	12.37G	42.58	74.00	-31.42	35.54	3	Horizontal	68	1.00	-	39.22	10.31	42.49
PK	12.37G	55.67	74.00	-18.33	48.63	3	Horizontal	68	1.00	-	39.22	10.31	42.49



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.44	54.00	-5.56	50.61	3	Vertical	212	1.13	-	29.80	6.02	37.99
PK	3.999G	56.26	74.00	-17.74	58.43	3	Vertical	212	1.13	-	29.80	6.02	37.99
AV	10.312G	43.20	68.20	-25.00	35.71	3	Vertical	149	1.00	-	39.55	9.99	42.05
PK	10.312G	56.34	88.20	-31.86	48.85	3	Vertical	149	1.00	-	39.55	9.99	42.05
PK	12.37G	42.80	74.00	-31.20	35.76	3	Vertical	80	1.00	-	39.22	10.31	42.49
PK	12.37G	55.81	74.00	-18.19	48.77	3	Vertical	80	1.00	-	39.22	10.31	42.49



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.96	54.00	-6.04	50.13	3	Horizontal	202	1.00	-	29.80	6.02	37.99
PK	3.999G	56.09	74.00	-17.91	58.26	3	Horizontal	202	1.00	-	29.80	6.02	37.99
AV	10.312G	43.21	68.20	-24.99	35.72	3	Horizontal	124	1.00	-	39.55	9.99	42.05
PK	10.312G	56.01	88.20	-32.19	48.52	3	Horizontal	124	1.00	-	39.55	9.99	42.05
AV	12.69G	42.24	54.00	-11.76	35.40	3	Horizontal	66	1.00	-	39.32	10.40	42.88
PK	12.69G	55.51	74.00	-18.49	48.67	3	Horizontal	66	1.00	-	39.32	10.40	42.88



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.36	54.00	-5.64	50.53	3	Vertical	215	1.16	-	29.80	6.02	37.99
PK	3.999G	56.40	74.00	-17.60	58.57	3	Vertical	215	1.16	-	29.80	6.02	37.99
AV	10.312G	43.16	68.20	-25.04	35.67	3	Vertical	155	1.00	-	39.55	9.99	42.05
PK	10.312G	56.17	88.20	-32.03	48.68	3	Vertical	155	1.00	-	39.55	9.99	42.05
AV	12.69G	42.26	54.00	-11.74	35.42	3	Vertical	80	1.00	-	39.32	10.40	42.88
PK	12.69G	55.44	74.00	-18.56	48.60	3	Vertical	80	1.00	-	39.32	10.40	42.88



6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.94	54.00	-6.06	50.11	3	Horizontal	205	1.00	-	29.80	6.02	37.99
PK	3.999G	56.09	74.00	-17.91	58.26	3	Horizontal	205	1.00	-	29.80	6.02	37.99
AV	10.312G	43.22	68.20	-24.98	35.73	3	Horizontal	130	1.00	-	39.55	9.99	42.05
PK	10.312G	56.23	88.20	-31.97	48.74	3	Horizontal	130	1.00	-	39.55	9.99	42.05
AV	13.01G	41.54	68.20	-26.66	35.14	3	Horizontal	85	1.00	-	39.66	10.51	43.77
PK	13.01G	54.92	88.20	-33.28	48.52	3	Horizontal	85	1.00	-	39.66	10.51	43.77



6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.37	54.00	-5.63	50.54	3	Vertical	214	1.14	-	29.80	6.02	37.99
PK	3.999G	56.49	74.00	-17.51	58.66	3	Vertical	214	1.14	-	29.80	6.02	37.99
AV	10.312G	43.31	68.20	-24.89	35.82	3	Vertical	149	1.00	-	39.55	9.99	42.05
PK	10.312G	56.29	88.20	-31.91	48.80	3	Vertical	149	1.00	-	39.55	9.99	42.05
AV	13.01G	41.61	68.20	-26.59	35.21	3	Vertical	40	1.00	-	39.66	10.51	43.77
PK	13.01G	54.86	88.20	-33.34	48.46	3	Vertical	40	1.00	-	39.66	10.51	43.77



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.03	54.00	-5.97	50.20	3	Horizontal	202	1.00	-	29.80	6.02	37.99
PK	3.999G	55.94	74.00	-18.06	58.11	3	Horizontal	202	1.00	-	29.80	6.02	37.99
AV	10.312G	43.32	68.20	-24.88	35.83	3	Horizontal	118	1.00	-	39.55	9.99	42.05
PK	10.312G	55.87	88.20	-32.33	48.38	3	Horizontal	118	1.00	-	39.55	9.99	42.05
AV	13.33G	42.54	54.00	-11.46	36.48	3	Horizontal	99	1.00	-	39.72	10.59	44.25
PK	13.33G	55.58	74.00	-18.42	49.52	3	Horizontal	99	1.00	-	39.72	10.59	44.25



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.47	54.00	-5.53	50.64	3	Vertical	215	1.15	-	29.80	6.02	37.99
PK	3.999G	56.38	74.00	-17.62	58.55	3	Vertical	215	1.15	-	29.80	6.02	37.99
AV	10.312G	43.27	68.20	-24.93	35.78	3	Vertical	153	1.00	-	39.55	9.99	42.05
PK	10.312G	56.10	88.20	-32.10	48.61	3	Vertical	153	1.00	-	39.55	9.99	42.05
AV	13.33G	42.44	54.00	-11.56	36.38	3	Vertical	40	1.00	-	39.72	10.59	44.25
PK	13.33G	55.49	74.00	-18.51	49.43	3	Vertical	40	1.00	-	39.72	10.59	44.25



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.89	54.00	-6.11	50.06	3	Horizontal	206	1.00	-	29.80	6.02	37.99
PK	3.999G	56.56	74.00	-17.44	58.73	3	Horizontal	206	1.00	-	29.80	6.02	37.99
AV	10.312G	43.34	68.20	-24.86	35.85	3	Horizontal	149	1.00	-	39.55	9.99	42.05
PK	10.312G	55.81	88.20	-32.39	48.32	3	Horizontal	149	1.00	-	39.55	9.99	42.05
AV	13.65G	43.03	68.20	-25.17	36.81	3	Horizontal	108	1.00	-	40.20	10.67	44.65
PK	13.65G	55.90	88.20	-32.30	49.68	3	Horizontal	108	1.00	-	40.20	10.67	44.65



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.40	54.00	-5.60	50.57	3	Vertical	208	1.10	-	29.80	6.02	37.99
PK	3.999G	56.51	74.00	-17.49	58.68	3	Vertical	208	1.10	-	29.80	6.02	37.99
AV	10.312G	43.22	68.20	-24.98	35.73	3	Vertical	144	1.00	-	39.55	9.99	42.05
PK	10.312G	56.06	88.20	-32.14	48.57	3	Vertical	144	1.00	-	39.55	9.99	42.05
AV	13.65G	42.59	68.20	-25.61	36.37	3	Vertical	80	1.00	-	40.20	10.67	44.65
PK	13.65G	55.75	88.20	-32.45	49.53	3	Vertical	80	1.00	-	40.20	10.67	44.65



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.99	54.00	-6.01	50.16	3	Horizontal	206	1.00	-	29.80	6.02	37.99
PK	3.999G	55.69	74.00	-18.31	57.86	3	Horizontal	206	1.00	-	29.80	6.02	37.99
AV	7.25G	46.33	54.00	-7.67	40.71	3	Horizontal	307	3.46	-	36.30	8.62	39.30
PK	7.25G	57.50	74.00	-16.50	51.88	3	Horizontal	307	3.46	-	36.30	8.62	39.30
AV	13.97G	40.95	68.20	-27.25	34.27	3	Horizontal	58	1.00	-	40.88	10.75	44.95
PK	13.97G	56.36	88.20	-31.84	49.68	3	Horizontal	58	1.00	-	40.88	10.75	44.95



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.42	54.00	-5.58	50.59	3	Vertical	231	1.00	-	29.80	6.02	37.99
PK	3.999G	56.09	74.00	-17.91	58.26	3	Vertical	231	1.00	-	29.80	6.02	37.99
AV	7.25G	46.23	54.00	-7.77	40.61	3	Vertical	11	3.81	-	36.30	8.62	39.30
PK	7.25G	57.38	74.00	-16.62	51.76	3	Vertical	11	3.81	-	36.30	8.62	39.30
AV	13.97G	43.27	68.20	-24.93	36.59	3	Vertical	97	1.00	-	40.88	10.75	44.95
PK	13.97G	56.44	88.20	-31.76	49.76	3	Vertical	97	1.00	-	40.88	10.75	44.95



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.81	54.00	-6.19	49.98	3	Horizontal	204	1.00	-	29.80	6.02	37.99
PK	3.999G	55.57	74.00	-18.43	57.74	3	Horizontal	204	1.00	-	29.80	6.02	37.99
AV	12.21G	42.45	54.00	-11.55	35.36	3	Horizontal	53	1.00	-	39.48	10.28	42.67
PK	12.21G	55.26	74.00	-18.74	48.17	3	Horizontal	53	1.00	-	39.48	10.28	42.67



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.11	54.00	-5.89	50.28	3	Vertical	222	1.18	-	29.80	6.02	37.99
PK	3.999G	56.46	74.00	-17.54	58.63	3	Vertical	222	1.18	-	29.80	6.02	37.99
AV	12.21G	42.86	54.00	-11.14	35.77	3	Vertical	115	1.00	-	39.48	10.28	42.67
PK	12.21G	55.68	74.00	-18.32	48.59	3	Vertical	115	1.00	-	39.48	10.28	42.67



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	47.88	54.00	-6.12	50.05	3	Horizontal	201	1.00	-	29.80	6.02	37.99
PK	3.999G	55.89	74.00	-18.11	58.06	3	Horizontal	201	1.00	-	29.80	6.02	37.99
AV	10.312G	42.97	68.20	-25.23	35.48	3	Horizontal	116	1.00	-	39.55	9.99	42.05
PK	10.312G	56.03	88.20	-32.17	48.54	3	Horizontal	116	1.00	-	39.55	9.99	42.05
AV	12.53G	42.26	54.00	-11.74	35.30	3	Horizontal	98	1.00	-	39.04	10.35	42.43
PK	12.53G	55.69	74.00	-18.31	48.73	3	Horizontal	98	1.00	-	39.04	10.35	42.43



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.41	54.00	-5.59	50.58	3	Vertical	215	1.15	-	29.80	6.02	37.99
PK	3.999G	56.39	74.00	-17.61	58.56	3	Vertical	215	1.15	-	29.80	6.02	37.99
AV	10.312G	43.16	68.20	-25.04	35.67	3	Vertical	151	1.00	-	39.55	9.99	42.05
PK	10.312G	56.15	88.20	-32.05	48.66	3	Vertical	151	1.00	-	39.55	9.99	42.05
AV	12.53G	42.58	54.00	-11.42	35.62	3	Vertical	60	1.00	-	39.04	10.35	42.43
PK	12.53G	55.65	74.00	-18.35	48.69	3	Vertical	60	1.00	-	39.04	10.35	42.43



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.09	54.00	-5.91	50.26	3	Horizontal	206	1.00	-	29.80	6.02	37.99
PK	3.999G	56.40	74.00	-17.60	58.57	3	Horizontal	206	1.00	-	29.80	6.02	37.99
AV	10.312G	43.14	68.20	-25.06	35.65	3	Horizontal	124	1.00	-	39.55	9.99	42.05
PK	10.312G	56.11	88.20	-32.09	48.62	3	Horizontal	124	1.00	-	39.55	9.99	42.05
AV	12.85G	42.97	68.20	-25.23	36.14	3	Horizontal	79	1.00	-	39.70	10.46	43.33
PK	12.85G	56.19	88.20	-32.01	49.36	3	Horizontal	79	1.00	-	39.70	10.46	43.33



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.50	54.00	-5.50	50.67	3	Vertical	210	1.13	-	29.80	6.02	37.99
PK	3.999G	56.45	74.00	-17.55	58.62	3	Vertical	210	1.13	-	29.80	6.02	37.99
AV	10.312G	43.27	68.20	-24.93	35.78	3	Vertical	152	1.00	-	39.55	9.99	42.05
PK	10.312G	56.25	88.20	-31.95	48.76	3	Vertical	152	1.00	-	39.55	9.99	42.05
AV	12.85G	42.84	68.20	-25.36	36.01	3	Vertical	55	1.00	-	39.70	10.46	43.33
PK	12.85G	56.05	88.20	-32.15	49.22	3	Vertical	55	1.00	-	39.70	10.46	43.33



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.06	54.00	-5.94	50.23	3	Horizontal	203	1.00	-	29.80	6.02	37.99
PK	3.999G	56.26	74.00	-17.74	58.43	3	Horizontal	203	1.00	-	29.80	6.02	37.99
AV	10.312G	43.17	68.20	-25.03	35.68	3	Horizontal	118	1.00	-	39.55	9.99	42.05
PK	10.312G	56.17	88.20	-32.03	48.68	3	Horizontal	118	1.00	-	39.55	9.99	42.05
AV	13.17G	42.53	68.20	-25.67	36.34	3	Horizontal	93	1.00	-	39.66	10.55	44.02
PK	13.17G	55.82	88.20	-32.38	49.63	3	Horizontal	93	1.00	-	39.66	10.55	44.02



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.45	54.00	-5.55	50.62	3	Vertical	213	1.15	-	29.80	6.02	37.99
PK	3.999G	56.40	74.00	-17.60	58.57	3	Vertical	213	1.15	-	29.80	6.02	37.99
AV	10.312G	43.26	68.20	-24.94	35.77	3	Vertical	153	1.00	-	39.55	9.99	42.05
PK	10.312G	56.24	88.20	-31.96	48.75	3	Vertical	153	1.00	-	39.55	9.99	42.05
AV	13.17G	42.43	68.20	-25.77	36.24	3	Vertical	60	1.00	-	39.66	10.55	44.02
PK	13.17G	55.58	88.20	-32.62	49.39	3	Vertical	60	1.00	-	39.66	10.55	44.02



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.29	54.00	-5.71	50.46	3	Horizontal	204	1.00	-	29.80	6.02	37.99
PK	3.999G	56.05	74.00	-17.95	58.22	3	Horizontal	204	1.00	-	29.80	6.02	37.99
AV	7.25G	47.44	54.00	-6.56	41.82	3	Horizontal	288	3.51	-	36.30	8.62	39.30
PK	7.25G	57.19	74.00	-16.81	51.57	3	Horizontal	288	3.51	-	36.30	8.62	39.30
AV	13.49G	43.69	68.20	-24.51	37.45	3	Horizontal	83	1.00	-	40.10	10.63	44.49
PK	13.49G	56.57	88.20	-31.63	50.33	3	Horizontal	83	1.00	-	40.10	10.63	44.49



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.55	54.00	-5.45	50.72	3	Vertical	226	1.09	-	29.80	6.02	37.99
PK	3.999G	56.60	74.00	-17.40	58.77	3	Vertical	226	1.09	-	29.80	6.02	37.99
AV	7.25G	47.53	54.00	-6.47	41.91	3	Vertical	6	3.72	-	36.30	8.62	39.30
PK	7.25G	57.27	74.00	-16.73	51.65	3	Vertical	6	3.72	-	36.30	8.62	39.30
AV	13.49G	43.75	68.20	-24.45	37.51	3	Vertical	71	1.00	-	40.10	10.63	44.49
PK	13.49G	56.72	88.20	-31.48	50.48	3	Vertical	71	1.00	-	40.10	10.63	44.49



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.02	54.00	-5.98	50.19	3	Horizontal	193	1.00	-	29.80	6.02	37.99
PK	3.999G	56.07	74.00	-17.93	58.24	3	Horizontal	193	1.00	-	29.80	6.02	37.99
AV	7.25G	48.92	54.00	-5.08	43.30	3	Horizontal	309	3.68	-	36.30	8.62	39.30
PK	7.25G	57.54	74.00	-16.46	51.92	3	Horizontal	309	3.68	-	36.30	8.62	39.30
AV	13.81G	43.77	68.20	-24.43	37.46	3	Horizontal	86	1.00	-	40.40	10.71	44.80
PK	13.81G	56.70	88.20	-31.50	50.39	3	Horizontal	86	1.00	-	40.40	10.71	44.80



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	3.999G	48.20	54.00	-5.80	50.37	3	Vertical	208	1.17	-	29.80	6.02	37.99
PK	3.999G	56.22	74.00	-17.78	58.39	3	Vertical	208	1.17	-	29.80	6.02	37.99
AV	7.25G	48.49	54.00	-5.51	42.87	3	Vertical	4	3.83	-	36.30	8.62	39.30
PK	7.25G	57.04	74.00	-16.96	51.42	3	Vertical	4	3.83	-	36.30	8.62	39.30
AV	13.81G	43.64	68.20	-24.56	37.33	3	Vertical	72	1.00	-	40.40	10.71	44.80
PK	13.81G	56.67	88.20	-31.53	50.36	3	Vertical	72	1.00	-	40.40	10.71	44.80




Modulation	11a	Test Freq. (MHz)	5955						
Polarization	Horizontal-Peak Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5922.48	58.19	88.20	-30.01	57.02	1.17	Peak	205	289



Modulation	11a	Test Freq. (MHz)	5955
Polarization	Horizontal-Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5905.38	44.97	68.20	-23.23	43.80	1.17	Average	205	289




Modulation	11a	Test Freq. (MHz)	5955						
Polarization	Vertical-Peak Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5899.98	57.59	88.20	-30.61	56.43	1.16	Peak	192	293



Modulation	11a	Test Freq. (MHz)	5955
Polarization	Vertical -Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5880.85	45.16	68.20	-23.04	44.08	1.08	Average	192	293



Modulation	11a	Test Freq. (MHz)	7115						
Polarization	Horizontal-Peak Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7125.00	66.62	88.20	-21.58	61.44	5.18	Peak	342	288



Modulation	11a	Test Freq. (MHz)	7115						
Polarization	Horizontal-Average Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission Limit	Margin	SA	Factor	Remark	ANT	Turn	
	MHz	dBuV/m	dB	reading	dB/m		High	Table	
							cm	deg	
1	7125.00	51.08	68.20	-17.12	45.90	5.18	Average	342	288



Modulation	11a	Test Freq. (MHz)	7115						
Polarization	Vertical-Peak Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission Limit	Margin	SA	Factor	Remark	ANT	Turn	
	MHz	dBuV/m	dB	reading	dB/m		High	Table	
							cm	deg	
1	7125.00	62.31	88.20	-25.89	57.13	5.18	Peak	132	230



Modulation	11a	Test Freq. (MHz)	7115						
Polarization	Vertical -Average Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission Limit	Margin	SA	Factor	Remark	ANT	Turn	
	MHz	dBuV/m	dB	reading	dB/m		High	Table	
							cm	deg	
1	7125.00	48.50	68.20	-19.70	43.32	5.18	Average	132	230




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5955						
Polarization	Horizontal-Peak Value								
<p>Test By : Roger Lu Temperature(°C): 23 Humidity(%): 65</p>									
	Freq.	Emission level	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	dBuV/m	dBuV/m	dB	reading	dB/m		High	Table
1	5888.95	57.10	88.20	-31.10	55.98	1.12	Peak	230	286



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5955
Polarization	Horizontal-Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5901.78	43.37	68.20	-24.83	42.20	1.17	Average	230	286




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5955						
Polarization	Vertical-Peak Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission level	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	dBuV/m	dBuV/m	dB	reading	dB/m		High	Table
1	5923.83	56.83	88.20	-31.37	55.66	1.17	Peak	190	297



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5955
Polarization	Vertical -Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5907.85	43.48	68.20	-24.72	42.31	1.17	Average	190	297




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	7115						
Polarization	Horizontal-Peak Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7125.00	66.05	88.20	-22.15	60.87	5.18	BP-PK	346	289



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	7115
Polarization	Horizontal-Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7125.00	52.77	68.20	-15.43	47.59	5.18	BP-AV	346	289



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	7115						
Polarization	Vertical-Peak Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level	dBuV/m	dB	reading	dB/m		High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7125.00	60.36	88.20	-27.84	55.18	5.18	BP-PK	362	19




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	7115						
Polarization	Vertical -Average Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7125.00	50.38	68.20	-17.82	45.20	5.18	BP-AV	362	19



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5965
Polarization	Horizontal-Peak Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5909.65	57.74	88.20	-30.46	56.57	1.17	Peak	212	287



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5965
Polarization	Horizontal-Average Value		

Test By : Roger Lu Temperature(°C): 23 Humidity(%): 65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5923.83	44.34	68.20	-23.86	43.17	1.17	Average	212	287




Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5965						
Polarization	Vertical-Peak Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5924.05	56.84	88.20	-31.36	55.67	1.17	Peak	199	300



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5965
Polarization	Vertical -Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5924.50	43.40	68.20	-24.80	42.23	1.17	Average	199	300




Modulation	be EHT40-OFDMA	Test Freq. (MHz)	7085						
Polarization	Horizontal-Peak Value								
Test By :Roger Lu		Temperature(°C):23			Humidity(%):65				
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level	dBuV/m	dB	reading	dB/m		High	Table
					dBuV			cm	deg
1	7137.95	60.07	88.20	-28.13	54.84	5.23	Peak	328	289



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	7085
Polarization	Horizontal-Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7126.84	46.95	68.20	-21.25	41.76	5.19	Average	328	289




Modulation	be EHT40-OFDMA	Test Freq. (MHz)	7085						
Polarization	Vertical-Peak Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7135.67	58.42	88.20	-29.78	53.20	5.22	Peak	149	286



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	7085
Polarization	Vertical -Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7136.24	46.47	68.20	-21.73	41.25	5.22	Average	149	286



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5985
Polarization	Horizontal-Peak Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5923.15	57.73	88.20	-30.47	56.56	1.17	Peak	210	279



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5985
Polarization	Horizontal-Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5923.38	44.88	68.20	-23.32	43.71	1.17	Average	210	279




Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5985						
Polarization	Vertical-Peak Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission level	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	dBuV/m	dBuV/m	dB	reading	dB/m		High	Table
					dBuV			cm	deg
1	5920.00	57.18	88.20	-31.02	56.01	1.17	Peak	192	304



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5985
Polarization	Vertical -Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5922.93	43.50	68.20	-24.70	42.33	1.17	Average	192	304



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	7025
Polarization	Horizontal-Peak Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7143.65	58.53	88.20	-29.67	53.28	5.25	Peak	349	282



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	7025
Polarization	Horizontal-Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7131.97	46.65	68.20	-21.55	41.44	5.21	Average	349	282



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	7025						
Polarization	Vertical-Peak Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission Limit	Margin	SA	Factor	Remark	ANT	Turn	
	MHz	dBuV/m	dB	reading	dB/m		High	Table	
							cm	deg	
1	7170.16	58.18	88.20	-30.02	52.82	5.36	Peak	284	359



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	7025						
Polarization	Vertical -Average Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7129.40	46.50	68.20	-21.70	41.29	5.21	Average	284	359




Modulation	be EHT160-OFDMA	Test Freq. (MHz)	6025						
Polarization	Horizontal-Peak Value								
<p>Test By : Roger Lu Temperature(°C): 23 Humidity(%): 65</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High cm	Turn Table deg
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	5922.94	63.61	88.20	-24.59	62.44	1.17	Peak	209	291



Modulation	be EHT160-OFDMA	Test Freq. (MHz)	6025
Polarization	Horizontal-Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5922.47	50.10	68.20	-18.10	48.93	1.17	Average	209	291




Modulation	be EHT160-OFDMA	Test Freq. (MHz)	6025						
Polarization	Vertical-Peak Value								
<p>Test By : Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission level	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	dBuV/m	dBuV/m	dB	reading	dB/m		High	Table
					dBuV			cm	deg
1	5889.81	61.43	88.20	-26.77	60.31	1.12	Peak	186	292



Modulation	be EHT160-OFDMA	Test Freq. (MHz)	6025
Polarization	Vertical -Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5923.18	49.17	68.20	-19.03	48.00	1.17	Average	186	292




Modulation	be EHT160-OFDMA	Test Freq. (MHz)	6985						
Polarization	Horizontal-Peak Value								
Test By : Roger Lu		Temperature(°C): 23			Humidity(%): 65				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7127.41	62.95	88.20	-25.25	57.76	5.19	Peak	346	307



Modulation	be EHT160-OFDMA	Test Freq. (MHz)	6985
Polarization	Horizontal-Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7127.41	49.22	68.20	-18.98	44.03	5.19	Average	346	307