

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band7


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.02	-25	Pass	2985
30	1000	0.1	RMS	896.289	-55.91	-25	Pass	9700
1000	2490	1	RMS	2426.958	-41.79	-25	Pass	1490
2490	2580	1	RMS	2500.35	23.61	60	Pass	601
2580	3000	1	RMS	2660.5	-40.93	-25	Pass	601
3000	12000	1	RMS	11910.99	-49.23	-25	Pass	9000
12000	26000	1	RMS	25936.996	-31.3	-25	Pass	14000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.32	-25	Pass	2985
30	1000	0.1	RMS	883.088	-55.89	-25	Pass	9700
1000	2490	1	RMS	2449.973	-41.81	-25	Pass	1490
2490	2580	1	RMS	2504.7	23.63	60	Pass	601
2580	3000	1	RMS	2660.5	-40.95	-25	Pass	601
3000	12000	1	RMS	11904.989	-49.3	-25	Pass	9000
12000	26000	1	RMS	25930.995	-31.26	-25	Pass	14000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.19	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.65	-25	Pass	2985
30	1000	0.1	RMS	882.488	-55.88	-25	Pass	9700
1000	2490	1	RMS	2455.977	-41.76	-25	Pass	1490
2490	2580	1	RMS	2500.35	22.74	60	Pass	601
2580	3000	1	RMS	2659.8	-40.86	-25	Pass	601
3000	12000	1	RMS	11910.99	-49.23	-25	Pass	9000
12000	26000	1	RMS	25940.996	-30.86	-25	Pass	14000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.78	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.52	-25	Pass	2985
30	1000	0.1	RMS	953.795	-55.89	-25	Pass	9700
1000	2490	1	RMS	2420.954	-41.81	-25	Pass	1490
2490	2580	1	RMS	2504.7	22.97	60	Pass	601
2580	3000	1	RMS	2659.8	-40.54	-25	Pass	601
3000	12000	1	RMS	11908.99	-48.89	-25	Pass	9000
12000	26000	1	RMS	25919.994	-30.88	-25	Pass	14000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.47	-25	Pass	2985
30	1000	0.1	RMS	886.288	-55.85	-25	Pass	9700
1000	2490	1	RMS	2452.975	-41.79	-25	Pass	1490
2490	2580	1	RMS	2532.9	23.97	60	Pass	601
2580	3000	1	RMS	2662.6	-40.56	-25	Pass	601
3000	12000	1	RMS	11907.99	-48.81	-25	Pass	9000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.17	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.06	-25	Pass	2985
30	1000	0.1	RMS	922.392	-55.93	-25	Pass	9700
1000	2490	1	RMS	2430.96	-41.78	-25	Pass	1490
2490	2580	1	RMS	2537.1	24.04	60	Pass	601
2580	3000	1	RMS	2659.1	-40.51	-25	Pass	601
3000	12000	1	RMS	11909.99	-48.94	-25	Pass	9000
12000	26000	1	RMS	25952.997	-30.81	-25	Pass	14000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.78	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.98	-25	Pass	2985
30	1000	0.1	RMS	887.188	-55.91	-25	Pass	9700
1000	2490	1	RMS	2462.982	-41.84	-25	Pass	1490
2490	2580	1	RMS	2532.9	23.04	60	Pass	601
2580	3000	1	RMS	2659.8	-40.5	-25	Pass	601
3000	12000	1	RMS	11926.992	-48.85	-25	Pass	9000
12000	26000	1	RMS	25910.994	-30.86	-25	Pass	14000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.38	-25	Pass	2985
30	1000	0.1	RMS	944.094	-55.73	-25	Pass	9700
1000	2490	1	RMS	2422.955	-41.82	-25	Pass	1490
2490	2580	1	RMS	2537.1	23.07	60	Pass	601
2580	3000	1	RMS	2660.5	-40.87	-25	Pass	601
3000	12000	1	RMS	11909.99	-48.95	-25	Pass	9000
12000	26000	1	RMS	25932.995	-30.89	-25	Pass	14000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.22	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.61	-25	Pass	2985
30	1000	0.1	RMS	921.492	-55.85	-25	Pass	9700
1000	2490	1	RMS	2454.976	-41.81	-25	Pass	1490
2490	2580	1	RMS	2565.3	24.19	60	Pass	601
2580	3000	1	RMS	2659.8	-40.87	-25	Pass	601
3000	12000	1	RMS	11923.992	-48.88	-25	Pass	9000
12000	26000	1	RMS	25908.994	-30.83	-25	Pass	14000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.72	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.92	-25	Pass	2985
30	1000	0.1	RMS	877.487	-56.07	-25	Pass	9700
1000	2490	1	RMS	2423.956	-41.79	-25	Pass	1490
2490	2580	1	RMS	2569.65	24.23	60	Pass	601
2580	3000	1	RMS	2659.8	-40.88	-25	Pass	601
3000	12000	1	RMS	11963.996	-48.86	-25	Pass	9000
12000	26000	1	RMS	25942.996	-30.73	-25	Pass	14000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.89	-25	Pass	2985
30	1000	0.1	RMS	903.09	-55.91	-25	Pass	9700
1000	2490	1	RMS	2448.972	-41.81	-25	Pass	1490
2490	2580	1	RMS	2565.3	23.23	60	Pass	601
2580	3000	1	RMS	2659.8	-40.86	-25	Pass	601
3000	12000	1	RMS	11905.99	-48.9	-25	Pass	9000
12000	26000	1	RMS	25978.999	-30.8	-25	Pass	14000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.04	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.6	-25	Pass	2985
30	1000	0.1	RMS	969.697	-55.81	-25	Pass	9700
1000	2490	1	RMS	2452.975	-41.75	-25	Pass	1490
2490	2580	1	RMS	2569.65	23.3	60	Pass	601
2580	3000	1	RMS	2660.5	-40.89	-25	Pass	601
3000	12000	1	RMS	11921.991	-48.8	-25	Pass	9000
12000	26000	1	RMS	26000	-30.8	-25	Pass	14000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.9	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.76	-25	Pass	2985
30	1000	0.1	RMS	880.788	-55.92	-25	Pass	9700
1000	2490	1	RMS	2482.995	-36.22	-25	Pass	1490
2490	2580	1	RMS	2500.65	23.97	60	Pass	601
2580	3000	1	RMS	2660.5	-40.85	-25	Pass	601
3000	12000	1	RMS	11919.991	-48.92	-25	Pass	9000
12000	26000	1	RMS	25959.997	-30.79	-25	Pass	14000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.64	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.65	-25	Pass	2985
30	1000	0.1	RMS	926.792	-55.9	-25	Pass	9700
1000	2490	1	RMS	2490	-41.38	-25	Pass	1490
2490	2580	1	RMS	2509.35	23.89	60	Pass	601
2580	3000	1	RMS	2659.8	-40.84	-25	Pass	601
3000	12000	1	RMS	11912.99	-48.73	-25	Pass	9000
12000	26000	1	RMS	25932.995	-30.69	-25	Pass	14000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.36	-25	Pass	601
0.15	30	0.01	RMS	0.16	-53.32	-25	Pass	2985
30	1000	0.1	RMS	998.5	-56.1	-25	Pass	9700
1000	2490	1	RMS	2482.995	-38.14	-25	Pass	1490
2490	2580	1	RMS	2500.65	23.03	60	Pass	601
2580	3000	1	RMS	2659.8	-40.88	-25	Pass	601
3000	12000	1	RMS	11911.99	-48.8	-25	Pass	9000
12000	26000	1	RMS	25921.994	-30.9	-25	Pass	14000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.22	-25	Pass	2985
30	1000	0.1	RMS	951.095	-56	-25	Pass	9700
1000	2490	1	RMS	2490	-41.52	-25	Pass	1490
2490	2580	1	RMS	2509.35	22.99	60	Pass	601
2580	3000	1	RMS	2659.8	-40.85	-25	Pass	601
3000	12000	1	RMS	11930.992	-48.87	-25	Pass	9000
12000	26000	1	RMS	25957.997	-30.79	-25	Pass	14000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.18	-25	Pass	2985
30	1000	0.1	RMS	930.593	-55.89	-25	Pass	9700
1000	2490	1	RMS	2422.955	-41.78	-25	Pass	1490
2490	2580	1	RMS	2530.65	24.11	60	Pass	601
2580	3000	1	RMS	2659.8	-40.86	-25	Pass	601
3000	12000	1	RMS	11901.989	-48.9	-25	Pass	9000
12000	26000	1	RMS	25937.996	-30.77	-25	Pass	14000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.17	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.51	-25	Pass	2985
30	1000	0.1	RMS	992.099	-55.97	-25	Pass	9700




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2580	1	RMS	2539.35	24.04	60	Pass	601
2580	3000	1	RMS	2660.5	-40.88	-25	Pass	601
3000	12000	1	RMS	11915.991	-48.8	-25	Pass	9000
12000	26000	1	RMS	25965.998	-30.76	-25	Pass	14000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.48	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.78	-25	Pass	2985
30	1000	0.1	RMS	915.391	-55.71	-25	Pass	9700
1000	2490	1	RMS	2452.975	-41.8	-25	Pass	1490
2490	2580	1	RMS	2530.65	22.94	60	Pass	601
2580	3000	1	RMS	2659.1	-40.88	-25	Pass	601
3000	12000	1	RMS	11919.991	-48.85	-25	Pass	9000
12000	26000	1	RMS	25939.996	-30.8	-25	Pass	14000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.67	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.12	-25	Pass	2985
30	1000	0.1	RMS	897.789	-55.82	-25	Pass	9700
1000	2490	1	RMS	2419.953	-41.75	-25	Pass	1490
2490	2580	1	RMS	2539.35	23.03	60	Pass	601
2580	3000	1	RMS	2659.1	-40.89	-25	Pass	601
3000	12000	1	RMS	11909.99	-48.92	-25	Pass	9000
12000	26000	1	RMS	25947.996	-30.83	-25	Pass	14000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.55	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.41	-25	Pass	2985
30	1000	0.1	RMS	920.692	-55.96	-25	Pass	9700
1000	2490	1	RMS	2422.955	-41.79	-25	Pass	1490
2490	2580	1	RMS	2560.65	24.4	60	Pass	601
2580	3000	1	RMS	2659.1	-40.92	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.86	-25	Pass	9000
12000	26000	1	RMS	25908.994	-30.77	-25	Pass	14000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.09	-25	Pass	2985
30	1000	0.1	RMS	966.597	-55.75	-25	Pass	9700
1000	2490	1	RMS	2429.96	-41.77	-25	Pass	1490
2490	2580	1	RMS	2569.35	24.31	60	Pass	601
2580	3000	1	RMS	2587	-36.72	-25	Pass	601
3000	12000	1	RMS	11905.99	-48.94	-25	Pass	9000
12000	26000	1	RMS	25934.995	-30.88	-25	Pass	14000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.48	-25	Pass	2985
30	1000	0.1	RMS	900.09	-55.82	-25	Pass	9700
1000	2490	1	RMS	2420.954	-41.82	-25	Pass	1490
2490	2580	1	RMS	2560.65	23.23	60	Pass	601
2580	3000	1	RMS	2659.8	-40.89	-25	Pass	601
3000	12000	1	RMS	11907.99	-48.84	-25	Pass	9000
12000	26000	1	RMS	25957.997	-30.78	-25	Pass	14000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.41	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.63	-25	Pass	2985
30	1000	0.1	RMS	899.99	-55.85	-25	Pass	9700
1000	2490	1	RMS	2423.956	-41.79	-25	Pass	1490
2490	2580	1	RMS	2569.35	23.3	60	Pass	601
2580	3000	1	RMS	2587	-38.3	-25	Pass	601
3000	12000	1	RMS	11932.993	-48.92	-25	Pass	9000
12000	26000	1	RMS	25940.996	-30.76	-25	Pass	14000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.46	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.55	-25	Pass	2985
30	1000	0.1	RMS	898.79	-55.6	-25	Pass	9700
1000	2490	1	RMS	2487.999	-33.42	-25	Pass	1490
2490	2580	1	RMS	2500.8	24.09	60	Pass	601
2580	3000	1	RMS	2660.5	-40.88	-25	Pass	601
3000	12000	1	RMS	11908.99	-48.9	-25	Pass	9000
12000	26000	1	RMS	25935.995	-30.78	-25	Pass	14000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.08	-25	Pass	2985
30	1000	0.1	RMS	996	-55.73	-25	Pass	9700
1000	2490	1	RMS	2487.999	-28.97	-25	Pass	1490
2490	2580	1	RMS	2514.15	24.01	60	Pass	601
2580	3000	1	RMS	2658.4	-40.86	-25	Pass	601
3000	12000	1	RMS	11925.992	-48.87	-25	Pass	9000
12000	26000	1	RMS	25982.999	-30.81	-25	Pass	14000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.92	-25	Pass	2985
30	1000	0.1	RMS	945.994	-56.03	-25	Pass	9700
1000	2490	1	RMS	2487.999	-35.17	-25	Pass	1490
2490	2580	1	RMS	2500.8	23.08	60	Pass	601
2580	3000	1	RMS	2661.2	-40.87	-25	Pass	601
3000	12000	1	RMS	11909.99	-48.91	-25	Pass	9000
12000	26000	1	RMS	25955.997	-30.79	-25	Pass	14000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.24	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.47	-25	Pass	2985
30	1000	0.1	RMS	905.49	-56.07	-25	Pass	9700
1000	2490	1	RMS	2486.998	-29.49	-25	Pass	1490
2490	2580	1	RMS	2514.15	23.07	60	Pass	601
2580	3000	1	RMS	2659.8	-40.88	-25	Pass	601
3000	12000	1	RMS	11912.99	-48.81	-25	Pass	9000
12000	26000	1	RMS	25947.996	-30.83	-25	Pass	14000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.96	-25	Pass	2985
30	1000	0.1	RMS	985.298	-56.08	-25	Pass	9700
1000	2490	1	RMS	2446.971	-41.75	-25	Pass	1490
2490	2580	1	RMS	2528.4	24.09	60	Pass	601
2580	3000	1	RMS	2659.1	-40.87	-25	Pass	601
3000	12000	1	RMS	11908.99	-48.89	-25	Pass	9000
12000	26000	1	RMS	25802.986	-30.82	-25	Pass	14000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.52	-25	Pass	2985
30	1000	0.1	RMS	998.5	-55.99	-25	Pass	9700
1000	2490	1	RMS	2451.974	-41.76	-25	Pass	1490
2490	2580	1	RMS	2541.6	24.11	60	Pass	601
2580	3000	1	RMS	2659.8	-40.88	-25	Pass	601
3000	12000	1	RMS	11906.99	-48.85	-25	Pass	9000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.63	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.21	-25	Pass	2985
30	1000	0.1	RMS	881.188	-55.96	-25	Pass	9700
1000	2490	1	RMS	2449.973	-41.78	-25	Pass	1490
2490	2580	1	RMS	2528.4	23.29	60	Pass	601
2580	3000	1	RMS	2660.5	-40.88	-25	Pass	601
3000	12000	1	RMS	11923.992	-48.9	-25	Pass	9000
12000	26000	1	RMS	25961.997	-30.88	-25	Pass	14000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.31	-25	Pass	2985
30	1000	0.1	RMS	902.69	-55.71	-25	Pass	9700
1000	2490	1	RMS	2454.976	-41.78	-25	Pass	1490
2490	2580	1	RMS	2541.6	23.45	60	Pass	601
2580	3000	1	RMS	2659.8	-40.49	-25	Pass	601
3000	12000	1	RMS	11912.99	-48.84	-25	Pass	9000
12000	26000	1	RMS	25990.999	-30.87	-25	Pass	14000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.38	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.82	-25	Pass	2985
30	1000	0.1	RMS	973.497	-56.07	-25	Pass	9700
1000	2490	1	RMS	2460.981	-41.79	-25	Pass	1490
2490	2580	1	RMS	2555.85	24.32	60	Pass	601
2580	3000	1	RMS	2582.8	-28	-25	Pass	601
3000	12000	1	RMS	11912.99	-48.87	-25	Pass	9000
12000	26000	1	RMS	25951.997	-30.79	-25	Pass	14000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.79	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.49	-25	Pass	2985
30	1000	0.1	RMS	955.095	-56.04	-25	Pass	9700
1000	2490	1	RMS	2423.956	-41.79	-25	Pass	1490
2490	2580	1	RMS	2569.2	24.3	60	Pass	601
2580	3000	1	RMS	2582.8	-34.28	-25	Pass	601
3000	12000	1	RMS	11933.993	-48.88	-25	Pass	9000
12000	26000	1	RMS	25943.996	-30.73	-25	Pass	14000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.84	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.07	-25	Pass	2985
30	1000	0.1	RMS	899.59	-55.92	-25	Pass	9700
1000	2490	1	RMS	2423.956	-41.81	-25	Pass	1490
2490	2580	1	RMS	2555.85	23.19	60	Pass	601
2580	3000	1	RMS	2582.8	-28.75	-25	Pass	601
3000	12000	1	RMS	11905.99	-48.9	-25	Pass	9000
12000	26000	1	RMS	25959.997	-30.83	-25	Pass	14000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.4	-25	Pass	2985
30	1000	0.1	RMS	922.292	-55.92	-25	Pass	9700
1000	2490	1	RMS	2454.976	-41.77	-25	Pass	1490
2490	2580	1	RMS	2569.2	23.31	60	Pass	601
2580	3000	1	RMS	2582.8	-35.69	-25	Pass	601
3000	12000	1	RMS	11916.991	-48.87	-25	Pass	9000
12000	26000	1	RMS	25948.996	-30.82	-25	Pass	14000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.45	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.67	-25	Pass	2985
30	1000	0.1	RMS	959.096	-55.99	-25	Pass	9700
1000	2490	1	RMS	2482.995	-33.46	-25	Pass	1490
2490	2580	1	RMS	2501.1	23.93	60	Pass	601
2580	3000	1	RMS	2659.8	-40.44	-25	Pass	601
3000	12000	1	RMS	11921.991	-48.86	-25	Pass	9000
12000	26000	1	RMS	25952.997	-30.7	-25	Pass	14000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.84	-25	Pass	2985
30	1000	0.1	RMS	909.191	-55.99	-25	Pass	9700
1000	2490	1	RMS	2482.995	-31.44	-25	Pass	1490
2490	2580	1	RMS	2518.95	24.04	60	Pass	601
2580	3000	1	RMS	2660.5	-40.51	-25	Pass	601
3000	12000	1	RMS	11912.99	-48.91	-25	Pass	9000
12000	26000	1	RMS	25986.999	-30.86	-25	Pass	14000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.85	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.4	-25	Pass	2985
30	1000	0.1	RMS	997.9	-56.01	-25	Pass	9700
1000	2490	1	RMS	2482.995	-35.84	-25	Pass	1490
2490	2580	1	RMS	2501.1	22.97	60	Pass	601
2580	3000	1	RMS	2659.8	-40.53	-25	Pass	601
3000	12000	1	RMS	11916.991	-48.9	-25	Pass	9000
12000	26000	1	RMS	25938.996	-30.74	-25	Pass	14000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.56	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.27	-25	Pass	2985
30	1000	0.1	RMS	954.595	-56.02	-25	Pass	9700
1000	2490	1	RMS	2482.995	-33.33	-25	Pass	1490
2490	2580	1	RMS	2518.95	23.26	60	Pass	601
2580	3000	1	RMS	2657	-40.53	-25	Pass	601
3000	12000	1	RMS	11911.99	-48.96	-25	Pass	9000
12000	26000	1	RMS	25954.997	-30.85	-25	Pass	14000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.52	-25	Pass	2985
30	1000	0.1	RMS	897.289	-55.93	-25	Pass	9700
1000	2490	1	RMS	2490	-36.19	-25	Pass	1490
2490	2580	1	RMS	2526.15	24.23	60	Pass	601
2580	3000	1	RMS	2659.8	-40.52	-25	Pass	601
3000	12000	1	RMS	11911.99	-48.87	-25	Pass	9000
12000	26000	1	RMS	25922.995	-30.76	-25	Pass	14000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.07	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.99	-25	Pass	2985
30	1000	0.1	RMS	980.198	-55.92	-25	Pass	9700
1000	2490	1	RMS	2452.975	-41.81	-25	Pass	1490
2490	2580	1	RMS	2543.85	24.07	60	Pass	601
2580	3000	1	RMS	2580	-38.59	-25	Pass	601
3000	12000	1	RMS	11915.991	-48.94	-25	Pass	9000
12000	26000	1	RMS	25964.998	-30.79	-25	Pass	14000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.1	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.47	-25	Pass	2985
30	1000	0.1	RMS	880.488	-56.14	-25	Pass	9700




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2580	1	RMS	2526.15	23.21	60	Pass	601
2580	3000	1	RMS	2659.8	-40.53	-25	Pass	601
3000	12000	1	RMS	11913.99	-48.92	-25	Pass	9000
12000	26000	1	RMS	25974.998	-30.81	-25	Pass	14000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.86	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.02	-25	Pass	2985
30	1000	0.1	RMS	995.7	-55.85	-25	Pass	9700
1000	2490	1	RMS	2423.956	-41.85	-25	Pass	1490
2490	2580	1	RMS	2543.85	23.29	60	Pass	601
2580	3000	1	RMS	2580	-39.22	-25	Pass	601
3000	12000	1	RMS	11930.992	-48.94	-25	Pass	9000
12000	26000	1	RMS	25945.996	-30.79	-25	Pass	14000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.31	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.3	-25	Pass	2985
30	1000	0.1	RMS	991.299	-55.92	-25	Pass	9700
1000	2490	1	RMS	2456.978	-41.84	-25	Pass	1490
2490	2580	1	RMS	2551.05	24.09	60	Pass	601
2580	3000	1	RMS	2587	-29.92	-25	Pass	601
3000	12000	1	RMS	11912.99	-48.85	-25	Pass	9000
12000	26000	1	RMS	25919.994	-30.84	-25	Pass	14000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.98	-25	Pass	601
0.15	30	0.01	RMS	0.16	-52.78	-25	Pass	2985
30	1000	0.1	RMS	988.599	-55.85	-25	Pass	9700
1000	2490	1	RMS	2420.954	-41.83	-25	Pass	1490
2490	2580	1	RMS	2568.9	24.11	60	Pass	601
2580	3000	1	RMS	2587	-36.07	-25	Pass	601
3000	12000	1	RMS	11917.991	-48.89	-25	Pass	9000
12000	26000	1	RMS	25970.998	-30.88	-25	Pass	14000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.16	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.25	-25	Pass	2985
30	1000	0.1	RMS	898.79	-55.99	-25	Pass	9700
1000	2490	1	RMS	2455.977	-41.79	-25	Pass	1490
2490	2580	1	RMS	2551.05	23	60	Pass	601
2580	3000	1	RMS	2587	-31.14	-25	Pass	601
3000	12000	1	RMS	11909.99	-48.89	-25	Pass	9000
12000	26000	1	RMS	25937.996	-30.84	-25	Pass	14000



1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.67	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.43	-25	Pass	2985
30	1000	0.1	RMS	994.699	-56.06	-25	Pass	9700
1000	2490	1	RMS	2429.96	-41.87	-25	Pass	1490
2490	2580	1	RMS	2568.9	22.98	60	Pass	601
2580	3000	1	RMS	2587	-37.06	-25	Pass	601
3000	12000	1	RMS	11904.989	-48.87	-25	Pass	9000
12000	26000	1	RMS	25953.997	-30.71	-25	Pass	14000



END