





LTE Band 2 / 20MHz

Middle Channel / QPSK




Date: 5.JAN.2018 17:46:42

Middle Channel / 16QAM




Date: 5.JAN.2018 17:47:38

Highest Channel / QPSK



Date: 5.JAN.2018 17:53:51

Highest Channel / 16QAM




Date: 5.JAN.2018 17:54:47




LTE Band 7 / 5MHz

Lowest Channel / QPSK




Date: 5.JAN.2018 18:09:08

Lowest Channel / 16QAM




Date: 5.JAN.2018 18:10:01

Middle Channel / QPSK



Date: 5.JAN.2018 18:11:35

Middle Channel / 16QAM




Date: 5.JAN.2018 18:12:29




LTE Band 7 / 5MHz

Highest Channel / QPSK



Date: 5.JAN.2018 18:18:41


Highest Channel / 16QAM



Date: 5.JAN.2018 18:19:34


LTE Band 7 / 10MHz

Lowest Channel / QPSK



Date: 5.JAN.2018 18:25:45

Lowest Channel / 16QAM




Date: 5.JAN.2018 18:26:39




LTE Band 7 / 10MHz

Middle Channel / QPSK




Date: 5.JAN.2018 18:28:14

Middle Channel / 16QAM




Date: 5.JAN.2018 18:29:08

Highest Channel / QPSK



Date: 5.JAN.2018 18:35:36

Highest Channel / 16QAM




Date: 5.JAN.2018 18:36:29




LTE Band 7 / 15MHz

Lowest Channel / QPSK




Date: 5.JAN.2018 19:16:35

Lowest Channel / 16QAM




Date: 5.JAN.2018 19:17:28

Middle Channel / QPSK



Date: 5.JAN.2018 19:19:02

Middle Channel / 16QAM




Date: 5.JAN.2018 19:19:55




LTE Band7 / 15MHz

Highest Channel / QPSK



Date: 5.JAN.2018 19:26:07


Highest Channel / 16QAM



Date: 5.JAN.2018 19:27:00


LTE Band 7 / 20MHz

Lowest Channel / QPSK



Date: 5.JAN.2018 19:33:11

Lowest Channel / 16QAM




Date: 5.JAN.2018 19:34:04




LTE Band 7 / 20MHz

Middle Channel / QPSK




Date: 5.JAN.2018 19:35:38

Middle Channel / 16QAM




Date: 5.JAN.2018 19:36:31

Highest Channel / QPSK



Date: 5.JAN.2018 19:42:43

Highest Channel / 16QAM



Date: 5.JAN.2018 19:43:37

**Frequency Stability**

Test Conditions		LTE Band 4 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0010	PASS
40	Normal Voltage	0.0002	
30	Normal Voltage	0.0003	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0001	
0	Normal Voltage	0.0002	
-10	Normal Voltage	0.0003	
-20	Normal Voltage	0.0006	
-30	Normal Voltage	0.0016	
20	Maximum Voltage	0.0001	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0002	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.5 V. ; Maximum Voltage =4.35 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 2 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0003	PASS
40	Normal Voltage	0.0002	
30	Normal Voltage	0.0002	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0001	
0	Normal Voltage	0.0002	
-10	Normal Voltage	0.0004	
-20	Normal Voltage	0.0001	
-30	Normal Voltage	0.0003	
20	Maximum Voltage	0.0019	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0009	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.5 V. ; Maximum Voltage =4.35 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 7 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0002	PASS
40	Normal Voltage	0.0002	
30	Normal Voltage	0.0003	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0002	
0	Normal Voltage	0.0003	
-10	Normal Voltage	0.0002	
-20	Normal Voltage	0.0007	
-30	Normal Voltage	0.0009	
20	Maximum Voltage	0.0004	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0004	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.5 V. ; Maximum Voltage =4.35 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

For Sample 1

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0 with SIM 1									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3463.74	-58.76	-13	-45.76	-76.68	-65.61	5.65	12.50	H
	5195.61	-55.58	-13	-42.58	-78.73	-61.25	7.13	12.80	H
	6927.48	-53.02	-13	-40.02	-78.75	-56.42	8.40	11.80	H
	3463.74	-58.27	-13	-45.27	-76.55	-65.12	5.65	12.50	V
	5195.61	-54.98	-13	-41.98	-78.8	-60.65	7.13	12.80	V
	6927.48	-52.53	-13	-39.53	-78.79	-55.93	8.40	11.80	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0 with SIM 1									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3462.48	-62.03	-13	-49.03	-81.36	-70.26	4.37	12.60	H
	5193.72	-59.12	-13	-46.12	-83.28	-66.88	4.94	12.70	H
	6924.96	-59.73	-13	-46.73	-83.64	-65.11	6.32	11.70	H
	3462.48	-65.42	-13	-52.42	-81.5	-73.65	4.37	12.60	V
	5193.72	-63.89	-13	-50.89	-83.4	-71.65	4.94	12.70	V
	6924.96	-59.77	-13	-46.77	-83.68	-65.15	6.32	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 5MHz / QPSK with SIM 1									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3460.68	-61.99	-13	-48.99	-81.32	-70.22	4.37	12.60	H
	5191.02	-59.09	-13	-46.09	-83.25	-66.85	4.94	12.70	H
	6921.36	-59.65	-13	-46.65	-83.56	-65.03	6.32	11.70	H
	3460.68	-65.20	-13	-52.20	-81.28	-73.43	4.37	12.60	V
	5191.02	-63.91	-13	-50.91	-83.42	-71.67	4.94	12.70	V
	6921.36	-59.68	-13	-46.68	-83.59	-65.06	6.32	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0 with SIM 1									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3456.18	-61.95	-13	-48.95	-81.28	-70.18	4.37	12.60	H
	5184.27	-58.88	-13	-45.88	-83.04	-66.64	4.94	12.70	H
	6912.36	-59.68	-13	-46.68	-83.59	-65.06	6.32	11.70	H
	3456.18	-65.28	-13	-52.28	-81.36	-73.51	4.37	12.60	V
	5184.27	-63.64	-13	-50.64	-83.15	-71.40	4.94	12.70	V
	6912.36	-59.80	-13	-46.80	-83.71	-65.18	6.32	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0 with SIM 1									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3451.68	-62.26	-13	-49.26	-81.59	-70.49	4.37	12.60	H
	5177.52	-59.06	-13	-46.06	-83.22	-66.82	4.94	12.70	H
	6903.36	-59.71	-13	-46.71	-83.62	-65.09	6.32	11.70	H
	3451.68	-65.49	-13	-52.49	-81.57	-73.72	4.37	12.60	V
	5177.52	-63.73	-13	-50.73	-83.24	-71.49	4.94	12.70	V
	6903.36	-59.75	-13	-46.75	-83.66	-65.13	6.32	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0 with SIM 1									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3447.18	-62.23	-13	-49.23	-81.56	-70.46	4.37	12.60	H
	5170.77	-59.12	-13	-46.12	-83.28	-66.88	4.94	12.70	H
	6894.36	-59.81	-13	-46.81	-83.72	-65.19	6.32	11.70	H
	3447.18	-65.37	-13	-52.37	-81.45	-73.60	4.37	12.60	V
	5170.77	-63.73	-13	-50.73	-83.24	-71.49	4.94	12.70	V
	6894.36	-59.94	-13	-46.94	-83.85	-65.32	6.32	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0 with SIM 2									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3463.74	-62.12	-13	-49.12	-81.45	-70.35	4.37	12.60	H
	5195.61	-59.37	-13	-46.37	-83.53	-67.13	4.94	12.70	H
	6927.48	-59.71	-13	-46.71	-83.62	-65.09	6.32	11.70	H
	3463.74	-65.40	-13	-52.40	-81.48	-73.63	4.37	12.60	V
	5195.61	-63.84	-13	-50.84	-83.35	-71.60	4.94	12.70	V
	6927.48	-59.81	-13	-46.81	-83.72	-65.19	6.32	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3758.92	-57.81	-13	-44.81	-77.14	-64.56	5.85	12.60	H
	5638.38	-45.63	-13	-32.63	-68.79	-51.43	7.30	13.10	H
	7517.84	-51.81	-13	-38.81	-78.83	-54.96	8.35	11.50	H
	3758.92	-57.91	-13	-44.91	-77.51	-64.66	5.85	12.60	V
	5638.38	-45.89	-13	-32.89	-69.62	-51.69	7.30	13.10	V
	7517.84	-51.80	-13	-38.80	-78.85	-54.95	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3757.48	-58.15	-13	-45.15	-77.48	-64.90	5.85	12.60	H
	5636.22	-48.12	-13	-35.12	-71.28	-53.92	7.30	13.10	H
	7514.96	-51.85	-13	-38.85	-78.88	-55.00	8.35	11.50	H
	3757.48	-57.75	-13	-44.75	-77.35	-64.50	5.85	12.60	V
	5636.22	-48.56	-13	-35.56	-72.29	-54.36	7.30	13.10	V
	7514.96	-51.34	-13	-38.34	-78.4	-54.49	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3755.68	-58.12	-13	-45.12	-77.45	-64.87	5.85	12.60	H
	5633.52	-48.57	-13	-35.57	-71.73	-54.37	7.30	13.10	H
	7511.36	-51.89	-13	-38.89	-78.92	-55.04	8.35	11.50	H
	3755.68	-57.72	-13	-44.72	-77.32	-64.47	5.85	12.60	V
	5633.52	-43.39	-13	-30.39	-67.12	-49.19	7.30	13.10	V
	7511.36	-51.69	-13	-38.69	-78.75	-54.84	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3751.18	-57.87	-13	-44.87	-77.20	-64.62	5.85	12.60	H
	5626.77	-43.56	-13	-30.56	-66.80	-49.36	7.30	13.10	H
	7502	-51.78	-13	-38.78	-78.92	-54.93	8.35	11.50	H
	3751.18	-57.64	-13	-44.64	-77.24	-64.39	5.85	12.60	V
	5626.77	-46.38	-13	-33.38	-70.2	-52.18	7.30	13.10	V
	7502	-51.71	-13	-38.71	-78.86	-54.86	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3746.68	-58.19	-13	-45.19	-77.52	-64.94	5.85	12.60	H
	5620.02	-45.06	-13	-32.06	-68.30	-50.86	7.30	13.10	H
	7493.36	-51.79	-13	-38.79	-78.93	-54.94	8.35	11.50	H
	3746.68	-57.56	-13	-44.56	-77.16	-64.31	5.85	12.60	V
	5620.02	-47.11	-13	-34.11	-70.93	-52.91	7.30	13.10	V
	7493.36	-51.74	-13	-38.74	-78.89	-54.89	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3742.18	-58.23	-13	-45.23	-77.54	-64.98	5.85	12.60	H
	5613.27	-45.64	-13	-32.64	-68.95	-51.44	7.30	13.10	H
	7484.36	-51.75	-13	-38.75	-79.01	-54.90	8.35	11.50	H
	3742.18	-57.91	-13	-44.91	-77.51	-64.66	5.85	12.60	V
	5613.27	-45.54	-13	-32.54	-69.43	-51.34	7.30	13.10	V
	7484.36	-51.61	-13	-38.61	-78.86	-54.76	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5065.68	-51.96	-25	-26.96	-76.69	-57.52	7.14	12.70	H
	7598.52	-49.04	-25	-24.04	-78.12	-52.34	8.30	11.60	H
	10131.36	-45.18	-25	-20.18	-79.21	-46.70	10.48	12.00	H
	5065.68	-50.86	-25	-25.86	-76.38	-56.42	7.14	12.70	V
	7598.52	-48.56	-25	-23.56	-77.77	-51.86	8.30	11.60	V
	10131.36	-45.30	-25	-20.30	-79.1	-46.82	10.48	12.00	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5061.18	-52.13	-25	-27.13	-76.86	-57.69	7.14	12.70	H
	7591.77	-49.08	-25	-24.08	-78.16	-52.38	8.30	11.60	H
	10122.36	-44.82	-25	-19.82	-78.85	-46.34	10.48	12.00	H
	5061.18	-51.31	-25	-26.31	-76.83	-56.87	7.14	12.70	V
	7591.77	-48.82	-25	-23.82	-78.03	-52.12	8.30	11.60	V
	10122.36	-45.49	-25	-20.49	-79.29	-47.01	10.48	12.00	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5056.68	-51.65	-25	-26.65	-76.38	-57.21	7.14	12.70	H
	7585.02	-48.98	-25	-23.98	-78.17	-52.28	8.30	11.60	H
	10113.36	-45.15	-25	-20.15	-79.19	-46.67	10.48	12.00	H
	5056.68	-51.16	-25	-26.16	-76.68	-56.72	7.14	12.70	V
	7585.02	-48.76	-25	-23.76	-78.06	-52.06	8.30	11.60	V
	10113.36	-45.35	-25	-20.35	-79.13	-46.87	10.48	12.00	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5052.18	-51.88	-25	-26.88	-76.60	-57.44	7.14	12.70	H
	7578.27	-48.81	-25	-23.81	-78.00	-52.11	8.30	11.60	H
	10104.36	-45.55	-25	-20.55	-79.59	-47.07	10.48	12.00	H
	5052.18	-51.94	-25	-26.94	-77.47	-57.50	7.14	12.70	V
	7578.27	-49.07	-25	-24.07	-78.37	-52.37	8.30	11.60	V
	10104.36	-45.55	-25	-20.55	-79.33	-47.07	10.48	12.00	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



For Sample 2

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0 with SIM 1									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3463.74	-61.90	-13	-48.90	-81.23	-70.13	4.37	12.60	H
	5195.61	-59.16	-13	-46.16	-83.32	-66.92	4.94	12.70	H
	6927.48	-60.44	-13	-47.44	-84.35	-65.82	6.32	11.70	H
	3463.74	-65.20	-13	-52.20	-81.28	-73.43	4.37	12.60	V
	5195.61	-64.25	-13	-51.25	-83.76	-72.01	4.94	12.70	V
	6927.48	-60.32	-13	-47.32	-84.23	-65.70	6.32	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3755.68	-47.42	-13	-34.42	-66.75	-54.17	5.85	12.60	H
	5633.52	-47.39	-13	-34.39	-70.55	-53.19	7.30	13.10	H
	7511.36	-45.30	-13	-32.30	-72.33	-48.45	8.35	11.50	H
	3755.68	-53.35	-13	-40.35	-72.95	-60.10	5.85	12.60	V
	5633.52	-52.16	-13	-39.16	-75.89	-57.96	7.30	13.10	V
	7511.36	-48.74	-13	-35.74	-75.8	-51.89	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5061.18	-53.22	-25	-28.22	-77.95	-58.78	7.14	12.70	H
	7591.77	-47.92	-25	-22.92	-77.00	-51.22	8.30	11.60	H
	10122.36	-44.38	-25	-19.38	-78.41	-45.90	10.48	12.00	H
	5061.18	-52.32	-25	-27.32	-77.84	-57.88	7.14	12.70	V
	7591.77	-48.25	-25	-23.25	-77.46	-51.55	8.30	11.60	V
	10122.36	-44.61	-25	-19.61	-78.41	-46.13	10.48	12.00	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.