

Exhibit K Pages ALL
ERS, INC.
FCC ID: NH3-ERS96000NB
Equipment Manual

See Exhibit K which is a separate document
Attachment #1

PLACE
STAMP
HERE



SALES DEPT.
11300 W. 89th Street
Overland Park, KS. 66214

PLACE
STAMP
HERE



SALES DEPT.
11300 W. 89th Street
Overland Park, KS. 66214

PLACE
STAMP
HERE



SALES DEPT.
11300 W. 89th Street
Overland Park, KS. 66214

WULFSBERG SUBSCRIPTION CARD

Please complete and return this card to WULFSBERG
ATTN: Sales Dept. This will assure you of receiving
Revision Packets and notifications of Revisions to
this manual.

NAME: _____

COMPANY: _____

ADDRESS: _____

CITY: _____ STATE: _____ ZIP CODE: _____

EQUIPMENT TYPE: _____

WULFSBERG COMMENTARY CARD

MANUAL TITLE: _____

LATEST REVISION DATE: _____

NAME AND/OR COMPANY: _____

ADDRESS: _____

PAGE	SECTION	DISCREPANCIES/COMMENTS

WULFSBERG COMMENTARY CARD

MANUAL TITLE: _____

LATEST REVISION DATE: _____

NAME AND/OR COMPANY: _____

ADDRESS: _____

PAGE	SECTION	DISCREPANCIES/COMMENTS

Wulfsberg Electronics, Inc. has attempted to provide you with the most useful manual possible. We realize, however, that further improvement is always possible. For this reason we are providing the attached return cards. We are most interested in correcting our errors and in hearing your comments. Thank you for your interest. Also, we would be interested in your overall comments of this manual.

Wulfsberg Electronics, Inc. has attempted to provide you with the most useful manual possible. We realize, however, that further improvement is always possible. For this reason we are providing the attached return cards. We are most interested in correcting our errors and in hearing your comments. Thank you for your interest. Also, we would be interested in your overall comments of this manual.

VHF/FM COMMUNICATIONS TRANSCEIVERS

**RT-7200
RT-9600
AN/ARC-513(V)**

INSTALLATION/OPERATORS MANUAL

**U.S. FCC DATA:
TYPE ACCEPTANCE NUMBERS: RT-7200, RT-9600
TYPE ACCEPTED UNDER PARTS: 74,83,90**

**CANADIAN DOC DATA:
APPROVAL NUMBERS, RT-7200: RSP-100 (B8560)
RSS-119 (501 192 155I)
RSS-182 (501 821 272VLC)
APPROVAL NUMBERS, RT-9600: RSP-100 (B8559)
RSS-119 (501 191 126X)
RSS-182 (501 821 271V)**

**EQUIPMENT PART NUMBERS:
RT-7200: 400-0087-000/003
RT-9600: 400-0052-000/027
RT-5065/ARC-513(V): 400-0087-005
RT-5052/ARC-513(V): 400-0052-999**

**U.S. PATENT NUMBERS: 4,189,689
4,320,357**

**MANUAL PART NUMBER: 150-0061-000
REVISION E**

RT-7200, RT-9600, AN/ARC-513 (V)

LIMITED ONE YEAR WARRANTY

Wulfsberg Electronics, Inc., unit of Sundstrand Corporation (hereinafter called WEI), Overland Park, Kansas has designed, engineered and constructed the equipment with the finest material and components available. This equipment has been thoroughly inspected and tested before leaving the factory.

WEI warrants each item of new equipment manufactured by it to be free from defects in design, workmanship and material under normal use for which intended for one year after date of installation.

WEI will hereunder replace or repair (at WEI's discretion) any WEI part or component, which shall within such warranty period, be returned, transportation charges prepaid, to an authorized warranty service center. Such service centers, if authorized in advance by WEI, may return the part or unit to WEI's factory for compliance with this warranty. This warranty of parts includes bench time required to locate the defect, repair same or replace such part.

This warranty shall not apply to any unit or part thereof, which has not been installed by a WEI approved installation facility in accordance with the installation instructions, or which has been repaired or altered in anyway so as to adversely affect its performance or which has been subjected to misuse, negligence or accident.

This warranty is expressly in lieu of all other warranties, expressed or implied, including any implied warranty of merchantability or fitness, and of all other obligations or liabilities on the part of the seller.

WEI reserves the right to make changes in design or additions to or improvements in its equipment without obligation to install such additions or improvements in equipment theretofore manufactured.

RT-7200, RT-9600, AN/ARC-513 (V)

TABLE OF CONTENTS

SUBJECT	PAGE
1 DESCRIPTION AND OPERATION	
1.1 INTRODUCTION.....	1-1
1.2 PURPOSE OF EQUIPMENT.....	1-1
1.3 MODEL VARIATIONS WITH TRANSCEIVER AND CONTROL UNIT	
PART NUMBERS.....	1-1
1.3.1 COMMERCIAL PRODUCTS.....	1-1
1.3.2 MILITARY PRODUCTS.....	1-1
1.4 DESIGN FEATURES.....	1-2
1.5 TECHNICAL CHARACTERISTICS.....	1-3
1.5.1 RT-7200 AND RT-5065/ARC-513(V).....	1-3
1.5.2 RT-9600 AND RT-5052/ARC-513(V).....	1-6
1.5.3 CONTROL UNITS.....	1-10
1.5.4 ANTENNAS.....	1-11
1.5.5 TRANSCEIVER MOUNT.....	1-12
1.6 SYSTEM COMPONENTS.....	1-12
1.6.1 COMMERCIAL TRANSCEIVERS.....	1-12
1.6.2 MILITARY TRANSCEIVERS.....	1-13
1.6.3 DISCONTINUED COMMERCIAL TRANSCEIVERS.....	1-14
1.6.4 COMMERCIAL CONTROL UNITS.....	1-16
1.6.5 MILITARY CONTROL UNITS.....	1-18
1.6.6 DISCONTINUED COMMERCIAL CONTROL UNITS.....	1-19
1.6.7 INSTALLATION KITS.....	1-20
1.6.8 INSTALLATION CONNECTOR KITS.....	1-22
1.6.9 ANTENNAS, MICROPHONE AND ACCESSORY.....	1-24
1.6.10 MODULES AND CRYSTALS.....	1-25
1.6.11 MAINTENANCE MANUALS.....	1-27
1.6.12 TEST EQUIPMENT.....	1-28
1.6.13 MILITARY ACCESSORIES.....	1-28

RT-7200, RT-9600, AN/ARC-513 (V)

TABLE OF CONTENTS
 continued

SUBJECT	PAGE
1.7 CONTROL FUNCTION.....	1-29
1.8 PRESET CHANNELS.....	1-29
1.9 TONE SQUELCH (CTCSS).....	1-29
1.10 PRESET PROGRAMMING INSTRUCTIONS FOR THE C-920, C-960 AND C-961.....	1-30
1.11 PRESET CHANNEL PROGRAMMING INSTRUCTIONS FOR THE C-722/C-722A/C-962/C-962A.....	1-38
1.11.1 THUMBWHEEL ENABLE FUNCTION.....	1-38
1.11.2 MAIN TX/RX FREQUENCY.....	1-38
1.11.3 GUARD TX FREQUENCY.....	1-39
1.12 FREQUENCY/TONE REVIEW (C-722/C-722A/C-962/C-962A).....	1-41
1.12.1 UNKEYED TRANSMITTER (C-722/C-962).....	1-41
1.12.2 UNKEYED TRANSMITTER (C-722/C-962A).....	1-41
1.12.3 KEYED TRANSMITTER (C-722/C-962).....	1-42
1.12.4 KEYED TRANSMITTER (C-722A/C-962A).....	1-42
1.13 MANUAL OPERATION (C-722/C-722A/C-962/C-962A).....	1-42
1.14 SPECIAL OPERATIONAL CONSIDERATIONS FOR DIRECTION FINDING APPLICATIONS.....	1-43
2 INSTALLATION	
2.1 GENERAL.....	2-1
2.2 UNPACKING AND INSPECTING EQUIPMENT.....	2-1
2.3 INSTALLATION - IN-96A/IN-97A RIGIDMOUNTS.....	2-1
2.4 INSTALLATION - TRANSCEIVERS.....	2-3
2.5 INSTALLATION - CONTROL UNITS.....	2-3
2.6 INSTALLATION - ANTENNAS.....	2-4
2.7 AVIONICS INSTALLATION AND WIRING CONSIDERATIONS - TRANSCEIVER SIDE.....	2-27

RT-7200, RT-9600, AN/ARC-513 (V)

TABLE OF CONTENTS
 continued

SUBJECT	PAGE
2.7.1 AUDIO AND SIDETONE HI AND LO.....	2-27
2.7.2 DF DISABLE.....	2-27
2.7.3 DF AUDIO.....	2-27
2.7.4 UNSQUELCHED MAIN AUDIO.....	2-28
2.7.5 UNSQUELCHED GUARD AUDIO.....	2-28
2.7.6 MAIN AUDIO INHIBIT.....	2-28
2.7.7 EXTERNAL GUARD AUDIO INHIBIT.....	2-28
2.7.8 EXTERNAL CTCSS TONE IN.....	2-28
2.7.9 TRANSMITTER POWER SELECT.....	2-28
2.7.10 14V SWITCHED.....	2-28
2.7.11 PTT OUT.....	2-29
2.8 AVIONICS INSTALLATION WIRING CONSIDERATIONS -	
CONTROL UNIT SIDE.....	2-29
2.8.1 EXT RCVR MUTE.....	2-29
2.8.2 HEADSET AND EXTERNAL SPEAKER.....	2-29
2.8.3 CTCSS IN.....	2-29
2.8.4 RCVR CTCSS OUT TO DECODER.....	2-29
2.8.5 PANEL LIGHTS.....	2-30
2.8.6 AUDIO IN AND PTT.....	2-30
2.8.7 DIMMER DISABLE.....	2-30
2.8.8 CONTROL POWER.....	2-30
2.8.9 (DISPLAY ON)' (C-722/C-962 ONLY).....	2-31
2.8.10 (TW LITES OFF)' (C-722A/C-962A ONLY).....	2-31

RT-7200, RT-9600, AN/ARC-513 (V)

LIST OF ILLUSTRATIONS

FIGURE	TITLE	PAGE
1.7-1	CONTROLS AND FUNCTIONS OF THE C-960 AND ARC-513(V): C-5333, C-5368, C-5413.....	1-31
1.7-2	CONTROLS AND FUNCTIONS OF THE C-722/C-962 AND ARC-513(V): C-5421, C-5422.....	1-32
1.7-3	CONTROL AND FUNCTIONS OF THE C-722A/C-962A.....	1-33
1.7-4	CONTROLS AND FUNCTIONS OF THE C-920.....	1-34
1.10-1	C-960/C-961 PRESET CHANNEL CARD LOCATIONS.....	1-37
1.10-2	C-920 PRESET CHANNEL CARD LOCATIONS.....	1-37
2.3-1	MT-5178/ARC-513(V) IN-96/IN-97 SHOCKMOUNT OUTLINE DRAWING.....	2-5/6
2.3-2	IN-96A/IN-97A RIGIDMOUNT OUTLINE DRAWING.....	2-7/8
2.4-1	RT-7200, RT-9600 (WITH RECESSED CONNECTOR) RT-5052/ARC- 513(V) AND RT-5065/ARC-513(V) OUTLINE DIMENSIONS.....	2-9/10
2.4-2	RT-9600 (WITH PROTRUDING CONNECTOR) OUTLINE DIMENSIONS...	2-11/12
2.5-1	C-960 AND ARC-513(V): C-5333, C-5368, C-5413 OUTLINE DIMENSIONS.....	2-13
2.5-2	C-961 OUTLINE DIMENSIONS.....	2-14
2.5-3	C-920 OUTLINE DIMENSIONS.....	2-15
2.5-4	C-722, C-962 AND ARC-513(V): C-5421, C-5422 OUTLINE DIMENSIONS.....	2-16
2.5-5	C-722A/C-962A OUTLINE DIMENSIONS.....	2-17
2.5-6	C-963 OUTLINE DIMENSIONS.....	2-18
2.5-7	HA-4 HANGER OUTLINE DIMENSIONS.....	2-19
2.5-8	HS-4 (PTT) MODULAR HANDSET OUTLINE.....	2-20
2.6-1	AT-31 MOUNTING DIMENSIONS.....	2-21
2.6-2	AT-690 MOUNTING DIMENSIONS.....	2-22
2.6-3	AT-695 MOUNTING DIMENSIONS.....	2-23
2.6-4	AS-5103/ARC-513(V), AT-960 MOUNTING DIMENSIONS.....	2-25/26

RT-7200, RT-9600, AN/ARC-513 (V)

LIST OF ILLUSTRATIONS
continued

FIGURE	TITLE	PAGE
2.7-1	RT-9600 TO C-960 AND ARC-513(V): RT-5052 TO C-5333, RT-5052 TO C-5368, RT-5052 TO C-5413 INTERCONNECT DIAGRAM.....	2-33/34
2.7-2	RT-9600 TO C-920, RT-9600 TO C-961, RT-9600 TO C-962/ C-962A AND ARC-513(V): RT-5052 TO C-5421 INTERCONNECT DIAGRAM.....	2-35/36
2.7-3	RT-7200 TO C-722/C-722A AND ARC-513(V): RT-5065 TO C-5422 INTERCONNECT DIAGRAM.....	2-37/38