



Test Setup Photos

EUT Name: Active RFID
EUT Model: OMNI-P100 & OMNI-P115
FCC ID: N74-OMNI100
IC ID: 10336A-OMNI100

FCC Title 47, Part 15C, RSS-210 Issue 9, ANSI C63.10:2013

Prepared for:

Edmond Nabrotzky
OMNI-ID
1200 Ridgeway Avenue
Rochester NY 14615 USA
Tel: (585) 713-1007
Fax:

Prepared by:

TUV Rheinland of North America
762 Park Avenue
Youngsville, NC 27596
Tel: (919) 554-3668
Fax: (919) 554-3542
<http://www.tuv.com/>

Report/Issue Date: 11 October 2016
Report Number: Supplement to 31651891.001 - Test Setup Photos

Test Setup Photos:



Figure 1: Typical Radiated Emissions – 10 kHz to 30 MHz shown, Parallel Orientation



Figure 2: Typical Radiated Emissions – 10 kHz to 30 MHz shown, Perpendicular Orientation




Figure 3: Typical Radiated Emissions – 30 MHz to 1 GHz shown




Figure 4: Typical Radiated Emissions – 1 GHz to 6 GHz shown



Figure 5: Radiated Emissions – Orientation A

(Investigation for highest emissions)

Note: Orientation A provided the highest measured emissions



Figure 6: Radiated Emissions – Orientation B
(Investigation for highest emissions)



Figure 7: Radiated Emissions – Orientation C
(Investigation for highest emissions)