


BRAND NAME : *Salutron* DESIGN NO :


MODULE/MOVE: FL733EA+ FL795BA
Hard CHEST STRAP BLE
BLE+5KHZ UNCODED 3rd Gen
FL795BA: BLE Module

WEEE LOGO (Laser)
FCC ID: N7P-HRS01 (Laser)
IC: 10274A-HRS01 (Laser)
ID: 7CFE:28:XXXXXX(Laser)
SALCS027(Laser)
0700(Laser)



CASE

CASE :ABS - Black ,Bead Blasted Print white Logo and "B" PMS Blue 286C
Rear Case: ABS - Black, Insert mold 2 contact plates Bead Blasted.
Battery Cover: ABS-Black ,Bead Blasted .



Section A-A


STRAPS

STRAPS : NBR + Conductive Rubber – Black.
Hardness: 70 +/- 5 Shore A.
Resistance: 1K ohm or below.
Bead Blasted
Elastic band-Black.
Drawing Number: CSG0002A-05-01A .
BUCKLE : Nylon - Black .
Keeper : Nylon - Black .




OTHER :

1ATM
Battery CR2032



Battery Cover(ABS)

CASE BACK MARKING



Keeper (Nylon)

Elastic Band

2pcs Buckle (Nylon)

Max. 600±1

1.6±0.10

658


Ref. 22

Ref. 24

BRAND NAME : *PROFORM* DESIGN NO :


MODULE/MOVE: FL733EA+ FL795BA
Hard CHEST STRAP BLE
BLE+5KHZ UNCODED 3rd Gen
FL795BA: BLE Module

WEEE LOGO (Laser)
FCC ID: N7P-HRS01 (Laser)
IC: 10274A-HRS01 (Laser)
ID: 7CFE:28:XXXXXX(Laser)
PFBLT112(Laser)
0700(Laser)



CASE

CASE :ABS - Black , Bead Blasted . Print PMS Silver 877CLogo
Rear Case: ABS - Black, Insert mold 2 contact plates Bead Blasted.
Battery Cover: ABS-Black , Bead Blasted .




Section A-A

STRAPS

STRAPS : NBR + Conductive Rubber – Black .
Hardness: 70 +/- 5 Shore A.
Resistance: 1K ohm or below.
Bead Blasted
Elastic band-Black.
Drawing Number: CSG0002A-05-01A .
BUCKLE : Nylon - Black .
Keeper : Nylon - Black .


OTHER :

1ATM
Battery CR2032



Battery Cover(ABS)

CASE BACK MARKING



Keeper (Nylon)

Elastic Band

2pcs Buckle (Nylon)

Max. 6.00±1

658

1.6±0.10


Ref. 22

Ref. 24

BRAND NAME : Sportline DESIGN NO :


MODULE/MOVE: FL733EA+ FL795BA
Hard CHEST STRAP BLE
BLE+5KHZ UNCODED 3rd Gen
FL795BA: BLE Module

FCC ID: N7P-HRS01 (Laser)
IC: 10274A-HRS01 (Laser)
ID: 7CFE:28:XXXXXX(Laser)
ENBCS032(Laser)
0700(Laser)



CASE

CASE :ABS - Black , Print White Logo, "B" and "Smart" PMS Blue 286C
Rear Case: ABS - Black, Insert mold 2 contact plates Bead Blasted.
Battery Cover: ABS-Black , Bead Blasted .



Section A-A


STRAPS

STRAPS : NBR + Conductive Rubber – Black.
Hardness: 70 +/- 5 Shore A.
Resistance: 1K ohm or below.
Bead Blasted
Elastic band-Black.
Drawing Number: CSG0002A-05-01A .
BUCKLE : Nylon - Black .
Keeper : Nylon - Black .




OTHER :

1ATM
Battery CR2032



Battery Cover(ABS)

CASE BACK MARKING



Keeper (Nylon)

2pcs Buckle (Nylon)

Elastic Band

Max. 600±1

658

Ref. 24

1.6±0.10

Ref. 22

DESIGNER:

PROJECT NAME :
MT676M11

DATE : July.31 2012
Rev.5

