


## 6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
setting 21  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.09086G | 59.80    | 88.20    | -28.40 | 39.84  | 3    | Vertical  | 25      | 1.00   | -       | 39.56 | 12.22 | 31.82 |  |  |  |
| RMS  | 13.09211G | 47.66    | 68.20    | -20.54 | 27.69  | 3    | Vertical  | 25      | 1.00   | -       | 39.57 | 12.22 | 31.82 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
setting 21  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.09022G    | 59.96             | 88.20             | -28.24         | 40.00         | 3           | Horizontal | 137            | 2.73          | -       | 39.56      | 12.22      | 31.82      |  |  |  |
| RMS  | 13.08938G    | 47.62             | 68.20             | -20.58         | 27.65         | 3           | Horizontal | 137            | 2.73          | -       | 39.56      | 12.22      | 31.81      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
setting 21  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.63734G | 44.23    | 83.54    | -39.31 | 40.56  | 1    | Vertical  | 160     | 2.78   | -       | 38.02 | 15.22 | 49.57 |  |  |  |
| AV   | 19.63179G | 32.21    | 63.54    | -31.33 | 28.57  | 1    | Vertical  | 160     | 2.78   | -       | 37.99 | 15.22 | 49.57 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
setting 21  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.6351G     | 44.24             | 83.54             | -39.30         | 40.58         | 1           | Horizontal | 264            | 2.44          | -       | 38.01      | 15.22      | 49.57      |  |  |  |
| AV   | 19.6325G     | 32.21             | 63.54             | -31.33         | 28.56         | 1           | Horizontal | 264            | 2.44          | -       | 38.00      | 15.22      | 49.57      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6625MHz\_TX




EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.25047G    | 60.65             | 74.00             | -13.35         | 40.39         | 3           | Vertical  | 252            | 2.16          | -       | 40.00      | 12.25      | 31.99      |  |  |  |
| AV   | 13.25131G    | 47.44             | 54.00             | -6.56          | 27.18         | 3           | Vertical  | 252            | 2.16          | -       | 40.00      | 12.25      | 31.99      |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6625MHz\_TX




EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.2521G     | 59.83             | 74.00             | -14.17         | 39.57         | 3           | Horizontal | 200            | 2.96          | -       | 40.00      | 12.25      | 31.99      |  |  |  |
| AV   | 13.25161G    | 47.44             | 54.00             | -6.56          | 27.18         | 3           | Horizontal | 200            | 2.96          | -       | 40.00      | 12.25      | 31.99      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6625MHz\_TX




EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.87638G | 44.33    | 83.54    | -39.21 | 40.73  | 1    | Vertical  | 68      | 2.17   | -       | 37.76 | 15.21 | 49.37 |  |  |  |
| AV   | 19.87005G | 32.16    | 63.54    | -31.38 | 28.61  | 1    | Vertical  | 68      | 2.17   | -       | 37.72 | 15.21 | 49.38 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6625MHz\_TX




EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.87587G | 44.09    | 83.54    | -39.45 | 40.49  | 1    | Horizontal | 220     | 2.73   | -       | 37.76 | 15.21 | 49.37 |  |  |  |
| AV   | 19.8778G  | 32.11    | 63.54    | -31.43 | 28.50  | 1    | Horizontal | 220     | 2.73   | -       | 37.77 | 15.21 | 49.37 |  |  |  |



## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6705MHz\_TX




EUT\_Z\_2TX  
setting 21  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.40687G | 59.91    | 88.20    | -28.29 | 39.45  | 3    | Vertical  | 232     | 2.36   | -       | 40.33 | 12.28 | 32.15 |  |  |  |
| RMS  | 13.41238G | 47.33    | 68.20    | -20.87 | 26.85  | 3    | Vertical  | 232     | 2.36   | -       | 40.35 | 12.29 | 32.16 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6705MHz\_TX




EUT\_Z\_2TX  
setting 21  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.40517G    | 59.17             | 88.20             | -29.03         | 38.72         | 3           | Horizontal | 169            | 2.57          | -       | 40.32      | 12.28      | 32.15      |  |  |  |
| RMS  | 13.41054G    | 47.31             | 68.20             | -20.89         | 26.84         | 3           | Horizontal | 169            | 2.57          | -       | 40.34      | 12.29      | 32.16      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6705MHz\_TX




EUT\_Z\_2TX  
setting 21  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.11678G | 44.56    | 83.54    | -38.98 | 40.71  | 1    | Vertical  | 79      | 1.61   | -       | 37.80 | 15.29 | 49.24 |  |  |  |
| AV   | 20.11563G | 32.32    | 63.54    | -31.22 | 28.46  | 1    | Vertical  | 79      | 1.61   | -       | 37.81 | 15.29 | 49.24 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6705MHz\_TX




EUT\_Z\_2TX  
setting 21  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.1146G     | 44.08             | 83.54             | -39.46         | 40.22         | 1           | Horizontal | 354            | 2.11          | -       | 37.81      | 15.29      | 49.24      |  |  |  |
| AV   | 20.11045G    | 32.34             | 63.54             | -31.20         | 28.45         | 1           | Horizontal | 354            | 2.11          | -       | 37.84      | 15.29      | 49.24      |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX


6785MHz\_TX

EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.57179G | 59.90    | 88.20    | -28.30 | 39.24  | 3    | Vertical  | 209     | 1.66   | -       | 40.60 | 12.32 | 32.26 |  |  |  |
| RMS  | 13.57025G | 47.57    | 68.20    | -20.63 | 26.91  | 3    | Vertical  | 209     | 1.66   | -       | 40.60 | 12.32 | 32.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX


6785MHz\_TX

EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.5671G     | 59.99             | 88.20             | -28.21         | 39.33         | 3           | Horizontal | 85             | 1.06          | -       | 40.60      | 12.32      | 32.26      |  |  |  |
| RMS  | 13.56512G    | 47.57             | 68.20             | -20.63         | 26.91         | 3           | Horizontal | 85             | 1.06          | -       | 40.60      | 12.32      | 32.26      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6785MHz\_TX




EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.35617G | 43.90    | 83.54    | -39.64 | 39.51  | 1    | Vertical  | 157     | 2.66   | -       | 38.09 | 15.48 | 49.18 |  |  |  |
| AV   | 20.35665G | 32.04    | 63.54    | -31.50 | 27.64  | 1    | Vertical  | 157     | 2.66   | -       | 38.09 | 15.49 | 49.18 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6785MHz\_TX




EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.3538G     | 43.69             | 83.54             | -39.85         | 39.30         | 1           | Horizontal | 32             | 1.91          | -       | 38.09      | 15.48      | 49.18      |  |  |  |
| AV   | 20.35394G    | 32.12             | 63.54             | -31.42         | 27.73         | 1           | Horizontal | 32             | 1.91          | -       | 38.09      | 15.48      | 49.18      |  |  |  |



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX


6865MHz Straddle 6.525-6.875GHz\_TX

EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.72627G | 61.45    | 88.20    | -26.75 | 40.38  | 3    | Vertical  | 118     | 1.45   | -       | 41.01 | 12.35 | 32.29 |  |  |  |
| RMS  | 13.73307G | 48.43    | 68.20    | -19.77 | 27.34  | 3    | Vertical  | 118     | 1.45   | -       | 41.03 | 12.35 | 32.29 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.73496G | 60.91    | 88.20    | -27.29 | 39.81  | 3    | Horizontal | 57      | 1.45   | -       | 41.04 | 12.35 | 32.29 |  |  |  |
| RMS  | 13.73296G | 48.43    | 68.20    | -19.77 | 27.34  | 3    | Horizontal | 57      | 1.45   | -       | 41.03 | 12.35 | 32.29 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.59032G | 44.94    | 83.54    | -38.60 | 40.38  | 1    | Vertical  | 237     | 1.22   | -       | 37.98 | 15.67 | 49.09 |  |  |  |
| AV   | 20.59189G | 32.77    | 63.54    | -30.77 | 28.21  | 1    | Vertical  | 237     | 1.22   | -       | 37.98 | 15.67 | 49.09 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.59226G | 44.60    | 83.54    | -38.94 | 40.04  | 1    | Horizontal | 157     | 1.20   | -       | 37.98 | 15.67 | 49.09 |  |  |  |
| AV   | 20.59923G | 32.63    | 63.54    | -30.91 | 28.04  | 1    | Horizontal | 157     | 1.20   | -       | 38.00 | 15.68 | 49.09 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX


6945MHz\_TX

EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.89243G | 61.87    | 88.20    | -26.33 | 40.52  | 3    | Vertical  | 178     | 2.89   | -       | 41.28 | 12.38 | 32.31 |  |  |  |
| RMS  | 13.89169G | 48.53    | 68.20    | -19.67 | 27.18  | 3    | Vertical  | 178     | 2.89   | -       | 41.28 | 12.38 | 32.31 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX


6945MHz\_TX

EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.89285G    | 60.47             | 88.20             | -27.73         | 39.11         | 3           | Horizontal | 202            | 2.82          | -       | 41.29      | 12.38      | 32.31      |  |  |  |
| RMS  | 13.88518G    | 48.48             | 68.20             | -19.72         | 27.14         | 3           | Horizontal | 202            | 2.82          | -       | 41.27      | 12.38      | 32.31      |  |  |  |

## 6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 6945MHz\_TX




EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.83897G    | 44.12             | 83.54             | -39.42         | 39.01         | 1           | Vertical  | 309            | 2.50          | -       | 38.20      | 15.87      | 48.96      |  |  |  |
| AV   | 20.83713G    | 32.71             | 63.54             | -30.83         | 27.60         | 1           | Vertical  | 309            | 2.50          | -       | 38.20      | 15.87      | 48.96      |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

6945MHz\_TX


EUT\_Z\_2TX  
setting 20  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.83605G    | 44.76             | 83.54             | -38.78         | 39.66         | 1           | Horizontal | 352            | 1.38          | -       | 38.20      | 15.87      | 48.97      |  |  |  |
| AV   | 20.83309G    | 32.71             | 63.54             | -30.83         | 27.61         | 1           | Horizontal | 352            | 1.38          | -       | 38.20      | 15.87      | 48.97      |  |  |  |



## 6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 7025MHz\_TX




EUT\_Z\_2TX  
setting 21  
03-S-5-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0166G      | 112.90            | Inf               | -Inf           | 104.45        | 3           | Vertical  | 338            | 1.02          | -       | 35.60      | 8.40       | 35.55      |  |  |  |
| RMS  | 6.9938G      | 99.78             | Inf               | -Inf           | 91.33         | 3           | Vertical  | 338            | 1.02          | -       | 35.60      | 8.40       | 35.55      |  |  |  |
| PK   | 7.209G       | 64.20             | 88.20             | -24.00         | 54.94         | 3           | Vertical  | 338            | 1.02          | -       | 36.25      | 8.45       | 35.44      |  |  |  |
| RMS  | 7.1918G      | 51.98             | 68.20             | -16.22         | 42.83         | 3           | Vertical  | 338            | 1.02          | -       | 36.15      | 8.45       | 35.45      |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
setting 21  
02-H-Y-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9942G      | 100.96            | Inf               | -Inf           | 88.56         | 3           | Horizontal | 193            | 1.80          | -       | 35.30      | 9.03       | 31.93      |  |  |  |
| RMS  | 6.9962G      | 91.78             | Inf               | -Inf           | 79.39         | 3           | Horizontal | 193            | 1.80          | -       | 35.30      | 9.03       | 31.94      |  |  |  |
| PK   | 7.1862G      | 64.67             | 88.20             | -23.53         | 51.44         | 3           | Horizontal | 193            | 1.80          | -       | 35.92      | 9.35       | 32.04      |  |  |  |
| RMS  | 7.2126G      | 53.32             | 68.20             | -14.88         | 39.97         | 3           | Horizontal | 193            | 1.80          | -       | 36.05      | 9.36       | 32.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX


7025MHz\_TX

EUT\_Z\_2TX  
setting 21  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.04779G | 62.44    | 88.20    | -25.76 | 40.62  | 3    | Vertical  | 44      | 2.81   | -       | 41.69 | 12.42 | 32.29 |  |  |  |
| RMS  | 14.04508G | 49.46    | 68.20    | -18.74 | 27.65  | 3    | Vertical  | 44      | 2.81   | -       | 41.68 | 12.42 | 32.29 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX


7025MHz\_TX

EUT\_Z\_2TX  
setting 21  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.04877G    | 62.11             | 88.20             | -26.09         | 40.28         | 3           | Horizontal | 215            | 1.18          | -       | 41.70      | 12.42      | 32.29      |  |  |  |
| RMS  | 14.05291G    | 49.62             | 68.20             | -18.58         | 27.77         | 3           | Horizontal | 215            | 1.18          | -       | 41.71      | 12.42      | 32.28      |  |  |  |

## 6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 7025MHz\_TX




EUT\_Z\_2TX  
setting 21  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07086G | 44.25    | 83.54    | -39.29 | 38.79  | 1    | Vertical  | 33      | 2.06   | -       | 38.27 | 16.06 | 48.87 |  |  |  |
| AV   | 21.07017G | 32.59    | 63.54    | -30.95 | 27.12  | 1    | Vertical  | 33      | 2.06   | -       | 38.28 | 16.06 | 48.87 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX


7025MHz\_TX

EUT\_Z\_2TX  
setting 21  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07077G | 44.81    | 83.54    | -38.73 | 39.34  | 1    | Horizontal | 25      | 1.89   | -       | 38.28 | 16.06 | 48.87 |  |  |  |
| AV   | 21.07026G | 32.59    | 63.54    | -30.95 | 27.12  | 1    | Horizontal | 25      | 1.89   | -       | 38.28 | 16.06 | 48.87 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
setting 22  
03-S-5-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.901G       | 83.60             | 88.20             | -4.60          | 76.58         | 3           | Vertical  | 74             | 1.03          | -       | 34.50      | 7.61       | 35.09      |  |  |  |
| RMS  | 5.8906G      | 56.90             | 68.20             | -11.30         | 49.93         | 3           | Vertical  | 74             | 1.03          | -       | 34.46      | 7.60       | 35.09      |  |  |  |
| PK   | 6.097G       | 110.82            | Inf               | -Inf           | 103.24        | 3           | Vertical  | 74             | 1.03          | -       | 34.88      | 7.80       | 35.10      |  |  |  |
| RMS  | 6.0914G      | 99.75             | Inf               | -Inf           | 92.21         | 3           | Vertical  | 74             | 1.03          | -       | 34.85      | 7.80       | 35.11      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6025MHz\_TX


EUT\_Z\_2TX  
setting 22  
03-S-5-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.897G       | 71.22             | 88.20             | -16.98         | 64.21         | 3           | Horizontal | 347            | 1.01          | -       | 34.49      | 7.61       | 35.09      |  |  |  |
| RMS  | 5.9034G      | 49.47             | 68.20             | -18.73         | 42.44         | 3           | Horizontal | 347            | 1.01          | -       | 34.51      | 7.61       | 35.09      |  |  |  |
| PK   | 6.089G       | 101.11            | Inf               | -Inf           | 93.60         | 3           | Horizontal | 347            | 1.01          | -       | 34.83      | 7.79       | 35.11      |  |  |  |
| RMS  | 6.0914G      | 90.38             | Inf               | -Inf           | 82.84         | 3           | Horizontal | 347            | 1.01          | -       | 34.85      | 7.80       | 35.11      |  |  |  |



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6025MHz\_TX

EUT\_Z\_2TX  
setting 22  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.05097G    | 59.02             | 74.00             | -14.98         | 39.18         | 3           | Vertical  | 89             | 1.10          | -       | 39.10      | 12.02      | 31.28      |  |  |  |
| AV   | 12.04515G    | 47.44             | 54.00             | -6.56          | 27.58         | 3           | Vertical  | 89             | 1.10          | -       | 39.12      | 12.02      | 31.28      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6025MHz\_TX

EUT\_Z\_2TX  
setting 22  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.05197G    | 59.90             | 74.00             | -14.10         | 40.06         | 3           | Horizontal | 348            | 2.45          | -       | 39.10      | 12.02      | 31.28      |  |  |  |
| AV   | 12.05283G    | 47.33             | 54.00             | -6.67          | 27.50         | 3           | Horizontal | 348            | 2.45          | -       | 39.09      | 12.02      | 31.28      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6025MHz\_TX

EUT\_Z\_2TX  
setting 22  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07966G | 44.50    | 83.54    | -39.04 | 41.16  | 1    | Vertical  | 349     | 1.86   | -       | 37.52 | 15.30 | 49.48 |  |  |  |
| AV   | 18.0797G  | 32.37    | 63.54    | -31.17 | 29.03  | 1    | Vertical  | 349     | 1.86   | -       | 37.52 | 15.30 | 49.48 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6025MHz\_TX

EUT\_Z\_2TX  
setting 22  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07968G | 44.02    | 83.54    | -39.52 | 40.68  | 1    | Horizontal | 108     | 2.57   | -       | 37.52 | 15.30 | 49.48 |  |  |  |
| AV   | 18.0774G  | 32.43    | 63.54    | -31.11 | 29.10  | 1    | Horizontal | 108     | 2.57   | -       | 37.51 | 15.30 | 49.48 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6185MHz\_TX

EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.37476G | 59.45    | 74.00    | -14.55 | 39.86  | 3    | Vertical  | 76      | 1.27   | -       | 38.80 | 12.08 | 31.29 |  |  |  |
| AV   | 12.37077G | 47.01    | 54.00    | -6.99  | 27.42  | 3    | Vertical  | 76      | 1.27   | -       | 38.80 | 12.08 | 31.29 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6185MHz\_TX

EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.36998G | 59.07    | 74.00    | -14.93 | 39.48  | 3    | Horizontal | 215     | 1.67   | -       | 38.80 | 12.08 | 31.29 |  |  |  |
| AV   | 12.37405G | 47.05    | 54.00    | -6.95  | 27.46  | 3    | Horizontal | 215     | 1.67   | -       | 38.80 | 12.08 | 31.29 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6185MHz\_TX

EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.55663G    | 45.28             | 83.54             | -38.26         | 41.95         | 1           | Vertical  | 355            | 1.44          | -       | 37.70      | 15.27      | 49.64      |  |  |  |
| AV   | 18.55761G    | 32.75             | 63.54             | -30.79         | 29.42         | 1           | Vertical  | 355            | 1.44          | -       | 37.70      | 15.27      | 49.64      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6185MHz\_TX


EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.5536G  | 44.65    | 83.54    | -38.89 | 41.32  | 1    | Horizontal | 331     | 2.25   | -       | 37.70 | 15.27 | 49.64 |  |  |  |
| AV   | 18.55166G | 32.70    | 63.54    | -30.84 | 29.37  | 1    | Horizontal | 331     | 2.25   | -       | 37.70 | 15.27 | 49.64 |  |  |  |



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6345MHz\_TX

EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.69385G    | 58.98             | 74.00             | -15.02         | 39.59         | 3           | Vertical  | 75             | 2.14          | -       | 38.70      | 12.15      | 31.46      |  |  |  |
| AV   | 12.68881G    | 46.27             | 54.00             | -7.73          | 26.89         | 3           | Vertical  | 75             | 2.14          | -       | 38.70      | 12.14      | 31.46      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6345MHz\_TX

EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.686G   | 59.12    | 74.00    | -14.88 | 39.74  | 3    | Horizontal | 0       | 1.58   | -       | 38.70 | 12.14 | 31.46 |  |  |  |
| AV   | 12.68982G | 46.28    | 54.00    | -7.72  | 26.90  | 3    | Horizontal | 0       | 1.58   | -       | 38.70 | 12.14 | 31.46 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6345MHz\_TX

EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.03524G | 44.79    | 83.54    | -38.75 | 41.00  | 1    | Vertical  | 65      | 2.13   | -       | 37.90 | 15.25 | 49.36 |  |  |  |
| AV   | 19.03959G | 32.64    | 63.54    | -30.90 | 28.86  | 1    | Vertical  | 65      | 2.13   | -       | 37.90 | 15.25 | 49.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6345MHz\_TX

EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.04G       | 44.21             | 83.54             | -39.33         | 40.43         | 1           | Horizontal | 35             | 1.57          | -       | 37.90      | 15.25      | 49.37      |  |  |  |
| AV   | 19.0376G     | 32.63             | 63.54             | -30.91         | 28.85         | 1           | Horizontal | 35             | 1.57          | -       | 37.90      | 15.25      | 49.37      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

## 6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
setting 22  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.00995G    | 58.95             | 88.20             | -29.25         | 39.07         | 3           | Vertical  | 200            | 1.01          | -       | 39.40      | 12.21      | 31.73      |  |  |  |
| RMS  | 13.01124G    | 46.93             | 68.20             | -21.27         | 27.05         | 3           | Vertical  | 200            | 1.01          | -       | 39.40      | 12.21      | 31.73      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

## 6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
setting 22  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.00972G    | 59.03             | 88.20             | -29.17         | 39.15         | 3           | Horizontal | 219            | 1.21          | -       | 39.40      | 12.21      | 31.73      |  |  |  |
| RMS  | 13.01131G    | 46.93             | 68.20             | -21.27         | 27.05         | 3           | Horizontal | 219            | 1.21          | -       | 39.40      | 12.21      | 31.73      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

## 6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
setting 22  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.51129G | 45.82    | 83.54    | -37.72 | 42.25  | 1    | Vertical  | 327     | 1.31   | -       | 38.02 | 15.22 | 49.67 |  |  |  |
| AV   | 19.51312G | 33.82    | 63.54    | -29.72 | 30.24  | 1    | Vertical  | 327     | 1.31   | -       | 38.03 | 15.22 | 49.67 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

## 6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
setting 22  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.51109G | 45.98    | 83.54    | -37.56 | 42.41  | 1    | Horizontal | 48      | 2.47   | -       | 38.02 | 15.22 | 49.67 |  |  |  |
| AV   | 19.51027G | 33.68    | 63.54    | -29.86 | 30.11  | 1    | Horizontal | 48      | 2.47   | -       | 38.02 | 15.22 | 49.67 |  |  |  |



6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6665MHz\_TX

EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.33466G | 59.94    | 74.00    | -14.06 | 39.57  | 3    | Vertical  | 310     | 1.78   | -       | 40.17 | 12.27 | 32.07 |  |  |  |
| AV   | 13.33464G | 47.31    | 54.00    | -6.69  | 26.94  | 3    | Vertical  | 310     | 1.78   | -       | 40.17 | 12.27 | 32.07 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6665MHz\_TX

EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.32834G    | 59.33             | 74.00             | -14.67         | 38.97         | 3           | Horizontal | 356            | 1.92          | -       | 40.16      | 12.27      | 32.07      |  |  |  |
| AV   | 13.32897G    | 47.32             | 54.00             | -6.68          | 26.96         | 3           | Horizontal | 356            | 1.92          | -       | 40.16      | 12.27      | 32.07      |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.9974G | 44.14    | 83.54    | -39.40 | 40.41  | 1    | Vertical  | 160     | 1.22   | -       | 37.80 | 15.20 | 49.27 |  |  |  |  |
| AV   | 19.9901G | 32.12    | 63.54    | -31.42 | 28.40  | 1    | Vertical  | 160     | 1.22   | -       | 37.80 | 15.20 | 49.28 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6665MHz\_TX

EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.99049G    | 44.33             | 83.54             | -39.21         | 40.61         | 1           | Horizontal | 31             | 1.77          | -       | 37.80      | 15.20      | 49.28      |  |  |  |
| AV   | 19.99697G    | 32.16             | 63.54             | -31.38         | 28.43         | 1           | Horizontal | 31             | 1.77          | -       | 37.80      | 15.20      | 49.27      |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_TX  
setting 24  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.65103G | 59.95    | 88.20    | -28.25 | 39.19  | 3    | Vertical  | 131     | 1.51   | -       | 40.70 | 12.33 | 32.27 |  |  |  |
| RMS  | 13.64765G | 48.00    | 68.20    | -20.20 | 27.24  | 3    | Vertical  | 131     | 1.51   | -       | 40.70 | 12.33 | 32.27 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

## 6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.65113G | 60.08    | 88.20    | -28.12 | 39.32  | 3    | Horizontal | 174     | 2.10   | -       | 40.70 | 12.33 | 32.27 |  |  |  |
| RMS  | 13.64752G | 48.00    | 68.20    | -20.20 | 27.24  | 3    | Horizontal | 174     | 2.10   | -       | 40.70 | 12.33 | 32.27 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

## 6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.47498G    | 43.93             | 83.54             | -39.61         | 39.70         | 1           | Vertical  | 129            | 1.77          | -       | 37.80      | 15.58      | 49.15      |  |  |  |
| AV   | 20.4775G     | 32.24             | 63.54             | -31.30         | 28.03         | 1           | Vertical  | 129            | 1.77          | -       | 37.78      | 15.58      | 49.15      |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6825MHz Straddle 6.525-6.875GHz\_TX


EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.47842G | 44.41    | 83.54    | -39.13 | 40.21  | 1    | Horizontal | 11      | 2.74   | -       | 37.77 | 15.58 | 49.15 |  |  |  |
| AV   | 20.47185G | 32.29    | 63.54    | -31.25 | 28.03  | 1    | Horizontal | 11      | 2.74   | -       | 37.83 | 15.58 | 49.15 |  |  |  |



## 6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

### 6985MHz\_TX




EUT\_Z\_2TX  
setting 22  
01-P-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9786G      | 105.81            | Inf               | -Inf           | 95.22         | 3           | Vertical  | 338            | 1.05          | -       | 35.06      | 8.54       | 33.01      |  |  |  |
| RMS  | 7.0042G      | 89.28             | Inf               | -Inf           | 78.61         | 3           | Vertical  | 338            | 1.05          | -       | 35.12      | 8.56       | 33.01      |  |  |  |
| PK   | 7.2234G      | 63.89             | 88.20             | -24.31         | 52.30         | 3           | Vertical  | 338            | 1.05          | -       | 36.15      | 8.52       | 33.08      |  |  |  |
| RMS  | 7.2178G      | 50.66             | 68.20             | -17.54         | 39.09         | 3           | Vertical  | 360            | 1.50          | -       | 36.14      | 8.51       | 33.08      |  |  |  |

## 6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

## 6985MHz\_TX




EUT\_Z\_2TX  
setting 22  
02-H-Y-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9186G      | 97.51             | Inf               | -Inf           | 84.83         | 3           | Horizontal | 157            | 2.14          | -       | 35.30      | 9.23       | 31.85      |  |  |  |
| RMS  | 6.9122G      | 89.29             | Inf               | -Inf           | 76.59         | 3           | Horizontal | 157            | 2.14          | -       | 35.30      | 9.24       | 31.84      |  |  |  |
| PK   | 7.2322G      | 63.76             | 88.20             | -24.44         | 50.34         | 3           | Horizontal | 157            | 2.14          | -       | 36.13      | 9.36       | 32.07      |  |  |  |
| RMS  | 7.2106G      | 53.75             | 68.20             | -14.45         | 40.40         | 3           | Horizontal | 157            | 2.14          | -       | 36.04      | 9.37       | 32.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
setting 22  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.97197G | 60.95    | 88.20    | -27.25 | 39.45  | 3    | Vertical  | 206     | 2.14   | -       | 41.44 | 12.39 | 32.33 |  |  |  |
| RMS  | 13.9735G  | 48.88    | 68.20    | -19.32 | 27.37  | 3    | Vertical  | 206     | 2.14   | -       | 41.45 | 12.39 | 32.33 |  |  |  |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6985MHz\_TX

EUT\_Z\_2TX  
setting 22  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.97139G | 60.52    | 88.20    | -27.68 | 39.02  | 3    | Horizontal | 68      | 1.75   | -       | 41.44 | 12.39 | 32.33 |  |  |  |
| RMS  | 13.97068G | 48.93    | 68.20    | -19.27 | 27.43  | 3    | Horizontal | 68      | 1.75   | -       | 41.44 | 12.39 | 32.33 |  |  |  |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX


6985MHz\_TX

EUT\_Z\_2TX  
setting 22  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95581G    | 45.55             | 83.54             | -37.99         | 40.41         | 1           | Vertical  | 281            | 2.67          | -       | 38.08      | 15.96      | 48.90      |  |  |  |
| AV   | 20.95616G    | 32.72             | 63.54             | -30.82         | 27.58         | 1           | Vertical  | 281            | 2.67          | -       | 38.08      | 15.96      | 48.90      |  |  |  |

## 6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

## 6985MHz\_TX




EUT\_Z\_2TX  
setting 22  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95241G    | 44.90             | 83.54             | -38.64         | 39.75         | 1           | Horizontal | 215            | 2.55          | -       | 38.09      | 15.96      | 48.90      |  |  |  |
| AV   | 20.95078G    | 32.80             | 63.54             | -30.74         | 27.65         | 1           | Horizontal | 215            | 2.55          | -       | 38.10      | 15.96      | 48.91      |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_Z\_2TX  
setting 24  
01-P-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.921G       | 76.21             | 88.20             | -11.99         | 69.14         | 3           | Vertical  | 268            | 2.52          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| RMS  | 5.923G       | 66.05             | 68.20             | -2.15          | 58.98         | 3           | Vertical  | 268            | 2.52          | -       | 32.40      | 7.64       | 32.97      |  |  |  |
| PK   | 6.098G       | 117.07            | Inf               | -Inf           | 109.88        | 3           | Vertical  | 268            | 2.52          | -       | 32.50      | 7.70       | 33.01      |  |  |  |
| RMS  | 6.098G       | 98.10             | Inf               | -Inf           | 90.91         | 3           | Vertical  | 268            | 2.52          | -       | 32.50      | 7.70       | 33.01      |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_Z\_2TX  
setting 24  
01-P-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.916G       | 66.41             | 88.20             | -21.79         | 54.38         | 3           | Horizontal | 344            | 2.66          | -       | 34.20      | 8.98       | 31.15      |  |  |  |
| RMS  | 5.925G       | 55.60             | 68.20             | -12.60         | 43.59         | 3           | Horizontal | 344            | 2.66          | -       | 34.20      | 8.97       | 31.16      |  |  |  |
| PK   | 6.168G       | 100.49            | Inf               | -Inf           | 87.95         | 3           | Horizontal | 344            | 2.66          | -       | 34.60      | 9.19       | 31.25      |  |  |  |
| RMS  | 6.166G       | 90.25             | Inf               | -Inf           | 77.71         | 3           | Horizontal | 344            | 2.66          | -       | 34.60      | 9.19       | 31.25      |  |  |  |



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX


6105MHz\_TX

EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.20564G | 58.68    | 74.00    | -15.32 | 39.03  | 3    | Vertical  | 55      | 1.68   | -       | 38.89 | 12.05 | 31.29 |  |  |  |
| AV   | 12.20865G | 46.64    | 54.00    | -7.36  | 27.00  | 3    | Vertical  | 55      | 1.68   | -       | 38.88 | 12.05 | 31.29 |  |  |  |

## 5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

## 6105MHz\_TX




EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.21049G    | 59.21             | 74.00             | -14.79         | 39.57         | 3           | Horizontal | 346            | 2.49          | -       | 38.88      | 12.05      | 31.29      |  |  |  |
| AV   | 12.2129G     | 46.71             | 54.00             | -7.29          | 27.08         | 3           | Horizontal | 346            | 2.49          | -       | 38.87      | 12.05      | 31.29      |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX


6105MHz\_TX

EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.31369G    | 43.93             | 83.54             | -39.61         | 40.74         | 1           | Vertical  | 136            | 1.92          | -       | 37.50      | 15.28      | 49.59      |  |  |  |
| AV   | 18.31338G    | 32.27             | 63.54             | -31.27         | 29.08         | 1           | Vertical  | 136            | 1.92          | -       | 37.50      | 15.28      | 49.59      |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX


6105MHz\_TX

EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31378G | 44.67    | 83.54    | -38.87 | 41.48  | 1    | Horizontal | 241     | 2.63   | -       | 37.50 | 15.28 | 49.59 |  |  |  |
| AV   | 18.31355G | 32.35    | 63.54    | -31.19 | 29.16  | 1    | Horizontal | 241     | 2.63   | -       | 37.50 | 15.28 | 49.59 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX


6265MHz\_TX

EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.53171G | 58.92    | 74.00    | -15.08 | 39.44  | 3    | Vertical  | 175     | 2.24   | -       | 38.70 | 12.11 | 31.33 |  |  |  |
| AV   | 12.52616G | 46.79    | 54.00    | -7.21  | 27.30  | 3    | Vertical  | 175     | 2.24   | -       | 38.70 | 12.11 | 31.32 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX


6265MHz\_TX

EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.52599G | 59.93    | 74.00    | -14.07 | 40.44  | 3    | Horizontal | 49      | 2.71   | -       | 38.70 | 12.11 | 31.32 |  |  |  |
| AV   | 12.52543G | 46.79    | 54.00    | -7.21  | 27.30  | 3    | Horizontal | 49      | 2.71   | -       | 38.70 | 12.11 | 31.32 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX


6265MHz\_TX

EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.79816G | 44.50    | 83.54    | -39.04 | 40.92  | 1    | Vertical  | 323     | 2.04   | -       | 37.80 | 15.26 | 49.48 |  |  |  |
| AV   | 18.79691G | 32.63    | 63.54    | -30.91 | 29.05  | 1    | Vertical  | 323     | 2.04   | -       | 37.80 | 15.26 | 49.48 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6265MHz\_TX


EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.79835G    | 44.98             | 83.54             | -38.56         | 41.40         | 1           | Horizontal | 105            | 2.40          | -       | 37.80      | 15.26      | 49.48      |  |  |  |
| AV   | 18.79922G    | 32.54             | 63.54             | -31.00         | 28.96         | 1           | Horizontal | 105            | 2.40          | -       | 37.80      | 15.26      | 49.48      |  |  |  |



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX


6425MHz Straddle 5.925-6.425GHz\_TX

EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.84813G | 59.93    | 88.20    | -28.27 | 40.34  | 3    | Vertical  | 12      | 1.89   | -       | 39.00 | 12.18 | 31.59 |  |  |  |
| RMS  | 12.84918G | 46.81    | 68.20    | -21.39 | 27.22  | 3    | Vertical  | 12      | 1.89   | -       | 39.00 | 12.18 | 31.59 |  |  |  |

## 5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

## 6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.85402G    | 59.08             | 88.20             | -29.12         | 39.49         | 3           | Horizontal | 18             | 2.04          | -       | 39.01      | 12.18      | 31.60      |  |  |  |
| RMS  | 12.8488G     | 46.90             | 68.20             | -21.30         | 27.31         | 3           | Horizontal | 18             | 2.04          | -       | 39.00      | 12.18      | 31.59      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

## 6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.27365G | 44.51    | 83.54    | -39.03 | 40.85  | 1    | Vertical  | 161     | 1.76   | -       | 37.95 | 15.24 | 49.53 |  |  |  |
| AV   | 19.27613G | 32.21    | 63.54    | -31.33 | 28.55  | 1    | Vertical  | 161     | 1.76   | -       | 37.95 | 15.24 | 49.53 |  |  |  |

## 5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

## 6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_Z\_2TX  
setting 24  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.27487G    | 45.24             | 83.54             | -38.30         | 41.58         | 1           | Horizontal | 214            | 2.86          | -       | 37.95      | 15.24      | 49.53      |  |  |  |
| AV   | 19.27394G    | 32.22             | 63.54             | -31.32         | 28.56         | 1           | Horizontal | 214            | 2.86          | -       | 37.95      | 15.24      | 49.53      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

## 6585MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
setting 25  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.16843G    | 59.35             | 88.20             | -28.85         | 39.24         | 3           | Vertical  | 294            | 1.54          | -       | 39.77      | 12.24      | 31.90      |  |  |  |
| RMS  | 13.16552G    | 47.61             | 68.20             | -20.59         | 27.51         | 3           | Vertical  | 294            | 1.54          | -       | 39.76      | 12.24      | 31.90      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

## 6585MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
setting 25  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.17358G | 60.07    | 88.20    | -28.13 | 39.94  | 3    | Horizontal | 86      | 2.00   | -       | 39.79 | 12.24 | 31.90 |  |  |  |
| RMS  | 13.16795G | 47.69    | 68.20    | -20.51 | 27.58  | 3    | Horizontal | 86      | 2.00   | -       | 39.77 | 12.24 | 31.90 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

## 6585MHz Straddle 6.425-6.525GHz\_TX




EUT\_Z\_2TX  
setting 25  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.75789G | 44.09    | 83.54    | -39.45 | 40.42  | 1    | Vertical  | 175     | 2.77   | -       | 37.93 | 15.21 | 49.47 |  |  |  |
| AV   | 19.75812G | 32.23    | 63.54    | -31.31 | 28.56  | 1    | Vertical  | 175     | 2.77   | -       | 37.93 | 15.21 | 49.47 |  |  |  |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6585MHz Straddle 6.425-6.525GHz\_TX


EUT\_Z\_2TX  
setting 25  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.75532G    | 43.95             | 83.54             | -39.59         | 40.29         | 1           | Horizontal | 198            | 1.04          | -       | 37.92      | 15.21      | 49.47      |  |  |  |
| AV   | 19.75347G    | 32.36             | 63.54             | -31.18         | 28.71         | 1           | Horizontal | 198            | 1.04          | -       | 37.91      | 15.21      | 49.47      |  |  |  |



6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
setting 23  
06-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.61G        | 108.76            | Inf               | -Inf           | 97.27         | 3           | Vertical  | 204            | 1.00          | -       | 34.50      | 7.86       | 30.87      |  |  |  |
| RMS  | 6.614G       | 98.97             | Inf               | -Inf           | 87.50         | 3           | Vertical  | 204            | 1.00          | -       | 34.50      | 7.86       | 30.89      |  |  |  |
| PK   | 7.173G       | 74.96             | 88.20             | -13.24         | 62.71         | 3           | Vertical  | 204            | 1.00          | -       | 36.35      | 8.31       | 32.41      |  |  |  |
| RMS  | 7.134G       | 64.95             | 68.20             | -3.25          | 52.82         | 3           | Vertical  | 204            | 1.00          | -       | 36.20      | 8.28       | 32.35      |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
setting 23  
02-H-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.784G       | 104.43            | Inf               | -Inf           | 91.36         | 3           | Horizontal | 160            | 2.57          | -       | 35.27      | 9.49       | 31.69      |  |  |  |
| RMS  | 6.623G       | 93.90             | Inf               | -Inf           | 81.48         | 3           | Horizontal | 160            | 2.57          | -       | 34.79      | 9.13       | 31.50      |  |  |  |
| PK   | 7.153G       | 72.96             | 88.20             | -15.24         | 59.98         | 3           | Horizontal | 160            | 2.57          | -       | 35.72      | 9.29       | 32.03      |  |  |  |
| RMS  | 7.13G        | 62.50             | 68.20             | -5.70          | 49.68         | 3           | Horizontal | 160            | 2.57          | -       | 35.58      | 9.25       | 32.01      |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.49331G | 60.05    | 88.20    | -28.15 | 39.49  | 3    | Vertical  | 51      | 1.82   | -       | 40.50 | 12.30 | 32.24 |  |  |  |
| RMS  | 13.48671G | 48.00    | 68.20    | -20.20 | 27.44  | 3    | Vertical  | 51      | 1.82   | -       | 40.50 | 12.30 | 32.24 |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX


6745MHz Straddle 6.525-6.875GHz\_TX

EUT\_Z\_TX  
setting 23  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.48935G    | 60.34             | 88.20             | -27.86         | 39.78         | 3           | Horizontal | 40             | 2.87          | -       | 40.50      | 12.30      | 32.24      |  |  |  |
| RMS  | 13.49199G    | 47.98             | 68.20             | -20.22         | 27.42         | 3           | Horizontal | 40             | 2.87          | -       | 40.50      | 12.30      | 32.24      |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX


6745MHz Straddle 6.525-6.875GHz\_TX

EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.2377G  | 44.99    | 83.54    | -38.55 | 40.83  | 1    | Vertical  | 302     | 2.96   | -       | 37.98 | 15.39 | 49.21 |  |  |  |
| AV   | 20.23073G | 32.77    | 63.54    | -30.77 | 28.64  | 1    | Vertical  | 302     | 2.96   | -       | 37.96 | 15.38 | 49.21 |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX


6745MHz Straddle 6.525-6.875GHz\_TX

EUT\_Z\_2TX  
setting 23  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.23587G    | 45.00             | 83.54             | -38.54         | 40.85         | 1           | Horizontal | 196            | 1.53          | -       | 37.97      | 15.39      | 49.21      |  |  |  |
| AV   | 20.23084G    | 32.68             | 63.54             | -30.86         | 28.55         | 1           | Horizontal | 196            | 1.53          | -       | 37.96      | 15.38      | 49.21      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

### 6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
Setting 25  
03-S-5-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9182G      | 113.42            | Inf               | -Inf           | 104.91        | 3           | Vertical  | 343.1          | 1.05          | -       | 35.60      | 8.37       | 35.46      |  |  |  |
| RMS  | 6.9146G      | 101.49            | Inf               | -Inf           | 92.98         | 3           | Vertical  | 343.1          | 1.05          | -       | 35.60      | 8.37       | 35.46      |  |  |  |
| PK   | 7.1294G      | 70.67             | 88.20             | -17.53         | 61.90         | 3           | Vertical  | 193            | 2.23          | -       | 35.82      | 8.43       | 35.48      |  |  |  |
| RMS  | 7.1522G      | 51.07             | 68.20             | -17.13         | 42.19         | 3           | Vertical  | 343.1          | 1.05          | -       | 35.91      | 8.44       | 35.47      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

### 6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-H-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.7946G      | 97.43             | Inf               | -Inf           | 84.32         | 3           | Horizontal | 193            | 2.23          | -       | 35.29      | 9.52       | 31.70      |  |  |  |
| RMS  | 6.9134G      | 88.57             | Inf               | -Inf           | 75.87         | 3           | Horizontal | 193            | 2.23          | -       | 35.30      | 9.24       | 31.84      |  |  |  |
| PK   | 7.1804G      | 63.53             | 88.20             | -24.67         | 50.35         | 3           | Horizontal | 193            | 2.23          | -       | 35.88      | 9.34       | 32.04      |  |  |  |
| RMS  | 7.202G       | 54.36             | 68.20             | -13.84         | 41.03         | 3           | Horizontal | 193            | 2.23          | -       | 36.01      | 9.37       | 32.05      |  |  |  |



## 6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

## 6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.80778G | 61.28    | 88.20    | -26.92 | 40.19  | 3    | Vertical  | 359     | 1.18   | -       | 41.03 | 12.36 | 32.30 |  |  |  |
| RMS  | 13.81192G | 48.89    | 68.20    | -19.31 | 27.78  | 3    | Vertical  | 359     | 1.18   | -       | 41.05 | 12.36 | 32.30 |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.81993G    | 61.00             | 88.20             | -27.20         | 39.86         | 3           | Horizontal | 14             | 2.66          | -       | 41.08      | 12.36      | 32.30      |  |  |  |
| RMS  | 13.79848G    | 48.94             | 68.20             | -19.26         | 27.88         | 3           | Horizontal | 14             | 2.66          | -       | 41.00      | 12.36      | 32.30      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

## 6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71348G | 44.07    | 83.54    | -39.47 | 39.46  | 1    | Vertical  | 77      | 1.04   | -       | 37.87 | 15.77 | 49.03 |  |  |  |
| AV   | 20.71997G | 31.95    | 63.54    | -31.59 | 27.34  | 1    | Vertical  | 77      | 1.04   | -       | 37.86 | 15.78 | 49.03 |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

6905MHz Straddle 6.525-6.875GHz\_TX

EUT\_Z\_2TX  
Setting 25  
02-H-G-4


| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71425G    | 44.67             | 83.54             | -38.87         | 40.06         | 1           | Horizontal | 2              | 1.88          | -       | 37.87      | 15.77      | 49.03      |  |  |  |
| AV   | 20.71945G    | 31.95             | 63.54             | -31.59         | 27.34         | 1           | Horizontal | 2              | 1.88          | -       | 37.86      | 15.78      | 49.03      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

5955MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6175MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6415MHz\_TX

20/05/2024




6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6435MHz\_TX

20/05/2024




6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6475MHz\_TX

20/05/2024




6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6515MHz\_TX

20/05/2024




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6535MHz\_TX

02/07/2024




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6695MHz\_TX

20/05/2024





6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6875MHz\_TX

20/05/2024

CF (Hz)  
6.875G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.881848G | -8.79    | 6.887G    | -40.01     | -28.81     | -11.20     | 1    |
| 6.867052G | -7.85    | 6.862725G | -40.53     | -27.87     | -12.66     | 2    |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6895MHz\_TX

20/05/2024

CF (Hz)  
6.895G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.893825G | -7.79    | 6.907G    | -39.55     | -27.81     | -11.74     | 1    |
| 6.897499G | -7.26    | 6.907175G | -39.06     | -27.40     | -11.66     | 2    |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6995MHz\_TX

20/05/2024




6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

7095MHz\_TX

02/07/2024



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

7115MHz\_TX

02/07/2024

CF (Hz)  
7.115G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

5965MHz\_TX

02/07/2024

CF (Hz)  
5.965G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 


Port 2 

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6165MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6405MHz\_TX

20/05/2024




6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6445MHz\_TX

20/05/2024



6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6485MHz\_TX

20/05/2024




6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6525MHz\_TX

20/05/2024




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6565MHz\_TX

02/07/2024




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6685MHz\_TX

20/05/2024




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6885MHz\_TX

20/05/2024




6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6925MHz\_TX

20/05/2024




6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

7005MHz\_TX

20/05/2024






6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

7085MHz\_TX

02/07/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 7.080701G | -0.55    | 7.02025G | -49.18     | -40.32     | -8.86      | 1    |
| 7.068854G | -1.01    | 7.0194G  | -49.02     | -41.01     | -8.01      | 2    |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

5985MHz\_TX

02/07/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.01989G | 2.32     | 6.1131G  | -41.71     | -37.68     | -4.03      | 1    |
| 6.00929G | 1.56     | 6.1134G  | -41.24     | -38.36     | -2.88      | 2    |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6145MHz\_TX

02/07/2024




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6385MHz\_TX

20/05/2024




6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6465MHz\_TX

20/05/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.453G   | -0.28    | 6.5073G  | -27.40     | -20.33     | -7.07      | 1    |
| 6.48869G | -1.39    | 6.4202G  | -29.84     | -21.48     | -8.36      | 2    |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6545MHz\_TX

20/05/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.5327G  | 4.16     | 6.5878G  | -23.99     | -15.93     | -8.06      | 1    |
| 6.51491G | 2.48     | 6.5002G  | -27.00     | -17.54     | -9.46      | 2    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6625MHz\_TX

20/05/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.6131G  | 2.10     | 6.7541G  | -45.69     | -37.90     | -7.79      | 1    |
| 6.60331G | 2.10     | 6.7542G  | -45.84     | -37.90     | -7.94      | 2    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6705MHz\_TX

20/05/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.66891G | 0.27     | 6.7498G  | -29.62     | -19.75     | -9.87      | 1    |
| 6.6943G  | 0.64     | 6.6594G  | -28.85     | -19.56     | -9.29      | 2    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6785MHz\_TX

20/05/2024




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6865MHz\_TX

20/05/2024




6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6945MHz\_TX

20/05/2024




6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

7025MHz\_TX

16/05/2024




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6025MHz\_TX

16/05/2024




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6185MHz\_TX

16/05/2024




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6345MHz\_TX

16/05/2024




6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6505MHz\_TX

02/07/2024






6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6665MHz\_TX

16/05/2024

CF (Hz)  
6.665G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.6618G  | 4.49     | 7.002G   | -39.93     | -35.51     | -4.42      | 1    |
| 6.59562G | 4.15     | 6.4142G  | -37.71     | -35.85     | -1.86      | 2    |


6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6825MHz\_TX

02/07/2024

CF (Hz)  
6.825G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.79621G | 3.38     | 6.4914G  | -39.13     | -36.62     | -2.51      | 1    |
| 6.75302G | 4.35     | 6.5076G  | -40.37     | -35.65     | -4.72      | 2    |


6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6985MHz\_TX

02/07/2024

CF (Hz)  
6.985G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.91222G | 4.90     | 6.7318G  | -35.59     | -35.10     | -0.49      | 1    |
| 6.90822G | 6.18     | 6.7314G  | -36.80     | -33.82     | -2.98      | 2    |


5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

MASK

6105MHz\_TX

16/05/2024

CF (Hz)  
6.105G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.101G   | 3.04     | 6.607G   | -40.04     | -36.89     | -3.15      | 1    |
| 6.16219G | 2.09     | 6.6374G  | -40.77     | -37.91     | -2.86      | 2    |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

MASK

6265MHz\_TX

16/05/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.2778G  | 4.70     | 6.8086G  | -39.38     | -35.30     | -4.08      | 1    |
| 6.21861G | 2.66     | 6.8118G  | -37.48     | -37.34     | -0.14      | 2    |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

MASK

6425MHz\_TX

16/05/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.4386G  | 5.45     | 6.9682G  | -38.47     | -34.55     | -3.92      | 1    |
| 6.27064G | 2.63     | 6.9682G  | -40.01     | -37.37     | -2.64      | 2    |

## 6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

MASK

## 6585MHz\_TX

16/05/2024




## 6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

MASK

## 6745MHz\_TX

20/05/2024



6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

MASK

6905MHz\_TX

16/05/2024

CF (Hz)  
6.905G


Span (Hz)  
1.6G

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
6.4m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.9202G  | 1.06     | 6.3994G  | -39.29     | -38.94     | -0.35      | 1    |
| 6.77183G | 0.99     | 6.377G   | -41.74     | -39.01     | -2.73      | 2    |

| Contention Based Protocol Threshold Level |         |                 |                 |                              |      |            |                           |                |                      |                       |
|-------------------------------------------|---------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5                                         | 53      | 20              | 6215            | Center                       | 6215 | OFF        | -70.37                    | 1.63           | -72.01               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -71.37                    | 1.63           | -73.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -80.37                    | 1.63           | -82.00               | ≤ -62                 |
| 6                                         | 101     | 20              | 6455            | Center                       | 6455 | OFF        | -72.37                    | 1.63           | -74.06               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -73.37                    | 1.63           | -75.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -80.37                    | 1.63           | -82.00               | ≤ -62                 |
| 7                                         | 149     | 20              | 6695            | Center                       | 6695 | OFF        | -72.37                    | 1.63           | -74.02               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -73.37                    | 1.63           | -75.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -80.37                    | 1.63           | -82.00               | ≤ -62                 |
| 8                                         | 213     | 20              | 7015            | Center                       | 7015 | OFF        | -65.37                    | 1.63           | -67.04               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -66.37                    | 1.63           | -68.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -80.37                    | 1.63           | -82.00               | ≤ -62                 |

| Contention Based Protocol Threshold Level |         |                 |                 |                              |      |            |                           |                |                      |                       |
|-------------------------------------------|---------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5                                         | 31      | 320             | 6105            | Low edge                     | 5950 | OFF        | -67.37                    | 1.63           | -69.07               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -68.37                    | 1.63           | -70.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -80.37                    | 1.63           | -82.00               | ≤ -62                 |
|                                           |         |                 |                 | Center                       | 6105 | OFF        | -72.37                    | 1.63           | -74.01               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -73.37                    | 1.63           | -75.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -80.37                    | 1.63           | -82.00               | ≤ -62                 |
|                                           |         |                 |                 | High edge                    | 6260 | OFF        | -72.37                    | 1.63           | -74.03               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -73.37                    | 1.63           | -75.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -80.37                    | 1.63           | -82.00               | ≤ -62                 |
| 5/6/7                                     | 95      | 320             | 6425            | Low edge                     | 6270 | OFF        | -69.37                    | 1.63           | -71.02               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -70.37                    | 1.63           | -72.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -80.37                    | 1.63           | -82.00               | ≤ -62                 |
|                                           |         |                 |                 | Center                       | 6425 | OFF        | -72.37                    | 1.63           | -74.06               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -73.37                    | 1.63           | -75.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -80.37                    | 1.63           | -82.00               | ≤ -62                 |
|                                           |         |                 |                 | High edge                    | 6580 | OFF        | -71.37                    | 1.63           | -73.01               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -72.37                    | 1.63           | -74.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -80.37                    | 1.63           | -82.00               | ≤ -62                 |
| 7/8                                       | 159     | 320             | 6475            | Low edge                     | 6590 | OFF        | -69.37                    | 1.63           | -71.04               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -70.37                    | 1.63           | -72.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -80.37                    | 1.63           | -82.00               | ≤ -62                 |
|                                           |         |                 |                 | Center                       | 6745 | OFF        | -72.37                    | 1.63           | -74.06               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -73.37                    | 1.63           | -75.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -80.37                    | 1.63           | -82.00               | ≤ -62                 |
|                                           |         |                 |                 | High edge                    | 6900 | OFF        | -70.37                    | 1.63           | -72.03               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | Minimal    | -71.37                    | 1.63           | -73.00               | ≤ -62                 |
|                                           |         |                 |                 |                              |      | ON         | -80.37                    | 1.63           | -82.00               | ≤ -62                 |

|     |     |     |      |           |      |         |        |      |        |       |
|-----|-----|-----|------|-----------|------|---------|--------|------|--------|-------|
| 7/8 | 191 | 320 | 6905 | Low edge  | 6750 | OFF     | -68.37 | 1.63 | -70.09 | ≤ -62 |
|     |     |     |      |           |      | Minimal | -69.37 | 1.63 | -71.00 | ≤ -62 |
|     |     |     |      |           |      | ON      | -80.37 | 1.63 | -82.00 | ≤ -62 |
|     |     |     |      | Center    | 6905 | OFF     | -70.37 | 1.63 | -72.01 | ≤ -62 |
|     |     |     |      |           |      | Minimal | -71.37 | 1.63 | -73.00 | ≤ -62 |
|     |     |     |      |           |      | ON      | -80.37 | 1.63 | -82.00 | ≤ -62 |
|     |     |     |      | High edge | 7060 | OFF     | -70.37 | 1.63 | -72.04 | ≤ -62 |
|     |     |     |      |           |      | Minimal | -71.37 | 1.63 | -73.00 | ≤ -62 |
|     |     |     |      |           |      | ON      | -80.37 | 1.63 | -82.00 | ≤ -62 |




| Contention Based protocol 802.11ax HEW20 |         |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|------------------------------------------|---------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5                                        | 53      | 20              | 6215            | Center                       | 6215 | -72.01                     | OFF        | 10                                   | 100                       | 90        | PASS        |
| 6                                        | 101     | 20              | 6455            | Center                       | 6455 | -74.06                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 7                                        | 149     | 20              | 6695            | Center                       | 6695 | -74.02                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 8                                        | 213     | 20              | 7015            | Center                       | 7015 | -67.04                     | OFF        | 9                                    | 90                        | 90        | PASS        |

| Contention Based protocol 802.11ax HEW320 |         |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|-------------------------------------------|---------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5                                         | 31      | 320             | 6105            | Low edge                     | 5950 | -69.07                     | OFF        | 10                                   | 100                       | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6105 | -74.01                     | OFF        | 10                                   | 100                       | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 6260 | -74.03                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 5/6/7                                     | 95      | 320             | 6425            | Low edge                     | 6270 | -71.02                     | OFF        | 10                                   | 100                       | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6425 | -74.06                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 6580 | -73.01                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 6/7                                       | 159     | 320             | 6745            | Low edge                     | 6590 | -71.04                     | OFF        | 10                                   | 100                       | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6745 | -74.06                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 6900 | -72.03                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 7/8                                       | 191     | 320             | 6905            | Low edge                     | 6750 | -70.09                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6905 | -72.01                     | OFF        | 10                                   | 100                       | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 7060 | -72.04                     | OFF        | 9                                    | 90                        | 90        | PASS        |


## Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz




## Frequency (MHz): 6695 MHz



Date: 26.JUN.2024 00:02:42


## Frequency (MHz): 7015 MHz



Date: 26.JUN.2024 00:03:08


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz



Date: 26.JUN.2024 00:04:41


Frequency (MHz): 6105 MHz




Date: 26.JUN.2024 00:05:03




## Frequency (MHz): 6260 MHz




## Frequency (MHz): 6270 MHz




## Frequency (MHz): 6425 MHz




## Frequency (MHz): 6580 MHz



## Frequency (MHz): 6590 MHz




## Frequency (MHz): 6745 MHz







## Frequency (MHz): 6750 MHz




## Frequency (MHz): 6900 MHz



## Frequency (MHz): 6905 MHz




## Frequency (MHz): 7060 MHz



## Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz




Note : M1 : Inject AWGN signal

## Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal

## Test CH 213 ; Incumbent signal 7015 MHz




Note : M1 : Inject AWGN signal




Bandwidth: 320MHz

Test CH 31 ; Incumbent signal 5950 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6105 MHz




Note : M1 : Inject AWGN signal

## Test CH 31 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal

## Test CH 95 ; Incumbent signal 6270 MHz




Note : M1 : Inject AWGN signal

## Test CH 95 ; Incumbent signal 6425 MHz



Note : M1 : Inject AWGN signal


## Test CH 95 ; Incumbent signal 6580 MHz



Note : M1 : Inject AWGN signal




## Test CH 159 ; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

## Test CH 159 ; Incumbent signal 6745 MHz




Note : M1 : Inject AWGN signal

## Test CH 159 ; Incumbent signal 6900 MHz




Note : M1 : Inject AWGN signal

## Test CH 191 ; Incumbent signal 6750 MHz




Note : M1 : Inject AWGN signal

## Test CH 191 ; Incumbent signal 6905 MHz



Note : M1 : Inject AWGN signal

## Test CH 191 ; Incumbent signal 7060 MHz



Note : M1 : Inject AWGN signal