


## 5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

### 5270MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1218G      | 62.68             | 74.00             | -11.32         | 51.27         | 3           | Horizontal | 352            | 2.35          | -       | 33.60      | 8.47       | 30.66      |  |  |  |
| AV   | 5.1368G      | 50.04             | 54.00             | -3.96          | 38.63         | 3           | Horizontal | 352            | 2.35          | -       | 33.60      | 8.48       | 30.67      |  |  |  |
| PK   | 5.2571G      | 110.77            | Inf               | -Inf           | 99.13         | 3           | Horizontal | 352            | 2.35          | -       | 33.81      | 8.60       | 30.77      |  |  |  |
| AV   | 5.2616G      | 97.58             | Inf               | -Inf           | 85.93         | 3           | Horizontal | 352            | 2.35          | -       | 33.82      | 8.60       | 30.77      |  |  |  |
| PK   | 5.396G       | 63.18             | 74.00             | -10.82         | 51.38         | 3           | Horizontal | 352            | 2.35          | -       | 33.99      | 8.69       | 30.88      |  |  |  |
| AV   | 5.3864G      | 50.62             | 54.00             | -3.38          | 38.84         | 3           | Horizontal | 352            | 2.35          | -       | 33.97      | 8.68       | 30.87      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5270MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.5469G     | 53.88             | 68.20             | -14.32         | 47.07         | 3           | Vertical  | 182            | 1.50          | -       | 38.59      | 11.04      | 42.82      |  |  |  |
| PK   | 15.81471G    | 54.50             | 74.00             | -19.50         | 45.93         | 3           | Vertical  | 114            | 1.02          | -       | 37.43      | 13.09      | 41.95      |  |  |  |
| AV   | 15.80676G    | 41.19             | 54.00             | -12.81         | 32.63         | 3           | Vertical  | 114            | 1.02          | -       | 37.41      | 13.09      | 41.94      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

### 5270MHz\_TX




EUT\_Z\_TX  
Setting 27  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.54054G    | 53.60             | 68.20             | -14.60         | 46.82         | 3           | Horizontal | 223            | 1.05          | -       | 38.58      | 11.03      | 42.83      |  |  |  |
| PK   | 15.81123G    | 54.14             | 74.00             | -19.86         | 45.58         | 3           | Horizontal | 309            | 2.65          | -       | 37.42      | 13.09      | 41.95      |  |  |  |
| AV   | 15.8088G     | 41.20             | 54.00             | -12.80         | 32.63         | 3           | Horizontal | 309            | 2.65          | -       | 37.42      | 13.09      | 41.94      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5310MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3032G      | 114.98            | Inf               | -Inf           | 106.49        | 3           | Vertical  | 309            | 1.80          | -       | 33.90      | 5.39       | 30.80      |  |  |  |
| AV   | 5.3162G      | 101.40            | Inf               | -Inf           | 92.92         | 3           | Vertical  | 309            | 1.80          | -       | 33.90      | 5.39       | 30.81      |  |  |  |
| PK   | 5.3536G      | 67.69             | 74.00             | -6.31          | 59.22         | 3           | Vertical  | 309            | 1.80          | -       | 33.91      | 5.40       | 30.84      |  |  |  |
| AV   | 5.35G        | 53.48             | 54.00             | -0.52          | 45.02         | 3           | Vertical  | 309            | 1.80          | -       | 33.90      | 5.40       | 30.84      |  |  |  |

5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3194G      | 109.20            | Inf               | -Inf           | 100.73        | 3           | Horizontal | 317            | 1.03          | -       | 33.90      | 5.39       | 30.82      |  |  |  |
| AV   | 5.3068G      | 95.88             | Inf               | -Inf           | 87.40         | 3           | Horizontal | 317            | 1.03          | -       | 33.90      | 5.39       | 30.81      |  |  |  |
| PK   | 5.3534G      | 63.17             | 74.00             | -10.83         | 54.70         | 3           | Horizontal | 317            | 1.03          | -       | 33.91      | 5.40       | 30.84      |  |  |  |
| AV   | 5.35G        | 48.77             | 54.00             | -5.23          | 40.31         | 3           | Horizontal | 317            | 1.03          | -       | 33.90      | 5.40       | 30.84      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

### 5310MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.62429G    | 51.37             | 74.00             | -22.63         | 47.27         | 3           | Vertical  | 291            | 1.81          | -       | 38.55      | 8.27       | 42.72      |  |  |  |
| AV   | 10.63041G    | 38.33             | 54.00             | -15.67         | 34.23         | 3           | Vertical  | 291            | 1.81          | -       | 38.54      | 8.27       | 42.71      |  |  |  |
| PK   | 15.9159G     | 52.90             | 74.00             | -21.10         | 47.16         | 3           | Vertical  | 131            | 3.00          | -       | 37.64      | 10.25      | 42.15      |  |  |  |
| AV   | 15.94329G    | 40.21             | 54.00             | -13.79         | 34.63         | 3           | Vertical  | 131            | 3.00          | -       | 37.53      | 10.26      | 42.21      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

### 5310MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.62408G    | 54.70             | 74.00             | -19.30         | 47.78         | 3           | Horizontal | 54             | 2.09          | -       | 38.55      | 11.09      | 42.72      |  |  |  |
| AV   | 10.62711G    | 41.12             | 54.00             | -12.88         | 34.19         | 3           | Horizontal | 54             | 2.09          | -       | 38.55      | 11.09      | 42.71      |  |  |  |
| PK   | 15.94104G    | 55.83             | 74.00             | -18.17         | 47.35         | 3           | Horizontal | 127            | 1.21          | -       | 37.54      | 13.14      | 42.20      |  |  |  |
| AV   | 15.9408G     | 43.01             | 54.00             | -10.99         | 34.53         | 3           | Horizontal | 127            | 1.21          | -       | 37.54      | 13.14      | 42.20      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

### 5510MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4588G      | 66.05             | 74.00             | -7.95          | 57.50         | 3           | Vertical  | 315            | 1.00          | -       | 34.02      | 5.46       | 30.93      |  |  |  |
| AV   | 5.4596G      | 51.58             | 54.00             | -2.42          | 43.03         | 3           | Vertical  | 315            | 1.00          | -       | 34.02      | 5.46       | 30.93      |  |  |  |
| PK   | 5.4672G      | 67.89             | 68.20             | -0.31          | 59.33         | 3           | Vertical  | 315            | 1.00          | -       | 34.03      | 5.46       | 30.93      |  |  |  |
| PK   | 5.5216G      | 116.08            | Inf               | -Inf           | 107.48        | 3           | Vertical  | 315            | 1.00          | -       | 34.06      | 5.51       | 30.97      |  |  |  |
| AV   | 5.5278G      | 102.04            | Inf               | -Inf           | 93.46         | 3           | Vertical  | 315            | 1.00          | -       | 34.04      | 5.51       | 30.97      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

### 5510MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4222G      | 59.67             | 74.00             | -14.33         | 51.14         | 3           | Horizontal | 294            | 2.87          | -       | 34.00      | 5.43       | 30.90      |  |  |  |
| PK   | 5.47G        | 60.72             | 68.20             | -7.48          | 52.15         | 3           | Horizontal | 294            | 2.87          | -       | 34.04      | 5.47       | 30.94      |  |  |  |
| AV   | 5.4594G      | 46.67             | 54.00             | -7.33          | 38.12         | 3           | Horizontal | 294            | 2.87          | -       | 34.02      | 5.46       | 30.93      |  |  |  |
| PK   | 5.5228G      | 107.52            | Inf               | -Inf           | 98.93         | 3           | Horizontal | 294            | 2.87          | -       | 34.05      | 5.51       | 30.97      |  |  |  |
| AV   | 5.5244G      | 94.09             | Inf               | -Inf           | 85.50         | 3           | Horizontal | 294            | 2.87          | -       | 34.05      | 5.51       | 30.97      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5510MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.02891G    | 55.10             | 74.00             | -18.90         | 47.42         | 3           | Vertical  | 360            | 2.15          | -       | 38.60      | 11.36      | 42.28      |  |  |  |
| AV   | 11.02606G    | 41.60             | 54.00             | -12.40         | 33.91         | 3           | Vertical  | 360            | 2.15          | -       | 38.60      | 11.36      | 42.27      |  |  |  |
| PK   | 16.5447G     | 59.34             | 68.20             | -8.86          | 48.18         | 3           | Vertical  | 38             | 1.50          | -       | 39.16      | 13.35      | 41.35      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5510MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.01514G    | 54.68             | 74.00             | -19.32         | 46.98         | 3           | Horizontal | 30             | 1.24          | -       | 38.60      | 11.35      | 42.25      |  |  |  |
| AV   | 11.01487G    | 41.86             | 54.00             | -12.14         | 34.16         | 3           | Horizontal | 30             | 1.24          | -       | 38.60      | 11.35      | 42.25      |  |  |  |
| PK   | 16.53924G    | 58.96             | 68.20             | -9.24          | 47.84         | 3           | Horizontal | 353            | 2.88          | -       | 39.11      | 13.35      | 41.34      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

### 5550MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4567G      | 66.26             | 74.00             | -7.74          | 54.44         | 3           | Vertical  | 257            | 1.01          | -       | 34.01      | 8.74       | 30.93      |  |  |  |
| AV   | 5.4549G      | 51.55             | 54.00             | -2.45          | 39.72         | 3           | Vertical  | 257            | 1.01          | -       | 34.01      | 8.74       | 30.92      |  |  |  |
| PK   | 5.4663G      | 63.94             | 68.20             | -4.26          | 52.09         | 3           | Vertical  | 257            | 1.01          | -       | 34.03      | 8.75       | 30.93      |  |  |  |
| PK   | 5.5449G      | 117.79            | Inf               | -Inf           | 105.95        | 3           | Vertical  | 257            | 1.01          | -       | 34.01      | 8.81       | 30.98      |  |  |  |
| AV   | 5.5335G      | 104.35            | Inf               | -Inf           | 92.50         | 3           | Vertical  | 257            | 1.01          | -       | 34.03      | 8.80       | 30.98      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

### 5550MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4084G      | 63.93             | 74.00             | -10.07         | 52.12         | 3           | Horizontal | 186            | 1.80          | -       | 34.00      | 8.70       | 30.89      |  |  |  |
| PK   | 5.466G       | 62.81             | 68.20             | -5.39          | 50.96         | 3           | Horizontal | 186            | 1.80          | -       | 34.03      | 8.75       | 30.93      |  |  |  |
| AV   | 5.4573G      | 50.44             | 54.00             | -3.56          | 38.62         | 3           | Horizontal | 186            | 1.80          | -       | 34.01      | 8.74       | 30.93      |  |  |  |
| PK   | 5.5377G      | 108.21            | Inf               | -Inf           | 96.36         | 3           | Horizontal | 186            | 1.80          | -       | 34.02      | 8.81       | 30.98      |  |  |  |
| AV   | 5.5665G      | 93.42             | Inf               | -Inf           | 81.58         | 3           | Horizontal | 186            | 1.80          | -       | 34.00      | 8.83       | 30.99      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5550MHz\_TX




EUT\_Z\_TX  
Setting 26  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.11254G    | 57.47             | 74.00             | -16.53         | 49.89         | 3           | Vertical  | 341            | 1.50          | -       | 38.60      | 11.42      | 42.44      |  |  |  |
| AV   | 11.11041G    | 42.36             | 54.00             | -11.64         | 34.79         | 3           | Vertical  | 341            | 1.50          | -       | 38.60      | 11.41      | 42.44      |  |  |  |
| PK   | 16.64922G    | 59.85             | 68.20             | -8.35          | 48.23         | 3           | Vertical  | 324            | 1.58          | -       | 39.80      | 13.39      | 41.57      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5550MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.10183G    | 56.17             | 74.00             | -17.83         | 48.58         | 3           | Horizontal | 197            | 1.81          | -       | 38.60      | 11.41      | 42.42      |  |  |  |
| AV   | 11.11248G    | 42.26             | 54.00             | -11.74         | 34.68         | 3           | Horizontal | 197            | 1.81          | -       | 38.60      | 11.42      | 42.44      |  |  |  |
| PK   | 16.66047G    | 59.46             | 68.20             | -8.74          | 47.84         | 3           | Horizontal | 330            | 1.83          | -       | 39.82      | 13.39      | 41.59      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

### 5670MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.664G       | 118.11            | Inf               | -Inf           | 106.23        | 3           | Vertical  | 308            | 1.01          | -       | 34.00      | 8.92       | 31.04      |  |  |  |
| AV   | 5.664G       | 104.39            | Inf               | -Inf           | 92.51         | 3           | Vertical  | 308            | 1.01          | -       | 34.00      | 8.92       | 31.04      |  |  |  |
| PK   | 5.725G       | 66.44             | 68.20             | -1.76          | 54.53         | 3           | Vertical  | 308            | 1.01          | -       | 34.00      | 8.97       | 31.06      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

### 5670MHz\_TX




EUT\_Z\_TX  
Setting 24  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.668G       | 105.15            | Inf               | -Inf           | 93.27         | 3           | Horizontal | 165            | 2.80          | -       | 34.00      | 8.92       | 31.04      |  |  |  |
| AV   | 5.6782G      | 92.71             | Inf               | -Inf           | 80.82         | 3           | Horizontal | 165            | 2.80          | -       | 34.00      | 8.93       | 31.04      |  |  |  |
| PK   | 5.7324G      | 62.76             | 68.20             | -5.44          | 50.86         | 3           | Horizontal | 165            | 2.80          | -       | 34.00      | 8.97       | 31.07      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5670MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.35119G    | 55.13             | 74.00             | -18.87         | 47.76         | 3           | Vertical  | 58             | 1.14          | -       | 38.70      | 11.58      | 42.91      |  |  |  |
| AV   | 11.32605G    | 41.98             | 54.00             | -12.02         | 34.58         | 3           | Vertical  | 58             | 1.14          | -       | 38.70      | 11.56      | 42.86      |  |  |  |
| PK   | 17.02293G    | 60.26             | 68.20             | -7.94          | 47.63         | 3           | Vertical  | 70             | 1.07          | -       | 41.40      | 13.52      | 42.29      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5670MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.32635G    | 55.41             | 74.00             | -18.59         | 48.01         | 3           | Horizontal | 280            | 3.00          | -       | 38.70      | 11.56      | 42.86      |  |  |  |
| AV   | 11.33493G    | 41.93             | 54.00             | -12.07         | 34.55         | 3           | Horizontal | 280            | 3.00          | -       | 38.70      | 11.56      | 42.88      |  |  |  |
| PK   | 17.02104G    | 59.88             | 68.20             | -8.32          | 47.25         | 3           | Horizontal | 212            | 1.75          | -       | 41.40      | 13.52      | 42.29      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7024G      | 117.85            | Inf               | -Inf           | 109.30        | 3           | Vertical  | 330            | 1.04          | -       | 34.00      | 5.60       | 31.05      |  |  |  |
| AV   | 5.7264G      | 105.27            | Inf               | -Inf           | 96.72         | 3           | Vertical  | 330            | 1.04          | -       | 34.00      | 5.61       | 31.06      |  |  |  |
| PK   | 5.8624G      | 66.90             | 68.20             | -1.30          | 58.28         | 3           | Vertical  | 330            | 1.04          | -       | 34.05      | 5.70       | 31.13      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.712G       | 107.53            | Inf               | -Inf           | 98.99         | 3           | Horizontal | 290            | 3.00          | -       | 34.00      | 5.60       | 31.06      |  |  |  |
| AV   | 5.7128G      | 95.10             | Inf               | -Inf           | 86.56         | 3           | Horizontal | 290            | 3.00          | -       | 34.00      | 5.60       | 31.06      |  |  |  |
| PK   | 5.908G       | 58.51             | 68.20             | -9.69          | 49.71         | 3           | Horizontal | 290            | 3.00          | -       | 34.20      | 5.75       | 31.15      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.40851G    | 55.38             | 74.00             | -18.62         | 47.97         | 3           | Vertical  | 179            | 1.25          | -       | 38.82      | 11.61      | 43.02      |  |  |  |
| AV   | 11.42081G    | 42.02             | 54.00             | -11.98         | 34.60         | 3           | Vertical  | 179            | 1.25          | -       | 38.84      | 11.62      | 43.04      |  |  |  |
| PK   | 17.12895G    | 60.33             | 68.20             | -7.87          | 47.38         | 3           | Vertical  | 252            | 2.89          | -       | 41.67      | 13.56      | 42.28      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.41802G    | 55.09             | 74.00             | -18.91         | 47.67         | 3           | Horizontal | 286            | 2.96          | -       | 38.84      | 11.62      | 43.04      |  |  |  |
| AV   | 11.42399G    | 41.98             | 54.00             | -12.02         | 34.56         | 3           | Horizontal | 286            | 2.96          | -       | 38.85      | 11.62      | 43.05      |  |  |  |
| PK   | 17.14098G    | 60.26             | 68.20             | -7.94          | 47.23         | 3           | Horizontal | 298            | 1.18          | -       | 41.75      | 13.56      | 42.28      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

### 5755MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6395G      | 65.52             | 68.20             | -2.68          | 56.96         | 3           | Vertical  | 300            | 1.01          | -       | 34.00      | 5.58       | 31.02      |  |  |  |
| PK   | 5.7585G      | 117.94            | Inf               | -Inf           | 109.38        | 3           | Vertical  | 300            | 1.01          | -       | 34.02      | 5.62       | 31.08      |  |  |  |
| AV   | 5.7415G      | 103.73            | Inf               | -Inf           | 95.19         | 3           | Vertical  | 300            | 1.01          | -       | 34.00      | 5.61       | 31.07      |  |  |  |
| PK   | 5.9625G      | 59.07             | 68.20             | -9.13          | 50.20         | 3           | Vertical  | 300            | 1.01          | -       | 34.23      | 5.81       | 31.17      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

### 5755MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.649G       | 60.50             | 68.20             | -7.70          | 51.95         | 3           | Horizontal | 311            | 2.79          | -       | 34.00      | 5.58       | 31.03      |  |  |  |
| PK   | 5.758G       | 109.24            | Inf               | -Inf           | 100.68        | 3           | Horizontal | 311            | 2.79          | -       | 34.02      | 5.62       | 31.08      |  |  |  |
| AV   | 5.7485G      | 94.49             | Inf               | -Inf           | 85.95         | 3           | Horizontal | 311            | 2.79          | -       | 34.00      | 5.61       | 31.07      |  |  |  |
| PK   | 5.9995G      | 59.43             | 68.20             | -8.77          | 50.47         | 3           | Horizontal | 311            | 2.79          | -       | 34.30      | 5.85       | 31.19      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5755MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.50199G    | 54.78             | 74.00             | -19.22         | 47.30         | 3           | Vertical  | 163            | 1.32          | -       | 39.00      | 11.68      | 43.20      |  |  |  |
| AV   | 11.50523G    | 41.79             | 54.00             | -12.21         | 34.30         | 3           | Vertical  | 163            | 1.32          | -       | 39.01      | 11.68      | 43.20      |  |  |  |
| PK   | 17.27787G    | 61.70             | 68.20             | -6.50          | 47.84         | 3           | Vertical  | 329            | 1.16          | -       | 42.52      | 13.61      | 42.27      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5755MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.50808G    | 54.74             | 74.00             | -19.26         | 47.23         | 3           | Horizontal | 43             | 1.88          | -       | 39.02      | 11.68      | 43.19      |  |  |  |
| AV   | 11.51333G    | 41.68             | 54.00             | -12.32         | 34.16         | 3           | Horizontal | 43             | 1.88          | -       | 39.03      | 11.68      | 43.19      |  |  |  |
| PK   | 17.26485G    | 61.48             | 68.20             | -6.72          | 47.73         | 3           | Horizontal | 17             | 1.21          | -       | 42.42      | 13.60      | 42.27      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5795MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.645G       | 65.31             | 68.20             | -2.89          | 56.76         | 3           | Vertical  | 328            | 1.00          | -       | 34.00      | 5.58       | 31.03      |  |  |  |
| PK   | 5.7865G      | 115.55            | Inf               | -Inf           | 106.94        | 3           | Vertical  | 328            | 1.00          | -       | 34.07      | 5.63       | 31.09      |  |  |  |
| AV   | 5.7835G      | 103.60            | Inf               | -Inf           | 94.99         | 3           | Vertical  | 328            | 1.00          | -       | 34.07      | 5.63       | 31.09      |  |  |  |
| PK   | 6.045G       | 59.84             | 68.20             | -8.36          | 50.89         | 3           | Vertical  | 328            | 1.00          | -       | 34.30      | 5.86       | 31.21      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

### 5795MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.5695G      | 59.17             | 68.20             | -9.03          | 50.61         | 3           | Horizontal | 313            | 2.50          | -       | 34.00      | 5.55       | 30.99      |  |  |  |
| PK   | 5.7785G      | 105.10            | Inf               | -Inf           | 96.51         | 3           | Horizontal | 313            | 2.50          | -       | 34.06      | 5.62       | 31.09      |  |  |  |
| AV   | 5.789G       | 92.89             | Inf               | -Inf           | 84.27         | 3           | Horizontal | 313            | 2.50          | -       | 34.08      | 5.63       | 31.09      |  |  |  |
| PK   | 5.9455G      | 59.13             | 68.20             | -9.07          | 50.30         | 3           | Horizontal | 313            | 2.50          | -       | 34.20      | 5.79       | 31.16      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5795MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.5855G     | 56.02             | 74.00             | -17.98         | 48.20         | 3           | Vertical  | 226            | 2.34          | -       | 39.24      | 11.73      | 43.15      |  |  |  |
| AV   | 11.59498G    | 42.36             | 54.00             | -11.64         | 34.48         | 3           | Vertical  | 226            | 2.34          | -       | 39.28      | 11.74      | 43.14      |  |  |  |
| PK   | 17.39751G    | 62.61             | 68.20             | -5.59          | 47.93         | 3           | Vertical  | 219            | 2.20          | -       | 43.29      | 13.65      | 42.26      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

## 5795MHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.59972G    | 55.52             | 74.00             | -18.48         | 47.62         | 3           | Horizontal | 293            | 1.10          | -       | 39.30      | 11.74      | 43.14      |  |  |  |
| AV   | 11.60326G    | 42.22             | 54.00             | -11.78         | 34.32         | 3           | Horizontal | 293            | 1.10          | -       | 39.30      | 11.74      | 43.14      |  |  |  |
| PK   | 17.38509G    | 62.48             | 68.20             | -5.72          | 47.89         | 3           | Horizontal | 170            | 1.43          | -       | 43.21      | 13.64      | 42.26      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

### 5210MHz\_TX




EUT\_Z\_2TX  
Setting 24  
06-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.149G       | 64.10             | 74.00             | -9.90          | 56.45         | 3           | Vertical  | 268            | 1.00          | -       | 32.10      | 6.91       | 31.36      |  |  |  |
| AV   | 5.1495G      | 51.32             | 54.00             | -2.68          | 43.67         | 3           | Vertical  | 268            | 1.00          | -       | 32.10      | 6.91       | 31.36      |  |  |  |
| PK   | 5.227G       | 112.14            | Inf               | -Inf           | 104.89        | 3           | Vertical  | 268            | 1.00          | -       | 31.69      | 6.96       | 31.40      |  |  |  |
| AV   | 5.2305G      | 99.50             | Inf               | -Inf           | 92.26         | 3           | Vertical  | 268            | 1.00          | -       | 31.68      | 6.96       | 31.40      |  |  |  |
| PK   | 5.353G       | 60.05             | 74.00             | -13.95         | 52.96         | 3           | Vertical  | 268            | 1.00          | -       | 31.51      | 7.05       | 31.47      |  |  |  |
| AV   | 5.4525G      | 47.89             | 54.00             | -6.11          | 40.48         | 3           | Vertical  | 268            | 1.00          | -       | 31.81      | 7.12       | 31.52      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

### 5210MHz\_TX




EUT\_Z\_2TX  
Setting 24  
06-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1435G      | 60.17             | 74.00             | -13.83         | 52.52         | 3           | Horizontal | 16             | 2.36          | -       | 32.10      | 6.91       | 31.36      |  |  |  |
| AV   | 5.146G       | 47.88             | 54.00             | -6.12          | 40.23         | 3           | Horizontal | 16             | 2.36          | -       | 32.10      | 6.91       | 31.36      |  |  |  |
| PK   | 5.233G       | 103.85            | Inf               | -Inf           | 96.63         | 3           | Horizontal | 16             | 2.36          | -       | 31.67      | 6.96       | 31.41      |  |  |  |
| AV   | 5.227G       | 91.79             | Inf               | -Inf           | 84.54         | 3           | Horizontal | 16             | 2.36          | -       | 31.69      | 6.96       | 31.40      |  |  |  |
| PK   | 5.4255G      | 59.51             | 74.00             | -14.49         | 52.21         | 3           | Horizontal | 16             | 2.36          | -       | 31.70      | 7.11       | 31.51      |  |  |  |
| AV   | 5.3565G      | 46.81             | 54.00             | -7.19          | 39.71         | 3           | Horizontal | 16             | 2.36          | -       | 31.51      | 7.06       | 31.47      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5210MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.434G | 53.40    | 68.20    | -14.80 | 70.22  | 3    | Vertical  | 53      | 1.55   | -       | 38.43 | 10.96 | 66.21 |  |  |  |
| PK   | 15.135G | 57.40    | 68.20    | -10.80 | 68.47  | 3    | Vertical  | 104     | 1.42   | -       | 39.76 | 12.83 | 63.66 |  |  |  |

## 5.15-5.25GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5210MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 9.959G       | 54.02             | 68.20             | -14.18         | 71.24         | 3           | Horizontal | 48             | 2.52          | -       | 39.12      | 10.52      | 66.86      |  |  |  |
| PK   | 15.193G      | 57.02             | 68.20             | -11.18         | 68.23         | 3           | Horizontal | 174            | 2.46          | -       | 39.44      | 12.85      | 63.50      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

### 5290MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.063G       | 59.25             | 74.00             | -14.75         | 51.19         | 3           | Vertical  | 271            | 1.80          | -       | 33.45      | 5.22       | 30.61      |  |  |  |
| AV   | 5.0975G      | 47.30             | 54.00             | -6.70          | 39.09         | 3           | Vertical  | 271            | 1.80          | -       | 33.59      | 5.26       | 30.64      |  |  |  |
| PK   | 5.285G       | 110.79            | Inf               | -Inf           | 102.32        | 3           | Vertical  | 271            | 1.80          | -       | 33.87      | 5.39       | 30.79      |  |  |  |
| AV   | 5.287G       | 97.29             | Inf               | -Inf           | 88.82         | 3           | Vertical  | 271            | 1.80          | -       | 33.87      | 5.39       | 30.79      |  |  |  |
| PK   | 5.3525G      | 64.56             | 74.00             | -9.44          | 56.09         | 3           | Vertical  | 271            | 1.80          | -       | 33.91      | 5.40       | 30.84      |  |  |  |
| AV   | 5.352G       | 52.60             | 54.00             | -1.40          | 44.14         | 3           | Vertical  | 271            | 1.80          | -       | 33.90      | 5.40       | 30.84      |  |  |  |
| PK   | 5.4755G      | 59.73             | 68.20             | -8.47          | 51.15         | 3           | Vertical  | 271            | 1.80          | -       | 34.05      | 5.47       | 30.94      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

### 5290MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.0445G      | 63.35             | 74.00             | -10.65         | 52.18         | 3           | Horizontal | 354            | 2.74          | -       | 33.40      | 8.37       | 30.60      |  |  |  |
| AV   | 5.142G       | 50.82             | 54.00             | -3.18          | 39.40         | 3           | Horizontal | 354            | 2.74          | -       | 33.60      | 8.49       | 30.67      |  |  |  |
| PK   | 5.252G       | 107.03            | Inf               | -Inf           | 95.40         | 3           | Horizontal | 354            | 2.74          | -       | 33.80      | 8.59       | 30.76      |  |  |  |
| AV   | 5.2515G      | 93.61             | Inf               | -Inf           | 81.98         | 3           | Horizontal | 354            | 2.74          | -       | 33.80      | 8.59       | 30.76      |  |  |  |
| PK   | 5.3645G      | 63.95             | 74.00             | -10.05         | 52.20         | 3           | Horizontal | 354            | 2.74          | -       | 33.93      | 8.67       | 30.85      |  |  |  |
| AV   | 5.352G       | 51.89             | 54.00             | -2.11          | 40.17         | 3           | Horizontal | 354            | 2.74          | -       | 33.90      | 8.66       | 30.84      |  |  |  |
| PK   | 5.493G       | 63.95             | 68.20             | -4.25          | 52.04         | 3           | Horizontal | 354            | 2.74          | -       | 34.09      | 8.77       | 30.95      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5290MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.492G      | 53.64             | 68.20             | -14.56         | 70.28         | 3           | Vertical  | 286            | 1.75          | -       | 38.48      | 11.00      | 66.12      |  |  |  |
| PK   | 16.079G      | 57.32             | 74.00             | -16.68         | 69.54         | 3           | Vertical  | 136            | 1.99          | -       | 37.60      | 13.19      | 63.01      |  |  |  |
| AV   | 16.093G      | 44.67             | 54.00             | -9.33          | 56.89         | 3           | Vertical  | 136            | 1.99          | -       | 37.60      | 13.19      | 63.01      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5290MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.556G      | 53.80             | 68.20             | -14.40         | 70.33         | 3           | Horizontal | 125            | 2.05          | -       | 38.60      | 11.04      | 66.17      |  |  |  |
| PK   | 15.87057G    | 54.71             | 74.00             | -19.29         | 66.91         | 3           | Horizontal | 176            | 1.51          | -       | 37.58      | 13.11      | 62.89      |  |  |  |
| AV   | 15.87693G    | 41.16             | 54.00             | -12.84         | 53.34         | 3           | Horizontal | 176            | 1.51          | -       | 37.61      | 13.11      | 62.90      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5530MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3015G      | 60.53             | 68.20             | -7.67          | 52.04         | 3           | Vertical  | 296            | 2.25          | -       | 33.90      | 5.39       | 30.80      |  |  |  |
| AV   | 5.35G        | 46.63             | 54.00             | -7.37          | 38.17         | 3           | Vertical  | 296            | 2.25          | -       | 33.90      | 5.40       | 30.84      |  |  |  |
| PK   | 5.449G       | 65.85             | 74.00             | -8.15          | 57.32         | 3           | Vertical  | 296            | 2.25          | -       | 34.00      | 5.45       | 30.92      |  |  |  |
| PK   | 5.47G        | 67.34             | 68.20             | -0.86          | 58.77         | 3           | Vertical  | 296            | 2.25          | -       | 34.04      | 5.47       | 30.94      |  |  |  |
| AV   | 5.46G        | 53.09             | 54.00             | -0.91          | 44.54         | 3           | Vertical  | 296            | 2.25          | -       | 34.02      | 5.46       | 30.93      |  |  |  |
| PK   | 5.561G       | 115.02            | Inf               | -Inf           | 106.47        | 3           | Vertical  | 296            | 2.25          | -       | 34.00      | 5.54       | 30.99      |  |  |  |
| AV   | 5.518G       | 97.54             | Inf               | -Inf           | 88.95         | 3           | Vertical  | 296            | 2.25          | -       | 34.06      | 5.50       | 30.97      |  |  |  |
| PK   | 5.755G       | 60.89             | 68.20             | -7.31          | 52.34         | 3           | Vertical  | 296            | 2.25          | -       | 34.01      | 5.62       | 31.08      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

### 5530MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3415G      | 62.80             | 68.20             | -5.40          | 51.08         | 3           | Horizontal | 167            | 1.80          | -       | 33.90      | 8.65       | 30.83      |  |  |  |
| AV   | 5.35G        | 50.00             | 54.00             | -4.00          | 38.28         | 3           | Horizontal | 167            | 1.80          | -       | 33.90      | 8.66       | 30.84      |  |  |  |
| PK   | 5.4595G      | 64.31             | 74.00             | -9.69          | 52.48         | 3           | Horizontal | 167            | 1.80          | -       | 34.02      | 8.74       | 30.93      |  |  |  |
| AV   | 5.46G        | 51.71             | 54.00             | -2.29          | 39.88         | 3           | Horizontal | 167            | 1.80          | -       | 34.02      | 8.74       | 30.93      |  |  |  |
| PK   | 5.463G       | 63.62             | 68.20             | -4.58          | 51.78         | 3           | Horizontal | 167            | 1.80          | -       | 34.03      | 8.74       | 30.93      |  |  |  |
| PK   | 5.5085G      | 104.03            | Inf               | -Inf           | 92.13         | 3           | Horizontal | 167            | 1.80          | -       | 34.08      | 8.78       | 30.96      |  |  |  |
| AV   | 5.4995G      | 90.06             | Inf               | -Inf           | 78.15         | 3           | Horizontal | 167            | 1.80          | -       | 34.10      | 8.77       | 30.96      |  |  |  |
| PK   | 5.7645G      | 62.41             | 68.20             | -5.79          | 50.46         | 3           | Horizontal | 167            | 1.80          | -       | 34.03      | 9.00       | 31.08      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5530MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.05466G    | 53.55             | 74.00             | -20.45         | 70.13         | 3           | Vertical  | 251            | 1.29          | -       | 38.60      | 11.38      | 66.56      |  |  |  |
| AV   | 11.06921G    | 39.98             | 54.00             | -14.02         | 56.53         | 3           | Vertical  | 251            | 1.29          | -       | 38.60      | 11.39      | 66.54      |  |  |  |
| PK   | 16.58085G    | 59.81             | 68.20             | -8.39          | 70.16         | 3           | Vertical  | 354            | 2.76          | -       | 39.45      | 13.36      | 63.16      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5530MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.0729G     | 53.71             | 74.00             | -20.29         | 70.26         | 3           | Horizontal | 63             | 2.74          | -       | 38.60      | 11.39      | 66.54      |  |  |  |
| AV   | 11.05514G    | 39.96             | 54.00             | -14.04         | 56.54         | 3           | Horizontal | 63             | 2.74          | -       | 38.60      | 11.38      | 66.56      |  |  |  |
| PK   | 17.07G       | 60.75             | 68.20             | -7.45          | 68.78         | 3           | Horizontal | 11             | 1.27          | -       | 41.44      | 13.53      | 63.00      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

### 5610MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3795G      | 60.99             | 74.00             | -13.01         | 52.48         | 3           | Vertical  | 320            | 1.03          | -       | 33.96      | 5.41       | 30.86      |  |  |  |
| AV   | 5.4145G      | 48.60             | 54.00             | -5.40          | 40.07         | 3           | Vertical  | 320            | 1.03          | -       | 34.00      | 5.42       | 30.89      |  |  |  |
| PK   | 5.4695G      | 61.49             | 68.20             | -6.71          | 52.92         | 3           | Vertical  | 320            | 1.03          | -       | 34.04      | 5.47       | 30.94      |  |  |  |
| PK   | 5.645G       | 113.96            | Inf               | -Inf           | 105.41        | 3           | Vertical  | 320            | 1.03          | -       | 34.00      | 5.58       | 31.03      |  |  |  |
| AV   | 5.573G       | 100.97            | Inf               | -Inf           | 92.41         | 3           | Vertical  | 320            | 1.03          | -       | 34.00      | 5.55       | 30.99      |  |  |  |
| PK   | 5.726G       | 62.72             | 68.20             | -5.48          | 54.17         | 3           | Vertical  | 320            | 1.03          | -       | 34.00      | 5.61       | 31.06      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5610MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.445G       | 64.41             | 74.00             | -9.59          | 52.60         | 3           | Horizontal | 187            | 1.29          | -       | 34.00      | 8.73       | 30.92      |  |  |  |
| AV   | 5.373G       | 51.33             | 54.00             | -2.67          | 39.57         | 3           | Horizontal | 187            | 1.29          | -       | 33.95      | 8.67       | 30.86      |  |  |  |
| PK   | 5.464G       | 63.17             | 68.20             | -5.03          | 51.33         | 3           | Horizontal | 187            | 1.29          | -       | 34.03      | 8.74       | 30.93      |  |  |  |
| PK   | 5.582G       | 101.82            | Inf               | -Inf           | 89.98         | 3           | Horizontal | 187            | 1.29          | -       | 34.00      | 8.84       | 31.00      |  |  |  |
| AV   | 5.6085G      | 89.83             | Inf               | -Inf           | 77.97         | 3           | Horizontal | 187            | 1.29          | -       | 34.00      | 8.87       | 31.01      |  |  |  |
| PK   | 5.749G       | 64.99             | 68.20             | -3.21          | 53.07         | 3           | Horizontal | 187            | 1.29          | -       | 34.00      | 8.99       | 31.07      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5610MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.22075G    | 53.47             | 74.00             | -20.53         | 69.72         | 3           | Vertical  | 203            | 1.14          | -       | 38.64      | 11.49      | 66.38      |  |  |  |
| AV   | 11.23473G    | 40.45             | 54.00             | -13.55         | 56.64         | 3           | Vertical  | 203            | 1.14          | -       | 38.67      | 11.50      | 66.36      |  |  |  |
| PK   | 16.8411G     | 59.21             | 68.20             | -8.99          | 68.25         | 3           | Vertical  | 116            | 1.12          | -       | 40.55      | 13.45      | 63.04      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5610MHz\_TX




EUT\_Z\_2TX  
Setting 27  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.22819G    | 53.32             | 74.00             | -20.68         | 69.54         | 3           | Horizontal | 263            | 1.30          | -       | 38.66      | 11.49      | 66.37      |  |  |  |
| AV   | 11.23179G    | 40.32             | 54.00             | -13.68         | 56.53         | 3           | Horizontal | 263            | 1.30          | -       | 38.66      | 11.50      | 66.37      |  |  |  |
| PK   | 16.82586G    | 59.53             | 68.20             | -8.67          | 68.66         | 3           | Horizontal | 94             | 2.99          | -       | 40.46      | 13.45      | 63.04      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4525G      | 64.87             | 74.00             | -9.13          | 53.05         | 3           | Vertical  | 273            | 2.26          | -       | 34.01      | 8.73       | 30.92      |  |  |  |
| AV   | 5.459G       | 52.69             | 54.00             | -1.31          | 40.86         | 3           | Vertical  | 273            | 2.26          | -       | 34.02      | 8.74       | 30.93      |  |  |  |
| PK   | 5.468G       | 63.39             | 68.20             | -4.81          | 51.53         | 3           | Vertical  | 273            | 2.26          | -       | 34.04      | 8.75       | 30.93      |  |  |  |
| PK   | 5.6605G      | 114.39            | Inf               | -Inf           | 102.51        | 3           | Vertical  | 273            | 2.26          | -       | 34.00      | 8.91       | 31.03      |  |  |  |
| AV   | 5.7G         | 102.26            | Inf               | -Inf           | 90.36         | 3           | Vertical  | 273            | 2.26          | -       | 34.00      | 8.95       | 31.05      |  |  |  |
| PK   | 5.8695G      | 64.11             | 68.20             | -4.09          | 52.16         | 3           | Vertical  | 273            | 2.26          | -       | 34.08      | 9.00       | 31.13      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4525G      | 63.48             | 74.00             | -10.52         | 51.66         | 3           | Horizontal | 90             | 2.72          | -       | 34.01      | 8.73       | 30.92      |  |  |  |
| AV   | 5.4505G      | 51.35             | 54.00             | -2.65          | 39.54         | 3           | Horizontal | 90             | 2.72          | -       | 34.00      | 8.73       | 30.92      |  |  |  |
| PK   | 5.4625G      | 63.07             | 68.20             | -5.13          | 51.24         | 3           | Horizontal | 90             | 2.72          | -       | 34.02      | 8.74       | 30.93      |  |  |  |
| PK   | 5.6805G      | 103.40            | Inf               | -Inf           | 91.51         | 3           | Horizontal | 90             | 2.72          | -       | 34.00      | 8.93       | 31.04      |  |  |  |
| AV   | 5.6625G      | 90.67             | Inf               | -Inf           | 78.79         | 3           | Horizontal | 90             | 2.72          | -       | 34.00      | 8.91       | 31.03      |  |  |  |
| PK   | 5.857G       | 63.87             | 68.20             | -4.33          | 51.96         | 3           | Horizontal | 90             | 2.72          | -       | 34.03      | 9.00       | 31.12      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.39263G    | 55.01             | 74.00             | -18.99         | 70.81         | 3           | Vertical  | 274            | 2.35          | -       | 38.79      | 11.60      | 66.19      |  |  |  |
| AV   | 11.39464G    | 41.08             | 54.00             | -12.92         | 56.88         | 3           | Vertical  | 274            | 2.35          | -       | 38.79      | 11.60      | 66.19      |  |  |  |
| PK   | 17.05791G    | 61.14             | 68.20             | -7.06          | 69.18         | 3           | Vertical  | 256            | 2.09          | -       | 41.42      | 13.53      | 62.99      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 26  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.39212G    | 54.63             | 74.00             | -19.37         | 70.44         | 3           | Horizontal | 285            | 2.89          | -       | 38.78      | 11.60      | 66.19      |  |  |  |
| AV   | 11.38846G    | 41.10             | 54.00             | -12.90         | 56.91         | 3           | Horizontal | 285            | 2.89          | -       | 38.78      | 11.60      | 66.19      |  |  |  |
| PK   | 17.07708G    | 61.02             | 68.20             | -7.18          | 69.04         | 3           | Horizontal | 245            | 1.29          | -       | 41.45      | 13.54      | 63.01      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5775MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.618G       | 61.73             | 68.20             | -6.47          | 53.16         | 3           | Vertical  | 330            | 1.00          | -       | 34.00      | 5.58       | 31.01      |  |  |  |
| PK   | 5.747G       | 117.56            | Inf               | -Inf           | 109.02        | 3           | Vertical  | 330            | 1.00          | -       | 34.00      | 5.61       | 31.07      |  |  |  |
| AV   | 5.7435G      | 99.60             | Inf               | -Inf           | 91.06         | 3           | Vertical  | 330            | 1.00          | -       | 34.00      | 5.61       | 31.07      |  |  |  |
| PK   | 5.9545G      | 59.29             | 68.20             | -8.91          | 50.45         | 3           | Vertical  | 330            | 1.00          | -       | 34.21      | 5.80       | 31.17      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

### 5775MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.5955G      | 63.87             | 68.20             | -4.33          | 52.01         | 3           | Horizontal | 162            | 2.72          | -       | 34.00      | 8.86       | 31.00      |  |  |  |
| PK   | 5.738G       | 109.94            | Inf               | -Inf           | 98.03         | 3           | Horizontal | 162            | 2.72          | -       | 34.00      | 8.98       | 31.07      |  |  |  |
| AV   | 5.7365G      | 91.63             | Inf               | -Inf           | 79.72         | 3           | Horizontal | 162            | 2.72          | -       | 34.00      | 8.98       | 31.07      |  |  |  |
| PK   | 5.9845G      | 63.28             | 68.20             | -4.92          | 51.24         | 3           | Horizontal | 162            | 2.72          | -       | 34.27      | 8.95       | 31.18      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5775MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.56467G    | 54.43             | 74.00             | -19.57         | 69.58         | 3           | Vertical  | 72             | 2.18          | -       | 39.16      | 11.72      | 66.03      |  |  |  |
| AV   | 11.565G      | 41.36             | 54.00             | -12.64         | 56.51         | 3           | Vertical  | 72             | 2.18          | -       | 39.16      | 11.72      | 66.03      |  |  |  |
| PK   | 17.31558G    | 63.41             | 68.20             | -4.79          | 70.15         | 3           | Vertical  | 250            | 2.62          | -       | 42.79      | 13.62      | 63.15      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

## 5775MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.56317G    | 54.73             | 74.00             | -19.27         | 69.89         | 3           | Horizontal | 331            | 1.17          | -       | 39.15      | 11.72      | 66.03      |  |  |  |
| AV   | 11.5623G     | 41.45             | 54.00             | -12.55         | 56.61         | 3           | Horizontal | 331            | 1.17          | -       | 39.15      | 11.72      | 66.03      |  |  |  |
| PK   | 17.32446G    | 62.85             | 68.20             | -5.35          | 69.53         | 3           | Horizontal | 351            | 2.36          | -       | 42.85      | 13.62      | 63.15      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

### 5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.122G       | 64.83             | 74.00             | -9.17          | 56.61         | 3           | Vertical  | 345            | 1.08          | -       | 33.60      | 5.28       | 30.66      |  |  |  |
| AV   | 5.1436G      | 50.91             | 54.00             | -3.09          | 42.67         | 3           | Vertical  | 345            | 1.08          | -       | 33.60      | 5.31       | 30.67      |  |  |  |
| PK   | 5.3268G      | 106.87            | Inf               | -Inf           | 98.39         | 3           | Vertical  | 345            | 1.08          | -       | 33.90      | 5.40       | 30.82      |  |  |  |
| AV   | 5.262G       | 103.96            | Inf               | -Inf           | 95.53         | 3           | Vertical  | 345            | 1.08          | -       | 33.82      | 5.38       | 30.77      |  |  |  |
| AV   | 5.3508G      | 52.23             | 54.00             | -1.77          | 43.77         | 3           | Vertical  | 345            | 1.08          | -       | 33.90      | 5.40       | 30.84      |  |  |  |
| PK   | 5.4012G      | 64.83             | 74.00             | -9.17          | 56.30         | 3           | Vertical  | 345            | 1.08          | -       | 34.00      | 5.41       | 30.88      |  |  |  |
| PK   | 5.3308G      | 65.34             | 68.20             | -2.86          | 56.76         | 3           | Vertical  | 345            | 1.08          | -       | 34.04      | 5.51       | 30.97      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

## 5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1116G      | 68.54             | 74.00             | -5.46          | 57.14         | 3           | Horizontal | 3              | 2.40          | -       | 33.60      | 8.45       | 30.65      |  |  |  |
| AV   | 5.1484G      | 52.04             | 54.00             | -1.96          | 40.62         | 3           | Horizontal | 3              | 2.40          | -       | 33.60      | 8.50       | 30.68      |  |  |  |
| PK   | 5.2332G      | 102.13            | Inf               | -Inf           | 90.53         | 3           | Horizontal | 3              | 2.40          | -       | 33.77      | 8.58       | 30.75      |  |  |  |
| AV   | 5.1844G      | 97.59             | Inf               | -Inf           | 86.09         | 3           | Horizontal | 3              | 2.40          | -       | 33.67      | 8.54       | 30.71      |  |  |  |
| PK   | 5.4044G      | 63.72             | 74.00             | -10.28         | 51.91         | 3           | Horizontal | 3              | 2.40          | -       | 34.00      | 8.69       | 30.88      |  |  |  |
| AV   | 5.4004G      | 52.37             | 54.00             | -1.63          | 40.56         | 3           | Horizontal | 3              | 2.40          | -       | 34.00      | 8.69       | 30.88      |  |  |  |
| PK   | 5.5148G      | 64.58             | 68.20             | -3.62          | 52.69         | 3           | Horizontal | 3              | 2.40          | -       | 34.07      | 8.79       | 30.97      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

## 5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.49913G    | 54.27             | 68.20             | -13.93         | 70.88         | 3           | Vertical  | 64             | 1.89          | -       | 38.50      | 11.00      | 66.11      |  |  |  |
| PK   | 15.73515G    | 55.40             | 74.00             | -18.60         | 67.62         | 3           | Vertical  | 82             | 1.28          | -       | 37.53      | 13.06      | 62.81      |  |  |  |
| AV   | 15.73794G    | 42.55             | 54.00             | -11.45         | 54.78         | 3           | Vertical  | 82             | 1.28          | -       | 37.52      | 13.06      | 62.81      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

## 5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.4868G     | 54.52             | 68.20             | -13.68         | 71.18         | 3           | Horizontal | 68             | 1.65          | -       | 38.47      | 11.00      | 66.13      |  |  |  |
| PK   | 15.7374G     | 55.56             | 74.00             | -18.44         | 67.78         | 3           | Horizontal | 259            | 1.13          | -       | 37.53      | 13.06      | 62.81      |  |  |  |
| AV   | 15.73518G    | 42.59             | 54.00             | -11.41         | 54.81         | 3           | Horizontal | 259            | 1.13          | -       | 37.53      | 13.06      | 62.81      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

### 5570MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.35G        | 66.67             | 68.20             | -1.53          | 58.21         | 3           | Vertical  | 318            | 1.14          | -       | 33.90      | 5.40       | 30.84      |  |  |  |
| AV   | 5.35G        | 49.69             | 54.00             | -4.31          | 41.23         | 3           | Vertical  | 318            | 1.14          | -       | 33.90      | 5.40       | 30.84      |  |  |  |
| PK   | 5.4348G      | 66.36             | 74.00             | -7.64          | 57.83         | 3           | Vertical  | 318            | 1.14          | -       | 34.00      | 5.44       | 30.91      |  |  |  |
| PK   | 5.4676G      | 64.97             | 68.20             | -3.23          | 56.40         | 3           | Vertical  | 318            | 1.14          | -       | 34.04      | 5.46       | 30.93      |  |  |  |
| AV   | 5.4572G      | 51.62             | 54.00             | -2.38          | 43.08         | 3           | Vertical  | 318            | 1.14          | -       | 34.01      | 5.46       | 30.93      |  |  |  |
| PK   | 5.5596G      | 107.79            | Inf               | -Inf           | 99.24         | 3           | Vertical  | 318            | 1.14          | -       | 34.00      | 5.54       | 30.99      |  |  |  |
| AV   | 5.5668G      | 95.42             | Inf               | -Inf           | 86.87         | 3           | Vertical  | 318            | 1.14          | -       | 34.00      | 5.54       | 30.99      |  |  |  |
| PK   | 5.8564G      | 63.26             | 68.20             | -4.94          | 54.66         | 3           | Vertical  | 318            | 1.14          | -       | 34.03      | 5.69       | 31.12      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

### 5570MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.2964G      | 63.97             | 68.20             | -4.23          | 52.26         | 3           | Horizontal | 290            | 1.80          | -       | 33.89      | 8.62       | 30.80      |  |  |  |
| AV   | 5.35G        | 51.31             | 54.00             | -2.69          | 39.59         | 3           | Horizontal | 290            | 1.80          | -       | 33.90      | 8.66       | 30.84      |  |  |  |
| PK   | 5.4364G      | 66.53             | 74.00             | -7.47          | 54.72         | 3           | Horizontal | 290            | 1.80          | -       | 34.00      | 8.72       | 30.91      |  |  |  |
| AV   | 5.4164G      | 51.88             | 54.00             | -2.12          | 40.07         | 3           | Horizontal | 290            | 1.80          | -       | 34.00      | 8.70       | 30.89      |  |  |  |
| PK   | 5.462G       | 63.18             | 68.20             | -5.02          | 51.35         | 3           | Horizontal | 290            | 1.80          | -       | 34.02      | 8.74       | 30.93      |  |  |  |
| PK   | 5.5148G      | 101.77            | Inf               | -Inf           | 89.88         | 3           | Horizontal | 290            | 1.80          | -       | 34.07      | 8.79       | 30.97      |  |  |  |
| AV   | 5.4996G      | 92.25             | Inf               | -Inf           | 80.34         | 3           | Horizontal | 290            | 1.80          | -       | 34.10      | 8.77       | 30.96      |  |  |  |
| PK   | 5.8172G      | 63.79             | 68.20             | -4.41          | 51.81         | 3           | Horizontal | 290            | 1.80          | -       | 34.07      | 9.02       | 31.11      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

## 5570MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.12518G    | 53.96             | 74.00             | -20.04         | 70.42         | 3           | Vertical  | 226            | 2.98          | -       | 38.60      | 11.42      | 66.48      |  |  |  |
| AV   | 11.12776G    | 40.71             | 54.00             | -13.29         | 57.16         | 3           | Vertical  | 226            | 2.98          | -       | 38.60      | 11.43      | 66.48      |  |  |  |
| PK   | 16.71816G    | 59.56             | 68.20             | -8.64          | 69.31         | 3           | Vertical  | 306            | 1.03          | -       | 39.94      | 13.41      | 63.10      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

## 5570MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.13907G    | 53.94             | 74.00             | -20.06         | 70.38         | 3           | Horizontal | 162            | 2.94          | -       | 38.60      | 11.43      | 66.47      |  |  |  |
| AV   | 11.1325G     | 40.64             | 54.00             | -13.36         | 57.08         | 3           | Horizontal | 162            | 2.94          | -       | 38.60      | 11.43      | 66.47      |  |  |  |
| PK   | 16.70514G    | 59.83             | 68.20             | -8.37          | 69.61         | 3           | Horizontal | 178            | 2.73          | -       | 39.91      | 13.41      | 63.10      |  |  |  |

## 5.47-5.725GHz\_EHT240-BF\_Nss1,(MCS0)\_2TX

### 5610MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-C-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.315G       | 65.43             | 68.20             | -2.77          | 56.95         | 3           | Vertical  | 65             | 1.00          | -       | 33.90      | 5.39       | 30.81      |  |  |  |
| AV   | 5.35G        | 49.06             | 54.00             | -4.94          | 40.60         | 3           | Vertical  | 65             | 1.00          | -       | 33.90      | 5.40       | 30.84      |  |  |  |
| PK   | 5.456G       | 64.50             | 74.00             | -9.50          | 55.96         | 3           | Vertical  | 65             | 1.00          | -       | 34.01      | 5.45       | 30.92      |  |  |  |
| AV   | 5.415G       | 50.68             | 54.00             | -3.32          | 42.15         | 3           | Vertical  | 65             | 1.00          | -       | 34.00      | 5.42       | 30.89      |  |  |  |
| PK   | 5.468G       | 65.88             | 68.20             | -2.32          | 57.31         | 3           | Vertical  | 65             | 1.00          | -       | 34.04      | 5.46       | 30.93      |  |  |  |
| PK   | 5.659G       | 103.12            | Inf               | -Inf           | 94.56         | 3           | Vertical  | 65             | 1.00          | -       | 34.00      | 5.59       | 31.03      |  |  |  |
| AV   | 5.695G       | 90.17             | Inf               | -Inf           | 81.62         | 3           | Vertical  | 65             | 1.00          | -       | 34.00      | 5.60       | 31.05      |  |  |  |
| PK   | 5.859G       | 61.57             | 68.20             | -6.63          | 52.97         | 3           | Vertical  | 65             | 1.00          | -       | 34.04      | 5.69       | 31.13      |  |  |  |

## 5.47-5.725GHz\_EHT240-BF\_Nss1,(MCS0)\_2TX

### 5610MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-E-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.343G       | 64.19             | 68.20             | -4.01          | 52.47         | 3           | Horizontal | 294            | 2.90          | -       | 33.90      | 8.65       | 30.83      |  |  |  |
| AV   | 5.35G        | 52.07             | 54.00             | -1.93          | 40.35         | 3           | Horizontal | 294            | 2.90          | -       | 33.90      | 8.66       | 30.84      |  |  |  |
| AV   | 5.353G       | 52.88             | 54.00             | -1.12          | 41.15         | 3           | Horizontal | 294            | 2.90          | -       | 33.91      | 8.66       | 30.84      |  |  |  |
| PK   | 5.409G       | 64.78             | 74.00             | -9.22          | 52.97         | 3           | Horizontal | 294            | 2.90          | -       | 34.00      | 8.70       | 30.89      |  |  |  |
| PK   | 5.463G       | 62.73             | 68.20             | -5.47          | 50.89         | 3           | Horizontal | 294            | 2.90          | -       | 34.03      | 8.74       | 30.93      |  |  |  |
| PK   | 5.529G       | 100.36            | Inf               | -Inf           | 88.49         | 3           | Horizontal | 294            | 2.90          | -       | 34.04      | 8.80       | 30.97      |  |  |  |
| AV   | 5.567G       | 90.93             | Inf               | -Inf           | 79.09         | 3           | Horizontal | 294            | 2.90          | -       | 34.00      | 8.83       | 30.99      |  |  |  |
| PK   | 5.866G       | 63.82             | 68.20             | -4.38          | 51.89         | 3           | Horizontal | 294            | 2.90          | -       | 34.06      | 9.00       | 31.13      |  |  |  |

## 5.47-5.725GHz\_EHT240-BF\_Nss1,(MCS0)\_2TX

## 5610MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 23  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.23113G    | 53.54             | 74.00             | -20.46         | 69.76         | 3           | Vertical  | 259            | 1.45          | -       | 38.66      | 11.49      | 66.37      |  |  |  |
| AV   | 11.23179G    | 41.69             | 54.00             | -12.31         | 57.90         | 3           | Vertical  | 259            | 1.45          | -       | 38.66      | 11.50      | 66.37      |  |  |  |
| PK   | 16.8366G     | 59.71             | 68.20             | -8.49          | 68.78         | 3           | Vertical  | 214            | 2.77          | -       | 40.52      | 13.45      | 63.04      |  |  |  |

## 5.47-5.725GHz\_EHT240-BF\_Nss1,(MCS0)\_2TX

## 5610MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_2TX  
Setting 23  
02-E-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.23395G    | 54.11             | 74.00             | -19.89         | 70.30         | 3           | Horizontal | 65             | 2.12          | -       | 38.67      | 11.50      | 66.36      |  |  |  |
| AV   | 11.23419G    | 41.90             | 54.00             | -12.10         | 58.09         | 3           | Horizontal | 65             | 2.12          | -       | 38.67      | 11.50      | 66.36      |  |  |  |
| PK   | 16.83924G    | 60.25             | 68.20             | -7.95          | 69.30         | 3           | Horizontal | 154            | 2.07          | -       | 40.54      | 13.45      | 63.04      |  |  |  |