


802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60252G	53.29	54.00	-0.71	18.40	3	Vertical	22	3.00	-	34.89	38.73	13.74	34.07
PK	10.41308G	60.13	68.20	-8.07	17.93	3	Vertical	34	1.47	-	42.20	39.44	13.00	34.51
PK	15.60336G	66.37	74.00	-7.63	18.39	3	Vertical	22	3.00	-	47.98	38.73	13.74	34.08

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60426G	52.60	54.00	-1.40	18.39	3	Horizontal	67	1.00	-	34.21	38.73	13.74	34.08
PK	10.39208G	60.08	68.20	-8.12	17.87	3	Horizontal	151	1.61	-	42.21	39.41	12.98	34.52
PK	15.60504G	65.71	74.00	-8.29	18.38	3	Horizontal	67	1.00	-	47.33	38.72	13.74	34.08

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.129G	47.98	54.00	-6.02	7.91	3	Vertical	105	2.93	-	40.07	31.88	10.08	34.05
AV	5.2466G	99.61	Inf	-Inf	7.46	3	Vertical	105	2.93	-	92.15	31.41	10.10	34.05
AV	5.3822G	46.50	54.00	-7.50	7.57	3	Vertical	105	2.93	-	38.93	31.45	10.18	34.06
PK	5.1152G	60.99	74.00	-13.01	7.97	3	Vertical	105	2.93	-	53.02	31.94	10.08	34.05
PK	5.2454G	109.21	Inf	-Inf	7.47	3	Vertical	105	2.93	-	101.74	31.42	10.10	34.05
PK	5.3738G	59.29	74.00	-14.71	7.53	3	Vertical	105	2.93	-	51.76	31.42	10.17	34.06

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	51.83	54.00	-2.17	7.84	3	Horizontal	260	1.00	-	43.99	31.81	10.08	34.05
AV	5.243G	108.16	Inf	-Inf	7.48	3	Horizontal	260	1.00	-	100.68	31.43	10.10	34.05
AV	5.3588G	47.78	54.00	-6.22	7.48	3	Horizontal	260	1.00	-	40.30	31.38	10.16	34.06
PK	5.147G	67.89	74.00	-6.11	7.84	3	Horizontal	260	1.00	-	60.05	31.81	10.08	34.05
PK	5.2424G	118.07	Inf	-Inf	7.48	3	Horizontal	260	1.00	-	110.59	31.43	10.10	34.05
PK	5.3582G	60.58	74.00	-13.42	7.47	3	Horizontal	260	1.00	-	53.11	31.37	10.16	34.06

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71946G	50.25	54.00	-3.75	17.92	3	Vertical	0	2.25	-	32.33	38.37	13.74	34.19
PK	10.47322G	60.34	68.20	-7.86	18.07	3	Vertical	176	2.66	-	42.27	39.52	13.03	34.48
PK	15.72348G	63.01	74.00	-10.99	17.90	3	Vertical	0	2.25	-	45.11	38.36	13.74	34.20

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72336G	48.85	54.00	-5.15	17.90	3	Horizontal	202	2.18	-	30.95	38.36	13.74	34.20
PK	10.47712G	62.58	68.20	-5.62	18.08	3	Horizontal	202	3.00	-	44.50	39.52	13.03	34.47
PK	15.72834G	61.98	74.00	-12.02	17.88	3	Horizontal	202	2.18	-	44.10	38.34	13.74	34.20

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1238G	47.87	54.00	-6.13	7.93	3	Vertical	108	2.89	-	39.94	31.90	10.08	34.05
AV	5.2666G	98.32	Inf	-Inf	7.38	3	Vertical	108	2.89	-	90.94	31.33	10.11	34.06
AV	5.3506G	47.27	54.00	-6.73	7.45	3	Vertical	108	2.89	-	39.82	31.35	10.16	34.06
PK	5.1382G	60.45	74.00	-13.55	7.88	3	Vertical	108	2.89	-	52.57	31.85	10.08	34.05
PK	5.2654G	108.26	Inf	-Inf	7.39	3	Vertical	108	2.89	-	100.87	31.34	10.11	34.06
PK	5.368G	59.81	74.00	-14.19	7.51	3	Vertical	108	2.89	-	52.30	31.40	10.17	34.06

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	49.30	54.00	-4.70	7.84	3	Horizontal	261	1.00	-	41.46	31.81	10.08	34.05
AV	5.263G	107.55	Inf	-Inf	7.40	3	Horizontal	261	1.00	-	100.15	31.35	10.11	34.06
AV	5.3596G	49.04	54.00	-4.96	7.48	3	Horizontal	261	1.00	-	41.56	31.38	10.16	34.06
PK	5.1466G	62.04	74.00	-11.96	7.84	3	Horizontal	261	1.00	-	54.20	31.81	10.08	34.05
PK	5.2624G	117.51	Inf	-Inf	7.40	3	Horizontal	261	1.00	-	110.11	31.35	10.11	34.06
PK	5.3584G	63.21	74.00	-10.79	7.48	3	Horizontal	261	1.00	-	55.73	31.38	10.16	34.06

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78018G	50.24	54.00	-3.76	17.65	3	Vertical	0	2.13	-	32.59	38.18	13.73	34.26
PK	10.51634G	63.65	68.20	-4.55	18.17	3	Vertical	122	2.77	-	45.48	39.57	13.05	34.45
PK	15.77796G	62.84	74.00	-11.16	17.67	3	Vertical	0	2.13	-	45.17	38.19	13.73	34.25

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7833G	48.97	54.00	-5.03	17.64	3	Horizontal	201	2.26	-	31.33	38.17	13.73	34.26
PK	10.51766G	62.86	68.20	-5.34	18.18	3	Horizontal	211	3.00	-	44.68	39.57	13.06	34.45
PK	15.77868G	61.46	74.00	-12.54	17.67	3	Horizontal	201	2.26	-	43.79	38.19	13.73	34.25

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2932G	98.40	Inf	-Inf	7.30	3	Vertical	98	2.87	-	91.10	31.23	10.13	34.06
AV	5.35G	49.41	54.00	-4.59	7.45	3	Vertical	98	2.87	-	41.96	31.35	10.16	34.06
PK	5.2928G	108.26	Inf	-Inf	7.30	3	Vertical	98	2.87	-	100.96	31.23	10.13	34.06
PK	5.35G	62.75	74.00	-11.25	7.45	3	Vertical	98	2.87	-	55.30	31.35	10.16	34.06

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3032G	107.37	Inf	-Inf	7.28	3	Horizontal	260	1.00	-	100.09	31.21	10.13	34.06
AV	5.36G	53.09	54.00	-0.91	7.49	3	Horizontal	260	1.00	-	45.60	31.38	10.17	34.06
PK	5.3028G	117.26	Inf	-Inf	7.28	3	Horizontal	260	1.00	-	109.98	31.21	10.13	34.06
PK	5.3576G	70.62	74.00	-3.38	7.47	3	Horizontal	260	1.00	-	63.15	31.37	10.16	34.06

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90048G	49.91	54.00	-4.09	17.16	3	Vertical	1	2.23	-	32.75	37.81	13.73	34.38
PK	10.59628G	62.19	68.20	-6.01	18.38	3	Vertical	108	2.74	-	43.81	39.68	13.10	34.40
PK	15.9036G	62.39	74.00	-11.61	17.15	3	Vertical	1	2.23	-	45.24	37.80	13.73	34.38

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90384G	48.36	54.00	-5.64	17.15	3	Horizontal	25	1.05	-	31.21	37.80	13.73	34.38
PK	10.59826G	61.65	68.20	-6.55	18.38	3	Horizontal	199	2.94	-	43.27	39.68	13.10	34.40
PK	15.88692G	61.49	74.00	-12.51	17.22	3	Horizontal	25	1.05	-	44.27	37.85	13.73	34.36

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3146G	95.63	Inf	-Inf	7.32	3	Vertical	232	2.86	-	88.31	31.24	10.14	34.06
AV	5.3502G	48.65	54.00	-5.35	7.45	3	Vertical	232	2.86	-	41.20	31.35	10.16	34.06
PK	5.3136G	104.82	Inf	-Inf	7.32	3	Vertical	232	2.86	-	97.50	31.24	10.14	34.06
PK	5.3528G	61.76	74.00	-12.24	7.46	3	Vertical	232	2.86	-	54.30	31.36	10.16	34.06

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3232G	105.48	Inf	-Inf	7.36	3	Horizontal	285	1.00	-	98.12	31.27	10.15	34.06
AV	5.35G	53.26	54.00	-0.74	7.45	3	Horizontal	285	1.00	-	45.81	31.35	10.16	34.06
PK	5.3226G	114.33	Inf	-Inf	7.35	3	Horizontal	285	1.00	-	106.98	31.27	10.14	34.06
PK	5.357G	67.08	74.00	-6.92	7.47	3	Horizontal	285	1.00	-	59.61	31.37	10.16	34.06

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6378G	46.94	54.00	-7.06	18.48	3	Vertical	2	1.50	-	28.46	39.73	13.13	34.38
AV	15.95712G	50.98	54.00	-3.02	16.92	3	Vertical	10	3.00	-	34.06	37.63	13.73	34.44
PK	10.64064G	60.08	74.00	-13.92	18.48	3	Vertical	2	1.50	-	41.60	39.73	13.13	34.38
PK	15.95454G	64.88	74.00	-9.12	16.94	3	Vertical	10	3.00	-	47.94	37.64	13.73	34.43

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63944G	46.82	54.00	-7.18	18.48	3	Horizontal	92	1.46	-	28.34	39.73	13.13	34.38
AV	15.95712G	49.25	54.00	-4.75	16.92	3	Horizontal	41	1.00	-	32.33	37.63	13.73	34.44
PK	10.64048G	60.38	74.00	-13.62	18.48	3	Horizontal	92	1.46	-	41.90	39.73	13.13	34.38
PK	15.95784G	62.47	74.00	-11.53	16.92	3	Horizontal	41	1.00	-	45.55	37.63	13.73	34.44

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4578G	46.86	54.00	-7.14	7.80	3	Vertical	111	3.00	-	39.06	31.67	10.20	34.07
AV	5.506G	96.87	Inf	-Inf	7.94	3	Vertical	111	3.00	-	88.93	31.79	10.22	34.07
PK	5.4682G	62.45	68.20	-5.75	7.84	3	Vertical	111	3.00	-	54.61	31.70	10.21	34.07
PK	5.5068G	105.50	Inf	-Inf	7.94	3	Vertical	111	3.00	-	97.56	31.79	10.22	34.07

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.39	54.00	-2.61	7.81	3	Horizontal	282	1.00	-	43.58	31.68	10.20	34.07
AV	5.5016G	105.62	Inf	-Inf	7.95	3	Horizontal	282	1.00	-	97.67	31.80	10.22	34.07
PK	5.4668G	67.97	68.20	-0.23	7.84	3	Horizontal	282	1.00	-	60.13	31.70	10.21	34.07
PK	5.4992G	114.42	Inf	-Inf	7.94	3	Horizontal	282	1.00	-	106.48	31.80	10.21	34.07

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99802G	48.01	54.00	-5.99	19.37	3	Vertical	34	1.48	-	28.64	40.20	13.33	34.16
PK	10.99807G	61.43	74.00	-12.57	19.37	3	Vertical	34	1.48	-	42.06	40.20	13.33	34.16
PK	16.49874G	62.30	68.20	-5.90	18.98	3	Vertical	103	1.50	-	43.32	38.85	14.09	33.96

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0016G	47.96	54.00	-6.04	19.38	3	Horizontal	39	1.50	-	28.58	40.20	13.34	34.16
PK	10.99825G	61.40	74.00	-12.60	19.37	3	Horizontal	39	1.50	-	42.03	40.20	13.33	34.16
PK	16.4988G	61.80	68.20	-6.40	18.98	3	Horizontal	184	2.66	-	42.82	38.85	14.09	33.96

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	46.82	54.00	-7.18	7.80	3	Vertical	183	2.94	-	39.02	31.67	10.20	34.07
AV	5.5836G	98.15	Inf	-Inf	7.80	3	Vertical	183	2.94	-	90.35	31.63	10.24	34.07
PK	5.4648G	59.50	68.20	-8.70	7.83	3	Vertical	183	2.94	-	51.67	31.69	10.21	34.07
PK	5.583G	108.09	Inf	-Inf	7.80	3	Vertical	183	2.94	-	100.29	31.63	10.24	34.07
PK	5.7258G	59.36	68.20	-8.84	8.21	3	Vertical	183	2.94	-	51.15	31.88	10.40	34.07

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	49.57	54.00	-4.43	7.79	3	Horizontal	278	1.00	-	41.78	31.65	10.20	34.06
AV	5.577G	109.50	Inf	-Inf	7.82	3	Horizontal	278	1.00	-	101.68	31.65	10.24	34.07
PK	5.466G	67.44	68.20	-0.76	7.84	3	Horizontal	278	1.00	-	59.60	31.70	10.21	34.07
PK	5.577G	119.46	Inf	-Inf	7.82	3	Horizontal	278	1.00	-	111.64	31.65	10.24	34.07
PK	5.7252G	63.59	68.20	-4.61	8.21	3	Horizontal	278	1.00	-	55.38	31.88	10.40	34.07

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15628G	51.32	54.00	-2.68	19.26	3	Vertical	149	2.17	-	32.06	40.00	13.43	34.17
PK	11.15712G	63.81	74.00	-10.19	19.26	3	Vertical	149	2.17	-	44.55	40.00	13.43	34.17
PK	16.73496G	65.32	68.20	-2.88	20.03	3	Vertical	214	2.17	-	45.29	39.48	14.26	33.71

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16G	50.95	54.00	-3.05	19.25	3	Horizontal	207	2.91	-	31.70	39.99	13.43	34.17
PK	11.15682G	63.46	74.00	-10.54	19.26	3	Horizontal	207	2.91	-	44.20	40.00	13.43	34.17
PK	16.74888G	63.42	68.20	-4.78	20.10	3	Horizontal	153	2.05	-	43.32	39.52	14.27	33.69

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6948G	96.69	Inf	-Inf	8.08	3	Vertical	104	2.95	-	88.61	31.79	10.36	34.07
PK	5.6964G	105.89	Inf	-Inf	8.08	3	Vertical	104	2.95	-	97.81	31.79	10.36	34.07
PK	5.7256G	62.23	68.20	-5.97	8.21	3	Vertical	104	2.95	-	54.02	31.88	10.40	34.07

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6968G	103.63	Inf	-Inf	8.08	3	Horizontal	276	1.00	-	95.55	31.79	10.36	34.07
PK	5.6968G	113.13	Inf	-Inf	8.08	3	Horizontal	276	1.00	-	105.05	31.79	10.36	34.07
PK	5.7252G	67.87	68.20	-0.33	8.21	3	Horizontal	276	1.00	-	59.66	31.88	10.40	34.07

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39965G	47.71	54.00	-6.29	19.07	3	Vertical	357	1.40	-	28.64	39.68	13.57	34.18
PK	11.40034G	60.83	74.00	-13.17	19.07	3	Vertical	357	1.40	-	41.76	39.68	13.57	34.18
PK	17.1084G	65.19	68.20	-3.01	22.02	3	Vertical	22	2.03	-	43.17	40.95	14.52	33.45

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40058G	47.62	54.00	-6.38	19.07	3	Horizontal	183	1.50	-	28.55	39.68	13.57	34.18
PK	11.39753G	61.52	74.00	-12.48	19.07	3	Horizontal	183	1.50	-	42.45	39.68	13.57	34.18
PK	17.0997G	64.03	68.20	-4.17	21.96	3	Horizontal	88	2.18	-	42.07	40.89	14.52	33.45

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	46.70	54.00	-7.30	7.81	3	Vertical	341	3.00	-	38.89	31.68	10.20	34.07
AV	5.7152G	101.01	Inf	-Inf	8.16	3	Vertical	341	3.00	-	92.85	31.85	10.38	34.07
PK	5.4692G	58.41	68.20	-9.79	7.85	3	Vertical	341	3.00	-	50.56	31.71	10.21	34.07
PK	5.714G	110.95	Inf	-Inf	8.15	3	Vertical	341	3.00	-	102.80	31.84	10.38	34.07
PK	5.8508G	64.32	68.20	-3.88	8.68	3	Vertical	341	3.00	-	55.64	32.25	10.51	34.08

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	47.01	54.00	-6.99	7.80	3	Horizontal	276	1.00	-	39.21	31.67	10.20	34.07
AV	5.7164G	108.43	Inf	-Inf	8.17	3	Horizontal	276	1.00	-	100.26	31.85	10.39	34.07
PK	5.46G	59.17	68.20	-9.03	7.81	3	Horizontal	276	1.00	-	51.36	31.68	10.20	34.07
PK	5.7164G	118.31	Inf	-Inf	8.17	3	Horizontal	276	1.00	-	110.14	31.85	10.39	34.07
PK	5.8508G	67.67	68.20	-0.53	8.68	3	Horizontal	276	1.00	-	58.99	32.25	10.51	34.08

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43826G	52.39	54.00	-1.61	19.03	3	Vertical	274	3.00	-	33.36	39.63	13.59	34.19
PK	11.4343G	65.51	74.00	-8.49	19.04	3	Vertical	274	3.00	-	46.47	39.64	13.59	34.19
PK	17.16714G	68.02	68.20	-0.18	22.45	3	Vertical	216	2.41	-	45.57	41.35	14.56	33.46

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43978G	50.60	54.00	-3.40	19.03	3	Horizontal	217	2.88	-	31.57	39.63	13.59	34.19
PK	11.43608G	63.17	74.00	-10.83	19.03	3	Horizontal	217	2.88	-	44.14	39.63	13.59	34.19
PK	17.16762G	65.72	68.20	-2.48	22.47	3	Horizontal	174	2.80	-	43.25	41.36	14.57	33.46

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	100.91	Inf	-Inf	8.26	3	Vertical	103	2.89	-	92.65	31.92	10.41	34.07
PK	5.637G	61.05	68.20	-7.15	7.89	3	Vertical	103	2.89	-	53.16	31.67	10.29	34.07
PK	5.7402G	110.96	Inf	-Inf	8.26	3	Vertical	103	2.89	-	102.70	31.92	10.41	34.07
PK	5.949G	61.24	68.20	-6.96	8.88	3	Vertical	103	2.89	-	52.36	32.40	10.56	34.08

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	108.51	Inf	-Inf	8.27	3	Horizontal	276	1.00	-	100.24	31.92	10.42	34.07
PK	5.6514G	68.79	69.24	-0.45	7.94	3	Horizontal	276	1.00	-	60.85	31.70	10.31	34.07
PK	5.7414G	118.35	Inf	-Inf	8.27	3	Horizontal	276	1.00	-	110.08	31.92	10.42	34.07
PK	5.9418G	61.92	68.20	-6.28	8.88	3	Horizontal	276	1.00	-	53.04	32.40	10.56	34.08

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4882G	51.23	54.00	-2.77	19.00	3	Vertical	273	2.78	-	32.23	39.57	13.62	34.19
PK	11.48688G	64.61	74.00	-9.39	19.00	3	Vertical	273	2.78	-	45.61	39.57	13.62	34.19
PK	17.23206G	67.94	68.20	-0.26	22.93	3	Vertical	8	2.52	-	45.01	41.80	14.61	33.48

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48706G	47.13	54.00	-6.87	19.00	3	Horizontal	160	1.50	-	28.13	39.57	13.62	34.19
PK	11.4858G	60.56	74.00	-13.44	19.00	3	Horizontal	160	1.50	-	41.56	39.57	13.62	34.19
PK	17.23638G	67.20	68.20	-1.00	22.96	3	Horizontal	40	2.17	-	44.24	41.83	14.61	33.48

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	100.73	Inf	-Inf	8.42	3	Vertical	104	3.00	-	92.31	32.04	10.46	34.08
PK	5.6062G	60.92	68.20	-7.28	7.79	3	Vertical	104	3.00	-	53.13	31.61	10.25	34.07
PK	5.7814G	110.43	Inf	-Inf	8.42	3	Vertical	104	3.00	-	102.01	32.04	10.46	34.08
PK	5.9578G	61.28	68.20	-6.92	8.88	3	Vertical	104	3.00	-	52.40	32.40	10.56	34.08

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	108.07	Inf	-Inf	8.42	3	Horizontal	275	1.00	-	99.65	32.04	10.46	34.08
PK	5.6386G	63.33	68.20	-4.87	7.90	3	Horizontal	275	1.00	-	55.43	31.68	10.29	34.07
PK	5.7814G	117.97	Inf	-Inf	8.42	3	Horizontal	275	1.00	-	109.55	32.04	10.46	34.08
PK	5.9254G	64.93	68.20	-3.27	8.87	3	Horizontal	275	1.00	-	56.06	32.40	10.55	34.08

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.5643G	65.29	74.00	-8.71	18.94	3	Vertical	271	2.95	-	46.35	39.47	13.66	34.19
AV	11.56832G	51.55	54.00	-2.45	18.93	3	Vertical	271	2.95	-	32.62	39.46	13.66	34.19
PK	17.364G	67.48	68.20	-0.72	23.92	3	Vertical	199	2.10	-	43.56	42.71	14.71	33.50

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57006G	48.64	54.00	-5.36	18.94	3	Horizontal	209	2.79	-	29.70	39.46	13.67	34.19
PK	11.56706G	61.51	74.00	-12.49	18.93	3	Horizontal	209	2.79	-	42.58	39.46	13.66	34.19
PK	17.35806G	67.97	68.20	-0.23	23.87	3	Horizontal	327	2.59	-	44.10	42.67	14.70	33.50

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	97.62	Inf	-Inf	8.58	3	Vertical	104	3.00	-	89.04	32.16	10.50	34.08
PK	5.6414G	60.11	68.20	-8.09	7.90	3	Vertical	104	3.00	-	52.21	31.68	10.29	34.07
PK	5.8214G	107.23	Inf	-Inf	8.58	3	Vertical	104	3.00	-	98.65	32.16	10.50	34.08
PK	5.9366G	61.03	68.20	-7.17	8.87	3	Vertical	104	3.00	-	52.16	32.40	10.55	34.08

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	105.18	Inf	-Inf	8.58	3	Horizontal	275	1.00	-	96.60	32.16	10.50	34.08
PK	5.6426G	60.14	68.20	-8.06	7.91	3	Horizontal	275	1.00	-	52.23	31.69	10.29	34.07
PK	5.8214G	114.62	Inf	-Inf	8.58	3	Horizontal	275	1.00	-	106.04	32.16	10.50	34.08
PK	5.9414G	62.11	68.20	-6.09	8.88	3	Horizontal	275	1.00	-	53.23	32.40	10.56	34.08

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64712G	47.81	54.00	-6.19	18.87	3	Vertical	277	2.99	-	28.94	39.36	13.71	34.20
PK	11.64418G	60.40	74.00	-13.60	18.87	3	Vertical	277	2.99	-	41.53	39.36	13.71	34.20
PK	17.4729G	68.02	68.20	-0.18	24.72	3	Vertical	212	1.87	-	43.30	43.46	14.78	33.52

802.11a_Nss1,(6Mbps)_2TX

24/10/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65948G	47.21	54.00	-6.79	18.86	3	Horizontal	39	2.58	-	28.35	39.34	13.72	34.20
PK	11.64448G	61.11	74.00	-12.89	18.87	3	Horizontal	39	2.58	-	42.24	39.36	13.71	34.20
PK	17.4828G	68.09	68.20	-0.11	24.79	3	Horizontal	37	2.55	-	43.30	43.53	14.79	33.53

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	48.07	54.00	-5.93	7.83	3	Vertical	93	2.90	-	40.24	31.80	10.08	34.05
AV	5.1854G	86.71	Inf	-Inf	7.69	3	Vertical	93	2.90	-	79.02	31.66	10.08	34.05
PK	5.1482G	61.04	74.00	-12.96	7.84	3	Vertical	93	2.90	-	53.20	31.81	10.08	34.05
PK	5.1842G	96.14	Inf	-Inf	7.69	3	Vertical	93	2.90	-	88.45	31.66	10.08	34.05

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.73	54.00	-0.27	7.83	3	Horizontal	278	1.00	-	45.90	31.80	10.08	34.05
AV	5.1854G	101.94	Inf	-Inf	7.69	3	Horizontal	278	1.00	-	94.25	31.66	10.08	34.05
PK	5.1486G	69.67	74.00	-4.33	7.84	3	Horizontal	278	1.00	-	61.83	31.81	10.08	34.05
PK	5.184G	111.03	Inf	-Inf	7.69	3	Horizontal	278	1.00	-	103.34	31.66	10.08	34.05

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5301G	47.50	54.00	-6.50	18.70	3	Vertical	152	1.13	-	28.80	38.96	13.74	34.00
PK	10.36822G	59.77	68.20	-8.43	17.81	3	Vertical	190	1.50	-	41.96	39.38	12.97	34.54
PK	15.55224G	61.55	74.00	-12.45	18.61	3	Vertical	152	1.13	-	42.94	38.89	13.74	34.02

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53574G	49.45	54.00	-4.55	18.67	3	Horizontal	69	1.86	-	30.78	38.94	13.74	34.01
PK	10.35172G	60.05	68.20	-8.15	17.77	3	Horizontal	155	1.50	-	42.28	39.36	12.96	34.55
PK	15.52782G	63.86	74.00	-10.14	18.70	3	Horizontal	69	1.86	-	45.16	38.96	13.74	34.00

802.11ac VHT20_Nss1,(MCS0)_2TX

24/10/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1036G	48.59	54.00	-5.41	8.02	3	Vertical	170	1.50	-	40.57	31.99	10.08	34.05
AV	5.1944G	90.51	Inf	-Inf	7.65	3	Vertical	170	1.50	-	82.86	31.62	10.08	34.05
PK	5.1452G	60.51	74.00	-13.49	7.85	3	Vertical	170	1.50	-	52.66	31.82	10.08	34.05
PK	5.206G	99.49	Inf	-Inf	7.61	3	Vertical	170	1.50	-	91.88	31.58	10.08	34.05

802.11ac VHT20_Nss1,(MCS0)_2TX

24/10/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.52	54.00	-0.48	7.83	3	Horizontal	252	1.00	-	45.69	31.80	10.08	34.05
AV	5.2052G	106.52	Inf	-Inf	7.61	3	Horizontal	252	1.00	-	98.91	31.58	10.08	34.05
PK	5.15G	66.90	74.00	-7.10	7.83	3	Horizontal	252	1.00	-	59.07	31.80	10.08	34.05
PK	5.204G	115.55	Inf	-Inf	7.61	3	Horizontal	252	1.00	-	107.94	31.58	10.08	34.05

802.11ac VHT20_Nss1,(MCS0)_2TX

24/10/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59892G	49.75	54.00	-4.25	18.41	3	Vertical	2	1.00	-	31.34	38.74	13.74	34.07
PK	10.39712G	59.58	68.20	-8.62	17.89	3	Vertical	325	1.85	-	41.69	39.42	12.99	34.52
PK	15.59592G	62.92	74.00	-11.08	18.42	3	Vertical	2	1.00	-	44.50	38.75	13.74	34.07

802.11ac VHT20_Nss1,(MCS0)_2TX

24/10/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59952G	49.64	54.00	-4.36	18.41	3	Horizontal	69	2.16	-	31.23	38.74	13.74	34.07
PK	10.3904G	59.79	68.20	-8.41	17.86	3	Horizontal	115	1.40	-	41.93	39.41	12.98	34.53
PK	15.58986G	62.79	74.00	-11.21	18.45	3	Horizontal	69	2.16	-	44.34	38.77	13.74	34.06

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019


5240MHz_TX



802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.11	54.00	-4.89	7.83	3	Horizontal	286	1.00	-	41.28	31.80	10.08	34.05
AV	5.2454G	107.32	Inf	-Inf	7.47	3	Horizontal	286	1.00	-	99.85	31.42	10.10	34.05
AV	5.3528G	47.77	54.00	-6.23	7.46	3	Horizontal	286	1.00	-	40.31	31.36	10.16	34.06
PK	5.1422G	65.70	74.00	-8.30	7.86	3	Horizontal	286	1.00	-	57.84	31.83	10.08	34.05
PK	5.2436G	117.83	Inf	-Inf	7.48	3	Horizontal	286	1.00	-	110.35	31.43	10.10	34.05
PK	5.35G	63.93	74.00	-10.07	7.45	3	Horizontal	286	1.00	-	56.48	31.35	10.16	34.06

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72348G	47.82	54.00	-6.18	17.90	3	Vertical	171	1.00	-	29.92	38.36	13.74	34.20
PK	10.47304G	60.77	68.20	-7.43	18.06	3	Vertical	174	2.13	-	42.71	39.51	13.03	34.48
PK	15.72978G	60.36	74.00	-13.64	17.88	3	Vertical	171	1.00	-	42.48	38.34	13.74	34.20

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.73284G	47.74	54.00	-6.26	17.86	3	Horizontal	357	1.50	-	29.88	38.33	13.74	34.21
PK	10.49422G	59.58	68.20	-8.62	18.12	3	Horizontal	145	1.50	-	41.46	39.54	13.04	34.46
PK	15.70932G	60.58	74.00	-13.42	17.96	3	Horizontal	357	1.50	-	42.62	38.40	13.74	34.18

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1304G	47.86	54.00	-6.14	7.91	3	Vertical	90	2.54	-	39.95	31.88	10.08	34.05
AV	5.2546G	97.27	Inf	-Inf	7.43	3	Vertical	90	2.54	-	89.84	31.38	10.11	34.06
AV	5.3518G	46.48	54.00	-7.52	7.46	3	Vertical	90	2.54	-	39.02	31.36	10.16	34.06
PK	5.1382G	61.83	74.00	-12.17	7.88	3	Vertical	90	2.54	-	53.95	31.85	10.08	34.05
PK	5.2636G	107.94	Inf	-Inf	7.40	3	Vertical	90	2.54	-	100.54	31.35	10.11	34.06
PK	5.4064G	60.09	74.00	-13.91	7.65	3	Vertical	90	2.54	-	52.44	31.52	10.19	34.06

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.62	54.00	-5.38	7.83	3	Horizontal	283	1.00	-	40.79	31.80	10.08	34.05
AV	5.2654G	107.13	Inf	-Inf	7.39	3	Horizontal	283	1.00	-	99.74	31.34	10.11	34.06
AV	5.35G	49.15	54.00	-4.85	7.45	3	Horizontal	283	1.00	-	41.70	31.35	10.16	34.06
PK	5.15G	61.31	74.00	-12.69	7.83	3	Horizontal	283	1.00	-	53.48	31.80	10.08	34.05
PK	5.2636G	117.97	Inf	-Inf	7.40	3	Horizontal	283	1.00	-	110.57	31.35	10.11	34.06
PK	5.3572G	65.85	74.00	-8.15	7.47	3	Horizontal	283	1.00	-	58.38	31.37	10.16	34.06

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7863G	47.54	54.00	-6.46	17.63	3	Vertical	84	2.96	-	29.91	38.16	13.73	34.26
PK	10.51616G	59.74	68.20	-8.46	18.17	3	Vertical	360	1.50	-	41.57	39.57	13.05	34.45
PK	15.78312G	60.74	74.00	-13.26	17.64	3	Vertical	84	2.96	-	43.10	38.17	13.73	34.26

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77358G	47.35	54.00	-6.65	17.68	3	Horizontal	79	1.50	-	29.67	38.20	13.73	34.25
PK	10.53488G	60.03	68.20	-8.17	18.23	3	Horizontal	359	1.50	-	41.80	39.60	13.07	34.44
PK	15.76908G	60.66	74.00	-13.34	17.71	3	Horizontal	79	1.50	-	42.95	38.22	13.73	34.24

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3052G	96.45	Inf	-Inf	7.30	3	Vertical	91	2.65	-	89.15	31.22	10.14	34.06
AV	5.35G	47.61	54.00	-6.39	7.45	3	Vertical	91	2.65	-	40.16	31.35	10.16	34.06
PK	5.304G	106.00	Inf	-Inf	7.28	3	Vertical	91	2.65	-	98.72	31.21	10.13	34.06
PK	5.3504G	60.25	74.00	-13.75	7.45	3	Vertical	91	2.65	-	52.80	31.35	10.16	34.06

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019


5300MHz_TX



802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89496G	50.00	54.00	-4.00	17.19	3	Vertical	355	1.50	-	32.81	37.83	13.73	34.37
PK	10.59646G	60.25	68.20	-7.95	18.38	3	Vertical	360	1.50	-	41.87	39.68	13.10	34.40
PK	15.89892G	64.70	74.00	-9.30	17.16	3	Vertical	355	1.50	-	47.54	37.81	13.73	34.38

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89532G	47.62	54.00	-6.38	17.18	3	Horizontal	360	1.50	-	30.44	37.82	13.73	34.37
PK	10.59868G	59.86	68.20	-8.34	18.38	3	Horizontal	209	1.50	-	41.48	39.68	13.10	34.40
PK	15.9036G	60.72	74.00	-13.28	17.15	3	Horizontal	360	1.50	-	43.57	37.80	13.73	34.38

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3254G	91.42	Inf	-Inf	7.37	3	Vertical	116	2.95	-	84.05	31.28	10.15	34.06
AV	5.35G	47.10	54.00	-6.90	7.45	3	Vertical	116	2.95	-	39.65	31.35	10.16	34.06
PK	5.3242G	100.51	Inf	-Inf	7.36	3	Vertical	116	2.95	-	93.15	31.27	10.15	34.06
PK	5.3506G	59.65	74.00	-14.35	7.45	3	Vertical	116	2.95	-	52.20	31.35	10.16	34.06

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3146G	103.04	Inf	-Inf	7.32	3	Horizontal	284	1.00	-	95.72	31.24	10.14	34.06
AV	5.35G	53.57	54.00	-0.43	7.45	3	Horizontal	284	1.00	-	46.12	31.35	10.16	34.06
PK	5.3152G	112.41	Inf	-Inf	7.33	3	Horizontal	284	1.00	-	105.08	31.25	10.14	34.06
PK	5.3502G	68.43	74.00	-5.57	7.45	3	Horizontal	284	1.00	-	60.98	31.35	10.16	34.06

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64138G	46.76	54.00	-7.24	18.48	3	Vertical	136	1.50	-	28.28	39.73	13.13	34.38
AV	15.95592G	48.67	54.00	-5.33	16.93	3	Vertical	10	2.82	-	31.74	37.64	13.73	34.44
PK	10.63238G	60.12	74.00	-13.88	18.46	3	Vertical	136	1.50	-	41.66	39.72	13.12	34.38
PK	15.95556G	62.89	74.00	-11.11	16.94	3	Vertical	10	2.82	-	45.95	37.64	13.73	34.43

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6424G	46.82	54.00	-7.18	18.50	3	Horizontal	16	3.00	-	28.32	39.74	13.13	34.37
AV	15.94788G	46.76	54.00	-7.24	16.96	3	Horizontal	145	1.84	-	29.80	37.66	13.73	34.43
PK	10.64396G	59.83	74.00	-14.17	18.50	3	Horizontal	16	3.00	-	41.33	39.74	13.13	34.37
PK	15.94836G	59.84	74.00	-14.16	16.96	3	Horizontal	145	1.84	-	42.88	37.66	13.73	34.43

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	46.79	54.00	-7.21	7.80	3	Vertical	95	2.58	-	38.99	31.67	10.20	34.07
AV	5.5054G	94.00	Inf	-Inf	7.94	3	Vertical	95	2.58	-	86.06	31.79	10.22	34.07
PK	5.4666G	61.61	68.20	-6.59	7.84	3	Vertical	95	2.58	-	53.77	31.70	10.21	34.07
PK	5.5042G	103.00	Inf	-Inf	7.94	3	Vertical	95	2.58	-	95.06	31.79	10.22	34.07

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	47.63	54.00	-6.37	7.81	3	Horizontal	251	1.00	-	39.82	31.68	10.20	34.07
AV	5.5054G	101.15	Inf	-Inf	7.94	3	Horizontal	251	1.00	-	93.21	31.79	10.22	34.07
PK	5.467G	67.79	68.20	-0.41	7.84	3	Horizontal	251	1.00	-	59.95	31.70	10.21	34.07
PK	5.5042G	110.22	Inf	-Inf	7.94	3	Horizontal	251	1.00	-	102.28	31.79	10.22	34.07

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99382G	47.88	54.00	-6.12	19.36	3	Vertical	312	1.47	-	28.52	40.19	13.33	34.16
PK	11.00936G	61.48	74.00	-12.52	19.37	3	Vertical	312	1.47	-	42.11	40.19	13.34	34.16
PK	16.51044G	61.88	68.20	-6.32	19.03	3	Vertical	18	2.13	-	42.85	38.88	14.09	33.94

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99868G	47.83	54.00	-6.17	19.37	3	Horizontal	120	1.62	-	28.46	40.20	13.33	34.16
PK	11.01434G	61.60	74.00	-12.40	19.36	3	Horizontal	120	1.62	-	42.24	40.18	13.34	34.16
PK	16.51254G	62.02	68.20	-6.18	19.04	3	Horizontal	334	2.41	-	42.98	38.88	14.10	33.94

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	46.78	54.00	-7.22	7.80	3	Vertical	159	1.00	-	38.98	31.67	10.20	34.07
AV	5.5854G	97.64	Inf	-Inf	7.80	3	Vertical	159	1.00	-	89.84	31.63	10.24	34.07
PK	5.4612G	59.21	68.20	-8.99	7.81	3	Vertical	159	1.00	-	51.40	31.68	10.20	34.07
PK	5.586G	108.20	Inf	-Inf	7.80	3	Vertical	159	1.00	-	100.40	31.63	10.24	34.07
PK	5.7252G	59.41	68.20	-8.79	8.21	3	Vertical	159	1.00	-	51.20	31.88	10.40	34.07

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	47.56	54.00	-6.44	7.80	3	Horizontal	298	1.00	-	39.76	31.67	10.20	34.07
AV	5.5746G	108.70	Inf	-Inf	7.82	3	Horizontal	298	1.00	-	100.88	31.65	10.24	34.07
PK	5.469G	66.09	68.20	-2.11	7.85	3	Horizontal	298	1.00	-	58.24	31.71	10.21	34.07
PK	5.5764G	119.58	Inf	-Inf	7.82	3	Horizontal	298	1.00	-	111.76	31.65	10.24	34.07
PK	5.73G	64.74	68.20	-3.46	8.22	3	Horizontal	298	1.00	-	56.52	31.89	10.40	34.07

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15928G	49.31	54.00	-4.69	19.25	3	Vertical	348	1.50	-	30.06	39.99	13.43	34.17
PK	11.15952G	63.34	74.00	-10.66	19.25	3	Vertical	348	1.50	-	44.09	39.99	13.43	34.17
PK	16.74558G	63.00	68.20	-5.20	20.07	3	Vertical	359	1.50	-	42.93	39.51	14.26	33.70

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15292G	47.73	54.00	-6.27	19.25	3	Horizontal	50	1.50	-	28.48	40.00	13.42	34.17
PK	11.14728G	61.07	74.00	-12.93	19.26	3	Horizontal	50	1.50	-	41.81	40.01	13.42	34.17
PK	16.74336G	62.88	68.20	-5.32	20.07	3	Horizontal	65	1.50	-	42.81	39.51	14.26	33.70

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7056G	93.46	Inf	-Inf	8.12	3	Vertical	157	1.00	-	85.34	31.82	10.37	34.07
PK	5.704G	102.59	Inf	-Inf	8.11	3	Vertical	157	1.00	-	94.48	31.81	10.37	34.07
PK	5.778G	61.66	68.20	-6.54	8.41	3	Vertical	157	1.00	-	53.25	32.03	10.46	34.08

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7052G	99.57	Inf	-Inf	8.12	3	Horizontal	27	1.00	-	91.45	31.82	10.37	34.07
PK	5.6952G	108.93	Inf	-Inf	8.08	3	Horizontal	27	1.00	-	100.85	31.79	10.36	34.07
PK	5.7252G	67.59	68.20	-0.61	8.21	3	Horizontal	27	1.00	-	59.38	31.88	10.40	34.07

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4135G	47.30	54.00	-6.70	19.05	3	Vertical	252	1.67	-	28.25	39.66	13.57	34.18
PK	11.39502G	61.06	74.00	-12.94	19.07	3	Vertical	252	1.67	-	41.99	39.69	13.56	34.18
PK	17.11014G	64.72	68.20	-3.48	22.03	3	Vertical	305	1.41	-	42.69	40.96	14.52	33.45

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40486G	47.28	54.00	-6.72	19.06	3	Horizontal	253	1.51	-	28.22	39.67	13.57	34.18
PK	11.40378G	60.28	74.00	-13.72	19.07	3	Horizontal	253	1.51	-	41.21	39.68	13.57	34.18
PK	17.1147G	64.94	68.20	-3.26	22.07	3	Horizontal	279	1.19	-	42.87	40.99	14.53	33.45

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4296G	47.50	54.00	-6.50	7.73	3	Vertical	147	1.00	-	39.77	31.59	10.20	34.06
AV	5.7152G	99.52	Inf	-Inf	8.16	3	Vertical	147	1.00	-	91.36	31.85	10.38	34.07
PK	5.4608G	59.50	68.20	-8.70	7.81	3	Vertical	147	1.00	-	51.69	31.68	10.20	34.07
PK	5.7164G	109.45	Inf	-Inf	8.17	3	Vertical	147	1.00	-	101.28	31.85	10.39	34.07
PK	5.9216G	61.31	68.20	-6.89	8.87	3	Vertical	147	1.00	-	52.44	32.40	10.55	34.08

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	47.71	54.00	-6.29	7.78	3	Horizontal	273	1.50	-	39.93	31.65	10.20	34.07
AV	5.7152G	105.83	Inf	-Inf	8.16	3	Horizontal	273	1.50	-	97.67	31.85	10.38	34.07
PK	5.4668G	59.72	68.20	-8.48	7.84	3	Horizontal	273	1.50	-	51.88	31.70	10.21	34.07
PK	5.7164G	116.10	Inf	-Inf	8.17	3	Horizontal	273	1.50	-	107.93	31.85	10.39	34.07
PK	5.8556G	68.08	68.20	-0.12	8.70	3	Horizontal	273	1.50	-	59.38	32.27	10.51	34.08

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019


5720MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019


5720MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	99.39	Inf	-Inf	8.31	3	Vertical	91	2.80	-	91.08	31.95	10.43	34.07
PK	5.5962G	60.68	68.20	-7.52	7.78	3	Vertical	91	2.80	-	52.90	31.61	10.24	34.07
PK	5.7486G	108.89	Inf	-Inf	8.30	3	Vertical	91	2.80	-	100.59	31.95	10.42	34.07
PK	5.9682G	61.17	68.20	-7.03	8.89	3	Vertical	91	2.80	-	52.28	32.40	10.57	34.08

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	106.86	Inf	-Inf	8.31	3	Horizontal	273	1.00	-	98.55	31.95	10.43	34.07
PK	5.6454G	62.65	68.20	-5.55	7.92	3	Horizontal	273	1.00	-	54.73	31.69	10.30	34.07
PK	5.7414G	116.07	Inf	-Inf	8.27	3	Horizontal	273	1.00	-	107.80	31.92	10.42	34.07
PK	5.9286G	60.95	68.20	-7.25	8.87	3	Horizontal	273	1.00	-	52.08	32.40	10.55	34.08

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48959G	49.82	54.00	-4.18	18.99	3	Vertical	263	2.90	-	30.83	39.56	13.62	34.19
PK	11.48908G	63.48	74.00	-10.52	18.99	3	Vertical	263	2.90	-	44.49	39.56	13.62	34.19
PK	17.23426G	67.88	68.20	-0.32	22.95	3	Vertical	213	1.88	-	44.93	41.82	14.61	33.48

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48871G	48.09	54.00	-5.91	18.99	3	Horizontal	39	1.22	-	29.10	39.56	13.62	34.19
PK	11.48815G	61.67	74.00	-12.33	19.00	3	Horizontal	39	1.22	-	42.67	39.57	13.62	34.19
PK	17.23632G	66.50	68.20	-1.70	22.96	3	Horizontal	99	2.80	-	43.54	41.83	14.61	33.48

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	95.68	Inf	-Inf	8.47	3	Vertical	158	1.02	-	87.21	32.07	10.48	34.08
PK	5.5858G	60.96	68.20	-7.24	7.80	3	Vertical	158	1.02	-	53.16	31.63	10.24	34.07
PK	5.7898G	104.44	Inf	-Inf	8.46	3	Vertical	158	1.02	-	95.98	32.07	10.47	34.08
PK	5.977G	61.04	68.20	-7.16	8.89	3	Vertical	158	1.02	-	52.15	32.40	10.57	34.08

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	104.94	Inf	-Inf	8.46	3	Horizontal	271	1.00	-	96.48	32.07	10.47	34.08
PK	5.6218G	61.31	68.20	-6.89	7.84	3	Horizontal	271	1.00	-	53.47	31.64	10.27	34.07
PK	5.7898G	114.18	Inf	-Inf	8.46	3	Horizontal	271	1.00	-	105.72	32.07	10.47	34.08
PK	5.9422G	61.70	68.20	-6.50	8.88	3	Horizontal	271	1.00	-	52.82	32.40	10.56	34.08

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56955G	46.83	54.00	-7.17	18.93	3	Vertical	189	1.50	-	27.90	39.46	13.66	34.19
PK	11.57056G	62.17	74.00	-11.83	18.94	3	Vertical	189	1.50	-	43.23	39.46	13.67	34.19
PK	17.35571G	68.13	68.20	-0.07	23.85	3	Vertical	352	1.06	-	44.28	42.65	14.70	33.50

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56914G	46.82	54.00	-7.18	18.93	3	Horizontal	257	1.50	-	27.89	39.46	13.66	34.19
PK	11.56902G	60.65	74.00	-13.35	18.93	3	Horizontal	257	1.50	-	41.72	39.46	13.66	34.19
PK	17.35717G	67.51	68.20	-0.69	23.86	3	Horizontal	92	1.05	-	43.65	42.66	14.70	33.50

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	100.48	Inf	-Inf	8.61	3	Vertical	105	2.75	-	91.87	32.19	10.50	34.08
PK	5.6198G	60.57	68.20	-7.63	7.84	3	Vertical	105	2.75	-	52.73	31.64	10.27	34.07
PK	5.8262G	110.58	Inf	-Inf	8.60	3	Vertical	105	2.75	-	101.98	32.18	10.50	34.08
PK	5.9354G	61.69	68.20	-6.51	8.87	3	Vertical	105	2.75	-	52.82	32.40	10.55	34.08

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	107.78	Inf	-Inf	8.61	3	Horizontal	285	1.01	-	99.17	32.19	10.50	34.08
PK	5.5274G	61.10	68.20	-7.10	7.90	3	Horizontal	285	1.01	-	53.20	31.75	10.22	34.07
PK	5.8286G	117.36	Inf	-Inf	8.61	3	Horizontal	285	1.01	-	108.75	32.19	10.50	34.08
PK	5.9366G	62.76	68.20	-5.44	8.87	3	Horizontal	285	1.01	-	53.89	32.40	10.55	34.08

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6497G	49.72	54.00	-4.28	18.87	3	Vertical	263	2.77	-	30.85	39.36	13.71	34.20
PK	11.65208G	64.45	74.00	-9.55	18.86	3	Vertical	263	2.77	-	45.59	39.35	13.71	34.20
PK	17.47572G	67.86	68.20	-0.34	24.74	3	Vertical	38	3.00	-	43.12	43.48	14.79	33.53

802.11ac VHT20_Nss1,(MCS0)_2TX

25/10/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64976G	48.39	54.00	-5.61	18.87	3	Horizontal	219	2.88	-	29.52	39.36	13.71	34.20
PK	11.64984G	62.47	74.00	-11.53	18.87	3	Horizontal	219	2.88	-	43.60	39.36	13.71	34.20
PK	17.476G	67.59	68.20	-0.61	24.74	3	Horizontal	212	3.00	-	42.85	43.48	14.79	33.53

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.77	54.00	-4.23	7.83	3	Vertical	103	2.95	-	41.94	31.80	10.08	34.05
AV	5.2036G	89.54	Inf	-Inf	7.62	3	Vertical	103	2.95	-	81.92	31.59	10.08	34.05
PK	5.1472G	63.33	74.00	-10.67	7.84	3	Vertical	103	2.95	-	55.49	31.81	10.08	34.05
PK	5.2048G	100.56	Inf	-Inf	7.61	3	Vertical	103	2.95	-	92.95	31.58	10.08	34.05

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.86	54.00	-0.14	7.83	3	Horizontal	234	1.00	-	46.03	31.80	10.08	34.05
AV	5.2032G	95.14	Inf	-Inf	7.62	3	Horizontal	234	1.00	-	87.52	31.59	10.08	34.05
PK	5.15G	69.44	74.00	-4.56	7.83	3	Horizontal	234	1.00	-	61.61	31.80	10.08	34.05
PK	5.2048G	106.09	Inf	-Inf	7.61	3	Horizontal	234	1.00	-	98.48	31.58	10.08	34.05

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57996G	48.18	54.00	-5.82	18.49	3	Vertical	304	2.29	-	29.69	38.80	13.74	34.05
PK	10.37424G	60.33	68.20	-7.87	17.82	3	Vertical	116	2.10	-	42.51	39.39	12.97	34.54
PK	15.58224G	61.02	74.00	-12.98	18.49	3	Vertical	304	2.29	-	42.53	38.80	13.74	34.05

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57474G	48.05	54.00	-5.95	18.51	3	Horizontal	257	1.97	-	29.54	38.82	13.74	34.05
PK	10.38288G	60.36	68.20	-7.84	17.85	3	Horizontal	144	1.72	-	42.51	39.40	12.98	34.53
PK	15.55968G	61.40	74.00	-12.60	18.57	3	Horizontal	257	1.97	-	42.83	38.86	13.74	34.03

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.81	54.00	-4.19	7.83	3	Vertical	103	2.92	-	41.98	31.80	10.08	34.05
AV	5.2436G	95.58	Inf	-Inf	7.48	3	Vertical	103	2.92	-	88.10	31.43	10.10	34.05
PK	5.1472G	62.30	74.00	-11.70	7.84	3	Vertical	103	2.92	-	54.46	31.81	10.08	34.05
PK	5.2448G	106.23	Inf	-Inf	7.47	3	Vertical	103	2.92	-	98.76	31.42	10.10	34.05

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.68	54.00	-0.32	7.83	3	Horizontal	234	1.00	-	45.85	31.80	10.08	34.05
AV	5.2436G	100.82	Inf	-Inf	7.48	3	Horizontal	234	1.00	-	93.34	31.43	10.10	34.05
PK	5.1488G	67.78	74.00	-6.22	7.83	3	Horizontal	234	1.00	-	59.95	31.80	10.08	34.05
PK	5.2316G	111.75	Inf	-Inf	7.52	3	Horizontal	234	1.00	-	104.23	31.47	10.10	34.05

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68154G	47.97	54.00	-6.03	18.07	3	Vertical	341	2.20	-	29.90	38.49	13.74	34.16
PK	10.46126G	59.98	68.20	-8.22	18.04	3	Vertical	105	1.34	-	41.94	39.50	13.02	34.48
PK	15.68004G	60.94	74.00	-13.06	18.08	3	Vertical	341	2.20	-	42.86	38.49	13.74	34.15

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67716G	48.08	54.00	-5.92	18.09	3	Horizontal	321	2.50	-	29.99	38.50	13.74	34.15
PK	10.46708G	60.04	68.20	-8.16	18.06	3	Horizontal	358	1.64	-	41.98	39.51	13.03	34.48
PK	15.6828G	62.04	74.00	-11.96	18.06	3	Horizontal	321	2.50	-	43.98	38.48	13.74	34.16

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2856G	94.65	Inf	-Inf	7.32	3	Vertical	105	2.86	-	87.33	31.26	10.12	34.06
AV	5.35G	48.98	54.00	-5.02	7.45	3	Vertical	105	2.86	-	41.53	31.35	10.16	34.06
PK	5.2848G	105.30	Inf	-Inf	7.32	3	Vertical	105	2.86	-	97.98	31.26	10.12	34.06
PK	5.35G	65.83	74.00	-8.17	7.45	3	Vertical	105	2.86	-	58.38	31.35	10.16	34.06

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2836G	100.40	Inf	-Inf	7.33	3	Horizontal	234	1.01	-	93.07	31.27	10.12	34.06
AV	5.35G	53.20	54.00	-0.80	7.45	3	Horizontal	234	1.01	-	45.75	31.35	10.16	34.06
PK	5.2568G	111.11	Inf	-Inf	7.42	3	Horizontal	234	1.01	-	103.69	31.37	10.11	34.06
PK	5.3504G	72.03	74.00	-1.97	7.45	3	Horizontal	234	1.01	-	64.58	31.35	10.16	34.06

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7953G	47.43	54.00	-6.57	17.59	3	Vertical	199	1.43	-	29.84	38.13	13.73	34.27
PK	10.5538G	59.91	68.20	-8.29	18.27	3	Vertical	284	1.42	-	41.64	39.62	13.08	34.43
PK	15.79794G	60.84	74.00	-13.16	17.59	3	Vertical	199	1.43	-	43.25	38.13	13.73	34.27

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80352G	47.39	54.00	-6.61	17.56	3	Horizontal	70	1.95	-	29.83	38.11	13.73	34.28
PK	10.53514G	60.04	68.20	-8.16	18.23	3	Horizontal	291	1.43	-	41.81	39.60	13.07	34.44
PK	15.79698G	60.33	74.00	-13.67	17.59	3	Horizontal	70	1.95	-	42.74	38.13	13.73	34.27

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3112G	89.62	Inf	-Inf	7.31	3	Vertical	103	3.00	-	82.31	31.23	10.14	34.06
AV	5.3504G	49.55	54.00	-4.45	7.45	3	Vertical	103	3.00	-	42.10	31.35	10.16	34.06
PK	5.3116G	100.53	Inf	-Inf	7.31	3	Vertical	103	3.00	-	93.22	31.23	10.14	34.06
PK	5.3504G	65.72	74.00	-8.28	7.45	3	Vertical	103	3.00	-	58.27	31.35	10.16	34.06

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3232G	95.38	Inf	-Inf	7.36	3	Horizontal	236	1.00	-	88.02	31.27	10.15	34.06
AV	5.35G	53.71	54.00	-0.29	7.45	3	Horizontal	236	1.00	-	46.26	31.35	10.16	34.06
PK	5.3248G	106.36	Inf	-Inf	7.36	3	Horizontal	236	1.00	-	99.00	31.27	10.15	34.06
PK	5.35G	70.19	74.00	-3.81	7.45	3	Horizontal	236	1.00	-	62.74	31.35	10.16	34.06

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61688G	46.62	54.00	-7.38	18.42	3	Vertical	16	1.80	-	28.20	39.70	13.11	34.39
AV	15.93978G	46.71	54.00	-7.29	17.00	3	Vertical	163	1.91	-	29.71	37.69	13.73	34.42
PK	10.62192G	60.27	74.00	-13.73	18.44	3	Vertical	16	1.80	-	41.83	39.71	13.12	34.39
PK	15.92136G	59.67	74.00	-14.33	17.07	3	Vertical	163	1.91	-	42.60	37.74	13.73	34.40

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60542G	46.61	54.00	-7.39	18.40	3	Horizontal	307	1.85	-	28.21	39.69	13.11	34.40
AV	15.9384G	46.78	54.00	-7.22	17.00	3	Horizontal	239	1.28	-	29.78	37.69	13.73	34.42
PK	10.62972G	59.97	74.00	-14.03	18.46	3	Horizontal	307	1.85	-	41.51	39.72	13.12	34.38
PK	15.94002G	59.75	74.00	-14.25	17.00	3	Horizontal	239	1.28	-	42.75	37.69	13.73	34.42

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	48.07	54.00	-5.93	7.81	3	Vertical	73	2.92	-	40.26	31.68	10.20	34.07
AV	5.5252G	91.19	Inf	-Inf	7.90	3	Vertical	73	2.92	-	83.29	31.75	10.22	34.07
PK	5.466G	63.27	68.20	-4.93	7.84	3	Vertical	73	2.92	-	55.43	31.70	10.21	34.07
PK	5.5264G	100.70	Inf	-Inf	7.90	3	Vertical	73	2.92	-	92.80	31.75	10.22	34.07

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.90	54.00	-4.10	7.81	3	Horizontal	232	1.00	-	42.09	31.68	10.20	34.07
AV	5.5084G	95.73	Inf	-Inf	7.93	3	Horizontal	232	1.00	-	87.80	31.78	10.22	34.07
PK	5.4668G	67.95	68.20	-0.25	7.84	3	Horizontal	232	1.00	-	60.11	31.70	10.21	34.07
PK	5.508G	105.30	Inf	-Inf	7.93	3	Horizontal	232	1.00	-	97.37	31.78	10.22	34.07

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0221G	47.94	54.00	-6.06	19.36	3	Vertical	36	2.10	-	28.58	40.17	13.35	34.16
PK	11.02288G	60.65	74.00	-13.35	19.36	3	Vertical	36	2.10	-	41.29	40.17	13.35	34.16
PK	16.52958G	62.22	68.20	-5.98	19.12	3	Vertical	292	2.00	-	43.10	38.93	14.11	33.92

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0083G	47.98	54.00	-6.02	19.37	3	Horizontal	234	1.39	-	28.61	40.19	13.34	34.16
PK	11.02636G	61.26	74.00	-12.74	19.36	3	Horizontal	234	1.39	-	41.90	40.17	13.35	34.16
PK	16.5165G	61.88	68.20	-6.32	19.05	3	Horizontal	123	1.23	-	42.83	38.89	14.10	33.94

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	47.39	54.00	-6.61	7.80	3	Vertical	303	2.94	-	39.59	31.67	10.20	34.07
AV	5.5644G	92.23	Inf	-Inf	7.83	3	Vertical	303	2.94	-	84.40	31.67	10.23	34.07
PK	5.4688G	60.39	68.20	-7.81	7.85	3	Vertical	303	2.94	-	52.54	31.71	10.21	34.07
PK	5.56G	101.71	Inf	-Inf	7.84	3	Vertical	303	2.94	-	93.87	31.68	10.23	34.07

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.63	54.00	-2.37	7.81	3	Horizontal	231	1.00	-	43.82	31.68	10.20	34.07
AV	5.5516G	101.59	Inf	-Inf	7.86	3	Horizontal	231	1.00	-	93.73	31.70	10.23	34.07
PK	5.4672G	67.06	68.20	-1.14	7.84	3	Horizontal	231	1.00	-	59.22	31.70	10.21	34.07
PK	5.5632G	111.12	Inf	-Inf	7.83	3	Horizontal	231	1.00	-	103.29	31.67	10.23	34.07

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09106G	47.81	54.00	-6.19	19.30	3	Vertical	360	1.28	-	28.51	40.08	13.39	34.17
PK	11.1117G	60.80	74.00	-13.20	19.28	3	Vertical	360	1.28	-	41.52	40.05	13.40	34.17
PK	16.66404G	63.18	68.20	-5.02	19.71	3	Vertical	8	2.10	-	43.47	39.29	14.20	33.78

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10036G	47.89	54.00	-6.11	19.29	3	Horizontal	209	2.80	-	28.60	40.07	13.39	34.17
PK	11.1012G	61.15	74.00	-12.85	19.29	3	Horizontal	209	2.80	-	41.86	40.07	13.39	34.17
PK	16.65306G	62.93	68.20	-5.27	19.67	3	Horizontal	25	1.02	-	43.26	39.26	14.20	33.79

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6712G	92.64	Inf	-Inf	8.00	3	Vertical	152	1.00	-	84.64	31.74	10.33	34.07
PK	5.6676G	102.34	Inf	-Inf	8.00	3	Vertical	152	1.00	-	94.34	31.74	10.33	34.07
PK	5.7288G	62.83	68.20	-5.37	8.22	3	Vertical	152	1.00	-	54.61	31.89	10.40	34.07

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6718G	99.10	Inf	-Inf	8.00	3	Horizontal	24	1.01	-	91.10	31.74	10.33	34.07
PK	5.6676G	109.00	Inf	-Inf	8.00	3	Horizontal	24	1.01	-	101.00	31.74	10.33	34.07
PK	5.7276G	67.99	68.20	-0.21	8.21	3	Horizontal	24	1.01	-	59.78	31.88	10.40	34.07

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33136G	47.11	54.00	-6.89	19.12	3	Vertical	165	1.07	-	27.99	39.77	13.53	34.18
PK	11.33742G	61.53	74.00	-12.47	19.11	3	Vertical	165	1.07	-	42.42	39.76	13.53	34.18
PK	16.9995G	64.71	68.20	-3.49	21.21	3	Vertical	180	1.96	-	43.50	40.20	14.44	33.43

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33016G	47.14	54.00	-6.86	19.12	3	Horizontal	84	1.50	-	28.02	39.77	13.53	34.18
PK	11.34114G	61.41	74.00	-12.59	19.11	3	Horizontal	84	1.50	-	42.30	39.76	13.53	34.18
PK	16.99668G	64.05	68.20	-4.15	21.20	3	Horizontal	144	2.29	-	42.85	40.19	14.44	33.43

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	46.95	54.00	-7.05	7.79	3	Vertical	163	1.05	-	39.16	31.66	10.20	34.07
AV	5.6944G	95.42	Inf	-Inf	8.08	3	Vertical	163	1.05	-	87.34	31.79	10.36	34.07
PK	5.4664G	60.14	68.20	-8.06	7.84	3	Vertical	163	1.05	-	52.30	31.70	10.21	34.07
PK	5.6956G	105.20	Inf	-Inf	8.08	3	Vertical	163	1.05	-	97.12	31.79	10.36	34.07
PK	5.854G	62.51	68.20	-5.69	8.69	3	Vertical	163	1.05	-	53.82	32.26	10.51	34.08

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	47.78	54.00	-6.22	7.80	3	Horizontal	276	1.00	-	39.98	31.67	10.20	34.07
AV	5.7112G	105.09	Inf	-Inf	8.14	3	Horizontal	276	1.00	-	96.95	31.83	10.38	34.07
PK	5.4652G	61.12	68.20	-7.08	7.84	3	Horizontal	276	1.00	-	53.28	31.70	10.21	34.07
PK	5.7088G	115.41	Inf	-Inf	8.14	3	Horizontal	276	1.00	-	107.27	31.83	10.38	34.07
PK	5.8528G	68.06	68.20	-0.14	8.69	3	Horizontal	276	1.00	-	59.37	32.26	10.51	34.08

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41988G	48.08	54.00	-5.92	19.04	3	Vertical	18	2.78	-	29.04	39.65	13.58	34.19
PK	11.42084G	61.58	74.00	-12.42	19.04	3	Vertical	18	2.78	-	42.54	39.65	13.58	34.19
PK	17.12658G	67.02	68.20	-1.18	22.15	3	Vertical	213	2.16	-	44.87	41.07	14.54	33.46

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42066G	47.89	54.00	-6.11	19.04	3	Horizontal	211	2.81	-	28.85	39.65	13.58	34.19
PK	11.42336G	61.24	74.00	-12.76	19.04	3	Horizontal	211	2.81	-	42.20	39.65	13.58	34.19
PK	17.1243G	65.29	68.20	-2.91	22.14	3	Horizontal	152	2.39	-	43.15	41.06	14.53	33.45

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7706G	95.99	Inf	-Inf	8.38	3	Vertical	96	2.92	-	87.61	32.01	10.45	34.08
PK	5.5846G	61.33	68.20	-6.87	7.80	3	Vertical	96	2.92	-	53.53	31.63	10.24	34.07
PK	5.7682G	105.79	Inf	-Inf	8.37	3	Vertical	96	2.92	-	97.42	32.00	10.45	34.08
PK	5.9734G	61.62	68.20	-6.58	8.89	3	Vertical	96	2.92	-	52.73	32.40	10.57	34.08

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	103.46	Inf	-Inf	8.32	3	Horizontal	278	1.00	-	95.14	31.97	10.43	34.08
PK	5.6482G	67.52	68.20	-0.68	7.93	3	Horizontal	278	1.00	-	59.59	31.70	10.30	34.07
PK	5.7538G	113.45	Inf	-Inf	8.31	3	Horizontal	278	1.00	-	105.14	31.96	10.43	34.08
PK	5.9254G	61.82	68.20	-6.38	8.87	3	Horizontal	278	1.00	-	52.95	32.40	10.55	34.08

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50952G	47.77	54.00	-6.23	18.98	3	Vertical	267	2.29	-	28.79	39.54	13.63	34.19
PK	11.51312G	61.13	74.00	-12.87	18.97	3	Vertical	267	2.29	-	42.16	39.53	13.63	34.19
PK	17.26974G	67.24	68.20	-0.96	23.22	3	Vertical	210	2.85	-	44.02	42.06	14.64	33.48

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50826G	47.34	54.00	-6.66	18.98	3	Horizontal	271	1.50	-	28.36	39.54	13.63	34.19
PK	11.51372G	60.75	74.00	-13.25	18.97	3	Horizontal	271	1.50	-	41.78	39.53	13.63	34.19
PK	17.27262G	66.39	68.20	-1.81	23.24	3	Horizontal	339	2.86	-	43.15	42.08	14.64	33.48

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8106G	94.69	Inf	-Inf	8.54	3	Vertical	64	2.42	-	86.15	32.13	10.49	34.08
PK	5.645G	60.63	68.20	-7.57	7.92	3	Vertical	64	2.42	-	52.71	31.69	10.30	34.07
PK	5.8094G	104.44	Inf	-Inf	8.54	3	Vertical	64	2.42	-	95.90	32.13	10.49	34.08
PK	5.9282G	63.20	68.20	-5.00	8.87	3	Vertical	64	2.42	-	54.33	32.40	10.55	34.08

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	101.46	Inf	-Inf	8.49	3	Horizontal	8	1.50	-	92.97	32.09	10.48	34.08
PK	5.6498G	64.37	68.20	-3.83	7.93	3	Horizontal	8	1.50	-	56.44	31.70	10.30	34.07
PK	5.7806G	111.52	Inf	-Inf	8.42	3	Horizontal	8	1.50	-	103.10	32.04	10.46	34.08
PK	5.9378G	67.34	68.20	-0.86	8.87	3	Horizontal	8	1.50	-	58.47	32.40	10.55	34.08

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.5933G	62.24	74.00	-11.76	18.91	3	Vertical	271	2.93	-	43.33	39.43	13.68	34.20
AV	11.59006G	49.09	54.00	-4.91	18.91	3	Vertical	271	2.93	-	30.18	39.43	13.68	34.20
PK	17.39088G	67.15	68.20	-1.05	24.11	3	Vertical	211	2.95	-	43.04	42.90	14.72	33.51

802.11ac VHT40_Nss1,(MCS0)_2TX

25/10/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6008G	47.40	54.00	-6.60	18.90	3	Horizontal	68	1.00	-	28.50	39.42	13.68	34.20
PK	11.58178G	60.81	74.00	-13.19	18.92	3	Horizontal	68	1.00	-	41.89	39.44	13.67	34.19
PK	17.39178G	67.77	68.20	-0.43	24.12	3	Horizontal	327	2.58	-	43.65	42.90	14.73	33.51

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.74	54.00	-4.26	7.83	3	Vertical	108	2.92	-	41.91	31.80	10.08	34.05
AV	5.237G	87.49	Inf	-Inf	7.50	3	Vertical	108	2.92	-	79.99	31.45	10.10	34.05
AV	5.457G	47.57	54.00	-6.43	7.80	3	Vertical	108	2.92	-	39.77	31.67	10.20	34.07
PK	5.15G	62.93	74.00	-11.07	7.83	3	Vertical	108	2.92	-	55.10	31.80	10.08	34.05
PK	5.228G	96.66	Inf	-Inf	7.53	3	Vertical	108	2.92	-	89.13	31.49	10.09	34.05
PK	5.432G	60.27	74.00	-13.73	7.74	3	Vertical	108	2.92	-	52.53	31.60	10.20	34.06

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.54	54.00	-0.46	7.83	3	Horizontal	237	1.00	-	45.71	31.80	10.08	34.05
AV	5.228G	93.64	Inf	-Inf	7.53	3	Horizontal	237	1.00	-	86.11	31.49	10.09	34.05
AV	5.452G	47.68	54.00	-6.32	7.79	3	Horizontal	237	1.00	-	39.89	31.66	10.20	34.07
PK	5.149G	67.61	74.00	-6.39	7.83	3	Horizontal	237	1.00	-	59.78	31.80	10.08	34.05
PK	5.227G	103.09	Inf	-Inf	7.53	3	Horizontal	237	1.00	-	95.56	31.49	10.09	34.05
PK	5.363G	60.12	74.00	-13.88	7.50	3	Horizontal	237	1.00	-	52.62	31.39	10.17	34.06

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62769G	48.67	54.00	-5.33	18.29	3	Vertical	6	1.50	-	30.38	38.65	13.74	34.10
PK	10.42003G	61.08	68.20	-7.12	17.94	3	Vertical	145	1.53	-	43.14	39.45	13.00	34.51
PK	15.63171G	61.47	74.00	-12.53	18.28	3	Vertical	6	1.50	-	43.19	38.64	13.74	34.10

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6281G	48.61	54.00	-5.39	18.29	3	Horizontal	354	2.08	-	30.32	38.65	13.74	34.10
PK	10.41022G	60.26	68.20	-7.94	17.91	3	Horizontal	123	1.00	-	42.35	39.43	12.99	34.51
PK	15.63152G	61.66	74.00	-12.34	18.28	3	Horizontal	354	2.08	-	43.38	38.64	13.74	34.10

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.092G	48.77	54.00	-5.23	7.99	3	Vertical	110	2.87	-	40.78	31.96	10.08	34.05
AV	5.299G	87.95	Inf	-Inf	7.27	3	Vertical	110	2.87	-	80.68	31.20	10.13	34.06
AV	5.352G	49.58	54.00	-4.42	7.46	3	Vertical	110	2.87	-	42.12	31.36	10.16	34.06
PK	5.092G	60.87	74.00	-13.13	7.99	3	Vertical	110	2.87	-	52.88	31.96	10.08	34.05
PK	5.307G	97.29	Inf	-Inf	7.30	3	Vertical	110	2.87	-	89.99	31.22	10.14	34.06
PK	5.518G	60.09	68.20	-8.11	7.91	3	Vertical	110	2.87	-	52.18	31.76	10.22	34.07

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.129G	48.92	54.00	-5.08	7.91	3	Horizontal	236	1.00	-	41.01	31.88	10.08	34.05
AV	5.299G	93.51	Inf	-Inf	7.27	3	Horizontal	236	1.00	-	86.24	31.20	10.13	34.06
AV	5.352G	53.62	54.00	-0.38	7.46	3	Horizontal	236	1.00	-	46.16	31.36	10.16	34.06
PK	5.075G	60.82	74.00	-13.18	7.90	3	Horizontal	236	1.00	-	52.92	31.87	10.08	34.05
PK	5.307G	102.96	Inf	-Inf	7.30	3	Horizontal	236	1.00	-	95.66	31.22	10.14	34.06
PK	5.353G	69.47	74.00	-4.53	7.46	3	Horizontal	236	1.00	-	62.01	31.36	10.16	34.06

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87119G	47.62	54.00	-6.38	17.28	3	Vertical	259	1.30	-	30.34	37.90	13.73	34.35
PK	10.58082G	60.59	68.20	-7.61	18.34	3	Vertical	314	1.09	-	42.25	39.66	13.09	34.41
PK	15.87248G	60.93	74.00	-13.07	17.28	3	Vertical	259	1.30	-	43.65	37.90	13.73	34.35

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86753G	47.89	54.00	-6.11	17.30	3	Horizontal	254	1.32	-	30.59	37.91	13.73	34.34
PK	10.58089G	60.54	68.20	-7.66	18.34	3	Horizontal	207	1.00	-	42.20	39.66	13.09	34.41
PK	15.87206G	60.54	74.00	-13.46	17.28	3	Horizontal	254	1.32	-	43.26	37.90	13.73	34.35

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	47.87	54.00	-6.13	7.80	3	Vertical	172	1.00	-	40.07	31.67	10.20	34.07
AV	5.557G	85.92	Inf	-Inf	7.85	3	Vertical	172	1.00	-	78.07	31.69	10.23	34.07
PK	5.295G	59.78	68.20	-8.42	7.29	3	Vertical	172	1.00	-	52.49	31.22	10.13	34.06
PK	5.548G	94.57	Inf	-Inf	7.86	3	Vertical	172	1.00	-	86.71	31.70	10.23	34.07
PK	5.777G	62.21	68.20	-5.99	8.41	3	Vertical	172	1.00	-	53.80	32.03	10.46	34.08

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	52.96	54.00	-1.04	7.80	3	Horizontal	284	1.00	-	45.16	31.67	10.20	34.07
AV	5.548G	97.58	Inf	-Inf	7.86	3	Horizontal	284	1.00	-	89.72	31.70	10.23	34.07
PK	5.469G	68.06	68.20	-0.14	7.85	3	Horizontal	284	1.00	-	60.21	31.71	10.21	34.07
PK	5.548G	107.05	Inf	-Inf	7.86	3	Horizontal	284	1.00	-	99.19	31.70	10.23	34.07
PK	5.738G	61.51	68.20	-6.69	8.25	3	Horizontal	284	1.00	-	53.26	31.91	10.41	34.07

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05769G	48.51	54.00	-5.49	19.34	3	Vertical	149	1.50	-	29.17	40.13	13.37	34.16
PK	11.06128G	61.50	74.00	-12.50	19.33	3	Vertical	149	1.50	-	42.17	40.12	13.37	34.16
PK	16.59122G	62.91	68.20	-5.29	19.39	3	Vertical	3	1.50	-	43.52	39.10	14.15	33.86

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05856G	48.61	54.00	-5.39	19.33	3	Horizontal	92	1.50	-	29.28	40.12	13.37	34.16
PK	11.05766G	61.83	74.00	-12.17	19.34	3	Horizontal	92	1.50	-	42.49	40.13	13.37	34.16
PK	16.59208G	63.13	68.20	-5.07	19.39	3	Horizontal	138	1.50	-	43.74	39.10	14.15	33.86

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	47.78	54.00	-6.22	7.79	3	Vertical	102	3.00	-	39.99	31.66	10.20	34.07
AV	5.708G	93.24	Inf	-Inf	8.12	3	Vertical	102	3.00	-	85.12	31.82	10.37	34.07
PK	5.4608G	60.15	68.20	-8.05	7.81	3	Vertical	102	3.00	-	52.34	31.68	10.20	34.07
PK	5.708G	102.27	Inf	-Inf	8.12	3	Vertical	102	3.00	-	94.15	31.82	10.37	34.07
PK	5.8556G	63.16	68.20	-5.04	8.70	3	Vertical	102	3.00	-	54.46	32.27	10.51	34.08

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	49.97	54.00	-4.03	7.79	3	Horizontal	283	1.00	-	42.18	31.66	10.20	34.07
AV	5.672G	102.62	Inf	-Inf	8.00	3	Horizontal	283	1.00	-	94.62	31.74	10.33	34.07
PK	5.4692G	63.13	68.20	-5.07	7.85	3	Horizontal	283	1.00	-	55.28	31.71	10.21	34.07
PK	5.6708G	112.12	Inf	-Inf	8.00	3	Horizontal	283	1.00	-	104.12	31.74	10.33	34.07
PK	5.8532G	68.05	68.20	-0.15	8.69	3	Horizontal	283	1.00	-	59.36	32.26	10.51	34.08

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019


5690MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019


5690MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7834G	92.34	Inf	-Inf	8.44	3	Vertical	159	1.00	-	83.90	32.05	10.47	34.08
PK	5.6502G	64.83	68.35	-3.52	7.93	3	Vertical	159	1.00	-	56.90	31.70	10.30	34.07
PK	5.7918G	101.49	Inf	-Inf	8.48	3	Vertical	159	1.00	-	93.01	32.08	10.48	34.08
PK	5.9262G	62.12	68.20	-6.08	8.87	3	Vertical	159	1.00	-	53.25	32.40	10.55	34.08

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.793G	98.64	Inf	-Inf	8.48	3	Horizontal	27	1.02	-	90.16	32.08	10.48	34.08
PK	5.6502G	68.06	68.35	-0.29	7.93	3	Horizontal	27	1.02	-	60.13	31.70	10.30	34.07
PK	5.793G	107.75	Inf	-Inf	8.48	3	Horizontal	27	1.02	-	99.27	32.08	10.48	34.08
PK	5.931G	68.09	68.20	-0.11	8.87	3	Horizontal	27	1.02	-	59.22	32.40	10.55	34.08

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55064G	48.13	54.00	-5.87	18.94	3	Vertical	266	2.50	-	29.19	39.48	13.65	34.19
PK	11.55207G	60.49	74.00	-13.51	18.94	3	Vertical	266	2.50	-	41.55	39.48	13.65	34.19
PK	17.32304G	66.95	68.20	-1.25	23.62	3	Vertical	360	1.30	-	43.33	42.43	14.68	33.49

802.11ac VHT80_Nss1,(MCS0)_2TX

25/10/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54999G	47.83	54.00	-6.17	18.95	3	Horizontal	159	1.50	-	28.88	39.49	13.65	34.19
PK	11.54858G	60.82	74.00	-13.18	18.95	3	Horizontal	159	1.50	-	41.87	39.49	13.65	34.19
PK	17.3248G	66.79	68.20	-1.41	23.63	3	Horizontal	49	1.50	-	43.16	42.44	14.68	33.49



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac_VHT80_Nss1,(MCS0)_2TX	Pass	QP	392.63M	45.58	46.00	-0.42	3	Horizontal	184	1.05	-


**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	39.7M	32.57	40.00	-7.43	3	Vertical	0	1.00	-
5775MHz	Pass	PK	288.13M	36.52	46.00	-9.48	3	Vertical	0	1.00	-
5775MHz	Pass	PK	297.72M	34.98	46.00	-11.02	3	Vertical	0	1.00	-
5775MHz	Pass	PK	386.96M	42.80	46.00	-3.20	3	Vertical	0	1.00	-
5775MHz	Pass	PK	472.32M	41.96	46.00	-4.04	3	Vertical	0	1.00	-
5775MHz	Pass	PK	478.14M	41.46	46.00	-4.54	3	Vertical	0	1.00	-
5775MHz	Pass	PK	167.74M	30.18	43.50	-13.32	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	288.02M	42.51	46.00	-3.49	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	291.5M	42.47	46.00	-3.53	3	Horizontal	360	1.00	-
5775MHz	Pass	QP	386.85M	44.84	46.00	-1.16	3	Horizontal	235	1.23	-
5775MHz	Pass	QP	392.63M	45.58	46.00	-0.42	3	Horizontal	184	1.05	-
5775MHz	Pass	QP	482.02M	44.76	46.00	-1.24	3	Horizontal	345	1.83	-

802.11ac VHT80_Nss1,(MCS0)_2TX

31/03/2020

5775MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	32.57	40.00	-7.43	-9.03	3	Vertical	0	1.00	-	41.60	18.01	0.64	27.68
PK	288.13M	36.52	46.00	-9.48	-6.03	3	Vertical	0	1.00	-	42.55	18.19	2.95	27.17
PK	297.72M	34.98	46.00	-11.02	-5.83	3	Vertical	0	1.00	-	40.81	18.35	2.99	27.17
PK	386.96M	42.80	46.00	-3.20	-4.19	3	Vertical	0	1.00	-	46.99	20.42	3.16	27.77
PK	472.32M	41.96	46.00	-4.04	-2.48	3	Vertical	0	1.00	-	44.44	22.61	3.26	28.35
PK	478.14M	41.46	46.00	-4.54	-2.33	3	Vertical	0	1.00	-	43.79	22.76	3.28	28.37

802.11ac VHT80_Nss1,(MCS0)_2TX

31/03/2020

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	167.74M	30.18	43.50	-13.32	-10.70	3	Horizontal	360	1.00	-	40.88	14.83	2.01	27.54
PK	288.02M	42.51	46.00	-3.49	-6.04	3	Horizontal	360	1.00	-	48.55	18.19	2.94	27.17
PK	291.5M	42.47	46.00	-3.53	-5.98	3	Horizontal	360	1.00	-	48.45	18.22	2.97	27.17
QP	386.85M	44.84	46.00	-1.16	-4.19	3	Horizontal	235	1.23	-	49.03	20.42	3.16	27.77
QP	392.63M	45.58	46.00	-0.42	-3.94	3	Horizontal	184	1.05	-	49.52	20.69	3.18	27.81
QP	482.02M	44.76	46.00	-1.24	-2.27	3	Horizontal	345	1.83	-	47.03	22.82	3.28	28.37

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.49	54.00	-0.51	3	Vertical	34	2.59	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.69	54.00	-0.31	3	Vertical	334	1.50	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.83	54.00	-0.17	3	Vertical	334	1.42	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.148G	53.87	54.00	-0.13	3	Vertical	325	1.50	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	53.48	54.00	-0.52	3	Vertical	27	1.50	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.71	54.00	-0.29	3	Vertical	332	1.35	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.53	54.00	-0.47	3	Vertical	333	1.29	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.79	54.00	-0.21	3	Vertical	1	2.28	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	17.1597G	67.73	68.20	-0.47	3	Vertical	216	1.97	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	68.10	68.20	-0.10	3	Vertical	141	2.32	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	PK	5.4668G	67.97	68.20	-0.23	3	Vertical	0	1.82	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	5.469G	68.02	68.20	-0.18	3	Vertical	1	2.28	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	17.35308G	67.84	68.20	-0.36	3	Vertical	217	1.97	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	PK	17.46468G	68.01	68.20	-0.19	3	Vertical	210	2.17	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	PK	17.3877G	67.81	68.20	-0.39	3	Vertical	232	2.36	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6358G	67.64	68.20	-0.56	3	Vertical	0	2.22	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	PK	5.1472G	70.10	74.00	-3.90	3	Vertical	34	2.59	-
5180MHz	Pass	AV	5.15G	53.49	54.00	-0.51	3	Vertical	34	2.59	-
5180MHz	Pass	PK	5.1868G	113.06	Inf	-Inf	3	Vertical	34	2.59	-
5180MHz	Pass	AV	5.186G	104.20	Inf	-Inf	3	Vertical	34	2.59	-
5180MHz	Pass	AV	15.54234G	47.59	54.00	-6.41	3	Vertical	295	2.25	-
5180MHz	Pass	PK	10.35943G	59.82	68.20	-8.38	3	Vertical	359	1.50	-
5180MHz	Pass	PK	15.53889G	61.81	74.00	-12.19	3	Vertical	295	2.25	-
5180MHz	Pass	AV	15.54227G	47.12	54.00	-6.88	3	Horizontal	70	1.80	-
5180MHz	Pass	PK	10.36224G	60.12	68.20	-8.08	3	Horizontal	0	1.42	-
5180MHz	Pass	PK	15.54191G	61.80	74.00	-12.20	3	Horizontal	70	1.80	-
5200MHz	Pass	AV	5.1496G	53.43	54.00	-0.57	3	Vertical	181	1.14	-
5200MHz	Pass	AV	5.2064G	108.32	Inf	-Inf	3	Vertical	181	1.14	-
5200MHz	Pass	PK	5.1488G	67.32	74.00	-6.68	3	Vertical	181	1.14	-
5200MHz	Pass	PK	5.2056G	117.23	Inf	-Inf	3	Vertical	181	1.14	-
5200MHz	Pass	AV	15.60237G	47.85	54.00	-6.15	3	Vertical	178	2.20	-
5200MHz	Pass	PK	10.39972G	60.50	68.20	-7.70	3	Vertical	357	1.50	-
5200MHz	Pass	PK	15.60126G	61.03	74.00	-12.97	3	Vertical	178	2.20	-
5200MHz	Pass	AV	15.60246G	49.38	54.00	-4.62	3	Horizontal	7	1.04	-
5200MHz	Pass	PK	10.39846G	59.60	68.20	-8.60	3	Horizontal	175	1.50	-
5200MHz	Pass	PK	15.60184G	62.14	74.00	-11.86	3	Horizontal	7	1.04	-
5240MHz	Pass	PK	5.144G	62.23	74.00	-11.77	3	Vertical	183	1.00	-
5240MHz	Pass	AV	5.147G	48.68	54.00	-5.32	3	Vertical	183	1.00	-
5240MHz	Pass	PK	5.2454G	118.40	Inf	-Inf	3	Vertical	183	1.00	-
5240MHz	Pass	AV	5.246G	109.16	Inf	-Inf	3	Vertical	183	1.00	-
5240MHz	Pass	PK	5.3894G	60.44	74.00	-13.56	3	Vertical	183	1.00	-
5240MHz	Pass	AV	5.3516G	47.31	54.00	-6.69	3	Vertical	183	1.00	-
5240MHz	Pass	AV	15.721G	48.64	54.00	-5.36	3	Vertical	356	2.21	-
5240MHz	Pass	PK	10.47884G	59.95	68.20	-8.25	3	Vertical	306	1.01	-
5240MHz	Pass	PK	15.71996G	61.39	74.00	-12.61	3	Vertical	356	2.21	-
5240MHz	Pass	AV	15.71752G	46.78	54.00	-7.22	3	Horizontal	113	1.00	-
5240MHz	Pass	PK	10.47785G	60.37	68.20	-7.83	3	Horizontal	219	2.80	-
5240MHz	Pass	PK	15.71656G	60.41	74.00	-13.59	3	Horizontal	113	1.00	-
5260MHz	Pass	AV	5.1118G	48.24	54.00	-5.76	3	Vertical	298	1.05	-
5260MHz	Pass	AV	5.257G	106.49	Inf	-Inf	3	Vertical	298	1.05	-
5260MHz	Pass	AV	5.3848G	47.20	54.00	-6.80	3	Vertical	298	1.05	-
5260MHz	Pass	PK	5.1346G	61.72	74.00	-12.28	3	Vertical	298	1.05	-
5260MHz	Pass	PK	5.257G	116.01	Inf	-Inf	3	Vertical	298	1.05	-
5260MHz	Pass	PK	5.3644G	60.32	74.00	-13.68	3	Vertical	298	1.05	-
5260MHz	Pass	AV	15.78154G	49.37	54.00	-4.63	3	Vertical	193	2.55	-
5260MHz	Pass	PK	10.5176G	59.39	68.20	-8.81	3	Vertical	144	1.50	-
5260MHz	Pass	PK	15.78228G	61.06	74.00	-12.94	3	Vertical	193	2.55	-
5260MHz	Pass	AV	15.77702G	48.24	54.00	-5.76	3	Horizontal	71	2.10	-
5260MHz	Pass	PK	10.52102G	59.96	68.20	-8.24	3	Horizontal	166	1.50	-
5260MHz	Pass	PK	15.78072G	60.95	74.00	-13.05	3	Horizontal	71	2.10	-
5300MHz	Pass	AV	5.306G	107.13	Inf	-Inf	3	Vertical	27	1.50	-
5300MHz	Pass	AV	5.35G	53.48	54.00	-0.52	3	Vertical	27	1.50	-
5300MHz	Pass	PK	5.3052G	116.48	Inf	-Inf	3	Vertical	27	1.50	-

Remark :

Page No. : E2 of E133

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

992607

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5300MHz	Pass	PK	5.35G	69.03	74.00	-4.97	3	Vertical	27	1.50	-
5300MHz	Pass	AV	15.90236G	49.49	54.00	-4.51	3	Vertical	359	2.09	-
5300MHz	Pass	PK	10.5995G	59.82	68.20	-8.38	3	Vertical	325	1.35	-
5300MHz	Pass	PK	15.89904G	62.70	74.00	-11.30	3	Vertical	359	2.09	-
5300MHz	Pass	AV	15.89736G	47.33	54.00	-6.67	3	Horizontal	73	1.86	-
5300MHz	Pass	PK	10.59959G	59.73	68.20	-8.47	3	Horizontal	201	3.00	-
5300MHz	Pass	PK	15.89746G	60.58	74.00	-13.42	3	Horizontal	73	1.86	-
5320MHz	Pass	AV	5.3264G	102.82	Inf	-Inf	3	Vertical	29	1.50	-
5320MHz	Pass	AV	5.35G	53.17	54.00	-0.83	3	Vertical	29	1.50	-
5320MHz	Pass	PK	5.327G	111.52	Inf	-Inf	3	Vertical	29	1.50	-
5320MHz	Pass	PK	5.353G	68.28	74.00	-5.72	3	Vertical	29	1.50	-
5320MHz	Pass	AV	10.63346G	46.38	54.00	-7.62	3	Vertical	358	1.50	-
5320MHz	Pass	AV	15.96212G	45.55	54.00	-8.45	3	Vertical	262	1.00	-
5320MHz	Pass	PK	10.65398G	60.12	74.00	-13.88	3	Vertical	358	1.50	-
5320MHz	Pass	PK	15.96252G	58.83	74.00	-15.17	3	Vertical	262	1.00	-
5320MHz	Pass	AV	10.65398G	46.47	54.00	-7.53	3	Horizontal	103	1.50	-
5320MHz	Pass	AV	15.95946G	44.94	54.00	-9.06	3	Horizontal	209	3.00	-
5320MHz	Pass	PK	10.65296G	60.21	74.00	-13.79	3	Horizontal	103	1.50	-
5320MHz	Pass	PK	15.9612G	58.38	74.00	-15.62	3	Horizontal	209	3.00	-
5500MHz	Pass	AV	5.46G	48.44	54.00	-5.56	3	Vertical	24	1.50	-
5500MHz	Pass	AV	5.506G	103.37	Inf	-Inf	3	Vertical	24	1.50	-
5500MHz	Pass	PK	5.467G	67.56	68.20	-0.64	3	Vertical	24	1.50	-
5500MHz	Pass	PK	5.5056G	112.19	Inf	-Inf	3	Vertical	24	1.50	-
5500MHz	Pass	AV	10.99753G	47.05	54.00	-6.95	3	Vertical	208	1.50	-
5500MHz	Pass	PK	11.00007G	60.93	74.00	-13.07	3	Vertical	208	1.50	-
5500MHz	Pass	PK	16.50258G	61.62	68.20	-6.58	3	Vertical	202	2.30	-
5500MHz	Pass	AV	10.99799G	47.06	54.00	-6.94	3	Horizontal	4	1.50	-
5500MHz	Pass	PK	10.99922G	60.86	74.00	-13.14	3	Horizontal	4	1.50	-
5500MHz	Pass	PK	16.49046G	60.94	68.20	-7.26	3	Horizontal	114	1.64	-
5580MHz	Pass	AV	5.4474G	49.46	54.00	-4.54	3	Vertical	222	2.01	-
5580MHz	Pass	AV	5.583G	107.01	Inf	-Inf	3	Vertical	222	2.01	-
5580MHz	Pass	PK	5.4492G	64.15	74.00	-9.85	3	Vertical	222	2.01	-
5580MHz	Pass	PK	5.4666G	66.16	68.20	-2.04	3	Vertical	222	2.01	-
5580MHz	Pass	PK	5.5824G	117.01	Inf	-Inf	3	Vertical	222	2.01	-
5580MHz	Pass	PK	5.7276G	61.10	68.20	-7.10	3	Vertical	222	2.01	-
5580MHz	Pass	AV	11.15815G	47.51	54.00	-6.49	3	Vertical	166	2.44	-
5580MHz	Pass	PK	11.15839G	61.59	74.00	-12.41	3	Vertical	166	2.44	-
5580MHz	Pass	PK	16.72542G	62.33	68.20	-5.87	3	Vertical	204	2.45	-
5580MHz	Pass	AV	11.1575G	46.93	54.00	-7.07	3	Horizontal	24	1.50	-
5580MHz	Pass	PK	11.15934G	61.27	74.00	-12.73	3	Horizontal	24	1.50	-
5580MHz	Pass	PK	16.75086G	61.30	68.20	-6.90	3	Horizontal	157	1.75	-
5700MHz	Pass	AV	5.7044G	101.92	Inf	-Inf	3	Vertical	22	1.08	-
5700MHz	Pass	PK	5.7048G	110.58	Inf	-Inf	3	Vertical	22	1.08	-
5700MHz	Pass	PK	5.7252G	67.50	68.20	-0.70	3	Vertical	22	1.08	-
5700MHz	Pass	AV	11.40237G	47.06	54.00	-6.94	3	Vertical	281	1.50	-
5700MHz	Pass	PK	11.40191G	60.08	74.00	-13.92	3	Vertical	281	1.50	-
5700MHz	Pass	PK	17.0974G	65.10	68.20	-3.10	3	Vertical	345	2.12	-
5700MHz	Pass	AV	11.39986G	47.01	54.00	-6.99	3	Horizontal	38	1.50	-
5700MHz	Pass	PK	11.40221G	60.74	74.00	-13.26	3	Horizontal	38	1.50	-

Remark :

Page No. : E3 of E133

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

992607

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	PK	17.1168G	64.61	68.20	-3.59	3	Horizontal	177	1.02	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	46.72	54.00	-7.28	3	Vertical	0	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	105.79	Inf	-Inf	3	Vertical	0	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.09	68.20	-9.11	3	Vertical	0	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	115.56	Inf	-Inf	3	Vertical	0	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.924G	61.42	68.20	-6.78	3	Vertical	0	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43792G	48.04	54.00	-5.96	3	Vertical	359	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43769G	61.73	74.00	-12.27	3	Vertical	359	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1597G	67.73	68.20	-0.47	3	Vertical	216	1.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43818G	47.30	54.00	-6.70	3	Horizontal	215	2.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4389G	61.25	74.00	-12.75	3	Horizontal	215	2.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.151G	64.54	68.20	-3.66	3	Horizontal	34	2.11	-
5745MHz	Pass	AV	5.7486G	107.77	Inf	-Inf	3	Vertical	20	2.13	-
5745MHz	Pass	PK	5.6502G	63.10	68.35	-5.25	3	Vertical	20	2.13	-
5745MHz	Pass	PK	5.7474G	117.18	Inf	-Inf	3	Vertical	20	2.13	-
5745MHz	Pass	PK	5.9406G	60.19	68.20	-8.01	3	Vertical	20	2.13	-
5745MHz	Pass	PK	11.49032G	61.69	74.00	-12.31	3	Vertical	359	2.99	-
5745MHz	Pass	AV	11.4883G	48.31	54.00	-5.69	3	Vertical	359	2.99	-
5745MHz	Pass	PK	17.23722G	67.51	68.20	-0.69	3	Vertical	214	2.06	-
5745MHz	Pass	AV	11.49042G	46.79	54.00	-7.21	3	Horizontal	126	1.50	-
5745MHz	Pass	PK	11.48961G	60.55	74.00	-13.45	3	Horizontal	126	1.50	-
5745MHz	Pass	PK	17.23452G	65.81	68.20	-2.39	3	Horizontal	339	2.45	-
5785MHz	Pass	AV	5.7898G	106.56	Inf	-Inf	3	Vertical	149	2.43	-
5785MHz	Pass	PK	5.6158G	59.54	68.20	-8.66	3	Vertical	149	2.43	-
5785MHz	Pass	PK	5.7898G	115.80	Inf	-Inf	3	Vertical	149	2.43	-
5785MHz	Pass	PK	5.9398G	60.92	68.20	-7.28	3	Vertical	149	2.43	-
5785MHz	Pass	AV	11.56798G	48.42	54.00	-5.58	3	Vertical	359	2.97	-
5785MHz	Pass	PK	11.57672G	60.16	74.00	-13.84	3	Vertical	199	2.96	-
5785MHz	Pass	PK	17.35308G	67.84	68.20	-0.36	3	Vertical	217	1.97	-
5785MHz	Pass	AV	11.57072G	47.42	54.00	-6.58	3	Horizontal	39	3.00	-
5785MHz	Pass	PK	11.56868G	60.82	74.00	-13.18	3	Horizontal	39	3.00	-
5785MHz	Pass	PK	17.3562G	65.47	68.20	-2.73	3	Horizontal	218	1.98	-
5825MHz	Pass	AV	5.8298G	105.80	Inf	-Inf	3	Vertical	149	2.32	-
5825MHz	Pass	PK	5.549G	60.10	68.20	-8.10	3	Vertical	149	2.32	-
5825MHz	Pass	PK	5.8298G	114.75	Inf	-Inf	3	Vertical	149	2.32	-
5825MHz	Pass	PK	5.9378G	60.97	68.20	-7.23	3	Vertical	149	2.32	-
5825MHz	Pass	AV	11.64894G	48.42	54.00	-5.58	3	Vertical	156	1.41	-
5825MHz	Pass	PK	11.64899G	62.09	74.00	-11.91	3	Vertical	156	1.41	-
5825MHz	Pass	PK	17.4738G	67.52	68.20	-0.68	3	Vertical	216	1.97	-
5825MHz	Pass	AV	11.64868G	47.32	54.00	-6.68	3	Horizontal	264	2.42	-
5825MHz	Pass	PK	11.64773G	60.80	74.00	-13.20	3	Horizontal	264	2.42	-
5825MHz	Pass	PK	17.4945G	67.05	68.20	-1.15	3	Horizontal	342	3.00	-
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.69	54.00	-0.31	3	Vertical	334	1.50	-
5180MHz	Pass	AV	5.1854G	105.28	Inf	-Inf	3	Vertical	334	1.50	-
5180MHz	Pass	PK	5.1488G	70.47	74.00	-3.53	3	Vertical	334	1.50	-
5180MHz	Pass	PK	5.1844G	113.15	Inf	-Inf	3	Vertical	334	1.50	-
5180MHz	Pass	AV	15.54042G	46.36	54.00	-7.64	3	Vertical	98	1.83	-
5180MHz	Pass	PK	10.3642G	56.53	68.20	-11.67	3	Vertical	243	2.49	-

Remark :

Page No. : E4 of E133

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

992607

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	15.54116G	58.61	74.00	-15.39	3	Vertical	98	1.83	-
5180MHz	Pass	AV	15.54336G	45.36	54.00	-8.64	3	Horizontal	181	2.31	-
5180MHz	Pass	PK	10.36084G	57.43	68.20	-10.77	3	Horizontal	95	1.13	-
5180MHz	Pass	PK	15.54052G	59.65	74.00	-14.35	3	Horizontal	181	2.31	-
5200MHz	Pass	AV	5.15G	53.57	54.00	-0.43	3	Vertical	333	1.10	-
5200MHz	Pass	AV	5.2056G	109.92	Inf	-Inf	3	Vertical	333	1.10	-
5200MHz	Pass	PK	5.1492G	69.73	74.00	-4.27	3	Vertical	333	1.10	-
5200MHz	Pass	PK	5.2064G	118.23	Inf	-Inf	3	Vertical	333	1.10	-
5200MHz	Pass	AV	15.59628G	48.19	54.00	-5.81	3	Vertical	337	2.44	-
5200MHz	Pass	PK	10.3991G	59.93	68.20	-8.27	3	Vertical	129	2.82	-
5200MHz	Pass	PK	15.6072G	59.25	74.00	-14.75	3	Vertical	337	2.44	-
5200MHz	Pass	AV	15.59665G	47.27	54.00	-6.73	3	Horizontal	248	1.50	-
5200MHz	Pass	PK	10.39922G	57.05	68.20	-11.15	3	Horizontal	159	1.00	-
5200MHz	Pass	PK	15.5915G	60.34	74.00	-13.66	3	Horizontal	248	1.50	-
5240MHz	Pass	AV	5.15G	47.16	54.00	-6.84	3	Vertical	333	1.17	-
5240MHz	Pass	AV	5.2454G	111.50	Inf	-Inf	3	Vertical	333	1.17	-
5240MHz	Pass	AV	5.3648G	46.76	54.00	-7.24	3	Vertical	333	1.17	-
5240MHz	Pass	PK	5.1482G	63.08	74.00	-10.92	3	Vertical	333	1.17	-
5240MHz	Pass	PK	5.2466G	120.27	Inf	-Inf	3	Vertical	333	1.17	-
5240MHz	Pass	PK	5.35G	58.86	74.00	-15.14	3	Vertical	333	1.17	-
5240MHz	Pass	AV	15.71671G	48.69	54.00	-5.31	3	Vertical	180	2.26	-
5240MHz	Pass	PK	10.47922G	61.45	68.20	-6.75	3	Vertical	247	1.24	-
5240MHz	Pass	PK	15.7094G	60.57	74.00	-13.43	3	Vertical	180	2.26	-
5240MHz	Pass	AV	15.71713G	46.86	54.00	-7.14	3	Horizontal	360	2.77	-
5240MHz	Pass	PK	10.47814G	61.23	68.20	-6.97	3	Horizontal	211	2.51	-
5240MHz	Pass	PK	15.72287G	58.54	74.00	-15.46	3	Horizontal	360	2.77	-
5260MHz	Pass	AV	5.1496G	46.23	54.00	-7.77	3	Vertical	332	1.37	-
5260MHz	Pass	AV	5.2654G	111.65	Inf	-Inf	3	Vertical	332	1.37	-
5260MHz	Pass	AV	5.35G	48.09	54.00	-5.91	3	Vertical	332	1.37	-
5260MHz	Pass	PK	5.143G	60.39	74.00	-13.61	3	Vertical	332	1.37	-
5260MHz	Pass	PK	5.266G	120.62	Inf	-Inf	3	Vertical	332	1.37	-
5260MHz	Pass	PK	5.3584G	61.55	74.00	-12.45	3	Vertical	332	1.37	-
5260MHz	Pass	AV	15.77665G	49.59	54.00	-4.41	3	Vertical	360	2.60	-
5260MHz	Pass	PK	10.51958G	57.90	68.20	-10.30	3	Vertical	111	2.10	-
5260MHz	Pass	PK	15.78605G	60.18	74.00	-13.82	3	Vertical	360	2.60	-
5260MHz	Pass	AV	15.76596G	47.09	54.00	-6.91	3	Horizontal	358	1.62	-
5260MHz	Pass	PK	10.50512G	56.10	68.20	-12.10	3	Horizontal	238	2.16	-
5260MHz	Pass	PK	15.76782G	59.20	74.00	-14.80	3	Horizontal	358	1.62	-
5300MHz	Pass	AV	5.2944G	109.07	Inf	-Inf	3	Vertical	332	1.01	-
5300MHz	Pass	AV	5.35G	53.55	54.00	-0.45	3	Vertical	332	1.01	-
5300MHz	Pass	PK	5.2952G	117.45	Inf	-Inf	3	Vertical	332	1.01	-
5300MHz	Pass	PK	5.35G	70.31	74.00	-3.69	3	Vertical	332	1.01	-
5300MHz	Pass	AV	15.9009G	45.20	54.00	-8.80	3	Vertical	318	1.04	-
5300MHz	Pass	PK	10.5982G	59.24	68.20	-8.96	3	Vertical	237	1.31	-
5300MHz	Pass	PK	15.90126G	57.59	74.00	-16.41	3	Vertical	318	1.04	-
5300MHz	Pass	AV	15.90084G	46.45	54.00	-7.55	3	Horizontal	355	1.93	-
5300MHz	Pass	PK	10.5937G	58.80	68.20	-9.40	3	Horizontal	210	2.87	-
5300MHz	Pass	PK	15.89496G	59.58	74.00	-14.42	3	Horizontal	355	1.93	-
5320MHz	Pass	AV	5.3146G	104.79	Inf	-Inf	3	Vertical	332	1.35	-

Remark :

Page No. : E5 of E133

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

992607

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	AV	5.35G	53.71	54.00	-0.29	3	Vertical	332	1.35	-
5320MHz	Pass	PK	5.317G	113.24	Inf	-Inf	3	Vertical	332	1.35	-
5320MHz	Pass	PK	5.3534G	70.46	74.00	-3.54	3	Vertical	332	1.35	-
5320MHz	Pass	AV	10.63928G	43.56	54.00	-10.44	3	Vertical	315	2.18	-
5320MHz	Pass	PK	10.63424G	55.71	74.00	-18.29	3	Vertical	315	2.18	-
5320MHz	Pass	AV	10.63514G	43.46	54.00	-10.54	3	Horizontal	14	1.61	-
5320MHz	Pass	PK	10.63142G	56.33	74.00	-17.67	3	Horizontal	14	1.61	-
5500MHz	Pass	AV	5.459G	48.96	54.00	-5.04	3	Vertical	31	2.31	-
5500MHz	Pass	AV	5.4946G	102.94	Inf	-Inf	3	Vertical	31	2.31	-
5500MHz	Pass	PK	5.4598G	65.64	74.00	-8.36	3	Vertical	31	2.31	-
5500MHz	Pass	PK	5.4664G	68.01	68.20	-0.19	3	Vertical	31	2.31	-
5500MHz	Pass	PK	5.4952G	112.23	Inf	-Inf	3	Vertical	31	2.31	-
5500MHz	Pass	AV	11.00194G	47.13	54.00	-6.87	3	Vertical	0	1.50	-
5500MHz	Pass	PK	11.00172G	60.51	74.00	-13.49	3	Vertical	0	1.50	-
5500MHz	Pass	PK	16.49784G	60.33	68.20	-7.87	3	Vertical	18	1.50	-
5500MHz	Pass	AV	11.00162G	47.09	54.00	-6.91	3	Horizontal	0	1.50	-
5500MHz	Pass	PK	11.00101G	60.85	74.00	-13.15	3	Horizontal	0	1.50	-
5500MHz	Pass	PK	16.50032G	60.66	68.20	-7.54	3	Horizontal	277	1.50	-
5580MHz	Pass	AV	5.46G	48.58	54.00	-5.42	3	Vertical	269	1.01	-
5580MHz	Pass	AV	5.5746G	113.12	Inf	-Inf	3	Vertical	269	1.01	-
5580MHz	Pass	PK	5.4678G	67.62	68.20	-0.58	3	Vertical	269	1.01	-
5580MHz	Pass	PK	5.5764G	122.56	Inf	-Inf	3	Vertical	269	1.01	-
5580MHz	Pass	PK	5.7252G	58.98	68.20	-9.22	3	Vertical	269	1.01	-
5580MHz	Pass	AV	11.15966G	49.83	54.00	-4.17	3	Vertical	21	2.95	-
5580MHz	Pass	PK	11.15786G	63.75	74.00	-10.25	3	Vertical	21	2.95	-
5580MHz	Pass	PK	16.74232G	63.76	68.20	-4.44	3	Vertical	357	2.90	-
5580MHz	Pass	AV	11.1599G	50.28	54.00	-3.72	3	Horizontal	205	2.95	-
5580MHz	Pass	PK	11.15886G	64.75	74.00	-9.25	3	Horizontal	205	2.95	-
5580MHz	Pass	PK	16.73873G	62.13	68.20	-6.07	3	Horizontal	344	2.18	-
5700MHz	Pass	AV	5.7056G	101.37	Inf	-Inf	3	Vertical	141	2.32	-
5700MHz	Pass	PK	5.7048G	110.23	Inf	-Inf	3	Vertical	141	2.32	-
5700MHz	Pass	PK	5.7252G	68.10	68.20	-0.10	3	Vertical	141	2.32	-
5700MHz	Pass	AV	11.40215G	46.42	54.00	-7.58	3	Vertical	117	2.47	-
5700MHz	Pass	PK	11.40144G	59.80	74.00	-14.20	3	Vertical	117	2.47	-
5700MHz	Pass	PK	17.10128G	64.54	68.20	-3.66	3	Vertical	349	1.70	-
5700MHz	Pass	AV	11.40216G	46.41	54.00	-7.59	3	Horizontal	232	1.50	-
5700MHz	Pass	PK	11.39783G	59.78	74.00	-14.22	3	Horizontal	232	1.50	-
5700MHz	Pass	PK	17.10009G	63.62	68.20	-4.58	3	Horizontal	97	2.13	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	45.01	54.00	-8.99	3	Vertical	0	1.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	109.39	Inf	-Inf	3	Vertical	0	1.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	56.10	68.20	-12.10	3	Vertical	0	1.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	118.73	Inf	-Inf	3	Vertical	0	1.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	63.15	68.20	-5.05	3	Vertical	0	1.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44024G	46.20	54.00	-7.80	3	Vertical	31	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43988G	59.53	74.00	-14.47	3	Vertical	31	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16768G	67.96	68.20	-0.24	3	Vertical	230	2.30	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43826G	44.84	54.00	-9.16	3	Horizontal	208	2.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43124G	57.62	74.00	-16.38	3	Horizontal	208	2.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1543G	64.43	68.20	-3.77	3	Horizontal	34	2.05	-

Remark :

Page No. : E6 of E133

$$\text{Level (dBuV/m)} = \text{Raw(Read Level)} + \text{AF(Antenna Factor)} + \text{CL(Cable Loss)} - \text{PA(Preamp Factor)}$$

992607

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	AV	5.751G	110.01	Inf	-Inf	3	Vertical	21	2.10	-
5745MHz	Pass	PK	5.6454G	64.30	68.20	-3.90	3	Vertical	21	2.10	-
5745MHz	Pass	PK	5.7486G	119.13	Inf	-Inf	3	Vertical	21	2.10	-
5745MHz	Pass	PK	5.9538G	58.60	68.20	-9.60	3	Vertical	21	2.10	-
5745MHz	Pass	AV	11.48982G	48.42	54.00	-5.58	3	Vertical	29	2.95	-
5745MHz	Pass	PK	11.48772G	61.71	74.00	-12.29	3	Vertical	29	2.95	-
5745MHz	Pass	PK	17.24232G	67.40	68.20	-0.80	3	Vertical	230	2.53	-
5745MHz	Pass	AV	11.48958G	47.87	54.00	-6.13	3	Horizontal	273	2.72	-
5745MHz	Pass	PK	11.49132G	61.47	74.00	-12.53	3	Horizontal	273	2.72	-
5745MHz	Pass	PK	17.23314G	63.31	68.20	-4.89	3	Horizontal	154	2.18	-
5785MHz	Pass	AV	5.7898G	108.13	Inf	-Inf	3	Vertical	8	2.21	-
5785MHz	Pass	PK	5.5846G	57.38	68.20	-10.82	3	Vertical	8	2.21	-
5785MHz	Pass	PK	5.791G	116.39	Inf	-Inf	3	Vertical	8	2.21	-
5785MHz	Pass	PK	5.947G	59.32	68.20	-8.88	3	Vertical	8	2.21	-
5785MHz	Pass	AV	11.56976G	52.12	54.00	-1.88	3	Vertical	360	2.71	-
5785MHz	Pass	PK	11.5727G	65.18	74.00	-8.82	3	Vertical	360	2.71	-
5785MHz	Pass	PK	17.36232G	67.89	68.20	-0.31	3	Vertical	230	2.29	-
5785MHz	Pass	AV	11.56988G	44.86	54.00	-9.14	3	Horizontal	187	1.50	-
5785MHz	Pass	PK	11.56508G	57.42	74.00	-16.58	3	Horizontal	187	1.50	-
5785MHz	Pass	PK	17.36232G	63.53	68.20	-4.67	3	Horizontal	153	2.23	-
5825MHz	Pass	AV	5.8298G	105.46	Inf	-Inf	3	Vertical	33	2.16	-
5825MHz	Pass	PK	5.603G	60.16	68.20	-8.04	3	Vertical	33	2.16	-
5825MHz	Pass	PK	5.8286G	114.76	Inf	-Inf	3	Vertical	33	2.16	-
5825MHz	Pass	PK	5.9894G	61.51	68.20	-6.69	3	Vertical	33	2.16	-
5825MHz	Pass	AV	11.65018G	47.36	54.00	-6.64	3	Vertical	354	2.86	-
5825MHz	Pass	PK	11.6575G	60.41	74.00	-13.59	3	Vertical	354	2.86	-
5825MHz	Pass	PK	17.46468G	68.01	68.20	-0.19	3	Vertical	210	2.17	-
5825MHz	Pass	AV	11.65882G	46.50	54.00	-7.50	3	Horizontal	28	2.16	-
5825MHz	Pass	PK	11.65654G	59.88	74.00	-14.12	3	Horizontal	28	2.16	-
5825MHz	Pass	PK	17.46444G	66.99	68.20	-1.21	3	Horizontal	239	1.60	-
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.83	54.00	-0.17	3	Vertical	334	1.42	-
5190MHz	Pass	AV	5.2044G	100.12	Inf	-Inf	3	Vertical	334	1.42	-
5190MHz	Pass	PK	5.142G	69.15	74.00	-4.85	3	Vertical	334	1.42	-
5190MHz	Pass	PK	5.188G	108.84	Inf	-Inf	3	Vertical	334	1.42	-
5190MHz	Pass	AV	15.55644G	44.91	54.00	-9.09	3	Vertical	213	2.41	-
5190MHz	Pass	PK	10.38456G	56.60	68.20	-11.60	3	Vertical	239	1.13	-
5190MHz	Pass	PK	15.58248G	57.22	74.00	-16.78	3	Vertical	213	2.41	-
5190MHz	Pass	AV	15.56532G	44.99	54.00	-9.01	3	Horizontal	59	2.01	-
5190MHz	Pass	PK	10.38732G	56.52	68.20	-11.68	3	Horizontal	285	1.98	-
5190MHz	Pass	PK	15.55668G	58.08	74.00	-15.92	3	Horizontal	59	2.01	-
5230MHz	Pass	AV	5.15G	53.30	54.00	-0.70	3	Vertical	330	2.04	-
5230MHz	Pass	AV	5.2444G	105.27	Inf	-Inf	3	Vertical	330	2.04	-
5230MHz	Pass	PK	5.148G	66.12	74.00	-7.88	3	Vertical	330	2.04	-
5230MHz	Pass	PK	5.2404G	113.94	Inf	-Inf	3	Vertical	330	2.04	-
5230MHz	Pass	AV	15.6914G	44.46	54.00	-9.54	3	Vertical	307	2.22	-
5230MHz	Pass	PK	10.45556G	56.07	68.20	-12.13	3	Vertical	335	2.42	-
5230MHz	Pass	PK	15.69804G	57.16	74.00	-16.84	3	Vertical	307	2.22	-
5230MHz	Pass	AV	15.68994G	44.46	54.00	-9.54	3	Horizontal	266	1.61	-

Remark :

Page No. : E7 of E133

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

992607

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	PK	10.4696G	56.43	68.20	-11.77	3	Horizontal	90	2.48	-
5230MHz	Pass	PK	15.69612G	56.76	74.00	-17.24	3	Horizontal	266	1.61	-
5270MHz	Pass	AV	5.2852G	102.59	Inf	-Inf	3	Vertical	12	1.00	-
5270MHz	Pass	AV	5.35G	53.48	54.00	-0.52	3	Vertical	12	1.00	-
5270MHz	Pass	PK	5.28G	112.01	Inf	-Inf	3	Vertical	12	1.00	-
5270MHz	Pass	PK	5.3504G	65.76	74.00	-8.24	3	Vertical	12	1.00	-
5270MHz	Pass	AV	15.81142G	46.32	54.00	-7.68	3	Vertical	360	2.06	-
5270MHz	Pass	PK	10.52824G	59.17	68.20	-9.03	3	Vertical	161	1.06	-
5270MHz	Pass	PK	15.81014G	59.83	74.00	-14.17	3	Vertical	360	2.06	-
5270MHz	Pass	AV	15.81169G	46.38	54.00	-7.62	3	Horizontal	346	1.50	-
5270MHz	Pass	PK	10.54019G	59.05	68.20	-9.15	3	Horizontal	2	1.50	-
5270MHz	Pass	PK	15.81133G	59.81	74.00	-14.19	3	Horizontal	346	1.50	-
5310MHz	Pass	AV	5.3232G	100.14	Inf	-Inf	3	Vertical	333	1.29	-
5310MHz	Pass	AV	5.35G	53.53	54.00	-0.47	3	Vertical	333	1.29	-
5310MHz	Pass	PK	5.3204G	108.88	Inf	-Inf	3	Vertical	333	1.29	-
5310MHz	Pass	PK	5.3516G	72.07	74.00	-1.93	3	Vertical	333	1.29	-
5310MHz	Pass	AV	10.6053G	43.67	54.00	-10.33	3	Vertical	277	2.03	-
5310MHz	Pass	AV	15.94272G	43.64	54.00	-10.36	3	Vertical	108	1.43	-
5310MHz	Pass	PK	10.62468G	56.90	74.00	-17.10	3	Vertical	277	2.03	-
5310MHz	Pass	PK	15.93576G	56.52	74.00	-17.48	3	Vertical	108	1.43	-
5310MHz	Pass	AV	10.60698G	43.65	54.00	-10.35	3	Horizontal	53	1.11	-
5310MHz	Pass	AV	15.92658G	43.54	54.00	-10.46	3	Horizontal	84	1.89	-
5310MHz	Pass	PK	10.60986G	56.11	74.00	-17.89	3	Horizontal	53	1.11	-
5310MHz	Pass	PK	15.91554G	56.20	74.00	-17.80	3	Horizontal	84	1.89	-
5510MHz	Pass	AV	5.4596G	48.33	54.00	-5.67	3	Vertical	0	1.82	-
5510MHz	Pass	AV	5.5244G	99.71	Inf	-Inf	3	Vertical	0	1.82	-
5510MHz	Pass	PK	5.4668G	67.97	68.20	-0.23	3	Vertical	0	1.82	-
5510MHz	Pass	PK	5.5264G	108.17	Inf	-Inf	3	Vertical	0	1.82	-
5510MHz	Pass	AV	11.03332G	44.40	54.00	-9.60	3	Vertical	214	1.86	-
5510MHz	Pass	PK	11.02408G	56.70	74.00	-17.30	3	Vertical	214	1.86	-
5510MHz	Pass	PK	16.53156G	59.18	68.20	-9.02	3	Vertical	79	1.17	-
5510MHz	Pass	AV	11.03314G	44.40	54.00	-9.60	3	Horizontal	81	2.34	-
5510MHz	Pass	PK	11.03248G	56.98	74.00	-17.02	3	Horizontal	81	2.34	-
5510MHz	Pass	PK	16.533G	59.96	68.20	-8.24	3	Horizontal	254	1.38	-
5550MHz	Pass	AV	5.4592G	51.66	54.00	-2.34	3	Vertical	35	2.21	-
5550MHz	Pass	AV	5.5644G	105.79	Inf	-Inf	3	Vertical	35	2.21	-
5550MHz	Pass	PK	5.466G	67.85	68.20	-0.35	3	Vertical	35	2.21	-
5550MHz	Pass	PK	5.548G	114.80	Inf	-Inf	3	Vertical	35	2.21	-
5550MHz	Pass	AV	11.11374G	44.61	54.00	-9.39	3	Vertical	134	2.29	-
5550MHz	Pass	PK	11.11356G	57.90	74.00	-16.10	3	Vertical	134	2.29	-
5550MHz	Pass	PK	16.64538G	59.90	68.20	-8.30	3	Vertical	360	2.89	-
5550MHz	Pass	AV	11.11332G	44.60	54.00	-9.40	3	Horizontal	218	2.15	-
5550MHz	Pass	PK	11.09886G	56.93	74.00	-17.07	3	Horizontal	218	2.15	-
5550MHz	Pass	PK	16.6551G	58.88	68.20	-9.32	3	Horizontal	145	2.32	-
5670MHz	Pass	AV	5.6568G	102.11	Inf	-Inf	3	Vertical	0	2.06	-
5670MHz	Pass	PK	5.655G	110.80	Inf	-Inf	3	Vertical	0	2.06	-
5670MHz	Pass	PK	5.7252G	67.59	68.20	-0.61	3	Vertical	0	2.06	-
5670MHz	Pass	AV	11.34084G	44.22	54.00	-9.78	3	Vertical	161	1.94	-
5670MHz	Pass	PK	11.34348G	56.63	74.00	-17.37	3	Vertical	161	1.94	-

Remark :

Page No. : E8 of E133

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

992607



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5670MHz	Pass	PK	17.00922G	60.49	68.20	-7.71	3	Vertical	81	1.67	-
5670MHz	Pass	AV	11.32698G	44.14	54.00	-9.86	3	Horizontal	143	1.79	-
5670MHz	Pass	PK	11.32938G	56.54	74.00	-17.46	3	Horizontal	143	1.79	-
5670MHz	Pass	PK	16.99992G	60.38	68.20	-7.82	3	Horizontal	264	1.74	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	45.59	54.00	-8.41	3	Vertical	0	2.02	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7112G	105.52	Inf	-Inf	3	Vertical	0	2.02	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	58.89	68.20	-9.31	3	Vertical	0	2.02	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7088G	115.22	Inf	-Inf	3	Vertical	0	2.02	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	67.57	68.20	-0.63	3	Vertical	0	2.02	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42042G	44.86	54.00	-9.14	3	Vertical	30	2.68	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43248G	57.49	74.00	-16.51	3	Vertical	30	2.68	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12868G	64.58	68.20	-3.62	3	Vertical	218	2.68	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40554G	44.04	54.00	-9.96	3	Horizontal	183	2.17	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41058G	56.48	74.00	-17.52	3	Horizontal	183	2.17	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1126G	62.06	68.20	-6.14	3	Horizontal	360	2.08	-
5755MHz	Pass	AV	5.7706G	105.11	Inf	-Inf	3	Vertical	0	1.23	-
5755MHz	Pass	PK	5.641G	67.35	68.20	-0.85	3	Vertical	0	1.23	-
5755MHz	Pass	PK	5.7718G	115.31	Inf	-Inf	3	Vertical	0	1.23	-
5755MHz	Pass	PK	5.9314G	60.23	68.20	-7.97	3	Vertical	0	1.23	-
5755MHz	Pass	AV	11.50502G	43.64	54.00	-10.36	3	Vertical	213	1.78	-
5755MHz	Pass	PK	11.51774G	56.60	74.00	-17.40	3	Vertical	213	1.78	-
5755MHz	Pass	PK	17.25672G	65.82	68.20	-2.38	3	Vertical	316	2.12	-
5755MHz	Pass	AV	11.4956G	43.60	54.00	-10.40	3	Horizontal	34	1.14	-
5755MHz	Pass	PK	11.49596G	56.65	74.00	-17.35	3	Horizontal	34	1.14	-
5755MHz	Pass	PK	17.26956G	64.46	68.20	-3.74	3	Horizontal	331	2.09	-
5795MHz	Pass	AV	5.8106G	107.12	Inf	-Inf	3	Vertical	23	2.28	-
5795MHz	Pass	PK	5.645G	62.18	68.20	-6.02	3	Vertical	23	2.28	-
5795MHz	Pass	PK	5.8082G	116.44	Inf	-Inf	3	Vertical	23	2.28	-
5795MHz	Pass	PK	5.9294G	66.73	68.20	-1.47	3	Vertical	23	2.28	-
5795MHz	Pass	AV	11.59078G	44.24	54.00	-9.76	3	Vertical	135	1.66	-
5795MHz	Pass	PK	11.59438G	56.71	74.00	-17.29	3	Vertical	135	1.66	-
5795MHz	Pass	PK	17.3877G	67.81	68.20	-0.39	3	Vertical	232	2.36	-
5795MHz	Pass	AV	11.59054G	44.11	54.00	-9.89	3	Horizontal	355	1.50	-
5795MHz	Pass	PK	11.5912G	56.33	74.00	-17.67	3	Horizontal	355	1.50	-
5795MHz	Pass	PK	17.37522G	63.48	68.20	-4.72	3	Horizontal	153	2.14	-
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	53.87	54.00	-0.13	3	Vertical	325	1.50	-
5210MHz	Pass	AV	5.219G	94.24	Inf	-Inf	3	Vertical	325	1.50	-
5210MHz	Pass	AV	5.455G	49.25	54.00	-4.75	3	Vertical	325	1.50	-
5210MHz	Pass	PK	5.15G	63.28	74.00	-10.72	3	Vertical	325	1.50	-
5210MHz	Pass	PK	5.227G	102.74	Inf	-Inf	3	Vertical	325	1.50	-
5210MHz	Pass	PK	5.365G	59.41	74.00	-14.59	3	Vertical	325	1.50	-
5210MHz	Pass	AV	15.63035G	49.51	54.00	-4.49	3	Vertical	224	1.50	-
5210MHz	Pass	PK	10.419G	60.76	68.20	-7.44	3	Vertical	1	1.50	-
5210MHz	Pass	PK	15.62939G	60.86	74.00	-13.14	3	Vertical	224	1.50	-
5210MHz	Pass	AV	15.631G	49.70	54.00	-4.30	3	Horizontal	67	1.47	-
5210MHz	Pass	PK	10.42042G	59.88	68.20	-8.32	3	Horizontal	22	1.65	-
5210MHz	Pass	PK	15.63017G	60.73	74.00	-13.27	3	Horizontal	67	1.47	-
5290MHz	Pass	AV	5.048G	50.67	54.00	-3.33	3	Vertical	1	2.28	-

Remark :

Page No. : E9 of E133

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA(Preamp Factor)

992607




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	5.298G	94.64	Inf	-Inf	3	Vertical	1	2.28	-
5290MHz	Pass	AV	5.35G	53.79	54.00	-0.21	3	Vertical	1	2.28	-
5290MHz	Pass	PK	5.08G	60.71	74.00	-13.29	3	Vertical	1	2.28	-
5290MHz	Pass	PK	5.307G	102.56	Inf	-Inf	3	Vertical	1	2.28	-
5290MHz	Pass	PK	5.513G	60.37	68.20	-7.83	3	Vertical	1	2.28	-
5290MHz	Pass	AV	15.86952G	45.87	54.00	-8.13	3	Vertical	299	1.44	-
5290MHz	Pass	PK	10.58043G	59.42	68.20	-8.78	3	Vertical	360	1.64	-
5290MHz	Pass	PK	15.86857G	59.24	74.00	-14.76	3	Vertical	299	1.44	-
5290MHz	Pass	AV	15.87245G	45.97	54.00	-8.03	3	Horizontal	281	1.01	-
5290MHz	Pass	PK	10.57991G	59.45	68.20	-8.75	3	Horizontal	32	1.50	-
5290MHz	Pass	PK	15.87181G	59.29	74.00	-14.71	3	Horizontal	281	1.01	-
5530MHz	Pass	AV	5.459G	50.88	54.00	-3.12	3	Vertical	1	2.28	-
5530MHz	Pass	AV	5.548G	94.52	Inf	-Inf	3	Vertical	1	2.28	-
5530MHz	Pass	AV	5.777G	47.51	Inf	-Inf	3	Vertical	1	2.28	-
5530MHz	Pass	PK	5.469G	68.02	68.20	-0.18	3	Vertical	1	2.28	-
5530MHz	Pass	PK	5.547G	104.18	Inf	-Inf	3	Vertical	1	2.28	-
5530MHz	Pass	PK	5.775G	60.39	68.20	-7.81	3	Vertical	1	2.28	-
5530MHz	Pass	AV	11.0593G	47.31	54.00	-6.69	3	Vertical	181	1.90	-
5530MHz	Pass	PK	11.06219G	60.34	74.00	-13.66	3	Vertical	181	1.90	-
5530MHz	Pass	PK	16.59123G	62.48	68.20	-5.72	3	Vertical	209	2.34	-
5530MHz	Pass	AV	11.06066G	47.21	54.00	-6.79	3	Horizontal	128	1.50	-
5530MHz	Pass	PK	11.06034G	60.55	74.00	-13.45	3	Horizontal	128	1.50	-
5530MHz	Pass	PK	16.58919G	61.34	68.20	-6.86	3	Horizontal	286	2.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	48.01	54.00	-5.99	3	Vertical	0	2.28	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.708G	100.64	Inf	-Inf	3	Vertical	0	2.28	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	60.76	68.20	-7.44	3	Vertical	0	2.28	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.708G	110.12	Inf	-Inf	3	Vertical	0	2.28	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	67.68	68.20	-0.52	3	Vertical	0	2.28	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38166G	46.61	54.00	-7.39	3	Vertical	284	2.82	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3816G	60.27	74.00	-13.73	3	Vertical	284	2.82	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07136G	63.30	68.20	-4.90	3	Vertical	269	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38229G	46.66	54.00	-7.34	3	Horizontal	79	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38193G	59.65	74.00	-14.35	3	Horizontal	79	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.072G	64.08	68.20	-4.12	3	Horizontal	75	1.50	-
5775MHz	Pass	AV	5.757G	100.14	Inf	-Inf	3	Vertical	0	2.22	-
5775MHz	Pass	PK	5.6358G	67.64	68.20	-0.56	3	Vertical	0	2.22	-
5775MHz	Pass	PK	5.7558G	109.90	Inf	-Inf	3	Vertical	0	2.22	-
5775MHz	Pass	PK	5.9262G	66.90	68.20	-1.30	3	Vertical	0	2.22	-
5775MHz	Pass	AV	11.55242G	46.72	54.00	-7.28	3	Vertical	179	1.50	-
5775MHz	Pass	PK	11.5516G	59.83	74.00	-14.17	3	Vertical	179	1.50	-
5775MHz	Pass	PK	17.3266G	65.36	68.20	-2.84	3	Vertical	98	2.03	-
5775MHz	Pass	AV	11.55204G	46.82	54.00	-7.18	3	Horizontal	139	1.82	-
5775MHz	Pass	PK	11.55033G	59.56	74.00	-14.44	3	Horizontal	139	1.82	-
5775MHz	Pass	PK	17.32544G	65.48	68.20	-2.72	3	Horizontal	195	1.33	-

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	70.10	74.00	-3.90	7.84	3	Vertical	34	2.59	-	62.26	31.81	10.08	34.05
AV	5.15G	53.49	54.00	-0.51	7.83	3	Vertical	34	2.59	-	45.66	31.80	10.08	34.05
PK	5.1868G	113.06	Inf	-Inf	7.68	3	Vertical	34	2.59	-	105.38	31.65	10.08	34.05
AV	5.186G	104.20	Inf	-Inf	7.69	3	Vertical	34	2.59	-	96.51	31.66	10.08	34.05

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54234G	47.59	54.00	-6.41	18.65	3	Vertical	295	2.25	-	28.94	38.92	13.74	34.01
PK	10.35943G	59.82	68.20	-8.38	17.79	3	Vertical	359	1.50	-	42.03	39.37	12.96	34.54
PK	15.53889G	61.81	74.00	-12.19	18.66	3	Vertical	295	2.25	-	43.15	38.93	13.74	34.01

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54227G	47.12	54.00	-6.88	18.65	3	Horizontal	70	1.80	-	28.47	38.92	13.74	34.01
PK	10.36224G	60.12	68.20	-8.08	17.80	3	Horizontal	0	1.42	-	42.32	39.37	12.97	34.54
PK	15.54191G	61.80	74.00	-12.20	18.65	3	Horizontal	70	1.80	-	43.15	38.92	13.74	34.01

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.43	54.00	-0.57	7.83	3	Vertical	181	1.14	-	45.60	31.80	10.08	34.05
AV	5.2064G	108.32	Inf	-Inf	7.60	3	Vertical	181	1.14	-	100.72	31.57	10.08	34.05
PK	5.1488G	67.32	74.00	-6.68	7.83	3	Vertical	181	1.14	-	59.49	31.80	10.08	34.05
PK	5.2056G	117.23	Inf	-Inf	7.61	3	Vertical	181	1.14	-	109.62	31.58	10.08	34.05

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60237G	47.85	54.00	-6.15	18.40	3	Vertical	178	2.20	-	29.45	38.73	13.74	34.07
PK	10.39972G	60.50	68.20	-7.70	17.89	3	Vertical	357	1.50	-	42.61	39.42	12.99	34.52
PK	15.60126G	61.03	74.00	-12.97	18.41	3	Vertical	178	2.20	-	42.62	38.74	13.74	34.07

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60246G	49.38	54.00	-4.62	18.40	3	Horizontal	7	1.04	-	30.98	38.73	13.74	34.07
PK	10.39846G	59.60	68.20	-8.60	17.89	3	Horizontal	175	1.50	-	41.71	39.42	12.99	34.52
PK	15.60184G	62.14	74.00	-11.86	18.40	3	Horizontal	7	1.04	-	43.74	38.73	13.74	34.07

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	62.23	74.00	-11.77	7.85	3	Vertical	183	1.00	-	54.38	31.82	10.08	34.05
AV	5.147G	48.68	54.00	-5.32	7.84	3	Vertical	183	1.00	-	40.84	31.81	10.08	34.05
PK	5.2454G	118.40	Inf	-Inf	7.47	3	Vertical	183	1.00	-	110.93	31.42	10.10	34.05
AV	5.246G	109.16	Inf	-Inf	7.47	3	Vertical	183	1.00	-	101.69	31.42	10.10	34.05
PK	5.3894G	60.44	74.00	-13.56	7.59	3	Vertical	183	1.00	-	52.85	31.47	10.18	34.06
AV	5.3516G	47.31	54.00	-6.69	7.45	3	Vertical	183	1.00	-	39.86	31.35	10.16	34.06

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.721G	48.64	54.00	-5.36	17.90	3	Vertical	356	2.21	-	30.74	38.36	13.74	34.20
PK	10.47884G	59.95	68.20	-8.25	18.08	3	Vertical	306	1.01	-	41.87	39.52	13.03	34.47
PK	15.71996G	61.39	74.00	-12.61	17.92	3	Vertical	356	2.21	-	43.47	38.37	13.74	34.19

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71752G	46.78	54.00	-7.22	17.93	3	Horizontal	113	1.00	-	28.85	38.38	13.74	34.19
PK	10.47785G	60.37	68.20	-7.83	18.08	3	Horizontal	219	2.80	-	42.29	39.52	13.03	34.47
PK	15.71656G	60.41	74.00	-13.59	17.93	3	Horizontal	113	1.00	-	42.48	38.38	13.74	34.19

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1118G	48.24	54.00	-5.76	7.98	3	Vertical	298	1.05	-	40.26	31.95	10.08	34.05
AV	5.257G	106.49	Inf	-Inf	7.42	3	Vertical	298	1.05	-	99.07	31.37	10.11	34.06
AV	5.3848G	47.20	54.00	-6.80	7.57	3	Vertical	298	1.05	-	39.63	31.45	10.18	34.06
PK	5.1346G	61.72	74.00	-12.28	7.89	3	Vertical	298	1.05	-	53.83	31.86	10.08	34.05
PK	5.257G	116.01	Inf	-Inf	7.42	3	Vertical	298	1.05	-	108.59	31.37	10.11	34.06
PK	5.3644G	60.32	74.00	-13.68	7.50	3	Vertical	298	1.05	-	52.82	31.39	10.17	34.06

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78154G	49.37	54.00	-4.63	17.65	3	Vertical	193	2.55	-	31.72	38.18	13.73	34.26
PK	10.5176G	59.39	68.20	-8.81	18.18	3	Vertical	144	1.50	-	41.21	39.57	13.06	34.45
PK	15.78228G	61.06	74.00	-12.94	17.64	3	Vertical	193	2.55	-	43.42	38.17	13.73	34.26

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77702G	48.24	54.00	-5.76	17.67	3	Horizontal	71	2.10	-	30.57	38.19	13.73	34.25
PK	10.52102G	59.96	68.20	-8.24	18.19	3	Horizontal	166	1.50	-	41.77	39.58	13.06	34.45
PK	15.78072G	60.95	74.00	-13.05	17.65	3	Horizontal	71	2.10	-	43.30	38.18	13.73	34.26

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.306G	107.13	Inf	-Inf	7.30	3	Vertical	27	1.50	-	99.83	31.22	10.14	34.06
AV	5.35G	53.48	54.00	-0.52	7.45	3	Vertical	27	1.50	-	46.03	31.35	10.16	34.06
PK	5.3052G	116.48	Inf	-Inf	7.30	3	Vertical	27	1.50	-	109.18	31.22	10.14	34.06
PK	5.35G	69.03	74.00	-4.97	7.45	3	Vertical	27	1.50	-	61.58	31.35	10.16	34.06

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90236G	49.49	54.00	-4.51	17.15	3	Vertical	359	2.09	-	32.34	37.80	13.73	34.38
PK	10.5995G	59.82	68.20	-8.38	18.38	3	Vertical	325	1.35	-	41.44	39.68	13.10	34.40
PK	15.89904G	62.70	74.00	-11.30	17.16	3	Vertical	359	2.09	-	45.54	37.81	13.73	34.38

802.11a_Nss1,(6Mbps)_2TX

22/10/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89736G	47.33	54.00	-6.67	17.17	3	Horizontal	73	1.86	-	30.16	37.82	13.73	34.38
PK	10.59959G	59.73	68.20	-8.47	18.38	3	Horizontal	201	3.00	-	41.35	39.68	13.10	34.40
PK	15.89746G	60.58	74.00	-13.42	17.17	3	Horizontal	73	1.86	-	43.41	37.82	13.73	34.38

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3264G	102.82	Inf	-Inf	7.37	3	Vertical	29	1.50	-	95.45	31.28	10.15	34.06
AV	5.35G	53.17	54.00	-0.83	7.45	3	Vertical	29	1.50	-	45.72	31.35	10.16	34.06
PK	5.327G	111.52	Inf	-Inf	7.37	3	Vertical	29	1.50	-	104.15	31.28	10.15	34.06
PK	5.353G	68.28	74.00	-5.72	7.46	3	Vertical	29	1.50	-	60.82	31.36	10.16	34.06

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63346G	46.38	54.00	-7.62	18.46	3	Vertical	358	1.50	-	27.92	39.72	13.12	34.38
AV	15.96212G	45.55	54.00	-8.45	16.91	3	Vertical	262	1.00	-	28.64	37.62	13.73	34.44
PK	10.65398G	60.12	74.00	-13.88	18.51	3	Vertical	358	1.50	-	41.61	39.75	13.13	34.37
PK	15.96252G	58.83	74.00	-15.17	16.91	3	Vertical	262	1.00	-	41.92	37.62	13.73	34.44

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65398G	46.47	54.00	-7.53	18.51	3	Horizontal	103	1.50	-	27.96	39.75	13.13	34.37
AV	15.95946G	44.94	54.00	-9.06	16.92	3	Horizontal	209	3.00	-	28.02	37.63	13.73	34.44
PK	10.65296G	60.21	74.00	-13.79	18.51	3	Horizontal	103	1.50	-	41.70	39.75	13.13	34.37
PK	15.9612G	58.38	74.00	-15.62	16.91	3	Horizontal	209	3.00	-	41.47	37.62	13.73	34.44

802.11a_Nss1,(6Mbps)_2TX

19/10/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.44	54.00	-5.56	7.81	3	Vertical	24	1.50	-	40.63	31.68	10.20	34.07
AV	5.506G	103.37	Inf	-Inf	7.94	3	Vertical	24	1.50	-	95.43	31.79	10.22	34.07
PK	5.467G	67.56	68.20	-0.64	7.84	3	Vertical	24	1.50	-	59.72	31.70	10.21	34.07
PK	5.5056G	112.19	Inf	-Inf	7.94	3	Vertical	24	1.50	-	104.25	31.79	10.22	34.07

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99753G	47.05	54.00	-6.95	19.37	3	Vertical	208	1.50	-	27.68	40.20	13.33	34.16
PK	11.00007G	60.93	74.00	-13.07	19.38	3	Vertical	208	1.50	-	41.55	40.20	13.34	34.16
PK	16.50258G	61.62	68.20	-6.58	19.00	3	Vertical	202	2.30	-	42.62	38.86	14.09	33.95

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99799G	47.06	54.00	-6.94	19.37	3	Horizontal	4	1.50	-	27.69	40.20	13.33	34.16
PK	10.99922G	60.86	74.00	-13.14	19.37	3	Horizontal	4	1.50	-	41.49	40.20	13.33	34.16
PK	16.49046G	60.94	68.20	-7.26	18.93	3	Horizontal	114	1.64	-	42.01	38.82	14.08	33.97

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4474G	49.46	54.00	-4.54	7.78	3	Vertical	222	2.01	-	41.68	31.64	10.20	34.06
AV	5.583G	107.01	Inf	-Inf	7.80	3	Vertical	222	2.01	-	99.21	31.63	10.24	34.07
PK	5.4492G	64.15	74.00	-9.85	7.79	3	Vertical	222	2.01	-	56.36	31.65	10.20	34.06
PK	5.4666G	66.16	68.20	-2.04	7.84	3	Vertical	222	2.01	-	58.32	31.70	10.21	34.07
PK	5.5824G	117.01	Inf	-Inf	7.81	3	Vertical	222	2.01	-	109.20	31.64	10.24	34.07
PK	5.7276G	61.10	68.20	-7.10	8.21	3	Vertical	222	2.01	-	52.89	31.88	10.40	34.07

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15815G	47.51	54.00	-6.49	19.25	3	Vertical	166	2.44	-	28.26	39.99	13.43	34.17
PK	11.15839G	61.59	74.00	-12.41	19.25	3	Vertical	166	2.44	-	42.34	39.99	13.43	34.17
PK	16.72542G	62.33	68.20	-5.87	19.99	3	Vertical	204	2.45	-	42.34	39.46	14.25	33.72

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1575G	46.93	54.00	-7.07	19.26	3	Horizontal	24	1.50	-	27.67	40.00	13.43	34.17
PK	11.15934G	61.27	74.00	-12.73	19.25	3	Horizontal	24	1.50	-	42.02	39.99	13.43	34.17
PK	16.75086G	61.30	68.20	-6.90	20.11	3	Horizontal	157	1.75	-	41.19	39.53	14.27	33.69

802.11a_Nss1,(6Mbps)_2TX

19/10/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7044G	101.92	Inf	-Inf	8.11	3	Vertical	22	1.08	-	93.81	31.81	10.37	34.07
PK	5.7048G	110.58	Inf	-Inf	8.11	3	Vertical	22	1.08	-	102.47	31.81	10.37	34.07
PK	5.7252G	67.50	68.20	-0.70	8.21	3	Vertical	22	1.08	-	59.29	31.88	10.40	34.07

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40237G	47.06	54.00	-6.94	19.07	3	Vertical	281	1.50	-	27.99	39.68	13.57	34.18
PK	11.40191G	60.08	74.00	-13.92	19.07	3	Vertical	281	1.50	-	41.01	39.68	13.57	34.18
PK	17.0974G	65.10	68.20	-3.10	21.93	3	Vertical	345	2.12	-	43.17	40.87	14.51	33.45

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39986G	47.01	54.00	-6.99	19.07	3	Horizontal	38	1.50	-	27.94	39.68	13.57	34.18
PK	11.40221G	60.74	74.00	-13.26	19.07	3	Horizontal	38	1.50	-	41.67	39.68	13.57	34.18
PK	17.1168G	64.61	68.20	-3.59	22.09	3	Horizontal	177	1.02	-	42.52	41.01	14.53	33.45

802.11a_Nss1,(6Mbps)_2TX

19/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	46.72	54.00	-7.28	7.80	3	Vertical	0	1.08	-	38.92	31.67	10.20	34.07
AV	5.7272G	105.79	Inf	-Inf	8.21	3	Vertical	0	1.08	-	97.58	31.88	10.40	34.07
PK	5.4668G	59.09	68.20	-9.11	7.84	3	Vertical	0	1.08	-	51.25	31.70	10.21	34.07
PK	5.7272G	115.56	Inf	-Inf	8.21	3	Vertical	0	1.08	-	107.35	31.88	10.40	34.07
PK	5.924G	61.42	68.20	-6.78	8.87	3	Vertical	0	1.08	-	52.55	32.40	10.55	34.08

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43792G	48.04	54.00	-5.96	19.03	3	Vertical	359	3.00	-	29.01	39.63	13.59	34.19
PK	11.43769G	61.73	74.00	-12.27	19.03	3	Vertical	359	3.00	-	42.70	39.63	13.59	34.19
PK	17.1597G	67.73	68.20	-0.47	22.40	3	Vertical	216	1.97	-	45.33	41.30	14.56	33.46

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43818G	47.30	54.00	-6.70	19.03	3	Horizontal	215	2.41	-	28.27	39.63	13.59	34.19
PK	11.4389G	61.25	74.00	-12.75	19.03	3	Horizontal	215	2.41	-	42.22	39.63	13.59	34.19
PK	17.151G	64.54	68.20	-3.66	22.33	3	Horizontal	34	2.11	-	42.21	41.24	14.55	33.46

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	107.77	Inf	-Inf	8.30	3	Vertical	20	2.13	-	99.47	31.95	10.42	34.07
PK	5.6502G	63.10	68.35	-5.25	7.93	3	Vertical	20	2.13	-	55.17	31.70	10.30	34.07
PK	5.7474G	117.18	Inf	-Inf	8.29	3	Vertical	20	2.13	-	108.89	31.94	10.42	34.07
PK	5.9406G	60.19	68.20	-8.01	8.88	3	Vertical	20	2.13	-	51.31	32.40	10.56	34.08

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.49032G	61.69	74.00	-12.31	18.99	3	Vertical	359	2.99	-	42.70	39.56	13.62	34.19
AV	11.4883G	48.31	54.00	-5.69	19.00	3	Vertical	359	2.99	-	29.31	39.57	13.62	34.19
PK	17.23722G	67.51	68.20	-0.69	22.97	3	Vertical	214	2.06	-	44.54	41.84	14.61	33.48

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49042G	46.79	54.00	-7.21	18.99	3	Horizontal	126	1.50	-	27.80	39.56	13.62	34.19
PK	11.48961G	60.55	74.00	-13.45	18.99	3	Horizontal	126	1.50	-	41.56	39.56	13.62	34.19
PK	17.23452G	65.81	68.20	-2.39	22.95	3	Horizontal	339	2.45	-	42.86	41.82	14.61	33.48

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	106.56	Inf	-Inf	8.46	3	Vertical	149	2.43	-	98.10	32.07	10.47	34.08
PK	5.6158G	59.54	68.20	-8.66	7.82	3	Vertical	149	2.43	-	51.72	31.63	10.26	34.07
PK	5.7898G	115.80	Inf	-Inf	8.46	3	Vertical	149	2.43	-	107.34	32.07	10.47	34.08
PK	5.9398G	60.92	68.20	-7.28	8.87	3	Vertical	149	2.43	-	52.05	32.40	10.55	34.08

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56798G	48.42	54.00	-5.58	18.93	3	Vertical	359	2.97	-	29.49	39.46	13.66	34.19
PK	11.57672G	60.16	74.00	-13.84	18.93	3	Vertical	199	2.96	-	41.23	39.45	13.67	34.19
PK	17.35308G	67.84	68.20	-0.36	23.84	3	Vertical	217	1.97	-	44.00	42.64	14.70	33.50

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57072G	47.42	54.00	-6.58	18.94	3	Horizontal	39	3.00	-	28.48	39.46	13.67	34.19
PK	11.56868G	60.82	74.00	-13.18	18.93	3	Horizontal	39	3.00	-	41.89	39.46	13.66	34.19
PK	17.3562G	65.47	68.20	-2.73	23.86	3	Horizontal	218	1.98	-	41.61	42.66	14.70	33.50

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	105.80	Inf	-Inf	8.61	3	Vertical	149	2.32	-	97.19	32.19	10.50	34.08
PK	5.549G	60.10	68.20	-8.10	7.86	3	Vertical	149	2.32	-	52.24	31.70	10.23	34.07
PK	5.8298G	114.75	Inf	-Inf	8.61	3	Vertical	149	2.32	-	106.14	32.19	10.50	34.08
PK	5.9378G	60.97	68.20	-7.23	8.87	3	Vertical	149	2.32	-	52.10	32.40	10.55	34.08

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64894G	48.42	54.00	-5.58	18.87	3	Vertical	156	1.41	-	29.55	39.36	13.71	34.20
PK	11.64899G	62.09	74.00	-11.91	18.87	3	Vertical	156	1.41	-	43.22	39.36	13.71	34.20
PK	17.4738G	67.52	68.20	-0.68	24.73	3	Vertical	216	1.97	-	42.79	43.47	14.78	33.52

802.11a_Nss1,(6Mbps)_2TX

23/10/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64868G	47.32	54.00	-6.68	18.87	3	Horizontal	264	2.42	-	28.45	39.36	13.71	34.20
PK	11.64773G	60.80	74.00	-13.20	18.87	3	Horizontal	264	2.42	-	41.93	39.36	13.71	34.20
PK	17.4945G	67.05	68.20	-1.15	24.88	3	Horizontal	342	3.00	-	42.17	43.61	14.80	33.53

802.11ac VHT20_Nss1,(MCS0)_2TX

19/10/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.69	54.00	-0.31	8.37	3	Vertical	334	1.50	-	45.32	31.70	6.00	29.33
AV	5.1854G	105.28	Inf	-Inf	8.31	3	Vertical	334	1.50	-	96.97	31.63	6.02	29.34
PK	5.1488G	70.47	74.00	-3.53	8.37	3	Vertical	334	1.50	-	62.10	31.70	6.00	29.33
PK	5.1844G	113.15	Inf	-Inf	8.31	3	Vertical	334	1.50	-	104.84	31.63	6.02	29.34

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54042G	46.36	54.00	-7.64	17.53	3	Vertical	98	1.83	-	28.83	38.58	10.81	31.86
PK	10.3642G	56.53	68.20	-11.67	17.54	3	Vertical	243	2.49	-	38.99	39.37	8.70	30.53
PK	15.54116G	58.61	74.00	-15.39	17.52	3	Vertical	98	1.83	-	41.09	38.57	10.81	31.86

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54336G	45.36	54.00	-8.64	17.51	3	Horizontal	181	2.31	-	27.85	38.56	10.81	31.86
PK	10.36084G	57.43	68.20	-10.77	17.55	3	Horizontal	95	1.13	-	39.88	39.37	8.70	30.52
PK	15.54052G	59.65	74.00	-14.35	17.53	3	Horizontal	181	2.31	-	42.12	38.58	10.81	31.86

802.11ac VHT20_Nss1,(MCS0)_2TX

19/10/2019


5200MHz_TX



802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59628G	48.19	54.00	-5.81	17.30	3	Vertical	337	2.44	-	30.89	38.34	10.83	31.87
PK	10.3991G	59.93	68.20	-8.27	17.60	3	Vertical	129	2.82	-	42.33	39.42	8.72	30.54
PK	15.6072G	59.25	74.00	-14.75	17.26	3	Vertical	337	2.44	-	41.99	38.29	10.84	31.87

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59665G	47.27	54.00	-6.73	17.29	3	Horizontal	248	1.50	-	29.98	38.33	10.83	31.87
PK	10.39922G	57.05	68.20	-11.15	17.60	3	Horizontal	159	1.00	-	39.45	39.42	8.72	30.54
PK	15.5915G	60.34	74.00	-13.66	17.32	3	Horizontal	248	1.50	-	43.02	38.36	10.83	31.87

802.11ac VHT20_Nss1,(MCS0)_2TX

19/10/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.16	54.00	-6.84	8.37	3	Vertical	333	1.17	-	38.79	31.70	6.00	29.33
AV	5.2454G	111.50	Inf	-Inf	8.17	3	Vertical	333	1.17	-	103.33	31.46	6.05	29.34
AV	5.3648G	46.76	54.00	-7.24	8.19	3	Vertical	333	1.17	-	38.57	31.43	6.12	29.36
PK	5.1482G	63.08	74.00	-10.92	8.37	3	Vertical	333	1.17	-	54.71	31.70	6.00	29.33
PK	5.2466G	120.27	Inf	-Inf	8.17	3	Vertical	333	1.17	-	112.10	31.46	6.05	29.34
PK	5.35G	58.86	74.00	-15.14	8.15	3	Vertical	333	1.17	-	50.71	31.40	6.11	29.36

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71671G	48.69	54.00	-5.31	16.80	3	Vertical	180	2.26	-	31.89	37.82	10.88	31.90
PK	10.47922G	61.45	68.20	-6.75	17.73	3	Vertical	247	1.24	-	43.72	39.52	8.78	30.57
PK	15.7094G	60.57	74.00	-13.43	16.83	3	Vertical	180	2.26	-	43.74	37.85	10.88	31.90

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71713G	46.86	54.00	-7.14	16.80	3	Horizontal	360	2.77	-	30.06	37.82	10.88	31.90
PK	10.47814G	61.23	68.20	-6.97	17.73	3	Horizontal	211	2.51	-	43.50	39.52	8.78	30.57
PK	15.72287G	58.54	74.00	-15.46	16.77	3	Horizontal	360	2.77	-	41.77	37.79	10.88	31.90

802.11ac VHT20_Nss1,(MCS0)_2TX

19/10/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	46.23	54.00	-7.77	8.37	3	Vertical	332	1.37	-	37.86	31.70	6.00	29.33
AV	5.2654G	111.65	Inf	-Inf	8.11	3	Vertical	332	1.37	-	103.54	31.40	6.06	29.35
AV	5.35G	48.09	54.00	-5.91	8.15	3	Vertical	332	1.37	-	39.94	31.40	6.11	29.36
PK	5.143G	60.39	74.00	-13.61	8.38	3	Vertical	332	1.37	-	52.01	31.71	6.00	29.33
PK	5.266G	120.62	Inf	-Inf	8.11	3	Vertical	332	1.37	-	112.51	31.40	6.06	29.35
PK	5.3584G	61.55	74.00	-12.45	8.17	3	Vertical	332	1.37	-	53.38	31.42	6.11	29.36

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77665G	49.59	54.00	-4.41	16.55	3	Vertical	360	2.60	-	33.04	37.56	10.90	31.91
PK	10.51958G	57.90	68.20	-10.30	17.79	3	Vertical	111	2.10	-	40.11	39.58	8.80	30.59
PK	15.78605G	60.18	74.00	-13.82	16.52	3	Vertical	360	2.60	-	43.66	37.52	10.91	31.91

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76596G	47.09	54.00	-6.91	16.60	3	Horizontal	358	1.62	-	30.49	37.61	10.90	31.91
PK	10.50512G	56.10	68.20	-12.10	17.77	3	Horizontal	238	2.16	-	38.33	39.56	8.79	30.58
PK	15.76782G	59.20	74.00	-14.80	16.59	3	Horizontal	358	1.62	-	42.61	37.60	10.90	31.91

802.11ac VHT20_Nss1,(MCS0)_2TX

19/10/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2944G	109.07	Inf	-Inf	8.05	3	Vertical	332	1.01	-	101.02	31.32	6.08	29.35
AV	5.35G	53.55	54.00	-0.45	8.15	3	Vertical	332	1.01	-	45.40	31.40	6.11	29.36
PK	5.2952G	117.45	Inf	-Inf	8.04	3	Vertical	332	1.01	-	109.41	31.31	6.08	29.35
PK	5.35G	70.31	74.00	-3.69	8.15	3	Vertical	332	1.01	-	62.16	31.40	6.11	29.36

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9009G	45.20	54.00	-8.80	16.04	3	Vertical	318	1.04	-	29.16	37.03	10.95	31.94
PK	10.5982G	59.24	68.20	-8.96	17.89	3	Vertical	237	1.31	-	41.35	39.68	8.86	30.65
PK	15.90126G	57.59	74.00	-16.41	16.03	3	Vertical	318	1.04	-	41.56	37.02	10.95	31.94

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90084G	46.45	54.00	-7.55	16.04	3	Horizontal	355	1.93	-	30.41	37.03	10.95	31.94
PK	10.5937G	58.80	68.20	-9.40	17.88	3	Horizontal	210	2.87	-	40.92	39.67	8.85	30.64
PK	15.89496G	59.58	74.00	-14.42	16.06	3	Horizontal	355	1.93	-	43.52	37.05	10.95	31.94

802.11ac VHT20_Nss1,(MCS0)_2TX

19/10/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3146G	104.79	Inf	-Inf	8.07	3	Vertical	332	1.35	-	96.72	31.33	6.09	29.35
AV	5.35G	53.71	54.00	-0.29	8.15	3	Vertical	332	1.35	-	45.56	31.40	6.11	29.36
PK	5.317G	113.24	Inf	-Inf	8.07	3	Vertical	332	1.35	-	105.17	31.33	6.09	29.35
PK	5.3534G	70.46	74.00	-3.54	8.16	3	Vertical	332	1.35	-	62.30	31.41	6.11	29.36

802.11ac VHT20_Nss1,(MCS0)_2TX

20/10/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63928G	43.56	54.00	-10.44	17.94	3	Vertical	315	2.18	-	25.62	39.73	8.88	30.67
PK	10.63424G	55.71	74.00	-18.29	17.93	3	Vertical	315	2.18	-	37.78	39.72	8.88	30.67

802.11ac VHT20_Nss1,(MCS0)_2TX

20/10/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63514G	43.46	54.00	-10.54	17.94	3	Horizontal	14	1.61	-	25.52	39.73	8.88	30.67
PK	10.63142G	56.33	74.00	-17.67	17.93	3	Horizontal	14	1.61	-	38.40	39.72	8.88	30.67

802.11ac VHT20_Nss1,(MCS0)_2TX

23/10/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.96	54.00	-5.04	7.81	3	Vertical	31	2.31	-	41.15	31.68	10.20	34.07
AV	5.4946G	102.94	Inf	-Inf	7.92	3	Vertical	31	2.31	-	95.02	31.78	10.21	34.07
PK	5.4598G	65.64	74.00	-8.36	7.81	3	Vertical	31	2.31	-	57.83	31.68	10.20	34.07
PK	5.4664G	68.01	68.20	-0.19	7.84	3	Vertical	31	2.31	-	60.17	31.70	10.21	34.07
PK	5.4952G	112.23	Inf	-Inf	7.93	3	Vertical	31	2.31	-	104.30	31.79	10.21	34.07

802.11ac VHT20_Nss1,(MCS0)_2TX

23/10/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00194G	47.13	54.00	-6.87	19.38	3	Vertical	0	1.50	-	27.75	40.20	13.34	34.16
PK	11.00172G	60.51	74.00	-13.49	19.38	3	Vertical	0	1.50	-	41.13	40.20	13.34	34.16
PK	16.49784G	60.33	68.20	-7.87	18.97	3	Vertical	18	1.50	-	41.36	38.84	14.09	33.96

802.11ac VHT20_Nss1,(MCS0)_2TX

23/10/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00162G	47.09	54.00	-6.91	19.38	3	Horizontal	0	1.50	-	27.71	40.20	13.34	34.16
PK	11.00101G	60.85	74.00	-13.15	19.38	3	Horizontal	0	1.50	-	41.47	40.20	13.34	34.16
PK	16.50032G	60.66	68.20	-7.54	18.99	3	Horizontal	277	1.50	-	41.67	38.85	14.09	33.95

802.11ac VHT20_Nss1,(MCS0)_2TX

20/10/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.58	54.00	-5.42	8.54	3	Vertical	269	1.01	-	40.04	31.74	6.17	29.37
AV	5.5746G	113.12	Inf	-Inf	8.63	3	Vertical	269	1.01	-	104.49	31.75	6.25	29.37
PK	5.4678G	67.62	68.20	-0.58	8.57	3	Vertical	269	1.01	-	59.05	31.77	6.17	29.37
PK	5.5764G	122.56	Inf	-Inf	8.63	3	Vertical	269	1.01	-	113.93	31.75	6.25	29.37
PK	5.7252G	58.98	68.20	-9.22	8.86	3	Vertical	269	1.01	-	50.12	31.85	6.37	29.36

802.11ac VHT20_Nss1,(MCS0)_2TX

23/10/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15966G	49.83	54.00	-4.17	19.25	3	Vertical	21	2.95	-	30.58	39.99	13.43	34.17
PK	11.15786G	63.75	74.00	-10.25	19.25	3	Vertical	21	2.95	-	44.50	39.99	13.43	34.17
PK	16.74232G	63.76	68.20	-4.44	20.06	3	Vertical	357	2.90	-	43.70	39.50	14.26	33.70

802.11ac VHT20_Nss1,(MCS0)_2TX

23/10/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1599G	50.28	54.00	-3.72	19.25	3	Horizontal	205	2.95	-	31.03	39.99	13.43	34.17
PK	11.15886G	64.75	74.00	-9.25	19.25	3	Horizontal	205	2.95	-	45.50	39.99	13.43	34.17
PK	16.73873G	62.13	68.20	-6.07	20.05	3	Horizontal	344	2.18	-	42.08	39.49	14.26	33.70

802.11ac VHT20_Nss1,(MCS0)_2TX

23/10/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7056G	101.37	Inf	-Inf	8.12	3	Vertical	141	2.32	-	93.25	31.82	10.37	34.07
PK	5.7048G	110.23	Inf	-Inf	8.11	3	Vertical	141	2.32	-	102.12	31.81	10.37	34.07
PK	5.7252G	68.10	68.20	-0.10	8.21	3	Vertical	141	2.32	-	59.89	31.88	10.40	34.07

802.11ac VHT20_Nss1,(MCS0)_2TX

23/10/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40215G	46.42	54.00	-7.58	19.07	3	Vertical	117	2.47	-	27.35	39.68	13.57	34.18
PK	11.40144G	59.80	74.00	-14.20	19.07	3	Vertical	117	2.47	-	40.73	39.68	13.57	34.18
PK	17.10128G	64.54	68.20	-3.66	21.97	3	Vertical	349	1.70	-	42.57	40.90	14.52	33.45

802.11ac VHT20_Nss1,(MCS0)_2TX

23/10/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40216G	46.41	54.00	-7.59	19.07	3	Horizontal	232	1.50	-	27.34	39.68	13.57	34.18
PK	11.39783G	59.78	74.00	-14.22	19.07	3	Horizontal	232	1.50	-	40.71	39.68	13.57	34.18
PK	17.10009G	63.62	68.20	-4.58	21.96	3	Horizontal	97	2.13	-	41.66	40.89	14.52	33.45

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.01	54.00	-8.99	8.54	3	Vertical	0	1.97	-	36.47	31.74	6.17	29.37
AV	5.714G	109.39	Inf	-Inf	8.83	3	Vertical	0	1.97	-	100.56	31.83	6.36	29.36
PK	5.468G	56.10	68.20	-12.10	8.57	3	Vertical	0	1.97	-	47.53	31.77	6.17	29.37
PK	5.7212G	118.73	Inf	-Inf	8.85	3	Vertical	0	1.97	-	109.88	31.84	6.37	29.36
PK	5.858G	63.15	68.20	-5.05	9.24	3	Vertical	0	1.97	-	53.91	32.12	6.48	29.36

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44024G	46.20	54.00	-7.80	18.18	3	Vertical	31	1.00	-	28.02	39.54	9.43	30.79
PK	11.43988G	59.53	74.00	-14.47	18.18	3	Vertical	31	1.00	-	41.35	39.54	9.43	30.79
PK	17.16768G	67.96	68.20	-0.24	20.98	3	Vertical	230	2.30	-	46.98	41.21	11.38	31.61

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43826G	44.84	54.00	-9.16	18.18	3	Horizontal	208	2.68	-	26.66	39.54	9.43	30.79
PK	11.43124G	57.62	74.00	-16.38	18.19	3	Horizontal	208	2.68	-	39.43	39.55	9.43	30.79
PK	17.1543G	64.43	68.20	-3.77	20.88	3	Horizontal	34	2.05	-	43.55	41.12	11.37	31.61

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	110.01	Inf	-Inf	8.93	3	Vertical	21	2.10	-	101.08	31.90	6.39	29.36
PK	5.6454G	64.30	68.20	-3.90	8.70	3	Vertical	21	2.10	-	55.60	31.75	6.31	29.36
PK	5.7486G	119.13	Inf	-Inf	8.93	3	Vertical	21	2.10	-	110.20	31.90	6.39	29.36
PK	5.9538G	58.60	68.20	-9.60	9.45	3	Vertical	21	2.10	-	49.15	32.25	6.55	29.35

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48982G	48.42	54.00	-5.58	18.17	3	Vertical	29	2.95	-	30.25	39.47	9.47	30.77
PK	11.48772G	61.71	74.00	-12.29	18.17	3	Vertical	29	2.95	-	43.54	39.47	9.47	30.77
PK	17.24232G	67.40	68.20	-0.80	21.53	3	Vertical	230	2.53	-	45.87	41.70	11.40	31.57

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48958G	47.87	54.00	-6.13	18.17	3	Horizontal	273	2.72	-	29.70	39.47	9.47	30.77
PK	11.49132G	61.47	74.00	-12.53	18.16	3	Horizontal	273	2.72	-	43.31	39.46	9.47	30.77
PK	17.23314G	63.31	68.20	-4.89	21.47	3	Horizontal	154	2.18	-	41.84	41.64	11.40	31.57

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	108.13	Inf	-Inf	9.04	3	Vertical	8	2.21	-	99.09	31.98	6.42	29.36
PK	5.5846G	57.38	68.20	-10.82	8.62	3	Vertical	8	2.21	-	48.76	31.73	6.26	29.37
PK	5.791G	116.39	Inf	-Inf	9.04	3	Vertical	8	2.21	-	107.35	31.98	6.42	29.36
PK	5.947G	59.32	68.20	-8.88	9.45	3	Vertical	8	2.21	-	49.87	32.25	6.55	29.35

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56976G	52.12	54.00	-1.88	18.09	3	Vertical	360	2.71	-	34.03	39.35	9.52	30.78
PK	11.5727G	65.18	74.00	-8.82	18.09	3	Vertical	360	2.71	-	47.09	39.34	9.53	30.78
PK	17.36232G	67.89	68.20	-0.31	22.42	3	Vertical	230	2.29	-	45.47	42.49	11.44	31.51

802.11ac VHT20_Nss1,(MCS0)_2TX

21/10/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56988G	44.86	54.00	-9.14	18.09	3	Horizontal	187	1.50	-	26.77	39.35	9.52	30.78
PK	11.56508G	57.42	74.00	-16.58	18.09	3	Horizontal	187	1.50	-	39.33	39.35	9.52	30.78
PK	17.36232G	63.53	68.20	-4.67	22.42	3	Horizontal	153	2.23	-	41.11	42.49	11.44	31.51

802.11ac VHT20_Nss1,(MCS0)_2TX

23/10/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	105.46	Inf	-Inf	8.61	3	Vertical	33	2.16	-	96.85	32.19	10.50	34.08
PK	5.603G	60.16	68.20	-8.04	7.79	3	Vertical	33	2.16	-	52.37	31.61	10.25	34.07
PK	5.8286G	114.76	Inf	-Inf	8.61	3	Vertical	33	2.16	-	106.15	32.19	10.50	34.08
PK	5.9894G	61.51	68.20	-6.69	8.90	3	Vertical	33	2.16	-	52.61	32.40	10.58	34.08

802.11ac VHT20_Nss1,(MCS0)_2TX

23/10/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65018G	47.36	54.00	-6.64	18.86	3	Vertical	354	2.86	-	28.50	39.35	13.71	34.20
PK	11.6575G	60.41	74.00	-13.59	18.87	3	Vertical	354	2.86	-	41.54	39.35	13.72	34.20
PK	17.46468G	68.01	68.20	-0.19	24.67	3	Vertical	210	2.17	-	43.34	43.41	14.78	33.52

802.11ac VHT20_Nss1,(MCS0)_2TX

23/10/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65882G	46.50	54.00	-7.50	18.86	3	Horizontal	28	2.16	-	27.64	39.34	13.72	34.20
PK	11.65654G	59.88	74.00	-14.12	18.87	3	Horizontal	28	2.16	-	41.01	39.35	13.72	34.20
PK	17.46444G	66.99	68.20	-1.21	24.66	3	Horizontal	239	1.60	-	42.33	43.40	14.78	33.52

802.11ac VHT40_Nss1,(MCS0)_2TX

21/10/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.83	54.00	-0.17	8.37	3	Vertical	334	1.42	-	45.46	31.70	6.00	29.33
AV	5.2044G	100.12	Inf	-Inf	8.28	3	Vertical	334	1.42	-	91.84	31.59	6.03	29.34
PK	5.142G	69.15	74.00	-4.85	8.39	3	Vertical	334	1.42	-	60.76	31.72	6.00	29.33
PK	5.188G	108.84	Inf	-Inf	8.30	3	Vertical	334	1.42	-	100.54	31.62	6.02	29.34

802.11ac VHT40_Nss1,(MCS0)_2TX

21/10/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55644G	44.91	54.00	-9.09	17.47	3	Vertical	213	2.41	-	27.44	38.51	10.82	31.86
PK	10.38456G	56.60	68.20	-11.60	17.58	3	Vertical	239	1.13	-	39.02	39.40	8.71	30.53
PK	15.58248G	57.22	74.00	-16.78	17.36	3	Vertical	213	2.41	-	39.86	38.40	10.83	31.87

802.11ac VHT40_Nss1,(MCS0)_2TX

21/10/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56532G	44.99	54.00	-9.01	17.43	3	Horizontal	59	2.01	-	27.56	38.47	10.82	31.86
PK	10.38732G	56.52	68.20	-11.68	17.58	3	Horizontal	285	1.98	-	38.94	39.40	8.71	30.53
PK	15.55668G	58.08	74.00	-15.92	17.47	3	Horizontal	59	2.01	-	40.61	38.51	10.82	31.86

802.11ac VHT40_Nss1,(MCS0)_2TX

21/10/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.30	54.00	-0.70	8.37	3	Vertical	330	2.04	-	44.93	31.70	6.00	29.33
AV	5.2444G	105.27	Inf	-Inf	8.18	3	Vertical	330	2.04	-	97.09	31.47	6.05	29.34
PK	5.148G	66.12	74.00	-7.88	8.37	3	Vertical	330	2.04	-	57.75	31.70	6.00	29.33
PK	5.2404G	113.94	Inf	-Inf	8.19	3	Vertical	330	2.04	-	105.75	31.48	6.05	29.34

802.11ac VHT40_Nss1,(MCS0)_2TX

21/10/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6914G	44.46	54.00	-9.54	16.91	3	Vertical	307	2.22	-	27.55	37.93	10.87	31.89
PK	10.45556G	56.07	68.20	-12.13	17.69	3	Vertical	335	2.42	-	38.38	39.49	8.76	30.56
PK	15.69804G	57.16	74.00	-16.84	16.88	3	Vertical	307	2.22	-	40.28	37.90	10.87	31.89

802.11ac VHT40_Nss1,(MCS0)_2TX

21/10/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68994G	44.46	54.00	-9.54	16.91	3	Horizontal	266	1.61	-	27.55	37.93	10.87	31.89
PK	10.4696G	56.43	68.20	-11.77	17.71	3	Horizontal	90	2.48	-	38.72	39.51	8.77	30.57
PK	15.69612G	56.76	74.00	-17.24	16.89	3	Horizontal	266	1.61	-	39.87	37.91	10.87	31.89

802.11ac VHT40_Nss1,(MCS0)_2TX

23/10/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2852G	102.59	Inf	-Inf	7.32	3	Vertical	12	1.00	-	95.27	31.26	10.12	34.06
AV	5.35G	53.48	54.00	-0.52	7.45	3	Vertical	12	1.00	-	46.03	31.35	10.16	34.06
PK	5.28G	112.01	Inf	-Inf	7.34	3	Vertical	12	1.00	-	104.67	31.28	10.12	34.06
PK	5.3504G	65.76	74.00	-8.24	7.45	3	Vertical	12	1.00	-	58.31	31.35	10.16	34.06

802.11ac VHT40_Nss1,(MCS0)_2TX

23/10/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81142G	46.32	54.00	-7.68	17.52	3	Vertical	360	2.06	-	28.80	38.08	13.73	34.29
PK	10.52824G	59.17	68.20	-9.03	18.21	3	Vertical	161	1.06	-	40.96	39.59	13.06	34.44
PK	15.81014G	59.83	74.00	-14.17	17.53	3	Vertical	360	2.06	-	42.30	38.09	13.73	34.29

802.11ac VHT40_Nss1,(MCS0)_2TX

23/10/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81169G	46.38	54.00	-7.62	17.52	3	Horizontal	346	1.50	-	28.86	38.08	13.73	34.29
PK	10.54019G	59.05	68.20	-9.15	18.23	3	Horizontal	2	1.50	-	40.82	39.60	13.07	34.44
PK	15.81133G	59.81	74.00	-14.19	17.52	3	Horizontal	346	1.50	-	42.29	38.08	13.73	34.29

802.11ac VHT40_Nss1,(MCS0)_2TX

21/10/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3232G	100.14	Inf	-Inf	8.09	3	Vertical	333	1.29	-	92.05	31.35	6.09	29.35
AV	5.35G	53.53	54.00	-0.47	8.15	3	Vertical	333	1.29	-	45.38	31.40	6.11	29.36
PK	5.3204G	108.88	Inf	-Inf	8.08	3	Vertical	333	1.29	-	100.80	31.34	6.09	29.35
PK	5.3516G	72.07	74.00	-1.93	8.15	3	Vertical	333	1.29	-	63.92	31.40	6.11	29.36

802.11ac VHT40_Nss1,(MCS0)_2TX

21/10/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6053G	43.67	54.00	-10.33	17.90	3	Vertical	277	2.03	-	25.77	39.69	8.86	30.65
AV	15.94272G	43.64	54.00	-10.36	15.87	3	Vertical	108	1.43	-	27.77	36.85	10.97	31.95
PK	10.62468G	56.90	74.00	-17.10	17.92	3	Vertical	277	2.03	-	38.98	39.71	8.87	30.66
PK	15.93576G	56.52	74.00	-17.48	15.89	3	Vertical	108	1.43	-	40.63	36.88	10.96	31.95

802.11ac VHT40_Nss1,(MCS0)_2TX

21/10/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60698G	43.65	54.00	-10.35	17.90	3	Horizontal	53	1.11	-	25.75	39.69	8.86	30.65
AV	15.92658G	43.54	54.00	-10.46	15.94	3	Horizontal	84	1.89	-	27.60	36.92	10.96	31.94
PK	10.60986G	56.11	74.00	-17.89	17.90	3	Horizontal	53	1.11	-	38.21	39.69	8.86	30.65
PK	15.91554G	56.20	74.00	-17.80	15.98	3	Horizontal	84	1.89	-	40.22	36.96	10.96	31.94

802.11ac VHT40_Nss1,(MCS0)_2TX

20/10/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.33	54.00	-5.67	8.54	3	Vertical	0	1.82	-	39.79	31.74	6.17	29.37
AV	5.5244G	99.71	Inf	-Inf	8.69	3	Vertical	0	1.82	-	91.02	31.85	6.21	29.37
PK	5.4668G	67.97	68.20	-0.23	8.57	3	Vertical	0	1.82	-	59.40	31.77	6.17	29.37
PK	5.5264G	108.17	Inf	-Inf	8.69	3	Vertical	0	1.82	-	99.48	31.85	6.21	29.37

802.11ac VHT40_Nss1,(MCS0)_2TX

20/10/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03332G	44.40	54.00	-9.60	18.39	3	Vertical	214	1.86	-	26.01	40.15	9.15	30.91
PK	11.02408G	56.70	74.00	-17.30	18.40	3	Vertical	214	1.86	-	38.30	40.16	9.15	30.91
PK	16.53156G	59.18	68.20	-9.02	17.94	3	Vertical	79	1.17	-	41.24	38.46	11.17	31.69

802.11ac VHT40_Nss1,(MCS0)_2TX

20/10/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03314G	44.40	54.00	-9.60	18.39	3	Horizontal	81	2.34	-	26.01	40.15	9.15	30.91
PK	11.03248G	56.98	74.00	-17.02	18.39	3	Horizontal	81	2.34	-	38.59	40.15	9.15	30.91
PK	16.533G	59.96	68.20	-8.24	17.95	3	Horizontal	254	1.38	-	42.01	38.47	11.17	31.69

802.11ac VHT40_Nss1,(MCS0)_2TX

20/10/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	51.66	54.00	-2.34	8.54	3	Vertical	35	2.21	-	43.12	31.74	6.17	29.37
AV	5.5644G	105.79	Inf	-Inf	8.64	3	Vertical	35	2.21	-	97.15	31.77	6.24	29.37
PK	5.466G	67.85	68.20	-0.35	8.56	3	Vertical	35	2.21	-	59.29	31.76	6.17	29.37
PK	5.548G	114.80	Inf	-Inf	8.66	3	Vertical	35	2.21	-	106.14	31.80	6.23	29.37

802.11ac VHT40_Nss1,(MCS0)_2TX

20/10/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11374G	44.61	54.00	-9.39	18.35	3	Vertical	134	2.29	-	26.26	40.03	9.21	30.89
PK	11.11356G	57.90	74.00	-16.10	18.35	3	Vertical	134	2.29	-	39.55	40.03	9.21	30.89
PK	16.64538G	59.90	68.20	-8.30	18.37	3	Vertical	360	2.89	-	41.53	38.86	11.20	31.69

802.11ac VHT40_Nss1,(MCS0)_2TX

20/10/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11332G	44.60	54.00	-9.40	18.35	3	Horizontal	218	2.15	-	26.25	40.03	9.21	30.89
PK	11.09886G	56.93	74.00	-17.07	18.36	3	Horizontal	218	2.15	-	38.57	40.05	9.20	30.89
PK	16.6551G	58.88	68.20	-9.32	18.41	3	Horizontal	145	2.32	-	40.47	38.89	11.21	31.69

802.11ac VHT40_Nss1,(MCS0)_2TX

20/10/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6568G	102.11	Inf	-Inf	8.72	3	Vertical	0	2.06	-	93.39	31.76	6.32	29.36
PK	5.655G	110.80	Inf	-Inf	8.70	3	Vertical	0	2.06	-	102.10	31.75	6.31	29.36
PK	5.7252G	67.59	68.20	-0.61	8.86	3	Vertical	0	2.06	-	58.73	31.85	6.37	29.36

802.11ac VHT40_Nss1,(MCS0)_2TX

20/10/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34084G	44.22	54.00	-9.78	18.24	3	Vertical	161	1.94	-	25.98	39.69	9.37	30.82
PK	11.34348G	56.63	74.00	-17.37	18.23	3	Vertical	161	1.94	-	38.40	39.68	9.37	30.82
PK	17.00922G	60.49	68.20	-7.71	19.79	3	Vertical	81	1.67	-	40.70	40.16	11.32	31.69

802.11ac VHT40_Nss1,(MCS0)_2TX

20/10/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.32698G	44.14	54.00	-9.86	18.25	3	Horizontal	143	1.79	-	25.89	39.71	9.36	30.82
PK	11.32938G	56.54	74.00	-17.46	18.25	3	Horizontal	143	1.79	-	38.29	39.71	9.36	30.82
PK	16.99992G	60.38	68.20	-7.82	19.73	3	Horizontal	264	1.74	-	40.65	40.10	11.32	31.69

802.11ac VHT40_Nss1,(MCS0)_2TX

20/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.59	54.00	-8.41	8.54	3	Vertical	0	2.02	-	37.05	31.74	6.17	29.37
AV	5.7112G	105.52	Inf	-Inf	8.82	3	Vertical	0	2.02	-	96.70	31.82	6.36	29.36
PK	5.464G	58.89	68.20	-9.31	8.56	3	Vertical	0	2.02	-	50.33	31.76	6.17	29.37
PK	5.7088G	115.22	Inf	-Inf	8.82	3	Vertical	0	2.02	-	106.40	31.82	6.36	29.36
PK	5.8528G	67.57	68.20	-0.63	9.22	3	Vertical	0	2.02	-	58.35	32.11	6.47	29.36

802.11ac VHT40_Nss1,(MCS0)_2TX

20/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42042G	44.86	54.00	-9.14	18.20	3	Vertical	30	2.68	-	26.66	39.57	9.42	30.79
PK	11.43248G	57.49	74.00	-16.51	18.19	3	Vertical	30	2.68	-	39.30	39.55	9.43	30.79
PK	17.12868G	64.58	68.20	-3.62	20.68	3	Vertical	218	2.68	-	43.90	40.95	11.36	31.63

802.11ac VHT40_Nss1,(MCS0)_2TX

20/10/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40554G	44.04	54.00	-9.96	18.20	3	Horizontal	183	2.17	-	25.84	39.59	9.41	30.80
PK	11.41058G	56.48	74.00	-17.52	18.19	3	Horizontal	183	2.17	-	38.29	39.58	9.41	30.80
PK	17.1126G	62.06	68.20	-6.14	20.57	3	Horizontal	360	2.08	-	41.49	40.84	11.36	31.63

802.11ac VHT40_Nss1,(MCS0)_2TX

20/10/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7706G	105.11	Inf	-Inf	8.99	3	Vertical	0	1.23	-	96.12	31.94	6.41	29.36
PK	5.641G	67.35	68.20	-0.85	8.68	3	Vertical	0	1.23	-	58.67	31.74	6.30	29.36
PK	5.7718G	115.31	Inf	-Inf	8.99	3	Vertical	0	1.23	-	106.32	31.94	6.41	29.36
PK	5.9314G	60.23	68.20	-7.97	9.42	3	Vertical	0	1.23	-	50.81	32.23	6.54	29.35

802.11ac VHT40_Nss1,(MCS0)_2TX

21/10/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50502G	43.64	54.00	-10.36	18.15	3	Vertical	213	1.78	-	25.49	39.44	9.48	30.77
PK	11.51774G	56.60	74.00	-17.40	18.14	3	Vertical	213	1.78	-	38.46	39.42	9.49	30.77
PK	17.25672G	65.82	68.20	-2.38	21.63	3	Vertical	316	2.12	-	44.19	41.79	11.40	31.56

802.11ac VHT40_Nss1,(MCS0)_2TX

21/10/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4956G	43.60	54.00	-10.40	18.16	3	Horizontal	34	1.14	-	25.44	39.46	9.47	30.77
PK	11.49596G	56.65	74.00	-17.35	18.16	3	Horizontal	34	1.14	-	38.49	39.46	9.47	30.77
PK	17.26956G	64.46	68.20	-3.74	21.73	3	Horizontal	331	2.09	-	42.73	41.88	11.41	31.56

802.11ac VHT40_Nss1,(MCS0)_2TX

21/10/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8106G	107.12	Inf	-Inf	9.10	3	Vertical	23	2.28	-	98.02	32.02	6.44	29.36
PK	5.645G	62.18	68.20	-6.02	8.70	3	Vertical	23	2.28	-	53.48	31.75	6.31	29.36
PK	5.8082G	116.44	Inf	-Inf	9.10	3	Vertical	23	2.28	-	107.34	32.02	6.44	29.36
PK	5.9294G	66.73	68.20	-1.47	9.41	3	Vertical	23	2.28	-	57.32	32.23	6.53	29.35

802.11ac VHT40_Nss1,(MCS0)_2TX

21/10/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59078G	44.24	54.00	-9.76	18.07	3	Vertical	135	1.66	-	26.17	39.31	9.54	30.78
PK	11.59438G	56.71	74.00	-17.29	18.07	3	Vertical	135	1.66	-	38.64	39.31	9.54	30.78
PK	17.3877G	67.81	68.20	-0.39	22.61	3	Vertical	232	2.36	-	45.20	42.66	11.45	31.50

802.11ac VHT40_Nss1,(MCS0)_2TX

21/10/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59054G	44.11	54.00	-9.89	18.07	3	Horizontal	355	1.50	-	26.04	39.31	9.54	30.78
PK	11.5912G	56.33	74.00	-17.67	18.07	3	Horizontal	355	1.50	-	38.26	39.31	9.54	30.78
PK	17.37522G	63.48	68.20	-4.72	22.52	3	Horizontal	153	2.14	-	40.96	42.58	11.44	31.50

802.11ac VHT80_Nss1,(MCS0)_2TX

22/10/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.87	54.00	-0.13	7.84	3	Vertical	325	1.50	-	46.03	31.81	10.08	34.05
AV	5.219G	94.24	Inf	-Inf	7.56	3	Vertical	325	1.50	-	86.68	31.52	10.09	34.05
AV	5.455G	49.25	54.00	-4.75	7.79	3	Vertical	325	1.50	-	41.46	31.66	10.20	34.07
PK	5.15G	63.28	74.00	-10.72	7.83	3	Vertical	325	1.50	-	55.45	31.80	10.08	34.05
PK	5.227G	102.74	Inf	-Inf	7.53	3	Vertical	325	1.50	-	95.21	31.49	10.09	34.05
PK	5.365G	59.41	74.00	-14.59	7.50	3	Vertical	325	1.50	-	51.91	31.39	10.17	34.06

802.11ac VHT80_Nss1,(MCS0)_2TX

22/10/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63035G	49.51	54.00	-4.49	18.29	3	Vertical	224	1.50	-	31.22	38.65	13.74	34.10
PK	10.419G	60.76	68.20	-7.44	17.93	3	Vertical	1	1.50	-	42.83	39.44	13.00	34.51
PK	15.62939G	60.86	74.00	-13.14	18.29	3	Vertical	224	1.50	-	42.57	38.65	13.74	34.10

802.11ac VHT80_Nss1,(MCS0)_2TX

22/10/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.631G	49.70	54.00	-4.30	18.28	3	Horizontal	67	1.47	-	31.42	38.64	13.74	34.10
PK	10.42042G	59.88	68.20	-8.32	17.94	3	Horizontal	22	1.65	-	41.94	39.45	13.00	34.51
PK	15.63017G	60.73	74.00	-13.27	18.29	3	Horizontal	67	1.47	-	42.44	38.65	13.74	34.10

802.11ac VHT80_Nss1,(MCS0)_2TX

23/10/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.048G	50.67	54.00	-3.33	7.78	3	Vertical	1	2.28	-	42.89	31.74	10.08	34.04
AV	5.298G	94.64	Inf	-Inf	7.28	3	Vertical	1	2.28	-	87.36	31.21	10.13	34.06
AV	5.35G	53.79	54.00	-0.21	7.45	3	Vertical	1	2.28	-	46.34	31.35	10.16	34.06
PK	5.08G	60.71	74.00	-13.29	7.93	3	Vertical	1	2.28	-	52.78	31.90	10.08	34.05
PK	5.307G	102.56	Inf	-Inf	7.30	3	Vertical	1	2.28	-	95.26	31.22	10.14	34.06
PK	5.513G	60.37	68.20	-7.83	7.92	3	Vertical	1	2.28	-	52.45	31.77	10.22	34.07

802.11ac VHT80_Nss1,(MCS0)_2TX

23/10/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86952G	45.87	54.00	-8.13	17.28	3	Vertical	299	1.44	-	28.59	37.90	13.73	34.35
PK	10.58043G	59.42	68.20	-8.78	18.33	3	Vertical	360	1.64	-	41.09	39.65	13.09	34.41
PK	15.86857G	59.24	74.00	-14.76	17.29	3	Vertical	299	1.44	-	41.95	37.91	13.73	34.35

802.11ac VHT80_Nss1,(MCS0)_2TX

23/10/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87245G	45.97	54.00	-8.03	17.28	3	Horizontal	281	1.01	-	28.69	37.90	13.73	34.35
PK	10.57991G	59.45	68.20	-8.75	18.33	3	Horizontal	32	1.50	-	41.12	39.65	13.09	34.41
PK	15.87181G	59.29	74.00	-14.71	17.28	3	Horizontal	281	1.01	-	42.01	37.90	13.73	34.35

802.11ac VHT80_Nss1,(MCS0)_2TX

23/10/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.88	54.00	-3.12	7.81	3	Vertical	1	2.28	-	43.07	31.68	10.20	34.07
AV	5.548G	94.52	Inf	-Inf	7.86	3	Vertical	1	2.28	-	86.66	31.70	10.23	34.07
AV	5.777G	47.51	Inf	-Inf	8.41	3	Vertical	1	2.28	-	39.10	32.03	10.46	34.08
PK	5.469G	68.02	68.20	-0.18	7.85	3	Vertical	1	2.28	-	60.17	31.71	10.21	34.07
PK	5.547G	104.18	Inf	-Inf	7.87	3	Vertical	1	2.28	-	96.31	31.71	10.23	34.07
PK	5.775G	60.39	68.20	-7.81	8.40	3	Vertical	1	2.28	-	51.99	32.02	10.46	34.08

802.11ac VHT80_Nss1,(MCS0)_2TX

23/10/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0593G	47.31	54.00	-6.69	19.33	3	Vertical	181	1.90	-	27.98	40.12	13.37	34.16
PK	11.06219G	60.34	74.00	-13.66	19.33	3	Vertical	181	1.90	-	41.01	40.12	13.37	34.16
PK	16.59123G	62.48	68.20	-5.72	19.39	3	Vertical	209	2.34	-	43.09	39.10	14.15	33.86

802.11ac VHT80_Nss1,(MCS0)_2TX

23/10/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06066G	47.21	54.00	-6.79	19.33	3	Horizontal	128	1.50	-	27.88	40.12	13.37	34.16
PK	11.06034G	60.55	74.00	-13.45	19.33	3	Horizontal	128	1.50	-	41.22	40.12	13.37	34.16
PK	16.58919G	61.34	68.20	-6.86	19.38	3	Horizontal	286	2.00	-	41.96	39.09	14.15	33.86

802.11ac VHT80_Nss1,(MCS0)_2TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.01	54.00	-5.99	7.81	3	Vertical	0	2.28	-	40.20	31.68	10.20	34.07
AV	5.708G	100.64	Inf	-Inf	8.12	3	Vertical	0	2.28	-	92.52	31.82	10.37	34.07
PK	5.46G	60.76	68.20	-7.44	7.81	3	Vertical	0	2.28	-	52.95	31.68	10.20	34.07
PK	5.708G	110.12	Inf	-Inf	8.12	3	Vertical	0	2.28	-	102.00	31.82	10.37	34.07
PK	5.8508G	67.68	68.20	-0.52	8.68	3	Vertical	0	2.28	-	59.00	32.25	10.51	34.08

802.11ac VHT80_Nss1,(MCS0)_2TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38166G	46.61	54.00	-7.39	19.08	3	Vertical	284	2.82	-	27.53	39.70	13.56	34.18
PK	11.3816G	60.27	74.00	-13.73	19.08	3	Vertical	284	2.82	-	41.19	39.70	13.56	34.18
PK	17.07136G	63.30	68.20	-4.90	21.75	3	Vertical	269	1.50	-	41.55	40.69	14.50	33.44

802.11ac VHT80_Nss1,(MCS0)_2TX

23/10/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38229G	46.66	54.00	-7.34	19.08	3	Horizontal	79	1.50	-	27.58	39.70	13.56	34.18
PK	11.38193G	59.65	74.00	-14.35	19.08	3	Horizontal	79	1.50	-	40.57	39.70	13.56	34.18
PK	17.072G	64.08	68.20	-4.12	21.76	3	Horizontal	75	1.50	-	42.32	40.70	14.50	33.44

802.11ac VHT80_Nss1,(MCS0)_2TX

23/10/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	100.14	Inf	-Inf	8.32	3	Vertical	0	2.22	-	91.82	31.97	10.43	34.08
PK	5.6358G	67.64	68.20	-0.56	7.89	3	Vertical	0	2.22	-	59.75	31.67	10.29	34.07
PK	5.7558G	109.90	Inf	-Inf	8.32	3	Vertical	0	2.22	-	101.58	31.97	10.43	34.08
PK	5.9262G	66.90	68.20	-1.30	8.87	3	Vertical	0	2.22	-	58.03	32.40	10.55	34.08

802.11ac VHT80_Nss1,(MCS0)_2TX

23/10/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55242G	46.72	54.00	-7.28	18.94	3	Vertical	179	1.50	-	27.78	39.48	13.65	34.19
PK	11.5516G	59.83	74.00	-14.17	18.94	3	Vertical	179	1.50	-	40.89	39.48	13.65	34.19
PK	17.3266G	65.36	68.20	-2.84	23.63	3	Vertical	98	2.03	-	41.73	42.45	14.68	33.50

802.11ac VHT80_Nss1,(MCS0)_2TX

23/10/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55204G	46.82	54.00	-7.18	18.94	3	Horizontal	139	1.82	-	27.88	39.48	13.65	34.19
PK	11.55033G	59.56	74.00	-14.44	18.94	3	Horizontal	139	1.82	-	40.62	39.48	13.65	34.19
PK	17.32544G	65.48	68.20	-2.72	23.63	3	Horizontal	195	1.33	-	41.85	42.45	14.68	33.50




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Condition
Mode 1	Pass	AV	4.9244G	51.84	54.00	-2.16	3.72	Horizontal

Mode 1


23/03/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9241G	48.58	54.00	-5.42	3.89	3	Horizontal	44	2.31	-	44.69	31.20	6.74	34.05
AV	11.05766G	44.85	54.00	-9.15	15.57	3	Horizontal	143	1.49	-	29.28	40.13	9.60	34.16
PK	4.92408G	52.25	74.00	-21.75	3.89	3	Horizontal	44	2.31	-	48.36	31.20	6.74	34.05
PK	11.06125G	57.81	74.00	-16.19	15.56	3	Horizontal	143	1.49	-	42.25	40.12	9.60	34.16
PK	16.59132G	60.04	74.00	-13.96	16.47	3	Horizontal	8	1.41	-	43.57	39.10	11.23	33.86

Mode 1

23/03/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9244G	51.84	54.00	-2.16	3.72	3	Horizontal	330	1.08	-	48.12	31.20	6.74	34.22
AV	11.05849G	44.77	54.00	-9.23	15.51	3	Horizontal	87	1.51	-	29.26	40.12	9.60	34.21
PK	4.92415G	54.03	74.00	-19.97	3.72	3	Horizontal	330	1.08	-	50.31	31.20	6.74	34.22
PK	11.05762G	57.89	74.00	-16.11	15.52	3	Horizontal	87	1.51	-	42.37	40.13	9.60	34.21
PK	16.59217G	60.16	74.00	-13.84	16.24	3	Horizontal	133	1.47	-	43.92	39.10	11.23	34.09




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Condition
Mode 1	Pass	AV	4.8242G	50.68	54.00	-3.32	3.71	Horizontal

Mode 1


23/03/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82404G	47.83	54.00	-6.17	3.71	3	Vertical	45	1.15	-	44.12	31.10	6.66	34.05
AV	11.0593G	43.68	54.00	-10.32	15.56	3	Vertical	179	1.85	-	28.12	40.12	9.60	34.16
PK	4.82402G	51.77	74.00	-22.23	3.71	3	Vertical	45	1.15	-	48.06	31.10	6.66	34.05
PK	11.06217G	56.65	74.00	-17.35	15.56	3	Vertical	179	1.85	-	41.09	40.12	9.60	34.16
PK	16.59127G	59.64	74.00	-14.36	16.47	3	Vertical	205	2.39	-	43.17	39.10	11.23	33.86

Mode 1

23/03/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8242G	50.68	54.00	-3.32	3.71	3	Horizontal	304	2.88	-	46.97	31.10	6.66	34.05
AV	11.06064G	43.48	54.00	-10.52	15.56	3	Horizontal	131	1.49	-	27.92	40.12	9.60	34.16
PK	4.82399G	53.66	74.00	-20.34	3.71	3	Horizontal	304	2.88	-	49.95	31.10	6.66	34.05
PK	11.06037G	57.61	74.00	-16.39	15.56	3	Horizontal	131	1.49	-	42.05	40.12	9.60	34.16
PK	16.58914G	58.51	74.00	-15.49	16.46	3	Horizontal	283	2.05	-	42.05	39.09	11.23	33.86