

Report No.: 0523513  
 Recording Mode  
 (LAN Connection)  
 AC Mains "L"

Tested By: Ben, Report No.: 0523513

Scan Settings (1 Range)

| Frequencies |      |      |       | Receiver Settings |        |             |              |
|-------------|------|------|-------|-------------------|--------|-------------|--------------|
| Start       | Stop | Step | IF BW | Detector          | M-Time | Atten       | Preamp OpRge |
| 150k        | 30M  | 5k   | 10k   | PK+AV             | 10ms   | AUTO LN OFF | 60dB         |


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

| Transducer No. | Start | Stop | Name       |
|----------------|-------|------|------------|
| 2              | 1     | 9k   | 30M EW0699 |
| 12             | 9k    | 30M  | EW0192     |



Report No.: 0523513  
 Recording Mode  
 (LAN Connection)  
 AC Mains "L"

Tested By: Ben, Report No.: 0523513

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 150k  | 30M  | 5k   | 10k   | PK+AV    | 10ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:

| Frequency | QP Level | QP Limit |
|-----------|----------|----------|
| MHz       | dBuV     | dBuV     |

|          |      |      |
|----------|------|------|
| 0.15000  | 43.2 | 66.0 |
| 0.21500  | 53.3 | 63.0 |
| 13.42000 | 41.9 | 60.0 |
| 18.24500 | 41.7 | 60.0 |
| 23.13000 | 47.1 | 60.0 |

| Frequency | AV Level | AV Limit |
|-----------|----------|----------|
| MHz       | dBuV     | dBuV     |

|          |      |      |
|----------|------|------|
| 0.15000  | 41.4 | 56.0 |
| 0.21500  | 51.5 | 53.0 |
| 0.36000  | 28.3 | 48.7 |
| 0.50000  | 31.3 | 46.0 |
| 0.64500  | 31.2 | 46.0 |
| 0.93000  | 29.3 | 46.0 |
| 1.22000  | 30.6 | 46.0 |
| 1.93500  | 31.4 | 46.0 |
| 2.29500  | 32.1 | 46.0 |
| 3.37000  | 31.2 | 46.0 |
| 5.23500  | 29.8 | 50.0 |
| 7.95500  | 32.0 | 50.0 |
| 8.24000  | 31.1 | 50.0 |
| 13.42000 | 38.3 | 50.0 |
| 18.24500 | 38.3 | 50.0 |
| 23.13000 | 44.1 | 50.0 |

\* limit

Report No.: 0523513  
 Recording Mode  
 (LAN Connection)  
 AC Mains "N"

Tested By: Ben, Report No.: 0523513

Scan Settings (1 Range)

| Frequencies |      |      |       | Receiver Settings |        |       |              |
|-------------|------|------|-------|-------------------|--------|-------|--------------|
| Start       | Stop | Step | IF BW | Detector          | M-Time | Atten | Preamp OpRge |
| 150k        | 30M  | 5k   | 10k   | PK+AV             | 10ms   | AUTO  | LN OFF 60dB  |


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

| Transducer No. | Start | Stop | Name   |
|----------------|-------|------|--------|
| 2 1            | 9k    | 30M  | EW0699 |
| 12             | 9k    | 30M  | EW0192 |



Report No.: 0523513  
 Recording Mode  
 (LAN Connection)  
 AC Mains "N"

Tested By: Ben, Report No.: 0523513

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 150k  | 30M  | 5k   | 10k   | PK+AV    | 10ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:

| Frequency | QP Level | QP Limit |
|-----------|----------|----------|
| MHz       | dBuV     | dBuV     |

|          |      |      |
|----------|------|------|
| 0.15000  | 43.2 | 66.0 |
| 0.21500  | 53.3 | 63.0 |
| 13.42000 | 41.9 | 60.0 |
| 18.24500 | 41.7 | 60.0 |
| 23.13000 | 47.1 | 60.0 |

| Frequency | AV Level | AV Limit |
|-----------|----------|----------|
| MHz       | dBuV     | dBuV     |

|          |      |      |
|----------|------|------|
| 0.15000  | 41.4 | 56.0 |
| 0.21500  | 51.5 | 53.0 |
| 0.36000  | 28.3 | 48.7 |
| 0.50000  | 31.3 | 46.0 |
| 0.64500  | 31.2 | 46.0 |
| 0.93000  | 29.3 | 46.0 |
| 1.22000  | 30.6 | 46.0 |
| 1.93500  | 31.4 | 46.0 |
| 2.29500  | 32.1 | 46.0 |
| 3.37000  | 31.2 | 46.0 |
| 5.23500  | 29.8 | 50.0 |
| 7.95500  | 32.0 | 50.0 |
| 8.24000  | 31.1 | 50.0 |
| 13.42000 | 38.3 | 50.0 |
| 18.24500 | 38.3 | 50.0 |
| 23.13000 | 44.1 | 50.0 |

\* limit

Report No.: 0523513  
Recording Mode  
(Stand-Alone)  
AC Mains "L"

Tested By: Ben, Report No.: 0523513

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 150k  | 30M  | 5k   | 10k   | PK+AV    | 10ms   | AUTO  | LN OFF | 60dB  |

Final Measurement: x QP / + AV

Meas Time: 1 s


Subranges: 16

Acc Margin: 20dB

| Transducer No. | Start | Stop | Name |
|----------------|-------|------|------|
|----------------|-------|------|------|

|   |   |    |     |        |
|---|---|----|-----|--------|
| 2 | 1 | 9k | 30M | EW0699 |
|---|---|----|-----|--------|

|    |    |     |        |
|----|----|-----|--------|
| 12 | 9k | 30M | EW0192 |
|----|----|-----|--------|



Report No.: 0523513  
Recording Mode  
(Stand-Alone)  
AC Mains “L”

Tested By: Ben, Report No.: 0523513

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 150k  | 30M  | 5k   | 10k   | PK+AV    | 10ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:

Frequency QP Level QP Limit

| MHz | dBuV | dBuV |
|-----|------|------|
|-----|------|------|

|         |      |      |
|---------|------|------|
| 0.15000 | 41.9 | 66.0 |
|---------|------|------|

|         |      |      |
|---------|------|------|
| 0.21500 | 52.5 | 63.0 |
|---------|------|------|

|         |      |      |
|---------|------|------|
| 9.28500 | 40.2 | 60.0 |
|---------|------|------|

|          |      |      |
|----------|------|------|
| 23.76000 | 38.4 | 60.0 |
|----------|------|------|

Frequency AV Level AV Limit

| MHz | dBuV | dBuV |
|-----|------|------|
|-----|------|------|

|         |      |      |
|---------|------|------|
| 0.15000 | 39.3 | 56.0 |
|---------|------|------|

|         |      |      |
|---------|------|------|
| 0.21500 | 50.5 | 53.0 |
|---------|------|------|

|         |      |      |
|---------|------|------|
| 0.50000 | 30.5 | 46.0 |
|---------|------|------|

|         |      |      |
|---------|------|------|
| 0.64500 | 30.4 | 46.0 |
|---------|------|------|

|         |      |      |
|---------|------|------|
| 0.93000 | 29.7 | 46.0 |
|---------|------|------|

|         |      |      |
|---------|------|------|
| 1.21500 | 29.1 | 46.0 |
|---------|------|------|

|         |      |      |
|---------|------|------|
| 1.64500 | 29.8 | 46.0 |
|---------|------|------|

|         |      |      |
|---------|------|------|
| 2.64500 | 30.2 | 46.0 |
|---------|------|------|

|         |      |      |
|---------|------|------|
| 3.07500 | 30.0 | 46.0 |
|---------|------|------|

|         |      |      |
|---------|------|------|
| 4.14500 | 28.7 | 46.0 |
|---------|------|------|

|         |      |      |
|---------|------|------|
| 7.86000 | 30.7 | 50.0 |
|---------|------|------|

|         |      |      |
|---------|------|------|
| 9.14000 | 35.3 | 50.0 |
|---------|------|------|

|          |      |      |
|----------|------|------|
| 23.76000 | 36.5 | 50.0 |
|----------|------|------|

\* limit

Report No.: 0523513  
Recording Mode  
(Stand-Alone)  
AC Mains "N"

Tested By: Ben, Report No.: 0523513

Scan Settings (1 Range)

| Frequencies |      |      |       | Receiver Settings |        |             |              |
|-------------|------|------|-------|-------------------|--------|-------------|--------------|
| Start       | Stop | Step | IF BW | Detector          | M-Time | Atten       | Preamp OpRge |
| 150k        | 30M  | 5k   | 10k   | PK+AV             | 10ms   | AUTO LN OFF | 60dB         |

Final Measurement: x QP / + AV

Meas Time: 1 s


Subranges: 16

Acc Margin: 20dB

| Transducer No. | Start | Stop | Name |
|----------------|-------|------|------|
|----------------|-------|------|------|

|   |   |    |     |        |
|---|---|----|-----|--------|
| 2 | 1 | 9k | 30M | EW0699 |
|---|---|----|-----|--------|

|    |    |     |        |
|----|----|-----|--------|
| 12 | 9k | 30M | EW0192 |
|----|----|-----|--------|



Report No.: 0523513  
Recording Mode  
(Stand-Alone)  
AC Mains “N”

Tested By: Ben, Report No.: 0523513

#### Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

#### Final Measurement Results:

| Frequency | QP Level | QP Limit |
|-----------|----------|----------|
| MHz       | dBuV     | dBuV     |

|          |      |      |
|----------|------|------|
| 0.15000  | 41.9 | 66.0 |
| 0.21500  | 52.5 | 63.0 |
| 9.28500  | 40.2 | 60.0 |
| 23.76000 | 38.4 | 60.0 |

| Frequency | AV Level | AV Limit |
|-----------|----------|----------|
| MHz       | dBuV     | dBuV     |

|          |      |      |
|----------|------|------|
| 0.15000  | 39.3 | 56.0 |
| 0.21500  | 50.5 | 53.0 |
| 0.50000  | 30.5 | 46.0 |
| 0.64500  | 30.4 | 46.0 |
| 0.93000  | 29.7 | 46.0 |
| 1.21500  | 29.1 | 46.0 |
| 1.64500  | 29.8 | 46.0 |
| 2.64500  | 30.2 | 46.0 |
| 3.07500  | 30.0 | 46.0 |
| 4.14500  | 28.7 | 46.0 |
| 7.86000  | 30.7 | 50.0 |
| 9.14000  | 35.3 | 50.0 |
| 23.76000 | 36.5 | 50.0 |

\* limit