







Band2-9538-3-0.009~0.15MHz




Band2-9538-3-3000~10000MHz




Band2-9538-4-10000~20000MHz




Band2-9538-4-0.009~0.15MHz




Band2-9538-4-0.15~30MHz




Band2-9538-4-30~1000MHz




Band2-9538-4-1000~3000MHz




Band2-9538-4-3000~10000MHz




Band2-9262-1-0.15~30MHz




Band2-9262-1-30~1000MHz




Band2-9262-1-1000~3000MHz




Band2-9262-1-3000~10000MHz




Band2-9262-1-10000~20000MHz




Band2-9262-1-0.009~0.15MHz




Band2-9262-2-1000~3000MHz




Band2-9262-2-3000~10000MHz




Band2-9262-2-30~1000MHz




Band2-9262-2-0.15~30MHz




Band2-9262-2-0.009~0.15MHz




Band2-9262-2-10000~20000MHz




Band2-9262-3-10000~20000MHz




Band2-9262-3-0.15~30MHz




Band2-9262-3-30~1000MHz




Band2-9262-3-0.009~0.15MHz




Band2-9262-3-3000~10000MHz




Band2-9262-3-1000~3000MHz




Band2-9262-4-0.009~0.15MHz




Band2-9262-4-0.15~30MHz




Band2-9262-4-30~1000MHz




Band2-9262-4-1000~3000MHz




Band2-9262-4-3000~10000MHz




Band2-9262-4-10000~20000MHz




Band2-9262-5-1000~3000MHz




Band2-9262-5-10000~20000MHz




Band2-9262-5-3000~10000MHz




Band2-9262-5-0.009~0.15MHz




Band2-9262-5-30~1000MHz




Band2-9262-5-0.15~30MHz




Band2-9400-1-0.15~30MHz




Band2-9400-1-0.009~0.15MHz




Band2-9400-1-30~1000MHz




Band2-9400-1-1000~3000MHz




Band2-9400-1-3000~10000MHz




Band2-9400-1-10000~20000MHz




Band2-9400-2-1000~3000MHz




Band2-9400-2-3000~10000MHz




Band2-9400-2-30~1000MHz




Band2-9400-2-0.15~30MHz




Band2-9400-2-0.009~0.15MHz




Band2-9400-2-10000~20000MHz




Band2-9400-3-30~1000MHz




Band2-9400-3-0.009~0.15MHz




Band2-9400-3-1000~3000MHz




Band2-9400-3-3000~10000MHz




Band2-9400-3-10000~20000MHz




Band2-9400-3-0.15~30MHz




Band2-9400-4-0.15~30MHz




Band2-9400-4-10000~20000MHz




Band2-9400-4-3000~10000MHz




Band2-9400-4-30~1000MHz




Band2-9400-4-0.009~0.15MHz




Band2-9400-4-1000~3000MHz




Band2-9400-5-10000~20000MHz




Band2-9400-5-0.15~30MHz




Band2-9400-5-30~1000MHz




Band2-9400-5-1000~3000MHz




Band2-9400-5-3000~10000MHz




Band2-9400-5-0.009~0.15MHz




Band2-9538-1-0.009~0.15MHz




Band2-9538-1-0.15~30MHz




Band2-9538-1-30~1000MHz




Band2-9538-1-1000~3000MHz




Band2-9538-1-3000~10000MHz




Band2-9538-1-10000~20000MHz




Band2-9538-2-1000~3000MHz




Band2-9538-2-10000~20000MHz




Band2-9538-2-3000~10000MHz




Band2-9538-2-30~1000MHz




Band2-9538-2-0.15~30MHz




Band2-9538-2-0.009~0.15MHz




Band2-9538-3-3000~10000MHz




Band2-9538-3-0.15~30MHz




Band2-9538-3-10000~20000MHz




Band2-9538-3-30~1000MHz




Band2-9538-3-1000~3000MHz




Band2-9538-3-0.009~0.15MHz




Band2-9538-4-0.009~0.15MHz




Band2-9538-4-10000~20000MHz




Band2-9538-4-3000~10000MHz




Band2-9538-4-1000~3000MHz




Band2-9538-4-0.15~30MHz




Band2-9538-4-30~1000MHz




Band2-9538-5-10000~20000MHz




Band2-9538-5-0.009~0.15MHz




Band2-9538-5-0.15~30MHz




Band2-9538-5-30~1000MHz



Band2-9538-5-1000~3000MHz



Band2-9538-5-3000~10000MHz



APPENDIX B.6: FREQUENCY STABILITY

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VL	NT	-6.32	-0.003412	±2.5	PASS
Band2	9262	VN	NT	-9.72	-0.005247	±2.5	PASS
Band2	9262	VH	NT	-5.04	-0.002721	±2.5	PASS
Band2	9400	VL	NT	-0.84	-0.000447	±2.5	PASS
Band2	9400	VN	NT	-0.01	-0.000005	±2.5	PASS
Band2	9400	VH	NT	-0.83	-0.000441	±2.5	PASS
Band2	9538	VL	NT	-4.26	-0.002233	±2.5	PASS
Band2	9538	VN	NT	-4.28	-0.002244	±2.5	PASS
Band2	9538	VH	NT	-3.93	-0.002060	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	-4.09	-0.002208	±2.5	PASS
Band2	9262	NV	-20	-3.14	-0.001695	±2.5	PASS
Band2	9262	NV	0	-2.26	-0.001220	±2.5	PASS
Band2	9262	NV	10	-1.89	-0.001020	±2.5	PASS
Band2	9262	NV	20	-1.43	-0.000772	±2.5	PASS
Band2	9262	NV	30	-1.21	-0.000653	±2.5	PASS
Band2	9262	NV	40	-1.03	-0.000556	±2.5	PASS
Band2	9262	NV	50	-0.44	-0.000238	±2.5	PASS
Band2	9262	NV	55	4.57	0.002467	±2.5	PASS
Band2	9262	NV	60	-0.29	-0.000157	±2.5	PASS
Band2	9262	NV	70	0.20	0.000108	±2.5	PASS
Band2	9400	NV	-30	-0.97	-0.000516	±2.5	PASS
Band2	9400	NV	-20	-1.12	-0.000596	±2.5	PASS
Band2	9400	NV	0	-0.97	-0.000516	±2.5	PASS
Band2	9400	NV	10	-1.19	-0.000633	±2.5	PASS
Band2	9400	NV	20	-1.32	-0.000702	±2.5	PASS
Band2	9400	NV	30	-1.03	-0.000548	±2.5	PASS
Band2	9400	NV	40	-1.30	-0.000691	±2.5	PASS
Band2	9400	NV	50	-1.15	-0.000612	±2.5	PASS
Band2	9400	NV	55	-1.04	-0.000553	±2.5	PASS
Band2	9400	NV	60	-1.29	-0.000686	±2.5	PASS
Band2	9400	NV	70	-1.10	-0.000585	±2.5	PASS
Band2	9538	NV	-30	-3.79	-0.001987	±2.5	PASS
Band2	9538	NV	-20	-4.04	-0.002118	±2.5	PASS
Band2	9538	NV	0	-4.22	-0.002212	±2.5	PASS
Band2	9538	NV	10	-4.02	-0.002107	±2.5	PASS
Band2	9538	NV	20	-3.98	-0.002086	±2.5	PASS
Band2	9538	NV	30	-3.81	-0.001997	±2.5	PASS
Band2	9538	NV	40	-3.77	-0.001976	±2.5	PASS
Band2	9538	NV	50	-4.09	-0.002144	±2.5	PASS

Band2	9538	NV	55	-6.48	-0.003397	±2.5	PASS
Band2	9538	NV	60	-4.46	-0.002338	±2.5	PASS
Band2	9538	NV	70	-4.00	-0.002097	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	-4.13	-0.002230	±2.5	PASS
Band2	9262	1	VN	NT	-5.30	-0.002861	±2.5	PASS
Band2	9262	1	VH	NT	-3.81	-0.002057	±2.5	PASS
Band2	9262	2	VL	NT	-4.23	-0.002284	±2.5	PASS
Band2	9262	2	VN	NT	-3.44	-0.001857	±2.5	PASS
Band2	9262	2	VH	NT	-3.93	-0.002122	±2.5	PASS
Band2	9262	3	VL	NT	-4.26	-0.002300	±2.5	PASS
Band2	9262	3	VN	NT	-4.19	-0.002262	±2.5	PASS
Band2	9262	3	VH	NT	-4.32	-0.002332	±2.5	PASS
Band2	9262	4	VL	NT	-4.44	-0.002397	±2.5	PASS
Band2	9262	4	VN	NT	-4.36	-0.002354	±2.5	PASS
Band2	9262	4	VH	NT	-4.53	-0.002445	±2.5	PASS
Band2	9400	1	VL	NT	-4.49	-0.002388	±2.5	PASS
Band2	9400	1	VN	NT	-4.62	-0.002457	±2.5	PASS
Band2	9400	1	VH	NT	-4.26	-0.002266	±2.5	PASS
Band2	9400	2	VL	NT	-4.79	-0.002548	±2.5	PASS
Band2	9400	2	VN	NT	-4.89	-0.002601	±2.5	PASS
Band2	9400	2	VH	NT	-5.01	-0.002665	±2.5	PASS
Band2	9400	3	VL	NT	-4.58	-0.002436	±2.5	PASS
Band2	9400	3	VN	NT	-5.04	-0.002681	±2.5	PASS
Band2	9400	3	VH	NT	-5.08	-0.002702	±2.5	PASS
Band2	9400	4	VL	NT	-4.56	-0.002426	±2.5	PASS
Band2	9400	4	VN	NT	-4.71	-0.002505	±2.5	PASS
Band2	9400	4	VH	NT	-4.86	-0.002585	±2.5	PASS
Band2	9538	1	VL	NT	-4.96	-0.002600	±2.5	PASS
Band2	9538	1	VN	NT	-4.92	-0.002579	±2.5	PASS
Band2	9538	1	VH	NT	-4.81	-0.002521	±2.5	PASS
Band2	9538	2	VL	NT	-4.58	-0.002401	±2.5	PASS
Band2	9538	2	VN	NT	-5.16	-0.002705	±2.5	PASS
Band2	9538	2	VH	NT	-5.23	-0.002742	±2.5	PASS
Band2	9538	3	VL	NT	-5.21	-0.002731	±2.5	PASS
Band2	9538	3	VN	NT	-5.28	-0.002768	±2.5	PASS
Band2	9538	3	VH	NT	-5.14	-0.002694	±2.5	PASS
Band2	9538	4	VL	NT	-5.11	-0.002679	±2.5	PASS
Band2	9538	4	VN	NT	-4.79	-0.002511	±2.5	PASS
Band2	9538	4	VH	NT	-5.32	-0.002789	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-3.41	-0.001841	±2.5	PASS
Band2	9262	1	NV	-20	-4.11	-0.002219	±2.5	PASS
Band2	9262	1	NV	0	-3.91	-0.002111	±2.5	PASS
Band2	9262	1	NV	10	-4.03	-0.002176	±2.5	PASS
Band2	9262	1	NV	20	-3.94	-0.002127	±2.5	PASS
Band2	9262	1	NV	30	-3.72	-0.002008	±2.5	PASS
Band2	9262	1	NV	40	-3.93	-0.002122	±2.5	PASS

Band2	9262	1	NV	50	-4.10	-0.002213	±2.5	PASS
Band2	9262	1	NV	55	-5.51	-0.002975	±2.5	PASS
Band2	9262	1	NV	60	-4.28	-0.002311	±2.5	PASS
Band2	9262	1	NV	70	-3.73	-0.002014	±2.5	PASS
Band2	9262	2	NV	-30	-4.28	-0.002311	±2.5	PASS
Band2	9262	2	NV	-20	-3.97	-0.002143	±2.5	PASS
Band2	9262	2	NV	0	-3.98	-0.002149	±2.5	PASS
Band2	9262	2	NV	10	-3.99	-0.002154	±2.5	PASS
Band2	9262	2	NV	20	-4.22	-0.002278	±2.5	PASS
Band2	9262	2	NV	30	-4.01	-0.002165	±2.5	PASS
Band2	9262	2	NV	40	-4.27	-0.002305	±2.5	PASS
Band2	9262	2	NV	50	-3.77	-0.002035	±2.5	PASS
Band2	9262	2	NV	55	-5.84	-0.003153	±2.5	PASS
Band2	9262	2	NV	60	-4.18	-0.002257	±2.5	PASS
Band2	9262	2	NV	70	-4.28	-0.002311	±2.5	PASS
Band2	9262	3	NV	-30	-4.30	-0.002321	±2.5	PASS
Band2	9262	3	NV	-20	-4.38	-0.002365	±2.5	PASS
Band2	9262	3	NV	0	-4.34	-0.002343	±2.5	PASS
Band2	9262	3	NV	10	-4.51	-0.002435	±2.5	PASS
Band2	9262	3	NV	20	-4.12	-0.002224	±2.5	PASS
Band2	9262	3	NV	30	-4.32	-0.002332	±2.5	PASS
Band2	9262	3	NV	40	-4.55	-0.002456	±2.5	PASS
Band2	9262	3	NV	50	-4.38	-0.002365	±2.5	PASS
Band2	9262	3	NV	55	-6.64	-0.003585	±2.5	PASS
Band2	9262	3	NV	60	-4.04	-0.002181	±2.5	PASS
Band2	9262	3	NV	70	-4.51	-0.002435	±2.5	PASS
Band2	9262	4	NV	-30	-4.64	-0.002505	±2.5	PASS
Band2	9262	4	NV	-20	-3.93	-0.002122	±2.5	PASS
Band2	9262	4	NV	0	-4.63	-0.002499	±2.5	PASS
Band2	9262	4	NV	10	-4.88	-0.002634	±2.5	PASS
Band2	9262	4	NV	20	-4.53	-0.002445	±2.5	PASS
Band2	9262	4	NV	30	-4.63	-0.002499	±2.5	PASS
Band2	9262	4	NV	40	-4.13	-0.002230	±2.5	PASS
Band2	9262	4	NV	50	-4.74	-0.002559	±2.5	PASS
Band2	9262	4	NV	55	-5.74	-0.003099	±2.5	PASS
Band2	9262	4	NV	60	-4.70	-0.002537	±2.5	PASS
Band2	9262	4	NV	70	-4.53	-0.002445	±2.5	PASS
Band2	9400	1	NV	-30	-5.05	-0.002686	±2.5	PASS
Band2	9400	1	NV	-20	-4.96	-0.002638	±2.5	PASS
Band2	9400	1	NV	0	-4.98	-0.002649	±2.5	PASS
Band2	9400	1	NV	10	-4.57	-0.002431	±2.5	PASS
Band2	9400	1	NV	20	-4.94	-0.002628	±2.5	PASS
Band2	9400	1	NV	30	-4.88	-0.002596	±2.5	PASS
Band2	9400	1	NV	40	-4.91	-0.002612	±2.5	PASS
Band2	9400	1	NV	50	-4.69	-0.002495	±2.5	PASS
Band2	9400	1	NV	55	-5.88	-0.003128	±2.5	PASS
Band2	9400	1	NV	60	-4.84	-0.002574	±2.5	PASS
Band2	9400	1	NV	70	-4.79	-0.002548	±2.5	PASS
Band2	9400	2	NV	-30	-4.76	-0.002532	±2.5	PASS
Band2	9400	2	NV	-20	-4.85	-0.002580	±2.5	PASS

Band2	9400	2	NV	0	-4.88	-0.002596	±2.5	PASS
Band2	9400	2	NV	10	-5.00	-0.002660	±2.5	PASS
Band2	9400	2	NV	20	-4.45	-0.002367	±2.5	PASS
Band2	9400	2	NV	30	-4.72	-0.002511	±2.5	PASS
Band2	9400	2	NV	40	-5.01	-0.002665	±2.5	PASS
Band2	9400	2	NV	50	-4.73	-0.002516	±2.5	PASS
Band2	9400	2	NV	55	-5.68	-0.003021	±2.5	PASS
Band2	9400	2	NV	60	-4.59	-0.002441	±2.5	PASS
Band2	9400	2	NV	70	-4.43	-0.002356	±2.5	PASS
Band2	9400	3	NV	-30	-5.12	-0.002723	±2.5	PASS
Band2	9400	3	NV	-20	-4.43	-0.002356	±2.5	PASS
Band2	9400	3	NV	0	-5.22	-0.002777	±2.5	PASS
Band2	9400	3	NV	10	-4.90	-0.002606	±2.5	PASS
Band2	9400	3	NV	20	-4.74	-0.002521	±2.5	PASS
Band2	9400	3	NV	30	-4.96	-0.002638	±2.5	PASS
Band2	9400	3	NV	40	-4.74	-0.002521	±2.5	PASS
Band2	9400	3	NV	50	-4.99	-0.002654	±2.5	PASS
Band2	9400	3	NV	55	-5.62	-0.002989	±2.5	PASS
Band2	9400	3	NV	60	-4.89	-0.002601	±2.5	PASS
Band2	9400	3	NV	70	-4.85	-0.002580	±2.5	PASS
Band2	9400	4	NV	-30	-4.79	-0.002548	±2.5	PASS
Band2	9400	4	NV	-20	-5.05	-0.002686	±2.5	PASS
Band2	9400	4	NV	0	-4.99	-0.002654	±2.5	PASS
Band2	9400	4	NV	10	-5.04	-0.002681	±2.5	PASS
Band2	9400	4	NV	20	-4.82	-0.002564	±2.5	PASS
Band2	9400	4	NV	30	-4.73	-0.002516	±2.5	PASS
Band2	9400	4	NV	40	-4.96	-0.002638	±2.5	PASS
Band2	9400	4	NV	50	-4.95	-0.002633	±2.5	PASS
Band2	9400	4	NV	55	-5.43	-0.002888	±2.5	PASS
Band2	9400	4	NV	60	-4.43	-0.002356	±2.5	PASS
Band2	9400	4	NV	70	-4.71	-0.002505	±2.5	PASS
Band2	9538	1	NV	-30	-5.00	-0.002621	±2.5	PASS
Band2	9538	1	NV	-20	-4.76	-0.002495	±2.5	PASS
Band2	9538	1	NV	0	-5.01	-0.002626	±2.5	PASS
Band2	9538	1	NV	10	-4.96	-0.002600	±2.5	PASS
Band2	9538	1	NV	20	-5.06	-0.002653	±2.5	PASS
Band2	9538	1	NV	30	-5.19	-0.002721	±2.5	PASS
Band2	9538	1	NV	40	-4.66	-0.002443	±2.5	PASS
Band2	9538	1	NV	50	-4.86	-0.002548	±2.5	PASS
Band2	9538	1	NV	55	-6.32	-0.003313	±2.5	PASS
Band2	9538	1	NV	60	-5.19	-0.002721	±2.5	PASS
Band2	9538	1	NV	70	-5.24	-0.002747	±2.5	PASS
Band2	9538	2	NV	-30	-4.96	-0.002600	±2.5	PASS
Band2	9538	2	NV	-20	-5.30	-0.002778	±2.5	PASS
Band2	9538	2	NV	0	-5.11	-0.002679	±2.5	PASS
Band2	9538	2	NV	10	-4.76	-0.002495	±2.5	PASS
Band2	9538	2	NV	20	-5.48	-0.002873	±2.5	PASS
Band2	9538	2	NV	30	-5.19	-0.002721	±2.5	PASS
Band2	9538	2	NV	40	-5.04	-0.002642	±2.5	PASS
Band2	9538	2	NV	50	-5.16	-0.002705	±2.5	PASS

Band2	9538	2	NV	55	-5.74	-0.003009	±2.5	PASS
Band2	9538	2	NV	60	-5.26	-0.002757	±2.5	PASS
Band2	9538	2	NV	70	-5.26	-0.002757	±2.5	PASS
Band2	9538	3	NV	-30	-4.49	-0.002354	±2.5	PASS
Band2	9538	3	NV	-20	-5.40	-0.002831	±2.5	PASS
Band2	9538	3	NV	0	-5.28	-0.002768	±2.5	PASS
Band2	9538	3	NV	10	-5.10	-0.002674	±2.5	PASS
Band2	9538	3	NV	20	-5.25	-0.002752	±2.5	PASS
Band2	9538	3	NV	30	-5.46	-0.002862	±2.5	PASS
Band2	9538	3	NV	40	-4.92	-0.002579	±2.5	PASS
Band2	9538	3	NV	50	-5.19	-0.002721	±2.5	PASS
Band2	9538	3	NV	55	-5.45	-0.002857	±2.5	PASS
Band2	9538	3	NV	60	-5.72	-0.002999	±2.5	PASS
Band2	9538	3	NV	70	-5.28	-0.002768	±2.5	PASS
Band2	9538	4	NV	-30	-5.40	-0.002831	±2.5	PASS
Band2	9538	4	NV	-20	-5.36	-0.002810	±2.5	PASS
Band2	9538	4	NV	0	-4.75	-0.002490	±2.5	PASS
Band2	9538	4	NV	10	-5.24	-0.002747	±2.5	PASS
Band2	9538	4	NV	20	-5.26	-0.002757	±2.5	PASS
Band2	9538	4	NV	30	-5.22	-0.002736	±2.5	PASS
Band2	9538	4	NV	40	-5.14	-0.002694	±2.5	PASS
Band2	9538	4	NV	50	-4.76	-0.002495	±2.5	PASS
Band2	9538	4	NV	55	-5.43	-0.002847	±2.5	PASS
Band2	9538	4	NV	60	-5.31	-0.002784	±2.5	PASS
Band2	9538	4	NV	70	-5.23	-0.002742	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	-2.47	-0.001333	±2.5	PASS
Band2	9262	1	VN	NT	-2.80	-0.001512	±2.5	PASS
Band2	9262	1	VH	NT	-3.03	-0.001636	±2.5	PASS
Band2	9262	2	VL	NT	-2.34	-0.001263	±2.5	PASS
Band2	9262	2	VN	NT	-1.87	-0.001010	±2.5	PASS
Band2	9262	2	VH	NT	-2.09	-0.001128	±2.5	PASS
Band2	9262	3	VL	NT	-1.55	-0.000837	±2.5	PASS
Band2	9262	3	VN	NT	-1.76	-0.000950	±2.5	PASS
Band2	9262	3	VH	NT	-1.62	-0.000875	±2.5	PASS
Band2	9262	4	VL	NT	-1.04	-0.000561	±2.5	PASS
Band2	9262	4	VN	NT	-1.26	-0.000680	±2.5	PASS
Band2	9262	4	VH	NT	-0.98	-0.000529	±2.5	PASS
Band2	9262	5	VL	NT	-0.92	-0.000497	±2.5	PASS
Band2	9262	5	VN	NT	-1.07	-0.000578	±2.5	PASS
Band2	9262	5	VH	NT	-0.86	-0.000464	±2.5	PASS
Band2	9400	1	VL	NT	-0.84	-0.000447	±2.5	PASS
Band2	9400	1	VN	NT	-0.71	-0.000378	±2.5	PASS
Band2	9400	1	VH	NT	-0.57	-0.000303	±2.5	PASS
Band2	9400	2	VL	NT	-0.26	-0.000138	±2.5	PASS
Band2	9400	2	VN	NT	-0.55	-0.000293	±2.5	PASS
Band2	9400	2	VH	NT	-0.75	-0.000399	±2.5	PASS
Band2	9400	3	VL	NT	-0.84	-0.000447	±2.5	PASS
Band2	9400	3	VN	NT	-0.21	-0.000112	±2.5	PASS
Band2	9400	3	VH	NT	-0.75	-0.000399	±2.5	PASS
Band2	9400	4	VL	NT	-0.57	-0.000303	±2.5	PASS
Band2	9400	4	VN	NT	-0.59	-0.000314	±2.5	PASS
Band2	9400	4	VH	NT	-0.74	-0.000394	±2.5	PASS
Band2	9400	5	VL	NT	-0.31	-0.000165	±2.5	PASS
Band2	9400	5	VN	NT	-0.34	-0.000181	±2.5	PASS
Band2	9400	5	VH	NT	-0.29	-0.000154	±2.5	PASS
Band2	9538	1	VL	NT	-0.24	-0.000126	±2.5	PASS
Band2	9538	1	VN	NT	-0.46	-0.000241	±2.5	PASS
Band2	9538	1	VH	NT	-0.01	-0.000005	±2.5	PASS
Band2	9538	2	VL	NT	-0.47	-0.000246	±2.5	PASS
Band2	9538	2	VN	NT	-0.09	-0.000047	±2.5	PASS
Band2	9538	2	VH	NT	0.04	0.000021	±2.5	PASS
Band2	9538	3	VL	NT	0.06	0.000031	±2.5	PASS
Band2	9538	3	VN	NT	-0.35	-0.000183	±2.5	PASS
Band2	9538	3	VH	NT	-0.56	-0.000294	±2.5	PASS
Band2	9538	4	VL	NT	-0.67	-0.000351	±2.5	PASS
Band2	9538	4	VN	NT	-0.56	-0.000294	±2.5	PASS
Band2	9538	4	VH	NT	-0.37	-0.000194	±2.5	PASS
Band2	9538	5	VL	NT	-0.49	-0.000257	±2.5	PASS
Band2	9538	5	VN	NT	-0.39	-0.000204	±2.5	PASS
Band2	9538	5	VH	NT	-0.30	-0.000157	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-3.22	-0.001738	±2.5	PASS
Band2	9262	1	NV	-20	-3.08	-0.001663	±2.5	PASS
Band2	9262	1	NV	0	-3.03	-0.001636	±2.5	PASS
Band2	9262	1	NV	10	-3.13	-0.001690	±2.5	PASS
Band2	9262	1	NV	20	-2.47	-0.001333	±2.5	PASS
Band2	9262	1	NV	30	-3.04	-0.001641	±2.5	PASS
Band2	9262	1	NV	40	-3.25	-0.001754	±2.5	PASS
Band2	9262	1	NV	50	-2.96	-0.001598	±2.5	PASS
Band2	9262	1	NV	60	-2.47	-0.001333	±2.5	PASS
Band2	9262	1	NV	70	-3.03	-0.001636	±2.5	PASS
Band2	9262	2	NV	-30	-2.36	-0.001274	±2.5	PASS
Band2	9262	2	NV	-20	-2.20	-0.001188	±2.5	PASS
Band2	9262	2	NV	0	-2.24	-0.001209	±2.5	PASS
Band2	9262	2	NV	10	-1.54	-0.000831	±2.5	PASS
Band2	9262	2	NV	20	-2.24	-0.001209	±2.5	PASS
Band2	9262	2	NV	30	-2.26	-0.001220	±2.5	PASS
Band2	9262	2	NV	40	-2.14	-0.001155	±2.5	PASS
Band2	9262	2	NV	50	-1.93	-0.001042	±2.5	PASS
Band2	9262	2	NV	60	-1.83	-0.000988	±2.5	PASS
Band2	9262	2	NV	70	-0.74	-0.000399	±2.5	PASS
Band2	9262	3	NV	-30	-1.77	-0.000956	±2.5	PASS
Band2	9262	3	NV	-20	-1.79	-0.000966	±2.5	PASS
Band2	9262	3	NV	0	-1.00	-0.000540	±2.5	PASS
Band2	9262	3	NV	10	-1.60	-0.000864	±2.5	PASS
Band2	9262	3	NV	20	-1.39	-0.000750	±2.5	PASS
Band2	9262	3	NV	30	-1.43	-0.000772	±2.5	PASS
Band2	9262	3	NV	40	-1.73	-0.000934	±2.5	PASS
Band2	9262	3	NV	50	-1.08	-0.000583	±2.5	PASS
Band2	9262	3	NV	60	-0.87	-0.000470	±2.5	PASS
Band2	9262	3	NV	70	-1.29	-0.000696	±2.5	PASS
Band2	9262	4	NV	-30	-1.26	-0.000680	±2.5	PASS
Band2	9262	4	NV	-20	-0.51	-0.000275	±2.5	PASS
Band2	9262	4	NV	0	-1.20	-0.000648	±2.5	PASS
Band2	9262	4	NV	10	-1.07	-0.000578	±2.5	PASS
Band2	9262	4	NV	20	-1.41	-0.000761	±2.5	PASS
Band2	9262	4	NV	30	-1.21	-0.000653	±2.5	PASS
Band2	9262	4	NV	40	-0.98	-0.000529	±2.5	PASS
Band2	9262	4	NV	50	-0.79	-0.000426	±2.5	PASS
Band2	9262	4	NV	60	-1.12	-0.000605	±2.5	PASS
Band2	9262	4	NV	70	-1.13	-0.000610	±2.5	PASS
Band2	9262	5	NV	-30	-0.72	-0.000389	±2.5	PASS
Band2	9262	5	NV	-20	-1.07	-0.000578	±2.5	PASS
Band2	9262	5	NV	0	-0.67	-0.000362	±2.5	PASS
Band2	9262	5	NV	10	-0.99	-0.000534	±2.5	PASS
Band2	9262	5	NV	20	-0.87	-0.000470	±2.5	PASS
Band2	9262	5	NV	30	-0.79	-0.000426	±2.5	PASS
Band2	9262	5	NV	40	-0.56	-0.000302	±2.5	PASS

Band2	9262	5	NV	50	-1.08	-0.000583	±2.5	PASS
Band2	9262	5	NV	60	-0.99	-0.000534	±2.5	PASS
Band2	9262	5	NV	70	-0.78	-0.000421	±2.5	PASS
Band2	9400	1	NV	-30	-1.06	-0.000564	±2.5	PASS
Band2	9400	1	NV	-20	-0.79	-0.000420	±2.5	PASS
Band2	9400	1	NV	0	-0.68	-0.000362	±2.5	PASS
Band2	9400	1	NV	10	-0.69	-0.000367	±2.5	PASS
Band2	9400	1	NV	20	-0.46	-0.000245	±2.5	PASS
Band2	9400	1	NV	30	-0.66	-0.000351	±2.5	PASS
Band2	9400	1	NV	40	-0.99	-0.000527	±2.5	PASS
Band2	9400	1	NV	50	-0.79	-0.000420	±2.5	PASS
Band2	9400	1	NV	60	-0.90	-0.000479	±2.5	PASS
Band2	9400	1	NV	70	-0.81	-0.000431	±2.5	PASS
Band2	9400	2	NV	-30	-0.96	-0.000511	±2.5	PASS
Band2	9400	2	NV	-20	-0.44	-0.000234	±2.5	PASS
Band2	9400	2	NV	0	-0.90	-0.000479	±2.5	PASS
Band2	9400	2	NV	10	-0.89	-0.000473	±2.5	PASS
Band2	9400	2	NV	20	-0.88	-0.000468	±2.5	PASS
Band2	9400	2	NV	30	-1.06	-0.000564	±2.5	PASS
Band2	9400	2	NV	40	-0.85	-0.000452	±2.5	PASS
Band2	9400	2	NV	50	-0.50	-0.000266	±2.5	PASS
Band2	9400	2	NV	60	-0.77	-0.000410	±2.5	PASS
Band2	9400	2	NV	70	-0.46	-0.000245	±2.5	PASS
Band2	9400	3	NV	-30	-0.72	-0.000383	±2.5	PASS
Band2	9400	3	NV	-20	-0.54	-0.000287	±2.5	PASS
Band2	9400	3	NV	0	-0.60	-0.000319	±2.5	PASS
Band2	9400	3	NV	10	-0.45	-0.000239	±2.5	PASS
Band2	9400	3	NV	20	-0.59	-0.000314	±2.5	PASS
Band2	9400	3	NV	30	-0.50	-0.000266	±2.5	PASS
Band2	9400	3	NV	40	-0.54	-0.000287	±2.5	PASS
Band2	9400	3	NV	50	-0.54	-0.000287	±2.5	PASS
Band2	9400	3	NV	60	-0.34	-0.000181	±2.5	PASS
Band2	9400	3	NV	70	-0.10	-0.000053	±2.5	PASS
Band2	9400	4	NV	-30	-0.48	-0.000255	±2.5	PASS
Band2	9400	4	NV	-20	-0.57	-0.000303	±2.5	PASS
Band2	9400	4	NV	0	-0.17	-0.000090	±2.5	PASS
Band2	9400	4	NV	10	-0.37	-0.000197	±2.5	PASS
Band2	9400	4	NV	20	-0.62	-0.000330	±2.5	PASS
Band2	9400	4	NV	30	-0.43	-0.000229	±2.5	PASS
Band2	9400	4	NV	40	-0.56	-0.000298	±2.5	PASS
Band2	9400	4	NV	50	-0.34	-0.000181	±2.5	PASS
Band2	9400	4	NV	60	-0.12	-0.000064	±2.5	PASS
Band2	9400	4	NV	70	-0.67	-0.000356	±2.5	PASS
Band2	9400	5	NV	-30	-0.55	-0.000293	±2.5	PASS
Band2	9400	5	NV	-20	-0.03	-0.000016	±2.5	PASS
Band2	9400	5	NV	0	-0.76	-0.000404	±2.5	PASS
Band2	9400	5	NV	10	-0.31	-0.000165	±2.5	PASS
Band2	9400	5	NV	20	-0.36	-0.000191	±2.5	PASS
Band2	9400	5	NV	30	-0.30	-0.000160	±2.5	PASS
Band2	9400	5	NV	40	-0.36	-0.000191	±2.5	PASS

Band2	9400	5	NV	50	-0.09	-0.000048	±2.5	PASS
Band2	9400	5	NV	60	-0.15	-0.000080	±2.5	PASS
Band2	9400	5	NV	70	-0.37	-0.000197	±2.5	PASS
Band2	9538	1	NV	-30	-0.01	-0.000005	±2.5	PASS
Band2	9538	1	NV	-20	-0.17	-0.000089	±2.5	PASS
Band2	9538	1	NV	0	-0.44	-0.000231	±2.5	PASS
Band2	9538	1	NV	10	-0.48	-0.000252	±2.5	PASS
Band2	9538	1	NV	20	-0.42	-0.000220	±2.5	PASS
Band2	9538	1	NV	30	-0.49	-0.000257	±2.5	PASS
Band2	9538	1	NV	40	0.34	0.000178	±2.5	PASS
Band2	9538	1	NV	50	-0.17	-0.000089	±2.5	PASS
Band2	9538	1	NV	60	-0.34	-0.000178	±2.5	PASS
Band2	9538	1	NV	70	-0.36	-0.000189	±2.5	PASS
Band2	9538	2	NV	-30	-0.36	-0.000189	±2.5	PASS
Band2	9538	2	NV	-20	-0.45	-0.000236	±2.5	PASS
Band2	9538	2	NV	0	-0.18	-0.000094	±2.5	PASS
Band2	9538	2	NV	10	-0.40	-0.000210	±2.5	PASS
Band2	9538	2	NV	20	-0.10	-0.000052	±2.5	PASS
Band2	9538	2	NV	30	0.20	0.000105	±2.5	PASS
Band2	9538	2	NV	40	-0.46	-0.000241	±2.5	PASS
Band2	9538	2	NV	50	-0.34	-0.000178	±2.5	PASS
Band2	9538	2	NV	60	-0.25	-0.000131	±2.5	PASS
Band2	9538	2	NV	70	-0.55	-0.000288	±2.5	PASS
Band2	9538	3	NV	-30	-0.19	-0.000100	±2.5	PASS
Band2	9538	3	NV	-20	-0.32	-0.000168	±2.5	PASS
Band2	9538	3	NV	0	-0.28	-0.000147	±2.5	PASS
Band2	9538	3	NV	10	-0.54	-0.000283	±2.5	PASS
Band2	9538	3	NV	20	0.01	0.000005	±2.5	PASS
Band2	9538	3	NV	30	-0.39	-0.000204	±2.5	PASS
Band2	9538	3	NV	40	-0.54	-0.000283	±2.5	PASS
Band2	9538	3	NV	50	-0.47	-0.000246	±2.5	PASS
Band2	9538	3	NV	60	-0.39	-0.000204	±2.5	PASS
Band2	9538	3	NV	70	-0.27	-0.000142	±2.5	PASS
Band2	9538	4	NV	-30	-0.46	-0.000241	±2.5	PASS
Band2	9538	4	NV	-20	-0.51	-0.000267	±2.5	PASS
Band2	9538	4	NV	0	-0.42	-0.000220	±2.5	PASS
Band2	9538	4	NV	10	-0.22	-0.000115	±2.5	PASS
Band2	9538	4	NV	20	-0.38	-0.000199	±2.5	PASS
Band2	9538	4	NV	30	-0.73	-0.000383	±2.5	PASS
Band2	9538	4	NV	40	-0.44	-0.000231	±2.5	PASS
Band2	9538	4	NV	50	-0.40	-0.000210	±2.5	PASS
Band2	9538	4	NV	60	-0.14	-0.000073	±2.5	PASS
Band2	9538	4	NV	70	-0.36	-0.000189	±2.5	PASS
Band2	9538	5	NV	-30	-0.41	-0.000215	±2.5	PASS
Band2	9538	5	NV	-20	-0.32	-0.000168	±2.5	PASS
Band2	9538	5	NV	0	-0.16	-0.000084	±2.5	PASS
Band2	9538	5	NV	10	-0.41	-0.000215	±2.5	PASS
Band2	9538	5	NV	20	-0.62	-0.000325	±2.5	PASS
Band2	9538	5	NV	30	-0.50	-0.000262	±2.5	PASS
Band2	9538	5	NV	40	-0.51	-0.000267	±2.5	PASS

Band2	9538	5	NV	50	-0.24	-0.000126	±2.5	PASS
Band2	9538	5	NV	60	-0.26	-0.000136	±2.5	PASS
Band2	9538	5	NV	70	-0.24	-0.000126	±2.5	PASS