







Band4-1513-3-0.009~0.15MHz




Band4-1513-3-3000~10000MHz




Band4-1513-4-10000~20000MHz




Band4-1513-4-0.009~0.15MHz




Band4-1513-4-0.15~30MHz




Band4-1513-4-30~1000MHz




Band4-1513-4-1000~3000MHz




Band4-1513-4-3000~10000MHz




Band4-1312-1-0.15~30MHz




Band4-1312-1-30~1000MHz




Band4-1312-1-1000~3000MHz




Band4-1312-1-3000~10000MHz







Band4-1312-2-3000~10000MHz




Band4-1312-2-30~1000MHz




Band4-1312-2-0.15~30MHz




Band4-1312-2-0.009~0.15MHz




Band4-1312-2-10000~20000MHz




Band4-1312-3-10000~20000MHz




Band4-1312-3-0.15~30MHz




Band4-1312-3-30~1000MHz




Band4-1312-3-0.009~0.15MHz




Band4-1312-3-3000~10000MHz




Band4-1312-3-1000~3000MHz




Band4-1312-4-0.009~0.15MHz




Band4-1312-4-0.15~30MHz




Band4-1312-4-30~1000MHz




Band4-1312-4-1000~3000MHz




Band4-1312-4-3000~10000MHz




Band4-1312-4-10000~20000MHz




Band4-1312-5-1000~3000MHz




Band4-1312-5-10000~20000MHz




Band4-1312-5-3000~10000MHz




Band4-1312-5-0.009~0.15MHz




Band4-1312-5-30~1000MHz




Band4-1312-5-0.15~30MHz




Band4-1413-1-0.15~30MHz




Band4-1413-1-0.009~0.15MHz




Band4-1413-1-30~1000MHz




Band4-1413-1-1000~3000MHz




Band4-1413-1-3000~10000MHz




Band4-1413-1-10000~20000MHz




Band4-1413-2-1000~3000MHz




Band4-1413-2-3000~10000MHz




Band4-1413-2-30~1000MHz




Band4-1413-2-0.15~30MHz




Band4-1413-2-0.009~0.15MHz




Band4-1413-2-10000~20000MHz




Band4-1413-3-30~1000MHz




Band4-1413-3-0.009~0.15MHz




Band4-1413-3-1000~3000MHz




Band4-1413-3-3000~10000MHz




Band4-1413-3-10000~20000MHz




Band4-1413-3-0.15~30MHz




Band4-1413-4-0.15~30MHz




Band4-1413-4-10000~20000MHz




Band4-1413-4-3000~10000MHz




Band4-1413-4-30~1000MHz




Band4-1413-4-0.009~0.15MHz




Band4-1413-4-1000~3000MHz




Band4-1413-5-10000~20000MHz




Band4-1413-5-0.15~30MHz




Band4-1413-5-30~1000MHz




Band4-1413-5-1000~3000MHz




Band4-1413-5-3000~10000MHz




Band4-1413-5-0.009~0.15MHz




Band4-1513-1-0.009~0.15MHz




Band4-1513-1-0.15~30MHz




Band4-1513-1-30~1000MHz




Band4-1513-1-1000~3000MHz




Band4-1513-1-3000~10000MHz




Band4-1513-1-10000~20000MHz




Band4-1513-2-1000~3000MHz




Band4-1513-2-10000~20000MHz




Band4-1513-2-3000~10000MHz




Band4-1513-2-30~1000MHz




Band4-1513-2-0.15~30MHz




Band4-1513-2-0.009~0.15MHz




Band4-1513-3-3000~10000MHz




Band4-1513-3-0.15~30MHz




Band4-1513-3-10000~20000MHz




Band4-1513-3-30~1000MHz




Band4-1513-3-1000~3000MHz




Band4-1513-3-0.009~0.15MHz




Band4-1513-4-0.009~0.15MHz




Band4-1513-4-10000~20000MHz




Band4-1513-4-3000~10000MHz




Band4-1513-4-1000~3000MHz




Band4-1513-4-0.15~30MHz




Band4-1513-4-30~1000MHz




Band4-1513-5-10000~20000MHz




Band4-1513-5-0.009~0.15MHz




Band4-1513-5-0.15~30MHz




Band4-1513-5-30~1000MHz



Band4-1513-5-1000~3000MHz



Band4-1513-5-3000~10000MHz



APPENDIX C.6: FREQUENCY STABILITY

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	VL	NT	-3.94	-0.002301	±2.5	PASS
Band4	1312	VN	NT	-8.54	-0.004987	±2.5	PASS
Band4	1312	VH	NT	-0.60	-0.000350	±2.5	PASS
Band4	1413	VL	NT	-0.57	-0.000329	±2.5	PASS
Band4	1413	VN	NT	0.04	0.000023	±2.5	PASS
Band4	1413	VH	NT	-0.21	-0.000121	±2.5	PASS
Band4	1513	VL	NT	-12.11	-0.006910	±2.5	PASS
Band4	1513	VN	NT	-12.16	-0.006938	±2.5	PASS
Band4	1513	VH	NT	-12.22	-0.006972	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	NV	-30	1.75	0.001022	±2.5	PASS
Band4	1312	NV	-20	3.07	0.001793	±2.5	PASS
Band4	1312	NV	0	4.39	0.002564	±2.5	PASS
Band4	1312	NV	10	5.74	0.003352	±2.5	PASS
Band4	1312	NV	20	6.49	0.003790	±2.5	PASS
Band4	1312	NV	30	7.36	0.004298	±2.5	PASS
Band4	1312	NV	40	7.75	0.004526	±2.5	PASS
Band4	1312	NV	50	9.31	0.005437	±2.5	PASS
Band4	1312	NV	55	10.45	0.006103	±2.5	PASS
Band4	1312	NV	60	9.67	0.005647	±2.5	PASS
Band4	1312	NV	70	10.51	0.006138	±2.5	PASS
Band4	1413	NV	-30	-0.17	-0.000098	±2.5	PASS
Band4	1413	NV	-20	0.00	0.000000	±2.5	PASS
Band4	1413	NV	0	-0.19	-0.000110	±2.5	PASS
Band4	1413	NV	10	-0.63	-0.000364	±2.5	PASS
Band4	1413	NV	20	-0.62	-0.000358	±2.5	PASS
Band4	1413	NV	30	-0.52	-0.000300	±2.5	PASS
Band4	1413	NV	40	-0.79	-0.000456	±2.5	PASS
Band4	1413	NV	50	-0.52	-0.000300	±2.5	PASS
Band4	1413	NV	55	-0.36	-0.000208	±2.5	PASS
Band4	1413	NV	60	-0.37	-0.000214	±2.5	PASS
Band4	1413	NV	70	-0.64	-0.000369	±2.5	PASS
Band4	1513	NV	-30	-12.57	-0.007172	±2.5	PASS
Band4	1513	NV	-20	-12.80	-0.007303	±2.5	PASS
Band4	1513	NV	0	-13.07	-0.007457	±2.5	PASS
Band4	1513	NV	10	-12.94	-0.007383	±2.5	PASS
Band4	1513	NV	20	-13.13	-0.007492	±2.5	PASS
Band4	1513	NV	30	-13.35	-0.007617	±2.5	PASS
Band4	1513	NV	40	-13.52	-0.007714	±2.5	PASS
Band4	1513	NV	50	-13.74	-0.007840	±2.5	PASS

Band4	1513	NV	55	-12.00	-0.006847	±2.5	PASS
Band4	1513	NV	60	-13.74	-0.007840	±2.5	PASS
Band4	1513	NV	70	-13.85	-0.007903	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VL	NT	-13.02	-0.007603	±2.5	PASS
Band4	1312	1	VN	NT	-13.30	-0.007767	±2.5	PASS
Band4	1312	1	VH	NT	-12.89	-0.007527	±2.5	PASS
Band4	1312	2	VL	NT	-13.99	-0.008170	±2.5	PASS
Band4	1312	2	VN	NT	-13.88	-0.008106	±2.5	PASS
Band4	1312	2	VH	NT	-13.82	-0.008071	±2.5	PASS
Band4	1312	3	VL	NT	-14.34	-0.008374	±2.5	PASS
Band4	1312	3	VN	NT	-14.10	-0.008234	±2.5	PASS
Band4	1312	3	VH	NT	-14.22	-0.008304	±2.5	PASS
Band4	1312	4	VL	NT	-14.48	-0.008456	±2.5	PASS
Band4	1312	4	VN	NT	-14.38	-0.008398	±2.5	PASS
Band4	1312	4	VH	NT	-13.70	-0.008000	±2.5	PASS
Band4	1413	1	VL	NT	-14.60	-0.008427	±2.5	PASS
Band4	1413	1	VN	NT	-13.80	-0.007965	±2.5	PASS
Band4	1413	1	VH	NT	-14.47	-0.008352	±2.5	PASS
Band4	1413	2	VL	NT	-14.22	-0.008207	±2.5	PASS
Band4	1413	2	VN	NT	-14.30	-0.008253	±2.5	PASS
Band4	1413	2	VH	NT	-14.43	-0.008329	±2.5	PASS
Band4	1413	3	VL	NT	-14.60	-0.008427	±2.5	PASS
Band4	1413	3	VN	NT	-14.87	-0.008582	±2.5	PASS
Band4	1413	3	VH	NT	-14.26	-0.008230	±2.5	PASS
Band4	1413	4	VL	NT	-15.22	-0.008784	±2.5	PASS
Band4	1413	4	VN	NT	-14.96	-0.008634	±2.5	PASS
Band4	1413	4	VH	NT	-14.88	-0.008588	±2.5	PASS
Band4	1513	1	VL	NT	-15.01	-0.008564	±2.5	PASS
Band4	1513	1	VN	NT	-15.26	-0.008707	±2.5	PASS
Band4	1513	1	VH	NT	-15.12	-0.008627	±2.5	PASS
Band4	1513	2	VL	NT	-14.53	-0.008291	±2.5	PASS
Band4	1513	2	VN	NT	-15.10	-0.008616	±2.5	PASS
Band4	1513	2	VH	NT	-14.98	-0.008547	±2.5	PASS
Band4	1513	3	VL	NT	-14.93	-0.008519	±2.5	PASS
Band4	1513	3	VN	NT	-14.58	-0.008319	±2.5	PASS
Band4	1513	3	VH	NT	-14.72	-0.008399	±2.5	PASS
Band4	1513	4	VL	NT	-14.56	-0.008308	±2.5	PASS
Band4	1513	4	VN	NT	-14.28	-0.008148	±2.5	PASS
Band4	1513	4	VH	NT	-14.27	-0.008142	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	-12.77	-0.007457	±2.5	PASS
Band4	1312	1	NV	-20	-13.45	-0.007854	±2.5	PASS
Band4	1312	1	NV	0	-13.55	-0.007913	±2.5	PASS
Band4	1312	1	NV	10	-13.59	-0.007936	±2.5	PASS
Band4	1312	1	NV	20	-13.82	-0.008071	±2.5	PASS
Band4	1312	1	NV	30	-13.80	-0.008059	±2.5	PASS
Band4	1312	1	NV	40	-13.66	-0.007977	±2.5	PASS

Band4	1312	1	NV	50	-13.92	-0.008129	±2.5	PASS
Band4	1312	1	NV	55	-13.66	-0.007977	±2.5	PASS
Band4	1312	1	NV	60	-14.15	-0.008263	±2.5	PASS
Band4	1312	1	NV	70	-14.27	-0.008333	±2.5	PASS
Band4	1312	2	NV	-30	-13.95	-0.008146	±2.5	PASS
Band4	1312	2	NV	-20	-13.83	-0.008076	±2.5	PASS
Band4	1312	2	NV	0	-14.31	-0.008357	±2.5	PASS
Band4	1312	2	NV	10	-13.88	-0.008106	±2.5	PASS
Band4	1312	2	NV	20	-14.17	-0.008275	±2.5	PASS
Band4	1312	2	NV	30	-13.93	-0.008135	±2.5	PASS
Band4	1312	2	NV	40	-14.15	-0.008263	±2.5	PASS
Band4	1312	2	NV	50	-14.12	-0.008246	±2.5	PASS
Band4	1312	2	NV	55	-14.71	-0.008590	±2.5	PASS
Band4	1312	2	NV	60	-13.91	-0.008123	±2.5	PASS
Band4	1312	2	NV	70	-14.19	-0.008287	±2.5	PASS
Band4	1312	3	NV	-30	-14.16	-0.008269	±2.5	PASS
Band4	1312	3	NV	-20	-14.11	-0.008240	±2.5	PASS
Band4	1312	3	NV	0	-14.36	-0.008386	±2.5	PASS
Band4	1312	3	NV	10	-14.23	-0.008310	±2.5	PASS
Band4	1312	3	NV	20	-14.36	-0.008386	±2.5	PASS
Band4	1312	3	NV	30	-14.16	-0.008269	±2.5	PASS
Band4	1312	3	NV	40	-14.38	-0.008398	±2.5	PASS
Band4	1312	3	NV	50	-14.55	-0.008497	±2.5	PASS
Band4	1312	3	NV	55	-14.66	-0.008561	±2.5	PASS
Band4	1312	3	NV	60	-14.31	-0.008357	±2.5	PASS
Band4	1312	3	NV	70	-13.95	-0.008146	±2.5	PASS
Band4	1312	4	NV	-30	-14.33	-0.008368	±2.5	PASS
Band4	1312	4	NV	-20	-14.31	-0.008357	±2.5	PASS
Band4	1312	4	NV	0	-14.31	-0.008357	±2.5	PASS
Band4	1312	4	NV	10	-14.16	-0.008269	±2.5	PASS
Band4	1312	4	NV	20	-14.36	-0.008386	±2.5	PASS
Band4	1312	4	NV	30	-14.18	-0.008281	±2.5	PASS
Band4	1312	4	NV	40	-14.61	-0.008532	±2.5	PASS
Band4	1312	4	NV	50	-14.62	-0.008538	±2.5	PASS
Band4	1312	4	NV	55	-14.05	-0.008205	±2.5	PASS
Band4	1312	4	NV	60	-14.52	-0.008479	±2.5	PASS
Band4	1312	4	NV	70	-14.31	-0.008357	±2.5	PASS
Band4	1413	1	NV	-30	-14.48	-0.008357	±2.5	PASS
Band4	1413	1	NV	-20	-14.28	-0.008242	±2.5	PASS
Band4	1413	1	NV	0	-14.53	-0.008386	±2.5	PASS
Band4	1413	1	NV	10	-13.96	-0.008057	±2.5	PASS
Band4	1413	1	NV	20	-14.64	-0.008450	±2.5	PASS
Band4	1413	1	NV	30	-14.45	-0.008340	±2.5	PASS
Band4	1413	1	NV	40	-14.68	-0.008473	±2.5	PASS
Band4	1413	1	NV	50	-14.57	-0.008409	±2.5	PASS
Band4	1413	1	NV	55	-14.78	-0.008531	±2.5	PASS
Band4	1413	1	NV	60	-13.75	-0.007936	±2.5	PASS
Band4	1413	1	NV	70	-14.56	-0.008404	±2.5	PASS
Band4	1413	2	NV	-30	-14.45	-0.008340	±2.5	PASS
Band4	1413	2	NV	-20	-14.18	-0.008184	±2.5	PASS

Band4	1413	2	NV	0	-14.33	-0.008271	±2.5	PASS
Band4	1413	2	NV	10	-14.52	-0.008380	±2.5	PASS
Band4	1413	2	NV	20	-14.27	-0.008236	±2.5	PASS
Band4	1413	2	NV	30	-14.59	-0.008421	±2.5	PASS
Band4	1413	2	NV	40	-14.46	-0.008346	±2.5	PASS
Band4	1413	2	NV	50	-14.63	-0.008444	±2.5	PASS
Band4	1413	2	NV	55	-15.19	-0.008767	±2.5	PASS
Band4	1413	2	NV	60	-14.82	-0.008554	±2.5	PASS
Band4	1413	2	NV	70	-14.84	-0.008565	±2.5	PASS
Band4	1413	3	NV	-30	-14.76	-0.008519	±2.5	PASS
Band4	1413	3	NV	-20	-14.49	-0.008363	±2.5	PASS
Band4	1413	3	NV	0	-14.72	-0.008496	±2.5	PASS
Band4	1413	3	NV	10	-15.01	-0.008663	±2.5	PASS
Band4	1413	3	NV	20	-14.78	-0.008531	±2.5	PASS
Band4	1413	3	NV	30	-14.55	-0.008398	±2.5	PASS
Band4	1413	3	NV	40	-15.18	-0.008761	±2.5	PASS
Band4	1413	3	NV	50	-14.85	-0.008571	±2.5	PASS
Band4	1413	3	NV	55	-14.39	-0.008305	±2.5	PASS
Band4	1413	3	NV	60	-14.82	-0.008554	±2.5	PASS
Band4	1413	3	NV	70	-14.68	-0.008473	±2.5	PASS
Band4	1413	4	NV	-30	-15.03	-0.008675	±2.5	PASS
Band4	1413	4	NV	-20	-15.00	-0.008658	±2.5	PASS
Band4	1413	4	NV	0	-14.81	-0.008548	±2.5	PASS
Band4	1413	4	NV	10	-15.03	-0.008675	±2.5	PASS
Band4	1413	4	NV	20	-15.22	-0.008784	±2.5	PASS
Band4	1413	4	NV	30	-15.16	-0.008750	±2.5	PASS
Band4	1413	4	NV	40	-15.29	-0.008825	±2.5	PASS
Band4	1413	4	NV	50	-14.75	-0.008513	±2.5	PASS
Band4	1413	4	NV	55	-14.78	-0.008531	±2.5	PASS
Band4	1413	4	NV	60	-15.08	-0.008704	±2.5	PASS
Band4	1413	4	NV	70	-15.34	-0.008854	±2.5	PASS
Band4	1513	1	NV	-30	-14.68	-0.008376	±2.5	PASS
Band4	1513	1	NV	-20	-15.17	-0.008656	±2.5	PASS
Band4	1513	1	NV	0	-15.35	-0.008758	±2.5	PASS
Band4	1513	1	NV	10	-15.12	-0.008627	±2.5	PASS
Band4	1513	1	NV	20	-14.96	-0.008536	±2.5	PASS
Band4	1513	1	NV	30	-15.00	-0.008559	±2.5	PASS
Band4	1513	1	NV	40	-14.66	-0.008365	±2.5	PASS
Band4	1513	1	NV	50	-15.06	-0.008593	±2.5	PASS
Band4	1513	1	NV	55	-15.70	-0.008958	±2.5	PASS
Band4	1513	1	NV	60	-14.96	-0.008536	±2.5	PASS
Band4	1513	1	NV	70	-14.95	-0.008530	±2.5	PASS
Band4	1513	2	NV	-30	-14.93	-0.008519	±2.5	PASS
Band4	1513	2	NV	-20	-14.75	-0.008416	±2.5	PASS
Band4	1513	2	NV	0	-14.86	-0.008479	±2.5	PASS
Band4	1513	2	NV	10	-14.89	-0.008496	±2.5	PASS
Band4	1513	2	NV	20	-14.46	-0.008251	±2.5	PASS
Band4	1513	2	NV	30	-14.69	-0.008382	±2.5	PASS
Band4	1513	2	NV	40	-14.53	-0.008291	±2.5	PASS
Band4	1513	2	NV	50	-14.63	-0.008348	±2.5	PASS

Band4	1513	2	NV	55	-15.19	-0.008667	±2.5	PASS
Band4	1513	2	NV	60	-14.79	-0.008439	±2.5	PASS
Band4	1513	2	NV	70	-14.36	-0.008194	±2.5	PASS
Band4	1513	3	NV	-30	-14.53	-0.008291	±2.5	PASS
Band4	1513	3	NV	-20	-14.64	-0.008353	±2.5	PASS
Band4	1513	3	NV	0	-14.05	-0.008017	±2.5	PASS
Band4	1513	3	NV	10	-14.47	-0.008256	±2.5	PASS
Band4	1513	3	NV	20	-14.55	-0.008302	±2.5	PASS
Band4	1513	3	NV	30	-14.63	-0.008348	±2.5	PASS
Band4	1513	3	NV	40	-14.67	-0.008370	±2.5	PASS
Band4	1513	3	NV	50	-14.19	-0.008097	±2.5	PASS
Band4	1513	3	NV	55	-14.91	-0.008507	±2.5	PASS
Band4	1513	3	NV	60	-14.71	-0.008393	±2.5	PASS
Band4	1513	3	NV	70	-14.47	-0.008256	±2.5	PASS
Band4	1513	4	NV	-30	-14.07	-0.008028	±2.5	PASS
Band4	1513	4	NV	-20	-14.61	-0.008336	±2.5	PASS
Band4	1513	4	NV	0	-14.51	-0.008279	±2.5	PASS
Band4	1513	4	NV	10	-14.45	-0.008245	±2.5	PASS
Band4	1513	4	NV	20	-14.26	-0.008136	±2.5	PASS
Band4	1513	4	NV	30	-14.25	-0.008131	±2.5	PASS
Band4	1513	4	NV	40	-14.14	-0.008068	±2.5	PASS
Band4	1513	4	NV	50	-14.45	-0.008245	±2.5	PASS
Band4	1513	4	NV	55	-15.02	-0.008570	±2.5	PASS
Band4	1513	4	NV	60	-14.66	-0.008365	±2.5	PASS
Band4	1513	4	NV	70	-14.26	-0.008136	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VL	NT	-9.72	-0.005676	±2.5	PASS
Band4	1312	1	VN	NT	-10.42	-0.006085	±2.5	PASS
Band4	1312	1	VH	NT	-8.96	-0.005232	±2.5	PASS
Band4	1312	2	VL	NT	-3.75	-0.002190	±2.5	PASS
Band4	1312	2	VN	NT	-4.13	-0.002412	±2.5	PASS
Band4	1312	2	VH	NT	-3.51	-0.002050	±2.5	PASS
Band4	1312	3	VL	NT	-1.34	-0.000783	±2.5	PASS
Band4	1312	3	VN	NT	-1.71	-0.000999	±2.5	PASS
Band4	1312	3	VH	NT	-1.40	-0.000818	±2.5	PASS
Band4	1312	4	VL	NT	-0.21	-0.000123	±2.5	PASS
Band4	1312	4	VN	NT	-0.40	-0.000234	±2.5	PASS
Band4	1312	4	VH	NT	0.51	0.000298	±2.5	PASS
Band4	1312	5	VL	NT	1.66	0.000969	±2.5	PASS
Band4	1312	5	VN	NT	0.84	0.000491	±2.5	PASS
Band4	1312	5	VH	NT	1.02	0.000596	±2.5	PASS
Band4	1413	1	VL	NT	2.09	0.001206	±2.5	PASS
Band4	1413	1	VN	NT	1.87	0.001079	±2.5	PASS
Band4	1413	1	VH	NT	2.05	0.001183	±2.5	PASS
Band4	1413	2	VL	NT	2.91	0.001680	±2.5	PASS
Band4	1413	2	VN	NT	2.52	0.001454	±2.5	PASS
Band4	1413	2	VH	NT	2.62	0.001512	±2.5	PASS
Band4	1413	3	VL	NT	3.35	0.001934	±2.5	PASS
Band4	1413	3	VN	NT	3.53	0.002037	±2.5	PASS
Band4	1413	3	VH	NT	3.30	0.001905	±2.5	PASS
Band4	1413	4	VL	NT	3.73	0.002153	±2.5	PASS
Band4	1413	4	VN	NT	3.35	0.001934	±2.5	PASS
Band4	1413	4	VH	NT	4.14	0.002389	±2.5	PASS
Band4	1413	5	VL	NT	3.90	0.002251	±2.5	PASS
Band4	1413	5	VN	NT	3.42	0.001974	±2.5	PASS
Band4	1413	5	VH	NT	3.33	0.001922	±2.5	PASS
Band4	1513	1	VL	NT	3.03	0.001729	±2.5	PASS
Band4	1513	1	VN	NT	3.35	0.001911	±2.5	PASS
Band4	1513	1	VH	NT	2.97	0.001695	±2.5	PASS
Band4	1513	2	VL	NT	2.88	0.001643	±2.5	PASS
Band4	1513	2	VN	NT	2.96	0.001689	±2.5	PASS
Band4	1513	2	VH	NT	3.00	0.001712	±2.5	PASS
Band4	1513	3	VL	NT	3.25	0.001854	±2.5	PASS
Band4	1513	3	VN	NT	3.15	0.001797	±2.5	PASS
Band4	1513	3	VH	NT	3.24	0.001849	±2.5	PASS
Band4	1513	4	VL	NT	3.73	0.002128	±2.5	PASS
Band4	1513	4	VN	NT	3.58	0.002043	±2.5	PASS
Band4	1513	4	VH	NT	3.33	0.001900	±2.5	PASS
Band4	1513	5	VL	NT	3.74	0.002134	±2.5	PASS
Band4	1513	5	VN	NT	3.80	0.002168	±2.5	PASS
Band4	1513	5	VH	NT	4.49	0.002562	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	-8.53	-0.004981	±2.5	PASS
Band4	1312	1	NV	-20	-7.80	-0.004555	±2.5	PASS
Band4	1312	1	NV	0	-7.10	-0.004146	±2.5	PASS
Band4	1312	1	NV	10	-6.68	-0.003901	±2.5	PASS
Band4	1312	1	NV	20	-6.37	-0.003720	±2.5	PASS
Band4	1312	1	NV	30	-6.44	-0.003761	±2.5	PASS
Band4	1312	1	NV	40	-5.71	-0.003335	±2.5	PASS
Band4	1312	1	NV	50	-4.96	-0.002897	±2.5	PASS
Band4	1312	1	NV	60	-4.29	-0.002505	±2.5	PASS
Band4	1312	1	NV	70	-4.54	-0.002651	±2.5	PASS
Band4	1312	2	NV	-30	-3.44	-0.002009	±2.5	PASS
Band4	1312	2	NV	-20	-2.57	-0.001501	±2.5	PASS
Band4	1312	2	NV	0	-3.22	-0.001880	±2.5	PASS
Band4	1312	2	NV	10	-2.78	-0.001623	±2.5	PASS
Band4	1312	2	NV	20	-2.70	-0.001577	±2.5	PASS
Band4	1312	2	NV	30	-2.37	-0.001384	±2.5	PASS
Band4	1312	2	NV	40	-2.33	-0.001361	±2.5	PASS
Band4	1312	2	NV	50	-1.56	-0.000911	±2.5	PASS
Band4	1312	2	NV	60	-2.17	-0.001267	±2.5	PASS
Band4	1312	2	NV	70	-1.47	-0.000858	±2.5	PASS
Band4	1312	3	NV	-30	-0.82	-0.000479	±2.5	PASS
Band4	1312	3	NV	-20	-1.27	-0.000742	±2.5	PASS
Band4	1312	3	NV	0	-1.22	-0.000712	±2.5	PASS
Band4	1312	3	NV	10	-0.92	-0.000537	±2.5	PASS
Band4	1312	3	NV	20	-0.99	-0.000578	±2.5	PASS
Band4	1312	3	NV	30	-0.62	-0.000362	±2.5	PASS
Band4	1312	3	NV	40	0.00	0.000000	±2.5	PASS
Band4	1312	3	NV	50	-0.50	-0.000292	±2.5	PASS
Band4	1312	3	NV	60	-0.49	-0.000286	±2.5	PASS
Band4	1312	3	NV	70	-0.37	-0.000216	±2.5	PASS
Band4	1312	4	NV	-30	-0.01	-0.000006	±2.5	PASS
Band4	1312	4	NV	-20	-0.14	-0.000082	±2.5	PASS
Band4	1312	4	NV	0	0.16	0.000093	±2.5	PASS
Band4	1312	4	NV	10	0.03	0.000018	±2.5	PASS
Band4	1312	4	NV	20	0.46	0.000269	±2.5	PASS
Band4	1312	4	NV	30	1.01	0.000590	±2.5	PASS
Band4	1312	4	NV	40	0.84	0.000491	±2.5	PASS
Band4	1312	4	NV	50	0.67	0.000391	±2.5	PASS
Band4	1312	4	NV	60	1.12	0.000654	±2.5	PASS
Band4	1312	4	NV	70	0.72	0.000420	±2.5	PASS
Band4	1312	5	NV	-30	1.43	0.000835	±2.5	PASS
Band4	1312	5	NV	-20	1.34	0.000783	±2.5	PASS
Band4	1312	5	NV	0	1.20	0.000701	±2.5	PASS
Band4	1312	5	NV	10	1.28	0.000747	±2.5	PASS
Band4	1312	5	NV	20	2.18	0.001273	±2.5	PASS
Band4	1312	5	NV	30	1.81	0.001057	±2.5	PASS
Band4	1312	5	NV	40	1.86	0.001086	±2.5	PASS

Band4	1312	5	NV	50	1.79	0.001045	±2.5	PASS
Band4	1312	5	NV	60	1.87	0.001092	±2.5	PASS
Band4	1312	5	NV	70	1.94	0.001133	±2.5	PASS
Band4	1413	1	NV	-30	2.31	0.001333	±2.5	PASS
Band4	1413	1	NV	-20	1.89	0.001091	±2.5	PASS
Band4	1413	1	NV	0	2.27	0.001310	±2.5	PASS
Band4	1413	1	NV	10	2.78	0.001605	±2.5	PASS
Band4	1413	1	NV	20	2.26	0.001304	±2.5	PASS
Band4	1413	1	NV	30	2.47	0.001426	±2.5	PASS
Band4	1413	1	NV	40	2.36	0.001362	±2.5	PASS
Band4	1413	1	NV	50	2.45	0.001414	±2.5	PASS
Band4	1413	1	NV	60	2.96	0.001708	±2.5	PASS
Band4	1413	1	NV	70	2.74	0.001581	±2.5	PASS
Band4	1413	2	NV	-30	2.90	0.001674	±2.5	PASS
Band4	1413	2	NV	-20	2.83	0.001633	±2.5	PASS
Band4	1413	2	NV	0	3.48	0.002009	±2.5	PASS
Band4	1413	2	NV	10	2.87	0.001656	±2.5	PASS
Band4	1413	2	NV	20	2.90	0.001674	±2.5	PASS
Band4	1413	2	NV	30	2.90	0.001674	±2.5	PASS
Band4	1413	2	NV	40	2.91	0.001680	±2.5	PASS
Band4	1413	2	NV	50	3.53	0.002037	±2.5	PASS
Band4	1413	2	NV	60	3.02	0.001743	±2.5	PASS
Band4	1413	2	NV	70	3.10	0.001789	±2.5	PASS
Band4	1413	3	NV	-30	3.68	0.002124	±2.5	PASS
Band4	1413	3	NV	-20	3.76	0.002170	±2.5	PASS
Band4	1413	3	NV	0	3.50	0.002020	±2.5	PASS
Band4	1413	3	NV	10	3.40	0.001962	±2.5	PASS
Band4	1413	3	NV	20	3.25	0.001876	±2.5	PASS
Band4	1413	3	NV	30	3.91	0.002257	±2.5	PASS
Band4	1413	3	NV	40	3.39	0.001957	±2.5	PASS
Band4	1413	3	NV	50	3.55	0.002049	±2.5	PASS
Band4	1413	3	NV	60	3.45	0.001991	±2.5	PASS
Band4	1413	3	NV	70	3.66	0.002112	±2.5	PASS
Band4	1413	4	NV	-30	3.99	0.002303	±2.5	PASS
Band4	1413	4	NV	-20	3.55	0.002049	±2.5	PASS
Band4	1413	4	NV	0	3.66	0.002112	±2.5	PASS
Band4	1413	4	NV	10	3.44	0.001985	±2.5	PASS
Band4	1413	4	NV	20	3.55	0.002049	±2.5	PASS
Band4	1413	4	NV	30	3.43	0.001980	±2.5	PASS
Band4	1413	4	NV	40	4.13	0.002384	±2.5	PASS
Band4	1413	4	NV	50	3.33	0.001922	±2.5	PASS
Band4	1413	4	NV	60	3.43	0.001980	±2.5	PASS
Band4	1413	4	NV	70	3.40	0.001962	±2.5	PASS
Band4	1413	5	NV	-30	3.45	0.001991	±2.5	PASS
Band4	1413	5	NV	-20	3.54	0.002043	±2.5	PASS
Band4	1413	5	NV	0	3.51	0.002026	±2.5	PASS
Band4	1413	5	NV	10	3.31	0.001910	±2.5	PASS
Band4	1413	5	NV	20	3.53	0.002037	±2.5	PASS
Band4	1413	5	NV	30	3.68	0.002124	±2.5	PASS
Band4	1413	5	NV	40	3.16	0.001824	±2.5	PASS

Band4	1413	5	NV	50	2.84	0.001639	±2.5	PASS
Band4	1413	5	NV	60	2.90	0.001674	±2.5	PASS
Band4	1413	5	NV	70	3.15	0.001818	±2.5	PASS
Band4	1513	1	NV	-30	2.75	0.001569	±2.5	PASS
Band4	1513	1	NV	-20	3.08	0.001757	±2.5	PASS
Band4	1513	1	NV	0	2.79	0.001592	±2.5	PASS
Band4	1513	1	NV	10	3.00	0.001712	±2.5	PASS
Band4	1513	1	NV	20	3.20	0.001826	±2.5	PASS
Band4	1513	1	NV	30	2.80	0.001598	±2.5	PASS
Band4	1513	1	NV	40	3.06	0.001746	±2.5	PASS
Band4	1513	1	NV	50	2.68	0.001529	±2.5	PASS
Band4	1513	1	NV	60	2.81	0.001603	±2.5	PASS
Band4	1513	1	NV	70	3.30	0.001883	±2.5	PASS
Band4	1513	2	NV	-30	2.98	0.001700	±2.5	PASS
Band4	1513	2	NV	-20	2.91	0.001660	±2.5	PASS
Band4	1513	2	NV	0	3.15	0.001797	±2.5	PASS
Band4	1513	2	NV	10	3.39	0.001934	±2.5	PASS
Band4	1513	2	NV	20	2.95	0.001683	±2.5	PASS
Band4	1513	2	NV	30	3.20	0.001826	±2.5	PASS
Band4	1513	2	NV	40	3.14	0.001792	±2.5	PASS
Band4	1513	2	NV	50	3.28	0.001872	±2.5	PASS
Band4	1513	2	NV	60	3.78	0.002157	±2.5	PASS
Band4	1513	2	NV	70	3.28	0.001872	±2.5	PASS
Band4	1513	3	NV	-30	3.44	0.001963	±2.5	PASS
Band4	1513	3	NV	-20	3.93	0.002242	±2.5	PASS
Band4	1513	3	NV	0	3.70	0.002111	±2.5	PASS
Band4	1513	3	NV	10	3.62	0.002066	±2.5	PASS
Band4	1513	3	NV	20	3.28	0.001872	±2.5	PASS
Band4	1513	3	NV	30	3.61	0.002060	±2.5	PASS
Band4	1513	3	NV	40	3.68	0.002100	±2.5	PASS
Band4	1513	3	NV	50	3.89	0.002220	±2.5	PASS
Band4	1513	3	NV	60	3.62	0.002066	±2.5	PASS
Band4	1513	3	NV	70	3.68	0.002100	±2.5	PASS
Band4	1513	4	NV	-30	4.37	0.002493	±2.5	PASS
Band4	1513	4	NV	-20	3.77	0.002151	±2.5	PASS
Band4	1513	4	NV	0	3.68	0.002100	±2.5	PASS
Band4	1513	4	NV	10	3.83	0.002185	±2.5	PASS
Band4	1513	4	NV	20	3.78	0.002157	±2.5	PASS
Band4	1513	4	NV	30	3.68	0.002100	±2.5	PASS
Band4	1513	4	NV	40	4.10	0.002339	±2.5	PASS
Band4	1513	4	NV	50	3.55	0.002026	±2.5	PASS
Band4	1513	4	NV	60	4.01	0.002288	±2.5	PASS
Band4	1513	4	NV	70	3.71	0.002117	±2.5	PASS
Band4	1513	5	NV	-30	3.92	0.002237	±2.5	PASS
Band4	1513	5	NV	-20	3.88	0.002214	±2.5	PASS
Band4	1513	5	NV	0	4.00	0.002282	±2.5	PASS
Band4	1513	5	NV	10	3.82	0.002180	±2.5	PASS
Band4	1513	5	NV	20	4.04	0.002305	±2.5	PASS
Band4	1513	5	NV	30	4.20	0.002396	±2.5	PASS
Band4	1513	5	NV	40	4.28	0.002442	±2.5	PASS

Band4	1513	5	NV	50	3.65	0.002083	±2.5	PASS
Band4	1513	5	NV	60	4.12	0.002351	±2.5	PASS
Band4	1513	5	NV	70	3.93	0.002242	±2.5	PASS