




1 2 3 4 5 6

Boot Atmel 16M: R21 & R14 = 4K7
R22 & 27
Boot Mask Chip: R21,R14, & R20 = NC
R22,R27, & 25

COMPANY: Tech-Vision Communication Ltd.

TITLE: 2-Line 5.8G Cordless Phone BASE UNIT (BaseBand)

DRAWN: Daniel Leung
CHECKED: DATE: 12-Jan-05
QUALITY CONTROL: DATE: 7081
RELEASED: DATE: 3.0


REVISION RECORD

LTR ECO NO: APPROVED: DATE:

SCALE: 1 OF 3



TITLE:		MD7081 Base Line Interface			
DRAWN:	DATE:	DRAWING NO:		REV:	
Daniel Leung	12-Jan-05	7081		MD7081BM02.sch	
CHECKED:	DATED:	SIZE:		3.0	
QUALITY CONTROL:	DATED:	CODE:		7081	
RELEASED:	DATED:	SCALE:		SHEET: 2 OF 3	



CCT R&D LTD.	
DATE: 04 Nov 2004	MODEL: MD7081
DRAWN BY: --	TITLE: BASE KEYBOARD
CHECKED BY: --	
APPROVED BY: --	
PCB NO.: 7081MKB02.sch	
DRAWING NO.:	DRAWN BY: REV.: v2.0

