


802.11ax HE20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5620.50	55.87	13.29	42.58	68.20	-12.33	100	200 Peak	Horizontal	
2	5697.00	56.94	14.34	42.60	102.99	-46.05	100	200 Peak	Horizontal	
3	5720.00	62.05	19.29	42.76	110.80	-48.75	100	200 Peak	Horizontal	
4	5725.00	68.56	25.75	42.81	130.00	-61.44	100	200 Peak	Horizontal	
5	5745.00	111.26	68.28	42.98	130.00	-18.74	100	200 Peak	Horizontal	
6	5853.00	56.07	13.07	43.00	118.48	-62.41	100	200 Peak	Horizontal	
7	5862.00	57.41	14.36	43.05	108.84	-51.43	100	200 Peak	Horizontal	
8	5886.00	57.56	14.41	43.15	97.93	-39.47	100	200 Peak	Horizontal	
9	5956.00	57.30	13.93	43.37	68.20	-10.90	100	200 Peak	Horizontal	

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5637.50	56.65	14.02	42.63	68.20	-11.55	100	184 Peak	Vertical	
2	5666.00	56.77	14.13	42.64	80.00	-23.31	100	184 Peak	Vertical	
3	5720.00	65.33	22.57	42.76	110.80	-45.47	100	184 Peak	Vertical	
4	5725.00	70.91	28.10	42.81	130.00	-59.09	100	184 Peak	Vertical	
5	5745.00	113.62	70.64	42.98	130.00	-16.38	100	184 Peak	Vertical	
6	5852.00	57.11	14.11	43.00	122.32	-65.21	100	184 Peak	Vertical	
7	5856.00	57.52	14.51	43.01	110.52	-53.00	100	184 Peak	Vertical	
8	5916.00	58.32	15.06	43.26	74.84	-16.52	100	184 Peak	Vertical	
9	5994.00	57.64	14.16	43.48	68.20	-10.56	100	184 Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5641.00	56.95	14.32	42.63	68.20	-11.25	100	269 Peak	Horizontal	
2	5676.50	56.80	13.38	42.62	87.85	-31.85	100	269 Peak	Horizontal	
3	5718.00	57.56	14.82	42.74	110.24	-52.68	100	269 Peak	Horizontal	
4	5722.00	56.32	13.54	42.78	118.48	-62.16	100	269 Peak	Horizontal	
5	5785.00	111.52	68.54	42.98	130.00	-18.48	100	269 Peak	Horizontal	
6	5854.50	55.71	12.70	43.01	112.72	-57.01	100	269 Peak	Horizontal	
7	5863.00	56.49	13.44	43.05	108.56	-52.07	100	269 Peak	Horizontal	
8	5891.00	56.97	13.79	43.18	93.33	-36.36	100	269 Peak	Horizontal	
9	5964.00	57.63	14.23	43.40	68.20	-10.57	100	269 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.00	56.50	13.86	42.64	68.20	-11.70	100	181 Peak	Vertical	
2	5695.00	57.14	14.54	42.60	101.51	-44.37	100	181 Peak	Vertical	
3	5706.00	57.62	14.98	42.64	106.88	-49.26	100	181 Peak	Vertical	
4	5725.00	57.75	14.94	42.81	130.00	-72.25	100	181 Peak	Vertical	
5	5785.00	113.90	70.92	42.98	130.00	-16.10	100	181 Peak	Vertical	
6	5855.50	57.49	14.49	43.00	116.56	-59.07	100	181 Peak	Vertical	
7	5859.50	59.77	16.73	43.04	109.54	-49.77	100	181 Peak	Vertical	
8	5899.50	57.99	14.77	43.22	87.03	-29.04	100	181 Peak	Vertical	
9	5956.50	57.78	14.41	43.37	68.20	-10.42	100	181 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5611.00	55.93	13.38	42.55	68.20	-12.27	100	267 Peak	Horizontal	
2	5690.00	56.87	13.47	42.60	97.83	-41.76	100	267 Peak	Horizontal	
3	5716.50	56.24	13.51	42.73	109.82	-53.58	100	267 Peak	Horizontal	
4	5723.50	55.68	12.89	42.79	124.24	-68.56	100	267 Peak	Horizontal	
5	5825.00	112.34	69.37	42.97	130.00	-17.66	100	267 Peak	Horizontal	
6	5850.00	69.59	26.60	42.99	130.00	-60.41	100	267 Peak	Horizontal	
7	5860.00	59.00	16.04	43.04	109.40	-50.32	100	267 Peak	Horizontal	
8	5904.00	58.68	15.44	43.24	83.70	-25.02	100	267 Peak	Horizontal	
9	5961.00	58.12	14.74	43.38	68.20	-10.00	100	267 Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5605.50	56.06	13.52	42.54	68.20	-12.14	100	180 Peak	Vertical	
2	5659.00	56.46	13.82	42.64	74.88	-18.42	100	180 Peak	Vertical	
3	5707.50	56.82	14.17	42.65	107.30	-50.48	100	180 Peak	Vertical	
4	5724.50	56.18	13.37	42.81	128.08	-71.90	100	180 Peak	Vertical	
5	5825.00	114.48	71.51	42.97	130.00	-15.52	100	180 Peak	Vertical	
6	5850.50	65.47	22.48	42.99	128.00	-62.61	100	180 Peak	Vertical	
7	5856.50	60.65	17.63	43.02	110.30	-49.73	100	180 Peak	Vertical	
8	5922.00	58.37	15.09	43.28	70.41	-12.04	100	180 Peak	Vertical	
9	5928.50	58.20	14.90	43.30	68.20	-10.00	100	180 Peak	Vertical	

802.11ax HE40
CH 151 (Horizontal) Peak
CH 151 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5592.00	57.23	14.69	42.54	68.20	-10.97	142	177 Peak	Horizontal	
2	5694.00	58.63	15.94	42.69	100.78	-42.15	142	177 Peak	Horizontal	
3	5718.50	72.72	29.95	42.77	110.38	-37.66	142	177 Peak	Horizontal	
4	5722.50	74.73	31.94	42.79	120.40	-45.67	142	177 Peak	Horizontal	
5	5755.00	108.93	65.99	42.94	130.00	-21.07	142	177 Peak	Horizontal	
6	5854.50	57.16	14.17	42.99	112.72	-55.56	142	177 Peak	Horizontal	
7	5870.00	56.98	13.98	43.00	106.60	-49.62	142	177 Peak	Horizontal	
8	5890.00	57.37	14.35	43.02	94.07	-36.70	142	177 Peak	Horizontal	
9	5932.50	57.42	14.25	43.17	68.20	-10.78	142	177 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5626.00	55.50	12.86	42.64	68.20	-12.70	100	198 Peak	Vertical	
2	5700.00	57.98	15.29	42.69	105.20	-47.22	100	198 Peak	Vertical	
3	5716.50	72.03	29.26	42.77	109.82	-37.79	100	198 Peak	Vertical	
4	5723.00	72.82	30.03	42.79	122.32	-49.50	100	198 Peak	Vertical	
5	5755.00	110.78	67.84	42.94	130.00	-19.22	100	198 Peak	Vertical	
6	5850.50	55.68	12.69	42.99	128.00	-72.40	100	198 Peak	Vertical	
7	5870.50	57.64	14.64	43.00	106.46	-48.82	100	198 Peak	Vertical	
8	5878.50	57.86	14.85	43.01	102.60	-44.74	100	198 Peak	Vertical	
9	5999.00	56.86	13.47	43.39	68.20	-11.34	100	198 Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5631.50	56.55	13.95	42.60	68.20	-11.65	100	269 Peak	Horizontal	
2	5663.00	56.85	14.22	42.63	77.85	-21.00	100	269 Peak	Horizontal	
3	5708.00	56.07	13.42	42.65	107.44	-51.37	100	269 Peak	Horizontal	
4	5721.50	56.34	13.57	42.77	116.56	-60.22	100	269 Peak	Horizontal	
5	5795.00	108.32	65.36	42.96	130.00	-21.68	100	269 Peak	Horizontal	
6	5850.00	57.98	14.99	42.99	130.00	-72.02	100	269 Peak	Horizontal	
7	5869.50	57.83	14.75	43.00	106.74	-40.91	100	269 Peak	Horizontal	
8	5901.00	58.76	15.54	43.22	85.92	-27.16	100	269 Peak	Horizontal	
9	5954.00	57.29	13.92	43.37	68.20	-10.91	100	269 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5631.50	56.27	13.67	42.60	68.20	-11.93	100	178 Peak	Vertical	
2	5650.50	56.83	14.17	42.66	68.57	-11.74	100	178 Peak	Vertical	
3	5705.00	58.77	16.14	42.63	106.60	-47.83	100	178 Peak	Vertical	
4	5722.50	56.83	14.05	42.78	120.40	-63.57	100	178 Peak	Vertical	
5	5795.00	110.82	67.86	42.96	130.00	-19.18	100	178 Peak	Vertical	
6	5851.50	60.80	17.80	43.00	124.24	-63.44	100	178 Peak	Vertical	
7	5873.00	60.59	17.50	43.09	105.76	-45.17	100	178 Peak	Vertical	
8	5920.50	58.57	15.29	43.28	71.52	-12.95	100	178 Peak	Vertical	
9	5932.50	57.89	14.58	43.31	68.20	-10.31	100	178 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5647.00	58.56	15.82	42.74	68.20	-9.64	100	199 Peak	Horizontal
2	5681.00	76.40	33.68	42.72	91.18	-14.78	100	199 Peak	Horizontal
3	5719.00	83.79	41.01	42.78	110.52	-26.73	100	199 Peak	Horizontal
4	5721.50	84.92	42.13	42.79	116.56	-31.64	100	199 Peak	Horizontal
5	5775.00	109.43	66.44	42.99	130.00	-20.57	100	199 Peak	Horizontal
6	5851.50	79.71	36.72	42.99	124.24	-44.53	100	199 Peak	Horizontal
7	5856.00	80.46	37.47	42.99	110.52	-30.06	100	199 Peak	Horizontal
8	5875.00	75.10	32.09	43.01	105.20	-30.10	100	199 Peak	Horizontal
9	5926.50	61.83	18.68	43.15	68.20	-6.37	100	199 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5646.50	58.92	16.18	42.74	68.20	-9.28	100	177 Peak	Vertical
2	5681.50	77.77	35.05	42.72	91.55	-13.78	100	177 Peak	Vertical
3	5719.00	84.77	41.99	42.78	110.52	-25.75	100	177 Peak	Vertical
4	5724.00	86.45	43.64	42.81	126.16	-39.71	100	177 Peak	Vertical
5	5775.00	112.17	69.18	42.99	130.00	-17.83	100	177 Peak	Vertical
6	5851.50	82.09	39.10	42.99	124.24	-42.15	100	177 Peak	Vertical
7	5856.00	82.74	39.75	42.99	110.52	-27.78	100	177 Peak	Vertical
8	5875.00	77.69	34.68	43.01	105.20	-27.51	100	177 Peak	Vertical
9	5929.00	65.51	22.35	43.16	68.20	-2.69	100	177 Peak	Vertical

Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-3


802.11ax HE80

CH 155(Open) (9kHz ~ 150kHz)

CH 155(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBuV/m	dB	cm	deg			
1	0.03	56.29	36.74	119.13	-62.84	100	0	Peak	Open	
2	0.06	41.68	22.39	111.82	-70.14	100	54	Peak	Open	
3	0.07	39.91	20.78	110.77	-70.86	100	236	Peak	Open	
4	0.09	49.40	30.66	108.61	-59.21	100	156	Peak	Open	
5	0.10	36.81	18.28	107.55	-70.74	100	335	Peak	Open	
6	0.12	35.62	17.03	105.70	-70.08	100	190	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBuV/m	dB	cm	deg			
1	0.39	46.23	27.14	109.09	-95.81	100	129	Peak	Open	
2	0.78	39.19	20.08	109.11	-69.70	100	138	Peak	Open	
3	7.85	33.47	12.88	109.59	-66.63	100	152	Peak	Open	
4	16.84	35.76	13.63	109.50	-65.74	100	144	Peak	Open	
5	22.75	36.81	14.17	109.50	-65.69	100	0	Peak	Open	
6	25.43	35.95	13.20	109.50	-65.55	100	74	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII-3


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	62.01	21.98	28.88	-6.90	48.00	-18.02	193	368 Peak	Horizontal	
2	163.86	23.61	29.31	-5.70	43.50	-19.89	280	49 Peak	Horizontal	
3	298.69	33.12	37.96	-4.84	46.00	-12.88	100	95 Peak	Horizontal	
4	499.48	33.76	35.40	-1.64	46.00	-12.24	100	170 Peak	Horizontal	
5	739.07	32.68	29.97	2.71	46.00	-13.32	300	139 Peak	Horizontal	
6	844.80	34.85	29.94	4.11	46.00	-11.95	100	341 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	47.46	28.79	34.62	-5.83	48.00	-11.21	100	189 Peak	Vertical	
2	199.75	27.73	36.43	-8.70	43.50	-15.77	100	256 Peak	Vertical	
3	299.66	37.57	42.37	-4.80	46.00	-8.43	100	160 Peak	Vertical	
4	433.52	29.46	31.85	-2.39	46.00	-16.54	100	184 Peak	Vertical	
5	733.25	32.38	30.09	2.29	46.00	-13.62	200	139 Peak	Vertical	
6	844.80	34.94	30.83	4.11	46.00	-11.06	200	88 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	60.05	64.00	-3.95	68.20	-8.15	100		231 Peak	Horizontal	
2	15540.00	52.93	50.48	2.45	54.00	-1.07	100		63 Average	Horizontal	
3	15540.00	61.39	58.94	2.45	74.00	-12.61	100		63 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	60.63	64.58	-3.95	68.20	-7.57	100		194 Peak	Vertical	
2	15540.00	40.45	46.00	2.45	54.00	-5.55	124		176 Average	Vertical	
3	15540.00	58.60	56.15	2.45	74.00	-15.40	124		176 Peak	Vertical	


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 18400.000	61.21	65.07	-3.86	68.20	-6.99	100	172	Peak	Horizontal	
2 115600.000	52.94	50.52	2.42	54.00	-1.06	100	54	Average	Horizontal	
3 15600.000	61.32	58.90	2.42	74.00	-12.68	100	54	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 18400.000	59.61	63.47	-3.86	68.20	-8.59	100	165	Peak	Vertical	
2 115600.000	48.72	46.30	2.42	54.00	-5.28	100	360	Average	Vertical	
3 15600.000	59.90	57.48	2.42	74.00	-14.10	100	360	Peak	Vertical	


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 18480.000	58.56	62.16	-3.60	68.20	-9.64	100	232	Peak	Horizontal	
2 15720.000	52.73	49.66	3.07	54.00	-1.27	104	54	Average	Horizontal	
3 15720.000	63.40	60.33	3.07	74.00	-10.60	104	54	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 18480.000	66.05	69.65	-3.60	68.20	-2.15	100	208	Peak	Vertical	
2 15720.000	40.19	45.12	3.07	54.00	-5.81	120	168	Average	Vertical	
3 15720.000	58.92	55.85	3.07	74.00	-15.08	120	168	Peak	Vertical	


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 18360.000	62.90	66.85	-3.95	68.20	-5.30	151	185	Peak	Horizontal	
2 15540.000	52.91	50.46	2.45	54.00	-1.09	100	57	Average	Horizontal	
3 15540.000	65.57	63.12	2.45	74.00	-8.43	100	57	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 18360.000	65.17	69.12	-3.95	68.20	-3.03	100	203	Peak	Vertical	
2 15540.000	40.20	45.75	2.45	54.00	-5.80	100	360	Average	Vertical	
3 15540.000	61.38	58.93	2.45	74.00	-12.62	100	360	Peak	Vertical	


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	61.85	65.71	-3.86	68.20	-6.35	100		237 Peak	Horizontal	
2	15600.00	52.58	50.16	2.42	54.00	-1.42	100		54 Average	Horizontal	
3	15600.00	65.64	63.22	2.42	74.00	-8.36	100		54 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	65.76	69.62	-3.86	68.20	-2.44	124		193 Peak	Vertical	
2	15600.00	47.41	44.99	2.42	54.00	-6.59	100		360 Average	Vertical	
3	15600.00	60.55	58.13	2.42	74.00	-13.45	100		360 Peak	Vertical	


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	62.68	66.28	-3.60	68.20	-5.52	110	236	Peak	Horizontal	
2	15720.00	52.84	49.77	3.07	54.00	-1.16	100	56	Average	Horizontal	
3	15720.00	65.94	62.87	3.07	74.00	-8.06	100	56	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	66.16	69.76	-3.60	68.20	-2.04	100	190	Peak	Vertical	
2	15720.00	47.68	44.61	3.07	54.00	-6.32	101	360	Average	Vertical	
3	15720.00	61.05	57.98	3.07	74.00	-12.95	101	360	Peak	Vertical	


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10380.00	61.44	65.34	-3.90	68.20	-6.76	100	230	Peak	Horizontal	
2	15570.00	51.02	48.59	2.43	54.00	-2.98	100	57	Average	Horizontal	
3	15570.00	63.53	61.10	2.43	74.00	-10.47	100	57	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10380.00	61.13	65.03	-3.90	68.20	-7.07	100	202	Peak	Vertical	
2	15570.00	46.10	43.67	2.43	54.00	-7.90	100	4	Average	Vertical	
3	15570.00	59.54	57.11	2.43	74.00	-14.46	100	4	Peak	Vertical	


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 18460.000	61.74	65.40	-3.66	68.20	-6.46	100	232	Peak	Horizontal	
2 15690.000	52.68	49.69	2.99	54.00	-1.32	100	49	Average	Horizontal	
3 15690.000	65.43	62.44	2.99	74.00	-8.57	100	49	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 18460.000	66.61	70.27	-3.66	68.20	-1.59	100	192	Peak	Vertical	
2 15690.000	47.23	44.24	2.99	54.00	-6.77	100	355	Average	Vertical	
3 15690.000	60.06	57.07	2.99	74.00	-13.94	100	355	Peak	Vertical	


802.11ax HE80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10420.00	54.29	58.09	-3.80	68.20	-13.91	100		275 Peak	Horizontal	
2	15630.00	47.36	44.76	2.60	54.00	-6.64	100		61 Average	Horizontal	
3	15630.00	59.34	56.74	2.60	74.00	-14.66	100		61 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10420.00	55.14	58.94	-3.80	68.20	-13.06	200	169	Peak	Vertical	
2	15630.00	43.07	40.47	2.60	54.00	-10.93	100		360 Average	Vertical	
3	15630.00	56.00	53.40	2.60	74.00	-18.00	100		360 Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11490.00	38.41	40.53	-2.12	54.00	-15.59	100	126	Average	Horizontal		
2	11490.00	48.85	50.97	-2.12	74.00	-25.15	100	126	Peak	Horizontal		
3	17235.00	66.86	61.76	5.10	68.20	-1.34	101	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11490.00	38.82	40.14	-2.12	54.00	-15.98	104	42	Average	Vertical		
2	11490.00	49.96	52.08	-2.12	74.00	-24.04	104	42	Peak	Vertical		
3	17235.00	62.64	57.54	5.10	68.20	-5.56	100	224	Peak	Vertical		


802.11a

CH 157 (Horizontal)


CH 157 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Remark	Pol/Phase
MHz	dBuV/m	Level Factor	Line	Limit		
		dBuV	dB/m	dBuV/m	dB	
1 17475.00	66.91	61.35	5.56	68.20	-1.29 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	Remark	Pol/Phase
MHz	dBuV/m	Level Factor	Line	Limit		
		dBuV	dB/m	dBuV/m	dB	
1 17475.00	59.56	54.00	5.56	68.20	-8.64 Peak	Vertical


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	37.49	39.61	-2.12	54.00	-16.51	100	137 Average	Horizontal	
2	11490.00	52.16	54.28	-2.12	74.00	-21.84	100	137 Peak	Horizontal	
3	17235.00	66.66	61.56	5.10	68.20	-1.54	100	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	35.74	37.86	-2.12	54.00	-18.26	100	199 Average	Vertical	
2	11490.00	49.63	51.75	-2.12	74.00	-24.37	100	199 Peak	Vertical	
3	17235.00	63.60	58.50	5.10	68.20	-4.60	100	323 Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	37.93	39.92	-1.99	54.00	-16.07	100	233 Average	Horizontal	
2	11570.00	51.18	53.17	-1.99	74.00	-22.82	100	233 Peak	Horizontal	
3	17355.00	66.97	61.57	5.40	68.20	-1.23	100	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	35.74	37.73	-1.99	54.00	-18.26	100	172 Average	Vertical	
2	11570.00	48.56	50.55	-1.99	74.00	-25.44	100	172 Peak	Vertical	
3	17355.00	64.29	58.89	5.40	68.20	-3.91	100	327 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	39.54	41.26	-1.72	54.00	-14.46	100	238 Average	Horizontal	
2	11650.00	52.81	54.53	-1.72	74.00	-21.19	100	238 Peak	Horizontal	
3	17475.00	66.93	61.37	5.56	68.20	-1.27	100	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	37.10	38.82	-1.72	54.00	-16.90	100	164 Average	Vertical	
2	11650.00	50.28	52.00	-1.72	74.00	-23.72	100	164 Peak	Vertical	
3	17475.00	64.01	58.45	5.56	68.20	-4.19	100	323 Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	11510.00	38.29	40.37	-2.08	54.00	-15.71	100	138 Average	Horizontal	
2	11510.00	52.06	54.14	-2.08	74.00	-21.94	100	138 Peak	Horizontal	
3	17265.00	66.92	61.82	5.10	68.20	-1.28	100	359 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	11510.00	37.88	39.16	-2.08	54.00	-16.92	100	191 Average	Vertical	
2	11510.00	51.00	53.08	-2.08	74.00	-23.00	100	191 Peak	Vertical	
3	17265.00	63.71	58.61	5.10	68.20	-4.49	100	325 Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	36.05	38.01	-1.96	54.00	-17.95	100	129 Average	Horizontal	
2	11590.00	49.96	51.92	-1.96	74.00	-24.04	100	129 Peak	Horizontal	
3	17385.00	66.97	61.42	5.55	68.20	-1.23	100	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	36.47	38.43	-1.96	54.00	-17.53	100	202 Average	Vertical	
2	11590.00	48.33	50.29	-1.96	74.00	-25.67	100	202 Peak	Vertical	
3	17385.00	63.01	57.46	5.55	68.20	-5.19	100	332 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	11550.00	42.37	44.39	-2.02	54.00	-11.63	100	144 Average	Horizontal
2	11550.00	49.18	51.20	-2.02	74.00	-24.82	100	144 Peak	Horizontal
3	17325.00	65.78	68.54	5.24	68.20	-2.42	112	360 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	11550.00	43.93	45.95	-2.02	54.00	-10.07	100	191 Average	Vertical
2	11550.00	50.97	52.99	-2.02	74.00	-23.03	100	191 Peak	Vertical
3	17325.00	63.40	58.16	5.24	68.20	-4.80	100	318 Peak	Vertical


Mains Conducted Emission, (150kHz ~ 30MHz)

Worst Band

(Line)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase
	MHz	dBuV	dBuV	dB	dBuV	dB		
1	0.15	36.22	26.60	9.62	56.00	-19.78	Average	line1
2	0.15	58.64	49.02	9.62	66.00	-7.36	QP	line1
3	0.18	27.73	18.11	9.62	54.26	-26.53	Average	line1
4	0.18	52.01	42.39	9.62	64.26	-12.25	QP	line1
5	3.75	22.08	12.40	9.68	46.00	-23.92	Average	line1
6	3.75	30.43	20.75	9.68	56.00	-25.57	QP	line1
7	5.09	19.52	9.82	9.70	50.00	-30.48	Average	line1
8	5.09	28.94	19.24	9.70	60.00	-31.06	QP	line1
9	9.92	23.43	13.67	9.76	50.00	-26.57	Average	line1
10	9.92	29.59	19.83	9.76	60.00	-30.41	QP	line1
11	25.83	18.22	8.48	9.74	50.00	-31.78	Average	line1
12	25.83	23.71	13.97	9.74	60.00	-36.29	QP	line1

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase
	MHz	dBuV	dBuV	dB	dBuV	dB		
1	0.15	35.44	25.82	9.62	55.88	-20.44	Average	neutral
2	0.15	56.69	47.07	9.62	65.88	-9.19	QP	neutral
3	0.18	31.66	22.04	9.62	54.55	-22.89	Average	neutral
4	0.18	53.40	43.78	9.62	64.55	-11.15	QP	neutral
5	3.83	19.29	9.60	9.69	46.00	-26.71	Average	neutral
6	3.83	28.24	18.55	9.69	56.00	-27.76	QP	neutral
7	8.25	27.42	17.65	9.77	50.00	-22.58	Average	neutral
8	8.25	34.10	24.33	9.77	60.00	-25.90	QP	neutral
9	15.23	21.85	12.02	9.83	50.00	-28.15	Average	neutral
10	15.23	27.31	17.48	9.83	60.00	-32.69	QP	neutral
11	25.83	18.82	8.95	9.87	50.00	-31.18	Average	neutral
12	25.83	24.13	14.26	9.87	60.00	-35.87	QP	neutral