












802.11ax HE20

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)	Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
U-NII-1	36	5180	5.61	6.42	11.00	Pass
	40	5200	5.38	6.19	11.00	Pass
	48	5240	5.93	6.74	11.00	Pass
Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)	Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
U-NII-3	149	5745	1.38	2.19	30.00	Pass
	157	5785	1.20	2.01	30.00	Pass
	165	5825	0.95	1.76	30.00	Pass


802.11ax HE20-Channel 36

802.11ax HE20-Channel 40

802.11ax HE20-Channel 48


802.11ax HE20-Channel 149


Date: 25.MAR.2024 15:44:16

802.11ax HE20-Channel 157



Date: 25.MAR.2024 15:45:17

802.11ax HE20-Channel 165


Date: 25.MAR.2024 15:47:49


802.11ax HE40

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)	Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
U-NII-1	38	5190	3.19	4.69	11.00	Pass
	46	5230	3.80	5.30	11.00	Pass
Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)	Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
U-NII-3	151	5755	-2.31	-0.81	30.00	Pass
	159	5795	-2.34	-0.84	30.00	Pass



802.11ax HE80

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)	Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
U-NII-1	42	5210	-1.97	0.68	11.00	Pass
Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)	Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
U-NII-3	155	5775	-6.12	-3.47	30.00	Pass



Appendix B: Test Results of Radiation Spurious Emissions & Mains

Conducted Emission

Band Edges, 4.5GHz ~ 5.15GHz

U-NII-1


802.11a

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.50	56.40	14.56	41.84	74.00	-17.60	100	205	Peak	Horizontal	
2 *	5180.00	100.36	58.34	42.02	68.20	32.16	100	205	Peak	Horizontal	
3	5416.50	55.12	12.62	42.50	74.00	-18.88	100	205	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	57.33	15.51	41.82	74.00	-16.67	100	324	Peak	Vertical	
2 *	5180.00	100.34	58.32	42.02	68.20	32.14	100	324	Peak	Vertical	
3	5368.50	54.88	12.56	42.32	74.00	-19.12	100	324	Peak	Vertical	

802.11a

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.00	43.53	1.69	41.84	54.00	-10.47	100	205	Average	Horizontal	
2 *	5180.00	91.13	49.11	42.02	54.00	37.13	100	205	Average	Horizontal	
3	5418.00	42.56	0.07	42.49	54.00	-11.44	100	205	Average	Horizontal	

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.00	43.94	2.11	41.83	54.00	-10.06	100	324	Average	Vertical	
2 *	5180.00	91.20	49.18	42.02	54.00	37.20	100	324	Average	Vertical	
3	5394.00	42.56	0.03	42.53	54.00	-11.44	100	324	Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5093.000	55.38	13.80	41.58	74.00	-18.62	106	152	Peak	Horizontal	
2	5200.000	103.24	61.29	41.95	68.20	35.04	106	152	Peak	Horizontal	
3	5430.500	55.60	13.03	42.57	74.00	-18.40	106	152	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5085.000	54.78	13.20	41.58	74.00	-19.22	104	172	Peak	Vertical	
2	5200.000	104.49	62.54	41.95	68.20	36.29	104	172	Peak	Vertical	
3	5383.000	55.48	12.94	42.54	74.00	-18.52	104	172	Peak	Vertical	

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5088.500	54.97	13.39	41.58	74.00	-19.03	103	152	Peak	Horizontal	
2 *	5240.000	102.87	60.97	41.90	68.20	34.67	103	152	Peak	Horizontal	
3	5392.500	55.61	12.93	42.68	74.00	-18.39	103	152	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4798.000	55.17	13.90	41.27	74.00	-18.83	100	171	Peak	Vertical	
2 *	5240.000	103.14	61.24	41.90	68.20	34.94	100	171	Peak	Vertical	
3	5425.500	55.83	13.22	42.61	74.00	-18.17	100	171	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5121.000	41.82	0.18	41.64	54.00	-12.18	103	152	Average	Horizontal	
2	5240.000	93.90	51.90	41.90	54.00	39.90	103	152	Average	Horizontal	
3	5418.500	42.63	-0.02	42.65	54.00	-11.37	103	152	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5112.500	41.91	0.29	41.62	54.00	-12.09	100	171	Average	Vertical	
2	5240.000	94.04	52.14	41.90	54.00	40.04	100	171	Average	Vertical	
3	5394.500	42.75	0.05	42.70	54.00	-11.25	100	171	Average	Vertical	

802.11ax HE20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.00	55.42	13.77	41.65	74.00	-18.58	295	300	Peak	Horizontal	
2 *	5180.00	101.55	59.69	41.86	68.20	33.35	295	300	Peak	Horizontal	
3	5446.00	54.65	12.20	42.45	74.00	-19.35	295	300	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	54.69	12.97	41.72	68.20	-13.51	264	53	Peak	Vertical	
2 *	5180.00	102.33	60.46	41.86	68.20	34.12	264	53	Peak	Vertical	
3	5398.00	54.86	12.10	42.76	74.00	-19.14	264	53	Peak	Vertical	

802.11ax HE20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	44.26	2.54	41.72	54.00	-9.74	295	300	Average	Horizontal	
2 *	5180.00	91.59	49.53	41.86	54.00	37.39	295	300	Average	Horizontal	
3	5392.50	43.04	0.36	42.68	54.00	-10.96	295	300	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	43.50	1.78	41.72	54.00	-10.50	264	53	Average	Vertical	
2 *	5180.00	91.54	49.68	41.86	54.00	37.54	264	53	Average	Vertical	
3	5394.50	43.30	0.60	42.70	54.00	-10.70	264	53	Average	Vertical	


802.11ax HE20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5131.50	55.83	13.98	41.85	74.00	-18.17	138	174	Peak	Horizontal	
2 *	5200.00	104.56	62.41	42.15	68.20	36.36	138	174	Peak	Horizontal	
3	5416.50	56.12	13.62	42.50	74.00	-17.88	138	174	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4955.50	55.38	13.72	41.66	74.00	-18.62	373	45	Peak	Vertical	
2 *	5200.00	105.34	63.19	42.15	68.20	37.14	373	45	Peak	Vertical	
3	5391.00	55.47	12.96	42.51	74.00	-18.53	373	45	Peak	Vertical	

802.11ax HE20

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5105.50	42.69	0.81	41.88	54.00	-11.31	138	174	Average	Horizontal	
2	5200.00	92.26	50.11	42.15	54.00	38.26	138	174	Average	Horizontal	
3	5434.00	43.08	0.67	42.41	54.00	-10.92	138	174	Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5104.50	42.70	0.82	41.88	54.00	-11.30	373	45	Average	Vertical	
2	5200.00	92.05	50.70	42.15	54.00	38.05	373	45	Average	Vertical	
3	5402.50	43.12	0.54	42.58	54.00	-10.88	373	45	Average	Vertical	

802.11ax HE20

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5181.00	55.46	13.57	41.89	74.00	-18.54	100	175	Peak	Horizontal	
2 *	5240.00	104.15	62.29	41.86	68.20	35.95	100	175	Peak	Horizontal	
3	5427.50	56.03	13.59	42.44	74.00	-17.97	100	175	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.00	55.48	13.63	41.85	74.00	-18.52	263	63	Peak	Vertical	
2 *	5240.00	104.15	64.29	41.86	68.20	37.95	263	63	Peak	Vertical	
3	5416.50	55.72	13.22	42.50	74.00	-18.28	263	63	Peak	Vertical	

802.11ax HE20

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5096.00	42.81	0.93	41.88	54.00	-11.19	100	175	Average	Horizontal		
2 *	5240.00	92.58	50.72	41.86	54.00	38.58	100	175	Average	Horizontal		
3	5404.00	43.12	0.55	42.57	54.00	-10.88	100	175	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5096.00	42.61	0.73	41.88	54.00	-11.39	263	63	Average	Vertical		
2 *	5240.00	93.32	51.46	41.86	54.00	39.32	263	63	Average	Vertical		
3	5420.00	42.93	0.45	42.48	54.00	-11.07	263	63	Average	Vertical		

802.11ax HE40

CH 38 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.83	64.88	23.08	41.72	74.00	-9.20	100	300	Peak	Horizontal	
2 *	5190.00	100.26	58.35	41.91	68.20	32.06	100	300	Peak	Horizontal	
3	5389.40	55.23	12.60	42.63	74.00	-18.77	100	300	Peak	Horizontal	

CH 38 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.33	64.52	22.80	41.72	74.00	-9.48	278	52	Peak	Vertical	
2 *	5190.00	100.40	58.49	41.91	68.20	32.20	278	52	Peak	Vertical	
3	5409.36	55.78	13.06	42.72	74.00	-18.22	278	52	Peak	Vertical	

802.11ax HE40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.83	52.63	10.91	41.72	54.00	-1.37	100	300	Average	Horizontal	
2 *	5190.00	89.42	47.51	41.91	54.00	35.42	100	300	Average	Horizontal	
3	5430.83	43.12	0.56	42.56	54.00	-10.88	100	300	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.83	51.39	9.67	41.72	54.00	-2.61	278	52	Average	Vertical	
2 *	5190.00	89.71	47.80	41.91	54.00	35.71	278	52	Average	Vertical	
3	5395.89	43.38	0.65	42.73	54.00	-10.62	278	52	Average	Vertical	


802.11ax HE40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5097.92	54.96	13.37	41.59	74.00	-19.04	379	292	Peak	Horizontal	
2 *	5230.00	102.17	60.26	41.91	68.20	33.97	379	292	Peak	Horizontal	
3	5453.28	56.25	13.82	42.43	74.00	-17.75	379	292	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5096.94	54.65	13.07	41.58	74.00	-19.35	277	48	Peak	Vertical	
2 *	5230.00	102.69	60.78	41.91	68.20	34.49	277	48	Peak	Vertical	
3	5407.37	55.34	12.61	42.73	74.00	-18.66	277	48	Peak	Vertical	

802.11ax HE40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5119.39	42.48	0.84	41.64	54.00	-11.52	379	292	Average	Horizontal	
2 *	5230.00	91.54	49.63	41.91	54.00	37.54	379	292	Average	Horizontal	
3	5448.29	43.10	0.67	42.43	54.00	-10.90	379	292	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.84	42.57	0.86	41.71	54.00	-11.43	277	48	Average	Vertical	
2 *	5230.00	92.10	50.28	41.91	54.00	38.19	277	48	Average	Vertical	
3	5424.34	43.14	0.53	42.61	54.00	-10.86	277	48	Average	Vertical	


802.11ax HE80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	64.37	22.55	41.82	74.00	-9.63	100		214 Peak	Horizontal	
2 *	5210.00	95.53	53.45	42.08	68.20	27.33	100		214 Peak	Horizontal	
3	5437.00	55.69	13.30	42.39	74.00	-18.31	100		214 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	59.89	18.07	41.82	68.20	-8.31	100		61 Peak	Vertical	
2 *	5210.00	95.54	53.46	42.08	68.20	27.34	100		61 Peak	Vertical	
3	5409.50	56.26	13.73	42.53	74.00	-17.74	100		61 Peak	Vertical	

802.11ax HE80

CH 42 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	52.47	10.65	41.82	54.00	-1.53	100		214 Average	Horizontal	
2 *	5210.00	85.73	43.65	42.08	54.00	31.73	100		214 Average	Horizontal	
3	5428.50	44.16	1.72	42.44	54.00	-9.84	100		214 Average	Horizontal	

CH 42 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	50.77	8.95	41.82	54.00	-3.23	100		61 Average	Vertical	
2 *	5210.00	85.88	43.80	42.08	54.00	31.88	100		61 Average	Vertical	
3	5408.50	44.00	1.46	42.54	54.00	-10.00	100		61 Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5631.50	56.46	13.86	42.60	68.20	-11.74	100	204 Peak	Horizontal	
2	5698.00	56.46	13.87	42.59	103.73	-47.27	100	204 Peak	Horizontal	
3	5720.00	57.52	14.76	42.76	110.80	-53.28	100	204 Peak	Horizontal	
4	5723.00	61.31	18.53	42.78	122.32	-61.01	100	204 Peak	Horizontal	
5	5745.00	108.33	65.35	42.98	130.00	-21.67	100	204 Peak	Horizontal	
6	5855.00	55.61	12.00	43.01	110.00	-55.19	100	204 Peak	Horizontal	
7	5864.00	56.36	13.30	43.06	108.28	-51.92	100	204 Peak	Horizontal	
8	5887.50	57.90	14.74	43.16	95.92	-38.02	100	204 Peak	Horizontal	
9	5937.00	56.90	13.58	43.32	68.20	-11.30	100	204 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5626.00	56.85	14.26	42.59	68.20	-11.35	100	171 Peak	Vertical	
2	5693.50	57.23	14.64	42.59	100.41	-43.18	100	171 Peak	Vertical	
3	5718.50	58.52	15.77	42.75	110.38	-51.86	100	171 Peak	Vertical	
4	5724.50	62.67	19.86	42.81	128.08	-65.41	100	171 Peak	Vertical	
5	5745.00	110.39	67.41	42.98	130.00	-19.61	100	171 Peak	Vertical	
6	5851.00	56.43	13.44	42.99	126.16	-69.73	100	171 Peak	Vertical	
7	5874.50	57.33	14.22	43.11	105.34	-48.01	100	171 Peak	Vertical	
8	5889.50	57.69	14.51	43.18	94.44	-36.75	100	171 Peak	Vertical	
9	5960.00	57.51	14.13	43.38	68.20	-10.69	100	171 Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over		Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	
1	5528.00	56.01	13.34	42.67	68.20	-12.19	Peak Horizontal
2	5695.00	57.21	14.61	42.60	101.51	-44.30	Peak Horizontal
3	5703.00	57.32	14.71	42.61	106.04	-48.72	Peak Horizontal
4	5724.00	57.28	14.48	42.80	126.16	-68.88	Peak Horizontal
5	5785.00	110.56	67.58	42.98	130.00	-19.44	Peak Horizontal
6	5851.50	56.77	13.77	43.00	124.24	-67.47	Peak Horizontal
7	5861.50	58.17	15.12	43.05	108.98	-50.81	Peak Horizontal
8	5923.00	58.67	15.38	43.29	69.67	-11.00	Peak Horizontal
9	5934.00	57.75	14.43	43.32	68.20	-10.45	Peak Horizontal

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over		Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	
1	5528.00	56.53	13.93	42.68	68.20	-11.67	Peak Vertical
2	5695.00	57.13	14.54	42.59	100.41	-43.28	Peak Vertical
3	5710.00	57.44	14.76	42.68	108.00	-50.56	Peak Vertical
4	5723.50	56.64	13.85	42.79	124.24	-67.60	Peak Vertical
5	5785.00	112.97	69.99	42.98	130.00	-17.03	Peak Vertical
6	5854.00	57.32	14.31	43.01	114.64	-57.32	Peak Vertical
7	5867.50	58.24	15.17	43.07	107.30	-49.06	Peak Vertical
8	5907.00	58.78	15.54	43.24	81.48	-22.70	Peak Vertical
9	5934.50	59.41	16.09	43.32	68.20	-8.79	Peak Vertical

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over		
	MHz	dBuV/m	Level Factor	Line	Limit	Remark	Pol/Phase
1	5685.00	56.65	14.11	42.54	68.20	-11.55 Peak	Horizontal
2	5691.00	56.55	13.95	42.60	98.56	-42.01 Peak	Horizontal
3	5703.50	56.44	13.82	42.62	106.18	-49.74 Peak	Horizontal
4	5723.00	56.26	13.48	42.78	122.32	-66.06 Peak	Horizontal
5	5825.00	111.00	68.03	42.97	130.00	-19.00 Peak	Horizontal
6	5851.00	61.67	15.68	42.99	126.16	-64.49 Peak	Horizontal
7	5855.00	60.24	17.23	43.01	118.80	-50.56 Peak	Horizontal
8	5904.50	59.29	16.05	43.24	83.33	-24.04 Peak	Horizontal
9	5929.50	58.45	15.15	43.30	68.20	-9.75 Peak	Horizontal

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over		
	MHz	dBuV/m	Level Factor	Line	Limit	Remark	Pol/Phase
1	5596.00	56.59	14.05	42.54	68.20	-11.61 Peak	Vertical
2	5692.00	57.65	15.05	42.60	99.30	-41.65 Peak	Vertical
3	5711.50	57.81	15.12	42.69	108.42	-50.61 Peak	Vertical
4	5720.00	56.80	14.04	42.76	110.80	-54.00 Peak	Vertical
5	5825.00	112.89	69.92	42.97	130.00	-17.11 Peak	Vertical
6	5850.00	59.83	16.84	42.99	130.00	-70.17 Peak	Vertical
7	5859.00	59.65	16.61	43.04	109.68	-50.03 Peak	Vertical
8	5894.00	59.00	15.80	43.20	91.10	-32.10 Peak	Vertical
9	5996.50	58.41	14.93	43.48	68.20	-9.79 Peak	Vertical