


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	38.10	26.77	11.33	54.00	-15.90	200	305 Average	Horizontal	
2	10640.00	51.94	40.61	11.33	74.00	-22.06	200	305 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	40.95	29.62	11.33	54.00	-13.05	344	360 Average	Vertical	
2	10640.00	55.38	44.05	11.33	74.00	-18.62	344	360 Peak	Vertical	


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	53.11	41.67	11.44	68.20	-15.09	100	316 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	54.06	42.62	11.44	68.20	-14.14	264	0 Peak	Vertical	


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	39.63	28.29	11.34	54.00	-14.37	111	319 Average	Horizontal	
2	10600.00	52.88	41.54	11.34	74.00	-21.12	111	319 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	40.90	29.56	11.34	54.00	-13.10	274	0 Average	Vertical	
2	10600.00	55.44	44.10	11.34	74.00	-18.56	274	0 Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	39.32	27.99	11.33	54.00	-14.68	110	319	Average	Horizontal	
2	10640.00	53.05	41.72	11.33	74.00	-20.95	110	319	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	41.58	30.25	11.33	54.00	-12.42	310	360	Average	Vertical	
2	10640.00	55.39	44.06	11.33	74.00	-18.61	310	360	Peak	Vertical	


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10540.00	46.44	35.02	11.42	68.20	-21.76	136	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10540.00	47.35	35.93	11.42	68.20	-20.85	280	331 Peak	Vertical	


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.00	39.29	27.95	11.34	54.00	-14.71	109	360	Average	Horizontal
2	10620.00	46.91	35.57	11.34	74.00	-27.09	109	360	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.00	38.73	27.39	11.34	54.00	-15.27	200	112	Average	Vertical
2	10620.00	46.80	35.46	11.34	74.00	-27.20	200	112	Peak	Vertical


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10580.00	50.08	38.71	11.37	68.20	-18.12	100	55 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10580.00	50.33	38.96	11.37	68.20	-17.87	100	173 Peak	Vertical	

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	36.66	25.23	11.43	54.00	-17.34	300	360	Average	Horizontal
2	11000.00	49.71	38.28	11.43	74.00	-24.29	300	360	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	38.95	27.52	11.43	54.00	-15.05	300	4	Average	Vertical
2	11000.00	51.81	40.38	11.43	74.00	-22.19	300	4	Peak	Vertical


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	37.41	26.05	11.36	54.00	-16.59	300	130 Average	Horizontal	
2	11160.00	49.72	38.36	11.36	74.00	-24.28	300	130 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	37.45	26.09	11.36	54.00	-16.55	146	186 Average	Vertical	
2	11160.00	50.24	38.88	11.36	74.00	-23.76	146	186 Peak	Vertical	


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	36.63	25.28	11.35	54.00	-17.37	243	49	Average	Horizontal	
2	11400.00	50.10	38.75	11.35	74.00	-23.90	243	49	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	37.20	25.85	11.35	54.00	-16.80	119	360	Average	Vertical	
2	11400.00	49.91	38.56	11.35	74.00	-24.09	119	360	Peak	Vertical	


802.11ax HE20

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	37.57	26.14	11.43	54.00	-16.43	100	321 Average	Horizontal	
2	11000.00	50.68	39.25	11.43	74.00	-23.32	100	321 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	36.76	25.33	11.43	54.00	-17.24	100	51 Average	Vertical	
2	11000.00	50.99	39.56	11.43	74.00	-23.01	100	51 Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	37.86	26.50	11.36	54.00	-16.14	100	52 Average	Horizontal	
2	11160.00	51.88	40.52	11.36	74.00	-22.12	100	52 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	37.37	26.01	11.36	54.00	-16.63	100	82 Average	Vertical	
2	11160.00	51.66	40.30	11.36	74.00	-22.34	100	82 Peak	Vertical	


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	37.52	26.17	11.35	54.00	-16.48	100	66	Average	Horizontal	
2	11400.00	50.56	39.21	11.35	74.00	-23.44	100	66	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	36.78	25.43	11.35	54.00	-17.22	100	57	Average	Vertical	
2	11400.00	50.44	39.09	11.35	74.00	-23.56	100	57	Peak	Vertical	


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	37.20	25.78	11.42	54.00	-16.80	100	296 Average	Horizontal	
2	11020.00	45.42	34.00	11.42	74.00	-28.58	100	296 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	36.98	25.56	11.42	54.00	-17.02	100	164 Average	Vertical	
2	11020.00	47.55	36.13	11.42	74.00	-26.45	100	164 Peak	Vertical	


802.11ax HE40

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.00	36.81	25.43	11.38	54.00	-17.19	200	310 Average	Horizontal	
2	11100.00	50.15	38.77	11.38	74.00	-23.85	200	310 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.00	36.36	24.98	11.38	54.00	-17.64	100	360 Average	Vertical	
2	11100.00	49.22	37.84	11.38	74.00	-24.78	100	360 Peak	Vertical	


802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11340.00	36.90	25.53	11.37	54.00	-17.10	100	71 Average	Horizontal	
2	11340.00	49.97	38.60	11.37	74.00	-24.03	100	71 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11340.00	36.74	25.37	11.37	54.00	-17.26	100	290 Average	Vertical	
2	11340.00	49.89	38.52	11.37	74.00	-24.11	100	290 Peak	Vertical	


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11860.00	37.78	26.37	11.41	54.00	-16.22	100	220	Average	Horizontal
2	11860.00	49.96	38.55	11.41	74.00	-24.04	100	220	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11860.00	37.65	26.24	11.41	54.00	-16.35	100	247	Average	Vertical
2	11860.00	49.44	38.03	11.41	74.00	-24.56	100	247	Peak	Vertical


802.11ax HE80

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.00	37.85	26.50	11.35	54.00	-16.15	100	87 Average	Horizontal	
2	11220.00	50.17	38.82	11.35	74.00	-23.83	100	87 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.00	38.13	26.78	11.35	54.00	-15.87	100	360 Average	Vertical	
2	11220.00	50.40	39.05	11.35	74.00	-23.60	100	360 Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	37.83	26.43	11.40	54.00	-16.17	232	131 Average	Horizontal	
2	11490.00	51.43	40.03	11.40	74.00	-22.57	232	131 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	35.65	24.25	11.40	54.00	-18.35	200	182 Average	Vertical	
2	11490.00	49.52	38.12	11.40	74.00	-24.48	200	182 Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	38.82	27.43	11.39	54.00	-15.18	100	139 Average	Horizontal	
2	11570.00	52.53	41.14	11.39	74.00	-21.47	100	139 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	37.54	26.15	11.39	54.00	-16.46	100	306 Average	Vertical	
2	11570.00	49.81	38.42	11.39	74.00	-24.19	100	306 Peak	Vertical	


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	40.35	28.84	11.51	54.00	-13.65	249	134 Average	Horizontal	
2	11650.00	53.69	42.18	11.51	74.00	-20.31	249	134 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	38.46	26.95	11.51	54.00	-15.54	180	360 Average	Vertical	
2	11650.00	50.57	39.06	11.51	74.00	-23.43	180	360 Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	36.42	25.02	11.40	54.00	-17.58	100	47	Average	Horizontal
2	11490.00	48.66	37.26	11.40	74.00	-25.34	100	47	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	36.80	25.40	11.40	54.00	-17.20	100	110	Average	Vertical
2	11490.00	49.14	37.74	11.40	74.00	-24.86	100	110	Peak	Vertical


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	37.40	26.01	11.39	54.00	-16.60	119	56 Average	Horizontal	
2	11570.00	50.31	38.92	11.39	74.00	-23.69	119	56 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	36.88	25.49	11.39	54.00	-17.12	100	85 Average	Vertical	
2	11570.00	50.15	38.76	11.39	74.00	-23.85	100	85 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	38.66	27.15	11.51	54.00	-15.34	125	41	Average	Horizontal
2	11650.00	51.25	39.74	11.51	74.00	-22.75	125	41	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	37.65	26.14	11.51	54.00	-16.35	100	150	Average	Vertical
2	11650.00	50.75	39.24	11.51	74.00	-23.25	100	150	Peak	Vertical


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	36.88	25.48	11.40	54.00	-17.12	100	93 Average	Horizontal	
2	11510.00	49.87	38.47	11.40	74.00	-24.13	100	93 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	36.61	25.21	11.40	54.00	-17.39	100	170 Average	Vertical	
2	11510.00	49.97	38.57	11.40	74.00	-24.03	100	170 Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	37.64	26.26	11.38	54.00	-16.36	100	23 Average	Horizontal	
2	11590.00	50.98	39.60	11.38	74.00	-23.02	100	23 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	37.27	25.89	11.38	54.00	-16.73	100	151 Average	Vertical	
2	11590.00	51.07	39.69	11.38	74.00	-22.93	100	151 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.00	38.10	26.71	11.39	54.00	-15.90	183	360 Average	Horizontal	
2	11550.00	50.42	39.03	11.39	74.00	-23.58	183	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.00	37.95	26.56	11.39	54.00	-16.05	138	360 Average	Vertical	
2	11550.00	50.13	38.74	11.39	74.00	-23.67	138	360 Peak	Vertical	


Mains Conducted Emission, (150kHz ~ 30MHz)

Worst Band

(Line)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	16.42	6.80	9.62	56.00	-39.58	Average	line1	
2	0.15	45.40	35.78	9.62	66.00	-20.60	QP	line1	
3	0.22	10.02	0.39	9.63	52.81	-42.79	Average	line1	
4	0.22	32.03	22.40	9.63	62.81	-30.78	QP	line1	
5	2.06	19.33	9.67	9.66	46.00	-26.67	Average	line1	
6	2.06	29.96	20.30	9.66	56.00	-26.04	QP	line1	
7	2.68	21.36	11.70	9.66	46.00	-24.64	Average	line1	
8	2.68	31.13	21.47	9.66	56.00	-24.87	QP	line1	
9	8.94	29.03	19.29	9.74	50.00	-20.97	Average	line1	
10	8.94	36.01	26.27	9.74	60.00	-23.99	QP	line1	
11	16.41	23.90	14.16	9.74	50.00	-26.10	Average	line1	
12	16.41	29.58	19.84	9.74	60.00	-30.42	QP	line1	

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	33.16	23.52	9.64	55.38	-22.22	Average	neutral	
2	0.16	52.20	42.56	9.64	65.38	-13.18	QP	neutral	
3	0.33	24.01	15.18	9.63	49.54	-24.73	Average	neutral	
4	0.33	36.60	26.97	9.63	59.54	-22.94	QP	neutral	
5	1.46	14.89	5.24	9.65	46.00	-31.11	Average	neutral	
6	1.46	26.67	17.02	9.65	56.00	-29.33	QP	neutral	
7	2.98	18.95	9.27	9.68	46.00	-27.05	Average	neutral	
8	2.98	29.35	19.67	9.68	56.00	-26.65	QP	neutral	
9	9.39	25.79	16.01	9.78	50.00	-24.21	Average	neutral	
10	9.39	32.53	22.75	9.78	60.00	-27.47	QP	neutral	
11	18.22	18.94	9.10	9.84	50.00	-31.06	Average	neutral	
12	18.22	24.77	14.93	9.84	60.00	-35.23	QP	neutral	