

Appendix B: Test Results of Radiation Spurious Emissions & Mains Conducted Emission

Band Edges, 4.5GHz ~ 5.15GHz

U-NII-1


802.11a

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.00	56.12	45.95	10.17	74.00	-17.88	100	191	Peak	Horizontal	
2 *	5100.00	106.46	96.17	10.29	68.20	38.26	100	191	Peak	Horizontal	
3	5394.50	55.78	45.28	10.50	74.00	-18.22	100	191	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5117.00	55.34	45.10	10.24	74.00	-18.66	100	193	Peak	Vertical	
2 *	5100.00	101.55	91.26	10.29	68.20	33.35	100	193	Peak	Vertical	
3	5414.50	55.41	44.98	10.43	74.00	-18.59	100	193	Peak	Vertical	

802.11a

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.50	43.16	33.01	10.15	54.00	-10.84	100	191	Average	Horizontal	
2 *	5180.00	96.79	86.59	10.20	54.00	42.79	100	191	Average	Horizontal	
3	5401.50	43.00	32.48	10.52	54.00	-11.00	100	191	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.50	42.36	32.20	10.16	54.00	-11.64	100	193	Average	Vertical	
2 *	5180.00	91.94	81.65	10.29	54.00	37.94	100	193	Average	Vertical	
3	5415.00	42.55	32.13	10.42	54.00	-11.45	100	193	Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.00	55.63	45.46	10.17	74.00	-18.37	100	190	Peak	Horizontal	
2 *	5200.00	105.49	95.09	10.40	68.20	37.29	100	190	Peak	Horizontal	
3	5413.50	55.57	45.13	10.44	74.00	-18.43	100	190	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5111.00	55.66	45.41	10.25	74.00	-18.34	100	190	Peak	Vertical	
2 *	5200.00	100.74	90.34	10.40	68.20	32.54	100	190	Peak	Vertical	
3	5451.50	55.54	45.35	10.19	74.00	-18.46	100	190	Peak	Vertical	

802.11a

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.50	42.77	32.56	10.21	54.00	-11.23	100	190	Average	Horizontal	
2 *	5200.00	96.22	85.82	10.40	54.00	42.22	100	190	Average	Horizontal	
3	5400.00	43.11	32.58	10.53	54.00	-10.89	100	190	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5141.00	42.50	32.33	10.17	54.00	-11.50	100	190	Average	Vertical	
2 *	5200.00	91.70	81.30	10.40	54.00	37.70	100	190	Average	Vertical	
3	5411.50	42.76	32.31	10.45	54.00	-11.24	100	190	Average	Vertical	


802.11a

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.00	56.46	46.29	10.17	74.00	-17.54	100	191	Peak	Horizontal	
2 *	5240.00	106.72	96.68	10.04	68.20	38.52	100	191	Peak	Horizontal	
3	5402.00	55.52	45.00	10.52	74.00	-18.48	100	191	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4955.50	54.84	44.65	10.19	74.00	-19.16	100	192	Peak	Vertical	
2 *	5240.00	101.57	91.53	10.04	68.20	33.37	100	192	Peak	Vertical	
3	5381.50	55.30	44.91	10.39	74.00	-18.70	100	192	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5110.50	42.76	32.51	10.25	54.00	-11.24	100	191	Average	Horizontal	
2 *	5240.00	97.00	86.96	10.04	54.00	43.00	100	191	Average	Horizontal	
3	5395.00	43.10	32.60	10.50	54.00	-10.90	100	191	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	42.55	32.38	10.17	54.00	-11.45	100	192	Average	Vertical	
2 *	5240.00	92.10	82.06	10.04	54.00	38.10	100	192	Average	Vertical	
3	5392.50	42.73	32.26	10.47	54.00	-11.27	100	192	Average	Vertical	


802.11ax HE20

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5001.00	55.91	45.93	9.98	74.00	-18.09	100	191 Peak	Horizontal	
2 *	5180.00	105.19	94.99	10.29	68.20	36.99	100	191 Peak	Horizontal	
3	5354.00	56.22	46.02	10.20	74.00	-17.78	100	191 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.50	55.36	45.20	10.16	74.00	-18.64	100	202 Peak	Vertical	
2 *	5180.00	103.32	93.03	10.29	68.20	35.12	100	202 Peak	Vertical	
3	5408.00	55.58	45.10	10.48	74.00	-18.42	100	202 Peak	Vertical	

802.11ax HE20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.50	42.61	32.44	10.17	54.00	-11.39	100	191	Average	Horizontal	
2 *	5180.00	93.00	82.79	10.29	54.00	39.00	100	191	Average	Horizontal	
3	5404.50	42.85	32.36	10.49	54.00	-11.15	100	191	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.00	42.77	32.61	10.16	54.00	-11.23	100	202	Average	Vertical	
2 *	5180.00	92.47	82.18	10.29	54.00	38.47	100	202	Average	Vertical	
3	5388.00	42.96	32.52	10.44	54.00	-11.04	100	202	Average	Vertical	


802.11ax HE20

CH 40 (Horizontal) Peak


CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5116.00	42.53	32.29	10.24	54.00	-11.47	100	189	Average	Horizontal
2 *	5200.00	92.76	82.35	10.40	54.00	38.76	100	189	Average	Horizontal
3	5401.50	42.79	32.27	10.52	54.00	-11.21	100	189	Average	Horizontal

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5132.50	42.67	32.48	10.19	54.00	-11.33	100	208	Average	Vertical
2 *	5200.00	91.94	81.54	10.40	54.00	37.94	100	208	Average	Vertical
3	5391.50	42.84	32.38	10.46	54.00	-11.16	100	208	Average	Vertical


802.11ax HE20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.00	55.41	45.24	10.17	74.00	-18.59	100	192	Peak	Horizontal	
2 *	5248.00	105.26	95.22	10.04	68.20	37.06	100	192	Peak	Horizontal	
3	5388.00	55.62	45.18	10.44	74.00	-18.38	100	192	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5110.50	54.80	44.63	10.25	74.00	-19.12	100	205	Peak	Vertical	
2 *	5248.00	103.53	93.49	10.04	68.20	35.33	100	205	Peak	Vertical	
3	5381.50	54.99	44.60	10.39	74.00	-19.61	100	205	Peak	Vertical	

802.11ax HE20

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5067.00	42.61	32.29	10.32	54.00	-11.39	100	192	Average	Horizontal	
2 *	5240.00	92.83	82.79	10.04	54.00	38.83	100	192	Average	Horizontal	
3	5415.50	42.86	32.44	10.42	54.00	-11.14	100	192	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5131.50	42.60	32.40	10.20	54.00	-11.40	100	205	Average	Vertical	
2 *	5240.00	93.15	83.11	10.04	54.00	39.15	100	205	Average	Vertical	
3	5381.00	42.89	32.50	10.39	54.00	-11.11	100	205	Average	Vertical	


802.11ax HE40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4851.83	55.58	45.68	9.90	74.00	-18.42	100	192	Peak	Horizontal	
2 *	5190.00	102.65	92.90	10.35	68.20	34.45	100	192	Peak	Horizontal	
3	5419.71	55.33	44.93	10.40	74.00	-18.67	100	192	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4900.59	55.92	45.76	10.16	74.00	-18.08	100	205	Peak	Vertical	
2 *	5190.00	102.54	92.19	10.35	68.20	34.34	100	205	Peak	Vertical	
3	5391.47	55.86	45.40	10.46	74.00	-18.14	100	205	Peak	Vertical	

802.11ax HE40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.00	43.21	33.06	10.15	54.00	-10.79	100	192	Average	Horizontal	
2 *	5198.00	89.91	79.56	10.35	54.00	35.01	100	192	Average	Horizontal	
3	5483.24	42.87	32.37	10.50	54.00	-11.13	100	192	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.62	43.49	33.34	10.15	54.00	-10.51	100	205	Average	Vertical	
2 *	5198.00	89.71	79.36	10.35	54.00	35.71	100	205	Average	Vertical	
3	5397.21	43.04	32.53	10.51	54.00	-10.96	100	205	Average	Vertical	


802.11ax HE40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4946.50	55.22	45.03	10.19	74.00	-18.78	123	196	Peak	Horizontal	
2 *	5238.00	103.00	92.86	10.14	68.20	34.80	123	196	Peak	Horizontal	
3	5379.00	55.24	44.86	10.38	74.00	-18.76	123	196	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4977.50	55.26	45.17	10.09	74.00	-18.74	100	204	Peak	Vertical	
2 *	5238.00	102.77	92.63	10.14	68.20	34.57	100	204	Peak	Vertical	
3	5365.50	55.21	44.93	10.28	74.00	-18.79	100	204	Peak	Vertical	

802.11ax HE40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.50	42.82	32.67	10.15	54.00	-11.18	123	196	Average	Horizontal	
2 *	5230.00	90.54	80.40	10.14	54.00	36.54	123	196	Average	Horizontal	
3	5400.50	43.30	32.77	10.53	54.00	-10.70	123	196	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5137.50	42.83	32.64	10.19	54.00	-11.17	100	204	Average	Vertical	
2 *	5230.00	89.72	79.58	10.14	54.00	35.72	100	204	Average	Vertical	
3	5391.00	42.83	32.36	10.47	54.00	-11.17	100	204	Average	Vertical	


802.11ax HE80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.50	55.50	45.35	10.15	74.00	-18.50	100	193	Peak	Horizontal	
2 *	5210.00	99.43	89.12	10.31	68.20	31.23	100	193	Peak	Horizontal	
3	5445.50	55.21	44.99	10.22	74.00	-18.79	100	193	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5132.00	55.06	44.86	10.20	74.00	-18.94	100	203	Peak	Vertical	
2 *	5210.00	96.40	86.09	10.31	68.20	28.20	100	203	Peak	Vertical	
3	5426.50	54.84	44.50	10.34	74.00	-19.16	100	203	Peak	Vertical	


802.11ax HE80

CH 42 (Horizontal) Average

CH 42 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.50	44.81	34.65	10.16	54.00	-9.19	100	193	Average	Horizontal	
2 *	5219.00	88.31	78.09	10.31	54.00	34.31	100	193	Average	Horizontal	
3	5428.50	44.87	33.74	10.33	54.00	-9.93	100	193	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.00	43.75	33.58	10.17	54.00	-10.25	100	203	Average	Vertical	
2 *	5219.00	89.47	79.16	10.31	54.00	35.47	100	203	Average	Vertical	
3	5387.00	43.55	33.11	10.44	54.00	-10.45	100	203	Average	Vertical	

Band Edges, 5.35GHz
U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5188.00	55.87	45.61	10.26	74.00	-18.13	100	190	Peak	Horizontal	
2 *	5268.00	106.26	96.19	10.07	68.20	38.06	100	190	Peak	Horizontal	
3	5456.50	55.70	45.48	10.22	74.00	-18.30	100	190	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4740.50	55.63	45.78	9.85	74.00	-18.37	100	191	Peak	Vertical	
2 *	5268.00	102.15	92.08	10.07	68.20	33.95	100	191	Peak	Vertical	
3	5353.50	56.22	46.02	10.20	74.00	-17.78	100	191	Peak	Vertical	

802.11a

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5131.50	42.77	32.57	10.20	54.00	-11.23	100	190	Average	Horizontal	
2 *	5260.00	96.63	86.56	10.07	54.00	42.63	100	190	Average	Horizontal	
3	5412.50	42.98	32.54	10.44	54.00	-11.02	100	190	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5121.50	42.42	32.20	10.22	54.00	-11.58	100	191	Average	Vertical	
2 *	5260.00	92.43	82.36	10.07	54.00	38.43	100	191	Average	Vertical	
3	5375.50	42.73	32.38	10.35	54.00	-11.27	100	191	Average	Vertical	

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4902.00	55.62	45.76	9.86	74.00	-18.38	100	190	Peak	Horizontal	
2 *	5380.00	106.93	96.42	10.51	68.20	38.73	100	190	Peak	Horizontal	
3	5380.50	54.73	44.35	10.38	74.00	-19.27	100	190	Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.00	55.76	45.61	10.15	74.00	-18.24	100	190	Peak	Vertical	
2 *	5380.00	103.03	92.52	10.51	68.20	34.83	100	190	Peak	Vertical	
3	5392.50	55.67	45.20	10.47	74.00	-18.33	100	190	Peak	Vertical	

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5131.00	42.78	32.58	10.20	54.00	-11.22	100	190	Average	Horizontal	
2 *	5300.00	97.42	86.91	10.51	54.00	43.42	100	190	Average	Horizontal	
3	5483.50	43.81	32.51	10.50	54.00	-10.99	100	190	Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5116.50	42.57	32.33	10.24	54.00	-11.43	100	190	Average	Vertical	
2 *	5300.00	93.45	82.94	10.51	54.00	39.45	100	190	Average	Vertical	
3	5488.50	42.83	32.35	10.48	54.00	-11.17	100	190	Average	Vertical	

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.00	55.75	45.59	10.16	74.00	-18.25	100	191 Peak	Horizontal	
2 *	5320.00	106.83	96.45	10.38	68.20	38.63	100	191 Peak	Horizontal	
3	5390.50	56.01	45.55	10.46	74.00	-17.99	100	191 Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5080.50	55.46	45.16	10.30	74.00	-18.54	100	190 Peak	Vertical	
2 *	5320.00	102.73	92.35	10.38	68.20	34.53	100	190 Peak	Vertical	
3	5403.00	55.20	44.70	10.50	74.00	-18.80	100	190 Peak	Vertical	

802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5115.00	42.64	32.40	10.24	54.00	-11.36	100	191	Average	Horizontal	
2 *	5320.00	97.10	86.72	10.38	54.00	43.10	100	191	Average	Horizontal	
3	5356.50	43.14	32.93	10.21	54.00	-10.86	100	191	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5135.50	42.40	32.30	10.10	54.00	-11.51	100	190	Average	Vertical	
2 *	5320.00	93.83	83.45	10.38	54.00	39.83	100	190	Average	Vertical	
3	5398.50	43.06	32.54	10.52	54.00	-10.94	100	190	Average	Vertical	


802.11ax HE20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5094.00	55.63	45.34	10.29	74.00	-18.37	100	193	Peak	Horizontal	
2 *	5260.00	104.77	94.70	10.07	68.20	36.57	100	193	Peak	Horizontal	
3	5405.00	55.89	45.40	10.49	74.00	-18.11	100	193	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5125.00	56.65	46.43	10.22	74.00	-17.35	100	202	Peak	Vertical	
2 *	5260.00	103.91	93.84	10.07	68.20	35.71	100	202	Peak	Vertical	
3	5376.50	55.62	45.26	10.36	74.00	-18.38	100	202	Peak	Vertical	

802.11ax HE20

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.50	42.74	32.59	10.15	54.00	-11.26	100	193	Average	Horizontal	
2 *	5260.00	92.38	82.31	10.07	54.00	38.38	100	193	Average	Horizontal	
3	5401.50	42.89	32.37	10.52	54.00	-11.11	100	193	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5134.00	42.64	32.46	10.18	54.00	-11.36	100	202	Average	Vertical	
2 *	5260.00	92.52	82.25	10.07	54.00	38.52	100	202	Average	Vertical	
3	5401.00	42.95	32.43	10.52	54.00	-11.05	100	202	Average	Vertical	


802.11ax HE20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5117.50	56.48	46.16	10.24	74.00	-17.60	146	193 Peak	Horizontal	
2 *	5300.00	106.17	95.65	10.51	68.20	37.97	146	193 Peak	Horizontal	
3	5412.50	55.97	45.53	10.44	74.00	-18.03	146	193 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4646.00	54.99	45.54	9.45	74.00	-19.01	100	205 Peak	Vertical	
2 *	5300.00	105.64	95.13	10.51	68.20	37.44	100	205 Peak	Vertical	
3	5444.00	55.31	45.07	10.24	74.00	-18.69	100	205 Peak	Vertical	

802.11ax HE20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5111.50	42.75	32.50	10.25	54.00	-11.25	146	193	Average	Horizontal
2 *	5380.00	94.19	83.68	10.51	54.00	40.19	146	193	Average	Horizontal
3	5380.00	43.11	32.73	10.38	54.00	-10.89	146	193	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5130.00	42.68	32.48	10.20	54.00	-11.32	100	205	Average	Vertical
2 *	5380.00	94.07	83.56	10.51	54.00	40.07	100	205	Average	Vertical
3	5413.50	42.87	32.43	10.44	54.00	-11.13	100	205	Average	Vertical


802.11ax HE20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.50	56.32	46.16	10.16	74.00	-17.68	122	194	Peak	Horizontal	
2 *	5320.00	106.00	95.68	10.38	68.20	37.80	122	194	Peak	Horizontal	
3	5352.50	55.64	45.45	10.19	74.00	-18.36	122	194	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4894.50	55.42	45.57	9.85	74.00	-18.58	100	206	Peak	Vertical	
2 *	5320.00	105.71	95.33	10.38	68.20	37.51	100	206	Peak	Vertical	
3	5356.00	56.29	46.08	10.21	74.00	-17.71	100	206	Peak	Vertical	

802.11ax HE20

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5130.50	42.64	32.44	10.20	54.00	-11.36	122	194 Average	Horizontal	
2 *	5320.00	94.22	83.84	10.38	54.00	40.22	122	194 Average	Horizontal	
3	5405.50	43.03	32.54	10.49	54.00	-10.97	122	194 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5120.00	42.60	32.37	10.23	54.00	-11.40	100	206 Average	Vertical	
2 *	5320.00	93.96	83.58	10.38	54.00	39.96	100	206 Average	Vertical	
3	5411.50	43.09	32.64	10.45	54.00	-10.91	100	206 Average	Vertical	


802.11ax HE40

CH 54 (Horizontal) Peak

CH 54 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4789.00	55.54	45.77	9.77	74.00	-18.46	150	196	Peak	Horizontal	
2 *	5279.00	102.60	92.42	10.18	68.20	34.40	150	196	Peak	Horizontal	
3	5396.50	55.47	44.96	10.51	74.00	-18.53	150	196	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4934.50	55.60	45.50	10.10	74.00	-18.40	100	206	Peak	Vertical	
2 *	5279.00	102.60	92.42	10.18	68.20	34.40	100	206	Peak	Vertical	
3	5364.00	56.27	46.00	10.27	74.00	-17.73	100	206	Peak	Vertical	

802.11ax HE40

CH 54 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5187.00	42.79	32.52	10.27	54.00	-11.21	150	196	Average	Horizontal	
2 *	5270.00	90.99	79.91	10.18	54.00	36.00	150	196	Average	Horizontal	
3	5487.50	43.18	32.69	10.49	54.00	-10.82	150	196	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.00	42.78	32.56	10.22	54.00	-11.22	180	206	Average	Vertical	
2 *	5270.00	89.59	79.41	10.18	54.00	35.59	180	206	Average	Vertical	
3	5397.00	43.13	32.61	10.52	54.00	-10.87	180	206	Average	Vertical	


802.11ax HE40

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5062.00	55.78	45.47	10.31	74.00	-18.22	141	195	Peak	Horizontal	
2 *	5318.00	103.68	93.24	10.44	68.20	35.48	141	195	Peak	Horizontal	
3	5354.00	55.94	45.74	10.20	74.00	-18.06	141	195	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5075.00	55.04	44.74	10.30	74.00	-18.96	100	205	Peak	Vertical	
2 *	5318.00	103.12	92.68	10.44	68.20	34.92	100	205	Peak	Vertical	
3	5381.50	55.40	45.01	10.39	74.00	-18.60	100	205	Peak	Vertical	

802.11ax HE40

CH 62 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5098.00	43.00	32.72	10.28	54.00	-11.00	141	195 Average	Horizontal	
2 *	5318.00	91.78	81.34	10.44	54.00	37.78	141	195 Average	Horizontal	
3	5382.50	43.48	33.07	10.41	54.00	-10.52	141	195 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5135.50	42.44	32.25	10.19	54.00	-11.56	100	205 Average	Vertical	
2 *	5318.00	90.32	79.88	10.44	54.00	36.32	100	205 Average	Vertical	
3	5392.50	42.70	32.23	10.47	54.00	-11.30	100	205 Average	Vertical	


802.11ax HE80

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4934.00	55.22	45.13	10.09	74.00	-18.78	123	194	Peak	Horizontal	
2 *	5290.00	99.63	89.22	10.41	68.20	31.43	123	194	Peak	Horizontal	
3	5355.00	54.85	44.64	10.21	74.00	-19.15	123	194	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4884.50	55.02	45.16	9.86	74.00	-18.98	100	203	Peak	Vertical	
2 *	5290.00	96.61	86.40	10.41	68.20	28.61	100	203	Peak	Vertical	
3	5355.00	54.75	44.54	10.21	74.00	-19.25	100	203	Peak	Vertical	

802.11ax HE80

CH 58 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5123.00	43.98	33.77	10.21	54.00	-10.02	123	194	Average	Horizontal	
2 *	5290.00	88.51	78.40	10.41	54.00	34.81	123	194	Average	Horizontal	
3	5366.00	44.46	34.17	10.29	54.00	-9.54	123	194	Average	Horizontal	

CH 58 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	43.30	33.07	10.23	54.00	-10.70	100	203	Average	Vertical	
2 *	5290.00	86.24	75.83	10.41	54.00	32.24	100	203	Average	Vertical	
3	5352.50	43.44	33.25	10.19	54.00	-10.56	100	203	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5377.50	55.86	45.49	10.37	74.00	-18.14	132	196 Peak	Horizontal	
2	5466.00	54.87	44.59	10.28	68.20	-13.33	132	196 Peak	Horizontal	
3 *	5500.00	104.60	94.16	10.44	68.20	36.40	132	196 Peak	Horizontal	
4	6130.00	57.36	45.92	11.44	68.20	-10.84	132	196 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5403.50	55.32	44.82	10.50	74.00	-18.68	102	206 Peak	Vertical	
2	5469.00	53.91	43.63	10.28	68.20	-14.29	102	206 Peak	Vertical	
3 *	5500.00	103.64	93.20	10.44	68.20	35.44	102	206 Peak	Vertical	
4	6036.50	57.38	46.37	11.01	68.20	-10.82	102	206 Peak	Vertical	

802.11a


CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5382.00	55.80	45.40	10.40	74.00	-18.20	140	194 Peak	Horizontal	
2	5468.00	54.73	44.45	10.28	68.20	-13.47	140	194 Peak	Horizontal	
3 *	5580.00	104.53	94.21	10.32	68.20	36.33	140	194 Peak	Horizontal	
4	6539.50	57.02	45.85	11.17	68.20	-11.18	140	194 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5380.00	55.14	44.84	10.30	74.00	-18.86	100	203 Peak	Vertical	
2	5464.50	54.78	44.52	10.26	68.20	-13.42	100	203 Peak	Vertical	
3 *	5580.00	103.70	93.38	10.32	68.20	35.50	100	203 Peak	Vertical	
4	6932.50	57.45	46.54	10.91	68.20	-10.75	100	203 Peak	Vertical	

802.11a

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5413.00	42.46	32.02	10.44	54.00	-11.54	140	194	Average	Horizontal	
2 *	5500.00	95.53	85.21	10.32	54.00	41.53	140	194	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5401.50	42.25	31.73	10.52	54.00	-11.75	100	203	Average	Vertical	
2 *	5500.00	93.32	83.00	10.32	54.00	39.32	100	203	Average	Vertical	