

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<EUT with Notebook>

Band Edges, 5.46GHz ~ 7.250GHz

U-NII 5


802.11be EHT20

CH01 (Horizontal) Peak

CH01 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5671.91	53.73	60.52	-6.79	88.20	-34.47	100	296	Peak	Horizontal	
2 *	5955.00	103.45	109.79	-6.34	88.20	15.25	100	296	Peak	Horizontal	
3	7217.12	54.64	59.79	-5.15	88.20	-33.56	100	296	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5641.90	53.72	60.50	-6.78	88.20	-34.48	100	93	Peak	Vertical	
2 *	5955.00	99.71	106.05	-6.34	88.20	11.51	100	93	Peak	Vertical	
3	7138.15	54.49	59.74	-5.25	88.20	-33.71	100	93	Peak	Vertical	

802.11be EHT20

CH01 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5923.85	41.86	48.23	-6.37	68.20	-26.34	100	296 RMS	Horizontal		
2 *	5955.00	93.06	99.40	-6.34	68.20	24.86	100	296 RMS	Horizontal		
3	7177.46	42.54	47.75	-5.21	68.20	-25.66	100	296 RMS	Horizontal		




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5747.67	41.61	48.01	-6.40	68.20	-26.59	100	93 RMS	Vertical		
2 *	5955.00	88.23	94.57	-6.34	68.20	20.03	100	93 RMS	Vertical		
3	7224.63	42.47	47.60	-5.13	68.20	-25.73	100	93 RMS	Vertical		

802.11be EHT20

CH45 (Horizontal) Peak



CH45 (Vertical) Peak




802.11be EHT20

CH45 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5748.39	41.74	48.13	-6.39	68.20	-26.46	100	298 RMS	Horizontal		
2 *	6175.00	93.37	99.02	-5.65	68.20	25.17	100	298 RMS	Horizontal		
3	7166.38	42.48	47.69	-5.21	68.20	-25.72	100	298 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5759.11	41.60	48.00	-6.40	68.20	-26.60	105	78 RMS	Vertical		
2 *	6175.00	90.46	96.11	-5.65	68.20	22.26	105	78 RMS	Vertical		
3	7144.22	42.59	47.82	-5.23	68.20	-25.61	105	78 RMS	Vertical		

802.11be EHT20

CH93 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	5773.40	54.27	60.70	-6.43	88.20	-33.93	182	296 Peak	Horizontal		
2 *	6415.00	104.55	110.35	-5.80	88.20	16.35	182	296 Peak	Horizontal		
3	7215.34	54.60	59.76	-5.16	88.20	-33.60	182	296 Peak	Horizontal		

CH93 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	5788.77	54.21	60.67	-6.46	88.20	-33.99	278	258 Peak	Vertical		
2 *	6415.00	100.00	105.80	-5.80	88.20	11.80	278	258 Peak	Vertical		
3	7228.92	55.39	60.51	-5.12	88.20	-32.81	278	258 Peak	Vertical		

802.11be EHT20

CH93 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5750.53	41.60	47.98	-6.38	68.20	-26.60	182	296 RMS	Horizontal		
2 *	6415.00	99.07	98.87	-5.80	68.20	24.87	182	296 RMS	Horizontal		
3	7151.73	42.50	47.71	-5.21	68.20	-25.70	182	296 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5750.39	41.66	48.06	-6.40	68.20	-26.54	278	258 RMS	Vertical		
2 *	6415.00	89.82	95.62	-5.80	68.20	21.62	278	258 RMS	Vertical		
3	7230.35	42.54	47.65	-5.11	68.20	-25.66	278	258 RMS	Vertical		

802.11be EHT40

CH03 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5924.33	57.36	63.73	-6.37	88.20	-30.84	100	299	Peak	Horizontal		
2 *	5965.00	109.65	109.93	-6.28	88.20	15.45	100	299	Peak	Horizontal		
3	7232.82	55.32	60.42	-5.10	88.20	-32.88	100	299	Peak	Horizontal		




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5765.37	55.21	61.62	-6.41	88.20	-32.99	104	65	Peak	Vertical		
2 *	5965.00	101.73	106.01	-6.28	88.20	13.53	104	65	Peak	Vertical		
3	7214.92	54.71	59.87	-5.16	88.20	-33.49	104	65	Peak	Vertical		

802.11be EHT40

CH03 (Horizontal) RMS



CH03 (Vertical) RMS




802.11be EHT40

CH43 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH43 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT40

CH43 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5735.30	41.75	48.25	-6.50	68.20	-26.45	100	298 RMS	Horizontal		
2 *	6165.00	99.51	99.16	-5.65	68.20	25.31	100	298 RMS	Horizontal		
3	7226.37	42.54	47.67	-5.13	68.20	-25.66	100	298 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5757.14	41.63	48.02	-6.39	68.20	-26.57	105	66 RMS	Vertical		
2 *	6165.00	92.29	97.92	-5.63	68.20	24.09	105	66 RMS	Vertical		
3	7220.29	42.58	47.72	-5.14	68.20	-25.62	105	66 RMS	Vertical		

802.11be EHT40

CH91 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5555.59	55.05	61.74	-6.69	88.20	-33.15	102	296	Peak	Horizontal	
2 *	6405.00	105.05	110.85	-5.80	88.20	16.65	102	296	Peak	Horizontal	
3	7181.98	54.86	60.66	-5.20	88.20	-33.34	102	296	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5736.02	54.93	61.42	-6.49	88.20	-33.27	101	69	Peak	Vertical	
2 *	6405.00	102.20	108.00	-5.80	88.20	14.00	101	69	Peak	Vertical	
3	7125.42	55.22	60.50	-5.28	88.20	-32.98	101	69	Peak	Vertical	

802.11be EHT40

CH91 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5745.33	41.70	48.12	-6.42	68.20	-26.50	182	296 RMS	Horizontal		
2 *	6485.00	93.38	99.18	-5.80	68.20	25.18	182	296 RMS	Horizontal		
3	7191.29	42.58	47.77	-5.19	68.20	-25.62	182	296 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5740.67	41.74	48.19	-6.45	68.20	-26.46	181	69 RMS	Vertical		
2 *	6485.00	90.29	96.09	-5.80	68.20	22.09	181	69 RMS	Vertical		
3	7140.45	42.53	47.77	-5.24	68.20	-25.67	181	69 RMS	Vertical		

802.11be EHT80

CH07 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5923.97	66.54	72.91	-6.37	88.20	-21.66	100	292	Peak	Horizontal		
2 *	5985.00	104.44	110.60	-6.16	88.20	16.24	100	292	Peak	Horizontal		
3	7154.77	55.07	60.28	-5.21	88.20	-33.13	100	292	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5518.71	54.78	61.33	-6.55	88.20	-33.42	101	254	Peak	Vertical		
2 *	5985.00	100.16	106.32	-6.16	88.20	11.96	101	254	Peak	Vertical		
3	7242.12	55.45	60.54	-5.09	88.20	-32.75	101	254	Peak	Vertical		

802.11be EHT80

CH07 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5922.18	47.58	53.96	-6.38	68.20	-20.62	100	292	RMS	Horizontal		
2 *	5985.00	92.66	98.82	-6.16	68.20	24.46	100	292	RMS	Horizontal		
3	7207.04	42.71	47.89	-5.18	68.20	-25.49	100	292	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5922.54	42.02	48.40	-6.38	68.20	-26.18	101	254	RMS	Vertical		
2 *	5985.00	88.69	94.85	-6.16	68.20	26.49	101	254	RMS	Vertical		
3	7201.67	42.68	47.87	-5.19	68.20	-25.52	101	254	RMS	Vertical		

802.11be EHT80

CH39 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5734.59	54.79	61.29	-6.50	88.20	-33.41	100	297	Peak	Horizontal	
2 *	6145.00	104.29	109.99	-5.61	88.20	16.09	100	297	Peak	Horizontal	
3	7156.48	55.52	60.74	-5.22	88.20	-32.68	100	297	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5573.49	54.45	61.19	-6.74	88.20	-33.75	100	270	Peak	Vertical	
2 *	6145.00	100.51	106.12	-5.61	88.20	12.31	100	270	Peak	Vertical	
3	7215.99	54.99	60.15	-5.16	88.20	-33.21	100	270	Peak	Vertical	


802.11be EHT80

CH39 (Horizontal) RMS

CH39 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5757.50	41.99	48.38	-6.39	68.20	-26.21	100	297	RMS	Horizontal	
2 *	6145.00	92.62	98.23	-5.61	68.20	24.42	100	297	RMS	Horizontal	
3	7135.44	42.62	47.88	-5.26	68.20	-25.58	100	297	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5752.84	41.83	48.22	-6.39	68.20	-26.37	100	270	RMS	Vertical	
2 *	6145.00	88.86	94.47	-5.61	68.20	26.66	100	270	RMS	Vertical	
3	7144.03	42.72	47.95	-5.23	68.20	-25.48	100	270	RMS	Vertical	

802.11be EHT80

CH87 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH87 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT80

CH87 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5749.26	41.88	48.27	-6.39	68.20	-26.32	100	296 RMS	Horizontal		
2 *	6385.00	99.17	98.98	-5.81	68.20	24.97	100	296 RMS	Horizontal		
3	7201.67	42.59	47.78	-5.19	68.20	-25.61	100	296 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5751.77	42.00	48.38	-6.38	68.20	-26.20	101	273 RMS	Vertical		
2 *	6385.00	99.48	99.29	-5.81	68.20	23.28	101	273 RMS	Vertical		
3	7190.93	42.70	47.89	-5.19	68.20	-25.50	101	273 RMS	Vertical		

802.11be EHT160

CH15 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5892.76	62.29	68.67	-6.38	88.20	-25.91	399	296	Peak	Horizontal		
2 *	6025.00	101.51	107.57	-6.06	88.20	13.31	399	296	Peak	Horizontal		
3	7156.73	54.96	60.17	-5.21	88.20	-33.24	399	296	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5890.97	59.54	65.93	-6.39	88.20	-28.66	100	95	Peak	Vertical		
2 *	6025.00	97.68	103.74	-6.06	88.20	9.48	100	95	Peak	Vertical		
3	7212.12	55.05	60.22	-5.17	88.20	-33.15	100	95	Peak	Vertical		

802.11be EHT160

CH15 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5899.91	47.14	53.51	-6.37	68.20	-21.06	399	296 RMS		Horizontal		
2 *	6025.00	91.30	97.36	-6.06	68.20	23.10	399	296 RMS		Horizontal		
3	7208.90	43.48	48.65	-5.17	68.20	-24.72	399	296 RMS		Horizontal		




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5899.97	45.17	51.56	-6.39	68.20	-23.03	100	95 RMS		Vertical		
2 *	6025.00	88.25	94.31	-6.06	68.20	20.05	100	95 RMS		Vertical		
3	7212.84	43.54	48.70	-5.16	68.20	-24.66	100	95 RMS		Vertical		

802.11be EHT160

CH47 (Horizontal) Peak



CH47 (Vertical) Peak




802.11be EHT160

CH47 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5758.04	43.05	49.45	-6.40	68.20	-25.15	100	296 RMS	Horizontal		
2 *	6185.00	91.53	97.20	-5.67	68.20	23.33	100	296 RMS	Horizontal		
3	7199.26	43.61	48.80	-5.19	68.20	-24.59	100	296 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5762.32	42.87	49.27	-6.40	68.20	-25.33	102	96 RMS	Vertical		
2 *	6185.00	89.65	95.32	-5.67	68.20	23.45	102	96 RMS	Vertical		
3	7149.58	43.70	48.92	-5.22	68.20	-24.50	102	96 RMS	Vertical		


802.11be EHT160

CH79 (Horizontal) Peak

CH79 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5886.33	55.35	61.76	-6.41	88.20	-32.85	103	227	Peak	Horizontal	
2 *	6345.00	102.06	107.99	-5.84	88.20	13.86	103	227	Peak	Horizontal	
3	7179.96	55.01	60.21	-5.20	88.20	-33.19	103	227	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5779.83	54.60	61.03	-6.43	88.20	-33.60	102	96	Peak	Vertical	
2 *	6345.00	99.28	105.12	-5.84	88.20	11.08	102	96	Peak	Vertical	
3	7217.12	55.47	60.62	-5.15	88.20	-32.73	102	96	Peak	Vertical	


802.11be EHT160

CH79 (Horizontal) RMS

CH79 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5754.46	42.79	49.18	-6.39	68.20	-25.41	183	227	RMS	Horizontal		
2 *	6345.00	91.10	96.94	-5.84	68.20	22.90	183	227	RMS	Horizontal		
3	7201.40	43.57	48.76	-5.19	68.20	-24.63	183	227	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5739.10	42.79	49.26	-6.47	68.20	-25.41	182	96	RMS	Vertical		
2 *	6345.00	88.55	94.39	-5.84	68.20	20.35	182	96	RMS	Vertical		
3	7227.84	43.79	48.91	-5.12	68.20	-24.41	182	96	RMS	Vertical		

U-NII 6

802.11be EHT20

CH97 (Horizontal) Peak

CH97 (Vertical) Peak




802.11be EHT20

CH97 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5768.18	41.67	48.07	-6.40	68.20	-26.53	184	296 RMS	Horizontal		
2 *	6435.00	93.74	99.54	-5.80	68.20	25.54	184	296 RMS	Horizontal		
3	7199.26	42.55	47.74	-5.19	68.20	-25.65	184	296 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5755.53	41.68	48.07	-6.39	68.20	-26.52	180	255 RMS	Vertical		
2 *	6435.00	89.75	95.55	-5.80	68.20	21.55	180	255 RMS	Vertical		
3	7134.57	42.63	47.89	-5.26	68.20	-25.57	180	255 RMS	Vertical		

802.11be EHT20

CH105 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5794.04	54.76	61.23	-6.47	88.20	-33.44	100	245	Peak	Horizontal		
2 *	6475.00	103.26	108.99	-5.73	88.20	15.06	100	245	Peak	Horizontal		
3	7206.05	55.34	60.52	-5.18	88.20	-32.86	100	245	Peak	Horizontal		

CH105 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5801.99	54.27	60.75	-6.48	88.20	-33.93	100	92	Peak	Vertical		
2 *	6475.00	101.34	107.07	-5.73	88.20	13.14	100	92	Peak	Vertical		
3	7191.39	56.07	61.26	-5.19	88.20	-32.13	100	92	Peak	Vertical		

802.11be EHT20

CH105 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5918.05	41.83	48.21	-6.38	68.20	-26.37	100	245	RMS	Horizontal		
2 *	6475.00	92.92	98.65	-5.73	68.20	24.72	100	245	RMS	Horizontal		
3	7191.04	42.78	47.97	-5.19	68.20	-25.42	100	245	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5746.96	41.83	48.23	-6.40	68.20	-26.37	100	92	RMS	Vertical		
2 *	6475.00	89.03	94.76	-5.73	68.20	20.83	100	92	RMS	Vertical		
3	7192.11	42.77	47.96	-5.19	68.20	-25.43	100	92	RMS	Vertical		

802.11be EHT20

CH113 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5540.76	54.97	61.62	-6.65	88.20	-33.23	100	245	Peak	Horizontal		
2 *	6515.00	105.24	110.87	-5.63	88.20	17.04	100	245	Peak	Horizontal		
3	7182.46	56.11	61.31	-5.20	88.20	-32.09	100	245	Peak	Horizontal		

CH113 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5510.61	54.79	61.34	-6.55	88.20	-33.41	100	93	Peak	Vertical		
2 *	6515.00	100.88	106.51	-5.63	88.20	12.68	100	93	Peak	Vertical		
3	7223.91	56.44	61.57	-5.13	88.20	-31.76	100	93	Peak	Vertical		

802.11be EHT20

CH113 (Horizontal) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5752.32	41.87	48.25	-6.38	68.20	-26.33	100	245 RMS	Horizontal		
2 *	6515.00	99.54	99.17	-5.63	68.20	25.34	100	245 RMS	Horizontal		
3	7223.91	42.71	47.84	-5.13	68.20	-25.49	100	245 RMS	Horizontal		

CH113 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5748.39	41.86	48.25	-6.39	68.20	-26.34	100	93 RMS	Vertical		
2 *	6515.00	99.23	94.86	-5.63	68.20	21.03	100	93 RMS	Vertical		
3	7170.67	42.77	47.98	-5.21	68.20	-25.43	100	93 RMS	Vertical		

802.11be EHT40

CH99 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5614.74	54.47	61.25	-6.78	88.20	-33.73	300	227	Peak	Horizontal		
2 *	6445.00	104.49	110.28	-5.79	88.20	16.20	300	227	Peak	Horizontal		
3	7158.52	54.92	60.13	-5.21	88.20	-33.28	300	227	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5622.96	54.54	61.33	-6.79	88.20	-33.66	104	86	Peak	Vertical		
2 *	6445.00	100.82	106.61	-5.79	88.20	12.62	104	86	Peak	Vertical		
3	7172.10	55.27	60.48	-5.21	88.20	-32.93	104	86	Peak	Vertical		

802.11be EHT40

CH99 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5743.03	41.96	48.48	-6.44	68.20	-26.24	300	227 RMS	Horizontal		
2 *	6445.00	99.88	99.67	-5.79	68.20	25.68	300	227 RMS	Horizontal		
3	7283.19	42.67	47.85	-5.18	68.20	-25.53	300	227 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5743.03	42.05	48.49	-6.44	68.20	-26.15	104	86 RMS	Vertical		
2 *	6445.00	89.97	95.76	-5.79	68.20	23.77	104	86 RMS	Vertical		
3	7129.93	42.87	48.14	-5.27	68.20	-25.33	104	86 RMS	Vertical		

802.11be EHT40

CH107 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH107 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT40

CH107 (Horizontal) RMS

CH107 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5754.10	41.99	48.38	-6.39	68.20	-26.21	100	297 RMS	Horizontal		
2 *	6485.00	93.65	99.35	-5.70	68.20	25.45	100	297 RMS	Horizontal		
3	7144.58	42.74	47.97	-5.23	68.20	-25.46	100	297 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5754.46	42.04	48.43	-6.39	68.20	-26.16	101	86 RMS	Vertical		
2 *	6485.00	89.63	95.33	-5.70	68.20	21.43	101	86 RMS	Vertical		
3	7204.62	42.76	47.94	-5.18	68.20	-25.44	101	86 RMS	Vertical		

802.11be EHT40


CH115 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT40

CH115 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5754.82	42.13	48.52	-6.39	68.20	-26.07	100	235 RMS	Horizontal		
2 *	6525.00	94.10	99.70	-5.60	68.20	25.90	100	235 RMS	Horizontal		
3	7157.09	42.76	47.97	-5.21	68.20	-25.44	100	235 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5746.96	42.27	48.67	-6.40	68.20	-25.93	100	94 RMS	Vertical		
2 *	6525.00	89.90	95.50	-5.60	68.20	23.70	100	94 RMS	Vertical		
3	7137.79	42.80	48.05	-5.25	68.20	-25.40	100	94 RMS	Vertical		

802.11be EHT80

CH103 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH103 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT80

CH103 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5756.07	41.93	48.31	-6.38	68.20	-26.27	100	294 RMS	Horizontal		
2 *	6465.00	92.67	98.42	-5.75	68.20	24.47	100	294 RMS	Horizontal		
3	7141.53	42.52	47.76	-5.24	68.20	-25.68	100	294 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5742.46	41.97	48.41	-6.44	68.20	-26.23	100	258 RMS	Vertical		
2 *	6465.00	88.29	94.04	-5.75	68.20	20.09	100	258 RMS	Vertical		
3	7132.22	42.74	48.01	-5.27	68.20	-25.46	100	258 RMS	Vertical		

802.11be EHT80

CH119 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH119 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT80

CH119 (Horizontal) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5760.36	41.84	48.24	-6.40	68.20	-26.36	100	232	RMS	Horizontal		
2 *	6545.00	92.04	98.39	-5.55	68.20	24.64	100	232	RMS	Horizontal		
3	7132.58	42.69	47.95	-5.26	68.20	-25.51	100	232	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5758.93	41.87	48.27	-6.40	68.20	-26.33	100	260	RMS	Vertical		
2 *	6545.00	88.75	94.30	-5.55	68.20	20.55	100	260	RMS	Vertical		
3	7130.79	42.74	48.01	-5.27	68.20	-25.46	100	260	RMS	Vertical		