


802.11be EHT80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10580.00	45.21	45.42	-0.21	68.20	-22.99	300	283	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10580.00	45.30	45.51	-0.21	68.20	-22.90	300	360	Peak	Vertical		


802.11be EHT160

CH 50 (Horizontal)

CH 50 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10500.00	45.53	45.85	-0.32	68.20	-22.67	122	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10500.00	44.99	45.31	-0.32	68.20	-23.21	200	75	Peak	Vertical		

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	34.86	34.52	0.34	54.00	-19.14	100	201	Average	Horizontal	
2	11000.00	48.97	48.63	0.34	74.00	-25.03	100	201	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	35.02	34.68	0.34	54.00	-18.98	100	0	Average	Vertical	
2	11000.00	49.14	48.80	0.34	74.00	-24.86	100	0	Peak	Vertical	


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	35.01	34.42	0.59	54.00	-18.99	100	310	Average	Horizontal	
2	11160.00	48.59	48.00	0.59	74.00	-25.41	100	310	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	36.12	35.53	0.59	54.00	-17.88	100	115	Average	Vertical	
2	11160.00	49.24	48.65	0.59	74.00	-24.76	100	115	Peak	Vertical	


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	35.65	34.54	1.11	54.00	-18.35	100	360	Average	Horizontal	
2	11400.00	49.75	48.64	1.11	74.00	-24.25	100	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	37.91	36.80	1.11	54.00	-16.09	200	360	Average	Vertical	
2	11400.00	53.11	52.00	1.11	74.00	-20.89	200	360	Peak	Vertical	


802.11be EHT20

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	34.47	34.13	0.34	54.00	-19.53	200	145	Average	Horizontal	
2	11000.00	48.35	48.01	0.34	74.00	-25.65	200	145	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	34.62	34.28	0.34	54.00	-19.38	205	0	Average	Vertical	
2	11000.00	47.64	47.30	0.34	74.00	-26.36	205	0	Peak	Vertical	


802.11be EHT20

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	34.68	34.09	0.59	54.00	-19.32	197	360	Average	Horizontal	
2	11160.00	47.76	47.17	0.59	74.00	-26.24	197	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	35.21	34.62	0.59	54.00	-18.79	186	360	Average	Vertical	
2	11160.00	48.64	48.05	0.59	74.00	-25.36	186	360	Peak	Vertical	


802.11be EHT20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	34.97	33.86	1.11	54.00	-19.03	300	278	Average	Horizontal	
2	11400.00	48.59	47.48	1.11	74.00	-25.41	300	278	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	36.75	35.64	1.11	54.00	-17.25	200	28	Average	Vertical	
2	11400.00	50.24	49.13	1.11	74.00	-23.76	200	28	Peak	Vertical	


802.11be EHT40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11820.00	34.31	33.95	0.36	54.00	-19.69	200	120	Average	Horizontal	
2	11820.00	48.41	48.05	0.36	74.00	-25.59	200	120	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11820.00	34.28	33.92	0.36	54.00	-19.72	300	138	Average	Vertical	
2	11820.00	47.76	47.40	0.36	74.00	-26.24	300	138	Peak	Vertical	


802.11be EHT40

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11100.00	34.20	33.75	0.45	54.00	-19.80	200	359	Average	Horizontal	
2	11100.00	48.47	48.02	0.45	74.00	-25.53	200	359	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11100.00	34.46	34.01	0.45	54.00	-19.54	100	268	Average	Vertical	
2	11100.00	48.56	48.11	0.45	74.00	-25.44	100	268	Peak	Vertical	


802.11be EHT40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	34.97	33.94	1.03	54.00	-19.03	100	64	Average	Horizontal	
2	11340.00	49.33	48.30	1.03	74.00	-24.67	100	64	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	35.75	34.72	1.03	54.00	-18.25	105	360	Average	Vertical	
2	11340.00	50.51	49.48	1.03	74.00	-23.49	105	360	Peak	Vertical	


802.11be EHT80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11060.00	35.03	34.62	0.41	54.00	-18.97	300	360	Average	Horizontal	
2	11060.00	45.16	44.75	0.41	74.00	-28.84	300	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11060.00	34.84	34.43	0.41	54.00	-19.16	300	265	Average	Vertical	
2	11060.00	44.99	44.58	0.41	74.00	-29.01	300	265	Peak	Vertical	


802.11be EHT80

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11220.00	34.88	34.14	0.74	54.00	-19.12	350	360	Average	Horizontal	
2	11220.00	44.45	43.71	0.74	74.00	-29.55	350	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11220.00	34.65	33.91	0.74	54.00	-19.35	300	137	Average	Vertical	
2	11220.00	44.14	43.40	0.74	74.00	-29.86	300	137	Peak	Vertical	


802.11be EHT160

CH 114 (Horizontal)

CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	35.06	34.51	0.55	54.00	-18.94	114	360	Average	Horizontal	
2	11140.00	44.71	44.16	0.55	74.00	-29.29	114	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	34.87	34.32	0.55	54.00	-19.13	300	128	Average	Vertical	
2	11140.00	44.23	43.68	0.55	74.00	-29.77	300	128	Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	34.76	33.55	1.21	54.00	-19.24	100	284	Average	Horizontal	
2	11490.00	48.67	47.46	1.21	74.00	-25.33	100	284	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	37.16	35.95	1.21	54.00	-16.84	100	297	Average	Vertical	
2	11490.00	50.28	49.07	1.21	74.00	-23.72	100	297	Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	35.69	34.43	1.26	54.00	-18.31	100	292	Average	Horizontal	
2	11570.00	58.88	48.82	1.26	74.00	-23.92	100	292	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	37.46	36.20	1.26	54.00	-16.54	200	289	Average	Vertical	
2	11570.00	51.48	50.22	1.26	74.00	-22.52	200	289	Peak	Vertical	


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	34.30	32.90	1.40	54.00	-19.70	100	205 Average	Horizontal	
2	11650.00	47.87	46.47	1.40	74.00	-26.13	100	205 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	37.43	36.03	1.40	54.00	-16.57	100	355 Average	Vertical	
2	11650.00	50.53	49.13	1.40	74.00	-23.47	100	355 Peak	Vertical	


802.11be EHT20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	34.28	33.07	1.21	54.00	-19.72	100	77	Average	Horizontal	
2	11490.00	48.14	46.93	1.21	74.00	-25.86	100	77	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	36.55	35.34	1.21	54.00	-17.45	300	292	Average	Vertical	
2	11490.00	51.36	50.15	1.21	74.00	-22.64	300	292	Peak	Vertical	


802.11be EHT20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	34.60	33.34	1.26	54.00	-19.40	100	118	Average	Horizontal	
2	11570.00	48.35	47.09	1.26	74.00	-25.65	100	118	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	36.65	35.39	1.26	54.00	-17.35	300	115	Average	Vertical	
2	11570.00	50.58	49.32	1.26	74.00	-23.42	300	115	Peak	Vertical	


802.11be EHT20

CH 165 (Horizontal)


CH 165 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	34.50	33.27	1.23	54.00	-19.50	179	360	Average	Horizontal	
2	11510.00	48.61	47.38	1.23	74.00	-25.39	179	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	35.59	34.36	1.23	54.00	-18.41	200	263	Average	Vertical	
2	11510.00	48.73	47.50	1.23	74.00	-25.27	200	263	Peak	Vertical	


802.11be EHT40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	35.19	33.92	1.27	54.00	-18.81	100	185	Average	Horizontal	
2	11590.00	48.63	47.36	1.27	74.00	-25.37	100	185	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	35.79	34.52	1.27	54.00	-18.21	200	281	Average	Vertical	
2	11590.00	49.52	48.25	1.27	74.00	-24.48	200	281	Peak	Vertical	


802.11be EHT80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	36.34	35.09	1.25	54.00	-17.66	100	214	Average	Horizontal	
2	11550.00	45.87	44.62	1.25	74.00	-28.13	100	214	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	35.91	34.66	1.25	54.00	-18.09	100	133	Average	Vertical	
2	11550.00	45.05	43.80	1.25	74.00	-28.95	100	133	Peak	Vertical	

Mains Conducted Emission, (150kHz ~ 30MHz)


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Level Factor	Line	Limit			
1	0.18	33.36	23.73	9.63	54.39	-21.03 Average	line1	
2	0.18	52.21	42.58	9.63	64.39	-12.18 QP	line1	
3	0.25	27.79	18.16	9.63	51.90	-24.11 Average	line1	
4	0.25	42.99	33.36	9.63	61.90	-18.91 QP	line1	
5	0.33	22.40	12.77	9.63	49.54	-27.14 Average	line1	
6	0.33	37.36	27.73	9.63	59.54	-22.18 QP	line1	
7	1.07	18.53	8.89	9.64	46.00	-27.47 Average	line1	
8	1.07	31.64	22.00	9.64	56.00	-24.36 QP	line1	
9	4.54	24.44	14.75	9.69	46.00	-21.56 Average	line1	
10	4.54	31.01	21.32	9.69	56.00	-24.99 QP	line1	
11	7.47	26.18	16.46	9.72	50.00	-23.82 Average	line1	
12	7.47	30.50	20.78	9.72	60.00	-29.50 QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Level Factor	Line	Limit			
1	0.18	31.04	21.41	9.63	54.43	-23.39 Average	neutral	
2	0.18	49.40	39.77	9.63	64.43	-15.03 QP	neutral	
3	0.26	23.89	14.26	9.63	51.36	-27.47 Average	neutral	
4	0.26	38.16	28.53	9.63	61.36	-23.20 QP	neutral	
5	0.32	21.61	11.98	9.63	49.62	-28.01 Average	neutral	
6	0.32	34.71	25.08	9.63	59.62	-24.91 QP	neutral	
7	3.79	21.75	12.06	9.69	46.00	-24.25 Average	neutral	
8	3.79	30.40	20.79	9.69	56.00	-25.52 QP	neutral	
9	6.06	21.22	11.49	9.73	50.00	-28.78 Average	neutral	
10	6.06	27.88	18.15	9.73	60.00	-32.12 QP	neutral	
11	11.52	26.39	16.59	9.80	50.00	-23.61 Average	neutral	
12	11.52	32.55	22.75	9.80	60.00	-27.45 QP	neutral	

<EUT with Cradle>

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII-2C


802.11be EHT20

CH 140(Open) (9kHz ~ 150kHz)

CH 140(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	61.68	43.57	18.11	127.60	-65.92	100		0 Peak	Open	
2	0.03	69.04	49.21	19.83	119.13	-50.09	100		226 Peak	Open	
3	0.03	48.51	28.50	20.01	118.05	-69.54	100		11 Peak	Open	
4	0.05	48.33	29.65	18.68	113.09	-64.76	100		7 Peak	Open	
5	0.06	40.73	22.68	18.05	111.72	-70.99	100		206 Peak	Open	
6	0.12	29.70	11.52	18.18	105.71	-76.01	100		216 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	46.85	28.51	18.34	104.80	-57.23	100		177 Peak	Open	
2	0.78	40.24	29.32	18.92	69.80	-21.56	100		183 Peak	Open	
3	1.52	45.19	26.37	18.82	63.95	-18.76	100		173 Peak	Open	
4	1.76	35.96	17.13	18.83	69.50	-33.54	100		301 Peak	Open	
5	20.24	36.64	13.83	22.81	69.50	-32.86	100		154 Peak	Open	
6	25.50	37.20	14.18	23.02	69.50	-32.30	100		84 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII-2C


802.11be EHT20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	79.47	32.57	44.47	-11.90	40.00	-7.43	300	134 Peak	Horizontal	
2	196.84	34.02	43.28	-9.26	43.50	-9.48	100	228 Peak	Horizontal	
3	291.90	29.72	36.20	-6.48	46.00	-16.28	100	288 Peak	Horizontal	
4	462.62	29.54	32.56	-3.02	46.00	-16.46	200	204 Peak	Horizontal	
5	709.97	31.79	29.81	1.98	46.00	-14.21	187	0 Peak	Horizontal	
6	845.77	34.15	30.14	4.01	46.00	-11.85	100	18 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	44.55	26.76	34.09	-7.33	40.00	-13.24	100	199 Peak	Vertical	
2	77.53	26.60	38.13	-11.53	40.00	-13.40	100	197 Peak	Vertical	
3	192.96	25.66	34.78	-9.12	43.50	-17.84	186	0 Peak	Vertical	
4	281.23	27.25	34.04	-6.79	46.00	-18.75	200	177 Peak	Vertical	
5	710.94	32.69	30.70	1.99	46.00	-13.31	340	0 Peak	Vertical	
6	922.40	35.35	30.27	5.08	46.00	-10.65	300	38 Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band


(Line)

(Neutral)



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase
	dBuV	Factor	dB	dB	dB		Note
1	0.15	27.31	17.68	9.63	55.79	-28.48 Average	line1
2	0.15	46.71	37.08	9.63	65.79	-19.88 QP	line1
3	0.20	22.92	13.29	9.63	53.81	-30.89 Average	line1
4	0.20	40.80	31.17	9.63	63.81	-23.01 QP	line1
5	0.55	9.90	0.27	9.63	46.00	-36.10 Average	line1
6	0.55	20.65	11.02	9.63	56.00	-35.35 QP	line1
7	3.59	17.66	8.00	9.68	46.00	-28.32 Average	line1
8	3.59	22.42	12.74	9.68	56.00	-33.58 QP	line1
9	12.42	19.31	9.56	9.75	50.00	-30.69 Average	line1
10	12.42	25.14	15.39	9.75	60.00	-34.86 QP	line1
11	29.85	22.64	12.97	9.67	50.00	-27.36 Average	line1
12	29.85	28.58	18.91	9.67	60.00	-31.42 QP	line1



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase
	dBuV	Factor	dB	dB	dB		Note
1	0.16	28.50	18.86	9.64	55.46	-26.96 Average	neutral
2	0.16	46.31	36.67	9.64	65.46	-19.15 QP	neutral
3	0.20	24.36	14.73	9.63	53.76	-29.40 Average	neutral
4	0.20	41.12	31.49	9.63	63.76	-22.64 QP	neutral
5	0.57	16.84	7.21	9.63	46.00	-29.16 Average	neutral
6	0.57	22.96	13.33	9.63	56.00	-33.04 QP	neutral
7	4.86	17.24	7.53	9.71	46.00	-28.76 Average	neutral
8	4.86	21.90	12.19	9.71	56.00	-34.10 QP	neutral
9	10.53	18.09	8.31	9.78	50.00	-31.91 Average	neutral
10	10.53	23.41	13.63	9.78	60.00	-36.59 QP	neutral
11	11.58	19.32	9.52	9.80	50.00	-30.68 Average	neutral
12	11.58	24.37	14.57	9.80	60.00	-35.63 QP	neutral