

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<EUT with Notebook>

Band Edges, 2.31GHz ~ 2.5GHz


802.11b

Low Channel (Horizontal) Peak


Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.95	44.39	6.21	38.18	54.00	-9.61	298	276	Average	Horizontal		
2 *	2412.00	111.27	72.91	38.36	54.00	57.27	298	276	Average	Horizontal		
3	2499.86	42.39	3.77	38.62	54.00	-11.61	298	276	Average	Horizontal		

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.23	41.92	3.72	38.20	54.00	-12.08	384	175	Average	Vertical		
2 *	2412.00	103.16	64.80	38.36	54.00	49.16	384	175	Average	Vertical		
3	2496.82	42.30	3.68	38.62	54.00	-11.70	384	175	Average	Vertical		

802.11b

Middle Channel (Horizontal) Peak



Middle Channel (Vertical) Peak




802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.61	41.87	3.67	38.20	54.00	-12.13		329	106	Average	Horizontal	
2 *	2437.00	109.00	70.59	38.49	54.00	55.00		329	106	Average	Horizontal	
3	2491.78	42.82	4.21	38.61	54.00	-11.18		329	106	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.95	41.34	3.17	38.17	54.00	-12.66		378	192	Average	Vertical	
2 *	2437.00	104.72	66.23	38.49	54.00	50.72		378	192	Average	Vertical	
3	2485.51	42.46	3.86	38.60	54.00	-11.54		378	192	Average	Vertical	

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2348.81	55.60	17.76	37.84	74.00	-18.40		321	104	Peak	Horizontal	
2 *	2462.00	110.99	72.42	38.57	74.00	36.99		321	104	Peak	Horizontal	
3	2491.36	56.40	17.79	38.61	74.00	-17.60		321	104	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2375.79	55.07	16.99	38.08	74.00	-18.93		323	63	Peak	Vertical	
2 *	2462.00	108.26	67.69	38.57	74.00	32.26		323	63	Peak	Vertical	
3	2484.23	55.98	17.38	38.60	74.00	-18.02		323	63	Peak	Vertical	

802.11b

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2351.94	41.67	3.81	37.86	54.00	-12.33	321	104	Average	Horizontal		
2 *	2462.00	100.49	69.92	30.57	54.00	54.49	321	104	Average	Horizontal		
3	2483.50	43.55	4.95	38.60	54.00	-10.45	321	104	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.10	41.36	3.19	38.17	54.00	-12.64	323	63	Average	Vertical		
2 *	2462.00	100.53	64.96	35.57	54.00	49.53	323	63	Average	Vertical		
3	2483.52	42.77	4.17	38.60	54.00	-11.23	323	63	Average	Vertical		

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.37	63.88	25.68	38.20	74.00	-10.20	298	277	Peak	Horizontal	
2 *	2412.00	114.71	76.35	38.36	74.00	40.71	298	277	Peak	Horizontal	
3	2489.60	56.36	17.75	38.61	74.00	-17.64	298	277	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.95	56.43	18.24	38.19	74.00	-17.57	383	65	Peak	Vertical	
2 *	2412.00	108.58	70.22	38.36	74.00	34.58	383	65	Peak	Vertical	
3	2492.35	56.02	17.41	38.61	74.00	-17.98	383	65	Peak	Vertical	

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.85	48.17	9.96	38.21	54.00	-5.83	298	277	Average	Horizontal		
2	2412.00	105.70	67.34	38.36	54.00	51.70	298	277	Average	Horizontal		
3	2492.07	42.63	4.02	38.61	54.00	-11.37	298	277	Average	Horizontal		

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.66	43.88	4.87	38.21	54.00	-10.92	383	65	Average	Vertical		
2	2412.00	99.51	61.15	38.36	54.00	45.51	383	65	Average	Vertical		
3	2490.07	42.69	4.08	38.61	54.00	-11.31	383	65	Average	Vertical		

802.11g

Middle Channel (Horizontal) Peak



Middle Channel (Vertical) Peak




802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.71	42.08	3.91	38.17	54.00	-11.92	329	97	Average	Horizontal		
2 *	2437.00	105.01	66.52	38.49	54.00	51.01	329	97	Average	Horizontal		
3	2484.37	43.47	4.87	38.60	54.00	-10.53	329	97	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.28	41.92	3.72	38.20	54.00	-12.08	302	92	Average	Vertical		
2 *	2437.00	98.32	59.83	38.49	54.00	44.32	302	92	Average	Vertical		
3	2484.18	42.81	4.21	38.60	54.00	-11.19	302	92	Average	Vertical		

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2362.35	55.78	17.83	37.95	74.00	-18.22	100	270	Peak	Horizontal		
2 *	2462.00	111.72	75.15	36.57	74.00	37.72	100	270	Peak	Horizontal		
3	2484.28	59.00	20.40	38.60	74.00	-15.00	100	270	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2312.76	55.78	18.05	37.73	74.00	-18.22	322	74	Peak	Vertical		
2 *	2462.00	109.09	70.52	38.57	74.00	35.09	322	74	Peak	Vertical		
3	2483.71	59.99	21.39	38.60	74.00	-14.01	322	74	Peak	Vertical		

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.87	42.18	4.05	38.13	54.00	-11.82	100	270 Average	Horizontal	
2 *	2462.00	103.27	64.70	38.57	54.00	49.27	100	270 Average	Horizontal	
3	2483.57	47.23	8.63	38.60	54.00	-6.77	100	270 Average	Horizontal	

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.28	41.88	3.70	38.18	54.00	-12.12	322	74 Average	Vertical	
2 *	2462.00	99.71	61.14	38.57	54.00	45.71	322	74 Average	Vertical	
3	2483.71	46.10	7.50	38.60	54.00	-7.90	322	74 Average	Vertical	

802.11be EHT20

Low Channel (Horizontal) Peak




Low Channel (Vertical) Peak




802.11be EHT20

Low Channel (Horizontal) Average




Low Channel (Vertical) Average




802.11be EHT20

Middle Channel (Horizontal) Peak




Middle Channel (Vertical) Peak




802.11be EHT20

Middle Channel (Horizontal) Average



Middle Channel (Vertical) Average




802.11be EHT20


High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT20

High Channel (Horizontal) Average



High Channel (Vertical) Average




802.11be EHT40

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.38	66.32	28.14	38.18	74.00	-7.68	296	300	Peak	Horizontal		
2 *	2422.00	112.71	74.29	38.42	74.00	38.71	296	300	Peak	Horizontal		
3	2483.50	55.76	17.16	38.60	74.00	-16.24	296	300	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.85	60.85	22.64	38.21	74.00	-13.15	338	194	Peak	Vertical		
2 *	2422.00	108.54	70.12	38.42	74.00	34.54	338	194	Peak	Vertical		
3	2496.49	55.71	17.09	38.62	74.00	-16.29	338	194	Peak	Vertical		

802.11be EHT40

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	49.55	11.34	38.21	54.00	-4.45	296	300	Average	Horizontal		
2	2422.00	100.34	61.92	38.42	54.00	46.34	296	300	Average	Horizontal		
3	2483.57	43.08	4.48	38.60	54.00	-10.92	296	300	Average	Horizontal		

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	44.62	6.41	38.21	54.00	-9.38	338	194	Average	Vertical		
2	2422.00	96.73	58.31	38.42	54.00	42.73	338	194	Average	Vertical		
3	2490.69	42.67	4.06	38.61	54.00	-11.33	338	194	Average	Vertical		

802.11be EHT40

Middle Channel (Horizontal) Peak



Middle Channel (Vertical) Peak




802.11be EHT40

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	44.25	6.04	38.21	54.00	-9.75	330	97	Average	Horizontal		
2 *	2437.00	103.67	65.18	38.49	54.00	49.67	330	97	Average	Horizontal		
3	2483.50	47.49	8.89	38.60	54.00	-6.51	330	97	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.09	41.80	3.61	38.19	54.00	-12.20	330	60	Average	Vertical		
2 *	2437.00	95.09	56.60	38.49	54.00	41.09	330	60	Average	Vertical		
3	2484.52	43.32	4.72	38.60	54.00	-10.68	330	60	Average	Vertical		

802.11be EHT40

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.71	56.46	18.26	38.20	74.00	-17.54	331	97	Peak	Horizontal		
2 *	2452.00	114.39	75.63	38.56	74.00	40.39	331	97	Peak	Horizontal		
3	2483.57	66.71	28.11	38.60	74.00	-7.29	331	97	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2369.04	54.78	16.77	38.01	74.00	-19.22	332	86	Peak	Vertical		
2 *	2452.00	107.79	69.23	38.56	74.00	33.79	332	86	Peak	Vertical		
3	2483.90	61.48	22.88	38.60	74.00	-12.52	332	86	Peak	Vertical		

802.11be EHT40

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.98	43.48	5.27	38.21	54.00	-10.52	331	97	Average	Horizontal		
2 *	2452.00	102.58	64.82	38.56	54.00	48.58	331	97	Average	Horizontal		
3 !	2483.50	51.79	13.19	38.60	54.00	-2.21	331	97	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.98	41.61	3.41	38.20	54.00	-12.39	332	86	Average	Vertical		
2 *	2452.00	96.12	57.56	38.56	54.00	42.12	332	86	Average	Vertical		
3 !	2483.57	48.10	9.50	38.60	54.00	-5.90	332	86	Average	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11be EHT40

CH06 (Open) 9kHz~150kHz

CH06 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	64.30	44.47	19.83	119.13	-54.83	100	163	Peak	Open		
2	0.05	46.33	27.65	18.68	113.09	-66.76	100	105	Peak	Open		
3	0.06	41.06	23.01	18.05	111.72	-70.66	100	57	Peak	Open		
4	0.11	34.33	16.26	18.07	107.09	-72.76	100	122	Peak	Open		
5	0.12	34.09	15.92	18.17	105.74	-71.65	100	69	Peak	Open		
6	0.13	31.42	13.22	18.20	105.46	-74.04	100	65	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.33	51.55	32.98	18.57	97.26	-45.71	100	77	Peak	Open		
2	1.19	42.58	23.78	18.80	66.06	-23.48	100	98	Peak	Open		
3	5.31	33.49	13.50	19.99	69.50	-36.01	100	171	Peak	Open		
4	10.96	35.18	13.66	21.52	69.50	-34.32	100	8	Peak	Open		
5	18.63	35.75	13.05	22.70	69.50	-33.75	100	207	Peak	Open		
6	24.75	36.14	13.09	23.05	69.50	-33.36	100	41	Peak	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11be EHT40

CH06 (Horizontal)

CH06 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	51.34	21.27	28.12	-6.85	48.00	-18.73	194	360	Peak	Horizontal		
2	167.74	25.89	32.55	-6.66	43.50	-17.61	280	59	Peak	Horizontal		
3	236.61	32.44	40.31	-7.87	46.00	-13.56	141	360	Peak	Horizontal		
4	307.42	30.69	36.94	-6.25	46.00	-15.31	100	46	Peak	Horizontal		
5	799.21	35.64	32.25	3.39	46.00	-10.36	100	97	Peak	Horizontal		
6	921.43	35.12	30.08	5.04	46.00	-10.08	100	44	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	48.43	26.77	33.71	-6.94	40.00	-13.23	180	188	Peak	Vertical		
2	164.83	21.67	28.36	-6.69	43.50	-21.83	390	291	Peak	Vertical		
3	309.36	30.89	37.10	-6.21	46.00	-15.11	200	87	Peak	Vertical		
4	418.97	32.75	36.51	-3.76	46.00	-13.25	100	166	Peak	Vertical		
5	709.97	32.90	30.92	1.98	46.00	-13.10	100	298	Peak	Vertical		
6	845.77	34.67	30.66	4.01	46.00	-11.33	200	194	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 7311.00	49.73	54.96	-5.23	54.00	-4.27	100	211	Average	Horizontal		
2 7311.00	54.56	59.79	-5.23	74.00	-19.44	100	211	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 7311.00	50.20	55.43	-5.23	54.00	-3.80	100	89	Average	Vertical		
2 7311.00	54.79	60.02	-5.23	74.00	-19.21	100	89	Peak	Vertical		

802.11b

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7386.00	52.12	57.38	-5.26	54.00	-1.88	100	196	Average	Horizontal		
2	7386.00	56.03	61.29	-5.26	74.00	-17.97	100	196	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7386.00	48.85	54.11	-5.26	54.00	-5.15	100	78	Average	Vertical		
2	7386.00	53.73	58.99	-5.26	74.00	-20.27	100	78	Peak	Vertical		


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	28.85	36.72	-7.87	54.00	-25.15	100	7	Average	Horizontal	
2	4824.00	42.25	50.12	-7.87	74.00	-31.75	100	7	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	28.77	36.64	-7.87	54.00	-25.23	121	360	Average	Vertical	
2	4824.00	43.33	51.20	-7.87	74.00	-30.67	121	360	Peak	Vertical	


802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7311.00	36.30	41.53	-5.23	54.00	-17.70	100	205	Average	Horizontal	
2	7311.00	54.38	59.61	-5.23	74.00	-19.62	100	205	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7311.00	36.32	41.55	-5.23	54.00	-17.68	100	205	Average	Vertical	
2	7311.00	54.56	59.79	-5.23	74.00	-19.44	100	205	Peak	Vertical	


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7386.00	37.12	42.38	-5.26	54.00	-16.88	100	193	Average	Horizontal	
2	7386.00	56.29	61.55	-5.26	74.00	-17.71	100	193	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7386.00	36.25	41.51	-5.26	54.00	-17.75	100	271	Average	Vertical	
2	7386.00	53.90	59.16	-5.26	74.00	-20.10	100	271	Peak	Vertical	

802.11be EHT20

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	28.58	36.45	-7.87	54.00	-25.42	300	72	Average	Horizontal	
2	4824.00	43.87	51.74	-7.87	74.00	-30.13	300	72	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	28.63	36.50	-7.87	54.00	-25.37	100	100	Average	Vertical	
2	4824.00	42.04	49.91	-7.87	74.00	-31.96	100	100	Peak	Vertical	

802.11be EHT20

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7311.00	41.40	46.63	-5.23	54.00	-12.60	100	243	Average	Horizontal	
2	7311.00	57.00	62.23	-5.23	74.00	-17.00	100	243	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7311.00	43.69	48.92	-5.23	54.00	-10.31	101	88	Average	Vertical	
2	7311.00	58.99	64.22	-5.23	74.00	-15.01	101	88	Peak	Vertical	

802.11be EHT20

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7386.00	44.28	49.54	-5.26	54.00	-9.72	185	255	Average	Horizontal		
2	7386.00	58.67	63.93	-5.26	74.00	-15.33	185	255	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7386.00	44.71	49.97	-5.26	54.00	-9.29	288	88	Average	Vertical		
2	7386.00	59.01	64.27	-5.26	74.00	-14.99	288	88	Peak	Vertical		


802.11be EHT40

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



802.11be EHT40

Middle Channel (Horizontal)

Middle Channel (Vertical)



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7311.00	40.29	45.52	-5.23	54.00	-13.71	100	266	Average	Horizontal	
2	7311.00	55.27	60.50	-5.23	74.00	-18.73	100	266	Peak	Horizontal	


Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7311.00	41.82	47.05	-5.23	54.00	-12.18	277	88	Average	Vertical	
2	7311.00	56.22	61.45	-5.23	74.00	-17.78	277	88	Peak	Vertical	

802.11be EHT40

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7356.00	41.22	46.44	-5.22	54.00	-12.78	102	254	Average	Horizontal	
2	7356.00	55.34	60.56	-5.22	74.00	-18.66	102	254	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7356.00	41.88	47.10	-5.22	54.00	-12.12	284	86	Average	Vertical	
2	7356.00	55.57	60.79	-5.22	74.00	-18.43	284	86	Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase
	MHz	dBuV	Factor	dB	dB		Note
1	0.18	34.14	24.51	9.63	54.43	-20.29 Average	line1
2	0.18	53.92	44.29	9.63	64.43	-10.51 QP	line1
3	0.24	28.61	18.90	9.63	51.94	-23.33 Average	line1
4	0.24	44.80	35.17	9.63	61.94	-17.14 QP	line1
5	0.30	23.66	14.03	9.63	50.16	-26.50 Average	line1
6	0.30	40.07	30.44	9.63	60.16	-20.09 QP	line1
7	1.49	18.83	9.18	9.65	46.00	-27.17 Average	line1
8	1.49	31.60	21.95	9.65	56.00	-24.40 QP	line1
9	7.85	26.69	16.96	9.73	50.00	-23.31 Average	line1
10	7.85	31.15	21.42	9.73	60.00	-28.85 QP	line1
11	22.25	19.77	10.05	9.72	50.00	-30.23 Average	line1
12	22.25	26.59	16.87	9.72	60.00	-33.41 QP	line1



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fengfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase
	MHz	dBuV	Factor	dB	dB		Note
1	0.18	31.81	22.18	9.63	54.47	-22.66 Average	neutral
2	0.18	49.26	39.63	9.63	64.47	-15.21 QP	neutral
3	0.25	26.44	16.81	9.63	51.65	-25.21 Average	neutral
4	0.25	38.77	29.14	9.63	61.65	-22.88 QP	neutral
5	0.30	23.90	14.27	9.63	50.12	-26.22 Average	neutral
6	0.30	34.80	25.17	9.63	60.12	-25.32 QP	neutral
7	1.01	16.97	7.33	9.64	46.00	-29.03 Average	neutral
8	1.01	28.90	19.26	9.64	56.00	-27.10 QP	neutral
9	5.97	20.82	11.09	9.73	50.00	-29.18 Average	neutral
10	5.97	27.69	17.96	9.73	60.00	-32.31 QP	neutral
11	11.52	26.51	16.71	9.80	50.00	-23.49 Average	neutral
12	11.52	32.93	23.13	9.80	60.00	-27.07 QP	neutral

<EUT with Cradle>

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11be EHT40

CH06 (Open) 9kHz~150kHz

CH06 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	61.63	43.52	18.11	127.60	-65.97	100	314 Peak	Open	
2	0.03	69.06	49.23	19.83	119.13	-50.07	100	121 Peak	Open	
3	0.03	48.70	28.69	20.01	118.05	-69.35	100	314 Peak	Open	
4	0.05	48.10	29.41	18.69	113.11	-65.01	100	51 Peak	Open	
5	0.06	40.33	22.28	18.05	111.72	-71.39	100	297 Peak	Open	
6	0.12	29.79	11.61	18.18	105.71	-75.92	100	184 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.15	47.47	29.13	18.34	104.80	-56.61	100	184 Peak	Open	
2	0.78	48.39	29.47	18.92	69.80	-21.41	100	174 Peak	Open	
3	1.52	46.01	27.19	18.82	63.95	-17.94	100	188 Peak	Open	
4	2.27	35.35	16.47	18.88	69.50	-34.15	100	278 Peak	Open	
5	15.64	35.64	13.85	21.79	69.50	-33.86	100	139 Peak	Open	
6	21.49	37.80	15.28	22.52	69.50	-31.70	100	289 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11be EHT40

CH06 (Horizontal)

CH06 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	78.58	31.24	42.96	-11.72	40.00	-8.76	400	150	Peak	Horizontal		
2	193.93	34.33	43.53	-9.20	43.50	-9.17	200	233	Peak	Horizontal		
3	331.67	29.99	35.44	-5.45	46.00	-16.01	100	189	Peak	Horizontal		
4	458.74	29.01	32.04	-3.03	46.00	-16.99	200	195	Peak	Horizontal		
5	752.65	32.64	29.74	2.90	46.00	-13.36	400	272	Peak	Horizontal		
6	848.68	34.92	30.84	4.08	46.00	-11.08	366	0	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	44.55	26.49	33.82	-7.33	40.00	-13.51	100	250	Peak	Vertical		
2	78.58	26.83	37.75	-11.72	40.00	-13.97	400	262	Peak	Vertical		
3	196.84	27.67	36.93	-9.26	43.50	-15.83	200	162	Peak	Vertical		
4	299.66	28.39	34.79	-6.40	46.00	-17.61	200	98	Peak	Vertical		
5	846.74	34.46	30.43	4.03	46.00	-11.54	300	277	Peak	Vertical		
6	935.01	35.06	29.74	5.32	46.00	-10.94	200	58	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



Trace: 1	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Factor	Line	Limit			
1	0.17	27.25	17.62	9.63	54.88	-27.63 Average	line1	
2	0.17	45.28	35.05	9.63	64.88	-19.60 QP	line1	
3	0.20	22.42	12.79	9.63	53.52	-31.10 Average	line1	
4	0.20	39.89	30.26	9.63	63.52	-23.63 QP	line1	
5	0.59	10.87	1.24	9.63	46.00	-35.13 Average	line1	
6	0.59	19.57	9.94	9.63	56.00	-36.43 QP	line1	
7	3.74	15.12	6.44	9.68	46.00	-29.88 Average	line1	
8	3.74	22.28	12.60	9.68	56.00	-33.72 QP	line1	
9	7.32	20.96	11.24	9.72	50.00	-29.04 Average	line1	
10	7.32	25.93	16.21	9.72	60.00	-34.07 QP	line1	
11	11.35	20.40	10.65	9.75	50.00	-29.60 Average	line1	
12	11.35	25.68	15.93	9.75	60.00	-34.32 QP	line1	



Trace: 1	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Factor	Line	Limit			
1	0.16	27.68	18.04	9.64	55.25	-27.57 Average	neutral	
2	0.16	45.44	35.00	9.64	65.25	-19.81 QP	neutral	
3	0.20	22.02	12.39	9.63	53.43	-31.41 Average	neutral	
4	0.20	39.00	29.37	9.63	63.43	-24.43 QP	neutral	
5	0.65	14.30	4.67	9.63	46.00	-31.70 Average	neutral	
6	0.65	19.26	9.63	9.63	56.00	-36.74 QP	neutral	
7	3.33	15.70	6.02	9.68	46.00	-30.30 Average	neutral	
8	3.33	20.38	10.70	9.68	56.00	-35.62 QP	neutral	
9	5.88	17.39	7.66	9.73	50.00	-32.61 Average	neutral	
10	5.88	23.14	13.41	9.73	60.00	-36.86 QP	neutral	
11	10.43	17.96	8.20	9.78	50.00	-32.02 Average	neutral	
12	10.43	23.36	13.58	9.78	60.00	-36.64 QP	neutral	