



**Radiated Emissions
Horizontal Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 7 (908.432 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 7:18 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

Plot Number: 19



VBW: 3.000 MHz	Sweep Time: Auto	PR Atten: 20.00 dB
RBW: 1.000 MHz	Ref. Lev: 117.00 dBuV/m	An Atten: 20.00 dB



Associated Files	
rfac1_3m.txt	4/7/2000
09588h3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000

**Radiated Emissions
Horizontal Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 7 (908.432 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 7:28 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

Plot Number: 20



VBW: 300.000 kHz	Sweep Time: Auto	PR Atten: 0.00 dB
RBW: 100.000 kHz	Ref. Lev: 117.00 dBuV/m	An Atten: 40.00 dB



Associated Files	
rfac1_3m.txt	4/7/2000
09588h3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000

**Radiated Emissions
Horizontal Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 7 (908.432 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 7:36 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

Plot Number: 21



VBW: 300.000 kHz	Sweep Time: Auto	PR Atten: 20.00 dB
RBW 100.000 kHz	Ref. Lev: 97.00 dBuV/m	An Atten: 0.00 dB

Associated Files	
rfac1_3m.txt	4/7/2000
09588h3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000



**Radiated Emissions
Vertical Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 7 (908.432 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 7:44 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

7:44 PM

Plot Number: 22



VBW: 3.000 MHz
RBW: 1.000 MHz

Sweep Time: Auto
Ref. Lev: 117.00 dBuV/m

PR Atten: 20.00 dB
An Atten: 20.00 dB

Associated Files

rfac1_3m.txt 4/7/2000
09588v3.dat 8/8/2000
FCC15B3.DAT 23/4/1997
lnafilt.dat 6/3/2000

AVERAGE DATA



Freq (MHz)	Azimuth (deg)	Height (cm)	SA Lvl (dBuV/m)	AF (dB)	CF (dB)	OF (dB)	Lvl (dBuV/m)	Limit (dBuV/m)	RESULT
1815.000	166	127	79.40	28.34	5.46	-62.34	40.85	53.98	Pass

**Radiated Emissions
Vertical Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 7 (908.432 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 8:02 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

Plot Number: 23



VBW: 300.000 kHz Sweep Time: Auto PR Atten: 0.00 dB
RBW: 100.000 kHz Ref. Lev: 117.00 dBuV/m An Atten: 40.00 dB

Associated Files

rfac1_3m.txt 4/7/2000
09588v3.dat 8/8/2000
FCC15B3.DAT 23/4/1997
lnafilt.dat 6/3/2000

QUASI-PEAK DATA

Freq (MHz)	Azimuth (deg)	Height (cm)	SA Lvl (dBuV/m)	AF (dB)	CF (dB)	OF (dB)	Lvl (dBuV/m)	Limit (dBuV/m)	RESULT
------------	---------------	-------------	-----------------	---------	---------	---------	--------------	----------------	--------



**Radiated Emissions
Vertical Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 7 (908.432 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

8:08 PM

Plot Number: 24



VBW: 300.000 kHz	Sweep Time: Auto	PR Atten: 20.00 dB
RBW 100.000 kHz	Ref. Lev: 97.00 dBuV/m	An Atten: 0.00 dB

Associated Files	
rfac1_3m.txt	4/7/2000
09588v3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000



**Radiated Emissions
Vertical Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 3 (917.904 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 8:15 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

8:15 PM

Plot Number: 27



VBW: 3.000 MHz Sweep Time: Auto PR Atten: 20.00 dB
RBW: 1.000 MHz Ref. Lev: 117.00 dBuV/m An Atten: 20.00 dB



Associated Files	
rfac1_3m.txt	4/7/2000
09588v3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000

**Radiated Emissions
Vertical Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 3 (917.904 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 8:26 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

Plot Number: 26



VBW: 300.000 kHz Sweep Time: Auto PR Atten: 0.00 dB
RBW 100.000 kHz Ref. Lev: 117.00 dBuV/m An Atten: 40.00 dB

Associated Files



rfac1_3m.txt 4/7/2000
09588v3.dat 8/8/2000
FCC15B3.DAT 23/4/1997
lnafilt.dat 6/3/2000

**Radiated Emissions
Vertical Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 3 (917.904 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 8:37 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

Plot Number: 28



VBW: 300.000 kHz	Sweep Time: Auto	PR Atten: 20.00 dB
RBW 100.000 kHz	Ref. Lev: 97.00 dBuV/m	An Atten: 0.00 dB

Associated Files	
rfac1_3m.txt	4/7/2000
09588v3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000



**Radiated Emissions
Horizontal Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 3 (917.904 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 8:49 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

8:49 PM

Plot Number: 29



VBW: 3.000 MHz	Sweep Time: Auto	PR Atten: 20.00 dB
RBW: 1.000 MHz	Ref. Lev: 117.00 dBuV/m	An Atten: 20.00 dB

Associated Files	
rfac1_3m.txt	4/7/2000
09588h3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000



**Radiated Emissions
Horizontal Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 3 (917.904 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

8:56 PM

Plot Number: 30



VBW: 300.000 kHz	Sweep Time: Auto	PR Atten: 0.00 dB
RBW: 100.000 kHz	Ref. Lev: 117.00 dBuV/m	An Atten: 40.00 dB



Associated Files	
rfac1_3m.txt	4/7/2000
09588h3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000

**Radiated Emissions
Horizontal Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 3 (917.904 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 9:03 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

Plot Number: 31



VBW: 300.000 kHz	Sweep Time: Auto	PR Atten: 20.00 dB
RBW 100.000 kHz	Ref. Lev: 97.00 dBuV/m	An Atten: 0.00 dB

Associated Files	
rfac1_3m.txt	4/7/2000
09588h3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000



**Radiated Emissions
Horizontal Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 0 (925.328 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 9:11 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

9:11 PM

Plot Number: 40



VBW: 3.000 MHz	Sweep Time: Auto	PR Atten: 20.00 dB
RBW: 1.000 MHz	Ref. Lev: 117.00 dBuV/m	An Atten: 20.00 dB



Associated Files	
rfac1_3m.txt	4/7/2000
09588h3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000

**Radiated Emissions
Horizontal Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 0 (925.328 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 9:19 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

Plot Number: 41



VBW: 300.000 kHz Sweep Time: Auto PR Atten: 0.00 dB
RBW 100.000 kHz Ref. Lev: 117.00 dBuV/m An Atten: 40.00 dB



Associated Files	
rfac1_3m.txt	4/7/2000
09588h3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000

**Radiated Emissions
Horizontal Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 0 (925.328 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 9:25 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

Plot Number: 42



VBW: 300.000 kHz	Sweep Time: Auto	PR Atten: 20.00 dB
RBW 100.000 kHz	Ref. Lev: 97.00 dBuV/m	An Atten: 0.00 dB

Associated Files	
rfac1_3m.txt	4/7/2000
09588h3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000



**Radiated Emissions
Vertical Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 0 (925.328 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 9:31 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

9:31 PM

Plot Number: 39



VBW: 3.000 MHz	Sweep Time: Auto	PR Atten: 20.00 dB
RBW 1.000 MHz	Ref. Lev: 117.00 dBuV/m	An Atten: 20.00 dB

Associated Files	
rfac1_3m.txt	4/7/2000
09588v3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000



**Radiated Emissions
Vertical Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 0 (925.328 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 9:38 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

9:38 PM

Plot Number: 38



VBW: 300.000 kHz	Sweep Time: Auto	PR Atten: 0.00 dB
RBW: 100.000 kHz	Ref. Lev: 117.00 dBuV/m	An Atten: 40.00 dB



Associated Files	
rfac1_3m.txt	4/7/2000
09588v3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000

**Radiated Emissions
Vertical Polarity
FCC Part 15 Class B 3m**

Title: Radiated Emissions
Mode of Operation: TDD Channel 0 (925.328 MHz)
Distance: 3 meters
Technologist: D. Raynes
Comments: Omnidirectional Antenna

Date & Time: November 27, 2000 9:44 PM
Project #: 553a01
Company: Critical Control
Product: TELEPath
Serial #: n/a

Plot Number: 37



VBW: 300.000 kHz	Sweep Time: Auto	PR Atten: 20.00 dB
RBW: 100.000 kHz	Ref. Lev: 97.00 dBuV/m	An Atten: 0.00 dB

Associated Files	
rfac1_3m.txt	4/7/2000
09588v3.dat	8/8/2000
FCC15B3.DAT	23/4/1997
lnafilt.dat	6/3/2000