



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	255.04M	40.98	46.00	-5.02	3	Horizontal	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	239.52M	36.20	46.00	-9.80	3	Vertical	0	1.00	-
5775MHz	Pass	PK	255.04M	36.48	46.00	-9.52	3	Vertical	0	1.00	-
5775MHz	Pass	PK	270.56M	36.54	46.00	-9.46	3	Vertical	0	1.00	-
5775MHz	Pass	PK	319.06M	28.14	46.00	-17.86	3	Vertical	0	1.00	-
5775MHz	Pass	PK	394.72M	28.40	46.00	-17.60	3	Vertical	0	1.00	-
5775MHz	Pass	PK	476.2M	31.51	46.00	-14.49	3	Vertical	0	1.00	-
5775MHz	Pass	PK	239.52M	39.62	46.00	-6.38	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	255.04M	40.98	46.00	-5.02	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	319.06M	33.98	46.00	-12.02	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	394.72M	31.61	46.00	-14.39	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	478.14M	29.99	46.00	-16.01	3	Horizontal	360	1.00	-
5775MHz	Pass	QP	270.56M	38.37	46.00	-7.63	3	Horizontal	254	1.04	-

802.11ax HEW80_Nss1,(MCS0)_2TX

16/08/2020

5775MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	239.52M	36.20	46.00	-9.80	-7.87	3	Vertical	0	1.00	-	44.07	16.34	2.54	26.75
PK	255.04M	36.48	46.00	-9.52	-5.78	3	Vertical	0	1.00	-	42.26	18.29	2.63	26.70
PK	270.56M	36.54	46.00	-9.46	-6.02	3	Vertical	0	1.00	-	42.56	17.95	2.72	26.69
PK	319.06M	28.14	46.00	-17.86	-5.05	3	Vertical	0	1.00	-	33.19	18.73	2.98	26.76
PK	394.72M	28.40	46.00	-17.60	-3.16	3	Vertical	0	1.00	-	31.56	20.78	3.28	27.22
PK	476.2M	31.51	46.00	-14.49	-1.68	3	Vertical	0	1.00	-	33.19	22.50	3.56	27.74

802.11ax HEW80_Nss1,(MCS0)_2TX

16/08/2020

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	239.52M	39.62	46.00	-6.38	-7.87	3	Horizontal	360	1.00	-	47.49	16.34	2.54	26.75
PK	255.04M	40.98	46.00	-5.02	-5.78	3	Horizontal	360	1.00	-	46.76	18.29	2.63	26.70
PK	319.06M	33.98	46.00	-12.02	-5.05	3	Horizontal	360	1.00	-	39.03	18.73	2.98	26.76
PK	394.72M	31.61	46.00	-14.39	-3.16	3	Horizontal	360	1.00	-	34.77	20.78	3.28	27.22
PK	478.14M	29.99	46.00	-16.01	-1.71	3	Horizontal	360	1.00	-	31.70	22.47	3.57	27.75
QP	270.56M	38.37	46.00	-7.63	-6.02	3	Horizontal	254	1.04	-	44.39	17.95	2.72	26.69



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	48.49	54.00	-5.51	3	Vertical	174	1.63	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	51.70	54.00	-2.30	3	Horizontal	94	2.12	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	50.71	54.00	-3.29	3	Vertical	172	1.03	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.12	54.00	-0.88	3	Vertical	173	1.01	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	45.74	54.00	-8.26	3	Vertical	17	2.24	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.3508G	48.40	54.00	-5.60	3	Horizontal	295	1.01	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.75	54.00	-0.25	3	Vertical	173	1.05	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.354G	52.96	54.00	-1.04	3	Horizontal	293	1.07	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7256G	65.54	68.20	-2.66	3	Horizontal	19	1.83	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7288G	66.43	68.20	-1.77	3	Horizontal	36	1.71	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.466G	68.06	68.20	-0.14	3	Vertical	21	2.89	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.464G	67.57	68.20	-0.63	3	Vertical	178	1.01	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	6.041G	57.32	68.20	-10.88	3	Vertical	30	2.11	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.5932G	44.30	54.00	-9.70	3	Vertical	172	2.02	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	11.61544G	44.17	54.00	-9.83	3	Vertical	273	1.73	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.6478G	59.42	68.20	-8.78	3	Horizontal	21	1.99	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	48.49	54.00	-5.51	3	Vertical	174	1.63	-
5180MHz	Pass	AV	5.1818G	103.46	Inf	-Inf	3	Vertical	174	1.63	-
5180MHz	Pass	PK	5.15G	63.44	74.00	-10.56	3	Vertical	174	1.63	-
5180MHz	Pass	PK	5.1822G	114.48	Inf	-Inf	3	Vertical	174	1.63	-
5180MHz	Pass	AV	5.1484G	45.26	54.00	-8.74	3	Horizontal	271	2.13	-
5180MHz	Pass	AV	5.183G	97.46	Inf	-Inf	3	Horizontal	271	2.13	-
5180MHz	Pass	PK	5.149G	59.55	74.00	-14.45	3	Horizontal	271	2.13	-
5180MHz	Pass	PK	5.1832G	109.66	Inf	-Inf	3	Horizontal	271	2.13	-
5180MHz	Pass	PK	10.36952G	55.60	68.20	-12.60	3	Vertical	216	2.19	-
5180MHz	Pass	PK	10.36856G	55.64	68.20	-12.56	3	Horizontal	131	2.06	-
5200MHz	Pass	AV	5.1376G	43.16	54.00	-10.84	3	Vertical	171	1.73	-
5200MHz	Pass	AV	5.202G	102.12	Inf	-Inf	3	Vertical	171	1.73	-
5200MHz	Pass	PK	5.1484G	56.41	74.00	-17.59	3	Vertical	171	1.73	-
5200MHz	Pass	PK	5.2024G	113.08	Inf	-Inf	3	Vertical	171	1.73	-
5200MHz	Pass	AV	5.1184G	43.17	54.00	-10.83	3	Horizontal	277	1.99	-
5200MHz	Pass	AV	5.1992G	100.02	Inf	-Inf	3	Horizontal	277	1.99	-
5200MHz	Pass	PK	5.1188G	56.64	74.00	-17.36	3	Horizontal	277	1.99	-
5200MHz	Pass	PK	5.1992G	110.66	Inf	-Inf	3	Horizontal	277	1.99	-
5200MHz	Pass	PK	10.4068G	56.27	68.20	-11.93	3	Vertical	188	1.21	-
5200MHz	Pass	PK	10.39572G	56.29	68.20	-11.91	3	Horizontal	282	2.03	-
5240MHz	Pass	AV	5.1224G	43.22	54.00	-10.78	3	Vertical	169	1.60	-
5240MHz	Pass	AV	5.2418G	101.27	Inf	-Inf	3	Vertical	169	1.60	-
5240MHz	Pass	AV	5.375G	42.14	54.00	-11.86	3	Vertical	169	1.60	-
5240MHz	Pass	PK	5.1326G	56.12	74.00	-17.88	3	Vertical	169	1.60	-
5240MHz	Pass	PK	5.2424G	112.05	Inf	-Inf	3	Vertical	169	1.60	-
5240MHz	Pass	PK	5.3654G	55.49	74.00	-18.51	3	Vertical	169	1.60	-
5240MHz	Pass	AV	5.1236G	43.00	54.00	-11.00	3	Horizontal	29	1.59	-
5240MHz	Pass	AV	5.2406G	99.31	Inf	-Inf	3	Horizontal	29	1.59	-
5240MHz	Pass	AV	5.3894G	42.27	54.00	-11.73	3	Horizontal	29	1.59	-
5240MHz	Pass	PK	5.1326G	55.96	74.00	-18.04	3	Horizontal	29	1.59	-
5240MHz	Pass	PK	5.2412G	109.12	Inf	-Inf	3	Horizontal	29	1.59	-
5240MHz	Pass	PK	5.3732G	55.35	74.00	-18.65	3	Horizontal	29	1.59	-
5240MHz	Pass	PK	10.48696G	56.42	68.20	-11.78	3	Vertical	234	1.53	-
5240MHz	Pass	PK	10.4836G	57.37	68.20	-10.83	3	Horizontal	185	1.25	-
5260MHz	Pass	AV	5.1382G	43.30	54.00	-10.70	3	Vertical	169	1.48	-
5260MHz	Pass	AV	5.2618G	101.30	Inf	-Inf	3	Vertical	169	1.48	-
5260MHz	Pass	AV	5.3938G	42.31	54.00	-11.69	3	Vertical	169	1.48	-
5260MHz	Pass	PK	5.1328G	56.68	74.00	-17.32	3	Vertical	169	1.48	-
5260MHz	Pass	PK	5.2624G	112.22	Inf	-Inf	3	Vertical	169	1.48	-
5260MHz	Pass	PK	5.3908G	54.96	74.00	-19.04	3	Vertical	169	1.48	-
5260MHz	Pass	AV	5.1346G	43.19	54.00	-10.81	3	Horizontal	30	1.68	-
5260MHz	Pass	AV	5.2606G	100.01	Inf	-Inf	3	Horizontal	30	1.68	-
5260MHz	Pass	AV	5.3956G	42.46	54.00	-11.54	3	Horizontal	30	1.68	-
5260MHz	Pass	PK	5.1136G	56.09	74.00	-17.91	3	Horizontal	30	1.68	-
5260MHz	Pass	PK	5.2606G	110.35	Inf	-Inf	3	Horizontal	30	1.68	-
5260MHz	Pass	PK	5.3782G	56.11	74.00	-17.89	3	Horizontal	30	1.68	-
5260MHz	Pass	PK	10.5206G	55.95	68.20	-12.25	3	Vertical	192	2.01	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	10.52048G	56.29	68.20	-11.91	3	Horizontal	162	1.54	-
5300MHz	Pass	AV	5.2968G	99.77	Inf	-Inf	3	Vertical	170	1.59	-
5300MHz	Pass	AV	5.392G	42.24	54.00	-11.76	3	Vertical	170	1.59	-
5300MHz	Pass	PK	5.2976G	110.08	Inf	-Inf	3	Vertical	170	1.59	-
5300MHz	Pass	PK	5.3704G	55.87	74.00	-18.13	3	Vertical	170	1.59	-
5300MHz	Pass	AV	5.296G	100.46	Inf	-Inf	3	Horizontal	30	1.61	-
5300MHz	Pass	AV	5.3944G	42.41	54.00	-11.59	3	Horizontal	30	1.61	-
5300MHz	Pass	PK	5.3008G	110.67	Inf	-Inf	3	Horizontal	30	1.61	-
5300MHz	Pass	PK	5.3912G	55.60	74.00	-18.40	3	Horizontal	30	1.61	-
5300MHz	Pass	PK	10.60992G	55.80	74.00	-18.20	3	Vertical	218	1.62	-
5300MHz	Pass	PK	10.59272G	55.34	68.20	-12.86	3	Horizontal	347	1.41	-
5320MHz	Pass	AV	5.3236G	100.45	Inf	-Inf	3	Vertical	17	2.24	-
5320MHz	Pass	AV	5.35G	45.74	54.00	-8.26	3	Vertical	17	2.24	-
5320MHz	Pass	PK	5.3186G	111.16	Inf	-Inf	3	Vertical	17	2.24	-
5320MHz	Pass	PK	5.35G	60.82	74.00	-13.18	3	Vertical	17	2.24	-
5320MHz	Pass	AV	5.321G	99.77	Inf	-Inf	3	Horizontal	29	1.51	-
5320MHz	Pass	AV	5.35G	45.23	54.00	-8.77	3	Horizontal	29	1.51	-
5320MHz	Pass	PK	5.3208G	110.21	Inf	-Inf	3	Horizontal	29	1.51	-
5320MHz	Pass	PK	5.35G	60.52	74.00	-13.48	3	Horizontal	29	1.51	-
5320MHz	Pass	AV	10.63484G	41.82	54.00	-12.18	3	Vertical	89	2.04	-
5320MHz	Pass	PK	10.63056G	55.23	74.00	-18.77	3	Vertical	89	2.04	-
5320MHz	Pass	AV	10.63112G	41.78	54.00	-12.22	3	Horizontal	119	1.73	-
5320MHz	Pass	PK	10.63132G	55.65	74.00	-18.35	3	Horizontal	119	1.73	-
5500MHz	Pass	AV	5.4588G	42.36	54.00	-11.64	3	Vertical	360	2.91	-
5500MHz	Pass	AV	5.5032G	100.90	Inf	-Inf	3	Vertical	360	2.91	-
5500MHz	Pass	PK	5.4686G	57.03	68.20	-11.17	3	Vertical	360	2.91	-
5500MHz	Pass	PK	5.5032G	111.95	Inf	-Inf	3	Vertical	360	2.91	-
5500MHz	Pass	AV	5.4596G	42.43	54.00	-11.57	3	Horizontal	225	1.82	-
5500MHz	Pass	AV	5.5042G	99.52	Inf	-Inf	3	Horizontal	225	1.82	-
5500MHz	Pass	PK	5.4696G	59.10	68.20	-9.10	3	Horizontal	225	1.82	-
5500MHz	Pass	PK	5.4994G	110.31	Inf	-Inf	3	Horizontal	225	1.82	-
5500MHz	Pass	AV	10.9968G	42.27	54.00	-11.73	3	Vertical	81	2.00	-
5500MHz	Pass	PK	11.00968G	56.63	74.00	-17.37	3	Vertical	81	2.00	-
5500MHz	Pass	AV	10.99624G	42.26	54.00	-11.74	3	Horizontal	337	1.91	-
5500MHz	Pass	PK	10.99648G	56.59	74.00	-17.41	3	Horizontal	337	1.91	-
5580MHz	Pass	AV	5.4588G	42.46	54.00	-11.54	3	Vertical	20	1.91	-
5580MHz	Pass	AV	5.5752G	101.70	Inf	-Inf	3	Vertical	20	1.91	-
5580MHz	Pass	PK	5.4648G	54.89	68.20	-13.31	3	Vertical	20	1.91	-
5580MHz	Pass	PK	5.5746G	111.34	Inf	-Inf	3	Vertical	20	1.91	-
5580MHz	Pass	PK	5.727G	55.05	68.20	-13.15	3	Vertical	20	1.91	-
5580MHz	Pass	AV	5.4384G	42.38	54.00	-11.62	3	Horizontal	232	1.88	-
5580MHz	Pass	AV	5.5836G	99.71	Inf	-Inf	3	Horizontal	232	1.88	-
5580MHz	Pass	PK	5.4678G	54.67	68.20	-13.53	3	Horizontal	232	1.88	-
5580MHz	Pass	PK	5.583G	110.22	Inf	-Inf	3	Horizontal	232	1.88	-
5580MHz	Pass	PK	5.7258G	55.81	68.20	-12.39	3	Horizontal	232	1.88	-
5580MHz	Pass	AV	11.15216G	41.80	54.00	-12.20	3	Vertical	348	1.07	-
5580MHz	Pass	PK	11.1574G	56.06	74.00	-17.94	3	Vertical	348	1.07	-
5580MHz	Pass	AV	11.15076G	41.78	54.00	-12.22	3	Horizontal	227	1.07	-
5580MHz	Pass	PK	11.15464G	55.82	74.00	-18.18	3	Horizontal	227	1.07	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	AV	5.6992G	101.14	Inf	-Inf	3	Vertical	0	2.34	-
5700MHz	Pass	PK	5.6992G	111.61	Inf	-Inf	3	Vertical	0	2.34	-
5700MHz	Pass	PK	5.7252G	64.28	68.20	-3.92	3	Vertical	0	2.34	-
5700MHz	Pass	AV	5.6992G	99.94	Inf	-Inf	3	Horizontal	19	1.83	-
5700MHz	Pass	PK	5.6992G	109.77	Inf	-Inf	3	Horizontal	19	1.83	-
5700MHz	Pass	PK	5.7256G	65.54	68.20	-2.66	3	Horizontal	19	1.83	-
5700MHz	Pass	AV	11.4078G	41.96	54.00	-12.04	3	Vertical	201	2.37	-
5700MHz	Pass	PK	11.4012G	55.71	74.00	-18.29	3	Vertical	201	2.37	-
5700MHz	Pass	AV	11.40844G	42.10	54.00	-11.90	3	Horizontal	32	1.15	-
5700MHz	Pass	PK	11.40712G	56.16	74.00	-17.84	3	Horizontal	32	1.15	-
5745MHz	Pass	AV	5.7402G	101.38	Inf	-Inf	3	Vertical	22	2.22	-
5745MHz	Pass	PK	5.589G	56.46	68.20	-11.74	3	Vertical	22	2.22	-
5745MHz	Pass	PK	5.7402G	110.91	Inf	-Inf	3	Vertical	22	2.22	-
5745MHz	Pass	PK	5.9622G	56.82	68.20	-11.38	3	Vertical	22	2.22	-
5745MHz	Pass	AV	5.7438G	100.41	Inf	-Inf	3	Horizontal	19	1.90	-
5745MHz	Pass	PK	5.6226G	56.29	68.20	-11.91	3	Horizontal	19	1.90	-
5745MHz	Pass	PK	5.7438G	110.60	Inf	-Inf	3	Horizontal	19	1.90	-
5745MHz	Pass	PK	5.943G	56.58	68.20	-11.62	3	Horizontal	19	1.90	-
5745MHz	Pass	AV	11.48884G	42.80	54.00	-11.20	3	Vertical	40	1.71	-
5745MHz	Pass	PK	11.48956G	56.57	74.00	-17.43	3	Vertical	40	1.71	-
5745MHz	Pass	AV	11.48564G	42.85	54.00	-11.15	3	Horizontal	219	2.11	-
5745MHz	Pass	PK	11.49352G	56.97	74.00	-17.03	3	Horizontal	219	2.11	-
5785MHz	Pass	AV	5.7862G	101.37	Inf	-Inf	3	Vertical	26	2.18	-
5785MHz	Pass	PK	5.5702G	56.06	68.20	-12.14	3	Vertical	26	2.18	-
5785MHz	Pass	PK	5.7862G	111.33	Inf	-Inf	3	Vertical	26	2.18	-
5785MHz	Pass	PK	6.0298G	57.02	68.20	-11.18	3	Vertical	26	2.18	-
5785MHz	Pass	AV	5.7838G	100.80	Inf	-Inf	3	Horizontal	21	1.81	-
5785MHz	Pass	PK	5.587G	57.20	68.20	-11.00	3	Horizontal	21	1.81	-
5785MHz	Pass	PK	5.785G	110.57	Inf	-Inf	3	Horizontal	21	1.81	-
5785MHz	Pass	PK	5.9962G	57.09	68.20	-11.11	3	Horizontal	21	1.81	-
5785MHz	Pass	AV	11.56432G	42.82	54.00	-11.18	3	Vertical	49	1.94	-
5785MHz	Pass	PK	11.57208G	56.85	74.00	-17.15	3	Vertical	49	1.94	-
5785MHz	Pass	AV	11.56408G	42.83	54.00	-11.17	3	Horizontal	55	1.60	-
5785MHz	Pass	PK	11.56532G	57.04	74.00	-16.96	3	Horizontal	55	1.60	-
5825MHz	Pass	AV	5.8214G	101.20	Inf	-Inf	3	Vertical	30	2.11	-
5825MHz	Pass	PK	5.5634G	55.65	68.20	-12.55	3	Vertical	30	2.11	-
5825MHz	Pass	PK	5.8274G	111.89	Inf	-Inf	3	Vertical	30	2.11	-
5825MHz	Pass	PK	6.041G	57.32	68.20	-10.88	3	Vertical	30	2.11	-
5825MHz	Pass	AV	5.8238G	99.94	Inf	-Inf	3	Horizontal	21	1.79	-
5825MHz	Pass	PK	5.5478G	56.24	68.20	-11.96	3	Horizontal	21	1.79	-
5825MHz	Pass	PK	5.825G	109.74	Inf	-Inf	3	Horizontal	21	1.79	-
5825MHz	Pass	PK	6.0242G	56.21	68.20	-11.99	3	Horizontal	21	1.79	-
5825MHz	Pass	AV	11.64264G	42.15	54.00	-11.85	3	Vertical	172	1.15	-
5825MHz	Pass	PK	11.65264G	56.06	74.00	-17.94	3	Vertical	172	1.15	-
5825MHz	Pass	AV	11.64368G	42.17	54.00	-11.83	3	Horizontal	212	1.95	-
5825MHz	Pass	PK	11.65912G	55.63	74.00	-18.37	3	Horizontal	212	1.95	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1478G	50.07	54.00	-3.93	3	Vertical	16	2.28	-
5180MHz	Pass	AV	5.177G	101.97	Inf	-Inf	3	Vertical	16	2.28	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.1482G	63.93	74.00	-10.07	3	Vertical	16	2.28	-
5180MHz	Pass	PK	5.177G	114.29	Inf	-Inf	3	Vertical	16	2.28	-
5180MHz	Pass	AV	5.1496G	51.70	54.00	-2.30	3	Horizontal	94	2.12	-
5180MHz	Pass	AV	5.1776G	103.22	Inf	-Inf	3	Horizontal	94	2.12	-
5180MHz	Pass	PK	5.1472G	67.22	74.00	-6.78	3	Horizontal	94	2.12	-
5180MHz	Pass	PK	5.1778G	114.99	Inf	-Inf	3	Horizontal	94	2.12	-
5180MHz	Pass	PK	10.35272G	56.94	68.20	-11.26	3	Vertical	224	1.19	-
5180MHz	Pass	PK	10.35328G	56.10	68.20	-12.10	3	Horizontal	225	1.71	-
5200MHz	Pass	AV	5.1464G	44.94	54.00	-9.06	3	Vertical	173	1.02	-
5200MHz	Pass	AV	5.2028G	104.24	Inf	-Inf	3	Vertical	173	1.02	-
5200MHz	Pass	PK	5.1108G	57.14	74.00	-16.86	3	Vertical	173	1.02	-
5200MHz	Pass	PK	5.2032G	115.76	Inf	-Inf	3	Vertical	173	1.02	-
5200MHz	Pass	AV	5.1488G	44.97	54.00	-9.03	3	Horizontal	94	2.04	-
5200MHz	Pass	AV	5.1976G	103.21	Inf	-Inf	3	Horizontal	94	2.04	-
5200MHz	Pass	PK	5.1052G	57.45	74.00	-16.55	3	Horizontal	94	2.04	-
5200MHz	Pass	PK	5.1976G	114.99	Inf	-Inf	3	Horizontal	94	2.04	-
5200MHz	Pass	PK	10.4048G	56.10	68.20	-12.10	3	Vertical	225	2.45	-
5200MHz	Pass	PK	10.40356G	56.69	68.20	-11.51	3	Horizontal	175	1.70	-
5240MHz	Pass	AV	5.1476G	44.96	54.00	-9.04	3	Vertical	173	1.08	-
5240MHz	Pass	AV	5.2424G	103.66	Inf	-Inf	3	Vertical	173	1.08	-
5240MHz	Pass	AV	5.3858G	44.23	54.00	-9.77	3	Vertical	173	1.08	-
5240MHz	Pass	PK	5.1458G	57.39	74.00	-16.61	3	Vertical	173	1.08	-
5240MHz	Pass	PK	5.2334G	115.14	Inf	-Inf	3	Vertical	173	1.08	-
5240MHz	Pass	PK	5.3522G	56.16	74.00	-17.84	3	Vertical	173	1.08	-
5240MHz	Pass	AV	5.1446G	44.77	54.00	-9.23	3	Horizontal	291	1.04	-
5240MHz	Pass	AV	5.2418G	102.66	Inf	-Inf	3	Horizontal	291	1.04	-
5240MHz	Pass	AV	5.3876G	44.36	54.00	-9.64	3	Horizontal	291	1.04	-
5240MHz	Pass	PK	5.1074G	57.36	74.00	-16.64	3	Horizontal	291	1.04	-
5240MHz	Pass	PK	5.243G	113.61	Inf	-Inf	3	Horizontal	291	1.04	-
5240MHz	Pass	PK	5.3558G	56.90	74.00	-17.10	3	Horizontal	291	1.04	-
5240MHz	Pass	PK	10.47072G	55.95	68.20	-12.25	3	Vertical	91	2.02	-
5240MHz	Pass	PK	10.4728G	56.35	68.20	-11.85	3	Horizontal	35	1.83	-
5260MHz	Pass	AV	5.1436G	45.47	54.00	-8.53	3	Vertical	171	1.01	-
5260MHz	Pass	AV	5.2636G	105.22	Inf	-Inf	3	Vertical	171	1.01	-
5260MHz	Pass	AV	5.4046G	44.60	54.00	-9.40	3	Vertical	171	1.01	-
5260MHz	Pass	PK	5.15G	57.75	74.00	-16.25	3	Vertical	171	1.01	-
5260MHz	Pass	PK	5.2636G	117.33	Inf	-Inf	3	Vertical	171	1.01	-
5260MHz	Pass	PK	5.3962G	56.77	74.00	-17.23	3	Vertical	171	1.01	-
5260MHz	Pass	AV	5.1448G	45.07	54.00	-8.93	3	Horizontal	292	1.01	-
5260MHz	Pass	AV	5.2624G	104.91	Inf	-Inf	3	Horizontal	292	1.01	-
5260MHz	Pass	AV	5.4016G	44.75	54.00	-9.25	3	Horizontal	292	1.01	-
5260MHz	Pass	PK	5.1364G	57.30	74.00	-16.70	3	Horizontal	292	1.01	-
5260MHz	Pass	PK	5.2618G	116.53	Inf	-Inf	3	Horizontal	292	1.01	-
5260MHz	Pass	PK	5.38G	56.86	74.00	-17.14	3	Horizontal	292	1.01	-
5260MHz	Pass	PK	10.52079G	57.93	68.20	-10.27	3	Vertical	191	1.20	-
5260MHz	Pass	PK	10.52098G	59.38	68.20	-8.82	3	Horizontal	190	1.36	-
5300MHz	Pass	AV	5.3028G	104.39	Inf	-Inf	3	Vertical	172	1.09	-
5300MHz	Pass	AV	5.3864G	44.63	54.00	-9.37	3	Vertical	172	1.09	-
5300MHz	Pass	PK	5.3024G	116.26	Inf	-Inf	3	Vertical	172	1.09	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5300MHz	Pass	PK	5.3784G	56.95	74.00	-17.05	3	Vertical	172	1.09	-
5300MHz	Pass	AV	5.3016G	104.66	Inf	-Inf	3	Horizontal	291	1.04	-
5300MHz	Pass	AV	5.3948G	44.50	54.00	-9.50	3	Horizontal	291	1.04	-
5300MHz	Pass	PK	5.302G	116.32	Inf	-Inf	3	Horizontal	291	1.04	-
5300MHz	Pass	PK	5.3764G	57.23	74.00	-16.77	3	Horizontal	291	1.04	-
5300MHz	Pass	PK	10.59112G	56.48	68.20	-11.72	3	Vertical	161	1.90	-
5300MHz	Pass	PK	10.6039G	56.33	74.00	-17.67	3	Horizontal	131	1.50	-
5320MHz	Pass	AV	5.3228G	104.22	Inf	-Inf	3	Vertical	172	1.07	-
5320MHz	Pass	AV	5.3508G	47.41	54.00	-6.59	3	Vertical	172	1.07	-
5320MHz	Pass	PK	5.3226G	116.18	Inf	-Inf	3	Vertical	172	1.07	-
5320MHz	Pass	PK	5.3506G	65.42	74.00	-8.58	3	Vertical	172	1.07	-
5320MHz	Pass	AV	5.3226G	104.46	Inf	-Inf	3	Horizontal	295	1.01	-
5320MHz	Pass	AV	5.3508G	48.40	54.00	-5.60	3	Horizontal	295	1.01	-
5320MHz	Pass	PK	5.3222G	116.41	Inf	-Inf	3	Horizontal	295	1.01	-
5320MHz	Pass	PK	5.3516G	67.19	74.00	-6.81	3	Horizontal	295	1.01	-
5320MHz	Pass	AV	10.62878G	43.56	54.00	-10.44	3	Vertical	168	2.22	-
5320MHz	Pass	PK	10.62698G	56.28	74.00	-17.72	3	Vertical	168	2.22	-
5320MHz	Pass	AV	10.62512G	43.60	54.00	-10.40	3	Horizontal	206	1.82	-
5320MHz	Pass	PK	10.63982G	55.96	74.00	-18.04	3	Horizontal	206	1.82	-
5500MHz	Pass	AV	5.4592G	45.08	54.00	-8.92	3	Vertical	23	2.90	-
5500MHz	Pass	AV	5.4982G	102.96	Inf	-Inf	3	Vertical	23	2.90	-
5500MHz	Pass	PK	5.4686G	63.36	68.20	-4.84	3	Vertical	23	2.90	-
5500MHz	Pass	PK	5.498G	114.95	Inf	-Inf	3	Vertical	23	2.90	-
5500MHz	Pass	AV	5.46G	45.46	54.00	-8.54	3	Horizontal	295	1.96	-
5500MHz	Pass	AV	5.501G	103.44	Inf	-Inf	3	Horizontal	295	1.96	-
5500MHz	Pass	PK	5.4696G	65.63	68.20	-2.57	3	Horizontal	295	1.96	-
5500MHz	Pass	PK	5.5016G	115.37	Inf	-Inf	3	Horizontal	295	1.96	-
5500MHz	Pass	AV	11.00558G	44.15	54.00	-9.85	3	Vertical	195	1.17	-
5500MHz	Pass	PK	11.0084G	57.17	74.00	-16.83	3	Vertical	195	1.17	-
5500MHz	Pass	AV	10.98842G	44.14	54.00	-9.86	3	Horizontal	355	1.64	-
5500MHz	Pass	PK	11.00684G	56.47	74.00	-17.53	3	Horizontal	355	1.64	-
5580MHz	Pass	AV	5.4378G	44.49	54.00	-9.51	3	Vertical	0	2.97	-
5580MHz	Pass	AV	5.5782G	104.24	Inf	-Inf	3	Vertical	0	2.97	-
5580MHz	Pass	PK	5.4642G	55.82	68.20	-12.38	3	Vertical	0	2.97	-
5580MHz	Pass	PK	5.5782G	115.31	Inf	-Inf	3	Vertical	0	2.97	-
5580MHz	Pass	PK	5.7276G	56.80	68.20	-11.40	3	Vertical	0	2.97	-
5580MHz	Pass	AV	5.4396G	44.49	54.00	-9.51	3	Horizontal	39	1.87	-
5580MHz	Pass	AV	5.5782G	102.35	Inf	-Inf	3	Horizontal	39	1.87	-
5580MHz	Pass	PK	5.4606G	55.92	68.20	-12.28	3	Horizontal	39	1.87	-
5580MHz	Pass	PK	5.5782G	113.44	Inf	-Inf	3	Horizontal	39	1.87	-
5580MHz	Pass	PK	5.7252G	56.36	68.20	-11.84	3	Horizontal	39	1.87	-
5580MHz	Pass	AV	11.14728G	44.07	54.00	-9.93	3	Vertical	330	1.51	-
5580MHz	Pass	PK	11.15058G	56.81	74.00	-17.19	3	Vertical	330	1.51	-
5580MHz	Pass	AV	11.1468G	44.06	54.00	-9.94	3	Horizontal	248	1.37	-
5580MHz	Pass	PK	11.1486G	57.10	74.00	-16.90	3	Horizontal	248	1.37	-
5700MHz	Pass	AV	5.6992G	103.98	Inf	-Inf	3	Vertical	20	2.34	-
5700MHz	Pass	PK	5.7008G	115.70	Inf	-Inf	3	Vertical	20	2.34	-
5700MHz	Pass	PK	5.7284G	64.68	68.20	-3.52	3	Vertical	20	2.34	-
5700MHz	Pass	AV	5.698G	101.62	Inf	-Inf	3	Horizontal	36	1.71	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	PK	5.6976G	113.12	Inf	-Inf	3	Horizontal	36	1.71	-
5700MHz	Pass	PK	5.7288G	66.43	68.20	-1.77	3	Horizontal	36	1.71	-
5700MHz	Pass	AV	11.39064G	44.23	54.00	-9.77	3	Vertical	0	2.21	-
5700MHz	Pass	PK	11.3967G	57.92	74.00	-16.08	3	Vertical	0	2.21	-
5700MHz	Pass	AV	11.40294G	44.25	54.00	-9.75	3	Horizontal	241	1.66	-
5700MHz	Pass	PK	11.4111G	57.06	74.00	-16.94	3	Horizontal	241	1.66	-
5745MHz	Pass	AV	5.7462G	104.51	Inf	-Inf	3	Vertical	20	1.92	-
5745MHz	Pass	PK	5.5578G	56.96	68.20	-11.24	3	Vertical	20	1.92	-
5745MHz	Pass	PK	5.7462G	115.71	Inf	-Inf	3	Vertical	20	1.92	-
5745MHz	Pass	PK	6.0426G	57.51	68.20	-10.69	3	Vertical	20	1.92	-
5745MHz	Pass	AV	5.7462G	103.22	Inf	-Inf	3	Horizontal	299	2.07	-
5745MHz	Pass	PK	5.565G	57.33	68.20	-10.87	3	Horizontal	299	2.07	-
5745MHz	Pass	PK	5.7462G	114.40	Inf	-Inf	3	Horizontal	299	2.07	-
5745MHz	Pass	PK	6.0354G	57.78	68.20	-10.42	3	Horizontal	299	2.07	-
5745MHz	Pass	AV	11.48168G	44.07	54.00	-9.93	3	Vertical	171	1.53	-
5745MHz	Pass	PK	11.49832G	56.45	74.00	-17.55	3	Vertical	171	1.53	-
5745MHz	Pass	AV	11.45704G	44.09	54.00	-9.91	3	Horizontal	242	1.25	-
5745MHz	Pass	PK	11.49416G	57.04	74.00	-16.96	3	Horizontal	242	1.25	-
5785MHz	Pass	AV	5.7838G	104.10	Inf	-Inf	3	Vertical	21	2.61	-
5785MHz	Pass	PK	5.6422G	57.41	68.20	-10.79	3	Vertical	21	2.61	-
5785MHz	Pass	PK	5.7838G	115.04	Inf	-Inf	3	Vertical	21	2.61	-
5785MHz	Pass	PK	5.9398G	58.00	68.20	-10.20	3	Vertical	21	2.61	-
5785MHz	Pass	AV	5.7838G	102.79	Inf	-Inf	3	Horizontal	20	1.88	-
5785MHz	Pass	PK	5.5978G	57.28	68.20	-10.92	3	Horizontal	20	1.88	-
5785MHz	Pass	PK	5.7862G	114.35	Inf	-Inf	3	Horizontal	20	1.88	-
5785MHz	Pass	PK	6.0418G	57.73	68.20	-10.47	3	Horizontal	20	1.88	-
5785MHz	Pass	AV	11.5932G	44.30	54.00	-9.70	3	Vertical	172	2.02	-
5785MHz	Pass	PK	11.59G	56.98	74.00	-17.02	3	Vertical	172	2.02	-
5785MHz	Pass	AV	11.59864G	44.27	54.00	-9.73	3	Horizontal	106	1.42	-
5785MHz	Pass	PK	11.58888G	56.70	74.00	-17.30	3	Horizontal	106	1.42	-
5825MHz	Pass	AV	5.8238G	103.26	Inf	-Inf	3	Vertical	23	2.71	-
5825MHz	Pass	PK	5.567G	56.63	68.20	-11.57	3	Vertical	23	2.71	-
5825MHz	Pass	PK	5.825G	114.10	Inf	-Inf	3	Vertical	23	2.71	-
5825MHz	Pass	PK	5.9414G	57.89	68.20	-10.31	3	Vertical	23	2.71	-
5825MHz	Pass	AV	5.8238G	103.25	Inf	-Inf	3	Horizontal	20	2.03	-
5825MHz	Pass	PK	5.6054G	57.25	68.20	-10.95	3	Horizontal	20	2.03	-
5825MHz	Pass	PK	5.8238G	115.14	Inf	-Inf	3	Horizontal	20	2.03	-
5825MHz	Pass	PK	5.9738G	58.04	68.20	-10.16	3	Horizontal	20	2.03	-
5825MHz	Pass	AV	11.6164G	44.29	54.00	-9.71	3	Vertical	142	1.78	-
5825MHz	Pass	PK	11.66664G	56.72	74.00	-17.28	3	Vertical	142	1.78	-
5825MHz	Pass	AV	11.61592G	44.16	54.00	-9.84	3	Horizontal	332	1.33	-
5825MHz	Pass	PK	11.63576G	56.61	74.00	-17.39	3	Horizontal	332	1.33	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	50.71	54.00	-3.29	3	Vertical	172	1.03	-
5190MHz	Pass	AV	5.1936G	101.78	Inf	-Inf	3	Vertical	172	1.03	-
5190MHz	Pass	PK	5.1496G	66.43	74.00	-7.57	3	Vertical	172	1.03	-
5190MHz	Pass	PK	5.1928G	113.10	Inf	-Inf	3	Vertical	172	1.03	-
5190MHz	Pass	AV	5.1472G	48.85	54.00	-5.15	3	Horizontal	241	2.05	-
5190MHz	Pass	AV	5.188G	99.37	Inf	-Inf	3	Horizontal	241	2.05	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	PK	5.1456G	64.07	74.00	-9.93	3	Horizontal	241	2.05	-
5190MHz	Pass	PK	5.1884G	111.11	Inf	-Inf	3	Horizontal	241	2.05	-
5190MHz	Pass	PK	10.40352G	56.66	68.20	-11.54	3	Vertical	119	1.10	-
5190MHz	Pass	PK	10.4024G	56.79	68.20	-11.41	3	Horizontal	145	1.42	-
5230MHz	Pass	AV	5.15G	46.32	54.00	-7.68	3	Vertical	173	1.07	-
5230MHz	Pass	AV	5.2328G	103.23	Inf	-Inf	3	Vertical	173	1.07	-
5230MHz	Pass	PK	5.15G	58.51	74.00	-15.49	3	Vertical	173	1.07	-
5230MHz	Pass	PK	5.2336G	115.64	Inf	-Inf	3	Vertical	173	1.07	-
5230MHz	Pass	AV	5.15G	45.41	54.00	-8.59	3	Horizontal	291	1.05	-
5230MHz	Pass	AV	5.2324G	101.87	Inf	-Inf	3	Horizontal	291	1.05	-
5230MHz	Pass	PK	5.1304G	57.83	74.00	-16.17	3	Horizontal	291	1.05	-
5230MHz	Pass	PK	5.2316G	114.06	Inf	-Inf	3	Horizontal	291	1.05	-
5230MHz	Pass	PK	10.4872G	56.94	68.20	-11.26	3	Vertical	314	2.25	-
5230MHz	Pass	PK	10.47888G	56.81	68.20	-11.39	3	Horizontal	341	2.16	-
5270MHz	Pass	AV	5.2628G	102.71	Inf	-Inf	3	Vertical	173	1.00	-
5270MHz	Pass	AV	5.3512G	44.75	54.00	-9.25	3	Vertical	173	1.00	-
5270MHz	Pass	PK	5.2716G	114.01	Inf	-Inf	3	Vertical	173	1.00	-
5270MHz	Pass	PK	5.3588G	57.08	74.00	-16.92	3	Vertical	173	1.00	-
5270MHz	Pass	AV	5.2716G	102.33	Inf	-Inf	3	Horizontal	291	1.03	-
5270MHz	Pass	AV	5.3552G	44.66	54.00	-9.34	3	Horizontal	291	1.03	-
5270MHz	Pass	PK	5.2728G	113.59	Inf	-Inf	3	Horizontal	291	1.03	-
5270MHz	Pass	PK	5.3616G	57.16	74.00	-16.84	3	Horizontal	291	1.03	-
5270MHz	Pass	PK	10.54784G	56.45	68.20	-11.75	3	Vertical	51	1.16	-
5270MHz	Pass	PK	10.50352G	57.10	68.20	-11.10	3	Horizontal	288	2.27	-
5310MHz	Pass	AV	5.312G	101.35	Inf	-Inf	3	Vertical	173	1.05	-
5310MHz	Pass	AV	5.35G	53.75	54.00	-0.25	3	Vertical	173	1.05	-
5310MHz	Pass	PK	5.3124G	113.37	Inf	-Inf	3	Vertical	173	1.05	-
5310MHz	Pass	PK	5.352G	70.00	74.00	-4.00	3	Vertical	173	1.05	-
5310MHz	Pass	AV	5.308G	99.44	Inf	-Inf	3	Horizontal	42	1.70	-
5310MHz	Pass	AV	5.35G	52.78	54.00	-1.22	3	Horizontal	42	1.70	-
5310MHz	Pass	PK	5.308G	111.29	Inf	-Inf	3	Horizontal	42	1.70	-
5310MHz	Pass	PK	5.3516G	67.67	74.00	-6.33	3	Horizontal	42	1.70	-
5310MHz	Pass	PK	10.5952G	56.14	68.20	-12.06	3	Vertical	105	2.11	-
5310MHz	Pass	PK	10.64768G	56.65	74.00	-17.35	3	Horizontal	104	1.78	-
5510MHz	Pass	AV	5.4556G	48.78	54.00	-5.22	3	Vertical	21	2.89	-
5510MHz	Pass	AV	5.518G	100.75	Inf	-Inf	3	Vertical	21	2.89	-
5510MHz	Pass	PK	5.466G	68.06	68.20	-0.14	3	Vertical	21	2.89	-
5510MHz	Pass	PK	5.508G	111.83	Inf	-Inf	3	Vertical	21	2.89	-
5510MHz	Pass	AV	5.46G	47.77	54.00	-6.23	3	Horizontal	296	1.10	-
5510MHz	Pass	AV	5.512G	100.26	Inf	-Inf	3	Horizontal	296	1.10	-
5510MHz	Pass	PK	5.47G	66.32	68.20	-1.88	3	Horizontal	296	1.10	-
5510MHz	Pass	PK	5.5108G	112.16	Inf	-Inf	3	Horizontal	296	1.10	-
5510MHz	Pass	AV	11.61688G	44.16	54.00	-9.84	3	Vertical	146	1.40	-
5510MHz	Pass	PK	11.62952G	56.45	74.00	-17.55	3	Vertical	146	1.40	-
5510MHz	Pass	AV	11.61608G	44.16	54.00	-9.84	3	Horizontal	303	2.23	-
5510MHz	Pass	PK	11.6204G	56.99	74.00	-17.01	3	Horizontal	303	2.23	-
5550MHz	Pass	AV	5.4596G	44.57	54.00	-9.43	3	Vertical	24	3.00	-
5550MHz	Pass	AV	5.5484G	101.31	Inf	-Inf	3	Vertical	24	3.00	-
5550MHz	Pass	PK	5.4656G	56.53	68.20	-11.67	3	Vertical	24	3.00	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5550MHz	Pass	PK	5.5488G	113.82	Inf	-Inf	3	Vertical	24	3.00	-
5550MHz	Pass	AV	5.4564G	44.55	54.00	-9.45	3	Horizontal	43	1.81	-
5550MHz	Pass	AV	5.5488G	99.61	Inf	-Inf	3	Horizontal	43	1.81	-
5550MHz	Pass	PK	5.4664G	57.10	68.20	-11.10	3	Horizontal	43	1.81	-
5550MHz	Pass	PK	5.5488G	111.43	Inf	-Inf	3	Horizontal	43	1.81	-
5550MHz	Pass	AV	11.13296G	44.06	54.00	-9.94	3	Vertical	70	1.58	-
5550MHz	Pass	PK	11.11776G	57.14	74.00	-16.86	3	Vertical	70	1.58	-
5550MHz	Pass	AV	11.07568G	44.07	54.00	-9.93	3	Horizontal	271	1.94	-
5550MHz	Pass	PK	11.08544G	57.80	74.00	-16.20	3	Horizontal	271	1.94	-
5670MHz	Pass	AV	5.6682G	101.11	Inf	-Inf	3	Vertical	0	2.97	-
5670MHz	Pass	PK	5.6796G	112.19	Inf	-Inf	3	Vertical	0	2.97	-
5670MHz	Pass	PK	5.7258G	61.27	68.20	-6.93	3	Vertical	0	2.97	-
5670MHz	Pass	AV	5.6682G	99.28	Inf	-Inf	3	Horizontal	37	1.73	-
5670MHz	Pass	PK	5.6676G	111.15	Inf	-Inf	3	Horizontal	37	1.73	-
5670MHz	Pass	PK	5.7252G	61.32	68.20	-6.88	3	Horizontal	37	1.73	-
5670MHz	Pass	AV	11.35616G	44.02	54.00	-9.98	3	Vertical	39	1.51	-
5670MHz	Pass	PK	11.33104G	56.99	74.00	-17.01	3	Vertical	39	1.51	-
5670MHz	Pass	AV	11.37424G	44.12	54.00	-9.88	3	Horizontal	239	2.23	-
5670MHz	Pass	PK	11.3736G	56.47	74.00	-17.53	3	Horizontal	239	2.23	-
5755MHz	Pass	AV	5.7538G	102.16	Inf	-Inf	3	Vertical	19	2.40	-
5755MHz	Pass	PK	5.6278G	57.88	68.20	-10.32	3	Vertical	19	2.40	-
5755MHz	Pass	PK	5.7538G	113.54	Inf	-Inf	3	Vertical	19	2.40	-
5755MHz	Pass	PK	5.9806G	57.98	68.20	-10.22	3	Vertical	19	2.40	-
5755MHz	Pass	AV	5.7538G	100.32	Inf	-Inf	3	Horizontal	20	2.00	-
5755MHz	Pass	PK	5.6254G	57.32	68.20	-10.88	3	Horizontal	20	2.00	-
5755MHz	Pass	PK	5.7442G	111.34	Inf	-Inf	3	Horizontal	20	2.00	-
5755MHz	Pass	PK	6.0142G	58.22	68.20	-9.98	3	Horizontal	20	2.00	-
5755MHz	Pass	AV	11.4852G	43.97	54.00	-10.03	3	Vertical	310	2.22	-
5755MHz	Pass	PK	11.47944G	56.97	74.00	-17.03	3	Vertical	310	2.22	-
5755MHz	Pass	AV	11.4876G	43.97	54.00	-10.03	3	Horizontal	246	1.70	-
5755MHz	Pass	PK	11.4876G	56.53	74.00	-17.47	3	Horizontal	246	1.70	-
5795MHz	Pass	AV	5.7926G	101.17	Inf	-Inf	3	Vertical	20	2.77	-
5795MHz	Pass	PK	5.5562G	56.94	68.20	-11.26	3	Vertical	20	2.77	-
5795MHz	Pass	PK	5.8034G	113.42	Inf	-Inf	3	Vertical	20	2.77	-
5795MHz	Pass	PK	6.0362G	58.13	68.20	-10.07	3	Vertical	20	2.77	-
5795MHz	Pass	AV	5.7878G	100.31	Inf	-Inf	3	Horizontal	301	1.01	-
5795MHz	Pass	PK	5.5658G	57.78	68.20	-10.42	3	Horizontal	301	1.01	-
5795MHz	Pass	PK	5.7866G	111.69	Inf	-Inf	3	Horizontal	301	1.01	-
5795MHz	Pass	PK	5.927G	58.21	68.20	-9.99	3	Horizontal	301	1.01	-
5795MHz	Pass	AV	11.61544G	44.17	54.00	-9.83	3	Vertical	273	1.73	-
5795MHz	Pass	PK	11.60008G	56.81	74.00	-17.19	3	Vertical	273	1.73	-
5795MHz	Pass	AV	11.61848G	44.15	54.00	-9.85	3	Horizontal	214	1.88	-
5795MHz	Pass	PK	11.60936G	56.56	74.00	-17.44	3	Horizontal	214	1.88	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.12	54.00	-0.88	3	Vertical	173	1.01	-
5210MHz	Pass	AV	5.213G	98.49	Inf	-Inf	3	Vertical	173	1.01	-
5210MHz	Pass	AV	5.351G	44.62	54.00	-9.38	3	Vertical	173	1.01	-
5210MHz	Pass	PK	5.15G	67.06	74.00	-6.94	3	Vertical	173	1.01	-
5210MHz	Pass	PK	5.214G	110.47	Inf	-Inf	3	Vertical	173	1.01	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	5.412G	56.44	74.00	-17.56	3	Vertical	173	1.01	-
5210MHz	Pass	AV	5.148G	50.39	54.00	-3.61	3	Horizontal	241	2.25	-
5210MHz	Pass	AV	5.208G	96.04	Inf	-Inf	3	Horizontal	241	2.25	-
5210MHz	Pass	AV	5.421G	44.40	54.00	-9.60	3	Horizontal	241	2.25	-
5210MHz	Pass	PK	5.147G	65.58	74.00	-8.42	3	Horizontal	241	2.25	-
5210MHz	Pass	PK	5.228G	107.50	Inf	-Inf	3	Horizontal	241	2.25	-
5210MHz	Pass	PK	5.404G	56.38	74.00	-17.62	3	Horizontal	241	2.25	-
5210MHz	Pass	PK	10.42G	57.15	68.20	-11.05	3	Vertical	193	1.37	-
5210MHz	Pass	PK	10.38528G	57.74	68.20	-10.46	3	Horizontal	360	1.53	-
5290MHz	Pass	AV	5.147G	45.64	54.00	-8.36	3	Vertical	174	1.06	-
5290MHz	Pass	AV	5.292G	97.02	Inf	-Inf	3	Vertical	174	1.06	-
5290MHz	Pass	AV	5.354G	52.17	54.00	-1.83	3	Vertical	174	1.06	-
5290MHz	Pass	PK	5.14G	57.63	74.00	-16.37	3	Vertical	174	1.06	-
5290MHz	Pass	PK	5.291G	109.04	Inf	-Inf	3	Vertical	174	1.06	-
5290MHz	Pass	PK	5.357G	66.84	74.00	-7.16	3	Vertical	174	1.06	-
5290MHz	Pass	AV	5.149G	45.12	54.00	-8.88	3	Horizontal	293	1.07	-
5290MHz	Pass	AV	5.282G	96.94	Inf	-Inf	3	Horizontal	293	1.07	-
5290MHz	Pass	AV	5.354G	52.96	54.00	-1.04	3	Horizontal	293	1.07	-
5290MHz	Pass	PK	5.078G	56.98	74.00	-17.02	3	Horizontal	293	1.07	-
5290MHz	Pass	PK	5.272G	108.51	Inf	-Inf	3	Horizontal	293	1.07	-
5290MHz	Pass	PK	5.352G	67.42	74.00	-6.58	3	Horizontal	293	1.07	-
5290MHz	Pass	PK	10.5928G	56.27	68.20	-11.93	3	Vertical	74	1.63	-
5290MHz	Pass	PK	10.54832G	56.72	68.20	-11.48	3	Horizontal	334	1.21	-
5530MHz	Pass	AV	5.455G	52.41	54.00	-1.59	3	Vertical	178	1.01	-
5530MHz	Pass	AV	5.518G	95.79	Inf	-Inf	3	Vertical	178	1.01	-
5530MHz	Pass	PK	5.464G	67.57	68.20	-0.63	3	Vertical	178	1.01	-
5530MHz	Pass	PK	5.539G	107.41	Inf	-Inf	3	Vertical	178	1.01	-
5530MHz	Pass	PK	5.732G	57.91	68.20	-10.29	3	Vertical	178	1.01	-
5530MHz	Pass	AV	5.455G	49.64	54.00	-4.36	3	Horizontal	43	1.91	-
5530MHz	Pass	AV	5.528G	95.70	Inf	-Inf	3	Horizontal	43	1.91	-
5530MHz	Pass	PK	5.466G	67.44	68.20	-0.76	3	Horizontal	43	1.91	-
5530MHz	Pass	PK	5.527G	107.73	Inf	-Inf	3	Horizontal	43	1.91	-
5530MHz	Pass	PK	5.761G	57.28	68.20	-10.92	3	Horizontal	43	1.91	-
5530MHz	Pass	AV	11.08672G	43.87	54.00	-10.13	3	Vertical	238	1.18	-
5530MHz	Pass	PK	11.0808G	56.72	74.00	-17.28	3	Vertical	238	1.18	-
5530MHz	Pass	AV	11.03344G	44.07	54.00	-9.93	3	Horizontal	137	1.41	-
5530MHz	Pass	PK	11.03568G	56.73	74.00	-17.27	3	Horizontal	137	1.41	-
5775MHz	Pass	AV	5.7726G	98.35	Inf	-Inf	3	Vertical	1	2.79	-
5775MHz	Pass	PK	5.649G	58.87	68.20	-9.33	3	Vertical	1	2.79	-
5775MHz	Pass	PK	5.7642G	108.62	Inf	-Inf	3	Vertical	1	2.79	-
5775MHz	Pass	PK	5.991G	58.52	68.20	-9.68	3	Vertical	1	2.79	-
5775MHz	Pass	AV	5.7846G	97.97	Inf	-Inf	3	Horizontal	21	1.99	-
5775MHz	Pass	PK	5.6478G	59.42	68.20	-8.78	3	Horizontal	21	1.99	-
5775MHz	Pass	PK	5.7834G	109.81	Inf	-Inf	3	Horizontal	21	1.99	-
5775MHz	Pass	PK	6.0378G	58.54	68.20	-9.66	3	Horizontal	21	1.99	-
5775MHz	Pass	AV	11.51144G	43.70	54.00	-10.30	3	Vertical	118	2.26	-
5775MHz	Pass	PK	11.53176G	57.04	74.00	-16.96	3	Vertical	118	2.26	-
5775MHz	Pass	AV	11.5108G	43.83	54.00	-10.17	3	Horizontal	360	1.50	-
5775MHz	Pass	PK	11.5828G	56.21	74.00	-17.79	3	Horizontal	360	1.50	-



802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.49	54.00	-5.51	9.44	3	Vertical	174	1.63	-	39.05	32.00	6.77	29.33
AV	5.1818G	103.46	Inf	-Inf	9.32	3	Vertical	174	1.63	-	94.14	31.87	6.79	29.34
PK	5.15G	63.44	74.00	-10.56	9.44	3	Vertical	174	1.63	-	54.00	32.00	6.77	29.33
PK	5.1822G	114.48	Inf	-Inf	9.32	3	Vertical	174	1.63	-	105.16	31.87	6.79	29.34

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	45.26	54.00	-8.74	9.44	3	Horizontal	271	2.13	-	35.82	32.00	6.77	29.33
AV	5.183G	97.46	Inf	-Inf	9.32	3	Horizontal	271	2.13	-	88.14	31.87	6.79	29.34
PK	5.149G	59.55	74.00	-14.45	9.44	3	Horizontal	271	2.13	-	50.11	32.00	6.77	29.33
PK	5.1832G	109.66	Inf	-Inf	9.32	3	Horizontal	271	2.13	-	100.34	31.87	6.79	29.34

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36952G	55.60	68.20	-12.60	17.92	3	Vertical	216	2.19	-	37.68	39.48	8.97	30.53

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36856G	55.64	68.20	-12.56	17.91	3	Horizontal	131	2.06	-	37.73	39.47	8.97	30.53

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1376G	43.16	54.00	-10.84	9.42	3	Vertical	171	1.73	-	33.74	31.98	6.77	29.33
AV	5.202G	102.12	Inf	-Inf	9.24	3	Vertical	171	1.73	-	92.88	31.78	6.80	29.34
PK	5.1484G	56.41	74.00	-17.59	9.44	3	Vertical	171	1.73	-	46.97	32.00	6.77	29.33
PK	5.2024G	113.08	Inf	-Inf	9.24	3	Vertical	171	1.73	-	103.84	31.78	6.80	29.34

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1184G	43.17	54.00	-10.83	9.37	3	Horizontal	277	1.99	-	33.80	31.94	6.76	29.33
AV	5.1992G	100.02	Inf	-Inf	9.26	3	Horizontal	277	1.99	-	90.76	31.80	6.80	29.34
PK	5.1188G	56.64	74.00	-17.36	9.37	3	Horizontal	277	1.99	-	47.27	31.94	6.76	29.33
PK	5.1992G	110.66	Inf	-Inf	9.26	3	Horizontal	277	1.99	-	101.40	31.80	6.80	29.34



802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4068G	56.27	68.20	-11.93	18.05	3	Vertical	188	1.21	-	38.22	39.61	8.98	30.54

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39572G	56.29	68.20	-11.91	18.02	3	Horizontal	282	2.03	-	38.27	39.58	8.98	30.54

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1224G	43.22	54.00	-10.78	9.37	3	Vertical	169	1.60	-	33.85	31.94	6.76	29.33
AV	5.2418G	101.27	Inf	-Inf	8.93	3	Vertical	169	1.60	-	92.34	31.47	6.80	29.34
AV	5.375G	42.14	54.00	-11.86	8.74	3	Vertical	169	1.60	-	33.40	31.30	6.80	29.36
PK	5.1326G	56.12	74.00	-17.88	9.41	3	Vertical	169	1.60	-	46.71	31.97	6.77	29.33
PK	5.2424G	112.05	Inf	-Inf	8.92	3	Vertical	169	1.60	-	103.13	31.46	6.80	29.34
PK	5.3654G	55.49	74.00	-18.51	8.66	3	Vertical	169	1.60	-	46.83	31.22	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1236G	43.00	54.00	-11.00	9.38	3	Horizontal	29	1.59	-	33.62	31.95	6.76	29.33
AV	5.2406G	99.31	Inf	-Inf	8.94	3	Horizontal	29	1.59	-	90.37	31.48	6.80	29.34
AV	5.3894G	42.27	54.00	-11.73	8.86	3	Horizontal	29	1.59	-	33.41	31.42	6.80	29.36
PK	5.1326G	55.96	74.00	-18.04	9.41	3	Horizontal	29	1.59	-	46.55	31.97	6.77	29.33
PK	5.2412G	109.12	Inf	-Inf	8.93	3	Horizontal	29	1.59	-	100.19	31.47	6.80	29.34
PK	5.3732G	55.35	74.00	-18.65	8.73	3	Horizontal	29	1.59	-	46.62	31.29	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48696G	56.42	68.20	-11.78	18.14	3	Vertical	234	1.53	-	38.28	39.69	9.02	30.57

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4836G	57.37	68.20	-10.83	18.13	3	Horizontal	185	1.25	-	39.24	39.68	9.02	30.57

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1382G	43.30	54.00	-10.70	9.42	3	Vertical	169	1.48	-	33.88	31.98	6.77	29.33
AV	5.2618G	101.30	Inf	-Inf	8.83	3	Vertical	169	1.48	-	92.47	31.38	6.80	29.35
AV	5.3938G	42.31	54.00	-11.69	8.89	3	Vertical	169	1.48	-	33.42	31.45	6.80	29.36
PK	5.1328G	56.68	74.00	-17.32	9.41	3	Vertical	169	1.48	-	47.27	31.97	6.77	29.33
PK	5.2624G	112.22	Inf	-Inf	8.83	3	Vertical	169	1.48	-	103.39	31.38	6.80	29.35
PK	5.3908G	54.96	74.00	-19.04	8.87	3	Vertical	169	1.48	-	46.09	31.43	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1346G	43.19	54.00	-10.81	9.41	3	Horizontal	30	1.68	-	33.78	31.97	6.77	29.33
AV	5.2606G	100.01	Inf	-Inf	8.83	3	Horizontal	30	1.68	-	91.18	31.38	6.80	29.35
AV	5.3956G	42.46	54.00	-11.54	8.90	3	Horizontal	30	1.68	-	33.56	31.46	6.80	29.36
PK	5.1136G	56.09	74.00	-17.91	9.36	3	Horizontal	30	1.68	-	46.73	31.93	6.76	29.33
PK	5.2606G	110.35	Inf	-Inf	8.83	3	Horizontal	30	1.68	-	101.52	31.38	6.80	29.35
PK	5.3782G	56.11	74.00	-17.89	8.77	3	Horizontal	30	1.68	-	47.34	31.33	6.80	29.36



802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5206G	55.95	68.20	-12.25	18.16	3	Vertical	192	2.01	-	37.79	39.72	9.03	30.59

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52048G	56.29	68.20	-11.91	18.16	3	Horizontal	162	1.54	-	38.13	39.72	9.03	30.59

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	99.77	Inf	-Inf	8.76	3	Vertical	170	1.59	-	91.01	31.31	6.80	29.35
AV	5.392G	42.24	54.00	-11.76	8.88	3	Vertical	170	1.59	-	33.36	31.44	6.80	29.36
PK	5.2976G	110.08	Inf	-Inf	8.75	3	Vertical	170	1.59	-	101.33	31.30	6.80	29.35
PK	5.3704G	55.87	74.00	-18.13	8.70	3	Vertical	170	1.59	-	47.17	31.26	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.296G	100.46	Inf	-Inf	8.76	3	Horizontal	30	1.61	-	91.70	31.31	6.80	29.35
AV	5.3944G	42.41	54.00	-11.59	8.90	3	Horizontal	30	1.61	-	33.51	31.46	6.80	29.36
PK	5.3008G	110.67	Inf	-Inf	8.75	3	Horizontal	30	1.61	-	101.92	31.30	6.80	29.35
PK	5.3912G	55.60	74.00	-18.40	8.87	3	Horizontal	30	1.61	-	46.73	31.43	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.60992G	55.80	74.00	-18.20	18.21	3	Vertical	218	1.62	-	37.59	39.79	9.07	30.65

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59272G	55.34	68.20	-12.86	18.22	3	Horizontal	347	1.41	-	37.12	39.79	9.07	30.64

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3236G	100.45	Inf	-Inf	8.66	3	Vertical	17	2.24	-	91.79	31.21	6.80	29.35
AV	5.35G	45.74	54.00	-8.26	8.54	3	Vertical	17	2.24	-	37.20	31.10	6.80	29.36
PK	5.3186G	111.16	Inf	-Inf	8.68	3	Vertical	17	2.24	-	102.48	31.23	6.80	29.35
PK	5.35G	60.82	74.00	-13.18	8.54	3	Vertical	17	2.24	-	52.28	31.10	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.321G	99.77	Inf	-Inf	8.67	3	Horizontal	29	1.51	-	91.10	31.22	6.80	29.35
AV	5.35G	45.23	54.00	-8.77	8.54	3	Horizontal	29	1.51	-	36.69	31.10	6.80	29.36
PK	5.3208G	110.21	Inf	-Inf	8.67	3	Horizontal	29	1.51	-	101.54	31.22	6.80	29.35
PK	5.35G	60.52	74.00	-13.48	8.54	3	Horizontal	29	1.51	-	51.98	31.10	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63484G	41.82	54.00	-12.18	18.19	3	Vertical	89	2.04	-	23.63	39.77	9.09	30.67
PK	10.63056G	55.23	74.00	-18.77	18.18	3	Vertical	89	2.04	-	37.05	39.77	9.08	30.67

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63112G	41.78	54.00	-12.22	18.18	3	Horizontal	119	1.73	-	23.60	39.77	9.08	30.67
PK	10.63132G	55.65	74.00	-18.35	18.18	3	Horizontal	119	1.73	-	37.47	39.77	9.08	30.67

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	42.36	54.00	-11.64	9.10	3	Vertical	360	2.91	-	33.26	31.64	6.83	29.37
AV	5.5032G	100.90	Inf	-Inf	9.28	3	Vertical	360	2.91	-	91.62	31.80	6.85	29.37
PK	5.4686G	57.03	68.20	-11.17	9.13	3	Vertical	360	2.91	-	47.90	31.67	6.83	29.37
PK	5.5032G	111.95	Inf	-Inf	9.28	3	Vertical	360	2.91	-	102.67	31.80	6.85	29.37

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	42.43	54.00	-11.57	9.10	3	Horizontal	225	1.82	-	33.33	31.64	6.83	29.37
AV	5.5042G	99.52	Inf	-Inf	9.28	3	Horizontal	225	1.82	-	90.24	31.80	6.85	29.37
PK	5.4696G	59.10	68.20	-9.10	9.14	3	Horizontal	225	1.82	-	49.96	31.68	6.83	29.37
PK	5.4994G	110.31	Inf	-Inf	9.28	3	Horizontal	225	1.82	-	101.03	31.80	6.85	29.37

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9968G	42.27	54.00	-11.73	18.52	3	Vertical	81	2.00	-	23.75	40.19	9.25	30.92
PK	11.00968G	56.63	74.00	-17.37	18.50	3	Vertical	81	2.00	-	38.13	40.17	9.25	30.92

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99624G	42.26	54.00	-11.74	18.52	3	Horizontal	337	1.91	-	23.74	40.19	9.25	30.92
PK	10.99648G	56.59	74.00	-17.41	18.52	3	Horizontal	337	1.91	-	38.07	40.19	9.25	30.92

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	42.46	54.00	-11.54	9.10	3	Vertical	20	1.91	-	33.36	31.64	6.83	29.37
AV	5.5752G	101.70	Inf	-Inf	9.37	3	Vertical	20	1.91	-	92.33	31.85	6.89	29.37
PK	5.4648G	54.89	68.20	-13.31	9.12	3	Vertical	20	1.91	-	45.77	31.66	6.83	29.37
PK	5.5746G	111.34	Inf	-Inf	9.37	3	Vertical	20	1.91	-	101.97	31.85	6.89	29.37
PK	5.727G	55.05	68.20	-13.15	9.55	3	Vertical	20	1.91	-	45.50	31.95	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4384G	42.38	54.00	-11.62	9.04	3	Horizontal	232	1.88	-	33.34	31.58	6.82	29.36
AV	5.5836G	99.71	Inf	-Inf	9.39	3	Horizontal	232	1.88	-	90.32	31.87	6.89	29.37
PK	5.4678G	54.67	68.20	-13.53	9.13	3	Horizontal	232	1.88	-	45.54	31.67	6.83	29.37
PK	5.583G	110.22	Inf	-Inf	9.39	3	Horizontal	232	1.88	-	100.83	31.87	6.89	29.37
PK	5.7258G	55.81	68.20	-12.39	9.55	3	Horizontal	232	1.88	-	46.26	31.95	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15216G	41.80	54.00	-12.20	18.30	3	Vertical	348	1.07	-	23.50	39.85	9.32	30.87
PK	11.1574G	56.06	74.00	-17.94	18.29	3	Vertical	348	1.07	-	37.77	39.84	9.32	30.87

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15076G	41.78	54.00	-12.22	18.30	3	Horizontal	227	1.07	-	23.48	39.85	9.32	30.87
PK	11.15464G	55.82	74.00	-18.18	18.30	3	Horizontal	227	1.07	-	37.52	39.85	9.32	30.87

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	101.14	Inf	-Inf	9.49	3	Vertical	0	2.34	-	91.65	31.90	6.95	29.36
PK	5.6992G	111.61	Inf	-Inf	9.49	3	Vertical	0	2.34	-	102.12	31.90	6.95	29.36
PK	5.7252G	64.28	68.20	-3.92	9.55	3	Vertical	0	2.34	-	54.73	31.95	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	99.94	Inf	-Inf	9.49	3	Horizontal	19	1.83	-	90.45	31.90	6.95	29.36
PK	5.6992G	109.77	Inf	-Inf	9.49	3	Horizontal	19	1.83	-	100.28	31.90	6.95	29.36
PK	5.7256G	65.54	68.20	-2.66	9.55	3	Horizontal	19	1.83	-	55.99	31.95	6.96	29.36



802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4078G	41.96	54.00	-12.04	18.54	3	Vertical	201	2.37	-	23.42	39.91	9.43	30.80
PK	11.4012G	55.71	74.00	-18.29	18.53	3	Vertical	201	2.37	-	37.18	39.90	9.43	30.80

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40844G	42.10	54.00	-11.90	18.54	3	Horizontal	32	1.15	-	23.56	39.91	9.43	30.80
PK	11.40712G	56.16	74.00	-17.84	18.54	3	Horizontal	32	1.15	-	37.62	39.91	9.43	30.80

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	101.38	Inf	-Inf	9.59	3	Vertical	22	2.22	-	91.79	31.98	6.97	29.36
PK	5.589G	56.46	68.20	-11.74	9.40	3	Vertical	22	2.22	-	47.06	31.88	6.89	29.37
PK	5.7402G	110.91	Inf	-Inf	9.59	3	Vertical	22	2.22	-	101.32	31.98	6.97	29.36
PK	5.9622G	56.82	68.20	-11.38	10.11	3	Vertical	22	2.22	-	46.71	32.38	7.08	29.35

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	100.41	Inf	-Inf	9.60	3	Horizontal	19	1.90	-	90.81	31.99	6.97	29.36
PK	5.6226G	56.29	68.20	-11.91	9.35	3	Horizontal	19	1.90	-	46.94	31.81	6.91	29.37
PK	5.7438G	110.60	Inf	-Inf	9.60	3	Horizontal	19	1.90	-	101.00	31.99	6.97	29.36
PK	5.943G	56.58	68.20	-11.62	10.09	3	Horizontal	19	1.90	-	46.49	32.37	7.07	29.35

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48884G	42.80	54.00	-11.20	18.69	3	Vertical	40	1.71	-	24.11	39.99	9.47	30.77
PK	11.48956G	56.57	74.00	-17.43	18.69	3	Vertical	40	1.71	-	37.88	39.99	9.47	30.77

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48564G	42.85	54.00	-11.15	18.69	3	Horizontal	219	2.11	-	24.16	39.99	9.47	30.77
PK	11.49352G	56.97	74.00	-17.03	18.69	3	Horizontal	219	2.11	-	38.28	39.99	9.47	30.77

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	101.37	Inf	-Inf	9.63	3	Vertical	26	2.18	-	91.74	32.00	6.99	29.36
PK	5.5702G	56.06	68.20	-12.14	9.36	3	Vertical	26	2.18	-	46.70	31.84	6.89	29.37
PK	5.7862G	111.33	Inf	-Inf	9.63	3	Vertical	26	2.18	-	101.70	32.00	6.99	29.36
PK	6.0298G	57.02	68.20	-11.18	10.21	3	Vertical	26	2.18	-	46.81	32.48	7.11	29.38

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	100.80	Inf	-Inf	9.63	3	Horizontal	21	1.81	-	91.17	32.00	6.99	29.36
PK	5.587G	57.20	68.20	-11.00	9.39	3	Horizontal	21	1.81	-	47.81	31.87	6.89	29.37
PK	5.785G	110.57	Inf	-Inf	9.63	3	Horizontal	21	1.81	-	100.94	32.00	6.99	29.36
PK	5.9962G	57.09	68.20	-11.11	10.06	3	Horizontal	21	1.81	-	47.03	32.31	7.10	29.35

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56432G	42.82	54.00	-11.18	18.66	3	Vertical	49	1.94	-	24.16	39.94	9.50	30.78
PK	11.57208G	56.85	74.00	-17.15	18.66	3	Vertical	49	1.94	-	38.19	39.93	9.51	30.78

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56408G	42.83	54.00	-11.17	18.66	3	Horizontal	55	1.60	-	24.17	39.94	9.50	30.78
PK	11.56532G	57.04	74.00	-16.96	18.65	3	Horizontal	55	1.60	-	38.39	39.93	9.50	30.78

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	101.20	Inf	-Inf	9.69	3	Vertical	30	2.11	-	91.51	32.04	7.01	29.36
PK	5.5634G	55.65	68.20	-12.55	9.34	3	Vertical	30	2.11	-	46.31	31.83	6.88	29.37
PK	5.8274G	111.89	Inf	-Inf	9.70	3	Vertical	30	2.11	-	102.19	32.05	7.01	29.36
PK	6.041G	57.32	68.20	-10.88	10.28	3	Vertical	30	2.11	-	47.04	32.55	7.12	29.39



802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5825MHz_TX



Legend for the spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Pink line)
- AV (Green line)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	99.94	Inf	-Inf	9.70	3	Horizontal	21	1.79	-	90.24	32.05	7.01	29.36
PK	5.5478G	56.24	68.20	-11.96	9.30	3	Horizontal	21	1.79	-	46.94	31.80	6.87	29.37
PK	5.825G	109.74	Inf	-Inf	9.70	3	Horizontal	21	1.79	-	100.04	32.05	7.01	29.36
PK	6.0242G	56.21	68.20	-11.99	10.19	3	Horizontal	21	1.79	-	46.02	32.45	7.11	29.37

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64264G	42.15	54.00	-11.85	18.39	3	Vertical	172	1.15	-	23.76	39.64	9.54	30.79
PK	11.65264G	56.06	74.00	-17.94	18.33	3	Vertical	172	1.15	-	37.73	39.58	9.54	30.79

802.11a_Nss1,(6Mbps)_2TX

19/08/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64368G	42.17	54.00	-11.83	18.39	3	Horizontal	212	1.95	-	23.78	39.64	9.54	30.79
PK	11.65912G	55.63	74.00	-18.37	18.31	3	Horizontal	212	1.95	-	37.32	39.55	9.55	30.79

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	50.07	54.00	-3.93	9.44	3	Vertical	16	2.28	-	40.63	32.00	6.77	29.33
AV	5.177G	101.97	Inf	-Inf	9.34	3	Vertical	16	2.28	-	92.63	31.89	6.79	29.34
PK	5.1482G	63.93	74.00	-10.07	9.44	3	Vertical	16	2.28	-	54.49	32.00	6.77	29.33
PK	5.177G	114.29	Inf	-Inf	9.34	3	Vertical	16	2.28	-	104.95	31.89	6.79	29.34

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.70	54.00	-2.30	9.44	3	Horizontal	94	2.12	-	42.26	32.00	6.77	29.33
AV	5.1776G	103.22	Inf	-Inf	9.34	3	Horizontal	94	2.12	-	93.88	31.89	6.79	29.34
PK	5.1472G	67.22	74.00	-6.78	9.43	3	Horizontal	94	2.12	-	57.79	31.99	6.77	29.33
PK	5.1778G	114.99	Inf	-Inf	9.34	3	Horizontal	94	2.12	-	105.65	31.89	6.79	29.34

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35272G	56.94	68.20	-11.26	17.85	3	Vertical	224	1.19	-	39.09	39.41	8.96	30.52

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35328G	56.10	68.20	-12.10	17.85	3	Horizontal	225	1.71	-	38.25	39.41	8.96	30.52

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	44.94	54.00	-9.06	9.43	3	Vertical	173	1.02	-	35.51	31.99	6.77	29.33
AV	5.2028G	104.24	Inf	-Inf	9.24	3	Vertical	173	1.02	-	95.00	31.78	6.80	29.34
PK	5.1108G	57.14	74.00	-16.86	9.35	3	Vertical	173	1.02	-	47.79	31.92	6.76	29.33
PK	5.2032G	115.76	Inf	-Inf	9.23	3	Vertical	173	1.02	-	106.53	31.77	6.80	29.34

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	44.97	54.00	-9.03	9.44	3	Horizontal	94	2.04	-	35.53	32.00	6.77	29.33
AV	5.1976G	103.21	Inf	-Inf	9.27	3	Horizontal	94	2.04	-	93.94	31.81	6.80	29.34
PK	5.1052G	57.45	74.00	-16.55	9.33	3	Horizontal	94	2.04	-	48.12	31.91	6.75	29.33
PK	5.1976G	114.99	Inf	-Inf	9.27	3	Horizontal	94	2.04	-	105.72	31.81	6.80	29.34

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4048G	56.10	68.20	-12.10	18.04	3	Vertical	225	2.45	-	38.06	39.60	8.98	30.54

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40356G	56.69	68.20	-11.51	18.04	3	Horizontal	175	1.70	-	38.65	39.60	8.98	30.54

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	44.96	54.00	-9.04	9.44	3	Vertical	173	1.08	-	35.52	32.00	6.77	29.33
AV	5.2424G	103.66	Inf	-Inf	8.92	3	Vertical	173	1.08	-	94.74	31.46	6.80	29.34
AV	5.3858G	44.23	54.00	-9.77	8.83	3	Vertical	173	1.08	-	35.40	31.39	6.80	29.36
PK	5.1458G	57.39	74.00	-16.61	9.43	3	Vertical	173	1.08	-	47.96	31.99	6.77	29.33
PK	5.2334G	115.14	Inf	-Inf	8.99	3	Vertical	173	1.08	-	106.15	31.53	6.80	29.34
PK	5.3522G	56.16	74.00	-17.84	8.56	3	Vertical	173	1.08	-	47.60	31.12	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	44.77	54.00	-9.23	9.43	3	Horizontal	291	1.04	-	35.34	31.99	6.77	29.33
AV	5.2418G	102.66	Inf	-Inf	8.93	3	Horizontal	291	1.04	-	93.73	31.47	6.80	29.34
AV	5.3876G	44.36	54.00	-9.64	8.84	3	Horizontal	291	1.04	-	35.52	31.40	6.80	29.36
PK	5.1074G	57.36	74.00	-16.64	9.33	3	Horizontal	291	1.04	-	48.03	31.91	6.75	29.33
PK	5.243G	113.61	Inf	-Inf	8.92	3	Horizontal	291	1.04	-	104.69	31.46	6.80	29.34
PK	5.3558G	56.90	74.00	-17.10	8.59	3	Horizontal	291	1.04	-	48.31	31.15	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47072G	55.95	68.20	-12.25	18.11	3	Vertical	91	2.02	-	37.84	39.67	9.01	30.57

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4728G	56.35	68.20	-11.85	18.11	3	Horizontal	35	1.83	-	38.24	39.67	9.01	30.57

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1436G	45.47	54.00	-8.53	9.43	3	Vertical	171	1.01	-	36.04	31.99	6.77	29.33
AV	5.2636G	105.22	Inf	-Inf	8.82	3	Vertical	171	1.01	-	96.40	31.37	6.80	29.35
AV	5.4046G	44.60	54.00	-9.40	8.95	3	Vertical	171	1.01	-	35.65	31.51	6.80	29.36
PK	5.15G	57.75	74.00	-16.25	9.44	3	Vertical	171	1.01	-	48.31	32.00	6.77	29.33
PK	5.2636G	117.33	Inf	-Inf	8.82	3	Vertical	171	1.01	-	108.51	31.37	6.80	29.35
PK	5.3962G	56.77	74.00	-17.23	8.91	3	Vertical	171	1.01	-	47.86	31.47	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	45.07	54.00	-8.93	9.43	3	Horizontal	292	1.01	-	35.64	31.99	6.77	29.33
AV	5.2624G	104.91	Inf	-Inf	8.83	3	Horizontal	292	1.01	-	96.08	31.38	6.80	29.35
AV	5.4016G	44.75	54.00	-9.25	8.94	3	Horizontal	292	1.01	-	35.81	31.50	6.80	29.36
PK	5.1364G	57.30	74.00	-16.70	9.41	3	Horizontal	292	1.01	-	47.89	31.97	6.77	29.33
PK	5.2618G	116.53	Inf	-Inf	8.83	3	Horizontal	292	1.01	-	107.70	31.38	6.80	29.35
PK	5.38G	56.86	74.00	-17.14	8.78	3	Horizontal	292	1.01	-	48.08	31.34	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52079G	57.93	68.20	-10.27	18.16	3	Vertical	191	1.20	-	39.77	39.72	9.03	30.59

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52098G	59.38	68.20	-8.82	18.16	3	Horizontal	190	1.36	-	41.22	39.72	9.03	30.59

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	104.39	Inf	-Inf	8.74	3	Vertical	172	1.09	-	95.65	31.29	6.80	29.35
AV	5.3864G	44.63	54.00	-9.37	8.83	3	Vertical	172	1.09	-	35.80	31.39	6.80	29.36
PK	5.3024G	116.26	Inf	-Inf	8.74	3	Vertical	172	1.09	-	107.52	31.29	6.80	29.35
PK	5.3784G	56.95	74.00	-17.05	8.77	3	Vertical	172	1.09	-	48.18	31.33	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3016G	104.66	Inf	-Inf	8.74	3	Horizontal	291	1.04	-	95.92	31.29	6.80	29.35
AV	5.3948G	44.50	54.00	-9.50	8.90	3	Horizontal	291	1.04	-	35.60	31.46	6.80	29.36
PK	5.302G	116.32	Inf	-Inf	8.74	3	Horizontal	291	1.04	-	107.58	31.29	6.80	29.35
PK	5.3764G	57.23	74.00	-16.77	8.75	3	Horizontal	291	1.04	-	48.48	31.31	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59112G	56.48	68.20	-11.72	18.22	3	Vertical	161	1.90	-	38.26	39.79	9.07	30.64

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.6039G	56.33	74.00	-17.67	18.22	3	Horizontal	131	1.50	-	38.11	39.80	9.07	30.65

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3228G	104.22	Inf	-Inf	8.66	3	Vertical	172	1.07	-	95.56	31.21	6.80	29.35
AV	5.3508G	47.41	54.00	-6.59	8.55	3	Vertical	172	1.07	-	38.86	31.11	6.80	29.36
PK	5.3226G	116.18	Inf	-Inf	8.66	3	Vertical	172	1.07	-	107.52	31.21	6.80	29.35
PK	5.3506G	65.42	74.00	-8.58	8.54	3	Vertical	172	1.07	-	56.88	31.10	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3226G	104.46	Inf	-Inf	8.66	3	Horizontal	295	1.01	-	95.80	31.21	6.80	29.35
AV	5.3508G	48.40	54.00	-5.60	8.55	3	Horizontal	295	1.01	-	39.85	31.11	6.80	29.36
PK	5.3222G	116.41	Inf	-Inf	8.66	3	Horizontal	295	1.01	-	107.75	31.21	6.80	29.35
PK	5.3516G	67.19	74.00	-6.81	8.55	3	Horizontal	295	1.01	-	58.64	31.11	6.80	29.36



802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62878G	43.56	54.00	-10.44	18.18	3	Vertical	168	2.22	-	25.38	39.77	9.08	30.67
PK	10.62698G	56.28	74.00	-17.72	18.18	3	Vertical	168	2.22	-	38.10	39.77	9.08	30.67



802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62512G	43.60	54.00	-10.40	18.18	3	Horizontal	206	1.82	-	25.42	39.77	9.08	30.67
PK	10.63982G	55.96	74.00	-18.04	18.17	3	Horizontal	206	1.82	-	37.79	39.76	9.09	30.68

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	45.08	54.00	-8.92	9.10	3	Vertical	23	2.90	-	35.98	31.64	6.83	29.37
AV	5.4982G	102.96	Inf	-Inf	9.27	3	Vertical	23	2.90	-	93.69	31.79	6.85	29.37
PK	5.4686G	63.36	68.20	-4.84	9.13	3	Vertical	23	2.90	-	54.23	31.67	6.83	29.37
PK	5.498G	114.95	Inf	-Inf	9.27	3	Vertical	23	2.90	-	105.68	31.79	6.85	29.37

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.46	54.00	-8.54	9.10	3	Horizontal	295	1.96	-	36.36	31.64	6.83	29.37
AV	5.501G	103.44	Inf	-Inf	9.28	3	Horizontal	295	1.96	-	94.16	31.80	6.85	29.37
PK	5.4696G	65.63	68.20	-2.57	9.14	3	Horizontal	295	1.96	-	56.49	31.68	6.83	29.37
PK	5.5016G	115.37	Inf	-Inf	9.28	3	Horizontal	295	1.96	-	106.09	31.80	6.85	29.37

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00558G	44.15	54.00	-9.85	18.51	3	Vertical	195	1.17	-	25.64	40.18	9.25	30.92
PK	11.0084G	57.17	74.00	-16.83	18.50	3	Vertical	195	1.17	-	38.67	40.17	9.25	30.92

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98842G	44.14	54.00	-9.86	18.51	3	Horizontal	355	1.64	-	25.63	40.18	9.24	30.91
PK	11.00684G	56.47	74.00	-17.53	18.51	3	Horizontal	355	1.64	-	37.96	40.18	9.25	30.92

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4378G	44.49	54.00	-9.51	9.04	3	Vertical	0	2.97	-	35.45	31.58	6.82	29.36
AV	5.5782G	104.24	Inf	-Inf	9.38	3	Vertical	0	2.97	-	94.86	31.86	6.89	29.37
PK	5.4642G	55.82	68.20	-12.38	9.12	3	Vertical	0	2.97	-	46.70	31.66	6.83	29.37
PK	5.5782G	115.31	Inf	-Inf	9.38	3	Vertical	0	2.97	-	105.93	31.86	6.89	29.37
PK	5.7276G	56.80	68.20	-11.40	9.56	3	Vertical	0	2.97	-	47.24	31.96	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4396G	44.49	54.00	-9.51	9.04	3	Horizontal	39	1.87	-	35.45	31.58	6.82	29.36
AV	5.5782G	102.35	Inf	-Inf	9.38	3	Horizontal	39	1.87	-	92.97	31.86	6.89	29.37
PK	5.4606G	55.92	68.20	-12.28	9.10	3	Horizontal	39	1.87	-	46.82	31.64	6.83	29.37
PK	5.5782G	113.44	Inf	-Inf	9.38	3	Horizontal	39	1.87	-	104.06	31.86	6.89	29.37
PK	5.7252G	56.36	68.20	-11.84	9.55	3	Horizontal	39	1.87	-	46.81	31.95	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14728G	44.07	54.00	-9.93	18.29	3	Vertical	330	1.51	-	25.78	39.85	9.32	30.88
PK	11.15058G	56.81	74.00	-17.19	18.30	3	Vertical	330	1.51	-	38.51	39.85	9.32	30.87

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1468G	44.06	54.00	-9.94	18.29	3	Horizontal	248	1.37	-	25.77	39.85	9.32	30.88
PK	11.1486G	57.10	74.00	-16.90	18.29	3	Horizontal	248	1.37	-	38.81	39.85	9.32	30.88

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	103.98	Inf	-Inf	9.49	3	Vertical	20	2.34	-	94.49	31.90	6.95	29.36
PK	5.7008G	115.70	Inf	-Inf	9.49	3	Vertical	20	2.34	-	106.21	31.90	6.95	29.36
PK	5.7284G	64.68	68.20	-3.52	9.56	3	Vertical	20	2.34	-	55.12	31.96	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.698G	101.62	Inf	-Inf	9.48	3	Horizontal	36	1.71	-	92.14	31.89	6.95	29.36
PK	5.6976G	113.12	Inf	-Inf	9.48	3	Horizontal	36	1.71	-	103.64	31.89	6.95	29.36
PK	5.7288G	66.43	68.20	-1.77	9.56	3	Horizontal	36	1.71	-	56.87	31.96	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39064G	44.23	54.00	-9.77	18.52	3	Vertical	0	2.21	-	25.71	39.89	9.43	30.80
PK	11.3967G	57.92	74.00	-16.08	18.53	3	Vertical	0	2.21	-	39.39	39.90	9.43	30.80

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40294G	44.25	54.00	-9.75	18.53	3	Horizontal	241	1.66	-	25.72	39.90	9.43	30.80
PK	11.4111G	57.06	74.00	-16.94	18.54	3	Horizontal	241	1.66	-	38.52	39.91	9.43	30.80

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	104.51	Inf	-Inf	9.60	3	Vertical	20	1.92	-	94.91	31.99	6.97	29.36
PK	5.5578G	56.96	68.20	-11.24	9.33	3	Vertical	20	1.92	-	47.63	31.82	6.88	29.37
PK	5.7462G	115.71	Inf	-Inf	9.60	3	Vertical	20	1.92	-	106.11	31.99	6.97	29.36
PK	6.0426G	57.51	68.20	-10.69	10.29	3	Vertical	20	1.92	-	47.22	32.56	7.12	29.39

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	103.22	Inf	-Inf	9.60	3	Horizontal	299	2.07	-	93.62	31.99	6.97	29.36
PK	5.565G	57.33	68.20	-10.87	9.34	3	Horizontal	299	2.07	-	47.99	31.83	6.88	29.37
PK	5.7462G	114.40	Inf	-Inf	9.60	3	Horizontal	299	2.07	-	104.80	31.99	6.97	29.36
PK	6.0354G	57.78	68.20	-10.42	10.25	3	Horizontal	299	2.07	-	47.53	32.51	7.12	29.38

802.11ax HEW20_Nss1,(MCS0)_2TX

16/08/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48168G	44.07	54.00	-9.93	18.67	3	Vertical	171	1.53	-	25.40	39.98	9.47	30.78
PK	11.49832G	56.45	74.00	-17.55	18.70	3	Vertical	171	1.53	-	37.75	40.00	9.47	30.77

802.11ax HEW20_Nss1,(MCS0)_2TX

16/08/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.45704G	44.09	54.00	-9.91	18.64	3	Horizontal	242	1.25	-	25.45	39.96	9.46	30.78
PK	11.49416G	57.04	74.00	-16.96	18.69	3	Horizontal	242	1.25	-	38.35	39.99	9.47	30.77

802.11ax HEW20_Nss1,(MCS0)_2TX

16/08/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	104.10	Inf	-Inf	9.63	3	Vertical	21	2.61	-	94.47	32.00	6.99	29.36
PK	5.6422G	57.41	68.20	-10.79	9.29	3	Vertical	21	2.61	-	48.12	31.73	6.92	29.36
PK	5.7838G	115.04	Inf	-Inf	9.63	3	Vertical	21	2.61	-	105.41	32.00	6.99	29.36
PK	5.9398G	58.00	68.20	-10.20	10.08	3	Vertical	21	2.61	-	47.92	32.36	7.07	29.35

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	102.79	Inf	-Inf	9.63	3	Horizontal	20	1.88	-	93.16	32.00	6.99	29.36
PK	5.5978G	57.28	68.20	-10.92	9.43	3	Horizontal	20	1.88	-	47.85	31.90	6.90	29.37
PK	5.7862G	114.35	Inf	-Inf	9.63	3	Horizontal	20	1.88	-	104.72	32.00	6.99	29.36
PK	6.0418G	57.73	68.20	-10.47	10.28	3	Horizontal	20	1.88	-	47.45	32.55	7.12	29.39

802.11ax HEW20_Nss1,(MCS0)_2TX

16/08/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5932G	44.30	54.00	-9.70	18.65	3	Vertical	172	2.02	-	25.65	39.91	9.52	30.78
PK	11.59G	56.98	74.00	-17.02	18.65	3	Vertical	172	2.02	-	38.33	39.91	9.52	30.78

802.11ax HEW20_Nss1,(MCS0)_2TX

16/08/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59864G	44.27	54.00	-9.73	18.64	3	Horizontal	106	1.42	-	25.63	39.90	9.52	30.78
PK	11.58888G	56.70	74.00	-17.30	18.64	3	Horizontal	106	1.42	-	38.06	39.91	9.51	30.78

802.11ax HEW20_Nss1,(MCS0)_2TX

15/08/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	103.26	Inf	-Inf	9.70	3	Vertical	23	2.71	-	93.56	32.05	7.01	29.36
PK	5.567G	56.63	68.20	-11.57	9.34	3	Vertical	23	2.71	-	47.29	31.83	6.88	29.37
PK	5.825G	114.10	Inf	-Inf	9.70	3	Vertical	23	2.71	-	104.40	32.05	7.01	29.36
PK	5.9414G	57.89	68.20	-10.31	10.09	3	Vertical	23	2.71	-	47.80	32.37	7.07	29.35

802.11ax HEW20_Nss1,(MCS0)_2TX

16/08/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	103.25	Inf	-Inf	9.70	3	Horizontal	20	2.03	-	93.55	32.05	7.01	29.36
PK	5.6054G	57.25	68.20	-10.95	9.41	3	Horizontal	20	2.03	-	47.84	31.88	6.90	29.37
PK	5.8238G	115.14	Inf	-Inf	9.70	3	Horizontal	20	2.03	-	105.44	32.05	7.01	29.36
PK	5.9738G	58.04	68.20	-10.16	10.09	3	Horizontal	20	2.03	-	47.95	32.35	7.09	29.35

802.11ax HEW20_Nss1,(MCS0)_2TX

16/08/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6164G	44.29	54.00	-9.71	18.55	3	Vertical	142	1.78	-	25.74	39.80	9.53	30.78
PK	11.66664G	56.72	74.00	-17.28	18.26	3	Vertical	142	1.78	-	38.46	39.50	9.55	30.79

802.11ax HEW20_Nss1,(MCS0)_2TX

16/08/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.61592G	44.16	54.00	-9.84	18.55	3	Horizontal	332	1.33	-	25.61	39.80	9.53	30.78
PK	11.63576G	56.61	74.00	-17.39	18.44	3	Horizontal	332	1.33	-	38.17	39.69	9.54	30.79

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.71	54.00	-3.29	9.44	3	Vertical	172	1.03	-	41.27	32.00	6.78	29.34
AV	5.1936G	101.78	Inf	-Inf	9.29	3	Vertical	172	1.03	-	92.49	31.83	6.80	29.34
PK	5.1496G	66.43	74.00	-7.57	9.44	3	Vertical	172	1.03	-	56.99	32.00	6.77	29.33
PK	5.1928G	113.10	Inf	-Inf	9.29	3	Vertical	172	1.03	-	103.81	31.83	6.80	29.34

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	48.85	54.00	-5.15	9.43	3	Horizontal	241	2.05	-	39.42	31.99	6.77	29.33
AV	5.188G	99.37	Inf	-Inf	9.30	3	Horizontal	241	2.05	-	90.07	31.85	6.79	29.34
PK	5.1456G	64.07	74.00	-9.93	9.43	3	Horizontal	241	2.05	-	54.64	31.99	6.77	29.33
PK	5.1884G	111.11	Inf	-Inf	9.30	3	Horizontal	241	2.05	-	101.81	31.85	6.79	29.34

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40352G	56.66	68.20	-11.54	18.04	3	Vertical	119	1.10	-	38.62	39.60	8.98	30.54

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4024G	56.79	68.20	-11.41	18.04	3	Horizontal	145	1.42	-	38.75	39.60	8.98	30.54

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.32	54.00	-7.68	9.44	3	Vertical	173	1.07	-	36.88	32.00	6.78	29.34
AV	5.2328G	103.23	Inf	-Inf	9.00	3	Vertical	173	1.07	-	94.23	31.54	6.80	29.34
PK	5.15G	58.51	74.00	-15.49	9.44	3	Vertical	173	1.07	-	49.07	32.00	6.78	29.34
PK	5.2336G	115.64	Inf	-Inf	8.99	3	Vertical	173	1.07	-	106.65	31.53	6.80	29.34

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.41	54.00	-8.59	9.44	3	Horizontal	291	1.05	-	35.97	32.00	6.77	29.33
AV	5.2324G	101.87	Inf	-Inf	9.00	3	Horizontal	291	1.05	-	92.87	31.54	6.80	29.34
PK	5.1304G	57.83	74.00	-16.17	9.40	3	Horizontal	291	1.05	-	48.43	31.96	6.77	29.33
PK	5.2316G	114.06	Inf	-Inf	9.01	3	Horizontal	291	1.05	-	105.05	31.55	6.80	29.34

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4872G	56.94	68.20	-11.26	18.14	3	Vertical	314	2.25	-	38.80	39.69	9.02	30.57

802.11ax HEW40_Nss1,(MCS0)_2TX

16/08/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47888G	56.81	68.20	-11.39	18.13	3	Horizontal	341	2.16	-	38.68	39.68	9.02	30.57

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2628G	102.71	Inf	-Inf	8.82	3	Vertical	173	1.00	-	93.89	31.37	6.80	29.35
AV	5.3512G	44.75	54.00	-9.25	8.55	3	Vertical	173	1.00	-	36.20	31.11	6.80	29.36
PK	5.2716G	114.01	Inf	-Inf	8.81	3	Vertical	173	1.00	-	105.20	31.36	6.80	29.35
PK	5.3588G	57.08	74.00	-16.92	8.61	3	Vertical	173	1.00	-	48.47	31.17	6.80	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2716G	102.33	Inf	-Inf	8.81	3	Horizontal	291	1.03	-	93.52	31.36	6.80	29.35
AV	5.3552G	44.66	54.00	-9.34	8.58	3	Horizontal	291	1.03	-	36.08	31.14	6.80	29.36
PK	5.2728G	113.59	Inf	-Inf	8.80	3	Horizontal	291	1.03	-	104.79	31.35	6.80	29.35
PK	5.3616G	57.16	74.00	-16.84	8.63	3	Horizontal	291	1.03	-	48.53	31.19	6.80	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54784G	56.45	68.20	-11.75	18.19	3	Vertical	51	1.16	-	38.26	39.75	9.05	30.61

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.50352G	57.10	68.20	-11.10	18.15	3	Horizontal	288	2.27	-	38.95	39.70	9.03	30.58

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.312G	101.35	Inf	-Inf	8.70	3	Vertical	173	1.05	-	92.65	31.25	6.80	29.35
AV	5.35G	53.75	54.00	-0.25	8.54	3	Vertical	173	1.05	-	45.21	31.10	6.80	29.36
PK	5.3124G	113.37	Inf	-Inf	8.70	3	Vertical	173	1.05	-	104.67	31.25	6.80	29.35
PK	5.352G	70.00	74.00	-4.00	8.56	3	Vertical	173	1.05	-	61.44	31.12	6.80	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.308G	99.44	Inf	-Inf	8.72	3	Horizontal	42	1.70	-	90.72	31.27	6.80	29.35
AV	5.35G	52.78	54.00	-1.22	8.54	3	Horizontal	42	1.70	-	44.24	31.10	6.80	29.36
PK	5.308G	111.29	Inf	-Inf	8.72	3	Horizontal	42	1.70	-	102.57	31.27	6.80	29.35
PK	5.3516G	67.67	74.00	-6.33	8.55	3	Horizontal	42	1.70	-	59.12	31.11	6.80	29.36



802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5952G	56.14	68.20	-12.06	18.23	3	Vertical	105	2.11	-	37.91	39.80	9.07	30.64

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.64768G	56.65	74.00	-17.35	18.16	3	Horizontal	104	1.78	-	38.49	39.75	9.09	30.68

802.11ax HEW40_Nss1,(MCS0)_2TX

16/08/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	48.78	54.00	-5.22	9.08	3	Vertical	21	2.89	-	39.70	31.62	6.83	29.37
AV	5.518G	100.75	Inf	-Inf	9.29	3	Vertical	21	2.89	-	91.46	31.80	6.86	29.37
PK	5.466G	68.06	68.20	-0.14	9.12	3	Vertical	21	2.89	-	58.94	31.66	6.83	29.37
PK	5.508G	111.83	Inf	-Inf	9.28	3	Vertical	21	2.89	-	102.55	31.80	6.85	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.77	54.00	-6.23	9.10	3	Horizontal	296	1.10	-	38.67	31.64	6.83	29.37
AV	5.512G	100.26	Inf	-Inf	9.29	3	Horizontal	296	1.10	-	90.97	31.80	6.86	29.37
PK	5.47G	66.32	68.20	-1.88	9.14	3	Horizontal	296	1.10	-	57.18	31.68	6.83	29.37
PK	5.5108G	112.16	Inf	-Inf	9.29	3	Horizontal	296	1.10	-	102.87	31.80	6.86	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.61688G	44.16	54.00	-9.84	18.55	3	Vertical	146	1.40	-	25.61	39.80	9.53	30.78
PK	11.62952G	56.45	74.00	-17.55	18.46	3	Vertical	146	1.40	-	37.99	39.72	9.53	30.79

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.61608G	44.16	54.00	-9.84	18.55	3	Horizontal	303	2.23	-	25.61	39.80	9.53	30.78
PK	11.6204G	56.99	74.00	-17.01	18.53	3	Horizontal	303	2.23	-	38.46	39.78	9.53	30.78

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.57	54.00	-9.43	9.10	3	Vertical	24	3.00	-	35.47	31.64	6.83	29.37
AV	5.5484G	101.31	Inf	-Inf	9.30	3	Vertical	24	3.00	-	92.01	31.80	6.87	29.37
PK	5.4656G	56.53	68.20	-11.67	9.12	3	Vertical	24	3.00	-	47.41	31.66	6.83	29.37
PK	5.5488G	113.82	Inf	-Inf	9.30	3	Vertical	24	3.00	-	104.52	31.80	6.87	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	44.55	54.00	-9.45	9.09	3	Horizontal	43	1.81	-	35.46	31.63	6.83	29.37
AV	5.5488G	99.61	Inf	-Inf	9.30	3	Horizontal	43	1.81	-	90.31	31.80	6.87	29.37
PK	5.4664G	57.10	68.20	-11.10	9.13	3	Horizontal	43	1.81	-	47.97	31.67	6.83	29.37
PK	5.5488G	111.43	Inf	-Inf	9.30	3	Horizontal	43	1.81	-	102.13	31.80	6.87	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13296G	44.06	54.00	-9.94	18.30	3	Vertical	70	1.58	-	25.76	39.87	9.31	30.88
PK	11.11776G	57.14	74.00	-16.86	18.30	3	Vertical	70	1.58	-	38.84	39.88	9.30	30.88

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07568G	44.07	54.00	-9.93	18.35	3	Horizontal	271	1.94	-	25.72	39.97	9.28	30.90
PK	11.08544G	57.80	74.00	-16.20	18.34	3	Horizontal	271	1.94	-	39.46	39.94	9.29	30.89

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6682G	101.11	Inf	-Inf	9.34	3	Vertical	0	2.97	-	91.77	31.77	6.93	29.36
PK	5.6796G	112.19	Inf	-Inf	9.40	3	Vertical	0	2.97	-	102.79	31.82	6.94	29.36
PK	5.7258G	61.27	68.20	-6.93	9.55	3	Vertical	0	2.97	-	51.72	31.95	6.96	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6682G	99.28	Inf	-Inf	9.34	3	Horizontal	37	1.73	-	89.94	31.77	6.93	29.36
PK	5.6676G	111.15	Inf	-Inf	9.34	3	Horizontal	37	1.73	-	101.81	31.77	6.93	29.36
PK	5.7252G	61.32	68.20	-6.88	9.55	3	Horizontal	37	1.73	-	51.77	31.95	6.96	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35616G	44.02	54.00	-9.98	18.46	3	Vertical	39	1.51	-	25.56	39.86	9.41	30.81
PK	11.33104G	56.99	74.00	-17.01	18.41	3	Vertical	39	1.51	-	38.58	39.83	9.40	30.82



802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37424G	44.12	54.00	-9.88	18.48	3	Horizontal	239	2.23	-	25.64	39.87	9.42	30.81
PK	11.3736G	56.47	74.00	-17.53	18.48	3	Horizontal	239	2.23	-	37.99	39.87	9.42	30.81

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	102.16	Inf	-Inf	9.62	3	Vertical	19	2.40	-	92.54	32.00	6.98	29.36
PK	5.6278G	57.88	68.20	-10.32	9.34	3	Vertical	19	2.40	-	48.54	31.79	6.91	29.36
PK	5.7538G	113.54	Inf	-Inf	9.62	3	Vertical	19	2.40	-	103.92	32.00	6.98	29.36
PK	5.9806G	57.98	68.20	-10.22	10.08	3	Vertical	19	2.40	-	47.90	32.34	7.09	29.35

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	100.32	Inf	-Inf	9.62	3	Horizontal	20	2.00	-	90.70	32.00	6.98	29.36
PK	5.6254G	57.32	68.20	-10.88	9.35	3	Horizontal	20	2.00	-	47.97	31.80	6.91	29.36
PK	5.7442G	111.34	Inf	-Inf	9.60	3	Horizontal	20	2.00	-	101.74	31.99	6.97	29.36
PK	6.0142G	58.22	68.20	-9.98	10.14	3	Horizontal	20	2.00	-	48.08	32.39	7.11	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4852G	43.97	54.00	-10.03	18.69	3	Vertical	310	2.22	-	25.28	39.99	9.47	30.77
PK	11.47944G	56.97	74.00	-17.03	18.67	3	Vertical	310	2.22	-	38.30	39.98	9.47	30.78

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4876G	43.97	54.00	-10.03	18.69	3	Horizontal	246	1.70	-	25.28	39.99	9.47	30.77
PK	11.4876G	56.53	74.00	-17.47	18.69	3	Horizontal	246	1.70	-	37.84	39.99	9.47	30.77

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	101.17	Inf	-Inf	9.64	3	Vertical	20	2.77	-	91.53	32.00	7.00	29.36
PK	5.5562G	56.94	68.20	-11.26	9.32	3	Vertical	20	2.77	-	47.62	31.81	6.88	29.37
PK	5.8034G	113.42	Inf	-Inf	9.65	3	Vertical	20	2.77	-	103.77	32.01	7.00	29.36
PK	6.0362G	58.13	68.20	-10.07	10.26	3	Vertical	20	2.77	-	47.87	32.52	7.12	29.38

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	100.31	Inf	-Inf	9.63	3	Horizontal	301	1.01	-	90.68	32.00	6.99	29.36
PK	5.5658G	57.78	68.20	-10.42	9.34	3	Horizontal	301	1.01	-	48.44	31.83	6.88	29.37
PK	5.7866G	111.69	Inf	-Inf	9.63	3	Horizontal	301	1.01	-	102.06	32.00	6.99	29.36
PK	5.927G	58.21	68.20	-9.99	10.02	3	Horizontal	301	1.01	-	48.19	32.31	7.06	29.35

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.61544G	44.17	54.00	-9.83	18.56	3	Vertical	273	1.73	-	25.61	39.81	9.53	30.78
PK	11.60008G	56.81	74.00	-17.19	18.64	3	Vertical	273	1.73	-	38.17	39.90	9.52	30.78

802.11ax HEW40_Nss1,(MCS0)_2TX

15/08/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.61848G	44.15	54.00	-9.85	18.54	3	Horizontal	214	1.88	-	25.61	39.79	9.53	30.78
PK	11.60936G	56.56	74.00	-17.44	18.58	3	Horizontal	214	1.88	-	37.98	39.84	9.52	30.78

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.12	54.00	-0.88	9.44	3	Vertical	173	1.01	-	43.68	32.00	6.78	29.34
AV	5.213G	98.49	Inf	-Inf	9.16	3	Vertical	173	1.01	-	89.33	31.70	6.80	29.34
AV	5.351G	44.62	54.00	-9.38	8.55	3	Vertical	173	1.01	-	36.07	31.11	6.80	29.36
PK	5.15G	67.06	74.00	-6.94	9.44	3	Vertical	173	1.01	-	57.62	32.00	6.77	29.33
PK	5.214G	110.47	Inf	-Inf	9.15	3	Vertical	173	1.01	-	101.32	31.69	6.80	29.34
PK	5.412G	56.44	74.00	-17.56	8.97	3	Vertical	173	1.01	-	47.47	31.52	6.81	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	50.39	54.00	-3.61	9.44	3	Horizontal	241	2.25	-	40.95	32.00	6.77	29.33
AV	5.208G	96.04	Inf	-Inf	9.20	3	Horizontal	241	2.25	-	86.84	31.74	6.80	29.34
AV	5.421G	44.40	54.00	-9.60	8.99	3	Horizontal	241	2.25	-	35.41	31.54	6.81	29.36
PK	5.147G	65.58	74.00	-8.42	9.43	3	Horizontal	241	2.25	-	56.15	31.99	6.77	29.33
PK	5.228G	107.50	Inf	-Inf	9.04	3	Horizontal	241	2.25	-	98.46	31.58	6.80	29.34
PK	5.404G	56.38	74.00	-17.62	8.95	3	Horizontal	241	2.25	-	47.43	31.51	6.80	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42G	57.15	68.20	-11.05	18.06	3	Vertical	193	1.37	-	39.09	39.62	8.99	30.55

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38528G	57.74	68.20	-10.46	17.98	3	Horizontal	360	1.53	-	39.76	39.54	8.97	30.53

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	45.64	54.00	-8.36	9.43	3	Vertical	174	1.06	-	36.21	31.99	6.77	29.33
AV	5.292G	97.02	Inf	-Inf	8.77	3	Vertical	174	1.06	-	88.25	31.32	6.80	29.35
AV	5.354G	52.17	54.00	-1.83	8.57	3	Vertical	174	1.06	-	43.60	31.13	6.80	29.36
PK	5.14G	57.63	74.00	-16.37	9.42	3	Vertical	174	1.06	-	48.21	31.98	6.77	29.33
PK	5.291G	109.04	Inf	-Inf	8.77	3	Vertical	174	1.06	-	100.27	31.32	6.80	29.35
PK	5.357G	66.84	74.00	-7.16	8.60	3	Vertical	174	1.06	-	58.24	31.16	6.80	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	45.12	54.00	-8.88	9.44	3	Horizontal	293	1.07	-	35.68	32.00	6.77	29.33
AV	5.282G	96.94	Inf	-Inf	8.79	3	Horizontal	293	1.07	-	88.15	31.34	6.80	29.35
AV	5.354G	52.96	54.00	-1.04	8.57	3	Horizontal	293	1.07	-	44.39	31.13	6.80	29.36
PK	5.078G	56.98	74.00	-17.02	9.13	3	Horizontal	293	1.07	-	47.85	31.72	6.74	29.33
PK	5.272G	108.51	Inf	-Inf	8.81	3	Horizontal	293	1.07	-	99.70	31.36	6.80	29.35
PK	5.352G	67.42	74.00	-6.58	8.56	3	Horizontal	293	1.07	-	58.86	31.12	6.80	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5928G	56.27	68.20	-11.93	18.22	3	Vertical	74	1.63	-	38.05	39.79	9.07	30.64

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54832G	56.72	68.20	-11.48	18.19	3	Horizontal	334	1.21	-	38.53	39.75	9.05	30.61

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	52.41	54.00	-1.59	9.08	3	Vertical	178	1.01	-	43.33	31.62	6.83	29.37
AV	5.518G	95.79	Inf	-Inf	9.29	3	Vertical	178	1.01	-	86.50	31.80	6.86	29.37
PK	5.464G	67.57	68.20	-0.63	9.12	3	Vertical	178	1.01	-	58.45	31.66	6.83	29.37
PK	5.539G	107.41	Inf	-Inf	9.30	3	Vertical	178	1.01	-	98.11	31.80	6.87	29.37
PK	5.732G	57.91	68.20	-10.29	9.57	3	Vertical	178	1.01	-	48.34	31.96	6.97	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	49.64	54.00	-4.36	9.08	3	Horizontal	43	1.91	-	40.56	31.62	6.83	29.37
AV	5.528G	95.70	Inf	-Inf	9.29	3	Horizontal	43	1.91	-	86.41	31.80	6.86	29.37
PK	5.466G	67.44	68.20	-0.76	9.12	3	Horizontal	43	1.91	-	58.32	31.66	6.83	29.37
PK	5.527G	107.73	Inf	-Inf	9.29	3	Horizontal	43	1.91	-	98.44	31.80	6.86	29.37
PK	5.761G	57.28	68.20	-10.92	9.62	3	Horizontal	43	1.91	-	47.66	32.00	6.98	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08672G	43.87	54.00	-10.13	18.34	3	Vertical	238	1.18	-	25.53	39.94	9.29	30.89
PK	11.0808G	56.72	74.00	-17.28	18.35	3	Vertical	238	1.18	-	38.37	39.96	9.29	30.90

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03344G	44.07	54.00	-9.93	18.46	3	Horizontal	137	1.41	-	25.61	40.10	9.27	30.91
PK	11.03568G	56.73	74.00	-17.27	18.45	3	Horizontal	137	1.41	-	38.28	40.09	9.27	30.91

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7726G	98.35	Inf	-Inf	9.63	3	Vertical	1	2.79	-	88.72	32.00	6.99	29.36
PK	5.649G	58.87	68.20	-9.33	9.26	3	Vertical	1	2.79	-	49.61	31.70	6.92	29.36
PK	5.7642G	108.62	Inf	-Inf	9.62	3	Vertical	1	2.79	-	99.00	32.00	6.98	29.36
PK	5.991G	58.52	68.20	-9.68	10.07	3	Vertical	1	2.79	-	48.45	32.32	7.10	29.35

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7846G	97.97	Inf	-Inf	9.63	3	Horizontal	21	1.99	-	88.34	32.00	6.99	29.36
PK	5.6478G	59.42	68.20	-8.78	9.27	3	Horizontal	21	1.99	-	50.15	31.71	6.92	29.36
PK	5.7834G	109.81	Inf	-Inf	9.63	3	Horizontal	21	1.99	-	100.18	32.00	6.99	29.36
PK	6.0378G	58.54	68.20	-9.66	10.27	3	Horizontal	21	1.99	-	48.27	32.53	7.12	29.38

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51144G	43.70	54.00	-10.30	18.70	3	Vertical	118	2.26	-	25.00	39.99	9.48	30.77
PK	11.53176G	57.04	74.00	-16.96	18.69	3	Vertical	118	2.26	-	38.35	39.97	9.49	30.77

802.11ax HEW80_Nss1,(MCS0)_2TX

15/08/2020

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5108G	43.83	54.00	-10.17	18.70	3	Horizontal	360	1.50	-	25.13	39.99	9.48	30.77
PK	11.5828G	56.21	74.00	-17.79	18.65	3	Horizontal	360	1.50	-	37.56	39.92	9.51	30.78