



802.11ax HE20

CH233 (Horizontal) Peak

CH233 (Vertical) Peak

TÜVRheinland
TÜVRheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TÜVRheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5922.54	61.14	67.63	-6.49	88.20	-27.06	167	202	Peak	Horizontal	
2 *	7115.00	108.43	113.93	-5.50	88.20	20.23	167	202	Peak	Horizontal	
3	7125.00	76.70	82.19	-5.49	88.20	-11.50	167	202	Peak	Horizontal	

Peak	Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5869.07	60.06	66.68	-6.62	88.20	-20.14	328	268	Peak	Vertical	
2 *	7115.00	107.78	113.28	-5.50	88.20	19.58	328	268	Peak	Vertical	
3	7125.00	79.87	85.36	-5.49	88.20	-8.33	328	268	Peak	Vertical	


802.11ax HE20

CH233 (Horizontal) RMS

CH233 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5759.83	48.12	54.98	-6.78	68.20	-20.08	167	202 RMS	Horizontal	
2 *	7115.00	96.61	102.11	-5.50	68.20	28.41	167	202 RMS	Horizontal	
3 !	7125.00	64.38	69.79	-5.49	68.20	-3.99	167	202 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5843.60	48.06	54.73	-6.67	68.20	-20.14	328	268 RMS	Vertical	
2 *	7115.00	95.73	101.23	-5.50	68.20	27.53	328	268 RMS	Vertical	
3 !	7125.00	66.55	72.04	-5.49	68.20	-1.65	328	268 RMS	Vertical	


802.11ax HE40

CH195 (Horizontal) RMS

CH195 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5869.91	48.28	54.85	-6.57	68.28	-19.92	169	102 RMS	Horizontal	
2 *	6925.00	95.29	100.96	-5.67	68.28	27.09	169	102 RMS	Horizontal	
3	7169.27	49.52	54.98	-5.46	68.28	-18.68	169	102 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5869.19	48.28	54.77	-6.57	68.28	-20.00	318	271 RMS	Vertical	
2 *	6925.00	95.76	101.42	-5.66	68.28	27.56	318	271 RMS	Vertical	
3	7198.81	49.41	54.85	-5.44	68.28	-18.79	318	271 RMS	Vertical	

802.11ax HE40

CH211 (Horizontal) Peak

CH211 (Vertical) Peak



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5813.17	61.03	67.77	-6.74	88.20	-27.17	194	231 Peak	Horizontal	
2 *	7005.00	108.48	113.90	-5.50	88.20	20.20	194	231 Peak	Horizontal	
3	7181.62	61.64	67.10	-5.46	88.20	-26.56	194	231 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5620.03	60.58	67.00	-7.22	88.20	-27.62	299	282 Peak	Vertical	
2 *	7005.00	106.45	111.95	-5.50	88.20	18.25	299	282 Peak	Vertical	
3	7204.18	61.41	66.84	-5.43	88.20	-26.79	299	282 Peak	Vertical	


802.11ax HE40

CH211 (Horizontal) RMS

CH211 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5769.00	49.07	55.85	-6.78	68.20	-19.13	194	231 RMS	Horizontal	
2 *	7005.00	96.30	103.88	-5.49	68.20	30.19	194	231 RMS	Horizontal	
3	7176.25	49.57	55.02	-5.45	68.20	-18.63	194	231 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5750.52	40.15	54.94	-6.79	68.20	-20.05	299	202 RMS	Vertical	
2 *	7005.00	96.43	101.94	-5.51	68.20	28.23	299	202 RMS	Vertical	
3	7182.70	49.32	54.78	-5.46	68.20	-18.88	299	202 RMS	Vertical	


802.11ax HE40

CH227 (Horizontal) Peak

CH227 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5539.66	61.04	68.06	-7.02	88.20	-27.16	228	360	Peak	Horizontal	
2 *	7085.00	108.50	114.15	-5.57	88.20	20.30	228	360	Peak	Horizontal	
3	7125.60	70.08	75.57	-5.49	88.20	-18.12	228	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5878.32	60.87	67.41	-6.54	88.20	-27.33	323	180	Peak	Vertical	
2 *	7085.00	106.14	111.71	-5.57	88.20	17.94	323	180	Peak	Vertical	
3	7129.00	66.72	72.21	-5.49	88.20	-21.48	323	180	Peak	Vertical	



802.11ax HE40

CH227 (Horizontal) RMS

CH227 (Vertical) RMS

TÜVRheinland
TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5668.00	48.41	55.65	-7.24	68.20	-19.79	228	360 RMS	Horizontal	
2 *	7085.00	97.68	103.32	-5.64	68.20	29.48	228	360 RMS	Horizontal	
3	7125.24	56.06	61.55	-5.49	68.20	-12.14	228	360 RMS	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5866.15	48.27	54.86	-6.59	68.20	-19.93	323	180 RMS	Vertical	
2 *	7085.00	95.28	100.84	-5.56	68.20	27.08	323	180 RMS	Vertical	
3	7126.67	53.68	59.09	-5.49	68.20	-14.60	323	180 RMS	Vertical	

802.11ax HE80

CH199 (Horizontal) Peak

CH199 (Vertical) Peak



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5868.48	61.06	67.64	-6.58	88.20	-27.14	180	102 Peak	Horizontal
2 *	6945.00	103.54	109.15	-5.61	88.20	15.34	180	102 Peak	Horizontal
3	7226.19	61.93	67.30	-5.37	88.20	-26.27	180	102 Peak	Horizontal

Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5778.26	61.41	68.18	-6.77	88.20	-26.79	293	162 Peak	Vertical
2 *	6945.00	101.21	106.82	-5.61	88.20	13.01	293	162 Peak	Vertical
3	7177.51	61.73	67.18	-5.45	88.20	-26.47	293	162 Peak	Vertical


802.11ax HE80

CH199 (Horizontal) RMS

CH199 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5867.48	48.22	54.88	-6.58	68.20	-19.98	180	102 RMS	Horizontal	
2 *	6945.00	92.18	97.79	-5.61	68.20	23.98	180	102 RMS	Horizontal	
3	7183.23	48.94	54.40	-5.46	68.20	-19.26	180	102 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5753.38	47.98	54.76	-6.78	68.20	-20.22	293	162 RMS	Vertical	
2 *	6945.00	90.00	95.61	-5.61	68.20	21.80	293	162 RMS	Vertical	
3	7197.37	48.83	54.27	-5.44	68.20	-19.37	293	162 RMS	Vertical	



802.11ax HE80

CH215 (Horizontal) Peak

CH215 (Vertical) Peak

TÜVRheinland
TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5851.12	69.85	67.51	-6.66	88.20	-27.35	188	115 Peak	Horizontal	
2 *	7025.00	106.90	112.56	-5.60	88.20	18.70	188	115 Peak	Horizontal	
3	7126.85	62.82	68.31	-5.49	88.20	-25.38	188	115 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5522.65	61.38	68.36	-6.98	88.20	-26.82	309	270 Peak	Vertical	
2 *	7025.00	105.08	118.68	-5.60	88.20	16.68	309	270 Peak	Vertical	
3	7206.86	61.47	66.90	-5.43	88.20	-26.73	309	270 Peak	Vertical	


802.11ax HE80

CH215 (Horizontal) RMS

CH215 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5855.59	48.19	54.82	-6.63	68.20	-20.01	188	115 RMS	Horizontal	
2 *	7025.00	93.68	99.28	-5.60	68.20	25.48	188	115 RMS	Horizontal	
3	7125.95	49.26	54.75	-5.49	68.20	-18.94	188	115 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5870.27	47.98	54.55	-6.57	68.20	-20.22	309	270 RMS	Vertical	
2 *	7025.00	93.29	98.89	-5.60	68.20	25.69	309	270 RMS	Vertical	
3	7171.96	48.92	54.37	-5.45	68.20	-19.28	309	270 RMS	Vertical	

802.11ax HE160

CH207 (Horizontal) Peak

CH207 (Vertical) Peak



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5916.27	61.12	67.59	-6.47	88.20	-27.08	186	286	Peak	Horizontal	
2 *	6985.00	103.67	109.18	-5.51	88.20	15.47	186	286	Peak	Horizontal	
3	7214.02	62.68	68.08	-5.40	88.20	-25.52	186	286	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5737.99	60.70	67.61	-6.91	88.20	-27.50	376	272	Peak	Vertical	
2 *	6985.00	102.00	108.41	-5.51	88.20	14.70	376	272	Peak	Vertical	
3	7212.05	61.77	67.18	-5.41	88.20	-26.43	376	272	Peak	Vertical	


802.11ax HE160

CH207 (Horizontal) RMS

CH207 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5759.83	48.19	54.97	-6.78	68.20	-20.01	186	206 RMS	Horizontal	
2 *	6985.00	91.43	96.94	-5.51	68.20	23.23	186	206 RMS	Horizontal	
3	7131.86	49.17	54.66	-5.49	68.20	-19.03	186	206 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5838.41	48.18	54.86	-6.68	68.20	-20.02	376	272 RMS	Vertical	
2 *	6985.00	90.37	95.88	-5.51	68.20	22.17	376	272 RMS	Vertical	
3	7128.82	49.97	55.46	-5.49	68.20	-18.23	376	272 RMS	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz
U-NII 5


802.11ax HE80

CH87 9kHz~150kHz(Open)

CH87 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.01	61.59	43.28	18.31	127.68	-66.01	100	91	Peak	Open	
2	0.03	62.63	42.82	19.81	119.13	-56.50	100	312	Peak	Open	
3	0.06	59.63	40.78	18.85	112.11	-52.48	100	216	Peak	Open	
4	0.06	58.76	39.99	18.77	111.53	-52.77	100	239	Peak	Open	
5	0.12	49.02	30.38	18.64	105.89	-56.87	100	243	Peak	Open	
6	0.13	50.00	32.13	18.67	105.52	-54.72	100	239	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.24	55.21	36.13	19.08	100.01	-44.00	100	249	Peak	Open	
2	4.42	35.88	16.38	19.50	69.50	-33.62	100	258	Peak	Open	
3	8.99	35.68	15.00	20.68	69.50	-33.82	100	308	Peak	Open	
4	16.45	36.22	14.24	21.98	69.50	-33.28	100	318	Peak	Open	
5	22.39	35.57	13.76	21.81	69.50	-33.93	100	165	Peak	Open	
6	26.66	36.36	13.61	22.75	69.50	-33.14	100	233	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII 5


802.11ax HE80

CH87 (Horizontal)

CH87 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	Apos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	203.63	28.86	37.94	-9.08	43.50	-14.64	100	187	Peak	Horizontal	
2	220.12	37.78	46.41	-8.63	46.00	-8.22	100	264	Peak	Horizontal	
3	263.77	39.51	46.24	-6.73	46.00	-6.49	100	387	Peak	Horizontal	
4	312.27	41.65	47.04	-5.39	46.00	-4.35	100	261	Peak	Horizontal	
5	359.80	40.28	44.59	-4.31	46.00	-5.72	100	153	Peak	Horizontal	
6	408.30	35.39	38.79	-3.40	46.00	-10.61	100	64	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	Apos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	97.90	26.55	38.03	-11.48	43.50	-16.95	100	230	Peak	Vertical	
2	220.12	27.94	36.57	-8.63	46.00	-18.06	100	167	Peak	Vertical	
3	263.77	33.85	40.58	-6.73	46.00	-12.15	100	0	Peak	Vertical	
4	312.27	34.56	39.95	-5.39	46.00	-11.44	100	192	Peak	Vertical	
5	408.30	29.99	33.39	-3.40	46.00	-16.01	100	180	Peak	Vertical	
6	463.59	30.68	33.01	-2.33	46.00	-15.32	100	195	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII 5


802.11a

CH01 (Horizontal)

CH01 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11910.00	56.81	55.14	1.67	74.00	-17.19	181	360	Peak Horizontal
2	11910.00	42.17	40.50	1.67	54.00	-11.83	181	360	Average Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11908.00	61.73	60.06	1.67	74.00	-12.27	100	43	Peak Vertical
2	11910.00	47.61	45.94	1.67	54.00	-6.39	100	36	Average Vertical


802.11a

CH45 (Horizontal)

CH45 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12350.00	59.57	57.02	2.55	74.00	-14.43	100	287	Peak	Horizontal	
2	12350.00	45.09	42.54	2.55	54.00	-8.91	100	287	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12350.00	61.13	58.58	2.55	74.00	-12.87	100	342	Peak	Vertical	
2	12350.00	47.41	44.86	2.55	54.00	-6.59	100	342	Average	Vertical	


802.11a

CH93 (Horizontal)

CH93 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12830.00	43.18	40.16	3.02	68.20	-25.02	100	290	RMS	Horizontal	
2	12830.00	57.19	54.17	3.02	88.20	-31.01	100	290	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12830.00	43.25	40.23	3.02	68.20	-24.95	100	38	RMS	Vertical	
2	12830.00	57.75	54.73	3.02	88.20	-30.45	100	38	Peak	Vertical	


802.11ax HE20

CH01 (Horizontal)

CH01 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level Factor	Line	Line					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11910.00	54.28	52.61	1.67	74.00	-19.72	100	153 Peak	Horizontal
2	11910.00	43.02	41.35	1.67	54.00	-10.98	100	153 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level Factor	Line	Line					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11910.00	54.00	53.13	1.67	74.00	-19.20	100	37 Peak	Vertical
2	11910.00	46.55	44.88	1.67	54.00	-7.45	100	37 Average	Vertical


802.11ax HE20

CH45 (Horizontal)

CH45 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 12350.00	55.20	52.65	2.55	74.00	-18.80	100	153	Peak	Horizontal	
2 12350.00	44.04	42.29	2.55	54.00	-9.16	100	153	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 12350.00	55.19	52.64	2.55	74.00	-18.81	100	343	Peak	Vertical	
2 12350.00	45.65	43.10	2.55	54.00	-8.35	100	343	Average	Vertical	


802.11ax HE20

CH93 (Horizontal)

CH93 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12830.00	43.63	40.61	3.02	68.20	-24.57	311	293 RMS	Horizontal
2	12830.00	52.12	49.10	3.02	88.20	-36.08	311	293 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12830.00	44.55	41.53	3.02	68.20	-23.65	100	331 RMS	Vertical
2	12830.00	53.25	50.23	3.02	88.20	-34.95	100	331 Peak	Vertical


802.11ax HE40

CH03 (Horizontal)

CH03 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	11930.00	49.84	48.16	1.68	74.00	-24.16	100	116 Peak Horizontal
2	11930.00	41.13	39.45	1.68	54.00	-12.87	100	116 Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	11930.00	53.55	51.87	1.68	74.00	-20.45	100	37 Peak Vertical
2	11930.00	44.00	42.32	1.68	54.00	-10.00	100	37 Average Vertical


802.11ax HE40

CH43 (Horizontal)

CH43 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12338.00	52.22	49.71	2.51	74.00	-21.78	100	153	Peak	Horizontal
2	12338.00	42.51	40.00	2.51	54.00	-11.49	100	153	Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12338.00	55.69	53.18	2.51	74.00	-18.31	100	36	Peak	Vertical
2	12338.00	43.88	41.37	2.51	54.00	-18.12	100	36	Average	Vertical


802.11ax HE40

CH91 (Horizontal)

CH91 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note									
Freq	Level	Level	Factor	Line	Limit	cm	deg												
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
1	12810.00	41.05	38.82	3.03	68.20	-26.35	283	294 RMS	Horizontal										
2	12810.00	50.76	47.73	3.03	88.20	-37.44	283	294 Peak	Horizontal										



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note									
Freq	Level	Level	Factor	Line	Limit	cm	deg												
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
1	12810.00	40.00	37.77	3.03	68.20	-27.40	100	331 RMS	Vertical										
2	12810.00	50.06	47.05	3.03	88.20	-38.12	100	331 Peak	Vertical										


802.11ax HE80

CH07 (Horizontal)

CH07 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11970.00	48.40	46.70	1.70	74.00	-25.60	100	116 Peak	Horizontal
2	11970.00	39.83	38.13	1.70	54.00	-14.17	100	116 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11970.00	49.88	48.18	1.70	74.00	-24.12	100	36 Peak	Vertical
2	11970.00	40.76	39.06	1.70	54.00	-13.24	100	36 Average	Vertical


802.11ax HE80

CH39 (Horizontal)

CH39 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12290.00	52.50	50.83	2.47	74.00	-21.50	100	154	Peak	Horizontal
2	12290.00	40.24	37.77	2.47	54.00	-13.76	100	154	Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12290.00	51.59	49.12	2.47	74.00	-22.41	107	343	Peak	Vertical
2	12290.00	41.60	39.13	2.47	54.00	-12.40	107	343	Average	Vertical


802.11ax HE80

CH87 (Horizontal)

CH87 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12770.00	41.89	38.93	2.96	68.28	-26.31	297	294	RMS	Horizontal
2	12770.00	55.08	52.12	2.96	88.28	-33.12	297	294	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12770.00	43.78	48.82	2.96	68.28	-24.42	362	326	RMS	Vertical
2	12770.00	53.99	51.03	2.96	88.28	-34.21	362	326	Peak	Vertical


802.11ax HE160

CH15 (Horizontal)

CH15 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12059.00	48.11	46.18	1.93	74.00	-25.89	180	17 Peak	Horizontal	
2	12059.00	37.45	35.52	1.93	54.00	-16.55	180	17 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12059.00	52.83	50.90	1.93	74.00	-21.17	300	159 Peak	Vertical	
2	12059.00	38.12	36.19	1.93	54.00	-15.88	300	159 Average	Vertical	


802.11ax HE160

CH47 (Horizontal)

CH47 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 12370.00	53.26	58.69	2.57	74.00	-20.74	100	294 Peak	Horizontal	
2 12370.00	37.98	35.41	2.57	54.00	-16.02	100	294 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 12370.00	55.66	53.09	2.57	74.00	-18.34	100	344 Peak	Vertical	
2 12370.00	39.76	37.19	2.57	54.00	-14.24	100	344 Average	Vertical	


802.11ax HE160

CH79 (Horizontal)

CH79 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12690.00	49.64	46.83	2.81	74.00	-24.36	300	279	Peak	Horizontal
2	12690.00	39.99	37.18	2.81	54.00	-14.01	300	279	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12690.00	49.18	46.29	2.81	74.00	-24.98	300	30	Peak	Vertical
2	12690.00	42.05	39.24	2.81	54.00	-11.95	200	30	Average	Vertical

U-NII 6


802.11a

CH97 (Horizontal)

CH97 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12870.00	56.72	53.72	3.00	88.20	-31.48	100	291 Peak	Horizontal
2	12870.00	43.39	40.39	3.00	68.20	-24.81	100	291 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12870.00	60.30	57.30	3.00	88.20	-27.90	200	21 Peak	Vertical
2	12870.00	46.99	43.99	3.00	68.20	-21.21	200	21 RMS	Vertical


802.11a

CH105 (Horizontal)

CH105 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12950.00	42.43	39.54	2.89	68.20	-25.77	100	103 RMS	Horizontal
2	12950.00	56.36	53.47	2.89	88.20	-31.64	100	103 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12950.00	46.67	43.78	2.89	68.20	-21.53	210	21 RMS	Vertical
2	12950.00	69.47	57.58	2.89	88.20	-27.73	210	21 Peak	Vertical


802.11a

CH113 (Horizontal)

CH113 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13830.00	56.91	54.06	2.85	88.20	-31.29	300	309	Peak	Horizontal	
2	13830.00	43.45	40.60	2.85	68.20	-24.75	300	309	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13830.00	62.25	59.40	2.85	88.20	-25.95	100	327	Peak	Vertical	
2	13830.00	48.39	45.54	2.85	68.20	-19.61	100	327	RMS	Vertical	


802.11ax HE20

CH105 (Horizontal)

CH105 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
1	2	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	12950.00	41.51	38.62	2.89	68.20	-26.69	100	105 RMS	Horizontal	
2	12950.00	52.74	49.85	2.89	88.20	-35.46	100	105 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
1	2	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	12950.00	45.47	42.58	2.89	68.20	-22.73	100	328 RMS	Vertical	
2	12950.00	53.78	50.89	2.89	88.20	-34.42	100	328 Peak	Vertical	


802.11ax HE20

CH113 (Horizontal)

CH113 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13830.00	48.92	38.07	2.85	68.28	-27.28	100	106	RMS	Horizontal
2	13830.00	51.59	48.74	2.85	88.28	-36.61	100	106	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13830.00	46.44	43.59	2.85	68.28	-21.76	100	328	RMS	Vertical
2	13830.00	54.79	51.94	2.85	88.28	-33.41	100	328	Peak	Vertical


802.11ax HE40

CH99 (Horizontal)

CH99 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12899.00	51.60	48.62	2.98	88.20	-36.60	298	293 Peak	Horizontal
2	12899.00	41.58	38.52	2.98	68.20	-26.70	298	293 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12899.00	51.61	48.63	2.98	88.20	-36.59	100	331 Peak	Vertical
2	12899.00	41.88	38.90	2.98	68.20	-26.32	100	331 RMS	Vertical


802.11ax HE40

CH107 (Horizontal)

CH107 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
12970.00	12970.00
39.45	50.25
36.59	47.39
2.86	2.86
68.20	88.20
-20.75	-37.95
100	100
105	105
RMS	Peak
Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
12970.00	12970.00
44.19	51.64
41.33	48.78
2.86	2.86
68.20	88.20
-24.01	-36.56
100	100
328	328
RMS	Peak
Vertical	Vertical


802.11ax HE40

CH115 (Horizontal)

CH115 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13050.00	39.02	36.15	2.87	68.20	-29.18	100	106	RMS	Horizontal
2	13050.00	49.66	46.79	2.87	88.20	-38.54	100	106	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13050.00	44.16	41.29	2.87	68.20	-24.04	100	329	RMS	Vertical
2	13050.00	52.51	49.64	2.87	88.20	-35.69	100	329	Peak	Vertical


802.11ax HE80

CH103 (Horizontal)

CH103 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12930.00	38.88	35.96	2.92	68.28	-29.32	343	294 RMS	Horizontal
2	12930.00	49.56	46.64	2.92	88.28	-38.64	343	294 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12930.00	40.06	37.14	2.92	68.28	-28.14	100	331 RMS	Vertical
2	12930.00	50.95	48.03	2.92	88.28	-37.25	100	331 Peak	Vertical


802.11ax HE80

CH119 (Horizontal)

CH119 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13099.00	38.42	35.51	2.91	68.28	-29.78	224	30	RMS	Horizontal
2	13099.00	49.28	46.37	2.91	88.28	-38.92	224	30	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13099.00	41.99	39.08	2.91	68.28	-26.21	100	328	RMS	Vertical
2	13099.00	53.22	50.31	2.91	88.28	-34.98	100	328	Peak	Vertical


802.11ax HE160

CH111 (Horizontal)

CH111 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Limit	Over	Apos	TPos	Remark	Pol/Phase	Note													
Freq	Level	Level Factor	Limit Line	Limit	Line	Limit	Line	Limit	Line	Limit	Line	Limit	Line	Limit	Line	Limit	Line	Limit	Line
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
1	13010.00	37.26	34.43	2.83	68.20	-30.94	300	294	RMS	Horizontal									
2	13010.00	48.99	46.16	2.83	88.20	-39.21	300	294	Peak	Horizontal									



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Limit	Over	Apos	TPos	Remark	Pol/Phase	Note													
Freq	Level	Level Factor	Limit Line	Limit	Line	Limit	Line	Limit	Line	Limit	Line	Limit	Line	Limit	Line	Limit	Line	Limit	Line
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg												
1	13010.00	40.34	37.51	2.83	68.20	-27.86	200	36	RMS	Vertical									
2	13010.00	49.37	46.54	2.83	88.20	-38.63	200	36	Peak	Vertical									

U-NII 7


802.11a

CH117 (Horizontal)

CH117 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13070.00	43.58	48.69	2.89	68.28	-24.62	100	106	RMS	Horizontal
2	13070.00	55.83	52.94	2.89	88.28	-32.37	100	106	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13070.00	49.15	46.26	2.89	68.28	-19.85	100	328	RMS	Vertical
2	13070.00	55.94	53.05	2.89	88.28	-32.26	100	328	Peak	Vertical


802.11a

CH149 (Horizontal)

CH149 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13398.00	55.22	52.05	3.17	74.00	-18.78	187	200	Peak	Horizontal
2	13398.00	44.26	41.09	3.17	54.00	-9.74	187	200	Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13398.00	58.07	54.90	3.17	74.00	-15.93	180	334	Peak	Vertical
2	13398.00	48.48	45.31	3.17	54.00	-5.52	180	334	Average	Vertical


802.11a

CH181 (Horizontal)

CH181 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13710.00	45.63	42.58	3.33	68.20	-22.37	100	328	RMS	Horizontal
2	13710.00	55.97	52.64	3.33	88.20	-32.23	100	328	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13710.00	51.91	48.58	3.33	68.20	-16.29	100	204	RMS	Vertical
2	13710.00	58.68	55.35	3.33	88.20	-29.52	100	204	Peak	Vertical


802.11a

CH185 (Horizontal)

CH185 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



1	13750.00	55.27	51.93	3.34	88.20	-32.93	220	201 Peak	Horizontal	
2	13750.00	46.90	43.56	3.34	68.20	-21.30	220	201 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



1	13750.00	51.76	48.42	3.34	68.20	-16.44	100	204 RMS	Vertical	
2	13750.00	62.00	58.66	3.34	88.20	-26.20	100	204 Peak	Vertical	


802.11ax HE20

CH117 (Horizontal)

CH117 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13870.00	41.62	38.73	2.89	68.20	-26.58	100	106 RMS	Horizontal
2	13870.00	52.48	49.59	2.89	88.20	-35.72	100	106 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13870.00	46.90	44.01	2.89	68.20	-21.30	100	328 RMS	Vertical
2	13870.00	53.21	50.32	2.89	88.20	-34.99	100	328 Peak	Vertical


802.11ax HE20

CH149 (Horizontal)

CH149 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13398.00	54.68	51.51	3.17	74.00	-19.32	226	29	Peak	Horizontal
2	13398.00	44.11	40.94	3.17	54.00	-9.89	226	29	Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13398.00	56.93	53.76	3.17	74.00	-17.07	191	334	Peak	Vertical
2	13398.00	47.80	44.63	3.17	54.00	-6.20	181	334	Average	Vertical


802.11ax HE20

CH181 (Horizontal)

CH181 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13710.00	45.27	41.94	3.33	68.20	-22.93	100	326	RMS	Horizontal	
2	13710.00	55.90	52.57	3.33	88.20	-32.30	100	326	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13710.00	50.65	47.32	3.33	68.20	-17.55	100	204	RMS	Vertical	
2	13710.00	56.65	53.32	3.33	88.20	-31.55	100	204	Peak	Vertical	


802.11ax HE20

CH185 (Horizontal)

CH185 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13750.00	55.27	51.93	3.34	88.20	-32.93	220	201 Peak	Horizontal	
2	13750.00	46.90	43.56	3.34	68.20	-21.30	220	201 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13750.00	51.76	48.42	3.34	68.20	-16.44	100	204 RMS	Vertical	
2	13750.00	62.00	58.66	3.34	88.20	-26.20	100	204 Peak	Vertical	


802.11ax HE40

CH123 (Horizontal)

CH123 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13130.00	48.47	37.54	2.93	68.28	-27.73	192	192 RMS	Horizontal
2	13130.00	59.56	47.63	2.93	88.28	-37.64	192	192 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1922



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13130.00	44.59	41.66	2.93	68.28	-23.61	190	327 RMS	Vertical
2	13130.00	51.13	48.28	2.93	88.28	-37.07	190	327 Peak	Vertical


802.11ax HE40

CH155 (Horizontal)

CH155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13450.00	41.66	38.48	3.18	68.20	-26.54	100	200	RMS	Horizontal
2	13450.00	53.18	49.92	3.18	88.20	-35.10	100	200	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13450.00	45.14	41.96	3.18	68.20	-23.06	100	331	RMS	Vertical
2	13450.00	54.69	51.51	3.18	88.20	-33.51	100	331	Peak	Vertical


802.11ax HE40

CH179 (Horizontal)

CH179 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13698.00	43.96	48.63	3.33	68.28	-24.24	116	113	RMS	Horizontal	
2	13698.00	53.82	49.69	3.33	88.28	-35.18	116	113	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13698.00	47.39	44.06	3.33	68.28	-20.81	182	204	RMS	Vertical	
2	13698.00	55.00	51.67	3.33	88.28	-33.28	182	204	Peak	Vertical	


802.11ax HE40

CH187 (Horizontal)

CH187 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13770.00	45.21	41.87	3.34	68.20	-22.99	113	114	RMS	Horizontal	
2	13770.00	52.89	49.55	3.34	88.20	-35.31	113	114	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13770.00	47.69	44.35	3.34	68.20	-20.51	100	205	RMS	Vertical	
2	13770.00	54.88	51.54	3.34	88.20	-33.32	100	205	Peak	Vertical	


802.11ax HE80

CH135 (Horizontal)

CH135 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13250.00	49.47	46.42	3.05	74.00	-24.53	100	192	Peak	Horizontal
2	13250.00	39.55	36.50	3.05	54.00	-14.45	100	192	Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13250.00	51.38	48.33	3.05	74.00	-22.62	101	332	Peak	Vertical
2	13250.00	42.49	39.44	3.05	54.00	-11.51	101	332	Average	Vertical


802.11ax HE80

CH151 (Horizontal)

CH151 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13410.00	39.59	36.41	3.18	68.20	-28.61	181	200	RMS	Horizontal
2	13410.00	51.84	48.66	3.18	88.20	-36.36	181	200	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13410.00	42.64	39.46	3.18	68.20	-25.56	180	334	RMS	Vertical
2	13410.00	53.59	50.41	3.18	88.20	-34.61	180	334	Peak	Vertical


802.11ax HE80

CH167 (Horizontal)

CH167 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13570.00	41.15	37.88	3.27	68.20	-27.05	100	330 RMS	Horizontal
2	13570.00	52.13	48.86	3.27	88.20	-36.07	100	330 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13570.00	44.24	40.97	3.27	68.20	-23.96	100	204 RMS	Vertical
2	13570.00	52.56	49.29	3.27	88.20	-35.64	100	204 Peak	Vertical


802.11ax HE80

CH183 (Horizontal)

CH183 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13730.00	56.29	52.96	3.33	88.20	-31.91	100	113 Peak	Horizontal
2	13730.00	41.43	38.10	3.33	68.20	-26.77	100	113 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13730.00	58.48	55.15	3.33	88.20	-29.72	100	206 Peak	Vertical
2	13730.00	45.41	42.08	3.33	68.20	-22.79	100	206 RMS	Vertical


802.11ax HE160

CH143 (Horizontal)

CH143 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13330.00	53.36	50.20	3.16	74.00	-20.64	400	296	Peak	Horizontal	
2	13330.00	38.93	35.77	3.16	54.00	-15.07	400	296	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13330.00	55.53	52.37	3.16	74.00	-18.47	100	333	Peak	Vertical	
2	13330.00	40.70	37.54	3.16	54.00	-13.30	100	333	Average	Vertical	


802.11ax HE160

CH175 (Horizontal)

CH175 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13650.00	39.52	36.21	3.31	68.20	-28.68	311	90	RMS	Horizontal	
2	13650.00	53.88	50.57	3.31	88.20	-34.32	311	90	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13650.00	42.31	39.00	3.31	68.20	-25.89	100	203	RMS	Vertical	
2	13650.00	56.30	52.99	3.31	88.20	-31.90	100	203	Peak	Vertical	

U-NII 8


802.11a

CH189 (Horizontal)

CH189 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13790.00	46.21	42.87	3.34	68.20	-21.99	335	324	RMS	Horizontal
2	13790.00	55.16	51.82	3.34	88.20	-33.04	335	324	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13790.00	50.84	47.50	3.34	68.20	-17.36	100	204	RMS	Vertical
2	13790.00	56.82	53.48	3.34	88.20	-31.38	100	204	Peak	Vertical


802.11a

CH209 (Horizontal)

CH209 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13998.00	45.63	41.78	3.85	68.28	-22.57	182	212	RMS	Horizontal
2	13998.00	53.61	49.76	3.85	88.28	-34.59	182	212	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13998.00	49.23	45.38	3.85	68.28	-18.97	180	200	RMS	Vertical
2	13998.00	56.26	52.41	3.85	88.28	-31.94	180	200	Peak	Vertical


802.11a

CH233 (Horizontal)

CH233 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	14230.00	51.01	46.49	4.52	88.20	-37.19	310	288	Peak	Horizontal
2	14230.00	43.61	39.09	4.52	68.20	-24.59	310	288	RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	14230.00	52.58	47.98	4.52	88.20	-35.70	100	342	Peak	Vertical
2	14230.00	45.67	41.15	4.52	68.20	-22.53	100	342	RMS	Vertical


802.11ax HE20

CH189 (Horizontal)

CH189 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13790.00	45.13	41.79	3.34	68.20	-23.07	347	327	RMS	Horizontal	
2	13790.00	54.09	50.75	3.34	88.20	-34.11	347	327	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13790.00	49.72	46.38	3.34	68.20	-18.48	187	204	RMS	Vertical	
2	13790.00	56.34	53.00	3.34	88.20	-31.86	187	204	Peak	Vertical	


802.11ax HE20

CH209 (Horizontal)

CH209 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13998.00	44.20	40.35	3.85	68.20	-24.00	389	274	RMS	Horizontal
2	13998.00	54.27	50.42	3.85	88.20	-33.93	389	274	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13998.00	47.03	43.18	3.85	68.20	-21.17	100	200	RMS	Vertical
2	13998.00	55.17	51.32	3.85	88.20	-33.03	100	200	Peak	Vertical


802.11ax HE20

CH233 (Horizontal)

CH233 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	14230.00	47.16	42.64	4.52	88.20	-41.04	480	273	Peak	Horizontal	
2	14230.00	37.94	33.42	4.52	68.20	-30.26	480	273	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	14230.00	47.96	43.44	4.52	88.20	-40.24	377	360	Peak	Vertical	
2	14230.00	37.74	33.22	4.52	68.20	-30.46	377	360	RMS	Vertical	


802.11ax HE40

CH195 (Horizontal)

CH195 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13850.00	43.52	48.01	3.51	68.20	-24.68	115	114	RMS	Horizontal
2	13850.00	51.45	47.94	3.51	88.20	-36.75	115	114	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13850.00	46.03	42.52	3.51	68.20	-22.17	100	204	RMS	Vertical
2	13850.00	53.88	50.37	3.51	88.20	-34.32	100	204	Peak	Vertical


802.11ax HE40

CH211 (Horizontal)

CH211 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	14018.00	41.12	37.18	3.94	68.28	-27.08	100	212	RMS	Horizontal	
2	14018.00	50.52	46.58	3.94	88.28	-37.68	100	212	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	14018.00	44.18	40.16	3.94	68.28	-24.18	100	200	RMS	Vertical	
2	14018.00	51.82	47.88	3.94	88.28	-36.38	100	200	Peak	Vertical	


802.11ax HE40

CH227 (Horizontal)

CH227 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	14170.00	42.78	38.37	4.41	68.28	-25.42	180	212 RMS	Horizontal
2	14170.00	52.15	47.74	4.41	88.28	-36.05	180	212 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	14170.00	44.89	40.48	4.41	68.28	-23.31	180	200 RMS	Vertical
2	14170.00	51.89	47.48	4.41	88.28	-36.31	180	200 Peak	Vertical


802.11ax HE80

CH199 (Horizontal)

CH199 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13899.00	41.44	37.81	3.63	68.20	-26.76	400	290	RMS	Horizontal	
2	13899.00	55.88	52.25	3.63	88.20	-32.32	400	290	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13899.00	42.66	39.03	3.63	68.20	-25.54	100	200	RMS	Vertical	
2	13899.00	56.18	52.55	3.63	88.20	-32.02	100	200	Peak	Vertical	


802.11ax HE80

CH215 (Horizontal)

CH215 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	14850.00	41.93	37.77	4.16	68.20	-26.27	100	201	RMS	Vertical
2	14850.00	55.68	51.52	4.16	88.20	-32.52	100	201	Peak	Vertical



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	14850.00	41.93	37.77	4.16	68.20	-26.27	100	201	RMS	Vertical
2	14850.00	55.68	51.52	4.16	88.20	-32.52	100	201	Peak	Vertical


802.11ax HE160

CH207 (Horizontal)

CH207 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13970.00	38.64	34.83	3.81	68.20	-29.56	480	274	RMS	Horizontal
2	13970.00	53.18	49.29	3.81	88.20	-35.10	480	274	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13970.00	39.74	35.93	3.81	68.20	-28.46	180	210	RMS	Vertical
2	13970.00	54.75	50.94	3.81	88.20	-33.45	180	210	Peak	Vertical

<Partial RU>
Band Edges, 5.46GHz ~ 7.250GHz
U-NII 5


802.11ax HE80_RU996

CH87 (Horizontal) Peak

CH87 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Level Factor (dBuV)	Limit (dBuV/m)	Over Limit (dB)	Apos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5793.66	61.07	67.84	-6.77	88.20	-27.13	200	256 Peak	Horizontal	
2 *	6385.00	109.00	111.97	-6.17	88.20	17.60	200	256 Peak	Horizontal	
3	7224.76	61.92	67.29	-5.37	88.20	-26.28	200	256 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Level Factor (dBuV)	Limit (dBuV/m)	Over Limit (dB)	Apos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5733.87	61.89	68.83	-6.94	88.20	-26.31	311	136 Peak	Vertical	
2 *	6385.00	104.32	118.49	-6.17	88.20	16.12	311	136 Peak	Vertical	
3	7151.73	61.52	66.99	-5.47	88.20	-26.68	311	136 Peak	Vertical	


802.11ax HE80_RU996

CH87 (Horizontal) RMS

CH87 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5888.29	50.15	56.68	-6.53	68.20	-18.05	200	256 RMS	Horizontal	
2 *	6385.00	95.44	101.56	-6.12	68.20	27.24	200	256 RMS	Horizontal	
3	7297.04	50.42	55.85	-5.43	68.20	-17.78	200	256 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5846.64	49.98	56.65	-6.67	68.20	-18.22	311	136 RMS	Vertical	
2 *	6385.00	93.77	99.90	-6.13	68.20	25.57	311	136 RMS	Vertical	
3	7178.94	50.61	56.07	-5.46	68.20	-17.59	311	136 RMS	Vertical	

U-NII-6


802.11ax HE40_RU484

CH107 (Horizontal) Peak

CH107 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5758.24	69.94	67.72	-6.78	88.20	-27.26	201	238 Peak	Horizontal	
2 *	6485.00	108.32	114.25	-5.93	88.20	20.12	201	238 Peak	Horizontal	
3	7179.47	61.34	66.80	-5.46	88.20	-26.86	201	238 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5896.40	69.84	67.29	-6.45	88.20	-27.36	208	138 Peak	Vertical	
2 *	6485.00	108.44	114.37	-5.93	88.20	20.24	208	138 Peak	Vertical	
3	7164.44	60.75	66.21	-5.46	88.20	-27.45	288	138 Peak	Vertical	

802.11ax HE40_RU484

CH107 (Horizontal) RMS

CH107 (Vertical) RMS



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5837.87	49.35	56.03	-6.68	68.20	-18.85	201	238 RMS	Horizontal	
2 *	6485.00	97.05	103.84	-5.99	68.20	29.65	201	238 RMS	Horizontal	
3	7246.24	49.94	55.26	-5.32	68.20	-18.26	201	238 RMS	Horizontal	



Freq	Level	Read Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5809.96	49.32	55.81	-6.49	68.20	-18.88	208	138 RMS	Vertical	
2 *	6485.00	95.97	101.98	-6.01	68.20	27.77	208	138 RMS	Vertical	
3	7247.32	49.90	55.21	-5.31	68.20	-18.30	208	138 RMS	Vertical	

U-NII-7

802.11ax HE80_RU996

CH135 (Horizontal) Peak

CH135 (Vertical) Peak



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5786.58	62.88	68.85	-6.77	88.28	-26.12	243	248 Peak	Horizontal	
2 *	6625.88	106.23	112.17	-5.94	88.28	18.03	243	248 Peak	Horizontal	
3	7194.87	62.47	67.92	-5.45	88.28	-25.73	243	248 Peak	Horizontal	

Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5855.41	61.56	68.19	-6.63	88.28	-26.64	271	140 Peak	Vertical	
2 *	6625.88	103.48	109.34	-5.94	88.28	15.28	271	140 Peak	Vertical	
3	7228.34	61.92	67.28	-5.36	88.28	-26.28	271	140 Peak	Vertical	


802.11ax HE80_RU996

CH135 (Horizontal) RMS

CH135 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5759.83	51.29	58.07	-6.78	68.20	-16.91	243	248 RMS	Horizontal	
2 *	6625.00	95.67	101.58	-5.91	68.20	27.47	243	248 RMS	Horizontal	
3	7246.96	50.33	55.64	-5.31	68.20	-17.87	243	248 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5882.62	49.89	55.41	-6.52	68.20	-18.31	271	140 RMS	Vertical	
2 *	6625.00	92.85	98.76	-5.91	68.20	24.65	271	140 RMS	Vertical	
3	7248.57	50.45	55.75	-5.30	68.20	-17.75	271	140 RMS	Vertical	

U-NII-8

802.11ax HE40_RU484

CH211 (Horizontal) Peak

CH211 (Vertical) Peak



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5884.95	61.04	67.54	-6.50	88.20	-27.16	200	233	Peak	Horizontal	
2 *	7085.00	108.07	113.57	-5.50	88.20	19.87	200	233	Peak	Horizontal	
3	7226.19	61.26	66.63	-5.37	88.20	-26.94	200	233	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5752.31	60.57	67.36	-6.79	88.20	-27.63	240	171	Peak	Vertical	
2 *	7085.00	108.21	108.71	-5.50	88.20	15.01	240	171	Peak	Vertical	
3	7226.37	61.74	67.11	-5.37	88.20	-26.46	240	171	Peak	Vertical	


802.11ax HE40_RU484

CH211 (Horizontal) RMS

CH211 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5769.00	59.64	57.42	-6.78	68.20	-17.56	200	233 RMS	Horizontal	
2 *	7085.00	95.55	101.04	-5.49	68.20	27.35	200	233 RMS	Horizontal	
3	7199.34	49.52	54.96	-5.44	68.20	-18.68	200	233 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5877.61	49.49	56.03	-6.54	68.20	-18.71	240	171 RMS	Vertical	
2 *	7085.00	88.59	94.12	-5.53	68.20	20.39	240	171 RMS	Vertical	
3	7245.17	49.90	55.22	-5.32	68.20	-18.30	240	171 RMS	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII 5


802.11ax HE80_RU996

CH87 (Horizontal)

CH87 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note				
Freq	Level	Level	Factor	Line	Limit	dB	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB						
1	12770.00	46.02	43.06	2.96	88.20	-42.18	300	292	Peak	Horizontal	
2	12770.00	39.20	36.24	2.96	68.20	-29.00	300	292	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note				
Freq	Level	Level	Factor	Line	Limit	dB	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB						
1	12770.00	51.30	48.34	2.96	88.20	-36.90	300	359	Peak	Vertical	
2	12770.00	40.79	37.83	2.96	68.20	-27.41	300	359	RMS	Vertical	

U-NII-6


802.11ax HE40_RU484

CH107 (Horizontal)

CH107 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12970.00	45.91	43.05	2.86	88.20	-42.29	300	354	Peak	Horizontal
2	12970.00	37.99	35.13	2.86	68.20	-30.21	300	354	RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12970.00	53.36	50.50	2.86	88.20	-34.84	300	242	Peak	Vertical
2	12970.00	40.90	38.04	2.86	68.20	-27.30	300	242	RMS	Vertical

U-NII-7


802.11ax HE80_RU996

CH135 (Horizontal)

CH135 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
13250.00	13250.00
38.41	59.48
35.36	47.43
3.05	3.05
54.00	74.00
-15.59	-23.52
100	100
360	360
Average	Peak
Horizontal	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
13250.00	13250.00
41.93	55.39
38.88	52.34
3.05	3.05
54.00	74.00
-12.07	-18.61
300	300
164	164
Average	Peak
Vertical	Vertical

U-NII-8


802.11ax HE40_RU484

CH211 (Horizontal)

CH149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	14018.00	48.77	44.83	3.94	88.28	-39.43	210	360 Peak	Horizontal
2	14018.00	37.59	33.65	3.94	68.28	-38.61	210	360 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	14018.00	54.28	50.26	3.94	88.28	-34.00	180	202 Peak	Vertical
2	14018.00	39.39	35.45	3.94	68.28	-28.61	180	202 RMS	Vertical

Mains Conducted Emission, (150kHz ~ 30MHz)


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.16	14.96	5.34	9.62	55.21	-40.25	Average	line1	
2	0.16	41.47	31.85	9.62	65.21	-23.74	QP	line1	
3	0.43	21.35	11.72	9.63	47.31	-25.96	Average	line1	
4	0.43	35.04	26.31	9.63	57.31	-21.37	QP	line1	
5	1.95	22.83	13.17	9.66	46.00	-23.17	Average	line1	
6	1.95	35.51	25.85	9.66	56.00	-20.49	QP	line1	
7	4.11	27.97	18.29	9.68	46.00	-18.03	Average	line1	
8	4.11	40.31	30.63	9.68	56.00	-15.69	QP	line1	
9	9.39	43.76	34.00	9.76	50.00	-6.24	Average	line1	
10	9.39	51.06	41.30	9.76	60.00	-8.94	QP	line1	
11	21.06	22.07	12.31	9.76	50.00	-27.93	Average	line1	
12	21.06	27.60	17.84	9.76	60.00	-32.40	QP	line1	




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.17	14.55	4.93	9.62	55.09	-40.54	Average	neutral	
2	0.17	40.82	31.20	9.62	65.09	-24.27	QP	neutral	
3	0.25	25.18	15.56	9.62	51.05	-26.47	Average	neutral	
4	0.25	40.48	30.86	9.62	61.05	-21.17	QP	neutral	
5	0.88	13.88	4.24	9.64	46.00	-32.12	Average	neutral	
6	0.88	24.07	14.43	9.64	56.00	-31.93	QP	neutral	
7	3.50	28.05	18.36	9.69	46.00	-17.95	Average	neutral	
8	3.50	43.23	33.54	9.69	56.00	-12.77	QP	neutral	
9	9.97	36.23	26.44	9.79	50.00	-13.77	Average	neutral	
10	9.97	46.16	36.37	9.79	60.00	-13.84	QP	neutral	
11	20.13	19.76	9.90	9.86	50.00	-30.24	Average	neutral	
12	20.13	25.47	15.61	9.86	60.00	-34.53	QP	neutral	

<Adapter A + Adapter B>
Spurious Emissions, Tx Mode, 9kHz ~ 30MHz



Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11ax HE80

CH87 (Horizontal)

CH87 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	144.46	32.00	38.72	-6.72	43.50	-11.50	100	270	Peak	Horizontal	
2	263.77	39.10	45.83	-6.73	46.00	-6.90	100	121	Peak	Horizontal	
3	312.27	36.86	42.25	-5.39	46.00	-9.14	100	80	Peak	Horizontal	
4	359.80	35.62	39.93	-4.31	46.00	-10.30	100	276	Peak	Horizontal	
5	399.57	38.97	42.52	-3.55	46.00	-7.03	100	172	Peak	Horizontal	
6	408.30	39.88	43.28	-3.40	46.00	-6.12	100	173	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	137.67	24.02	31.38	-7.36	43.50	-19.48	100	166	Peak	Vertical	
2	144.46	29.54	36.26	-6.72	43.50	-13.96	100	179	Peak	Vertical	
3	263.77	34.60	41.33	-6.73	46.00	-11.40	100	17	Peak	Vertical	
4	312.27	31.09	36.48	-5.39	46.00	-14.91	100	156	Peak	Vertical	
5	399.57	36.69	40.24	-3.55	46.00	-9.31	100	190	Peak	Vertical	
6	408.30	37.62	41.02	-3.40	46.00	-8.38	100	185	Peak	Vertical	

Mains Conducted Emission, TX (150kHz ~ 30MHz)


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.27	31.31	21.69	9.62	51.16	-19.85	Average	line1	
2	0.27	42.22	32.60	9.62	61.16	-18.94	QP	line1	
3	0.50	36.97	27.34	9.63	46.02	-9.05	Average	line1	
4	0.50	43.96	34.33	9.63	56.02	-12.06	QP	line1	
5	1.50	38.51	28.85	9.66	46.00	-7.49	Average	line1	
6	1.50	42.22	32.56	9.66	56.00	-13.78	QP	line1	
7	4.09	27.74	18.06	9.68	46.00	-18.26	Average	line1	
8	4.09	33.67	23.99	9.68	56.00	-22.33	QP	line1	
9	9.87	28.51	18.75	9.76	50.00	-21.49	Average	line1	
10	9.87	36.38	26.62	9.76	60.00	-23.62	QP	line1	
11	20.34	16.06	6.29	9.77	50.00	-33.94	Average	line1	
12	20.34	21.23	11.46	9.77	60.00	-38.77	QP	line1	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

Line	Freq (MHz)	Level (dBuV)	Read Level (dBuV)	Factor (dB)	Limit Line (dBuV)	Over Limit (dB)	Remark	Pol/Phase	Note
1	0.26	38.42	28.80	9.62	51.36	-12.94	Average	neutral	
2	0.26	45.95	36.33	9.62	61.36	-15.41	QP	neutral	
3	0.47	35.28	25.65	9.63	46.48	-11.20	Average	neutral	
4	0.47	45.79	36.15	9.63	56.48	-10.69	QP	neutral	
5	1.53	35.74	26.08	9.66	46.00	-10.26	Average	neutral	
6	1.53	40.72	31.06	9.66	56.00	-15.28	QP	neutral	
7	3.30	34.04	24.36	9.68	46.00	-11.96	Average	neutral	
8	3.30	38.08	28.40	9.68	56.00	-17.92	QP	neutral	
9	9.77	27.29	17.50	9.79	50.00	-22.71	Average	neutral	
10	9.77	36.05	26.26	9.79	60.00	-23.95	QP	neutral	
11	20.34	17.32	7.46	9.86	50.00	-32.68	Average	neutral	
12	20.34	22.57	12.71	9.86	60.00	-37.43	QP	neutral	