Report No. : ES/2007/60014 Page : 240 of 253

APPENDIX

1. Photographs of Test Setup	241
2. Photographs of EUT	247
3. Photographs of the Battery	253

Report No. : ES/2007/60014 Page : 241 of 253

1. Photographs of Test Setup



Fig.1 Photograph of the SAR measurement System




Fig.2.1 Photograph of the Tissue Simulant Fluid liquid depth 15cm for Left-head Side

Fig.2.2 Photograph of the Tissue Simulant Fluid liquid depth 15cm for Right-head Side

Page: 242 of 253




Fig.2.3 Photograph of the Tissue Simulant Fluid liquid depth 15cm for Flat (Body)




Fig.2.4 Photograph of the Tissue Simulant Fluid liquid depth 15cm for Flat (Body)







Fig.3 Right Head at Slider-off Section / Cheek-Touch Position






Fig.4 Right Head at Slider-off Section / Ear-Tilt Position(15°)

Page: 243 of 253






Fig.5 Left Head at Slider-off Section / Cheek-Touch Position






Fig.6 Left Head at Slider-off Section / Ear-Tilt Position(15°)






Fig.7 Right Head at Slider-on Section / Cheek-Touch Position

Page: 244 of 253





Fig.8 Right Head at Slider-on Section / Ear-Tilt Position(15°)







Fig.9 Left Head at Slider-on Section / Cheek-Touch Position






Fig.10 Left Head at Slider-on Section / Ear-Tilt Position(15°)

Page: 245 of 253






Fig.11 Body worn with Holster 1- EUT front to flat phantom (testing in GPRS Mode), distance between flat phantom and mobile phone is 1.5 cm





Fig.12 Body worn with Holster 1- EUT back to flat phantom (testing in GPRS Mode), distance between flat phantom and mobile phone is 1.5 cm






Fig.13 Body worn with Holster2- EUT front to flat phantom (testing in GPRS Mode), distance between flat phantom and mobile phone is 1.5 cm

Page: 246 of 253






Fig.14 Body worn with Holster2- EUT front to flat phantom (testing in GPRS Mode), distance between flat phantom and mobile phone is 1.5 cm

Report No. : ES/2007/60014 Page : 247 of 253

2. Photographs of the EUT



Fig.15 Front view of device (Slider off)



Fig.16 Back view of device (Slider off)

Page: 248 of 253



Fig.17 Front view of device (Slider on)



Fig.18 Back view of device (Slider on)

Report No. : ES/2007/60014 Page : 249 of 253



Fig.19 Left side view of device



Fig.20 Right side view of device

Report No. : ES/2007/60014 Page : 250 of 253



Fig.21 EUT Connected Charger



Fig.22 EUT Connected Headset 1

Page: 251 of 253



Fig.23 EUT Connected Headset 2



Fig.24 Left side: EUT (LCM & Camera First solution)
Right side: EUT (LCM & Camera second solution)

Report No. : ES/2007/60014 Page : 252 of 253



Fig.25 Left side: EUT (LCM & Camera First solution) Right side: EUT (LCM & Camera second solution)



Fig.26 Left side: Holster 1; Right side: Holster 2

Page: 253 of 253

3. Photographs of the Battery



Fig.27 Front view of Battery: 1. Simplo, 2.samsung, 3.sanyo




Fig.28 Back view of Battery: 1. Simplo, 2.samsung, 3.sanyo