


Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Left Hand Section; Position: (73°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 0.714 mW/g, SAR (10g): 0.463 mW/g


Head SAR - Cheek/Touch Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna In
Channel 1013 [824.70 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001




Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Left Hand Section; Position: (73°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.25 mW/g, SAR (10g): 0.792 mW/g

Head SAR - Cheek/Touch Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna Out
Channel 1013 [824.70 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001




SAR_{Tot} [mW/g]



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Left Hand Section; Position: (73°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.40 mW/g, SAR (10g): 0.882 mW/g


Head SAR - Cheek/Touch Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna In
Channel 363 [835.89 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Left Hand Section; Position: (73°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.10 mW/g, SAR (10g): 0.709 mW/g


Head SAR - Cheek/Touch Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna Out
Channel 363 [835.89 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Left Hand Section; Position: (73°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.04 mW/g, SAR (10g): 0.680 mW/g


Head SAR - Cheek/Touch Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna In
Channel 777 [848.31 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Left Hand Section; Position: (73°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.40 mW/g, SAR (10g): 0.887 mW/g


Head SAR - Cheek/Touch Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna Out
Channel 777 [848.31 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Left Hand Section; Position: (88°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 0.677 mW/g, SAR (10g): 0.436 mW/g


Head SAR - Ear/Tilt Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna In
Channel 1013 [824.70 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001




Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Left Hand Section; Position: (88°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.02 mW/g, SAR (10g): 0.641 mW/g

Head SAR - Ear/Tilt Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna Out
Channel 1013 [824.70 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001




SAR_{Tot} [mW/g]



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Left Hand Section; Position: (88°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.05 mW/g, SAR (10g): 0.684 mW/g


Head SAR - Ear/Tilt Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna In
Channel 363 [835.89 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001




Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Left Hand Section; Position: (88°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 0.882 mW/g, SAR (10g): 0.578 mW/g

Head SAR - Ear/Tilt Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna Out
Channel 363 [835.89 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001




SAR_{Tot} [mW/g]



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Left Hand Section; Position: (88°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 0.846 mW/g, SAR (10g): 0.535 mW/g


Head SAR - Ear/Tilt Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna In
Channel 777 [848.31 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001




Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Left Hand Section; Position: (88°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.11 mW/g, SAR (10g): 0.711 mW/g

Head SAR - Ear/Tilt Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna Out
Channel 777 [848.31 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001




SAR_{Tot} [mW/g]



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Right Hand Section; Position: (74°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 0.676 mW/g, SAR (10g): 0.442 mW/g


Head SAR - Cheek/Touch Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna In
Channel 1013 [824.70 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Right Hand Section; Position: (74°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90 \text{ mho/m}$ $\epsilon_r = 41.5$ $\rho = 1.00 \text{ g/cm}^3$
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.14 mW/g, SAR (10g): 0.761 mW/g

Head SAR - Cheek/Touch Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna Out
Channel 1013 [824.70 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Right Hand Section; Position: (74°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0

835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.19 mW/g, SAR (10g): 0.774 mW/g

Head SAR - Cheek/Touch Position

Wide Telecom Model: WCH-500


CDMA Mode

Antenna In

Channel 363 [835.89 MHz]

Conducted Power: 23.5 dBm

Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Right Hand Section; Position: (74°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0

835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.995 mW/g, SAR (10g): 0.664 mW/g

Head SAR - Cheek/Touch Position

Wide Telecom Model: WCH-500


CDMA Mode

Antenna Out

Channel 363 [835.89 MHz]

Conducted Power: 23.5 dBm


Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Right Hand Section; Position: (74°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 0.834 mW/g, SAR (10g): 0.547 mW/g


Head SAR - Cheek/Touch Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna In
Channel 777 [848.31 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Right Hand Section; Position: (74°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90 \text{ mho/m}$ $\epsilon_r = 41.5$ $\rho = 1.00 \text{ g/cm}^3$
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.19 mW/g, SAR (10g): 0.794 mW/g

Head SAR - Cheek/Touch Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna Out
Channel 777 [848.31 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Right Hand Section; Position: (89°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0


835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.412 mW/g, SAR (10g): 0.269 mW/g


Head SAR - Ear/Tilt Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna In
Channel 1013 [824.70 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Right Hand Section; Position: (89°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0
835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 0.865 mW/g, SAR (10g): 0.567 mW/g

Head SAR - Ear/Tilt Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna Out
Channel 1013 [824.70 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Right Hand Section; Position: (89°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0


835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.794 mW/g, SAR (10g): 0.517 mW/g

Head SAR - Ear/Tilt Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna In
Channel 363 [835.89 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Right Hand Section; Position: (89°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0


835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.879 mW/g, SAR (10g): 0.573 mW/g

Head SAR - Ear/Tilt Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna Out
Channel 363 [835.89 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Right Hand Section; Position: (89°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0

835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.561 mW/g, SAR (10g): 0.367 mW/g

Head SAR - Ear/Tilt Position
Wide Telecom Model: WCH-500


CDMA Mode

Antenna In

Channel 777 [848.31 MHz]

Conducted Power: 23.5 dBm

Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Right Hand Section; Position: (89°,65°)
Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0


835MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.912 mW/g, SAR (10g): 0.596 mW/g

Head SAR - Ear/Tilt Position
Wide Telecom Model: WCH-500
CDMA Mode
Antenna Out
Channel 777 [848.31 MHz]
Conducted Power: 23.5 dBm
Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Flat Section; Position: (270°,270°)

Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0

Muscle 835 MHz: $\sigma = 0.95$ mho/m $\epsilon_r = 56.1$ $\rho = 1.00$ g/cm³

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.606 mW/g, SAR (10g): 0.420 mW/g

Body-Worn SAR With 1.0cm Separation Distance

Wide Telecom Model: WCH-500


CDMA Mode

Antenna In

Channel 1013 [824.70 MHz]

Conducted Power: 23.5 dBm

Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Flat Section; Position: (270°,270°)

Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0

Muscle 835 MHz: $\sigma = 0.95$ mho/m $\epsilon_r = 56.1$ $\rho = 1.00$ g/cm³

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.801 mW/g, SAR (10g): 0.553 mW/g

Body-Worn SAR With 1.0cm Separation Distance

Wide Telecom Model: WCH-500


CDMA Mode

Antenna Out

Channel 1013 [824.70 MHz]

Conducted Power: 23.5 dBm

Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Flat Section; Position: (270°,270°)

Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0

Muscle 835 MHz: $\sigma = 0.95$ mho/m $\epsilon_r = 56.1$ $\rho = 1.00$ g/cm³

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.655 mW/g, SAR (10g): 0.454 mW/g

Body-Worn SAR With 1.0cm Separation Distance

Wide Telecom Model: WCH-500


CDMA Mode

Antenna In

Channel 363 [835.89 MHz]

Conducted Power: 23.5 dBm

Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Flat Section; Position: (270°,270°)

Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0

Muscle 835 MHz: $\sigma = 0.95$ mho/m $\epsilon_r = 56.1$ $\rho = 1.00$ g/cm³

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.501 mW/g, SAR (10g): 0.349 mW/g

Body-Worn SAR With 1.0cm Separation Distance

Wide Telecom Model: WCH-500


CDMA Mode

Antenna Out

Channel 363 [835.89 MHz]

Conducted Power: 23.5 dBm

Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Flat Section; Position: (270°,270°)

Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0

Muscle 835 MHz: $\sigma = 0.95$ mho/m $\epsilon_r = 56.1$ $\rho = 1.00$ g/cm³

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.569 mW/g, SAR (10g): 0.396 mW/g

Body-Worn SAR With 1.0cm Separation Distance

Wide Telecom Model: WCH-500


CDMA Mode

Antenna In

Channel 777 [848.31 MHz]

Conducted Power: 23.5 dBm

Date Tested: July 12, 2001



Wide Telecom Inc. FCC ID: NPWWCH-500

Generic Twin Phantom; Flat Section; Position: (270°,270°)

Probe: ET3DV6 - SN1590; ConvF(6.91,6.91,6.91); Crest factor: 1.0

Muscle 835 MHz: $\sigma = 0.95$ mho/m $\epsilon_r = 56.1$ $\rho = 1.00$ g/cm³

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.749 mW/g, SAR (10g): 0.530 mW/g

Body-Worn SAR With 1.0cm Separation Distance

Wide Telecom Model: WCH-500

CDMA Mode

Antenna Out

Channel 777 [848.31 MHz]

Conducted Power: 23.5 dBm

Date Tested: July 12, 2001

